

**3M**

# Total Automotive Sanding System



powered by

**FESTOOL**  
Automotive Systems



<b>3</b>	<b>Collaboration overview</b>
<b>5</b>	<b>Recommended systems</b>
7	Pneumatic body repair system
9	Electric body repair system
11	Pneumatic paint prep system
13	Electric paint prep system
15	Paint finishing system
<b>17</b>	<b>Tools</b>
<b>27</b>	<b>Accessories</b>
<b>31</b>	<b>Workplace organization</b>
<b>33</b>	<b>Abrasives</b>
<b>39</b>	<b>Compounds, polishes and pads</b>
<b>41</b>	<b>Personal safety</b>
<b>43</b>	<b>SERVICE all-inclusive</b>
<b>45</b>	<b>Index</b>



# Introducing the Total Automotive Sanding System

**Engineered to support the ongoing  
need for cleaner, safer, more efficient  
and profitable shops.**

Best-in-class 3M abrasives combined with premium Festool Automotive Systems power tools and dust extraction solutions. Behold the power of collaboration.





## Profitability + efficiency

Improved dust extraction and workstation organization can help reduce rework and wasted time, boosting your bottom line.

## Health + safety

Designed with the technician's safety in mind, including improved ergonomics. Something we can all feel good about.

## SERVICE all-inclusive

Every tool system comes with an industry-leading package of service and support. For service at the same caliber as your tools.

powered by

**FESTOOL**  
Automotive Systems



# The Systems

**5 premier systems configured to give you the tools, abrasives, dust extraction and organization you need. Body repair. Paint prep. Paint finishing. It's all here.**

powered by

**FESTOOL**  
Automotive Systems



3M + Festool Automotive Systems

# Body repair system

Pneumatic

# Less dust. More efficiency.

Body repair system recommended tools:



### Festool Automotive Systems Tools


	Product Name	Part no.
	Compressed Air Eccentric Sander LEX 3 150/7	29952
	Compressed Air Eccentric Sander LEX 3 77/2.5	29949
	Compressed Air Eccentric Sander LEX 2 185/7	30001
	Compressed Air Orbital Sander LRS 93	29958
	Compressed Air Orbital Sander LRS 400	29953
	Mobile Dust Extractor CLEANTEC CT 36	29947
	Workcenter WCR 1000	29921
	Sortainer Sys 4 TL-SORT/3	29964
	Compressed Air Module DL-CT 26/36*	29901
<i>*Required for the pneumatic system.</i>		
	IAS Hose 3-Light 5000 AS, 5 m / 16.4 ft	29916
	IAS Hose 3-Light 7000 AS, 7 m / 23 ft	29924
	IAS Hose 3-Light 10000 AS, 10 m / 32.8 ft	30005
	IAS Double Adapter 3-DA-CT	29920
	Self Cleaning Filter Bag CT36	29905
	Suction Hose D27, 5 m / 16.4 ft	29899



## You work smarter. Abrasives last longer.

Offers benefits of 3M high performing products, such as 3M™ Cubitron™ II abrasives, that cut 30% faster than other premium abrasives. Also enables use of abrasives to the end of life.

### Body repair system recommended accessories and abrasives:



#### 3M™ and Festool Automotive Systems Accessories

Product Name	Part no.
3M™ Dry Guide Coat, 50 grams / 1.8 oz	<b>05861</b>
3M™ Hookit™ Sanding Block Dust Free, 2.75" x 5"	<b>05207</b>
3M™ Hookit™ Sanding Block Dust Free, 2.75" x 7.5"	<b>05208</b>
3M™ Hookit™ Sanding Block Dust Free, 2.75" x 16"	<b>05209</b>
3M™ Hookit™ Hand Sanding Kit	<b>05684</b>
Festool Sanding Block HSK-A, 3.15" x 5.12"	<b>29909</b>
Festool Sanding Block HSK-A, 3.15" x 15.75"	<b>29911</b>
Festool Sanding Block HSK-A, 3.15" x 7.88"	<b>29912</b>




#### 3M™ Abrasive Sheets

Product Name	Part no.
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 40+	<b>34440</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 80+	<b>34442</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 120+	<b>34444</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 150+	<b>34445</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 180+	<b>34446</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 220+	<b>34447</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 240+	<b>34448</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 320+	<b>34449</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 40+	<b>35500</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 80+	<b>35501</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 120+	<b>35502</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 150+	<b>35503</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 180+	<b>35504</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 220+	<b>35505</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 240+	<b>31488</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 320+	<b>31489</b>
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 40+	<b>35510</b>
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 80+	<b>35511</b>
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 120+	<b>35512</b>
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 150+	<b>35513</b>
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 180+	<b>35514</b>
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 220+	<b>35515</b>
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 240+	<b>31494</b>
3M™ Cubitron™ II Hookit™ Dust Free File Sheet, 3.74", 320+	<b>31495</b>



#### 3M™ and Scotch-Brite™ Abrasive Discs

Product Name	Part no.
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 80+	<b>31361</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 120+	<b>31362</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 150+	<b>31363</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 180+	<b>31364</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 220+	<b>31461</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 240+	<b>31462</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 320+	<b>31463</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 40+	<b>31370</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 80+	<b>31371</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 120+	<b>31372</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 150+	<b>31373</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 180+	<b>31374</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 220+	<b>31481</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 240+	<b>31482</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 320+	<b>31483</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 40+	<b>34790</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 80+	<b>34791</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 120+	<b>34792</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 150+	<b>34793</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 180+	<b>34794</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 7.25", 220+	<b>34795</b>
Scotch-Brite™ Clean and Finish Disc, 6" x NH T	<b>77225</b>



#### 3M™ Personal Safety

Product Name	Part no.
3M™ Solus™ 1000 Series Safety Spectacles	<b>27189</b>
3M™ Half Facepiece Respirator Assembly, Large	<b>07003</b>
3M™ Particulate Filter, P100	<b>07000</b>
3M™ E-A-R™ Skull Screws™ Corded Earplugs	<b>92952</b>

**Please Note: Not a complete list.** Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

powered by



# Body repair system

Electric



## Electric body repair system recommended tools:

### Festool Automotive Systems Tools









	Product Name	Part no.
	Random Orbit Sander ETS EC 150/5 EQ	<b>29945</b>
	Random Orbit Sander ETS EC 150/3 EQ	<b>29943</b>
	Geared Eccentric Sander RO 150 FEQ-Plus	<b>29941</b>
	Mobile Dust Extractor CLEANTEC CT 36	<b>29947</b>
	Workcenter WCR 1000	<b>29921</b>
	Sortainer Sys 4 TL-SORT/3	<b>29964</b>
	CT Suction Hose Plug-It D27, 5 m / 16.4 ft	<b>29889</b>
	CT Suction Hose Plug-It D32, 10 m / 32.8 ft	<b>29890</b>
	Y-Piece Adapter, Anti-Static	<b>29892</b>
	Self Cleaning Filter Bag CT36	<b>29905</b>
	Suction Hose D27, 5 m / 16.4 ft	<b>29899</b>

## Try less dust. More efficiency.









A perfect surface in record time. Increase efficiency. Less maneuvering. Less searching.

### Electric body repair system recommended accessories and abrasives:

#### 3M™ and Festool Automotive Systems Accessories

Product Name	Part no.
 3M™ Dry Guide Coat, 50 grams / 1.8 oz	<b>05861</b>
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 5"	<b>05207</b>
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 7.5"	<b>05208</b>
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 16"	<b>05209</b>
 3M™ Hookit™ Hand Sanding Kit	<b>05684</b>
 Festool Sanding Block HSK-A, 3.15" x 5.12"	<b>29909</b>
 Festool Sanding Block HSK-A, 3.15" x 15.75"	<b>29911</b>
 Festool Sanding Block HSK-A, 3.15" x 7.88"	<b>29912</b>





#### 3M™ Abrasive Sheets

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 40+	<b>34440</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 80+	<b>34442</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 120+	<b>34444</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 150+	<b>34445</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 180+	<b>34446</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 220+	<b>34447</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 240+	<b>34448</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 320+	<b>34449</b>

#### 3M™ and Scotch-Brite™ Abrasive Discs

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 80+	<b>31361</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 120+	<b>31362</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 150+	<b>31363</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 180+	<b>31364</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 220+	<b>31461</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 240+	<b>31462</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 320+	<b>31463</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 40+	<b>31370</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 80+	<b>31371</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 120+	<b>31372</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 150+	<b>31373</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 180+	<b>31374</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 220+	<b>31481</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 240+	<b>31482</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 320+	<b>31483</b>
 Scotch-Brite™ Clean and Finish Disc, 6" x NH T	<b>77225</b>

#### 3M™ Personal Safety

Product Name	Part no.
 3M™ Solus™ 1000 Series Safety Spectacles	<b>27189</b>
 3M™ Half Facepiece Respirator Assembly, Large	<b>07003</b>
 3M™ Particulate Filter, P100	<b>07000</b>
 3M™ E-A-R™ Skull Screws™ Corded Earplugs	<b>92952</b>

**Please Note: Not a complete list.** Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

powered by

**FESTOOL**  
Automotive Systems



# Paint prep system

Pneumatic

# Less dust. Less wasted time.



## Paint prep system recommended tools:

### Festool Automotive Systems Tools



Product Name	Part no.
Compressed Air Eccentric Sander LEX 3 150/5	29951



Compressed Air Eccentric Sander LEX 3 150/3	29950
---	-------



Compressed Air Eccentric Sander LEX 3 77/2.5	29949
--	-------



Mobile Dust Extractor CLEANTEC CT 36	29947
--------------------------------------	-------



Workcenter WCR 1000	29921
---------------------	-------



Sortainer Sys 4 TL-SORT/3	29964
---------------------------	-------



Compressed Air Module DL-CT 26/36*	29901
------------------------------------	-------

*\*Required for the pneumatic system.*



IAS Hose 3-Light 5000 AS, 5 m / 16.4 ft	29916
---	-------



IAS Hose 3-Light 7000 AS, 7 m / 23 ft	29924
---------------------------------------	-------



IAS Hose 3-Light 10000 AS, 10 m / 32.8 ft	30005
---	-------



IAS Double Adapter 3-DA-CT	29920
----------------------------	-------



Self Cleaning Filter Bag CT36	29905
-------------------------------	-------



Suction Hose D27, 5 m / 16.4 ft	29899
---------------------------------	-------



Festool Interface Pad IP-STF D150/MJ2-5/2, 150 mm / 6" diameter, 5 mm height	30092
--	-------



Festool Interface Pad IP-STF D150/MJ2-15/1, 150 mm / 6" diameter, 15 mm height	30093
--	-------



Festool Interface Pad IP-STF D77/6, 76 mm / 3" diameter, 10 mm height	29930
---	-------











## Faster cutting. Less rework.







Designed to reduce the amount of dust in the air from sanding and improve cycle time. Efficient design means less rework.

### Paint prep system recommended accessories and abrasives:















#### 3M™ and Festool Automotive Systems Accessories

Product Name	Part no.
 3M™ Dry Guide Coat, 50 grams / 1.8 oz	<b>05861</b>
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 5"	<b>05207</b>
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 7.5"	<b>05208</b>
 3M™ Hookit™ Sanding Block Dust Free, 2.75" x 16"	<b>05209</b>
 3M™ Hookit™ Hand Sanding Kit	<b>05684</b>
 Festool Sanding Block HSK-A, 3.15" x 5.12"	<b>29909</b>
 Festool Sanding Block HSK-A, 3.15" x 15.75"	<b>29911</b>
 Festool Sanding Block HSK-A, 3.15" x 7.88"	<b>29912</b>





#### 3M™ Abrasive Sheets

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 320+	<b>34449</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 320+	<b>31489</b>
 3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P400	<b>34337</b>
 3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P600	<b>34339</b>
 3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P800	<b>34340</b>
 3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P1000	<b>34341</b>

#### 3M™ and Scotch-Brite™ Abrasive Discs

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 320+	<b>31463</b>
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 320+	<b>31483</b>
 3M™ Hookit™ Purple Clean Sanding Disc, 3", P400	<b>30273</b>
 3M™ Hookit™ Purple Clean Sanding Disc, 6", P400	<b>01811</b>
 3M™ Hookit™ Purple Clean Sanding Disc, 6", P500	<b>01810</b>
 3M™ Hookit™ Purple Clean Sanding Disc, 6", P600	<b>30761</b>
 3M™ Hookit™ Purple Clean Sanding Disc, 6", P800	<b>30760</b>
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P800	<b>34781</b>
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P1000	<b>34782</b>
 3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P400	<b>34800</b>
 3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P600	<b>34801</b>
 3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P800	<b>34802</b>
 3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P1000	<b>34803</b>
 Scotch-Brite™ Clean and Finish Disc, 6" x NH T	<b>77225</b>

#### 3M™ Personal Safety

Product Name	Part no.
 3M™ Solus™ 1000 Series Safety Spectacles	<b>27189</b>
 3M™ Half Facepiece Respirator Assembly, Large	<b>07003</b>
 3M™ Particulate Filter, P100	<b>07000</b>
 3M™ E-A-R™ Skull Screws™ Corded Earplugs	<b>92952</b>

**Please Note: Not a complete list.** Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

powered by

**FESTOOL**  
Automotive Systems

# Paint prep system

Electric



## Electric paint prep system recommended tools:

### Festool Automotive Systems Tools

Product Name	Part no.
--------------	----------



Random Orbit Sander ETS EC 150/3 EQ	<b>29943</b>
--	--------------



Random Orbit Sander ETS EC 150/5 EQ	<b>29945</b>
--	--------------



Mobile Dust Extractor CLEANTEC CT 36	<b>29947</b>
---	--------------



Workcenter WCR 1000	<b>29921</b>
---------------------	--------------



Sortainer Sys 4 TL-SORT/3	<b>29964</b>
------------------------------	--------------



CT Suction Hose Plug-It D27, 5 m / 16.4 ft	<b>29889</b>
---	--------------



CT Suction Hose Plug-It D32, 10 m / 32.8 ft	<b>29890</b>
--	--------------



Y-Piece Adapter, Anti-Static	<b>29892</b>
---------------------------------	--------------



Self Cleaning Filter Bag CT36	<b>29905</b>
----------------------------------	--------------



Suction Hose D27, 5 m / 16.4 ft	<b>29899</b>
------------------------------------	--------------



Festool Interface Pad IP-STF D150/MJ2-5/2, 150 mm / 6" diameter, 5 mm height	<b>30092</b>
---	--------------





Festool Interface Pad IP-STF D150/MJ2-15/1, 150 mm / 6" diameter, 15 mm height	<b>30093</b>
---	--------------

## More time painting. Less time cleaning.


Power, capacity and portability to help handle your shop needs. Maximum flexibility, mobile and ready for operation. Ideal for isolated or constantly changing work places.

### Electric paint prep system recommended accessories and abrasives:

#### 3M™ and Festool Automotive Systems Accessories

Product Name	Part no.
 3M™ Dry Guide Coat, 50 grams / 1.8 oz	<b>05861</b>
<td><b>05207</b></td>	<b>05207</b>
<td><b>05208</b></td>	<b>05208</b>
<td><b>05209</b></td>	<b>05209</b>
	<b>05684</b>
<td><b>29909</b></td>	<b>29909</b>
<td><b>29911</b></td>	<b>29911</b>
<td><b>29912</b></td>	<b>29912</b>


#### 3M™ Abrasive Sheets

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 2.75", 320+	<b>34449</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Roll, 3.15", 320+	<b>31489</b>
3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P400	<b>34337</b>
3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P600	<b>34339</b>
3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P800	<b>34340</b>
3M™ Hookit™ Flexible Abrasive Sheet, 5.5" x 6.8", P1000	<b>34341</b>

#### 3M™ and Scotch-Brite™ Abrasive Discs

Product Name	Part no.
 3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 3", 320+	<b>31463</b>
3M™ Cubitron™ II Hookit™ Clean Sanding Disc, 6", 320+	<b>31483</b>
3M™ Hookit™ Purple Clean Sanding Disc, 3", P400	<b>30273</b>
3M™ Hookit™ Purple Clean Sanding Disc, 6", P400	<b>01811</b>
3M™ Hookit™ Purple Clean Sanding Disc, 6", P500	<b>01810</b>
3M™ Hookit™ Purple Clean Sanding Disc, 6", P600	<b>30761</b>
3M™ Hookit™ Purple Clean Sanding Disc, 6", P800	<b>30760</b>
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P800	<b>34781</b>
3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P1000	<b>34782</b>
3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P400	<b>34800</b>
3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P600	<b>34801</b>
3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P800	<b>34802</b>
3M™ Hookit™ Flexible Abrasive Disc, 17 Hole, 6", P1000	<b>34803</b>
Scotch-Brite™ Clean and Finish Disc, 6" x NH T	<b>77225</b>

#### 3M™ Personal Safety

Product Name	Part no.
 3M™ Solus™ 1000 Series Safety Spectacles	<b>27189</b>
3M™ Half Facepiece Respirator Assembly, Large	<b>07003</b>
3M™ Particulate Filter, P100	<b>07000</b>
3M™ E-A-R™ Skull Screws™ Corded Earplugs	<b>92952</b>

**Please Note: Not a complete list.** Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

powered by

**FESTOOL**  
Automotive Systems



# More organization. More mobility.



## Paint finishing system recommended tools:

### Festool Automotive Systems Tools

	Product Name	Part no.
	Compressed Air Eccentric Sander LEX 3 150/5	29951
	Compressed Air Eccentric Sander LEX 3 150/3	29950
	Compressed Air Eccentric Sander LEX 3 77/2.5	29949
	Rotary Polisher SHINEX RAP 150-14 FE	29940
	Workcenter WCR 1000	29921
	Sortainer Sys 4 TL-SORT/3	29964
	Multifunctional Stool MFH 1000	29933
	Adapter IAS 3-SD (Airline Non-VAC)	29917
	Festool Interface Pad IP-STF D150/MJ2-5/2, 150 mm / 6" diameter, 5 mm height	30092
	Festool Interface Pad IP-STF D150/MJ2-15/1, 150 mm / 6" diameter, 15 mm height	30093
	Festool Interface Pad IP-STF D77/6, 76 mm / 3" diameter, 10 mm height	29930
	Spot Repair Scraper (Nib File)	29925



## Cleaner workspace. Finer finish.

Organization system helps reduce cleanup time and enhance workplace efficiency by decreasing time spent searching for tools and materials.

### Paint finishing system recommended accessories and abrasives:







#### 3M™ Compounds, Polishes, Pads and Accessories

Product Name	Part no.
 3M™ Perfect-It™ EX AC Rubbing Compound, Quart	<b>36060</b>
 3M™ Perfect-It™ Foam Compounding Pad, 9"	<b>05706</b>
 3M™ Perfect-It™ Foam Compounding Pad, 6"	<b>33284</b>
 3M™ Perfect-It™ 100% Wool Compounding Pad, 9"	<b>05753</b>
 3M™ Perfect-It™ Low Linting 100% Wool Compounding Pad, 9"	<b>33279</b>
 3M™ Perfect-It™ Low Linting 100% Wool Compounding Pad, 6"	<b>33288</b>
 3M™ Perfect-It™ EX Machine Polish, Quart	<b>06094</b>
 3M™ Perfect-It™ Foam Polishing Pad, 8" Grey	<b>05707</b>
 3M™ Perfect-It™ Foam Polishing Pad, 6" Grey	<b>33285</b>
 3M™ Perfect-It™ EX Ultrafine Machine Polish, Quart	<b>06068</b>
 3M™ Perfect-It™ Ultrafine Foam Polishing Pad, 8" Blue	<b>05708</b>
 3M™ Perfect-It™ Ultrafine Foam Polishing Pad, 6" Blue	<b>33286</b>
3M™ Perfect-It™ 1 Finishing Material, Quart	<b>36064</b>
3M™ Perfect-It™ 1 Finishing Pad, 8"	<b>33291</b>
3M™ Perfect-It™ 1 Finishing Pad, 6"	<b>33292</b>
3M™ Quick Connect Adaptor, 14 mm	<b>33271</b>
3M™ Hookit™ 7" Back-up Pad, 14 mm	<b>33659</b>
3M™ Screw On Buffing Pad Adaptor, 14 mm	<b>33660</b>

#### 3M™ and Scotch-Brite™ Abrasive Discs

Product Name	Part no.
 3M™ Hookit™ Purple Finishing Film Disc, 3", P1200	<b>30368</b>
 3M™ Hookit™ Purple Finishing Film Disc, 3", P1500	<b>30367</b>
 3M™ Hookit™ Purple Finishing Film Disc, 3", P2000	<b>30366</b>
 3M™ Hookit™ Purple Finishing Film Disc, 6", P1200	<b>30668</b>
 3M™ Hookit™ Purple Finishing Film Disc, 6", P1500	<b>30667</b>
 3M™ Hookit™ Purple Finishing Film Disc, 6", P2000	<b>30666</b>
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P1200	<b>34783</b>
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P1500	<b>34784</b>
 3M™ Hookit™ Purple Finishing Film Disc, 17 Hole, 6", P2000	<b>34785</b>
 3M™ Trizact™ Hookit™ Foam Disc, 3", 3000	<b>02087</b>
 3M™ Trizact™ Hookit™ Foam Disc, 3", 5000	<b>30362</b>
 3M™ Trizact™ Hookit™ Foam Disc, 6", 3000	<b>02085</b>
 3M™ Trizact™ Hookit™ Foam Disc, 6", 5000	<b>30662</b>
Scotch-Brite™ Clean and Finish Disc, 6" x NH T	<b>77225</b>

#### 3M™ Personal Safety

Product Name	Part no.
 3M™ Goggle Gear, 500 Series Clear Scotchgard™ Anti-Fog Lens	<b>27455</b>
 3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator, Large	<b>49492</b>
 3M™ Organic Vapor Cartridge	<b>07046</b>
 3M™ Filter Retainer	<b>07194</b>
 3M™ Particulate Filter, P95	<b>07054</b>
 3M™ E-A-R™ Skull Screws™ Corded Earplugs	<b>92952</b>

**Please Note: Not a complete list.** Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

powered by

**FESTOOL**  
Automotive Systems

# Tools

Festool Automotive Systems power tools are the best in the industry. Ergonomic design and decreased vibration for less fatigue. Exceptional performance. Unsurpassed service and support.





## Festool CLEANTEC CT 36

# Mobile dust extractors



### CT 36 E-HEPA

#### Part no.

29947

#### Items Included

SELF-CLEAN filter bag, suction hose, hose holder, Sys doc, cable holder, in a carton

## The true size can be found inside.

- Maximum utilization of the container volume — the gross volume is the same as the net volume
- Dust extractors are set up for use with electric tools, with the option of upgrading for pneumatic tools with a compressed air module (Part no. 29901)
- Constantly high suction because of the compact high performance turbine
- Anti-static function

#### Technical data

#### CT 36

Power consumption (W)	350–1200
Airflow max (l/min)	3900
Max. vacuum (Pa)	24000
Filter surface area (cm <sup>2</sup> )	6318
Rubber-insulated mains cable (m) / (ft)	7,5 / 24.6
Container size (l) / (gal)	36 / 9.5
Dimensions (L x W x H) (mm)	630 x 365 x 596
Dimensions (L x W x H) (in)	24.8 x 14.4 x 23.5
Max. appliance socket connection load (W)	2400
Weight (kg) / (lbs)	14,4 / 31.7



= with electronics

## All-rounder in the perfect size.

Compact yet effective. Lightweight yet powerful. The perfected container geometry of the CLEANTEC CT 36 offers a significantly larger capacity with minimal external dimensions.


#### Note:

- The Festool mobile dust extractor is not approved for use with aluminum dust.

#### System accessories from page 28



#### WCR 1000 Workcenter from page 32



powered by

**FESTOOL**  
Automotive Systems


**Pneumatic**

Festool LEX 3 150 6"

# Compressed air eccentric sander



	Part no.
LEX 3 150/3	29950
LEX 3 150/5	29951
LEX 3 150/7	29952
<b>Items Included</b>	
Operation tool, Festool sanding pad, bottle of cleaning and lubricating oil (50 ml / 1.7 fl oz), in a carton	

## Limits vibrations. Increases efficiency.

- Precise — sanding pad brake ensures a clean pattern
- High-quality FUSION-TEC sanding pads and the MULTI-JETSTREAM principle for perfect dust extraction and economical abrasive consumption
- Vibrations are minimized for comfortable, non-tiring work
- No confusion — stroke rate easy to identify on the dead-man switch on all LEX 3 models

Technical data	LEX 3 150/3	LEX 3 150/5	LEX 3 150/7
Operating pressure (flow pressure) (bar) / (psi)	6 / 87	6 / 87	6 / 87
No. of strokes (min <sup>-1</sup> )	20000	20000	20000
Eccentric motion speed (min <sup>-1</sup> )	10000	10000	10000
Sanding stroke (mm) / (in)	3 / 1/8	5 / 3/16	7 / 9/32
Vibration emission value ah (single-axel) (m/s <sup>2</sup> )	2,1	2,7	3,17
Vibration emission value ah (three-axel) (m/s <sup>2</sup> )	3,7	3,9	5,8
Air consumption at rated load (l/min) / (cfm)	290 / 10.2	290 / 10.2	310 / 10.9
Sound pressure level (dB [A])	72	72	76
Sanding pad (mm) / (in)	150 / 5.9	150 / 5.9	150 / 5.9
Weight (kg) / (lbs)	1,0 / 2.2	1,0 / 2.2	1,0 / 2.2



## Health and safety.

The non-slip softgrip cap on the LEX 3 provides a secure hold. Dust extraction with MULTI-JETSTREAM principle helps keep the air and workplace clean.


### Note:

- The IAS 3 connection system is required to operate the compressed air sanders.

System accessories  
from page 29



Abrasives  
from pages 34–35







## Pneumatic

Festool LEX 3 77 2.5"

## Compressed air eccentric sander



LEX 3 77/2.5

Part no.

29949

## Items Included

Operation tool, Festool sanding pad, bottle of cleaning and lubricating oil (50 ml / 1.7 fl oz), in a carton

## For surface finishing.

- Extremely sturdy design ensures a long service life, minimal servicing requirements and high cost savings
- Pleasant operating noise, low vibration levels and dispersion of exhaust air through a compressed air hose for user comfort
- Sanding pad brake reduces sanding errors when setting down the machine, thereby avoiding rework and additional costs
- Low compressed air consumption ensures high cost savings

## Technical data

Operating pressure (flow pressure) (bar) / (psi)	6 / 87
No. of strokes (min <sup>-1</sup> )	21000
Eccentric motion speed (min <sup>-1</sup> )	10500
Sanding stroke (mm) / (in)	2,5 / 3/32
Vibration emission value ah (single-axel) (m/s <sup>2</sup> )	0,8
Vibration emission value ah (three-axel) (m/s <sup>2</sup> )	1,9
Air consumption at rated load (l/min) / (cfm)	270 / 9.5
Sanding pad (mm) / (in)	77 / 3
Sound pressure level (dB [A])	72
Weight (kg) / (lbs)	0,7 / 15.43



## For extreme durability.

For smooth processes free of machine failures and maintenance.


## Note:

- The IAS 3 connection system is required to operate the compressed air sanders.

System accessories  
from page 29



Abrasives  
from pages 34–35



powered by

**FESTOOL**  
Automotive Systems



Pneumatic

Festool LEX 2 185 7.25"

# Compressed air eccentric sander



	<b>Part no.</b>
<b>LEX 2 185/7</b>	<b>30001</b>
<b>Items Included</b>	
Operation tool, Festool sanding pad, bottle of cleaning and lubricating oil (50 ml / 1.7 fl oz), in a carton	

## Specialist in material removal.

- Dead-man switch for safe work
- Clearly visible stroke indicator
- Sanding pad brake gives a clean pattern
- Reduced vibrations for maximum working comfort

### Technical data

Operating pressure (flow pressure) (bar) / (psi)	6 / 87
No. of strokes (min <sup>-1</sup> )	16000
Eccentric motion speed (min <sup>-1</sup> )	8000
Sanding stroke (mm) / (in)	7 / 9/32
Air consumption at rated load (l/min) / (cfm)	390 / 13.7
Sanding pad (mm) / (in)	185 / 7.25
Weight (kg) / (lbs)	1,6 / 3.53



## Softgrip cap.

The Softgrip coating on the tool ensures easy machine guidance with no slipping.

### Note:

- The IAS 3 connection system is required to operate the compressed air sanders.

System accessories  
from page 29



Abrasives  
from pages 34–35





## Pneumatic

Festool LRS 93

# Compressed air orbital sander



LRS 93

Part no.  
29958

## Items Included

Operation tool, Festool sanding pad, bottle of cleaning and lubricating oil (50 ml / 1.7 fl oz), in a carton

## Perfect for flat surfaces.

- Machine is easy to guide
- Speed and stroke preselection
- Vibrations are minimized for comfortable, non-tiring work
- StickFix sanding pads and abrasive for quick changes

## Technical data

Operating pressure (flow pressure) (bar) / (psi)	6 / 87
No. of strokes (min <sup>-1</sup> )	14000
Sanding stroke (mm) / (in)	4 / 5/32
Air consumption at rated load (l/min) / (cfm)	310 / 10.9
Sanding pad StickFix (mm) / (in)	93 × 175 / 3.7 × 6.9
Weight (kg) / (lbs)	1,2 / 2.6




## Vibrations reduce.

Less stress on your hands and wrists. VS balancing reduces vibrations and oscillations, and is kind to both you and your machine.


### Note:

- The IAS 3 connection system is required to operate the compressed air sanders.

System accessories  
from page 29



Abrasives  
from pages 34–35



powered by

**FESTOOL**  
Automotive Systems



Pneumatic

Festool LRS 400

# Compressed air orbital sander



	<b>Part no.</b>
<b>LRS 400</b>	<b>29953</b>

**Items Included**

Operation tool, Festool sanding pad, bottle of cleaning and lubricating oil (50 ml / 1.7 fl oz), in a carton

## Long sander for large surfaces.

- Lightweight and handy despite its size
- High material removal rate on large, flat surfaces
- Very good extraction thanks to IAS 3 system
- Softgrip handle

**Technical data**

Operating pressure (flow pressure) (bar) / (psi)	6 / 87
No. of strokes (min <sup>-1</sup> )	14000
Sanding stroke (mm) / (in)	4 / 5/32
Air consumption at rated load (l/min) / (cfm)	390 / 13.7
Sanding pad StickFix (mm) / (in)	80 × 400 / 3.1 × 15.7
Weight (kg) / (lbs)	2,3 / 5.1




## Easy guidance.

All compressed air orbital sanders are easy to guide, both with one or two hands. The Softgrip and the additional handle on the LRS 400 give you complete control of the machine.


**Note:**

- The IAS 3 connection system is required to operate the compressed air sanders.

System accessories  
from page 29



Abrasives  
from pages 34–35







Electric

Festool ETS EC 150 EQ 6"  
Festool ETS EC 150 EQ-Plus 6"

# Random orbit sander



## Sanding has many sides. We've thought of them all.

At vertical areas or narrow edges — the new ETS EC 150 takes up position in all circumstances: Perfection with handling and sanding result. Thanks to the high-performance and brushless EC-TEC motor, the compact ETS EC 150 is ideal for one-handed and effortless work with simultaneously high demands for smooth running and surface quality.



Brushless EC-TEC motor for a long service life and a high level of efficiency

## Systainer included in Plus models



	Part no.
<b>ETS EC 150/3 EQ</b>	<b>29943</b>
<b>ETS EC 150/5 EQ</b>	<b>29945</b>
<b>Items Included</b>	
Operation tool, Festool sanding pad, in a carton	
<b>ETS EC 150/3 EQ-Plus</b>	<b>29942</b>
<b>ETS EC 150/5 EQ-Plus</b>	<b>29944</b>
<b>Items Included</b>	
Operation tool, Festool sanding pad, Systainer SYS 2 T-LOC (396 × 296 × 157,5 mm / 15.59" × 11.65" × 6.2")	

## The perfect finishing sander in the compact class.

- Long life thanks to EC technology and carbide-tipped sanding pad brake
- Compact design and weighing only 1.2 kg/2.6 lbs for optimal ergonomic working conditions
- Stepless speed preselection, constant speed even under load
- Enhanced efficiency while working thanks to extraction detection

Technical data	ETS EC 150/3	ETS EC 150/5
Power consumption (W)	400	400
Eccentric motion speed (min <sup>-1</sup> )	6000–10000	6000–10000
Sanding stroke (mm) / (in)	3 / 1/8	5 / 3/16
Interchangeable sanding pad (mm) / (in)	150 / 5.9	150 / 5.9
Connection d/e (mm) / (in)	27 / 1.1	27 / 1.1
Weight (kg) / (lbs)	1,2 / 2.6	1,2 / 2.6




= with MMC electronics

### System accessories from page 29



### Abrasives from pages 34–35



powered by

**FESTOOL**  
Automotive Systems



Electric

# Festool ROTEX RO 150 FEQ-Plus Geared eccentric sander



	<b>Part no.</b>
<b>RO 150 FEQ-Plus</b>	<b>29941</b>
<b>Items Included</b>	
Operation tool, Festool sanding pad, Systainer SYS 3 T-LOC (396 x 296 x 210 mm / 15.59" x 11.65" x 8.26")	

## The original 3-in-1 principle with powerful machine concept.

- Three machines in one: aggressive material removal when coarse sanding, extra-fine sanding pattern when fine sanding and perfect gleaming surfaces when polishing
- ROTEX rotary motion for convenient polishing — reduced speed keeps the temperature low, even on the powerful RO 150, prevents the polish from smearing or spraying off
- FastFix sanding pad system, tool-less
- MULTI-JETSTREAM principle for efficient dust extraction at maximum sanding capacity

## Short tooling times thanks to FastFix pad change.


Simple, quick and safe. You don't need any other tools for changes apart from your hands. Simply remove the pad, replace and carry on working.

Technical data	ROTEX RO 150
Power consumption (W)	720
ROTEX rotary motion speed (min <sup>-1</sup> )	320–660
Eccentric motion speed (min <sup>-1</sup> )	3300–6800
Sanding stroke (mm) / (in)	5 / 3/16
FastFix sanding pad (mm) / (in)	150 / 5.9
Connection d/e (mm) / (in)	27 / 1.1
Weight (kg) / (lbs)	2,3 / 5.1



= with MMC electronics

## Rotary motion




## Systainer included



## System accessories from page 29



## Abrasives from pages 34–35



## Electric

## Festool SHINEX RAP 150 Rotary polisher



	<b>Part no.</b>
<b>SHINEX RAP 150-14 FE</b>	<b>29940</b>

**Items Included**

Operation tool, Festool polishing pad, additional side-mounted hand grip, in a carton

**Exceptional performance.**

- Variable speed trigger for sensitive starting and acceleration
- 2-speed gear unit is powerful, sturdy and durable across the entire speed range
- Long service life — a temperature-dependent overload protection and filter catcher protect the machine
- Work for longer periods — only weighs 2.1 kg/4.6 lbs, ergonomic design and perfectly balanced



Technical data	SHINEX RAP 150-14
Power consumption (W)	1200
Idle engine speed (min <sup>-1</sup> )	600–1400
Maximum polishing pad (mm) / (in)	229 / 9
Spindle thread	M14
Weight (kg) / (lbs)	2,1 / 4.6



= with MMC electronics

**Precise application of power.**

Perfect power transfer thanks to the minimum distance between the tool and pad and the various grip positions of the SHINEX RAP 150.

**System accessories from page 29****Polishing accessories from page 40**

powered by

**FESTOOL**  
Automotive Systems





# Accessories

Everything you need to make sanding easier. Cleaner. And more efficient. Compatible with Festool Automotive Systems power tools and dust extraction systems as well as 3M abrasives.





## 3M™ and Festool Automotive Systems Accessories

	Product Name	Qty/Case	Part no.
   	Festool IAS Hose 3-Light 5000 AS, 5 m / 16.4 ft	1	29916
	Festool IAS Hose 3-Light 7000 AS, 7 m / 24 ft	1	29924
	Festool IAS Hose 3-Light 10000 AS, 10 m / 32.8 ft	1	30005
	Festool Suction Hose D27/32 x 5 m / 105 x 16.4 ft-AS/CT	1	29899
	Festool Suction Hose D27/32 x 3,5 m / 105 x 11.5 ft-AS/CT	1	30007
	Festool CT Suction Hose Plug-It D27, 5 m / 16.4 ft Hose for Electric Tools D27/22 x 5 m / 72.2 x 16.4 ft-AS-GQ/CT USA	1	29889
	Festool CT Suction Hose Plug-It D32, 10 m / 32.8 ft Hose for Electric Tools D32/22 x 10 m / 72.2 x 32.8 ft-AS-GQ/CT USA	1	29890














	Product Name	Qty/Case	Part no.
      	Festool Y-Piece Adapter, Anti-Static D 50 SV-AS/D, 50 V	5	29892
	Festool Adapter AD-IAS, D36	5	29895
	Festool IAS Double Adapter 3-DA-CT	1	29920
	Festool Hose Sleeve, Non-Antistatic Hose Reducer	5	29959
	3M™ Quick Connect Adaptor, 14 mm / 0.6 in	10	33271
	3M™ Screw On Buffing Pad Adaptor for 14 mm / 0.6 in spindle	10	33660
	Festool Adapter IAS 3-SD (Airline Non-VAC)	1	29917

powered by







**FESTOOL**  
Automotive Systems



## 3M™ and Festool Automotive Systems Accessories

	Product Name	Qty/Case	Part no.
	Festool Sanding Pad ST-STF D150/MJ2-M8-SW 6 in Back Up Pad – Soft for LEX 3/ETS-EC	5	30064
	Festool Sanding Pad ST-STF D150/MJ2-M8-W-HT 6 in Back Up Pad – Medium for LEX 3/ETS-EC	5	30063
	Festool Sanding Pad ST-STF D150/MJ2-M8-H-HT 6 in Back Up Pad – Hard for LEX 3/ETS-EC	5	30065
	Festool Sanding Pad, ST-STF-D185/16-M8-W, 7.25 in Back Up Pad – Soft for LEX 2 185/7	5	30002
	Festool Interface Pad IP-STF D150/MJ2-15/1 6 in Interface Pad – 15 mm height	10	30093
	Festool Interface Pad IP-STF D150/MJ2-5/2, 6 in Interface Pad – 5 mm height	10	30092
	Festool Sanding Pad ST-STF-D77/6-M5-W 3 in Back Up Pad	5	29956
	Festool Interface Pad IP-STF D77/6, 3 in Interface Pad – 10 mm height	10	29930
	Festool Sanding Pad ST-STF D150/MJ2-FX-SW 6 in Back Up Pad – Soft for Rotex	5	30067
	Festool Sanding Pad ST-STF D150/MJ2-FX-SW 6 in Back Up Pad – Medium for Rotex	5	30066
	Festool Sanding Pad, 30066, ST-STF D150/MJ2-FX-H-HT 6 in Back Up Pad – Hard for Rotex	5	30068
	Festool Sanding Pad SSH, SSH-STF 93 mm x 175 mm – for LRS 93	5	30129
	Festool Sanding Pad SSH, SSH-STF 80 mm x 400 mm – for LRS 400	5	30130
	3M™ Hookit™ 7 in Back-up Pad 7 mm x 3/4 mm x 14 mm / 0.8 in x 0.03 in x 0.6 in	1	33659
	3M™ Dry Guide Coat 50 grams / 1.8 oz	6	05861
	Festool Self Cleaning Filter Bag SC-FIS-CT 36, 5 bags per pack	5	29905
	Festool Spot Repair Scraper (Nib File) LZK-HM	5	29925
	Festool Main Filter HEPA-HF-CT 26/36	1	29938

## 3M™ and Festool Automotive Systems Accessories

	Product Name	Qty/Case	Part no.
	3M™ Hookit™ Sanding Block Dust Free 70 mm x 127 mm / 2.75 in x 5 in	5	05207
	3M™ Hookit™ Sanding Block Dust Free 70 mm x 190 mm / 2.75 in x 7.5 in	5	05208
	3M™ Hookit™ Sanding Block Dust Free 70 mm x 406 mm / 2.75 in x 16 in	1	05209
	3M™ Hookit™ Hand Sanding Kit	6	05684
	Festool Sanding Block HSK-A 80 mm x 130 mm / 3.15 in x 5.12 in	1	29909
	Festool Sanding Block HSK-A 80 mm x 400 mm / 3.15 in x 15.75 in	1	29911
	Festool Sanding Block HSK-A 80 mm x 200 mm / 3.15 in x 7.88 in	1	29912

	Product Name	Qty/Case	Part no.
	Festool Compressed Air Module DL-CT 26/36 <i>Required for the pneumatic system</i>	1	29901
	Festool Cleaning and Lubricating Oil LFC 9022/50	10	29894
	Festool Replacement Air Inlet LEX 3 77	5	29931
	Festool Replacement Air Inlet LEX 3 150	5	29932
	Festool O-Ring 6x1-NBR-LABS-FREI	20	29954

powered by

**FESTOOL**  
Automotive Systems





# Workplace Organization

Designed to keep tools and accessories organized and at the ready. From the drawer system of the Sortainer to the Systainer chest, you'll never waste time looking again.







## Festool Automotive Systems Accessories

Product Name	Description	Dimensions & Weight	Qty in Pack	Part no.
 WCR 1000	Workcenter	(L x W x H, height adjustable) 1050 x 362 x 545–785 mm 41.3 x 14.3 x 21.5–30.9 in  weight 10,2 kg / 22.5 lbs	1	<b>29921</b>
 TC 3000/2	Toolcenter	(L x W x H) 470 x 1070 x 960 mm 18.5 x 42.1 x 37.8 in  weight 43 kg / 94.8 lbs	1	<b>29948</b>
 MFH 1000	Multifunctional Stool	(L x W x H) 695 x 436 x 524 mm 27.4 x 17.1 x 20.6 in  weight 27 kg / 59.5 lbs	1	<b>29933</b>
 Sys 4 TL-SORT/3	Sortainer: Three drawers, each with a capacity of 6.7 litres / 1.8 gallons, can be set up and divided individually with plastic containers and partitions, connects to all T-LOC and Classic Systainers, Sortainers and CLEANTEC mobile dust extractors	(L x W x H) 396 x 296 x 322 mm 15.6 x 11.7 x 12.7 in  weight 5,7 kg / 12.6 lbs	1	<b>29964</b>

### Accessories for Workcenter and Toolcenter (from above)

Product Name	Description	Dimensions & Weight	Qty in Pack	Part no.
 Rear wall TC 3000 RW	for toolcenter TC 3000/2 includes 10 hooks	(L x W) 990 x 340 mm 39.0 x 13.4 in	1	<b>29893</b>
 Tool holder WHR/D-TC	for toolcenter TC 3000/2 for safe, ergonomic storage of two electric and air tools at the same time		1	<b>29898</b>

powered by


**FESTOOL**  
Automotive Systems

# Abrasives

Rough grinding to fine finish work, 3M abrasives consistently sand faster, improve productivity and reduce cycle time for higher-quality repairs, and less rework.



## 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Discs



**3 in Disc:** Use Festool LEX 3 77/2.5 Compressed Air Eccentric Sander

**6 in Disc:** Use Festool LEX 3 150/ (3, 5 or 7) Compressed Air Eccentric Sander

Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Cubitron™ II Clean Sanding Disc	80+	3 in	50	4	<b>31361</b>
3M™ Cubitron™ II Clean Sanding Disc	120+	3 in	50	4	<b>31362</b>
3M™ Cubitron™ II Clean Sanding Disc	150+	3 in	50	4	<b>31363</b>
3M™ Cubitron™ II Clean Sanding Disc	180+	3 in	50	4	<b>31364</b>
3M™ Cubitron™ II Clean Sanding Disc	220+	3 in	50	4	<b>31461</b>
3M™ Cubitron™ II Clean Sanding Disc	240+	3 in	50	4	<b>31462</b>
3M™ Cubitron™ II Clean Sanding Disc	320+	3 in	50	4	<b>31463</b>
3M™ Cubitron™ II Clean Sanding Disc	40+	6 in	25	4	<b>31370</b>
3M™ Cubitron™ II Clean Sanding Disc	80+	6 in	50	4	<b>31371</b>
3M™ Cubitron™ II Clean Sanding Disc	120+	6 in	50	4	<b>31372</b>
3M™ Cubitron™ II Clean Sanding Disc	150+	6 in	50	4	<b>31373</b>
3M™ Cubitron™ II Clean Sanding Disc	180+	6 in	50	4	<b>31374</b>
3M™ Cubitron™ II Clean Sanding Disc	220+	6 in	50	4	<b>31481</b>
3M™ Cubitron™ II Clean Sanding Disc	240+	6 in	50	4	<b>31482</b>
3M™ Cubitron™ II Clean Sanding Disc	320+	6 in	50	4	<b>31483</b>



**7.25 in Disc:** Use Festool LEX 2 185/7 Compressed Air Eccentric Sander

### 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Discs

Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Cubitron™ II Clean Sanding Disc	40+	7.25 in	25	4	<b>34790</b>
3M™ Cubitron™ II Clean Sanding Disc	80+	7.25 in	50	4	<b>34791</b>
3M™ Cubitron™ II Clean Sanding Disc	120+	7.25 in	50	4	<b>34792</b>
3M™ Cubitron™ II Clean Sanding Disc	150+	7.25 in	50	4	<b>34793</b>
3M™ Cubitron™ II Clean Sanding Disc	180+	7.25 in	50	4	<b>34794</b>
3M™ Cubitron™ II Clean Sanding Disc	220+	7.25 in	50	4	<b>34795</b>



**2.75 in Sheet:** Use 3M™ Hookit™ Sanding Block Dust Free

**3.15 in Sheet:** Use Festool LRS 400 Compressed Air Orbital Sander

### 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Rolls

Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Cubitron™ II Clean Sanding Sheet Roll	40+	70 mm x 8 m / 2.75 in x 8.75 yd	1	5	<b>34440</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	80+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	<b>34442</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	120+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	<b>34444</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	150+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	<b>34445</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	180+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	<b>34446</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	220+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	<b>34447</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	240+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	<b>34448</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	320+	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	<b>34449</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	40+	80 mm x 8 m / 3.15 in x 8.75 yd	1	5	<b>35500</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	80+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	<b>35501</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	120+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	<b>35502</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	150+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	<b>35503</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	180+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	<b>35504</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	220+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	<b>35505</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	240+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	<b>31488</b>
3M™ Cubitron™ II Clean Sanding Sheet Roll	320+	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	<b>31489</b>



**2.75 in Sheet:** Use 3M™ Hookit™ Sanding Block Dust Free

**3.74 in Sheet:** Use Festool LRS 93 Compressed Air Orbital Sander

### 3M™ Cubitron™ II Hookit™ File Sheets

Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Cubitron™ II File Sheet*	40+	69 mm x 419 mm / 2.75 in x 16.5 in	25	4	<b>34490</b>
3M™ Cubitron™ II File Sheet*	80+	69 mm x 419 mm / 2.75 in x 16.5 in	25	4	<b>34492</b>
3M™ Cubitron™ II File Sheet*	120+	69 mm x 419 mm / 2.75 in x 16.5 in	50	4	<b>34494</b>
3M™ Cubitron™ II File Sheet*	150+	69 mm x 419 mm / 2.75 in x 16.5 in	50	4	<b>34495</b>
3M™ Cubitron™ II File Sheet*	180+	69 mm x 419 mm / 2.75 in x 16.5 in	50	4	<b>34496</b>
3M™ Cubitron™ II File Sheet*	220+	69 mm x 419 mm / 2.75 in x 16.5 in	50	4	<b>34497</b>
3M™ Cubitron™ II Dust Free File Sheet	40+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	<b>35510</b>
3M™ Cubitron™ II Dust Free File Sheet	80+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	<b>35511</b>
3M™ Cubitron™ II Dust Free File Sheet	120+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	<b>35512</b>
3M™ Cubitron™ II Dust Free File Sheet	150+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	<b>35513</b>
3M™ Cubitron™ II Dust Free File Sheet	180+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	<b>35514</b>
3M™ Cubitron™ II Dust Free File Sheet	220+	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	<b>35515</b>
3M™ Cubitron™ II Dust Free File Sheet	240+	95 mm x 177 mm / 3.74 in x 6.97 in	25	4	<b>31494</b>
3M™ Cubitron™ II Dust Free File Sheet	320+	95 mm x 177 mm / 3.74 in x 6.97 in	25	4	<b>31495</b>

\*These file sheets are not dust free (not designed with holes for dust extraction).

powered by



### 3M™ Hookit™ Purple Clean Sanding Abrasive Discs



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Purple Clean Sanding Disc	P400	3 in	50	4	<b>30273</b>
3M™ Purple Clean Sanding Disc	P500	3 in	50	4	<b>30272</b>
3M™ Purple Clean Sanding Disc	P600	3 in	50	4	<b>30261</b>
3M™ Purple Clean Sanding Disc	P800	3 in	50	4	<b>30260</b>
3M™ Purple Clean Sanding Disc	P400	6 in	50	4	<b>01811</b>
3M™ Purple Clean Sanding Disc	P500	6 in	50	4	<b>01810</b>
3M™ Purple Clean Sanding Disc	P600	6 in	50	4	<b>30761</b>
3M™ Purple Clean Sanding Disc	P800	6 in	50	4	<b>30760</b>

### 3M™ Hookit™ Purple Clean Sanding Sheet Rolls



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Purple Clean Sanding Sheet Roll	P400	70 mm x 12 m / 2.75 in x 13.12 yd	1	5	<b>30703</b>
3M™ Purple Clean Sanding Sheet Roll	P400	80 mm x 12 m / 3.15 in x 13.12 yd	1	5	<b>35507</b>

### 3M™ Hookit™ Purple File Sheets



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Purple Dust Free File Sheet	P400	95 mm x 177 mm / 3.74 in x 6.97 in	10	4	<b>35517</b>






powered by

**FESTOOL**  
Automotive Systems

### 3M™ Hookit™ Flexible Abrasive Discs and Sheets



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Flexible Abrasive Disc, 17 Hole	P400	6 in	25	5	<b>34800</b>
3M™ Flexible Abrasive Disc, 17 Hole	P600	6 in	25	5	<b>34801</b>
3M™ Flexible Abrasive Disc, 17 Hole	P800	6 in	25	5	<b>34802</b>
3M™ Flexible Abrasive Disc, 17 Hole	P1000	6 in	25	5	<b>34803</b>
3M™ Flexible Abrasive Disc, 17 Hole	P1200	6 in	25	5	<b>34804</b>
3M™ Flexible Abrasive Disc, 17 Hole	P1500	6 in	25	5	<b>34805</b>
3M™ Flexible Abrasive Sheet	P400	5.5 in x 6.8 in	25	5	<b>34337</b>
3M™ Flexible Abrasive Sheet	P600	5.5 in x 6.8 in	25	5	<b>34339</b>
3M™ Flexible Abrasive Sheet	P800	5.5 in x 6.8 in	25	5	<b>34340</b>
3M™ Flexible Abrasive Sheet	P1000	5.5 in x 6.8 in	25	5	<b>34341</b>

### 3M™ Hookit™ Purple Finishing Film Discs



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Purple Finishing Film Disc	P1200	3 in	50	4	<b>30368</b>
3M™ Purple Finishing Film Disc	P1500	3 in	50	4	<b>30367</b>
3M™ Purple Finishing Film Disc	P2000	3 in	50	4	<b>30366</b>
3M™ Purple Finishing Film Disc	P1200	6 in	50	4	<b>30668</b>
3M™ Purple Finishing Film Disc	P1500	6 in	50	4	<b>30667</b>
3M™ Purple Finishing Film Disc	P2000	6 in	50	4	<b>30666</b>
3M™ Purple Finishing Film Disc, 17 Hole	P600	6 in	50	4	<b>34780</b>
3M™ Purple Finishing Film Disc, 17 Hole	P800	6 in	50	4	<b>34781</b>
3M™ Purple Finishing Film Disc, 17 Hole	P1000	6 in	50	4	<b>34782</b>
3M™ Purple Finishing Film Disc, 17 Hole	P1200	6 in	50	4	<b>34783</b>
3M™ Purple Finishing Film Disc, 17 Hole	P1500	6 in	50	4	<b>34784</b>
3M™ Purple Finishing Film Disc, 17 Hole	P2000	6 in	50	4	<b>34785</b>

### 3M™ Trizact™ Hookit™ Abrasive Discs



Product Name	Grit	Size	Qty/Box	Boxes/Case	Part no.
3M™ Trizact™ Blending Disc	P1000	3 in	15	4	<b>02091</b>



3M™ Trizact™ Clear Coat Sanding Disc	P1500	3 in	25	4	<b>02094</b>
--------------------------------------	-------	------	----	---	--------------

3M™ Trizact™ Foam Disc	3000	3 in	15	4	<b>02087</b>
------------------------	------	------	----	---	--------------



3M™ Trizact™ Foam Disc	5000	3 in	15	4	<b>30362</b>
------------------------	------	------	----	---	--------------

3M™ Trizact™ Blending Disc	P1000	6 in	15	4	<b>02090</b>
----------------------------	-------	------	----	---	--------------



3M™ Trizact™ Clear Coat Sanding Disc	P1500	6 in	25	4	<b>02088</b>
--------------------------------------	-------	------	----	---	--------------

3M™ Trizact™ Foam Disc	3000	6 in	15	4	<b>02085</b>
------------------------	------	------	----	---	--------------



3M™ Trizact™ Foam Disc	5000	6 in	15	4	<b>30662</b>
------------------------	------	------	----	---	--------------

### Scotch-Brite™ Clean and Finish Disc



Product Name	Size	Qty/Box	Boxes/Case	Part no.
Scotch-Brite™ Clean and Finish Disc	6 in x NH T	10	4	<b>77225</b>

powered by



Compounds, Polishes & Pads

# Compounds, Polishes & Pads

When working with highest quality tools and abrasives, we have what you need to get the finish you want, every time.



## 3M™ Compounds, Polishes & Pads



Product Name	Size	Part no.
3M™ Perfect-It™ EX AC Rubbing Compound	1 Quart	<b>36060</b>
3M™ Perfect-It™ Foam Compounding Pad	9 in	<b>05706</b>
3M™ Perfect-It™ Foam Compounding Pad	6 in	<b>33284</b>
3M™ Perfect-It™ 100% Wool Compounding Pad, Double-Sided, Quick Connect	9 in	<b>05753</b>
3M™ Perfect-It™ Low Linting 100% Wool Compounding Pad, Double-Sided, Quick Connect	9 in	<b>33279</b>
3M™ Perfect-It™ Low Linting 100% Wool Compounding Pad, Double-Sided, Quick Connect	6 in	<b>33288</b>
3M™ Perfect-It™ EX Machine Polish	1 Quart	<b>06094</b>
3M™ Perfect-It™ Foam Polishing Pad, Double-Sided, Quick Connect	8 in	<b>05707</b>
3M™ Perfect-It™ Foam Polishing Pad, Double-Sided, Quick Connect	6 in	<b>33285</b>
3M™ Perfect-It™ EX Ultrafine Machine Polish	1 Quart	<b>06068</b>
3M™ Perfect-It™ Ultrafine Foam Polishing Pad	8 in	<b>05708</b>
3M™ Perfect-It™ Ultrafine Foam Polishing Pad	6 in	<b>33286</b>
3M™ Perfect-It™ 1 Finishing Material	1 Quart	<b>36064</b>
3M™ Perfect-It™ 1 Finishing Pad, Quick Connect	8 in	<b>33291</b>
3M™ Perfect-It™ 1 Finishing Pad, Quick Connect	6 in	<b>33292</b>

powered by

**FESTOOL**  
Automotive Systems







# Personal Safety


Trust 3M design and technology to keep you safe on the job. With any auto body repair process, including personal protection is essential.



## 3M™ Personal Safety

	Product Name	Qty/Case	Part no.
	3M™ Solus™ 1000 Series Safety Spectacles, Blue/Black Eyewear with Clear Scotchgard™ Anti-Fog Lens and Foam Gasket and Strap	20	<b>27189</b>
	3M™ Solus™ 1000 Series Safety Spectacles, Green/Black Eyewear with Clear Scotchgard™ Anti-Fog Lens and Foam Gasket and Strap	20	<b>27185</b>
	3M™ Goggle Gear, 500 Series Clear Scotchgard™ Anti-Fog Lens	10	<b>27455</b>

	Product Name	Qty/Case	Part no.
	3M™ E-A-R™ Skull Screws™ Corded Earplugs	480	<b>92952</b>

	Product Name	Qty/Case	Part no.
	3M™ Particulate Welding Respirator 8515/07189, N95	80	<b>07189</b>
	3M™ Half Facepiece Respirator Assembly, Small	24	<b>07001</b>
	3M™ Half Facepiece Respirator Assembly, Medium	24	<b>07002</b>
	3M™ Half Facepiece Respirator Assembly, Large	24	<b>07003</b>
	3M™ Particulate Filter, P100	100	<b>07000</b>
	3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator, Small	10	<b>49488</b>
	3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator, Medium	10	<b>49490</b>
	3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator, Large	10	<b>49492</b>
	3M™ Organic Vapor Cartridge	30	<b>07046</b>
	3M™ Filter Retainer	100	<b>07194</b>
	3M™ Particulate Filter, P95	100	<b>07054</b>


**Please Note: Not a complete list.** Select protective eyewear, appropriate gloves, hearing protection, respirator, and protective clothing based on your job and exposure assessment. Products shown are brand new. Store according to User Instructions.

See safety warranties on page 46.

powered by



SERVICE all-inclusive



# Goodbye dust. Hello service.



## Meet SERVICE all-inclusive Available for Festool Automotive Systems Tools

To go with the most comprehensive system the industry has ever seen, the most impressive service and support program available.

SERVICE all-inclusive applies to all machines registered within 30 days after purchase which were purchased on or after July 5th, 2016.



- 3M™ Cubitron™ II Hookit™ Clean Sanding Abrasive Discs**  
3", 80+ ..... 8, 10, 33  
3", 120+ ..... 8, 10, 33  
3", 150+ ..... 8, 10, 33  
3", 180+ ..... 8, 10, 33  
3", 220+ ..... 8, 10, 33  
3", 240+ ..... 8, 10, 33  
3", 320+ ..... 8, 10, 12, 14, 33  
6", 40+ ..... 8, 10, 33  
6", 80+ ..... 8, 10, 33  
6", 120+ ..... 8, 10, 33  
6", 150+ ..... 8, 10, 33  
6", 180+ ..... 8, 10, 33  
6", 220+ ..... 8, 10, 33  
6", 240+ ..... 8, 10, 33  
6", 320+ ..... 8, 10, 12, 14, 33  
7.25", 40+ ..... 8, 34  
7.25", 80+ ..... 8, 34  
7.25", 120+ ..... 8, 34  
7.25", 150+ ..... 8, 34  
7.25", 180+ ..... 8, 34  
7.25", 220+ ..... 8, 34
- 3M™ Cubitron™ II Hookit™ Clean Sanding Sheet Rolls**  
2.75" x 8.75 yd, 40+ ..... 8, 10, 34  
2.75" x 13.12 yd, 80+ ..... 8, 10, 34  
2.75" x 13.12 yd, 120+ ..... 8, 10, 34  
2.75" x 13.12 yd, 150+ ..... 8, 10, 34  
2.75" x 13.12 yd, 180+ ..... 8, 10, 34  
2.75" x 13.12 yd, 220+ ..... 8, 10, 34  
2.75" x 13.12 yd, 240+ ..... 8, 10, 34  
2.75" x 13.12 yd, 320+ ..... 8, 10, 12, 14, 34  
3.15" x 8.75 yd, 40+ ..... 8, 34  
3.15" x 13.12 yd, 80+ ..... 8, 34  
3.15" x 13.12 yd, 120+ ..... 8, 34  
3.15" x 13.12 yd, 150+ ..... 8, 34  
3.15" x 13.12 yd, 180+ ..... 8, 34  
3.15" x 13.12 yd, 220+ ..... 8, 34  
3.15" x 13.12 yd, 240+ ..... 8, 34  
3.15" x 13.12 yd, 320+ ..... 8, 12, 14, 34
- 3M™ Cubitron™ II Hookit™ Dust Free File Sheets**  
3.74" x 6.97", 40+ ..... 8, 34  
3.74" x 6.97", 80+ ..... 8, 34  
3.74" x 6.97", 120+ ..... 8, 34  
3.74" x 6.97", 150+ ..... 8, 34  
3.74" x 6.97", 180+ ..... 8, 34  
3.74" x 6.97", 220+ ..... 8, 34  
3.74" x 6.97", 240+ ..... 8, 34  
3.74" x 6.97", 320+ ..... 8, 34
- 3M™ Cubitron™ II Hookit™ File Sheets**  
2.75" x 16.5", 40+ ..... 34  
2.75" x 16.5", 80+ ..... 34  
2.75" x 16.5", 120+ ..... 34  
2.75" x 16.5", 150+ ..... 34  
2.75" x 16.5", 180+ ..... 34  
2.75" x 16.5", 220+ ..... 34  
3.74" x 6.97", 40+ ..... 34  
3.74" x 6.97", 80+ ..... 34  
3.74" x 6.97", 120+ ..... 34  
3.74" x 6.97", 150+ ..... 34  
3.74" x 6.97", 180+ ..... 34  
3.74" x 6.97", 220+ ..... 34  
3.74" x 6.97", 240+ ..... 34  
3.74" x 6.97", 320+ ..... 34
- 3M™ Hookit™ Flexible Abrasive Discs**  
17 Hole, 6", P400 ..... 12, 14, 37  
17 Hole, 6", P600 ..... 12, 14, 37  
17 Hole, 6", P800 ..... 12, 14, 37  
17 Hole, 6", P1000 ..... 12, 14, 37  
17 Hole, 6", P1200 ..... 37  
17 Hole, 6", P1500 ..... 37
- 3M™ Hookit™ Flexible Abrasive Sheets**  
5.5" x 6.8", P400 ..... 12, 14, 37  
5.5" x 6.8", P600 ..... 12, 14, 37  
5.5" x 6.8", P800 ..... 12, 14, 37  
5.5" x 6.8", P1000 ..... 12, 14, 37
- 3M™ Hookit™ Purple Clean Sanding Abrasive Disc**  
3", P400 ..... 12, 14, 35  
3", P500 ..... 35  
3", P600 ..... 35  
3", P800 ..... 35  
6", P400 ..... 12, 14, 35  
6", P500 ..... 12, 14, 35  
6", P600 ..... 12, 14, 35  
6", P800 ..... 12, 14, 35
- 3M™ Hookit™ Purple Clean Sanding Sheet Roll**  
2.75" x 13.12 yd, P400 ..... 35  
3.15" x 13.12 yd, P400 ..... 35
- 3M™ Hookit™ Purple Dust Free File Sheet**  
3.74" x 6.97", P400 ..... 35
- 3M™ Hookit™ Purple Finishing Film Discs**  
3", P1200 ..... 16, 37  
3", P1500 ..... 16, 37  
3", P2000 ..... 16, 37  
6", P1200 ..... 16, 37  
6", P1500 ..... 16, 37  
6", P2000 ..... 16, 37  
17 Hole, 6", P600 ..... 37  
17 Hole, 6", P800 ..... 12, 14, 37  
17 Hole, 6", P1000 ..... 12, 14, 37  
17 Hole, 6", P1200 ..... 16, 37  
17 Hole, 6", P1500 ..... 16, 37  
17 Hole, 6", P2000 ..... 16, 37
- 3M™ Perfect-It™ 1 Finishing Material**  
Quart ..... 16, 40
- 3M™ Perfect-It™ 1 Finishing Pads**  
6" ..... 16, 40  
8" ..... 16, 40
- 3M™ Perfect-It™ EX AC Rubbing Compound**  
Quart ..... 16, 40
- 3M™ Perfect-It™ Compounding Pads**  
Foam, 6" ..... 16, 40  
Foam, 9" ..... 16, 40  
100% Wool, 9" ..... 16, 40  
100% Wool Low Linting, 6" ..... 16, 40  
100% Wool Low Linting, 9" ..... 16, 40
- 3M™ Perfect-It™ EX Machine Polish**  
Quart ..... 16, 40
- 3M™ Perfect-It™ Foam Polishing Pads**  
6" Grey ..... 16, 40  
8" Grey ..... 16, 40
- 3M™ Perfect-It™ EX Ultrafine Machine Polish**  
Quart ..... 16, 40
- 3M™ Perfect-It™ Ultrafine Foam Polishing Pads**  
6" Blue ..... 16, 40  
8" Blue ..... 16, 40
- 3M™ Trizact™ Hookit™ Blending Disc**  
3", P1000 ..... 38  
6", P1000 ..... 38
- 3M™ Trizact™ Hookit™ Clear Coat Sanding Disc**  
3", P1500 ..... 38  
6", P1500 ..... 38
- 3M™ Trizact™ Hookit™ Foam Disc**  
3", 3000 ..... 16, 38  
3", 5000 ..... 16, 38  
6", 3000 ..... 16, 38  
6", 5000 ..... 16, 38
- Scotch-Brite™ Clean and Finish Disc**  
6" x NH T ..... 8, 10, 12, 14, 16, 38
- A**  
Abrasives ..... 33–38  
Accessories ..... 27–30
- B**  
Body Repair System ..... 7–10
- C**  
Cleaning and Lubricating Oil ..... 30  
Compounds, Polishes & Pads ..... 39–40  
Compressed Air Eccentric Sander  
LEX 3 77/2.5 ..... 7, 11, 15, 20  
LEX 3 150/3 ..... 11, 15, 19  
LEX 3 150/5 ..... 11, 15, 19  
LEX 3 150/7 ..... 7, 19  
LEX 2 185/7 ..... 7, 21  
Compressed Air Module DL-CT 26/36 ..... 7, 11, 30  
Compressed Air Orbital Sander  
LRS 93 ..... 7, 22  
LRS 400 ..... 7, 23
- D**  
Dry Guide Coat ..... 8, 10, 12, 14, 29
- E**  
E-A-R™ Skull Screws™  
Corded Earplugs ..... 8, 10, 12, 14, 16, 42  
ETS EC 150/3 EQ ..... 9, 13, 24  
ETS EC 150/5 EQ ..... 9, 13, 24  
ETS EC 150/3 EQ-Plus ..... 24  
ETS EC 150/5 EQ-Plus ..... 24
- F**  
Filter Bag, Self Cleaning, CT36 ..... 7, 9, 11, 13, 29  
Filter Retainer ..... 16, 42
- G**  
Geared Eccentric Sander  
ROTEX RO 150 FEQ-Plus ..... 9, 25  
Goggle Gear, 500 Series ..... 16, 42
- H**  
Hookit™ 7" Back-up Pad ..... 16, 29  
Hookit™ Sanding Blocks Dust Free  
2.75" x 5" ..... 8, 10, 12, 14, 30  
2.75" x 7.5" ..... 8, 10, 12, 14, 30  
2.75" x 16" ..... 8, 10, 12, 14, 30  
Hookit™ Hand Sanding Kit ..... 8, 10, 12, 14, 30  
Hose Sleeve, Non-Antistatic Hose Reducer ..... 28
- I**  
Adapter AD-IAS, D36 ..... 28  
Adapter IAS 3-SD (Airline Non-VAC) ..... 15, 28  
IAS Double Adapter 3-DA-CT ..... 7, 11, 28  
IAS Hoses  
IAS Hose 3-Light 5000 AS ..... 7, 11, 28  
IAS Hose 3-Light 7000 AS ..... 7, 11, 28  
IAS Hose 3-Light 10000 AS ..... 7, 11, 28  
Interface Pads  
D77/6, 3" ..... 11, 15, 29  
D150/MJ2-5/2, 6" ..... 11, 13, 15, 29  
D150/MJ2-15/1, 6" ..... 11, 13, 15, 29
- L**  
LEX 2  
185/7 ..... 7, 21  
LEX 3  
LEX 3 77/2.5 ..... 7, 11, 15, 20  
LEX 3 150/3 ..... 11, 15, 19  
LEX 3 150/5 ..... 11, 15, 19  
LEX 3 150/7 ..... 7, 19  
LRS 93 ..... 7, 22  
LRS 400 ..... 7, 23

- M**
- Main Filter, HEPA-HF-CT 36 .....29
  - Mobile Dust Extractor
    - CLEANTEC CT 36 ..... 7, 9, 11, 13, 18
  - Multifunctional Stool .....15, 32
- O**
- O-Ring .....30
  - Organic Vapor Cartridge.....16, 42
- P**
- Paint Prep System ..... 11–14
  - Paint Finishing System .....15–16
  - Particulate Filter, P95.....16, 42
  - Particulate Filter, P100..... 8, 10, 12, 14, 42
  - Particulate Welding Respirator .....42
  - Personal Safety ..... 41–42
- Q**
- Quick Connect Adapter.....16, 28
- R**
- Random Orbit Sander
    - ETS EC 150/3 EQ ..... 9, 13, 24
    - ETS EC 150/5 EQ ..... 9, 13, 24
    - ETS EC 150/3 EQ-Plus.....24
    - ETS EC 150/5 EQ-Plus.....24
  - Rear Wall TC 3000 RW .....32
  - Replacement Air Inlet
    - LEX 3 77 .....30
    - LEX 3 150 .....30
- Respirators**
- Half Facepiece Respirators, Small .....42
  - Half Facepiece Respirators, Medium .....42
  - Half Facepiece Respirators, Large..... 8, 10, 12, 14, 42
  - Particulate Welding Respirator .....42
  - Rugged Comfort Quick Latch Half Facepiece:
    - Reusable Respirator, Small.....42
    - Reusable Respirator, Medium .....42
    - Reusable Respirator, Large.....16, 42
- Rotary Polisher**
- SHINEX RAP 150-14 FE .....15, 26
- S**
- Safety Spectacles**
- Goggle Gear, 500 Series .....16, 42
  - Solus™ 1000 Series, Blue ..... 8, 10, 12, 14, 42
  - Solus™ 1000 Series, Green .....42
- Sanding Blocks**
- Hookit™ Sanding Blocks Dust Free
    - 2.75" x 5" .....8, 10, 12, 14, 30
    - 2.75" x 7.5" .....8, 10, 12, 14, 30
    - 2.75" x 16" .....8, 10, 12, 14, 30
  - Hookit™ Hand Sanding Kit.....8, 10, 12, 14, 30
  - HSK-A, 3.15" x 5.12" .....8, 10, 12, 14, 30
  - HSK-A, 3.15" x 15.75.....8, 10, 12, 14, 30
  - HSK-A, 3.15" x 7.88" .....8, 10, 12, 14, 30
- Sanding Pads**
- D77/6-M5-W, 3".....29
  - D150/MJ2-M8-SW, 6".....29
  - D150/MJ2-M8-W-HT, 6".....29
  - D150/MJ2-M8-H-HT, 6" .....29
  - D150/MJ2-FX-SW, Soft, 6".....29
- D150/MJ2-FX-SW, Medium, 6" .....29**
- D150/MJ2-FX-H-HT, 6" .....29**
- D185/16-M8 W, 7.25" .....29**
- SSH-STF, 80 mm .....29**
- SSH-STF, 93 mm.....29**
- Screw On Buffing Pad Adaptor .....16, 28**
- SERVICE all-inclusive..... 4, 43**
- SHINEX RAP 150-14 FE .....15, 26**
- Sortainer Sys 4.....7, 9, 11, 13, 15, 32**
- Spot Repair Scraper (Nib File) .....15, 29**
- Suction Hoses**
- Suction Hose D27, 5m ..... 7, 9, 11, 13, 28
  - Suction Hose D27, 3,5 .....28
  - CT Suction Hose Plug-it D27..... 9, 13, 28
  - CT Suction Hose Plug-it D32..... 9, 13, 28
- T**
- Tool Holder WHR/D-TC .....32
  - Toolcenter TC 3000/2 .....32
  - Tools .....17–26
- W**
- Workcenter WCR 1000 ..... 7, 9, 11, 13, 15, 32
  - Workplace Organization ..... 31–32
- Y**
- Y-Piece Adapter, Anti-Static ..... 9, 13, 28



**The Total Automotive Sanding System is engineered to support the ongoing need for cleaner, safer, more efficient and profitable shops.**

## **Profitability + efficiency**

---

- Reduces the amount of dust in the air from sanding, leading to less rework, driving improved cycle time and process efficiency.
- Reduces cleanup time.
- Enhances workplace efficiency by reducing time spent searching for tools and materials.
- Workcenter enables the use of abrasives to end of life, leading to reduced material spend.
- Increases technician mobility.

**The Total Automotive Sanding System incorporates the benefits of 3M high performing products, such as:**

- 3M™ Cubitron™ II abrasives that cut 30% faster and last up to twice as long as other premium abrasives.
- 3M™ Trizact™ abrasives that leave a finer, more uniform finish.
- 3M™ Perfect-It™ Paint Finishing System, designed to provide a fast, swirl-free finish every time.

## **Health + safety**

---

- Designed with the technician's safety in mind.
- Integrated dust extraction system reduces dust.
- IAS anti-static green and black hoses.
- Ergonomic, non-slip tool design.
- Pad brake means less tool free spin.
- Improves shop cleanliness.

