

# Redefining the Finish Line



# Choose 3M products for consistent quality results.



## **PAINT PREPARATION**

|                      |     |
|----------------------|-----|
| Abrasives . . . . .  | 3-5 |
| Tools . . . . .      | 5   |
| Accessories. . . . . | 5-7 |

## **PAINT REPAIR**

|                                      |       |
|--------------------------------------|-------|
| Abrasives . . . . .                  | 8     |
| Polishing and Buffing Pads . . . . . | 8-9   |
| Compounds and Polishes . . . . .     | 9     |
| Tools . . . . .                      | 10    |
| Accessories. . . . .                 | 10-11 |

## **OTHER PAINT AREA APPLICATIONS**

|                       |       |
|-----------------------|-------|
| Abrasives . . . . .   | 12-15 |
| Accessories . . . . . | 15    |


## Scotch-Brite™ Clean and Finish Discs

|   | Description   | UPC            | Size    | Grade | Color  | Cs  |
|---|---|----------------|---------|-------|--------|-----|
|  | <ul style="list-style-type: none"> <li>• Flexible web for finishing, blending and polishing</li> <li>• Conformability allows access to hard-to-reach areas</li> <li>• Very fine grade aluminum oxide</li> </ul> | 048011-00661-1 | 6" x NH | A VFN | Maroon | 100 |


## 3M™ Hookit™ Paper Disc 236U

|   | Description  | UPC            | Size    | Grade | Backing | Inner | Cs  |
|---|--|----------------|---------|-------|---------|-------|-----|
|  | <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Long life</li> <li>• Load resistant</li> <li>• Hook-and-Loop attachment for easy re-use</li> <li>• AOEM finish prep/repair, blending, finishing, orbital sanding, prepping metal prior to paint, random orbital sanding</li> <li>• Use on aluminum, carbon steel, fiberglass, gelcoat, hard composite, soft composite, softwood, solid surface</li> </ul> | 051111-51001-8 | 5" x NH | P80   | C-wt    | 50    | 250 |
|   |  | 051111-51002-5 | 5" x NH | P100  | C-wt    | 50    | 250 |
|   |  | 051111-51003-2 | 5" x NH | P120  | C-wt    | 50    | 250 |
|   |  | 051111-51011-7 | 5" x NH | P150  | C-wt    | 50    | 250 |
|   |  | 051141-20575-5 | 5" x NH | P180  | C-wt    | 50    | 250 |
|   |  | 051111-51014-8 | 5" x NH | P220  | C-wt    | 50    | 250 |
|   |  | 051141-20576-2 | 5" x NH | P240  | C-wt    | 50    | 250 |
|   |  | 051141-20577-9 | 5" x NH | P320  | C-wt    | 50    | 250 |
|   |  | 051141-20578-6 | 5" x NH | P400  | C-wt    | 50    | 250 |
|   |  | 051141-27459-1 | 5" x NH | P500  | C-wt    | 50    | 250 |
|   |  | 051141-20579-3 | 6" x NH | P80   | C-wt    | 50    | 250 |
|   |  | 051141-20580-9 | 6" x NH | P100  | C-wt    | 50    | 250 |
|   |  | 051141-20581-6 | 6" x NH | P120  | C-wt    | 50    | 250 |
|   |  | 051141-20582-3 | 6" x NH | P150  | C-wt    | 50    | 250 |
|   |  | 051141-20584-7 | 6" x NH | P180  | C-wt    | 50    | 250 |
|   |  | 051141-20583-0 | 6" x NH | P220  | C-wt    | 50    | 250 |
|   |  | 051141-20586-1 | 6" x NH | P240  | C-wt    | 50    | 250 |
|   |  | 051141-20587-8 | 6" x NH | P320  | C-wt    | 50    | 250 |
| 051141-27521-5  | 6" x NH  | P500           | C-wt    | 50    | 250     |       |     |


## 3M™ NX PSA Paper Disc with Tab Liner

|   | Description   | UPC            | Size    | Grade | Backing | Inner | Cs  |
|---|---|----------------|---------|-------|---------|-------|-----|
|  | <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• General purpose</li> <li>• Good value</li> <li>• Load resistant</li> <li>• Adhesive backing for easy attachment</li> <li>• Tabbed liner</li> <li>• Blending, coating removal, finishing, orbital sanding, prepping metal prior to paint, random orbital sanding, sealant removal, varnish stripping</li> </ul> | 051141-31213-2 | 5" x NH | P80   | D-wt    | 50    | 250 |
|   |   | 051141-31214-9 | 5" x NH | P100  | C-wt    | 50    | 250 |
|   |   | 051141-31215-6 | 5" x NH | P120  | C-wt    | 50    | 250 |
|   |   | 051141-31216-3 | 5" x NH | P150  | C-wt    | 50    | 250 |
|   |   | 051141-31217-0 | 5" x NH | P180  | C-wt    | 50    | 250 |
|   |   | 051141-31218-7 | 5" x NH | P220  | C-wt    | 50    | 250 |
|   |   | 051141-27678-6 | 5" x NH | P240  | C-wt    | 50    | 250 |
|   |   | 051141-27680-9 | 5" x NH | P320  | C-wt    | 50    | 250 |
|   |   | 051141-27682-3 | 5" x NH | P400  | C-wt    | 50    | 250 |
|   |   | 051141-31221-7 | 6" x NH | P80   | D-wt    | 50    | 250 |
|   |   | 051141-31222-4 | 6" x NH | P100  | C-wt    | 50    | 250 |
|   |   | 051141-31223-1 | 6" x NH | P120  | C-wt    | 50    | 250 |
|   |   | 051141-31224-8 | 6" x NH | P150  | C-wt    | 50    | 250 |
|   |   | 051141-31225-5 | 6" x NH | P180  | C-wt    | 50    | 250 |
|   |   | 051141-31226-2 | 6" x NH | P220  | C-wt    | 50    | 250 |
|   |   | 051141-27679-3 | 6" x NH | P240  | C-wt    | 50    | 250 |
|   |   | 051141-27681-6 | 6" x NH | P320  | C-wt    | 50    | 250 |
|   |   | 051141-27683-0 | 6" x NH | P400  | C-wt    | 50    | 250 |


## 3M™ Stikit™ Gold Paper Disc Roll 216U

|  | Description    | UPC            | Size    | Grade | Backing | Discs/RI | RI/Cs |
|--|----------------|----------------|---------|-------|---------|----------|-------|
|  <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Open coat</li> <li>• Good value</li> <li>• Load resistant</li> <li>• Convenient disc roll form</li> <li>• Finish prep/repair, defect repair/leveling, orbital sanding, intermediate sanding</li> <li>• Use on clear coats, hardwood, paint, primer, softwood, topcoats</li> </ul> |                | 051111-49909-2 | 5" x NH | P80   | A-wt    | 125      | 10    |
|  |                | 051111-49910-8 | 5" x NH | P100  | A-wt    | 125      | 10    |
|  |                | 051111-49911-5 | 5" x NH | P120  | A-wt    | 125      | 10    |
|  |                | 051111-49912-2 | 5" x NH | P150  | A-wt    | 175      | 6     |
|  |                | 051111-49913-9 | 5" x NH | P180  | A-wt    | 175      | 6     |
|  |                | 051144-01423-1 | 5" x NH | P220  | A-wt    | 175      | 6     |
|  |                | 051144-01422-4 | 5" x NH | P240  | A-wt    | 175      | 6     |
|  |                | 051144-01421-7 | 5" x NH | P280  | A-wt    | 175      | 6     |
|  |                | 051144-01420-0 | 5" x NH | P320  | A-wt    | 175      | 6     |
|  |                | 051144-96433-8 | 5" x NH | P320  | A-wt    | 175      | 6     |
|  |                | 051131-01417-6 | 5" x NH | P500  | A-wt    | 175      | 6     |
|  |                | 051131-01419-0 | 5" x NH | P400  | A-wt    | 175      | 6     |
|  |                | 051141-27414-0 | 6" x NH | P80   | A-wt    | 125      | 10    |
|  |                | 051141-27413-3 | 6" x NH | P100  | A-wt    | 125      | 10    |
|  |                | 051141-27416-4 | 6" x NH | P120  | A-wt    | 125      | 10    |
|  |                | 051141-27412-6 | 6" x NH | P150  | A-wt    | 175      | 6     |
|  |                | 051141-27474-4 | 6" x NH | P180  | A-wt    | 175      | 6     |
|  |                | 051141-27472-0 | 6" x NH | P220  | A-wt    | 175      | 6     |
|  |                | 051144-96434-5 | 6" x NH | P320  | A-wt    | 175      | 6     |
|  |                | 051131-01433-6 | 6" x NH | P360  | A-wt    | 175      | 6     |
|  | 051144-96496-3 | 6" x NH        | P400    | A-wt  | 175     | 6        |       |




## 3M™ NX PSA Paper Disc Roll

|  | Description | UPC            | Size    | Grade | Backing | Discs/RI | RI/Cs |
|--|-------------|----------------|---------|-------|---------|----------|-------|
|  <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• General purpose</li> <li>• Good value</li> <li>• Load resistant</li> <li>• Adhesive backing for easy attachment</li> <li>• Convenient disc roll form</li> <li>• Blending, coating removal, finishing, orbital sanding, prepping metal prior to paint, random orbital sanding, sealant removal, varnish stripping</li> </ul> |             | 051141-31181-4 | 5" x NH | P80   | D-wt    | 100      | 4     |
|  |             | 051141-31182-1 | 5" x NH | P100  | C-wt    | 100      | 4     |
|  |             | 051141-31183-8 | 5" x NH | P120  | C-wt    | 100      | 4     |
|  |             | 051141-31184-5 | 5" x NH | P150  | C-wt    | 100      | 4     |
|  |             | 051141-31185-2 | 5" x NH | P180  | C-wt    | 100      | 4     |
|  |             | 051141-31186-9 | 5" x NH | P220  | C-wt    | 100      | 4     |
|  |             | 051141-27672-4 | 5" x NH | P240  | C-wt    | 100      | 4     |
|  |             | 051141-27674-8 | 5" x NH | P320  | C-wt    | 100      | 4     |
|  |             | 051141-27676-2 | 5" x NH | P400  | C-wt    | 100      | 4     |
|  |             | 051141-31189-0 | 6" x NH | P80   | D-wt    | 100      | 4     |
|  |             | 051141-31190-6 | 6" x NH | P100  | C-wt    | 100      | 4     |
|  |             | 051141-31191-3 | 6" x NH | P120  | C-wt    | 100      | 4     |
|  |             | 051141-31192-0 | 6" x NH | P150  | C-wt    | 100      | 4     |
|  |             | 051141-31193-7 | 6" x NH | P180  | C-wt    | 100      | 4     |
|  |             | 051141-31194-4 | 6" x NH | P220  | C-wt    | 100      | 4     |
|  |             | 051141-27673-1 | 6" x NH | P240  | C-wt    | 100      | 4     |
|  |             | 051141-27675-5 | 6" x NH | P320  | C-wt    | 100      | 4     |
|  |             | 051141-27677-9 | 6" x NH | P400  | C-wt    | 100      | 4     |

## 3M™ Clean Sanding Disc 236U


|  | Description | UPC            | Size | Grade | Backing | Inner | Cs  |
|--|-------------|----------------|------|-------|---------|-------|-----|
|  <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Best for dust control</li> <li>• Long life</li> <li>• Load resistant</li> <li>• Hook-and-Loop attachment for easy re-use</li> </ul> |             | 051131-01693-4 | 5"   | P80   | C-wt    | 50    | 250 |
|  |             | 051131-01694-1 | 5"   | P100  | C-wt    | 50    | 250 |
|  |             | 051131-01695-8 | 5"   | P120  | C-wt    | 50    | 250 |
|  |             | 051131-01696-5 | 5"   | P150  | C-wt    | 50    | 250 |
|  |             | 051131-01697-2 | 5"   | P180  | C-wt    | 50    | 250 |
|  |             | 051131-01698-9 | 5"   | P220  | C-wt    | 50    | 250 |
|  |             | 051131-01699-6 | 5"   | P240  | C-wt    | 50    | 250 |
|  |             | 051131-01701-6 | 5"   | P320  | C-wt    | 50    | 250 |
|  |             | 051131-01702-3 | 5"   | P400  | C-wt    | 50    | 250 |
|  |             | 051141-20749-0 | 6"   | P80   | C-wt    | 50    | 250 |
|  |             | 051141-20751-3 | 6"   | P120  | C-wt    | 50    | 250 |
|  |             | 051141-20753-7 | 6"   | P180  | C-wt    | 50    | 250 |
|  |             | 051141-20754-4 | 6"   | P220  | C-wt    | 50    | 250 |
|  |             | 051141-20755-1 | 6"   | P240  | C-wt    | 50    | 250 |
|  |             | 051141-20756-8 | 6"   | P320  | C-wt    | 50    | 250 |

## 3M™ Elite Random Orbital Sanders


|   | Description | UPC            | Part No. | Size          | Orbit | Max RPM | Airflow              | Pad Included  | Cs |
|---|-------------|----------------|----------|---------------|-------|---------|----------------------|---------------|----|
|  <ul style="list-style-type: none"> <li>• Non-Vacuum</li> <li>• .28 HP (209 W)</li> </ul>             |             | 051141-28497-2 | 28497    | 5"<br>(127mm) | 3/16" | 12,000  | 17 SCFM<br>(481 LPM) | Stikit™ 20351 | 1  |
|   |             | 051141-28500-9 | 28500    | 6"<br>(152mm) | 3/16" | 12,000  | 17 SCFM<br>(481 LPM) | Stikit™ 20354 | 1  |
|  <ul style="list-style-type: none"> <li>• Central Vacuum</li> <li>• .28 HP (209 W)</li> </ul>        |             | 051141-28506-1 | 28506    | 5"<br>(127mm) | 3/16" | 12,000  | 17 SCFM<br>(481 LPM) | Hookit™ 20353 | 1  |
|   |             | 051141-28508-5 | 28508    | 6"<br>(152mm) | 3/16" | 12,000  | 17 SCFM<br>(481 LPM) | Hookit™ 20356 | 1  |
|  <ul style="list-style-type: none"> <li>• Self-Generated Vacuum</li> <li>• .28 HP (209 W)</li> </ul> |             | 051141-28514-6 | 28514*   | 5"<br>(127mm) | 3/16" | 12,000  | 17 SCFM<br>(481 LPM) | Hookit™ 20353 | 1  |
|   |             | 051141-28516-0 | 28516*   | 6"<br>(152mm) | 3/16" | 12,000  | 17 SCFM<br>(481 LPM) | Hookit™ 20356 | 1  |

\*One (1) each of the following included: 3M™ Clean Sanding Filter Bag, Filter Bag Adapter, Hose Seal

## 3M™ Clean Sanding Filter Bag



|  | Description    | UPC   | Part No.                       | Size | Case Qty |
|--|----------------|-------|--------------------------------|------|----------|
|  <ul style="list-style-type: none"> <li>• Used on Random Orbital Sanders with Self-Generated Vacuum to collect dust</li> <li>• Eliminates the need for vacuum hose which improves operator ease of use</li> <li>• Attach bag to sander with 3M™ Filter Bag Adapter</li> <li>• HEPA-rated</li> </ul> | 051141-20452-9 | 20452 | Large —<br>Holds up to 1/2 lb. | 50   |          |

## 3M™ Stikit™ Disc Roll Dispenser

|   | Description  | UPC            | Part No. | Case Qty |
|---|--|----------------|----------|----------|
|  | <ul style="list-style-type: none"> <li>• For dispensing 5" or 6" 3M™ Stikit™ Disc Rolls</li> <li>• Portable or can be wall or bench mounted</li> <li>• Sturdy metal dispenser keeps abrasives flat while protecting the adhesive backing</li> <li>• Holds two rolls</li> </ul> | 051144-05450-3 | 05450    | 1        |



## 3M™ Stikit™ Disc Pads

These disc pads have a vinyl face material which drives 3M™ Stikit™ Discs with pressure sensitive adhesive backings.

|   | Description   | UPC            | Part No. | Shape | Dia. | Thickness | Thread Size | Foam/<br>Face Color | Density<br>Rating | Max<br>OPM/RPM    | Case<br>Qty |
|---|---|----------------|----------|-------|------|-----------|-------------|---------------------|-------------------|-------------------|-------------|
|  | <ul style="list-style-type: none"> <li>• Tapered edge for flexibility</li> <li>• Easy release face</li> </ul> | 051144-45215-6 | 45215    | 45°   | 5"   | 3/4"      | 5/16–24 EXT | Yellow/<br>Silver   | Medium            | 12,000/<br>10,000 | 10          |
|  | <ul style="list-style-type: none"> <li>• Tapered edge for easy sanding of contoured surfaces</li> </ul>       | 051144-05576-0 | 05576    | 45°   | 6"   | 3/4"      | 5/16–24 EXT | Yellow/<br>Blue     | Medium            | 12,000/<br>10,000 | 1           |




## 3M™ Stikit™ Low Profile Finishing Disc Pads

These disc pads have a vinyl face material which drives 3M™ Stikit™ Discs with pressure sensitive adhesive backings. Use with grades 220 and finer.


|   | Description  | UPC            | Part No. | Shape | Dia. | Thickness | Thread Size | Foam/<br>Face Color | Density<br>Rating | Max<br>OPM/RPM    | Case<br>Qty |
|---|--|----------------|----------|-------|------|-----------|-------------|---------------------|-------------------|-------------------|-------------|
|  | <ul style="list-style-type: none"> <li>• Low Profile</li> <li>• Use with 5" Stikit™ Discs</li> </ul> | 051131-05545-2 | 05545    | 15°   | 5"   | 11/16"    | 5/16–24 EXT | Beige/<br>Brown     | Soft              | 12,000/<br>12,000 | 10          |
|  | <ul style="list-style-type: none"> <li>• Low Profile</li> <li>• Use with 6" Stikit™ Discs</li> </ul> | 051131-05546-9 | 05546    | 15°   | 6"   | 11/16"    | 5/16–24 EXT | Beige/<br>Brown     | Soft              | 12,000/<br>10,000 | 1           |

## 3M™ Hookit™ Hand Pads

For use with 5" diameter 3M™ Hookit™ Discs. Available in various densities and thicknesses for your hand sanding needs.




|   | Description  | UPC            | Part No. | Dia. | Shape      | Thickness | Color  | Face<br>Color | Density<br>Rating | Hook<br>Type | Case<br>Qty |
|---|--|----------------|----------|------|------------|-----------|--------|---------------|-------------------|--------------|-------------|
|  | <ul style="list-style-type: none"> <li>• Conformable</li> <li>• Reduces finger marks</li> <li>• 1" wide hand strip</li> </ul>                  | 051144-77750-1 | 77750    | 5"   | Round      | 1"        | Black  | Black         | Soft              | 1            | 10          |
|  | <ul style="list-style-type: none"> <li>• Hold pad with less gripping force</li> <li>• Flat edge allows sanding along straight edges</li> </ul> | 051144-85095-2 | 85095    | 5"   | Contoured  | —         | Yellow | Yellow        | Firm              | 1            | 10          |
|  | <ul style="list-style-type: none"> <li>• Conformable</li> <li>• Spreads out finger pressure</li> <li>• 1" wide hand strip</li> </ul>           | 051111-56493-6 | 88132    | 5"   | Half Round | 1/4"      | Black  | Black         | Medium            | 1            | 20          |

## 3M™ Stikit™ Hand Pads

|   | Description   | UPC            | Part No. | Size        | Thickness | Foam Color | Face Color | Density Rating | Case Qty |
|---|---|----------------|----------|-------------|-----------|------------|------------|----------------|----------|
|  | <ul style="list-style-type: none"> <li>Firm yet conformable</li> <li>Lightweight</li> <li>Supports all grades of 5" 3M™ Stikit™ Discs</li> <li>For easier corner and contour sanding</li> </ul> | 051144-05585-2 | 05585    | 2-3/4" x 5" | 3/8"      | Black      | Black      | Medium         | 1        |





## 3M™ Hookit™ Disc Pads

These disc pads have a hook attachment which drives 3M™ Hookit™ Discs with brushed nylon loop backings.


|   | Description   | UPC            | Part No. | Shape | Dia. | Thickness | Thread Size | Foam/Face Color | Density Rating | Hook Type | Max OPM/RPM   | Case Qty |
|---|---|----------------|----------|-------|------|-----------|-------------|-----------------|----------------|-----------|---------------|----------|
|  | <ul style="list-style-type: none"> <li>Tapered edge</li> </ul>          | 051131-05775-3 | 05775    | 15°   | 5"   | 3/4"      | 5/16–24 EXT | Yellow/Yellow   | Medium         | 1         | 12,000/12,000 | 1        |
|  | <ul style="list-style-type: none"> <li>Tapered edge</li> </ul>          | 051131-05776-0 | 05776    | 45°   | 6"   | 3/4"      | 5/16–24 EXT | Yellow/Yellow   | Medium         | 1         | 12,000/12,000 | 1        |
|  | <ul style="list-style-type: none"> <li>Low Profile Finishing</li> </ul> | 051144-77855-3 | 77855    | 15°   | 5"   | 11/16"    | 5/16–24 EXT | Beige/Yellow    | Soft           | 1         | 12,000/12,000 | 10       |

## 3M™ Hookit™ Clean Sanding Disc Pads


Designed with high performance hole patterns. Pair with a 3M™ Random Orbital Sander to increase abrasive life and achieve high efficiency dust pickup.

|   | Description  | UPC            | Part No. | Dia.         | Thickness | Thread Size | # of Holes | Color/Face Color | Density Rating | Hook Type | Max OPM/RPM   | Case Qty |
|---|--|----------------|----------|--------------|-----------|-------------|------------|------------------|----------------|-----------|---------------|----------|
|  | <ul style="list-style-type: none"> <li>Low profile finishing</li> <li>Allows disc to flex to aid in extending abrasive life in loading applications</li> <li>Use with 3M™ Hookit™ Clean Sanding Discs (grade 220 and finer)</li> </ul> | 051141-20290-7 | 20290    | 5"           | 11/16"    | 5/16–24 EXT | 40         | Yellow/Yellow    | Soft           | 1         | 12,000/12,000 | 10       |
|  | <ul style="list-style-type: none"> <li>Low profile</li> <li>Use with 3M™ Hookit™ Clean Sanding Discs or 3M™ Hookit™ D/F Discs</li> <li>Use on random orbital sanders with 5/16–24 internal threads</li> </ul>                          | 051141-20353-9 | 20353    | 5"           | 3/8"      | 5/16–24 EXT | 44         | Red/Black        | Firm           | 2         | 12,000/12,000 | 10       |
|  | <ul style="list-style-type: none"> <li>Use with 3M™ Hookit™ Clean Sanding Discs</li> <li>Allows disc to flex to aid in extending abrasive life in loading applications</li> </ul>  | 051141-20425-3 | 20425    | 6" x 3/4" CH | 1/2"      | 5/16–24 EXT | 25         | Yellow/Yellow    | Soft           | 1         | 12,000/10,000 | 10       |
|  | <ul style="list-style-type: none"> <li>Low profile</li> <li>Use with 3M™ Hookit™ Clean Sanding Discs or 3M™ Hookit™ D/F Discs</li> <li>Use on random orbital sanders with 5/16–24 internal threads</li> </ul>                          | 051141-20356-0 | 20356    | 6"           | 3/8"      | 5/16–24 EXT | 52         | Red/Black        | Firm           | 2         | 12,000/12,000 | 10       |



## 3M™ Trizact™ Finesse-it™ Film Disc Roll 466LA

|   | Description   | UPC            | Size           | Grade | Discs/RI | RIs/Cs |
|---|---|----------------|----------------|-------|----------|--------|
|  | <ul style="list-style-type: none"> <li>• Micro-structured silicon carbide on a waterproof film backing</li> <li>• Pressure sensitive adhesive attachment system</li> <li>• Level defects quickly</li> <li>• Minimizes processing steps</li> <li>• Easy to buff to high gloss finish</li> <li>• Convenient disc roll form</li> </ul> | 051111-54589-8 | 3" x NH x 250" | A5    | 500      | 4      |
|   |   | 051111-56251-2 | 1-1/4" x NH    | A5    | 500      | 4      |
|   |   | 051111-56287-1 | 3" x NH x 250" | A7    | 500      | 4      |
|   |   | 051111-56286-4 | 2" x NH        | A7    | 500      | 4      |
|   |   | 051111-56288-8 | 1-1/4" x NH    | A7    | 500      | 4      |

## 3M™ Trizact™ Hookit™ Foam Discs



|   | Description   | UPC            | Part No. | Size | Grade | Discs/Bx | Bx/Cs |
|---|---|----------------|----------|------|-------|----------|-------|
|  | <ul style="list-style-type: none"> <li>• High Performance abrasive disc with Hookit™ Attachment System</li> <li>• Refining P1200 – P1500 grade sand scratches during paint finishing process</li> </ul> | 051131-02087-0 | 02087    | 3"   | P3000 | 15       | 4     |
|   |   | 051131-02096-2 | 02096    | 5"   | P3000 | 15       | 4     |
|   |   | 051131-02085-6 | 02085    | 6"   | P3000 | 15       | 4     |

## 3M™ Foam Compounding and Polishing Pads




|   | Description  | UPC            | Part No. | Dia. | Color | Inner | Cs |
|---|--|----------------|----------|------|-------|-------|----|
|   | <ul style="list-style-type: none"> <li>• Compounding Pad</li> <li>• Hook-and-Loop attachment</li> <li>• Refines P1200 or finer sand scratches and other paint surface defects</li> </ul> | 051131-05723-4 | 05723    | 8"   | White | 2/bag | 12 |
|  | <ul style="list-style-type: none"> <li>• Polishing Pad</li> <li>• Single sided</li> <li>• Use to remove compound swirl marks and fine paint surface defects</li> </ul>                   | 051131-05725-8 | 05725    | 8"   | Black | 2/bag | 24 |

## 3M™ Perfect-it™ Hookit™ Foam Polishing Pads

Soft foam pads for application of polishes and glazes to remove haze and swirls. Use with 3M™ Hookit™ Discs Pads. 3M™ Hookit™ Attachment System.






|   | Description   | UPC            | Part No. | Dia.   | Thickness | Color | Density Rating | Inner | Cs |
|---|---|----------------|----------|--------|-----------|-------|----------------|-------|----|
|  | <ul style="list-style-type: none"> <li>• Waffle face holds polishes better</li> </ul> | 051131-05726-5 | 05726    | 3"     | 1"        | Black | Soft           | 10    | 40 |
|  | <ul style="list-style-type: none"> <li>• Waffle face holds polishes better</li> </ul> | 051131-05727-2 | 05727    | 5-1/4" | 1"        | Black | Soft           | 12    | 48 |

## 3M™ Perfect-It™ Foam Compounding and Polishing Pads

|   | Description   | UPC            | Part No. | Size | Color | Inner | Cs |
|---|---|----------------|----------|------|-------|-------|----|
|  | <ul style="list-style-type: none"> <li>• Ultra Fine Polishing Pad</li> <li>• Waffle face holds polishes better</li> </ul>                                     | 051131-05733-3 | 05733    | 8"   | Blue  | 1/bag | 6  |
|  | <ul style="list-style-type: none"> <li>• Ultra Fine Polishing Pad</li> <li>• Waffle face holds polishes better</li> <li>• Hook-and-Loop attachment</li> </ul> | 051131-05760-9 | 05760    | 3"   | Blue  | 2/bag | 12 |
|  | <ul style="list-style-type: none"> <li>• Compounding Pad</li> <li>• Waffle face holds polishes better</li> </ul>  | 051131-05737-1 | 05737    | 8"   | White | 1/bag | 6  |

## 3M™ Finesse-it™ Buffing Pads








3M™ Finesse-it™ Buffing Pads provide a soft, smooth surface for applying 3M™ Finesse-it™ Polishes. 3M™ Hookit™ Attachment System.

|   | Description            | UPC            | Part No. | Dia.   | Pile Height | Color                  | Inner | Cs |
|---|------------------------|----------------|----------|--------|-------------|------------------------|-------|----|
|  | • Foam Buffing Pad     | 051111-51151-0 | 02648*   | 3-1/4" | —           | Orange Foam/White Loop | 10    | 50 |
|  | • Foam Buffing Pad     | 051111-60799-2 | 01963*   | 3"     | —           | White Foam/Black Loop  | 10    | 50 |
|  | • Roloc™ Finishing Pad | 051131-05924-5 | 05924    | 3"     | —           | Black                  | 12    | 60 |
|  | • Knit Buffing Pad     | 051144-85078-5 | 85078    | 3"     | 15/16"      | White                  | 10    | 50 |
|  | • Natural Buffing Pad  | 051144-81471-8 | 81471    | 5-1/4" | 20mm        | Natural                | 10    | 50 |
|   |                        | 051144-81470-1 | 81470    | 3"     | 20mm        | Natural                | 10    | 50 |



\*Max 12,000 OPM; Max 12,000 RPM

## Compounds and Polishes


Specially designed compounds and polishes to be used on OEM and baked refinish paints to remove sand scratches or to remove swirl marks from previously compounded areas.

|   | Description   | UPC            | Part No. | Size           | Color     | Case Qty |
|---|---|----------------|----------|----------------|-----------|----------|
|  | <ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Final Finish</li> <li>• Easy Cleanup</li> <li>• Remove sand scratches or swirl marks from previously compounded areas</li> <li>• Use on OEM and baked refinish paints</li> </ul>       | 051144-82877-7 | 82877    | Liter          | Gray      | 12       |
|   |   | 051144-82878-4 | 82878    | Gallon         | Gray      | 4        |
|  | <ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Finishing Material</li> <li>• Easy Cleanup</li> <li>• Remove sand scratches or swirl marks from previously compounded areas</li> <li>• Use on OEM and baked refinish paints</li> </ul> | 051144-13084-9 | 13084    | Gallon         | White     | 4        |
|   |   | 051144-81235-6 | 81235    | Liter          | White     | 12       |
|  | <ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Polish</li> <li>• Extra Fine</li> <li>• Minimal haze</li> <li>• Refines sand scratches in automotive clear coats left from previous steps</li> </ul>                                   | 051131-06002-9 | 06002    | Gallon         | White     | 4        |
|  | <ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Polish</li> <li>• Extra Fine</li> <li>• Removes sand scratches and swirls left from previous process steps in automotive clear coats</li> </ul>  | 051111-51157-2 | 51056    | Gallon         | Purple    | 4        |
|  | <ul style="list-style-type: none"> <li>• 3M™ Perfect-It™ Rubbing Compound</li> <li>• Fast cutting</li> <li>• Removes sand scratches and leaves a fine finish on automotive paints</li> </ul>  | 051131-06085-2 | 06085    | Quart (946mL)  | White Cap | 6        |
|  | <ul style="list-style-type: none"> <li>• 3M™ Imperial™ Compound and Finishing Material</li> <li>• Removes P600 or P800 dual action sand scratches from gelcoat, with a wool pad</li> </ul>  | 051131-06044-9 | 06044    | 32 fl. oz.     | White     | 12       |
|  | <ul style="list-style-type: none"> <li>• 3M™ Perfect-It™ Denibbing Polish</li> <li>• Removes P1500 sand scratches</li> </ul>  | 051131-39063-8 | 39063    | 16 oz. (473mL) | Purple    | 6        |


## 3M™ Mini-Random Orbital Sander and Nib Removal Sander

|   | Description   | UPC            | Part No. | Size           | PSI   | Max RPM | Airflow            | Pad Included             | Cs |
|---|---|----------------|----------|----------------|-------|---------|--------------------|--------------------------|----|
|  | <ul style="list-style-type: none"> <li>• Mini-Random Orbital Sander</li> <li>• .27 HP (201 W)</li> <li>• Works in tight areas</li> <li>• Lightweight</li> <li>• One-piece shaft balancer</li> </ul> | 051141-20244-0 | 20244    | 1-1/4" x 3/16" | 90    | 8,000   | 15 SCFM (425 LPM)  | Finesse-it™ Roloc™ 02345 | 1  |
|  | <ul style="list-style-type: none"> <li>• Nib Removal Sander</li> <li>• .067 HP (50 W)</li> <li>• Works in tight areas</li> <li>• Lightweight, easy grip</li> <li>• Precise speed control</li> </ul> | 051111-60536-3 | 03125    | 1-1/4" dia.    | 57-90 | 7,500   | 5.3 SCFM (150 LPM) | Hookit™ 20353            | 1  |


## 3M™ Buffer

|   | Description  | UPC            | Part No. | Size           | Orbit       | PSI | Max RPM | Air Inlet Thread | Cs |
|---|--|----------------|----------|----------------|-------------|-----|---------|------------------|----|
|  | <ul style="list-style-type: none"> <li>• Random Orbital</li> <li>• .26 HP (201 W)</li> <li>• Buff and polish clear coat</li> <li>• Light-weight</li> <li>• 3M™ Gripping Material for greater operator comfort</li> </ul> | 051141-28333-3 | 28333    | 1-1/4" x 3/16" | 1/2" (12mm) | 90  | 11,000  | 1/4" NPT         | 1  |

## 3M™ Mini Mandrel





|  | Description   | UPC            | Part No. | Shank Size | Overall Length | Max RPM | Cs |
|--|---|----------------|----------|------------|----------------|---------|----|
|  | <ul style="list-style-type: none"> <li>• Use with 1" x 1-1/2" sheets of Scotch-Brite™ Abrasive Material</li> <li>• Fits into tight areas</li> </ul> | 048011-04020-2 | 935      | 1/4"       | 2-7/8"         | 14,000  | 5  |

## 3M™ Quick Release Adapter


|   | Description   | UPC            | Part No. | Thread | Attachment                  | MOQ |
|---|---|----------------|----------|--------|-----------------------------|-----|
|  | <ul style="list-style-type: none"> <li>• Polisher adaptor used to quickly connect and disconnect double sided buffing pads</li> <li>• Centers pads for more effective use</li> <li>• Makes it easy to change between compound and polishing pads</li> </ul> | 051131-05752-4 | 05752    | 5/8"   | Attach directly to polisher | 10  |

## 3M™ Roloc™ Backup Pads

Soft foam pads for application of polishes and glazes to remove haze and swirls. Use with 3M™ Hookit™ Discs Pads. 3M™ Hookit™ Attachment System.



|   | Description   | UPC            | Part No. | Dia.   | Thickness | Thread Size | Foam/Face Color      | Density Rating | Max OPM/RPM   | Case Qty |
|---|---|----------------|----------|--------|-----------|-------------|----------------------|----------------|---------------|----------|
|  | <ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Roloc™ Finishing Disc Pad</li> <li>• Hookit, Hook Type 3</li> <li>• Good conformability</li> </ul> | 051144-14736-6 | 14736U   | 3"     | 1"        | Roloc™ TR   | Yellow/Black & White | Soft           | 10,000/6,000  | 12       |
|  | <ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Roloc™ Sanding Pad</li> <li>• Use with PSA discs</li> </ul>  | 051144-13442-7 | 13442    | 1-1/4" | 5/16"     | Roloc™ TR   | Black/Black          | Medium         | 10,000/6,000  | 10       |
|  | <ul style="list-style-type: none"> <li>• 3M™ Stikit™ Roloc™ Disc Pad</li> <li>• Use with PSA discs</li> </ul>   | 051111-55833-1 | 02727    | 1-1/4" | 5/16"     | Roloc™ TR   | Black/Black          | Medium         | 12,000/10,000 | 20/cs    |
|  | <ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Roloc™ Sanding Pad</li> <li>• Use with PSA discs</li> </ul>  | 051111-50198-6 | 02345    | 1-1/4" | 5/16"     | Roloc™ TR   | Black/Blue           | Medium         | 12,000/10,000 | 20/cs    |

## 3M™ Dual Lock Rubber Skirts


|   | Description   | UPC            | Part No. | Dia.   | Max RPM | Case Qty |
|---|---|----------------|----------|--------|---------|----------|
|  | <ul style="list-style-type: none"> <li>Attaches to 3M™ Nib Removal Sander (PN03125) with existing four screws</li> <li>Used in applications where a more durable attachment is needed to secure backup pad</li> </ul> | 051141-20246-4 | 20246    | 1-1/4" | 7,500   | 10       |

## 3M™ Finesse-it™ Hand Sanding Pads


Hand pads used to support 3M™ Finesse-it™ Discs.

|   | Description  | UPC            | Part No. | Dia.   | Color | Face Color | Density Rating | Case Qty |
|---|--|----------------|----------|--------|-------|------------|----------------|----------|
|  | <ul style="list-style-type: none"> <li>Red rubber hand sanding pad</li> <li>Both ends can be used to hold PSA sanding discs</li> </ul>   | 051144-13441-0 | 13441    | 1-1/4" | Red   | Red        | Firm           | 20       |
|  | <ul style="list-style-type: none"> <li>Red rubber hand sanding pad</li> <li>One end is firm for better defect leveling and the other end has a soft black vinyl face for producing a finer finish</li> </ul> | 051111-50199-3 | 50199    | 1-1/4" | Red   | Black      | Soft           | 20       |




## 3M™ Hookit™ Backup Pad

|   | Description  | UPC            | Part No. | Size      | Thread Size | Color  | Density Rating | Max RPM | Case Qty |
|---|--|----------------|----------|-----------|-------------|--------|----------------|---------|----------|
|  | <ul style="list-style-type: none"> <li>Allows for easy attachment, quick removal and accurate centering of single sided compounding or polishing pads</li> </ul> | 051131-05717-3 | 05717    | 7" x 3/4" | 5/8-11      | Yellow | Soft           | 3,000   | 1        |


## 3M™ Perfect-It™ Backup Pad

|   | Description   | UPC            | Part No. | Size      | Thread Size | Color  | Density Rating | Max RPM | Case Qty |
|---|---|----------------|----------|-----------|-------------|--------|----------------|---------|----------|
|  | <ul style="list-style-type: none"> <li>Allows for easy and quick removal and accurate centering of single sided compounding or polishing pads</li> <li>Use with 3M™ Superbuff™ Adapter PN05710</li> </ul> | 051131-05718-0 | 05718    | 7" x 3/4" | 5/8-11 INT  | Yellow | Soft           | 3,000   | 1        |

## Scotch-Brite™ Hand Pads

|   | Description   | UPC            | Part No. | Size    | Color  | Pads/Bx | Bx/Cs |
|---|---|----------------|----------|---------|--------|---------|-------|
|  | <ul style="list-style-type: none"> <li>• General Purpose</li> <li>• Rinses clean and does not rust</li> <li>• Reusable</li> </ul>         | 051131-07447-7 | 07447    | 6" x 9" | Maroon | 20      | 3     |
|  | <ul style="list-style-type: none"> <li>• Ultra Fine</li> <li>• Rinses clean and does not rust</li> <li>• Reusable</li> </ul>              | 051131-07448-4 | 07448    | 6" x 9" | Gray   | 20      | 3     |
|  | <ul style="list-style-type: none"> <li>• Paint Prep Scuff</li> <li>• Very light cleaning</li> <li>• Use with liquid detergents</li> </ul> | 051131-07777-5 | 07777    | 6" x 9" | Maroon | 20      | 3     |


## 3M™ Utility Cloth Sheet 314D

|   | Description  | UPC            | Size     | Grade | Backing | Inner | Cs  |
|---|--|----------------|----------|-------|---------|-------|-----|
|  | <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Durable</li> <li>• Reduced shelling, even when torn or rolled</li> <li>• Use on all metals, paint</li> <li>• Blending, cleaning, contour finishing, deburring and rust removal</li> </ul> | 051115-19763-5 | 9" x 11" | P400  | J-wt    | 50    | 250 |
|   |  | 051115-19764-2 | 9" x 11" | P320  | J-wt    | 50    | 250 |
|   |  | 051115-19765-9 | 9" x 11" | P280  | J-wt    | 50    | 250 |
|   |  | 051115-19766-6 | 9" x 11" | P240  | J-wt    | 50    | 250 |
|   |  | 051115-19767-3 | 9" x 11" | P220  | J-wt    | 50    | 250 |
|   |  | 051115-19768-0 | 9" x 11" | P180  | J-wt    | 50    | 250 |
|   |  | 051115-19769-7 | 9" x 11" | P150  | J-wt    | 50    | 250 |
|   |  | 051115-19770-3 | 9" x 11" | P120  | J-wt    | 50    | 250 |
|   |  | 051115-19771-0 | 9" x 11" | P100  | J-wt    | 50    | 250 |
|   |  | 051115-19772-7 | 9" x 11" | P80   | J-wt    | 50    | 250 |
|   |  | 051115-19773-4 | 9" x 11" | P60   | X-wt    | 50    | 250 |
|   |  | 051115-19774-1 | 9" x 11" | P50   | X-wt    | 50    | 250 |
| 051115-19775-8  | 9" x 11"   | P40            | X-wt     | 50    | 250     |       |     |


## 3M™ Utility Cloth Sheet 211K

|   | Description  | UPC            | Size     | Grade | Backing | Inner | Cs  |
|---|--|----------------|----------|-------|---------|-------|-----|
|  | <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Good flexibility for general maintenance work</li> <li>• Use for cleaning, contour finishing, deburring and rust removal</li> <li>• Use on all metals, paint</li> </ul> | 051144-12500-5 | 9" x 11" | 500   | J-wt    | 50    | 250 |
|   |  | 051144-12501-2 | 9" x 11" | 400   | J-wt    | 50    | 250 |
|   |  | 051144-02402-5 | 9" x 11" | 320   | J-wt    | 50    | 250 |


## 3M™ Wetordry™ Sheets

|   | Description  | UPC            | Part No. | Size     | Grade | Backing | Sheet/ Sleeve | Sleeves/ Cs |
|---|--|----------------|----------|----------|-------|---------|---------------|-------------|
|  | <ul style="list-style-type: none"> <li>• Use wet with water or dry</li> <li>• Stays flexible and cuts fast</li> <li>• Use for sanding old finishes, fine featheredging, surface sanding or last final sanding step before priming</li> </ul> | 051144-02000-3 | 02000    | 9" x 11" | 600   | A-wt.   | 50            | 10          |
|   |  | 051144-02001-0 | 02001    | 9" x 11" | 500   | A-wt.   | 50            | 5           |
|   |  | 051144-02002-7 | 02002    | 9" x 11" | 400   | A-wt.   | 50            | 10          |
|   |  | 051144-02003-4 | 02003    | 9" x 11" | 360   | A-wt.   | 50            | 5           |
|   |  | 051144-02004-1 | 02004    | 9" x 11" | 320   | A-wt.   | 50            | 10          |
|   |  | 051144-02005-8 | 02005    | 9" x 11" | 280   | A-wt.   | 50            | 5           |
|   |  | 051144-02006-5 | 02006    | 9" x 11" | 240   | A-wt.   | 50            | 5           |
|   |  | 051144-02007-2 | 02207    | 9" x 11" | 220   | A-wt.   | 50            | 10          |


## 3M™ Wetordry™ Paper Sheets 431Q

|   | Description    | UPC      | Size | Grade | Backing | Inner | Cs |
|---|----------------|----------|------|-------|---------|-------|----|
|  <ul style="list-style-type: none"> <li>• Silicon carbide</li> <li>• Can be run wet or dry</li> <li>• Heavy duty for increased durability</li> <li>• Use wet to reduce clogging and extend abrasive life</li> <li>• Composite, metalworking, MRO, paint preparation</li> </ul> | 051144-02015-7 | 9" x 11" | 150  | C-wt  | 100     | 1000  |    |
|   | 051144-02016-4 | 9" x 11" | 120  | C-wt  | 100     | 1000  |    |
|   | 051144-02017-1 | 9" x 11" | 180  | C-wt  | 100     | 1000  |    |
|   | 051144-02018-8 | 9" x 11" | 80   | C-wt  | 100     | 1000  |    |

## 3M™ Paper Sheet 336U

|  | Description    | UPC      | Size | Grade | Backing | Inner | Cs |
|--|----------------|----------|------|-------|---------|-------|----|
|  <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Load resistant</li> <li>• Heat resistant</li> <li>• Good on soft metals</li> <li>• Blending, prepping metal prior to paint</li> </ul> | 051144-02112-3 | 9" x 11" | 150  | C-wt  | 100     | 1000  |    |
|  | 051144-02113-0 | 9" x 11" | 120  | C-wt  | 100     | 1000  |    |
|  | 051144-02114-7 | 9" x 11" | 100  | C-wt  | 100     | 1000  |    |
|  | 051144-02115-4 | 9" x 11" | 80   | D-wt  | 50      | 500   |    |
|  | 051144-02116-1 | 9" x 11" | 60   | D-wt  | 50      | 500   |    |
|  | 051144-02117-8 | 9" x 11" | 50   | D-wt  | 50      | 500   |    |
|  | 051144-02118-5 | 9" x 11" | 40   | D-wt  | 50      | 250   |    |
|  | 051144-02119-2 | 9" x 11" | 36   | D-wt  | 50      | 250   |    |


## 3M™ Paper Sheet 405N

|  | Description    | UPC         | Size | Grade | Backing | Inner | Cs |
|--|----------------|-------------|------|-------|---------|-------|----|
|  <ul style="list-style-type: none"> <li>• Silicon carbide</li> <li>• Load resistant</li> <li>• Fast cutting</li> <li>• Exceptional finishes</li> <li>• Excellent conformability</li> <li>• Great for contour blending</li> <li>• Finishing, lacquer sanding, scuffing, sealant removal and varnish stripping</li> </ul> | 051144-10240-2 | 9" x 11"    | 500  | A-wt  | 100     | 1000  |    |
|  | 051144-10241-9 | 9" x 11"    | 400  | A-wt  | 100     | 1000  |    |
|  | 051144-10242-6 | 9" x 11"    | 360  | A-wt  | 100     | 1000  |    |
|  | 051144-10243-3 | 9" x 11"    | 320  | A-wt  | 100     | 1000  |    |
|  | 051144-10244-0 | 9" x 11"    | 280  | A-wt  | 100     | 1000  |    |
|  | 051144-10245-7 | 9" x 11"    | 240  | A-wt  | 100     | 1000  |    |
|  | 051144-10246-4 | 9" x 11"    | 220  | A-wt  | 100     | 1000  |    |
|  | 051144-10247-1 | 9" x 11"    | 180  | A-wt  | 100     | 1000  |    |
|  | 051144-10248-8 | 9" x 11"    | 150  | A-wt  | 100     | 1000  |    |
|  | 051144-10270-9 | 3-2/3" x 9" | 400  | A-wt  | 400     | 4000  |    |
|  | 051144-10272-3 | 3-2/3" x 9" | 320  | A-wt  | 400     | 4000  |    |
|  | 051144-10273-0 | 3-2/3" x 9" | 280  | A-wt  | 400     | 4000  |    |
|  | 051144-10274-7 | 3-2/3" x 9" | 240  | A-wt  | 400     | 4000  |    |
|  | 051144-10275-4 | 3-2/3" x 9" | 220  | A-wt  | 400     | 4000  |    |
|  | 051144-10276-1 | 3-2/3" x 9" | 180  | A-wt  | 400     | 4000  |    |


## Scotch-Brite™ Clean and Finish Roll

|   | Description    | UPC        | Size  | Grade  | Color | Rolls/Cs |
|---|----------------|------------|-------|--------|-------|----------|
|  <ul style="list-style-type: none"> <li>• Flexible web for finishing, blending and polishing</li> <li>• Conformable for access to hard-to-reach areas</li> <li>• General use on a variety of materials.</li> <li>• Cut-to-fit for a custom size</li> <li>• Aluminum oxide</li> </ul> | 048011-00264-4 | 4" x 30 ft | A MED | Maroon | 3     |          |
|   | 048011-00265-1 | 4" x 30 ft | A FIN | Maroon | 3     |          |
|   | 048011-00266-8 | 4" x 30 ft | A VFN | Maroon | 3     |          |
|   | 048011-00270-5 | 4" x 30 ft | S VFN | Maroon | 3     |          |
|   | 048011-00274-3 | 6" x 30 ft | A MED | Maroon | 2     |          |
|   | 048011-00275-0 | 6" x 30 ft | A FIN | Maroon | 2     |          |
|   | 048011-00276-7 | 6" x 30 ft | A VFN | Maroon | 2     |          |


## Scotch-Brite™ Cut and Polish Roll

|  | Description | UPC            | Size       | Grade | Color | Rolls/Cs |
|--|-------------|----------------|------------|-------|-------|----------|
|  <ul style="list-style-type: none"> <li>• Load resistant</li> <li>• Conformable</li> <li>• Cut-to-fit for custom size</li> <li>• Long life and extremely durable</li> <li>• Good flexibility</li> </ul> |             | 048011-04085-1 | 1" x 30 ft | A MED | Tan   | 12       |
|  |             | 048011-05206-9 | 2" x 30 ft | A MED | Tan   | 6        |
|  |             | 048011-05207-6 | 4" x 30 ft | A MED | Tan   | 3        |


## 3M™ Utility Cloth Roll 314D

|   | Description    | UPC            | Size             | Grade | Backing | Cs |
|---|----------------|----------------|------------------|-------|---------|----|
|  <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Excellent durability, even when rolled, twisted or folded</li> <li>• Can be torn by hand easily to achieve a straight, clean edge and avoid a frayed edge that can cause wild scratches</li> <li>• Use for general purpose sanding; fine sanding and polishing applications; removing rust, scale and contaminants; surface preparation for paints and coatings</li> </ul> |                | 051115-19783-3 | 1" x 50 yds.     | P400  | J-wt    | 5  |
|   |                | 051115-19784-0 | 1" x 50 yds.     | P320  | J-wt    | 5  |
|   |                | 051115-19785-7 | 1" x 50 yds.     | P280  | J-wt    | 5  |
|   |                | 051115-19786-4 | 1" x 50 yds.     | P240  | J-wt    | 5  |
|   |                | 051115-19787-1 | 1" x 50 yds.     | P220  | J-wt    | 5  |
|   |                | 051115-19788-8 | 1" x 50 yds.     | P180  | J-wt    | 5  |
|   |                | 051115-19789-5 | 1" x 50 yds.     | P150  | J-wt    | 5  |
|   |                | 051115-19790-1 | 1" x 50 yds.     | P120  | J-wt    | 5  |
|   |                | 051115-19791-8 | 1" x 50 yds.     | P100  | J-wt    | 5  |
|   |                | 051115-19792-5 | 1" x 50 yds.     | P80   | J-wt    | 5  |
|   |                | 051115-19793-2 | 1" x 50 yds.     | P60   | X-wt    | 5  |
|   |                | 051115-19794-9 | 1" x 50 yds.     | P50   | X-wt    | 5  |
|   |                | 051115-19802-1 | 1-1/2" x 50 yds. | P400  | J-wt    | 5  |
|   |                | 051115-19803-8 | 1-1/2" x 50 yds. | P320  | J-wt    | 5  |
|   |                | 051115-19804-5 | 1-1/2" x 50 yds. | P280  | J-wt    | 5  |
|   |                | 051115-19805-2 | 1-1/2" x 50 yds. | P240  | J-wt    | 5  |
|   |                | 051115-19806-9 | 1-1/2" x 50 yds. | P220  | J-wt    | 5  |
|   |                | 051115-19807-6 | 1-1/2" x 50 yds. | P180  | J-wt    | 5  |
|   |                | 051115-19808-3 | 1-1/2" x 50 yds. | P150  | J-wt    | 5  |
|   |                | 051115-19809-0 | 1-1/2" x 50 yds. | P120  | J-wt    | 5  |
|   |                | 051115-19810-6 | 1-1/2" x 50 yds. | P100  | J-wt    | 5  |
|   |                | 051115-19811-3 | 1-1/2" x 50 yds. | P80   | J-wt    | 5  |
|   |                | 051115-19812-0 | 1-1/2" x 50 yds. | P60   | X-wt    | 5  |
|   |                | 051115-19813-7 | 1-1/2" x 50 yds. | P50   | X-wt    | 5  |
|   |                | 051115-19814-4 | 2" x 50 yds.     | P400  | J-wt    | 5  |
|   |                | 051115-19815-1 | 2" x 50 yds.     | P320  | J-wt    | 5  |
|   |                | 051115-19816-8 | 2" x 50 yds.     | P280  | J-wt    | 5  |
|   |                | 051115-19817-5 | 2" x 50 yds.     | P240  | J-wt    | 5  |
|   |                | 051115-19818-2 | 2" x 50 yds.     | P220  | J-wt    | 5  |
|   |                | 051115-19819-9 | 2" x 50 yds.     | P180  | J-wt    | 5  |
|   |                | 051115-19820-5 | 2" x 50 yds.     | P150  | J-wt    | 5  |
|   |                | 051115-19821-2 | 2" x 50 yds.     | P120  | J-wt    | 5  |
|   | 051115-19822-9 | 2" x 50 yds.   | P100             | J-wt  | 5       |    |
|   | 051115-19823-6 | 2" x 50 yds.   | P80              | J-wt  | 5       |    |
|   | 051115-19824-3 | 2" x 50 yds.   | P60              | X-wt  | 5       |    |
|   | 051115-19825-0 | 2" x 50 yds.   | P50              | X-wt  | 5       |    |
|   | 051115-19826-7 | 2" x 50 yds.   | P40              | X-wt  | 5       |    |


## Scotch-Brite™ Multi-Flex Abrasive Sheet Roll

|  | Description | UPC            | Size       | Grade | Color  | Sheets/RI | Rolls/Cs |
|--|-------------|----------------|------------|-------|--------|-----------|----------|
|  <ul style="list-style-type: none"> <li>• Ultra flexible and conformable for cleaning or fine finishing</li> <li>• Works quickly in sealer sanding, denibbing, defuzzing, highlighting and top coat finishing applications (both solvent- and water-based)</li> <li>• Convenient dispenser</li> </ul> |             | 051131-07521-4 | 8" x 20 ft | A VFN | Maroon | 60        | 4        |
|  |             | 051131-07522-1 | 8" x 20 ft | S ULF | Gray   | 60        | 4        |


## 3M™ Utility Cloth Roll 211K

|   | Description    | UPC            | Size             | Grade | Backing | Cs |
|---|----------------|----------------|------------------|-------|---------|----|
|  <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Good flexibility</li> <li>• Excellent durability, even when rolled, twisted or folded</li> <li>• General purpose sanding; fine sanding and polishing applications; removing rust, scale and contaminants; surface preparation for paints and coatings</li> </ul> |                | 051144-05000-0 | 1" x 50 yds.     | 500   | J-wt    | 5  |
|   |                | 051144-05001-7 | 1" x 50 yds.     | 400   | J-wt    | 5  |
|   |                | 051144-05002-4 | 1" x 50 yds.     | 320   | J-wt    | 5  |
|   |                | 051144-05020-8 | 1-1/2" x 50 yds. | 500   | J-wt    | 5  |
|   |                | 051144-05021-5 | 1-1/2" x 50 yds. | 400   | J-wt    | 5  |
|   |                | 051144-05022-2 | 1-1/2" x 50 yds. | 320   | J-wt    | 5  |
|   |                | 051144-05040-6 | 2" x 50 yds.     | 500   | J-wt    | 5  |
|   |                | 051144-05041-3 | 2" x 50 yds.     | 400   | J-wt    | 5  |
|   | 051144-05042-0 | 2" x 50 yds.   | 320              | J-wt  | 5       |    |

## 3M™ Insta-Lok™ Hand Block

|  | Description | UPC            | Part No. | Size            | Color | Face Color | Hook Type | Case Qty |
|--|-------------|----------------|----------|-----------------|-------|------------|-----------|----------|
|  <ul style="list-style-type: none"> <li>• Plastic holders used to drive nonwoven surface conditioning products</li> <li>• Firm</li> </ul> |             | 048011-04013-4 | 952      | 3-3/8" x 5-3/4" | Blue  | Tan        | 4         | 1        |

## 3M™ Forked Spindle

|  | Description | UPC            | Part No. | Slot Width | Slot Length | Shank Size | Overall Length | Cs |
|--|-------------|----------------|----------|------------|-------------|------------|----------------|----|
|  <ul style="list-style-type: none"> <li>• Forked spindle holder for coated abrasive strips to clean and polish inner diameters and other tight areas</li> </ul> |             | 051144-45121-0 | 45121    | 1/16"      | 3/4"        | 1/4"       | 3"             | 10 |

## Scotch-Brite™ Roloc™ Bristle Disc

|  | Description | UPC            | Size      | Grade | Color  | Cs |
|--|-------------|----------------|-----------|-------|--------|----|
|  <ul style="list-style-type: none"> <li>• Tapered</li> <li>• Molded, abrasive filled bristle disc</li> <li>• Consistent supply of abrasives</li> <li>• Cleans and strips with light pressure</li> <li>• Use for deburring, blending, finishing, polishing, cleaning and for coating, defect, scratch and rust removal</li> <li>• Use on aluminum and metal</li> </ul> |             | 048011-18730-3 | 2" x 5/8" | 50    | Green  | 40 |
|  |             | 048011-18732-7 | 2" x 5/8" | 80    | Yellow | 40 |
|  |             | 048011-18733-4 | 2" x 5/8" | 120   | White  | 40 |
|  |             | 048011-18734-1 | 3" x 5/8" | 50    | Green  | 40 |
|  |             | 048011-18736-5 | 3" x 5/8" | 80    | Yellow | 40 |
|  |             | 048011-18737-2 | 3" x 5/8" | 120   | White  | 40 |


**NEW!**

# Scotch-Brite™

7447 PRO and 7448 PRO  
Discs, Sheets, Rolls and Hand Pads



## Finish Like a PRO



### Get the job done faster!

The fast, consistent performance of Scotch-Brite™ 7447 PRO and 7448 PRO can help reduce surface prep time on a variety of applications including:

- Paint and primer preparation on airplanes, cars, trucks and other motor vehicles
- Scuff sanding of sealer coatings on cabinetry and furniture
- Refine finishes on stainless steel appliances, food processing, pharmaceutical and surgical equipment





**Cabinetry & Furniture**  
Scuff sanding of sealer coatings.



**Transportation**  
Paint and primer prep on airplanes, cars, trucks and other motor vehicles.



**Stainless Steel Finishing**  
Refine final finish on appliances, food processing, pharmaceutical and surgical equipment.

# Scotch-Brite™ 7447 PRO and 7448 PRO help you get the job done faster!

Breakthrough fiber coating technology allows Scotch-Brite™ 7447/7448 PRO to cut faster and produce a more consistent scratch reducing the time it takes to scuff, prep or finish parts. Ideal for prepping surfaces for paint and primer, general scuffing and hand blending.

**New precision fiber coating technology in Scotch-Brite™ 7447/7448 PRO**

### Improved Productivity

Durable, precision coated fibers provide fast cut and consistent finishes. Engineered to minimize loading.

### Higher Flexibility


Strong and durable non-woven construction, is flexible enough for contoured parts and hard-to-reach areas.

### Convenience and Versatility

Ideal for prepping surfaces for paint and primer, general scuffing and hand blending. Available in discs, sheets, rolls and hand pads.

Scotch-Brite™ 7447 PRO and 7448 PRO (Available in Discs, Sheets, Rolls and Hand Pads)

|  | Size               | Product  | Grade | Color  | UPC Number     | Pads/Box   | Boxes/Case |
|--|--------------------|----------|-------|--------|----------------|------------|------------|
| Hand Pad   | 6" x 9" Perforated | 7447 PRO | A VFN | Maroon | 048011-64926-9 | 20         | 3          |
|  | 6" x 9" Perforated | 7448 PRO | S ULF | Gray   | 048011-64935-1 | 20         | 3          |
| Hand Pad Trial Pack — Contains one each of 7447 PRO and 7448 PRO |                    |          |       |        | 048011-64933-7 | 20 (packs) | 1          |
| Disc   | 5" Diameter        | 7447 PRO | A VFN | Maroon | 048011-64959-7 | 100        | 1          |
|  | 6" Diameter        | 7447 PRO | A VFN | Maroon | 048011-64960-3 | 100        | 1          |
| Jitterbug Sheet Pad  | 3-2/3" x 9-1/4"    | 7447 PRO | A VFN | Maroon | 048011-64958-0 | 100        | 1          |



\*7447 PRO and 7448 PRO are also available in made-to-order rolls, discs and sheets.

**NEW!**

# Scotch-Brite™

Hand Pads 7447 PRO and 7448 PRO



*Longer Life  
Uniform*


# Finish Like a PRO




**Get the job done faster!**

The fast, consistent performance of Scotch-Brite™ Hand Pads 7447 PRO and 7448 PRO helps reduce surface prep time and offers exceptional durability.





A Very Fine  
General scuffing.



S Ultra Fine  
Prep surface  
prior to color coat.



A Very Fine  
Prep surface prior  
to primer.

# Get Your Job Done Faster

with Scotch-Brite™ Hand Pads 7447 PRO and 7448 PRO

## Improve Productivity — Save Time and Money

High performance pad takes less time to prep surface and lasts longer.

## Fast, More Consistent Scratch


Tightly graded abrasive particles for consistent, uniform scratch throughout life of the hand pad.

## Tough, Yet Flexible

New, long lasting pad made with durable non-woven nylon web is flexible enough to get into hard-to-sand places. Specially coated to minimize loading.

## Convenience and Versatility

Ideal for everyday uses like prepping surfaces for color coat; general scuffing, cleaning and hand blending. Center perforated for convenience and available in two grades.



Unique fibre coating  
capability assures a  
fast, consistent scratch.


## Scotch-Brite™ Hand Pads 7447 PRO and 7448 PRO

| UPC Number     | Product  | Size    | Grade | Color  | Pads/Box | Boxes/Case |
|----------------|--|---------|-------|--------|----------|------------|
| 048011-64926-9 | 7447 PRO   | 6" x 9" | A VFN | Maroon | 20       | 3          |
| 048011-64935-1 | 7448 PRO   | 6" x 9" | S ULF | Gray   | 20       | 3          |
| 048011-64933-7 | Trial Pack — includes one each of Scotch-Brite™ Hand Pad 7447 PRO and 7448 PRO |         |       |        |          |            |

## Need a thinner, more flexible pad?


Try Scotch-Brite™ Durable Flex Hand Pads

| UPC Number     | Product | Size        | Grade | Color  | Min/Case |
|----------------|---------|-------------|-------|--------|----------|
| 048011-64659-6 | 64659   | 4-1/2" x 9" | A VFN | Maroon | 25/100   |
| 048011-64660-2 | 64660   | 4-1/2" x 9" | S ULF | Gray   | 25/100   |



- Superior alternative to steel wool, wire brushes, sandpaper, and other non-woven products for cleaning or finishing tasks
- Very fine grade aluminum oxide abrasive cleans, finishes, grains, denibs, and defuzzes
- Pad resists tearing, splintering, shredding, loading and will never rust, providing a long, useful life
- Can be folded, stacked, or rolled for effective cleaning or conditioning on flat, irregular, or contoured surfaces
- Perforated for quick and easy tearing, reducing waste

Scotch-Brite™ 7447 PRO Hand Pad combines flexibility with effective cutting action and precise hand control to help you accomplish tough cleaning jobs or produce fine finishing results, use after use. The tightly graded abrasive particles in this new pad provide a consistent, uniform scratch throughout life of the hand pad.



New precision fiber coating technology in Scotch-Brite™ 7447/7448 PRO

### Multi-Purpose Pad Can Be Used on a Variety of Substrates

Our very fine grade aluminum oxide abrasives cut fast and fine, leaving a smooth, finished surface. Suitable for use on a wide variety of materials such as wood, metal, plastics, ceramics, porcelain, glass, rubber, or composites, and for many different tasks, the performance of this pad is comparable to steel wool grade 0. However, unlike steel wool, Scotch-Brite™ 7447 PRO Hand Pads won't



*Ideal for everyday uses like prepping surfaces for color coat, general scuffing, cleaning and hand blending*

*Unique fibre coating capability assures a fast, consistent scratch*

some solvents. You can use this multipurpose 6 x 9 inch pad by hand for precise control, with a hand pad block for uniform finishing, or on an in-line sander to cover large areas.

### Aluminum Oxide Cuts Fast and Finishes Fine

This maroon hand pad uses aluminum oxide abrasive. Aluminum oxide is a popular choice among industrial professionals because of its cut-rate and long life. This mineral is a tough, durable abrasive that self-fractures to expose fresh cutting edges in use, whereas traditional abrasives, such as garnet, quickly wear down with use. Due to its high cut-rate, hardness, strength, and low heat retention, aluminum oxide mineral is widely used in grinding applications in addition to sanding and finishing use. Aluminum oxide is suitable on a wide variety of substrates in both woodworking and metalworking, including ferrous alloys. The pad is perforated in the center, allowing for easy tearing by hand, reducing waste.

### The Scotch-Brite PRO Advantage

Scotch-Brite™ PRO is a unique surface conditioning product with abrasives incorporated into non-woven nylon fibers. Breakthrough fiber coating technology allows Scotch-Brite™ PRO abrasive products to cut faster and produce a more consistent scratch than competitive Non-woven abrasive products, reducing the time and effort it takes to finish parts. Combining abrasives with the fibers creates an abrasive system that delivers consistent results for the life of the product. The open-web material is load resistant and keeps the abrasive minerals cutting at high performance by limiting clogging of the nylon fibers.

When it comes to quality abrasives, grinding & sanding, 3M is the brand you can depend on.