AFC®
AIR FILTRATION CO., INC.

2014-2015

Product Catalog

High Quality
Intake Filters &
Diffusion Media

Wall Film &
Booth Coating

Door Gaskets
& Seals

EPA 6H Compliant
Exhaust Media

Pocket Filters
& Prefilters

Floor Film &
Dust Control

Manometers &
Other Accessories

EPA 6H compliant Exhaust Media
intake filters & diffusion media
protective wall & floor film
liquid mask & booth coating
pocket filters & prefilters
spray booth accessories

AIR FILTRATION CO., INC.

Dear Customer,

Thank you for your interest in the **Air Filtration Co., Inc.** product line. Carl Hagan, Sr. founded **Air Filtration Co., Inc.** in 1967 after spending 20 years as a body man and painter. In the over 45 years since our founding, the spray booth filter industry has changed dramatically, yet one thing has remained constant: the same principles of quality products and outstanding customer service upon which Carl founded his business still apply to **Air Filtration** today. Now as a 3rd generation family company, our attention to customer satisfaction is not matched in the industry.

Our air filter products meet or exceed OEM standards for air flow and efficiency, are competitively priced, and readily available. We offer an extensive product line, constructed of high quality media and engineered for high efficiency, low air flow restriction, and maximum service life. Performance data, compiled by certified air filter testing laboratories is available on all of our products, and can be found throughout this catalog. All of our intake filters were tested at the critical 5-10 micron particle range with a minimum airflow of 100 lineal feet per minute; in other words, under realistic shop conditions.

Over the past few years, we have seen some exciting changes to our product line and production processes that have increased customer confidence in our products while allowing us to be extremely price competitive. Performance and value have been seamlessly combined like never before.

This catalog gives a general overview of our air filter products and the types of applications for which they are designed to be used. If you do not see exactly what you are looking for, please contact us. We can supply you with any filter, any size, for any spray booth application. Let us show you why **Air Filtration Co., Inc.** has been the most trusted name in air filter products for over 45 years.

Sincerely,

Steve Hagan
President

AFC
**AIR FILTRATION CO., INC.**

L560 DIFFUSION MEDIA

The L560 Series diffusion media is a new and exciting addition to our product line. The fiber structure and full-depth loaded adhesive provide an extremely efficient, yet low resistance media allowing for the ideal painting environment.

Product Specifications

- Actual thickness of 0.75"
- Temperature resistance up to 250° F
- Available in bulk rolls as well as cut blankets and pads of all sizes. Standards shown in table below.

Air Flow vs Resistance Clean Device

Initial Particle Size Removal Efficiency

Performance Measure	Air Filtration Co., Inc. L560 Media*
Initial Resistance (100 fpm)	0.22 w.g.
Average Efficiency 5.5-7 Microns	99.0%
Average Efficiency 7-10 Microns	99.9%
Rating (100 fpm)	MERV 9

*All data in above table is per ASHRAE Standard 52.2 Test #12-1394

Part #	Description	Set Qty	Part #	Description	Set Qty
L560-3345-18	33"x45" L560 Series Blanket	18	L560-38102	38"x102" L560 Series Blanket	7
L560-3345-20	33"x45" L560 Series Blanket	20	L560-38108	38.5"x108" L560 Series Blanket	7
L560-3345-24	33"x45" L560 Series Blanket	24	L560-40100	40"x100" L560 Series Blanket	4
L560-3598	33"x45" L560 Series Blanket	6	L560-40120	40"x120" L560 Series Blanket	3
L560-3654	36.75"x54" L560 Series Blanket	12	L560-42168	42"x168" L560 Series Blanket	12
L560-3654-14	36.75"x54" L560 Series Blanket	14	L560-51128	51"x128" L560 Series Blanket	6
L560-3745	37"x45" L560 Series Blanket	21	L560-59148	59"x149" L560 Series Blanket	4
L560-3745-18	37"x45" L560 Series Blanket	18	L560-60120	60"x120" L560 Series Blanket	2
L560-3764	37"x64" L560 Series Blanket	8	L560-61149	61"x149" L560 Series Blanket	4
L560-3867	38"x67.5" L560 Series Blanket	14	L560-64120	64"x120" L560 Series Blanket	2
L560-3939	39"x39" L560 Series Blanket	14	L560-64129	64"129" L560 Series Blanket	2
L560-4450	44"x50" L560 Series Blanket	10	L560-64149	64"x149" L560 Series Blanket	4
L560-4866	48"x66" L560 Series Blanket	6	L560-75119	75.5"x119" L560 Series Blanket	2
L560-5055	50"x55" L560 Series Blanket	4	L560-75149	75.5"x149" L560 Series Blanket	2
L560-5858	58"x58" L560 Series Blanket	3	L560-78246	78.5"x246" L560 Series Blanket	1
L560-24125	24"x125" L560 Series Blanket	12	L560-81144	81"x144" L560 Series Blanket	4
L560-26120	26"x120" L560 Series Blanket	9	L560-37X065.5	37"x65.5' L560 Series Master Roll	1
L560-26123	26"x123" L560 Series Blanket	10	L560-48x065.5	48.5"x65.5' L560 Series Master Roll	1
L560-30115	30"x115" L560 Series Blanket	6	L560-64X065.5	64"x65.5' L560 Series Master Roll	1
L560-36108	36"x108" L560 Series Blanket	1	L560-81X065.5	81"x65.5' L560 Series Master Roll	1
L560-36144	36"x144" L560 Series Blanket	8	Other cut-to-size options available upon request.		

AFC ®

AIR FILTRATION CO., INC.

Efficiency

Product Application

Diffusion media available to fit all downdraft booths. Available in bulk rolls and cut pads of all sizes. Standards shown in table below.

Product Specifications

- 1" pure white, 3-ply, remay-backed polyester media, tackified between each layer.
- 98.3% efficient at the 5-10 micron range @ 100 fpm, 99.99% efficient at the > 10 micron range.

| Part #	Description	Set Qty	Part #	Description	Set Qty	Part #	Description	Set Qty
L2078	20"x78" LIII Series	2	L5055	50"x55" LIII Series	4	L39146	39"x146" LIII Series	6
L3345	33"x45.5" LIII Series	16	L5074	50"x74" LIII Series	10	L39146-7	39"x146" LIII Series	7
L3345-18	33"x45.5" LIII Series	18	L5160	51"x60" LIII Series	8	L39150	39"x150" LIII Series	2
L3345-20	33"x45.5" LIII Series	20	L5858	58"x58" LIII Series	3	L39174	39"x174" LIII Series	2
L3345-24	33"x45.5" LIII Series	24	L5962	59"x62" LIII Series	10	L40100	40"x100" LIII Series	4
L3454	34"x54" LIII Series	10	L23120	23"x120" LIII Series	11	L40120	40"x120" " LIII Series	3
L3598	35.5"x98" LIII Series	6	L24125	24"x125" LIII Series	12	L40126	40"x126" " LIII Series	1
L3654	36.75"x54" LIII Series	12	L24125-13	24"x125" LIII Series	13	L42106	42"x106" " LIII Series	8
L3654-14	36.75"x54" LIII Series	14	L24134	24"x134" LIII Series	11	L42168	42"x168" " LIII Series	12
L3672	36"x72" LIII Series	8	L26120	26"x120" LIII Series	9	L42168-3	42"x168" " LIII Series	3
L3677	36.5"x77.5" LIII Series	9	L26123	26"x123" LIII Series	10	L42168-14	42"x168" " LIII Series	14
L3745	37"x45" LIII Series	21	L26144	26"x144" LIII Series	10	L51128	51"x128" " LIII Series	6
L3745-18	37"x45 LIII Series	18	L27116	27"x116" LIII Series	10	L51139	51"x139" " LIII Series	2
L3764	37"x64" LIII Series	8	L29117	29"x117" LIII Series	8	L51150	51"x150" " LIII Series	2
L3777	37.5"x77" LIII Series	9	L29131	29"x131" LIII Series	8	L55110	55"x110" " LIII Series	2
L3855	38"x55" LIII Series	2	L30115	30"x115" LIII Series	6	L59148	59"x149" " LIII Series	4
L3867	38"x67.5" LIII Series	14	L31139	31"x139" LIII Series	2	L59148-2	59"x149" " LIII Series	2
L3867-16	38"x67.5" LIII Series	16	L36108	36"x108" LIII Series	1	L60120	60"x120" " LIII Series	2
L3892	38"x92" LIII Series	9	L36130	36"x130" LIII Series	8	L61149	61"x149" " LIII Series	4
L3939	39"x39" " LIII Series	14	L36144	36"x144" LIII Series	8	L61151	61"x151" " LIII Series	4
L3959	39"x59" " LIII Series	3	L36144-9	36"x144" LIII Series	9	L64120	64"x120" " LIII Series	2
L3979-9	39"x79" " LIII Series	9	L37127	37"x127" LIII Series	8	L64129	64"x129" " LIII Series	2
L3990	39"x90" " LIII Series r	4	L38102	38"x102" LIII Series	7	L64149	64"x149" " LIII Series	4
L4078	40"x78" " LIII Series	14	L38108	38.5"x108" LIII Series	7	L64149-2	64"x149" " LIII Series	2
L4450	44"x50" " LIII Series	10	L38114	38"x114" LIII Series	7	L73128	73"x128" " LIII Series	4
L4459-5	44.5"x59" " LIII Series	5	L39114	39.5"x114" LIII Series	7	L75119	75.5"x119" " LIII Series	2
L4558	45"x58.5" LIII Series	12	L39120	39"x120" LIII Series	1	L75149	75.5"x149" " LIII Series	2
L4858-8	48"x58" " LIII Series	8	L39132	39"x132" LIII Series	6	L78246	78.5"x246" " LIII Series	1
L4866	48"x66" " LIII Series	6	L39132-7	39"x132" LIII Series	7	L81144	81"x144" " LIII Series	4

AFC
AIR FILTRATION CO., INC.

Product Application
Use in downdraft applications which require a lower initial static pressure or require an internal frame. Use in crossdraft applications to provide the ultimate protection.

Product Specifications
- 2" pure white, 3-ply, self-sealing, tackified polyester media with a scrim backing
- 97.3% efficient at the 5-10 micron range @ 100 fpm.
- 99.95% efficient at the > 10 micron range.

CLEAN DEVICE
AIRFLOW -VS- RESISTANCE

Part #	Description	Set Qty	Part #	Description	Set Qty
5-48x80	48"x80" 5000 Series Blanket Filter	Each	5032	24"x24" 5000 Series Panel Filter w/ frame	20
5010	4'x9' 5000 Series Blanket Filter	2	5068	50"x68" 5000 Series Continental Prep Ceiling Filter	4
5011	2'x9' 5000 Series Blanket Filter	1	5101	4'x9' 5000 Series Blanket Filter Conversion Kit	2
5012	4.5'x9' 5000 Series Blanket Filter	2	5102	4.5'x9' 5000 Series Blanket Filter Conversion Kit	2
5014	4'x13.5' 5000 Series Blanket Filter	2	5104	4'x13.5' 5000 Series Blanket Filter Conversion Kit	2
5016	20"x25" 5000 Series Panel Filter w/ frame	20	5272	25"x72"x2" 5000 Series Spraybake Prep (New) Ceiling Filter	1
5018	20"x50" 5000 Series Panel Filter w/ frame	10	5354	36.75"x54" 5000 Series AFC Prep (New) Ceiling Filter	8
5018-12	20"x50" 5000 Series Panel Filter w/ frame	12	5354-2	36.75"x54" 5000 Series AFC PB100 Ceiling Filter	2
5020	20"x20" 5000 Series Panel Filter w/ frame	20	5364	37"x64.5" 5000 Series Garmat Prep Ceiling Filter	8
5020-24	20"x20" 5000 Series Panel Filter w/ frame	24	5370	37"x70" 5000 Series Spraybake Prep (New) Ceiling Filter	3
5024	20"x48" 5000 Series Panel Filter w/ frame	10	5410	40"x100" 5000 Series Viking Ceiling Filter	2
5024-12	20"x48" 5000 Series Panel Filter w/ frame	12	5448	48"x48" 5000 Series Sprayking Ceiling Filter	5
5026	16"x20" 5000 Series Panel Filter w/ frame	20	5858	58"x58" 5000 Series AEN Clean Shop/Clean Air Prep C. Filter	3
5028	16"x25" 5000 Series Panel Filter w/ frame	20	5896	58"x96" 5000 Series ABS Clean Air Work Station C. Filter	3
5030	20"x46" 5000 Series Panel Filter w/ frame	8			

AIR FILTRATION CO., INC.

Custom Tacky Series

Product Application
Use in crossdraft applications. The industry favorite, the Custom Tacky® is a long life filter that is a proven performer at a great price.

Product Specifications
- 2" blue, 2-ply, self-sealing, tackified polyester media. Panels are heat sealed around steel frame.
- Available in panels, pads, and blankets
- 94% efficient @ 5-10 micron range @ 100 fpm.

Item #	Description	Set Qty.
CT10	4'x9' Custom Tacky Blanket Filter	2
CT11	2'x9' Custom Tacky Blanket Filter	1
CT12	4.5'x9' Custom Tacky Blanket Filter	2
CT14	4'x13.5' Custom Tacky Blanket Filter	2
CT16	20"x25"Custom Tacky Panel Filter w/ frame	20
CT17	20"x25" Custom Tacky Panel Filter w/o frame	20
CT18	20"x50" Custom Tacky Panel Filter w/ frame	10
CT19	20"x50" Custom Tacky Panel Filter w/o frame	10
CT20	20"x20" Custom Tacky Panel Filter w/ frame	20
CT21	20"x20" Custom Tacky Panel Filter w/o frame	20
CT24	20"x48" Custom Tacky Panel Filter w/ frame	10
CT25	20"x48" Custom Tacky Panel Filter w/o frame	10
CT26	16"x20" Custom Tacky Panel Filter w/ frame	20
CT27	16"x20" Custom Tacky Panel Filter w/o frame	20
CT28	16"x25" Custom Tacky Panel Filter w/ frame	20
CT29	16"x25"Custom Tacky Panel Filter w/o frame	20
CT30	20"x46" Custom Tacky Panel Filter w/ frame	8
CT31	20"x46" Custom Tacky Panel Filter w/o frame	8
CT32	24"x24" Custom Tacky Panel Filter w/ frame	20
CT33	24"x24" Custom Tacky Panel Filter w/o frame	20

300 Series

Product Application
Use in crossdraft applications where the user requires a good basic filter and cost is a major consideration.

Product Specifications
- 1.5" green, 2-ply, self-sealing, tackified polyester media. Panels are heat sealed around steel frame.
- Available in panels, pads, and blankets
- 83% efficient @ 5-10 micron range @ 100 fpm.

| Item #	Description	Set Qty.
310	4'x9' 300 Series Blanket Filter	2
312	4.5'x9' 300 Series Blanket Filter	2
314	4'x13.5' 300 Series Blanket Filter	2
316	20"x25" 300 Series Panel Filter w/ frame	20
318	20"x50" 300 Series Panel Filter w/ frame	10
320	20"x20" 300 Series Panel Filter w/ frame	20
324	20"x48" 300 Series Panel Filter w/ frame	10
326	16"x20" 300 Series Panel Filter w/ frame	20
328	16"x25" 300 Series Panel Filter w/ frame	20
330	20"x46" 300 Series Panel Filter w/ frame	8
330-14	20"x46" 300 Series Panel Filter w/ frame	14
332	24"x24" 300 Series Panel Filter w/ frame	20

%Removal Efficiency

Paint Pockets

Product Application
The best performing, single-stage overspray arrestor, bar none. Paint Pockets excels in arresting both liquid and powder coating overspray generated in industrial, automotive, and aerospace applications. **Compliant with EPA 6H law.**

Product Specifications
- 1.5" white, multi-layer polyester media with unique diamond pocket design.
- 99.83% efficient with a holding capacity of 6.9 pounds in 20x20 pad.

| Item #	Description	Set Qty.
PK2020	20"x20" Paint Pockets Arrestor	30
PK2025	20"X25" Paint Pockets Arrestor	30
PK205	20"x50' Paint Pockets Arrestor	1
PK245	24"x50' Paint Pockets Arrestor	1
PK305	30"x50' Paint Pockets Arrestor	1
PK365	36"x50' Paint Pockets Arrestor	1
PK405	40"x50' Paint Pockets Arrestor	1
PK455	45"x50' Paint Pockets Arrestor	1
PK485	48"x50' Paint Pockets Arrestor	1
PK605	60"x50' Paint Pockets Arrestor	1

%Removal Efficiency

Paint Pockets Green

Product Application
Offers many of the same great attributes of standard Paint Pockets at a more affordable price. **Compliant with EPA 6H law.**

Product Specifications
- 1" white & green, multi-layer polyester media with unique diamond pocket design.
- 99.43% efficient with a holding capacity of 6.4 pounds in 20x20 pad.

Item #	Description	Set Qty.
PKG2020	20"x20" Paint Pockets Arrestor (Green)	40
PKG2025	20"X25" Paint Pockets Arrestor (Green)	40
PKG206	20"x60' Paint Pockets Arrestor (Green)	1
PKG306	30"x60' Paint Pockets Arrestor (Green)	1
PKG366	36"x60' Paint Pockets Arrestor (Green)	1
PKG486	48"x60' Paint Pockets Arrestor (Green)	1
PKG606	60"x60' Paint Pockets Arrestor (Green)	1

The King Series premium paint arrestor media is another exciting addition to the product line. The fiber structure and tri-layer design provide an extremely efficient and long lasting media, creating an ideal painting environment with all paint types-including waterborne. **Compliant with EPA 6H law.**

We have also teamed with the Petty Family Foundation to enrich the lives of families affected by serious illness and injury through a variety of charitable events and educational programs. The "King," Richard Petty, has long been a friend of Air Filtration Co. and we are excited to partner with him in this endeavor. A portion of proceeds from the King paint arrestor media will go directly to support the foundation.

Product Specifications:

- 3" purple tri-layer paint arrestor. 2 layers of fiberglass and final polyester layer at air exit.
- 99.59% efficient with an average paint holding capacity of 1804 grams in a 20"x20" pad.

| Item #	Description	Set Qty.	Item #	Description	Set Qty.
KING2020	20"x20" King Series Arrestor Pads	50	KING402	40"X200' King Series Arrestor Roll	1
KING2025	20"x25" King Series Arrestor Pads	50	KING452	45"X200' King Series Arrestor Roll	1
KING202	20"X200' King Series Arrestor Roll	1	KING482	48"X200' King Series Arrestor Roll	1
KING252	25"X200' King Series Arrestor Roll	1	KING602	60"X200' King Series Arrestor Roll	1
KING302	30"X200' King Series Arrestor Roll	1	KING842	84"X200' King Series Arrestor Roll	1
KING372	37"X200' King Series Arrestor Roll	1	Other sizes may be available upon request.		

Founder Carl Hagan, Sr with Richard Petty
displaying Air Filtration Co., Inc. Filters in his spray booth.

%Removal Efficiency

%Removal Efficiency

GA/PA Series 15 Gram Fiberglass and PA22 Series 22 Gram Fiberglass

Product Application

Our most popular arrestors, ideal for use in most spray booth applications and the most economical option. For use where the user requires a good basic filter and cost is a major consideration. Available in pads and rolls sizes listed below. **Compliant with EPA 6H law.**

Product Specifications

- GA/PA 2" green, water resistant, 15 gram fiberglass. PA22 2" Yellow, water resistant, 22 gram fiberglass.
- 98.81% efficient with an average paint holding capacity of 2.22 pounds in a 15 Gram 20"x20" pad.
- 99.03% efficient with an average paint holding capacity of 2.6 pounds in a 22 Gram 20"x20" pad.

Item #	Description	Set Qty.	Item #	Description	Set Qty.
GA10	20"x20" 15 Gram Fiberglass Arrestor Pads	50	PA403	40.5"x300' 15 Gram Fiberglass Arrestor Roll	1
GA10-100	20"x20" 15 Gram Fiberglass Arrestor Pads	100	PA421	42"x100' 15 Gram Fiberglass Arrestor Roll	1
GA20	20"x25" 15 Gram Fiberglass Arrestor Pads	50	PA423	42"x300' 15 Gram Fiberglass Arrestor Roll	1
GA20-100	20"x25" 15 Gram Fiberglass Arrestor Pads	100	PA451	45"x100' 15 Gram Fiberglass Arrestor Roll	1
GA24	20"x24" 15 Gram Fiberglass Arrestor Pads	50	PA453	45"x300' 15 Gram Fiberglass Arrestor Roll	1
GA24-100	20"x24" 15 Gram Fiberglass Arrestor Pads	100	PA481	48"x100' 15 Gram Fiberglass Arrestor Roll	1
GA26	20"x48" 15 Gram Fiberglass Arrestor Pads	8	PA483	48"x300' 15 Gram Fiberglass Arrestor Roll	1
PA201	20"x100' 15 Gram Fiberglass Arrestor Roll	1	PA601	60"x100' 15 Gram Fiberglass Arrestor Roll	1
PA203	20"x300' 15 Gram Fiberglass Arrestor Roll	1	PA603	60"x300' 15 Gram Fiberglass Arrestor Roll	1
PA221	22"x100' 15 Gram Fiberglass Arrestor Roll	1	PA801	80"x100' 15 Gram Fiberglass Arrestor Roll	1
PA223	22"x300' 15 Gram Fiberglass Arrestor Roll	1	PA803	80"x300' 15 Gram Fiberglass Arrestor Roll	1
PA241	24"x100' 15 Gram Fiberglass Arrestor Roll	1	PA222020	20"x20" 22-Gram Fiberglass Arrestor Pads	50
PA243	24"x300' 15 Gram Fiberglass Arrestor Roll	1	PA222025	20"x25" 22-Gram Fiberglass Arrestor Pads	50
PA251	25"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22203	20"x300' 22-Gram Fiberglass Arrestor Roll	1
PA253	25"x300' 15 Gram Fiberglass Arrestor Roll	1	PA22253	25"x300' 22-Gram Fiberglass Arrestor Roll	1
PA281	28"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22283	28"x300' 22-Gram Fiberglass Arrestor Roll	1
PA283	28"x300' 15 Gram Fiberglass Arrestor Roll	1	PA22303	30"x300' 22-Gram Fiberglass Arrestor Roll	1
PA301	30"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22373	37"x300' 22-Gram Fiberglass Arrestor Roll	1
PA303	30"x300' 15 Gram Fiberglass Arrestor Roll	1	PA22413	41"x300' 22-Gram Fiberglass Arrestor Roll	1
PA321	32"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22453	45"x300' 22-Gram Fiberglass Arrestor Roll	1
PA323	32"x300' 15 Gram Fiberglass Arrestor Roll	1	PA22483	48"x300' 22-Gram Fiberglass Arrestor Roll	1
PA361	36"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22603	60"x300' 22-Gram Fiberglass Arrestor Roll	1
PA363	36"x300' 15 Gram Fiberglass Arrestor Roll	1	PA22723	72"x300' 22-Gram Fiberglass Arrestor Roll	1
PA401	40.5"x100' 15 Gram Fiberglass Arrestor Roll	1	PA22843	84"x300' 22-Gram Fiberglass Arrestor Roll	1

AIR FILTRATION CO., INC.

Item #	Description	Set Qty.
3031	20"x25" Expanded Paper Arrestor	70
3032	20"x20" Expanded Paper Arrestor	70
3131	20"x25" Hi-Cap Expanded Paper Arrestor	30
3132	20"x20" Hi-Cap Expanded Paper Arrestor	30
3231	20"x25" Expanded Paper Arrestor w/ Poly Backing	60
3232	20"x20" Expanded Paper Arrestor w/ Poly Backing	60
3226	45"x30' Expanded Paper Arrestor Roll w/ Poly Backing	1

Expanded Paper
Product Application

Get high performance paint trapping capabilities in a low cost arrestor. Available in standard or high capacity & with or without polyester backing. 3200 Series, poly-backed option is **compliant with EPA 6H law**.

SA Series Styrobaffle®

A three stage, baffle-type, styrofoam arrestor. Its unique design creates less static pressure than the other leading styrofoam arrestors on the market, with a greater average efficiency. Dissolves in waste thinner.

Product Specifications
- 2", 3-ply, self-supporting (no grids needed).
- Average paint holding capacity of 6.45 lbs in
- a 20"x20" pad.

Item #	Description	Set Qty.
SA220	20"x20" Styrobaffle Arrestor	20
SA225	20"x25" Styrobaffle Arrestor	16

PE/PR/PRH/DD Series Polyester

High efficiency polyester exhaust media available in ½"(PRH), ¾" (PR), or 2" (PE) thickness. Available with or without tack. Available in pads and roll media. Test data ranges from 99.79% to 99.86% efficient. ¾" Dual Denier (DD) media also available. **Compliant with EPA 6H law.**

Item #	Description	Set Qty.	Item #	Description	Set Qty.
PE2045NT	20"x45'x2" Polyester Arrestor Roll (No Tack)	1	PR365	36"x50' Polyester Arrestor Roll Media	1
PE2545NT	25"x45'x2" Polyester Arrestor Roll (No Tack)	1	PR405	40"x50' Polyester Arrestor Roll Media	1
PE3045NT	30"x45'x2" Polyester Arrestor Roll (No Tack)	1	PR415	41"x50' Polyester Arrestor Roll Media	1
PE3645NT	36"x45'x2" Polyester Arrestor Roll (No Tack)	1	PR3838	38"x38" Spraybake Water Wash Pads	6
PE4045NT	40"x45'x2" Polyester Arrestor Roll (No Tack)	1	PR4141	41"x41" Spraybake Water Wash Pads	6
PE4545NT	45"x45'x2" Polyester Arrestor Roll (No Tack)	1	PR4825	48"x21" (10) & 48"x52" (5) Spraybake Water Wash Pads	15
PE6045NT	60"x45'x2" Polyester Arrestor Roll (No Tack)	1	PRH2020	20"x20" Polyester Arrestor	50
PP2020	20"x20" Polyester Arrestor	50	PRH2025	20"x25" Polyester Arrestor	50
PP2025	20"x25" Polyester Arrestor	50	PRH22135	22"x135' Polyester Arrestor Roll Media	1
PR205	20"x50' Polyester Arrestor Roll Media	1	PRH45135	45"x135' Polyester Arrestor Roll Media	1
PR245	24"x50' Polyester Arrestor Roll Media	1	PRH54135	54"x135' Polyester Arrestor Roll Media	1
PR255	25"x50' Polyester Arrestor Roll Media	1	PRH60135	60"x135' Polyester Arrestor Roll Media	1
PR305	30"x50' Polyester Arrestor Roll Media	1	PRH84135	84"x135' Polyester Arrestor Roll Media	1

PF Series Panels

This prefilter panel is manufactured from two layers of quality polyester media and includes an internal frame. Available as a link-type filter.

Item #	Description	Set Qty.
PF1620	16"x20" Devilbiss Prefilter Panel	12
PF1625	16"x25" Devilbiss Prefilter Panel	12
PF2020	20"x20" CMC Concord/Devilbiss Prefilter Panel	20
PF2025-24	20"x25" Devilbiss Prefilter Panel	24
PF2050-16	20"x50" AFC Prefilter Panel	16
PF2050-12	20"x50" AFC Prefilter Panel	12
PF2070TL	20"x70" Devilbiss Prep (New) TriLink Prefilter	4
PF2570TL	25"x70" Devilbiss Prep (New) TriLink Prefilter	4
PF25x75	25"x75" TriLink Prefilter	Each

P Series Pads & Blankets

The perfect prefilter where a polyester pad or blanket is required. The blue air exit side of the filter is tackified for added efficiency.

Item #	Description	Set Qty.
P20	20"x20" Prefilter Pad	40
P25	20"x25" Prefilter Pad	40
P209	20"x90' Lutro Prefilter Roll	1
P259	25"x90' Lutro Prefilter Roll	1
P2448	24"x48" Prefilter Pad	6
P2460	24"x60" Prefilter Pad	6
P2660	26.5"x60" Prefilter Pad	6
P3039	30"x39" Pami Prefilter Pad	6
P3458	34"x58" Prefilter Pad	6
P3652	36.5"x52" Saico Paint N'Cure Prefilter Pad	6
P24120	24"x120" Prefilter Pad	4

EA Series

Panel filter designed for air filtration applications with light to medium dust loading conditions. Use as a prefilter or intake filter where a lower efficiency filter is sufficient.

Item #	Description	Set Qty.
EA1	20"x20"x2" Framed Glass Disposable Intake	12
EA2	20"x25"x2" Framed Glass Disposable Intake	12

Pocket Type Filters

These extended surface filters are designed with superior performance in mind. They are available in many standard sizes and can also be manufactured to your specifications.

- Available in bag, cube, or multiple pocket configurations.
- Constructed of reinforced polyester media and available with or without a rigid, galvanized steel header.
- Also available with dual denier media upon request.

Item #	Description	Set Qty.	Item #	Description	Set Qty.
B1381	38"x18"x15" 4 Pocket Bag	2	B2488	23"x47"x8" 8 Pocket Bag	4
B1391	18"x39"x12" 5 Pocket Bag	4	B2488-2	23"x47"x8" 8 Pocket Bag	2
B1481	18"x48"x12" 4 Pocket Bag	4	B2488-6P	23"x47"x8" 6 Pocket Bag	Each
B2020	20"x20"x12" 5 Pocket Bag	6	B39438	39"x43"x8" 8 Pocket Bag	1
B2121	23"x16"x21" 3 Ply Cube (No Header)	4	B40518	40"x52"x8" 8 Pocket Bag	1
B2220	24"x24"x20" 5 Pocket Bag w/loops	4	B152420	15"x24"x20" 1 Pocket Cube (No Hdr)	Each
B2226	24"x24"x26" 6 Pocket Bag w/loops	3	B182420	18"x24"x20" 4 Pocket Bag	Each
B2226-2	24"x24"x26" 6 Pocket Bag w/loops	2	DG258	25"x80" Binks Surround Air Prefilter	2
B2241	20"x24"x14" 5 Pocket Bag	4	PB2560	25"x60" Prefilter Sock (fits 12" - 15" duct)	2
B2242	20"x24"x21" 5 Pocket Bag w/loops	6	PB3645	36"x45" AFC Prep Prefilter Sock	6
B2243	20"x24"x36" 5 Pocket Bag w/loops	4	PB3645-8	36"x45" AFC Prep Prefilter Sock	8
B2261	22"x26"x15" 4 Pocket Bag	2	PB3660	36"x60" Spraybake Prefilter Sock (fits 24" duct)	2
B2264	26"x22"x42" 6 Pocket Bag w/loops	3	PB4860	48"x60" Spraybake Prefilter Sock (fits 30" duct)	1
B2461	23"x46"x12" 6 Pocket Bag	4			

Pleated Filters

Pleated filters are ideal in applications where a panel filter is required, but air flow restriction and efficiency are a major concern. Some sizes of pleated filters are not currently a stock item and an extended lead time may be required.

Item #	Description	Set Qty.	Item #	Description	Set Qty.
PL1224	12"x24"x2" Prefilter Pleated	12	PL2204	24"x20"x4" Clean Air Prep Prefilter Pleated	6
PL2020	20"x20"x2" Prefilter Pleated	12	PL2244	24"x24"x4" Clean Air Prep Prefilter Pleated	6
PL2021	20"x24"x12" Clean Air Prep Prefilter Pleated	1	PL2421	24"x24"x12" Clean Air Prep Prefilter Pleated	1
PL2025	20"x25"x2" Prefilter Pleated	12	PL2424	24"x24"x2" Prefilter Pleated	12

Booth Coating, Vinyl Curtain Protectant, & Dust Control

In order to produce the most beautiful paint jobs possible, you must have spray booth walls that perfectly reflect light. Get the clean, white walls you need by using Air Filtration Co., Inc.'s Booth Coatings.

- Dries to a non-tacky film in approximately 25 min.
- Withstands booth baking temperatures of up to 170 ° F.
- Choose from clear or white formula.
- Available in 1 gal. jugs and convenient 5 gal. cubes w/ faucet.

Item #	Description	Set Qty.	Item #	Description	Set Qty.
BC-1C	1-Gal. Clear Booth Coating	4	BC-5ESPC	5-Gal.White Peelable Booth Coating (powder coated surfaces)	1
BC-5C	5-Gal.Clear Booth Coating (Cube)	1	DC-5	5-Gal. Dust Control Product	1
BC-5ES	5-Gal. White Peelable Booth Coating (galv. surfaces)	1	VP-1	1-Gal. Vinyl Curtain Protectant	4

Liquid Mask

The quickest, easiest, and safest way to protect your customer's car from paint overspray is with Air Filtration Co., Inc.'s Liquid Mask.

- Dries to a clear, non-tacky film in approximately 25 min.
- Glutinous formula allows for single coat coverage, pins down dirt and flows together to form an unbroken shell.
- Available in 1 gal. jugs, convenient 5 gal. cubes with faucet, and 55 gal. drums.

Item #	Description	Set Qty.
LM-1	1-Gal. Liquid Mask	4
LM-5	5-Gal. Liquid Mask (Cube)	1
LM-15	15-Gal. Liquid Mask (Cube)	1
LM-55	55-Gal. Liquid Mask (Drum)	1

Protective Booth Film & Paper

Self-Adhering plastic booth film is an alternative to spray on coatings. Can be applied directly over walls and lights. Heavy-duty 4 mil product is strong enough to hold-up under tough floor conditions. Rolls are reverse wound for easy application. Flame-resistant Kraft paper rolls and white flame-retardant paper are also available as floor covering options.

Item #	Description	Set Qty.
BW241C	24"x100' 3 Mil Clear Wall Film	1
BW361C	36"x100' 3 Mil Clear Wall Film	1
FW362C	36"x200' 4 Mil Clear Floor Film	1
FW482C	48"x200' 4 Mil Clear Floor Film	1
3041	36"x300' Kraft Booth Floor Paper	1
3042	42"x300' Kraft Booth Floor Paper	1
3043	60"x300' Kraft Booth Floor Paper	1
3044	72"x300' Kraft Booth Floor Paper	1
FRP Series	Ask about 80# White Flame Retardant Floor Paper	

To go along with our complete line of air filters and protective Coatings, Air Filtration Co., Inc. also offers a wide assortment of accessories and hardware to help with the daily operation and maintenance of your spray booth.

Grids
Galvanized steel, rubber tipped grid. Used to hold arrestor pads securely in the filter cell. Available in 20"x20" and 20"x25", as well as the 36" width for use in the conversion from the accordion-type arrestor to fiberglass media.

Monometer
Used to indicate the restriction of the paint arrestors and to give a visual indication of when they should be replaced. Required by code. Replacement gauge oil is also available.

Blanket Filter Conversion Kit
Blanket filters help to reduce booth turbulence, and because of their positive seal, reduce leaks. The kit comes complete with all the necessary materials, features easy installation, and is easily adapted to any crossdraft spray booth. Converting your booth to blanket filters will save you money with each filter change-out.

Item #	Description	Set Qty.
AFC250	Manometer	Each
AFC251	Manometer Gauge Oil (for AFC 250)	Each
CT3	Filter Buttons	20
CT4	Blanket Filter Inserting Tool	Each
CT5	50' Roll of Hartlock Channel Tape	Each
CT6	Hartlock Channel Screws	62
CT7	Filter Clips (8) and Wire (50')	Each
17715	D-Shaped Door Gasket (sold per linear foot)	Foot
CT8	1/2"x3/4"x25' Spray Booth Door Gasket	Each
CT9	3"x1/8"x5' Rubber Wiper Strips	2
CT22	Custom Tacky Filter Coat Gallon	Each
CT101	4'x9' Custom Tacky Blanket Conversion Kit	2
CT103	4.5'x9' Custom Tacky Blanket Conversion Kit	2
CT104	4'x13' Custom Tacky Blanket Conversion Kit	2
CT340	4' Hartlock Channel	Each
CT345	4.5' Hartlock Channel	Each
CT1011	20"x25" Paint Arrestor Holding Grids	Each
CT1012	20"x20" Paint Arrestor Holding Grids	Each
CT1013	Grid Holding Tips	Each
CT1236	12"x36" Grids To Replace Andreae Arrestors	Each
CT2436	24"x36" Grids To Replace Andreae Arrestors	Each