



Model:

70SL

Product Type:

700 LUMEN RECHARGEABLE MICRO FLOODLIGHT



WARNING



Study, understand and follow all instructions provided with this product. Read these instructions carefully before installing, operating, servicing or repairing this tool. Keep these instructions in a safe accessible place.

INTENDED USE OF THE TOOL

The 70SL Rechargeable Micro Floodlight is designed to illuminate work areas and attach to ferrous surfaces. Do not use this tool outside of the designed intent. Never modify the tool for any other purpose or use.



WARNING



Caution: To help prevent personal injury

- Use of this product can expose you to chemicals including ethylene glycol, gasoline vapors and engine exhaust, which are known to the State of California to cause cancer, birth defects, or reproductive harm.

Always wear ANSI approved safety equipment, safety glasses and clothing when using this product. Study, understand, and follow all instructions provided with this product. Failure to read and follow all warnings and operating instructions may result in damages and serious injury or death.

- Always wear ANSI approved goggles when using this product. (Users and By standers).
- Never use this tool for any application other than for which it was designed.
- Only use accessories designed for this tool.
- Never alter or modify this tool in any way.
- Improper operation and/or maintenance of the tool, modification of the tool, or use of the tool with accessories not designed for it could result in serious injury or death.
- Always select the correct accessories of the correct size and design for the job that you are attempting to perform.
- Always work in a clean, safe, well-lit, organized and adequately equipped area.
- Do not begin repairs without assurance that vehicle is in secure position, and will not move during repair.

BEFORE USE

When unpacking, check the parts diagram and part number listing on page 3 to make sure all parts are included. If any parts are missing or damaged, please call your distributor.

DO NOT DISCARD – GIVE TO USER



Astro Pneumatic Tool Company



PLEASE DO NOT RETURN ANY PRODUCT WITHOUT CALLING



PRODUCT INFORMATION

- High output COB LED mini floodlight
- 3 brightness modes: 700, 350 and 100 lumens
- Mount anywhere with 360° rotatable base and ultra-strong magnet
- Robust aluminum and nylon impact resistant design with IP65 water resistance
- Rear charge level indicator, 2.5-10 hours of work time from 2600mAh Li-Ion battery
- Includes: USB wall charger + cable

Specification:

Light Output: 700 lm - Full Power Mode
350 lm - Normal Mode
100 lm - Power Save Mode

Operating Time: 2.5hrs - Full Power Mode
4hrs - Normal Mode
10hrs - Power Save Mode

Battery Specification: Li-Ion 3.7V, 2600 mAh, 9.62Wh

Charging Time: 3.5H

Charging Input: DC 5V 1A

Water Resistance: IP65

Operating Temperature: -10°C to + 40°C



Model:

70SL

Product Type:

700 LUMEN RECHARGEABLE MICRO FLOODLIGHT

OPERATING & CHARGING PROCEDURE

- 1) Operating mode as below
 - Press the Switch once, the main light is in ECO mode.
 - Press the Switch a second time, the main light is in Normal mode.
 - Press the Switch a third time, the main light is in Full power mode.
 - Press the Switch a fourth time, light will turn off.
- 2) Switch lamp off during charging, and connect the charger to the light.
- 3) The battery indicator will blink during charging.
- 4) All the battery indicator lights will remain lit when charging has completed fully.
- 5) If the battery indicator does not light up, please remove the charger and try again.
- 6) Always only use the charger provided with the product to charge the lamp. The use of a NON-recommended charger can lead to a fire and destroy the light.
- 7) Before using the light for the first time charge it for 4-5 hours.
- 8) Fully charge the light before it is stored for a longer period.

SAFETY INSTRUCTIONS

- Do not use the device if there is damage to the housing, plug or cable. Consult your local authorized specialist!
- Do not open the device! Repair work and replacing the rechargeable battery pack may only be carried out by electricians.
- Carry out cleaning tasks only when the wall adapter is unplugged.
- There is a risk of short-circuit. Repairs on the device may only be carried out by commissioned and trained persons. Please contact your nearest authorized branch.
- Protect the battery against heat, e. g., against continuous intense sunlight, fire, water, and moisture. Danger of explosion.
- If the battery is damaged or not used correctly. Fluids can leak from the battery. Avoid contact with these. Leaking battery fluids can lead to skin irritation or burns. Rinse off with water if you should come into contact. If the fluid gets into your eyes, make sure you get medical help.

ENVIRONMENTAL PROTECTION

- The device should not be discarded in the normal household waste under any circumstances.
- Dispose of the device via an authorized disposal center or your communal waste disposal facility. Observe the current applicable regulations. Contact your waste disposal facility in the event of any doubt. Dispose of all packaging materials via an environmentally friendly disposal facility. Rechargeable batteries must not be disposed of in the household waste. Return used rechargeable batteries to your dealer or hand them in to a battery collection facility.






Model:

70SL

Product Type:

700 LUMEN RECHARGEABLE MICRO FLOODLIGHT

PARTS BREAKDOWN



Parts List

<i>Index</i>	<i>Part No.</i>	<i>Description</i>	<i>Qty</i>
01	70SL-01	Charging Socket Cover	1
02	70SL-02	Front Housing	1
03	70SL-03	"U" Nylon Stand	1
04	70SL-04	Gear Holder	2
05	70SL-05	Magnet Assembly	1
06	70SL-06	Magnet Base	1

Learn more about portable work lights we have.