



ATD-7800 1000 lbs. Capacity Work Stand Manual



FEATURES:

- 1,000 lbs. capacity
- Lightweight construction
- Steel tubing with 1/2" foam padding wrapped around and down the top of the frame
- Leg tube length: 30.7"
- Bent tube length: 40.35"
- Steel tubing diameter: 1.25"
- Steel tubing thickness: .08"
- Shipping Weight: 23.8 lbs.

Assembly Instructions For Work Stand


- 1) Slide the foam padding (#8) onto the bent tube (#9).
Slip a tube leg (#6) into the bent tube (#9). Line up the holes in the bent tube and the leg tubes and insert the eyebolt with chain attached (#4) to secure them.

- 2) Assemble the second bent tube the same way as above, but use the hook bolt (#2) to secure the leg tube and the bent tube.

- 3) Complete the assembly by placing one of the assembled tubes on top of the other. Line up the holes and secure with the M8x80 pivot bolts (#3). Be sure to place a flat washer (#5) outside, between and inside the tubing assemblies.
Use M8 nuts (#1) to tighten the pivot bolts (#3). Then push on tube ends (#7).



ATD-7800



ITEM#	ORDERING PART#	PART DESCRIPTION
1, 2, 3, 4, 5	PRT7800-1	HARDWARE KIT
6	PRT7800-6	LEG TUBE
7	PRT7800-7	TUBE END
8	PRT7800-8	FOAM PADDING
9	PRT7800-9	BENT TUBE

ATD-7800