

NIGHT STICK[®]

Tough, Durable, Affordable[™]

Multi-Purpose Work Light

Rechargeable

Spotlight



Floodlight



Dual-Light



This dual-switch rechargeable Multi-Purpose Work Light is one of the most versatile lights available. It is actually two lights in one...a spotlight and a floodlight. Rated at 200 lumens, the spotlight beam on this light puts a beam of light exactly where you need it. This unique work light also has a non-focused 170 lumens floodlight built into the handle. Because the floodlight does not have a reflector, the light spreads out in a wide even pattern of light expressly for the purpose of lighting up areas that are close by. Now you have two completely different patterns of light for whatever work needs to be done...a spotlight for locating the problem, and a floodlight for lighting up the area while the problem is being fixed. You can even turn both lights on at the same time for even more lighting options. The ergonomic shape of the handle makes it a pleasure to hold, and the flat-bottom design means it will stand up on virtually any flat surface. For additional hands-free options, the work light includes a Hook/Prop Stand. It can be used to hang the work light up, and because it can rotate 360 degrees around the body of the light, the light can be pointed to exactly where it's needed. Power comes from an integrated Nickel Metal Hydride battery.



200 Spotlight
Lumens

170 Floodlight
Lumens

325 Dual-Light[™]
Lumens

- 3 Hours run-time
- 170 Meter beam distance
- Integrated Nickel Metal Hydride (NiMH) battery



NSR 2492

Multi-Purpose Work Light Rechargeable


NSR 2492

FEATURES

- Three lighting modes: spotlight, floodlight & Dual-Light™ (both the spotlight & floodlight at the same time)
- Dual-switch design: top – spotlight, bottom - floodlight
- Engineered polymer housing
- Ergonomic shape to the handle makes it a pleasure to hold and use
- Flat bottom base make it possible to stand the light up for hands-free use
- The integrated hook/prop stand further increase the hands-free options
- Bright white LEDs with a 35,000 hour life
- Limited 1 Year Warranty *

SPECIFICATIONS

- Lumens: spotlight-200, floodlight-170, dual-light-325
- Run-time: spotlight-3 hrs, floodlight-2.5 hrs, dual-light-1.5 hrs
- Beam distance: 170 m
- Water rating: IP-X4 water resistant
- Drop rating: 2 meters
- Length: 11.5 in, handle 1.7 in, bezel: 1.8 in, weight: 10.1 oz



INCLUDED

- Worklight
- Integrated Nickel Metal Hydride battery
- Hook/Prop Stand
- AC power supply/charger
- 12 V DC power supply/charger



Integrated hook/prop stand



Push-button control



Flat bottom base



Ergonomic shape handle

Model	UPC 0 17398
NSR-2492	12492 8

*Limited 1 Year Warranty Product is warranted to be free from defects in workmanship and materials to the original purchaser for one (1) year from the date of purchase, and includes the LEDs, housing, lenses, electronics, switches, rechargeable batteries and chargers. Disposable non-rechargeable batteries are excluded from this warranty. Normal wear and failures which are caused by accidents, misuse, abuse, faulty installation and lightning damage are also excluded.



Instruction Manual

NSR-2492

THANK YOU FOR PURCHASING THE NSR-2492 RECHARGEABLE WORK LIGHT.
SAVE THESE INSTRUCTIONS.



Please read these instructions before using your work light. Be sure to charge the work light before the first use.

- CAUTION: Do not use this work light in explosive atmospheres, near flammable liquids, or where explosion-proof lamps are required. Do not immerse in water.
- CAUTION: For light duty work only.

CHARGING

Initial Use

Fully charge the work light before the first use. If the battery is new or has been unused for several months, several charge and discharge cycles may be needed to reach full battery capacity. To reach maximum performance, run the light to completely discharge the battery and then recharge. Each charge cycle will extend the operation time until maximum capacity is achieved. The charge time for maximum capacity is approximately 4 hours.

Regular Use

- Use only the supplied AC or DC charging adapter.
- For best performance, charge the work light when the LED's start to dim.
- Connect the AC power adapter to the light. The red indicator will light.
- The red light indicates the work light is being charged. The red light remains on until the battery is fully charged. At full charge, the light turns off. The total time to full charge varies depending on the remaining charge in the battery pack.
- Keep the work light plugged into the charger to maintain a trickle charge.

TIPS TO EXTEND BATTERY LIFE

- The work light NiMH internal battery pack does not have a memory effect. Charging the work light often helps extend its useful life.
- A new work light or one that has not been used for a long period of time may not accept a full charge initially. This is normal and does not indicate a problem. Fully discharge and then charge the unit several times to condition the battery pack for full capacity. As the battery pack capacity increases the charge time shortens.
- Charge the unit after each use, whether the work light is fully discharged or not.
- Store the work light at room temperature

OPERATION

The work light has two buttons located on the back of the handle. The top button turns the Spotlight on or off. The bottom button turns the Floodlight on or off. Pressing both buttons will put the user into Dual-Light Mode.

BAYCO PRODUCTS LIMITED 1-YEAR WARRANTY

WARRANTY

Bayco Products, Inc. warrants this product to be free from defects in workmanship and materials to the original purchaser for one (1) year from the date of purchase, and includes the LEDs, housing, lenses, electronics, switches, rechargeable batteries and chargers. Bulbs (other than LEDs) are covered for ninety (90) days from the date of purchase. Disposable non-rechargeable batteries are excluded from this warranty. Normal wear and failures which are caused by accidents, misuse, abuse, faulty installation and lightning damage are also excluded.

Consequential damages, incidental damages or incidental expenses, including

damage to property are also not covered under this warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, which may vary from state to state.

IN NO EVENT WILL BAYCO PRODUCTS, INC. OR ITS AFFILIATES OR SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE. THE TOTAL CUMULATIVE LIABILITY TO CUSTOMER, FROM ALL CAUSES OF ACTION AND ALL THEORIES OF LIABILITY, WILL BE LIMITED TO AND WILL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCT PAID BY CUSTOMER.

If this product is used for rental purposes, the warranty term is reduced to 90 days from the date of purchase.

WARRANTY CLAIMS – USA

Return the product to the place of purchase for all warranty related issues. If this is not possible, contact Bayco Customer Service for a Return Goods Authorization (RGA). Do not return this product to Bayco without first receiving an RGA Number from Bayco Customer Service. When returning the product, the RGA Number must be written on the outside of the shipping box.

WARRANTY CLAIMS – OUTSIDE OF USA

Return the product to the place where purchased for all warranty related issues.

EXTENT OF COVERED WARRANTY WORK

Bayco will repair or replace this product at our option. If it is determined that the warranty is no longer in effect, Bayco will contact you with a repair estimate before beginning any work.

WARRANTY QUESTIONS

If you have any questions about this warranty or any other Bayco product inquiries, please contact Bayco Customer Service.

BAYCO PRODUCTS LIMITED 1-YEAR WARRANTY

WARRANTY

Bayco Products, Inc. warrants this product to be free from defects in workmanship and materials to the original purchaser for one (1) year from the date of purchase, and includes the LEDs, housing, lenses, electronics, switches, rechargeable batteries and chargers. Bulbs (other than LEDs) are covered for ninety (90) days from the date of purchase. Disposable non-rechargeable batteries are excluded from this warranty. Normal wear and failures which are caused by accidents, misuse, abuse, faulty installation and lightning damage are also excluded.

Consequential damages, incidental damages or incidental expenses, including damage to property are also not covered under this warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, which may vary from state to state.

IN NO EVENT WILL BAYCO PRODUCTS, INC. OR ITS AFFILIATES OR SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND REGARDLESS OF THE FORM OF ACTION, WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE. THE TOTAL CUMULATIVE LIABILITY TO CUSTOMER, FROM ALL CAUSES OF ACTION AND ALL THEORIES OF LIABILITY, WILL BE LIMITED TO AND WILL NOT EXCEED THE PURCHASE PRICE OF THE PRODUCT PAID BY CUSTOMER.

If this product is used for rental purposes, the warranty term is reduced to 90 days from the date of purchase.

WARRANTY CLAIMS – USA

Return the product to the place of purchase for all warranty related issues. If this is not possible, contact Bayco Customer Service for a Return Goods Authorization (RGA). Do not return this product to Bayco without first receiving an RGA Number from Bayco Customer Service. When returning the product, the RGA Number must be written on the outside of the shipping box.

WARRANTY CLAIMS – OUTSIDE OF USA

Return the product to the place where purchased for all warranty related issues.

EXTENT OF COVERED WARRANTY WORK

Bayco will repair or replace this product at our option. If it is determined that the warranty is no longer in effect, Bayco will contact you with a repair estimate before beginning any work.

WARRANTY QUESTIONS

If you have any questions about this warranty or any other Bayco product inquiries, please contact Bayco Customer Service.

Declaration of Conformity
NSR-2492, NSR-2492B

The equipment which accompanies this declaration is in conformity with EU Directive(s):
EU Directive 2011/65/EU, concerning the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS), as adopted by EU member states on January 2, 2013 (including restrictions on the use of Deca-BDE) ("EU RoHS"). The specifics of this compliance are as follows:

These Products are fully compliant and do not contain the restricted substances above levels noted in EU RoHS.

Including:

- Cadmium (Cd),
- Lead (Pb),
- Mercury (Hg),
- Hexavalent chromium (Cr⁶⁺),
- the following flame retardants:
 - polybrominated biphenyls (PBB)
 - polybrominated diphenyl ethers (PBDE)

Phthalates:

- (DnHP) Di-n-Hexyl Phthalate
- (DnBP) Di-n-Butyl Phthalate
- (BBP) Di-Ethyl Hexyl Phthalate
- (DEHP) Di-n-Octyl Phthalate
- (DINP) Di-Isononyl PHthalate
- (DIDP) Di-Isodecyl Phthalate

Description of Equipment (NSR-2492, NSR-2492B)

This product is a portable flashlight.

Signature:

Bijan Bayat
President / CEO
3/01/2014