

#### Section 1: IDENTIFICATION

#### **1.1 PRODUCT IDENTIFIER**

**Product Name:** 

PB Penetrating Catalyst (Aerosol)

Product Code:

16-PB, 8-PB, 8-PBS, PBTS, 20-PB, 16-PB-IND

**1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE** 

Use:

Lubricant/Penetrant

#### **1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET**

Name:

The Blaster Corporation

#### Section 2: HAZARD(S) IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class


Flammable Aerosol 2 Gases Under Pressure (Dissolved Gas) Serious Eye Irritation 2A Carcinogenicity 2 Aspiration Hazard 1

#### 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM2012

This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

## Hazard Pictogram:

Prevention:



Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. Suspected of causing cancer. May be fatal if swallowed and enters airways.

Keep away from heat/sparks/open flames/hot surfaces. -No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/faceprotection.

Response:

Storage:

## SAFETY DATA SHEET

If exposed or concerned: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eyeirritation persists: Get medical advice/attention. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Store locked up.

**Disposal:** Dispose of contents and container in accordance with all local, regional, national and international regulations.

#### 2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

8 % of the mixture consists of ingredient(s) of unknown acute toxicity.

This product is a hazardous chemical as defined by NOM-018-STPS-2000.

#### Mexico Classification:

# 2 0

Blue = Health Red = Flammability Yellow = Reactivity White = Special

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 MIXTURES

| Ingredient                                  | UN #          | H / F/ R / *  | CAS No     | Wt. %     |
|---|---------------|---------------|------------|-----------|
| Distillates (petroleum), hydrotreated light | Not available | Not available | 64742-47-8 | 50 - 60   |
| Solvent naphtha (petroleum), heavy          |               |               |            |           |
| aromatic                                    | UN1270        | Not available | 64742-94-5 | 20 - 30   |
| Distillates (petroleum), hydrotreated       |               |               |            |           |
| heavy naphthenic                            | Not available | Not available | 64742-52-5 | 20 - 30   |
| Carbon dioxide                              | UN1013        | 1/0/0         | 124-38-9   | 1 - 5     |
|   | UN1334/       |               |            |           |
| Naphthalene                                 | UN2304        | 2/2/0         | 91-20-3    | 2 - 3     |
| Dinonylphenol, ethoxylated, phosphated      | Not available | Not available | 39464-64-7 | 0.5 - 1.5 |

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

\* Per NOM-018-STPS-2000



#### Section 4: FIRST- AID MEASURES

#### 4.1 DESCRIPTION OF THE FIRST AID MEASURE

| Eye:                        | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.         |
|-----------------------------|--|
| Skin:                       | In case of contact, immediately flush skin with plenty of water.<br>Remove contaminated clothing and shoes. Wash clothingbefore<br>reuse. Call a physician if irritation develops andpersists. |
| Inhalation:                 | If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.                                      |
| Ingestion:                  | If swallowed, do NOT induce vomiting unless directed to do so by<br>medical personnel. Never give anything by mouth to an unconscious<br>person. Get immediate medical advice/attention.       |
| 4.2 MOST IMPORTANT SYMPT    | OMS AND EFFECTS, BOTH ACUTE AND DELAYED  |
| Eye:                        | Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.                              |
| Skin:                       | May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.   |
| Inhalation:                 | May be fatal if swallowed and enters airways. This product may be<br>aspirated into the lungs and cause chemical pneumonitis. May<br>cause stomach distress, nausea or vomiting.               |
| Ingestion:                  | May cause respiratory tract irritation.  |
| 4.3 INDICATION OF ANY IMMEI | DIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED  |
| Note to Physicians:         | Symptoms may not appear immediately.   |
| Specific Treatments:        | In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).   |
|                             |  |

## Section 5: FIRE-FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

Suitable Extinguishing Media: Dry chemical, carbon dioxide or foam.

Unsuitable Extinguishing Media: Water may be ineffective for extinguishing fire.

#### **5.2 SPECIAL HAZARDS ARISING FROM THE CHEMICAL**

**Products of Combustion:** May include, and are not limited to: oxides of carbon, hydrocarbons.

#### 5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Cool closed containers exposed to fire with water. Do not use a solid water stream asit may scatter and spread fire. Containers may explode whenheated.

#### Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

#### 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

| Methods for Containment: | Contain and/or absorb spill with inert material (e.g. sand, vermiculite),<br>then place in a suitable container. Do not flush to sewer or allow to enter<br>waterways. Use appropriate Personal Protective Equipment (PPE). |
|--------------------------|---|
| Methods for Cleaning-Up: | Scoop up material and place in a disposal container. Vapors maybe heavier than air and may travel along the ground to a distantignition source and flash back. Provide ventilation.   |

Section 7: HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

| Handling:                  | Keep away from sources of ignition No smoking. Avoid contact<br>with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/<br>spray. Do not swallow. When using do not eat, drink or smoke. Do<br>not spray on an open flame or other ignition source. Use only<br>outdoors or in a well-ventilated area. Pressurized container: Donot<br>pierce or burn, even after use. (See section 8) |
|----------------------------|--|
| General Hygiene Advice:    | Launder contaminated clothing before reuse. Wash handsbefore eating, drinking, or smoking.   |
| 7.2 CONDITIONS FOR SAFE ST | ORAGE, INCLUDING ANY INCOMPATIBILITIES   |
| Storage:                   | Keep locked up and out of reach of children. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in dry, cool, well-  |

ventilated area. (See section 10)

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 CONTROL PARAMETERS

#### **Exposure Guidelines**

| Occupational Exposure Limits                           |                        |                       |  |  |
|--|------------------------|-----------------------|--|--|
| Ingredient   | OSHA-PEL               | ACGIH-TLV             |  |  |
| Distillates (petroleum), hydrotreated light            | 100 ppm                | 200 mg/m <sup>3</sup> |  |  |
| Solvent naphtha (petroleum), heavy aromatic            | Not available.         | Not available.        |  |  |
| Distillates (petroleum), hydrotreated heavy naphthenic | 5 mg/m³ (mist)         | 5 mg/m³ (mist)        |  |  |
|  | 5000 ppm;              |                       |  |  |
| Carbon dioxide   | 9000 mg/m <sup>3</sup> | 5000 ppm              |  |  |
|  | 10 ppm;                |                       |  |  |
| Naphthalene  | 50 mg/m <sup>3</sup>   | 10 ppm                |  |  |
| Dinonylphenol, ethoxylated, phosphated                 | Not available.         | Not available.        |  |  |



#### **8.2 EXPOSURE CONTROLS**

**Engineering Controls:** 

Use ventilation adequate to keep exposures (airborne levels ofdust, fume, vapor, etc.) below recommended exposure limits.

#### 8.3 INDIVIDUAL PROTECTIVE MEASURES

#### **Personal Protective Equipment:**

Eye/Face Protection: Safety glasses with side-shields.

#### **Skin Protection:**

Hand Protection: Wear chemically resistant protective gloves.

**Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** A NIOSH approved respirator is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

General Health and Safety<br/>Measures:Do not eat, smoke or drink where material is handled, processedor<br/>stored. Wash hands carefully before eating or smoking. Handle<br/>according to established industrial hygiene and safety practices.<br/>Ensure that eyewash stations and safety showers are close to the<br/>workstation location.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

| Appearance:                              | Viscous / Oily.          |
|--|--------------------------|
| Color:                                   | Orange.                  |
| Odor:                                    | Heavy aromatic.          |
| Odor Threshold:                          | Not available.           |
| Physical State:                          | Gas/pressurized liquid.  |
| pH:                                      | Not available.           |
| Melting Point/Freezing Point:            | Not available.           |
| Initial Boiling Point and Boiling Range: | 177.8 °C (352 °F)        |
| Flash Point:                             | 65.6 °C (150 °F)         |
| Evaporation Rate:                        | <1 (n-butyl acetate = 1) |
| Flammability:                            | Flammable.               |
| Lower Flammability/Explosive Limit:      | Not available.           |
| Upper Flammability/Explosive Limit:      | Not available.           |
| Vapor Pressure:                          | Not available.           |
| Vapor Density:                           | >1 (Air = 1)             |
| Relative Density/Specific Gravity:       | 0.91 (Water = 1)         |
| Solubility:                              | Negligible.              |
|  |                          |



| Partition coefficient: n-octanol/water: | Not available. |
|---|----------------|
| Auto-ignition Temperature:              | Not available. |
| Decomposition Temperature:              | Not available. |
| Viscosity:                              | Not available. |
| Oxidizing Properties:                   | Not available. |
| Explosive Properties:                   | Not available. |
| VOC Content:                            | < 25%          |
| Flame Projection:                       | 0 cm           |
| Heat of Combustion:                     | 45.8 kJ/g      |

#### Section 10: STABILITY AND REACTIVITY

#### **10.1 REACTIVITY**

No dangerous reaction known under conditions of normal use.

#### **10.2 CHEMICAL STABILITY**

Stable under normal storage conditions. Flammable aerosol. Contents under pressure. Containermay explode if heated. Do not puncture. Do not burn.

#### **10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

No dangerous reaction known under conditions of normal use.

#### **10.4 CONDITIONS TO AVOID**

Heat. Incompatible materials. Sources of ignition. Excessive water.

#### **10.5 INCOMPATIBLE MATERIALS**

Strong oxidizing agents. Strong reducing agents. Moisture.

#### **10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

May include, and are not limited to: oxides of carbon, hydrocarbons.

#### Section 11: TOXICOLOGICAL INFORMATION

#### **11.1 INFORMATION ON TOXICOLOGICAL EFFECTS**

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

- **Eye:** Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swellingof the conjunctiva.
- **Skin:** May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
- **Ingestion:** May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.
- Inhalation: May cause respiratory tract irritation.



#### Acute Toxicity:

| Ingredient   |     | IDLH                  | L                    | C50   | LD50                       |
|--|-----|-----------------------|----------------------|---|----------------------------|
| Distillates (petroleum),                               |     |                       |                      | lation  | Oral >5000 mg/kg, rat;     |
| hydrotreated light                                     | Not | available.            | >5.2 m               | g/L 4h rat  | Dermal >2000 mg/kg, rabbit |
| Solvent naphtha  |     |                       |                      |   |                            |
| (petroleum), heavy                                     |     |                       |                      | lation  | Oral >5000 mg/kg, rat;     |
| aromatic   | Not | available.            | >5.28 m              | g/L 4h, rat   | Dermal >2000 mg/kg, rabbit |
| Distillates (petroleum),                               |     |                       |                      |   |                            |
| hydrotreated heavy                                     |     |                       |                      | lation  | Oral >5000 mg/kg, rat;     |
| naphthenic   |     | available.            |                      | g/L 4h, rat   | Dermal >5000 mg/kg, rabbit |
| Carbon dioxide   | 400 | 000 ppm               | Not av               | /ailable.   | Not available.             |
|  |     |                       |                      |   | Oral 490 mg/kg, rat;       |
|  |     |                       |                      |   | Dermal >2500 mg/kg, rat;   |
| Naphthalene  | 2   | 50 ppm                | Not av               | /ailable.   | Dermal >20 g/kg, rabbit    |
| Dinonylphenol,   |     |                       |                      |   |                            |
| ethoxylated, phosphated                                | Not | ot available. Not av  |                      | /ailable.   | Not available.             |
| Calculated overall Chemical Acute Toxicity Values      |     |                       |                      |   |                            |
| LC50 (inhalation) LD50 (ora                            |     |                       |                      | LD50 (dermal)   |                            |
| > 5 mg/L 4h, rat > 2000 mg/kg                          |     | , rat                 | > 2000 mg/kg, rabbit |   |                            |
| Ingredient   |     |                       |                      | cal Listed as Carcinogen or<br>Potential Carcinogen<br>ARC, OSHA, ACGIH, CP65)* |                            |
| Distillates (petroleum), hydrotreated light            |     | Not listed.           |                      |   |                            |
| Solvent naphtha (petroleum), heavy aromatic            |     | Not listed.           |                      |   |                            |
| Distillates (petroleum), hydrotreated heavy naphthenic |     | Not listed.           |                      |   |                            |
| Carbon dioxide   |     | Not listed.           |                      |   |                            |
| Naphthalene  |     | G-A4, I-2B, N-2, CP65 |                      |   |                            |
| Dinonylphenol, ethoxylated, phosphated                 |     | Not listed.           |                      |   |                            |

\* See Section 15 for more information.

### 11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

| Skin Corrosion/Irritation:     | Based on available data, the classification criteria are not met. |
|--------------------------------|---|
| Serious Eye Damage/Irritation: | Causes serious eye irritation.                                    |
| Respiratory Sensitization:     | Based on available data, the classification criteria are not met. |
| Skin Sensitization:            | Based on available data, the classification criteria are not met. |
| STOT-Single Exposure:          | Based on available data, the classification criteria are not met. |
| Chronic Health Effects:        |   |
| Carcinogenicity:               | Possible carcinogen.  |
| Germ Cell Mutagenicity:        | Based on available data, the classification criteria are notmet.  |
| Reproductive Toxicity:         |   |
| Developmental:                 | Based on available data, the classification criteria are not met. |
| Fertility:                     | Based on available data, the classification criteria are not met. |
| STOT-Repeated Exposure:        | Based on available data, the classification criteria are not met. |
| Aspiration Hazard:             | May be fatal if swallowed and enters airways.                     |
|                                |   |



Other Information:

Not available.

Section 12: ECOLOGICAL INFORMATION

#### **12.1 ECOTOXICITY**

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

#### 12.2 PERSISTENCE AND DEGRADABILITY

Not available.

#### **12.3 BIOACCUMULATIVE POTENTIAL**

**Bioaccumulation:** 

Not available.

#### 12.4 MOBILITY IN SOIL

Not available.

#### **12.5 OTHER ADVERSE EFFECTS**

Not available.

Section 13: DISPOSAL CONSIDERATIONS

#### **13.1 WASTE TREATMENT METHODS**

| Disposal Method:                | This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible. |
|---------------------------------|---|
| Other disposal recommendations: | Flammable vapours may accumulate in the container.<br>Do not incinerate empty containers.   |

#### Section 14: TRANSPORT INFORMATION

#### 14.1 UN NUMBER

DOT

UN1950

#### **14.2 UN PROPER SHIPPING NAME**

#### DOT

AEROSOLS, flammable, limited quantities

#### 14.3 TRANSPORT HAZARD CLASS (ES)

#### DOT

2.1

#### **14.4 PACKING GROUP**

#### DOT

Not applicable.

## NOM-004-SCT2-1994

UN1950

#### NOM-004-SCT2-1994

AEROSOLS, flammable, limited quantities

NOM-004-SCT2-1994

2.1

NOM-004-SCT2-1994

Not applicable.



#### 14.5 ENVIRONMENTAL HAZARDS

Not available.

#### 14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

#### 14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood. The Blaster Corporation does not recommend shipping their aerosol products by air.

#### Section 15: REGULATORY INFORMATION

# 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**US:** SDS prepared pursuant to the Hazard Communication Standard (CFR291910.1200) HazCom 2012

Mexico: SDS prepared pursuant to NOM-018-STPS-2000.

| SARA Title III                                 |                                 |                              |                     |             |
|--|---------------------------------|------------------------------|---------------------|-------------|
| Ingredient                                     | Section 302 (EHS)<br>TPQ (Ibs.) | Section 304<br>EHS RQ (lbs.) | CERCLA<br>RQ (lbs.) | Section 313 |
| Distillates (petroleum),<br>hydrotreated light | Not listed.                     | Not listed.                  | Not listed.         | Not listed. |
| Solvent naphtha (petroleum), heavy aromatic    | Not listed.                     | Not listed.                  | Not listed.         | Not listed. |
| Distillates (petroleum),<br>hydrotreated heavy |                                 |                              |                     |             |
| naphthenic                                     | Not listed.                     | Not listed.                  | Not listed.         | Not listed. |
| Carbon dioxide                                 | Not listed.                     | Not listed.                  | Not listed.         | Not listed. |
| Naphthalene                                    | Not listed.                     | Not listed.                  | 100                 | 313         |
| Dinonylphenol, ethoxylated, phosphated         | Not listed.                     | Not listed.                  | Not listed.         | Not listed. |

#### **State Regulations**

#### California Proposition 65:

This product contains a chemical known to the State of California to cause cancer.

#### **Global Inventories:**

| Ingredient   | USA<br>TSCA |  |
|--|-------------|--|
| Distillates (petroleum), hydrotreated light            | Yes.        |  |
| Solvent naphtha (petroleum), heavy aromatic            | Yes.        |  |
| Distillates (petroleum), hydrotreated heavy naphthenic | Yes.        |  |
| Carbon dioxide   | Yes.        |  |
| Naphthalene  | Yes.        |  |
| Dinonylphenol, ethoxylated, phosphated                 | Yes.        |  |



|                      |   | NFPA-National Fire         | Protection Association:      |
|----------------------|---|----------------------------|------------------------------|
| Health:              |   |                            | 2                            |
| Fire:                |   |                            | 4                            |
| Reactivity:          |   |                            | 0                            |
|                      |   | HMIS-Hazardous Mate        | rials Identification System: |
| Health:              |   |                            | 2*                           |
| Fire:                |   |                            | 4                            |
| Physical Hazard:     |   |                            | 0                            |
| Hazard Rating        | <b>g:</b> 0 = mini  | mal, 1 = slight, 2 = moder | ate, 3 = severe, 4 = extreme |
| SOURCE AGE           |   | CINOGENCLASSIFICAT         | IONS:                        |
| CP65                 | California Proposition 65   |                            |                              |
| OSHA (O)             | Occupational Safety and Health Administration.  |                            |                              |
| ACGIH (G)            | <ul> <li>American Conference of Governmental Industrial Hygienists.</li> <li>A1 - Confirmed human carcinogen.</li> <li>A2 - Suspected human carcinogen.</li> <li>A3 - Animal carcinogen.</li> <li>A4 - Not classifiable as a human carcinogen.</li> <li>A5 - Not suspected as a human carcinogen.</li> </ul>  |                            |                              |
| IARC (I)             | <ul> <li>International Agency for Research on Cancer.</li> <li>1 - The agent (mixture) is carcinogenic tohumans.</li> <li>2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.</li> <li>2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.</li> <li>3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.</li> <li>4 - The agent (mixture, exposure circumstance) is probably not carcinogenic tohumans.</li> </ul> |                            |                              |
| NTP (N)              | National Toxicology Program.<br>1 - Known to be carcinogens.<br>2 - Reasonably anticipated to be carcinogens.   |                            |                              |
|                      |   | Section 16: OT             | HER INFORMATION              |
| Date of Preparation: |   | Feb. 3, 2016               |                              |
| Version:             |   | 1.0                        |                              |
|                      |   |                            |                              |

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.