

CONTOUR METAL

STYLISH AND **EFFECTIVE**

Metal version Contour; success guaranteed!



CONTOUR METAL ADVANTAGES

- ▶ NON-SLIP BRIDGE
- ▶ NON-SLIP TIPGRIP TEMPLES
- ▶ NICKEL-FREE NON-CONDUCTIVE FRAME
- ▶ 160° FLEX TEMPLES

bolle
SAFETY

CONTOUR METAL STYLISH AND EFFECTIVE

Features

- ▶ High contour (9.25 base), dual lens with 180 degree distortion free viewing and superior optical quality
- ▶ 99.99% UVA and UVB light absorption
- ▶ Optimal fit and comfort with non-slip temple tips
- ▶ High impact 2.3 mm polycarbonate lens, anti-fog/anti-scratch coated on both sides (ESP Lens Anti-Scratch only)
- ▶ Rubber nose pads
- ▶ Anti-Static

Both supplied with
Microfiber pouch and adjustable cord



1.34 OZ

SPECIFICATIONS

CHARACTERISTICS

Lens Material: Polycarbonate

Lens Thickness: 2.3 mm

Frame Material: Nickel-free metal +TPE

Base Curve: 9.25

VERSIONS	SKU	LENS MARKING	TEMPLE MARKING	COATINGS
Clear	40049	+U6	Z87+Z94	Anti-scratch/Anti-fog
Smoke	40050	+U6S	Z87+Z94	Anti-scratch/Anti-fog
ESP	40051	+U6S	Z87+Z94	Anti-scratch

UNIT	40049	40050	40051
INDIVIDUAL	054917-27741-3	054917-27742-0	054917-27743-7
INNER PACK	10	10	10
MASTER PACK	180	180	180



ESP combines the advantages of clear and tinted lenses in a single model. It reduces glare when passing from a shaded zone to a bright zone and very efficiently filters blue light. Ideal for people frequently moving between indoors and outdoors.

CLEANING Lenses should be cleaned regularly. Bollé Safety recommends using the B-clean lens cleaning system.

STORAGE Must be stored in a clean, dry environment. After each use, keep product in a microfiber pouch or rigid case.

REPLACEMENT If lenses or frames are pitted, scratched or damaged, the complete product must be replaced.



1.340Z





ANSI
Z87.1-
2010

**American
National Standard
for Occupational
and Educational
Eye and Face
Protection
Devices**

Establishes performance criteria and testing requirements for devices used to protect the eyes and face from injuries from impact, non-ionizing radiation and chemical exposure in workplaces and schools. It covers all types of protector configurations including spectacles (plano and prescription), goggles, face shields, welding helmets and full face-piece respirators.



Z87+

**Impact Mark
Rated Plano**

The Z87+ is required when claims of compliance such as impact rating or a specific lens type and/or use are made by the manufacturer for plano protectors



U (+
SCALE
NUMBER)

UV Filter

*U and Scale Number
(Scale ranges from 2 to 6 –
the higher the number the
highest protection from far
and near UV)*



Clear Lens

Clear lens technology is approved for permanent wear and certified with perfect optical quality. Comes with Anti-scratch/Anti-fog (ASAF) coatings. Available in Platinum ASAF in select models.



FLEX 160°

Soft and ultra pliable, 160° flex frames can be used to adjust the space between the temples for better wearer comfort.



NON-SLIP TIPGRIP

The non-slip TIPGRIP technology ensures a better fit thanks to its dualmaterial design and innovative shape, improving temple comfort and hold.



NON-SLIP BRIDGE

Designed for a perfect fit of the frame on the face.

**NON-SLIP TIPGRIP
TEMPLES**



upper protection



**adjustable non-slip
bridge**



Learn more about sunglasses we have.