

RUSH

LIGHTWEIGHT SAFETY

Available in Twilight and HD versions, as well as clear and smoke, the panoramic and lightweight RUSH model offers perfect optical quality, permanent comfort and modern design.




RUSH ADVANTAGES

- ▶ UPPER PROTECTION
- ▶ NON-SLIP BRIDGE
- ▶ NON-SLIP TEMPLES
- ▶ OPTIONAL FOAM KIT
- ▶ FULLY RECYCLABLE

bolle
SAFETY

RUSH ALL-ROUND VISION LIGHTWEIGHT SAFETY

Available in Twilight and HD versions, as well as clear and smoke, the panoramic and lightweight RUSH model offers perfect optical quality, permanent comfort and modern design.



SPECIFICATIONS

CHARACTERISTICS

Lens Material: Polycarbonate
 Lens Thickness: 2.2 mm
 Frame Material: Polycarbonate
 Base Curve: 9

VERSIONS	SKU	LENS MARKING	TEMPLE MARKING	COATINGS
Clear	40070	Z87+U6	Z87+/Z94	Anti-scratch/Anti-fog
Smoke	40071	Z87+U6S	Z87+/Z94	Anti-scratch/Anti-fog
Twilight	40072	Z87+U6S	Z87+/Z94	Anti-scratch/Anti-fog
HD	40113	Z87+U6	Z87+/Z94	Anti-scratch/Anti-fog
Foam Kit Only	40193	NA	NA	NA

PACKAGING	40070	40071	40072	40113	40193 (FOAM KIT)
INDIVIDUAL	54917-27762-8	54917-27763-5	54917-27764-2	54917-28024-6	54917-29698-8
INNER PACK	10	10	10	10	20
MASTER PACK	180	180	180	180	240



SMOKE

CLEANING Lenses should be cleaned regularly. Bollé Safety recommends using the B-clean lens cleaning system.

STORAGE Must be stored in a clean, dry environment. After each use, keep product in a microfiber pouch or rigid case.

REPLACEMENT If lenses or frames are pitted, scratched or damaged, the complete product must be replaced.



.88Oz





ANSI
Z87.1-
2010

**American
National Standard
for Occupational
and Educational
Eye and Face
Protection
Devices**

Establishes performance criteria and testing requirements for devices used to protect the eyes and face from injuries from impact, non-ionizing radiation and chemical exposure in workplaces and schools. It covers all types of protector configurations including spectacles (plano and prescription), goggles, face shields, welding helmets and full face-piece respirators.



Z87+

**Impact Mark
Rated Plano**

The Z87+ is required when claims of compliance such as impact rating or a specific lens type and/or use are made by the manufacturer for plano protectors



U (+
SCALE
NUMBER)

UV Filter

U and Scale Number (Scale ranges from 2 to 6 – the higher the number the highest protection from far and near UV)



S


Special Purpose

This marking guarantees protection against droplet liquid, hot solids, molten metals or the emission of intense radiation. Safety goggles only.



Twilight

Built on the successful platform of Bollé Safety's ESP coating system, Twilight technology offers the added benefit of anti-fog coating on both sides of the lens to prevent fogging in the most challenging conditions. The high contrast, high definition and excellent light transmission of the lens proved ideal for low light, outdoor work environments, particularly early morning and late evening.



ADJUSTABLE NON-SLIP BRIDGE

Designed to adapt to the nose so the frame sits perfectly on the face.



NON-SLIP TEMPLES

Improve temple comfort and hold.