

RUSH+

SPORTY | FLEXIBLE | CUSTOM

RUSH+ has an ultra-sporty design with its highly flexible, co-injected and customizable temples!



RUSH+ ADVANTAGES

- ▶ ANTI-FOG & ANTI-SCRATCH (P)
- ▶ ULTRA LIGHTWEIGHT
- ▶ NON-SLIP ADJUSTABLE BRIDGE
- ▶ UPPER BROW PROTECTION
- ▶ ULTRA-FLEXIBLE BI-COLORED TEMPLES
- ▶ AVAILABLE IN SIZE SMALL

 **PLATINUM**®

bolle
SAFETY

RUSH+ ULTRA-SPORTY DESIGN HIGHLY FLEXIBLE

RUSH+ has an ultra-sporty design with its highly flexible, co-injected and customizable temples!



Available in Small Sizes

Rush+ is available in the clear lens PLATINUM® version with custom color matched temples. Minimum order 1300 pieces for Pantone color match. (L) Temple color (R) Frame color



Supplied With Microfiber pouch



40293 Strap + Foam Kit Sold Separately

SPECIFICATIONS

CHARACTERISTICS

Lens Material: Polycarbonate

Lens Thickness: 2.2 mm

Frame Material: Polycarbonate/TPR

Base Curve: 9



The new exclusive scratch and fog resistant coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and durably delays the appearance of fogging.

Inner Pack	Master Pack
Box of 10	180

MODEL	LENS OPTIONS	SKU	INDIVIDUAL UPC	LENS MARKING	TEMPLE MARKING	COATINGS
RUSH+	Clear	41080	0-54917-30112-5	Z87+U6	Z87+	ASAF/P
RUSH+	Smoke	40208	0-54917-29901-9	Z87+U6S	Z87+	ASAF/P
RUSH+	BCSP	40209	0-54917-29902-6	Z87+U6S	Z87+	ASAF/P
RUSH+	Twilight	40225	0-54917-30427-0	Z87+U6S	Z87+	ASAF/P
RUSH+	Foam and Strap Kit	40293	0-54917-30378-5	N/A	N/A	N/A
RUSH+	Clear	40243	0-54917-31517-7	Z87+U6	Z87+	ASAF/P
RUSH+	Smoke	40244	0-54917-31519-1	Z87+U6S	Z87+	ASAF/P
RUSH+	BCSP	40245	0-54917-31522-1	Z87+U6S	Z87+	ASAF/P
RUSH+	Clear	40256	0-54917-32099-7	Z87+U6	Z87+	ASAF/P
RUSH+	Smoke	40257	0-54917-32102-4	Z87+U6S	Z87+	ASAF/P
RUSH+ (Small)	Clear	40250	0-54917-31991-5	Z87+U6	Z87+	ASAF/P
RUSH+ (Small)	Smoke	40253	0-54917-31994-6	Z87+U6S	Z87+	ASAF/P
RUSH+ (Small)	Clear	40254	0-54917-32073-7	Z87+U6	Z87+	ASAF/P
RUSH+ (Small)	BCSP	40249	0-54917-31928-1	Z87+U6S	Z87+	ASAF/P
Assembled with Foam & Strap	Clear	40252	0-54917-31998-4	Z87+U6	Z87+	ASAF/P
Assembled with Foam & Strap	Twilight	40258	0-54917-32398-1	Z87+U6S	Z87+	ASAF/P
Assembled with Foam & Strap	Smoke	40259	0-54917-32401-8	Z87+U6S	Z87+	ASAF/P

Co-injected, ultra-pliable and two-colour temples



Upper protection



Adjustable non-slip bridge





ANSI
Z87.1-
2010

American National Standard for Occupational and Educational Eye and Face Protection Devices

Establishes performance criteria and testing requirements for devices used to protect the eyes and face from injuries from impact, non-ionizing radiation and chemical exposure in workplaces and schools. It covers all types of protector configurations including spectacles (plano and prescription), goggles, face shields, welding helmets and full face-piece respirators.



U (+
SCALE
NUMBER)

UV Filter


U and Scale Number (Scale ranges from 2 to 6 – the higher the number the highest protection from far and near UV)



Z87+

Impact Mark Rated Plano

The Z87+ is required when claims of compliance such as impact rating or a specific lens type and/or use are made by the manufacturer for plano protectors



S


Special Purpose

This marking guarantees protection against droplet liquid, hot solids, molten metals or the emission of intense radiation. Safety goggles only.



Twilight

Built on the successful platform of Bollé Safety's ESP coating system, Twilight technology offers the added benefit of anti-fog coating on both sides of the lens to prevent fogging in the most challenging conditions. The high contrast, high definition and excellent light transmission of the lens proved ideal for low light, outdoor work environments, particularly early morning and late evening.



Platinum®

This proprietary, permanent coating applied on both lens surfaces, makes them highly scratch resistant to the most aggressive chemicals and effectively reduces the appearance of fogging longer than any other brand on the market.



ADJUSTABLE NON-SLIP BRIDGE

Designed to adapt to the nose so the frame sits perfectly on the face.