RUSH+ SPORTY I FLEXIBLE I CUSTOM

RUSH+ has an ultra-sporty design with its highly flexible, co-injected and customizable temples!



RUSH+ ADVANTAGES

- ANTI-FOG & ANTI-SCRATCH (+>)
- ULTRA LIGHTWEIGHT
- NON-SLIP ADJUSTABLE BRIDGE
- **UPPER BROW PROTECTION**
- ULTRA-FLEXIBLE BI-COLORED TEMPLES
- AVAILABLE IN SIZE SMALL

PL∧TINUM[®]



RUSH+ ULTRA-SPORTY DESIGN HIGHLY FLEXIBLE

RUSH+ has an ultra-sporty design with its highly flexible, co-injected and customizable temples!

99.99% UVA and UVB light absorption

u bollá

Optimal fit and comfort with patented non-pressure co-molded temples

High impact 2.2 mm polycarbonate lens, � ⊐∟∧TIN⊔M® anti-fog/anti-scratch coated on both sides

.95 OZ

High contour (9 base), single piece lens with 180 degree distortion free viewing and superior optical quality

Upper brow protection



SPECIFICATIONS

CHARACTERISTICS

Lens Material: Polycarbonate Lens Thickness: 2.2 mm Frame Material: Polycarbonate/TPR Base Curve: 9



The new exclusive scratch and fog resistant coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and durably delays the appearance of fogging.

Inner Pack	Master Pack 180	
Box of 10		

Rush+ is available in the clear lens@PLATINUM@version with custom color matched temples. Minimum order 1300 pieces for Pantone color match. (L) Temple color (R) Frame color



Microfiber pouch



40293 Strap + Foam Kit Sold Separately

MODEL	LENS OPTIONS	SKU	INDIVIDUAL UPC	LENS MARKING	TEMPLE MARKING	COATINGS
RUSH+	Clear	41080	0-54917-30112-5	287+U6	₩Z87+	ASAF/+P
RUSH+	Smoke	40208	0-54917-29901-9	287+U6S	₩ Z87+	ASAF/+
RUSH+	CSP 6	40209	0-54917-29902-6	287+U6S	₩ Z87+	ASAF/+
RUSH+	Twilight	40225	0-54917-30427-0	287+U6S	🗁 Z87+	ASAF/+
RUSH+	Foam and Strap Kit	40293	0-54917-30378-5	N/A	N/A	N/A
RUSH+	Clear	40243	0-54917-31517-7	287+U6	🗁 Z87+	ASAF/+P
RUSH+	Smoke	40244	0-54917-31519-1	287+U6S	₩ Z87+	ASAF/+P
RUSH+	6CSP	40245	0-54917-31522-1	287+U6S	ST Z87+	ASAF/+P
RUSH+	Clear	40256	0-54917-32099-7	☑ Z87+U6	287+	ASAF/+P
RUSH+	Smoke	40257	0-54917-32102-4	287+U6S	😂 Z87+	ASAF/+P
RUSH+ (Small)	Clear	40250	0-54917-31991-5	₩Z87+U6	😂 Z87+	ASAF/+
RUSH+ (Small)	Smoke	40253	0-54917-31994-6	287+U6S	🙄 Z87+	ASAF/+P
RUSH+ (Small)	Clear	40254	0-54917-32073-7	287+U6	₩ Z87+	ASAF/+P
RUSH+ (Small)	CSP 6CSP	40249	0-54917-31928-1	27287+U6S	₩ Z87+	ASAF/+P
Assembled with Foam & Strap	Clear	40252	0-54917-31998-4	₩Z87+U6	₩Z87+	ASAF/+P
Assembled with Foam & Strap	- Twilight	40258	0-54917-32398-1	287+U6S	287+	ASAF/+P
Assembled with Foam & Strap	Smoke	40259	0-54917-32401-8	2787+U6S	₩ Z87+	ASAF/+>





American National Standard for Occupational and Educational Eye and Face Protection Devices

Establishes performance criteria and testing requirements for devices used to protect the eyes and face from injuries from impact, non-ionizing radiation and chemical exposure in workplaces and schools. It covers all types of protector configurations including spectacles (plano and prescription), goggles, face shields, welding helmets and full facepiece respirators.



The Z87+ is required when claims of compliance such as impact rating or a specific lens type and/or use are made by the manufacterer for plano protectors





UV Filter

U and Scale Number (Scale ranges from 2 to 6 – the higher the number the highest protection from far and near UV)

Impact Mark Rated Plano



Clear Lens

Clear lens technology is approved for permanent wear and certified with perfect optical quality. Comes with Anti-scratch/Anti-fog (ASAF) coatings. Available in Platinum ASAF in select models.





ADJUSTABLE NON-SLIP BRIDGE

Designed to adapt to the nose so the frame sits perfectly on the face.

Platinum®

This proprietary, permanent coating applied on both lens surfaces, makes them highly scratch resistant to the most aggressive chemicals and effectively reduces the appearance of fogging longer than any other brand on the market.







non-slip adjustable bridge













Learn more about sunglasses we have.