R



300

1300

300

A Message from Bon Tool Co. President



C. John Bongiovanni, President

Looking Back

The publication of our annual master catalog with the introduction of our updated product line marks a new season for Bon. It is a time we take stock in the past year and look forward to the start of a new construction season.

Last year marked our 60th year in business! It is not by chance that we have been around so long. Our success is built on a solid foundation laid three generations ago by my grandfather. Since 1958, our core principles have remained the same. We work hard to provide you with the best value in our industry. We do this by maintaining the highest standards of workmanship and customer care, combined with the integrity with which we conduct our business each and every day.

We are now looking forward with optimism to the spring construction season and we are especially excited to introduce two new trowel lines. Our **Steel City Finish Trowels** will set a new standard for concrete and plaster finishers, while our **Keystone Forged Trowels** will become the standard for masons everywhere. We are very excited to tell you more about these two new product lines, and the many other new products we have launched this year. Please contact your local sales representative or our friendly customer service department to learn more.

We sincerely thank our loyal customers for your trust in Bon. Know that we work hard to earn your confidence. With a firm commitment to our core principles, the Bon team is dedicated to being the preferred tool choice for construction projects worldwide.

Sincerely,

. ft - by

Bon®

Innovation

From the invention of masonry guides over 60 years ago to the launching of our Steel City Finish Trowels and Keystone Forged Brick Trowels this year, Bon is committed to the development and improvement of tools for professional contractors.

Value

We are committed to providing you the best value in the industry! Our procurement department is busy sourcing the right materials for manufacture; and our engineers are at work designing and testing the tools in production. All this means you get our large selection of tools manufactured to the highest quality standards at a price point you can trust!

Service

Count on Bon for one day delivery to most locations from our two strategically located warehouses. Our friendly customer service team is available to answer your questions and to process your orders efficiently. We aim to ship all orders received by 2:00 pm EST the same day!

Index by Trade

Masonry Tools 4-49
Layout Tools
General Construction Tools 60-83
Asphalt Tools
Concrete Tools
Rebar & Ironworking Tools 132-139
BonWay™ Decorative Concrete Products 140-155
Concrete Restoration Tools 156-161
Flooring & Tiling Tools 162-177
Drywall, Plaster & Stucco Tools
Roofing Tools 208-213
Brooms & Brushes 214-221
Safety Gear 222-228
BonFire™ Private Label
Bon Show & Sell
Index by Part Number 236-249
Index by Product Name 250-256

CATALOG NOTATION KEY

Box Quantity Notation is the boxed quantity and indicating the order quantity for a lower price.

New Product Symbol Week Look for the red NEW icon to indicate new products, new models, new sizes, etc. for 2019.

Shipping Asterisk - *

All Bon products coded with "C" or "T" include an asterisk. As noted at page bottom these products must ship common carrier. "T" items ship free on qualifying orders.

Proposition 65 - A

Look for the ^ symbol displayed with part number. This indicates a Bon product that may contain an element(s) known to the state of California to cause cancer and birth defects or other reproductive harm. You may contact Bon Tool Co. in regard to the specific material exposure.

Pricing shown in this catalog is current at time of print, and is subject to change without notice. Although every attempt has been made for accuracy, Bon Tool Co. is not held responsible for typographical, pictorial or pricing errors shown in this catalog.

Please note Bon Tool Co. manufactures and distributes tools and related products. None of the products sold by Bon Tool Co. are intended for human consumption, and exposure to all of the products is safe when used as intended and as instructed. It is our policy to comply with all applicable Federal, State and local laws.

© 2019 Bon Tool Co.

<u> Product Lines</u>

Bon

Encompasses our full product line of premier contractor grade tools. We put our trusted name behind every product we sell.

Bon

These products have been identified by an overwhelming majority of contractors as the best quality and value available.

CORWON

Product line of decorative concrete tools and materials to meet demands of this popular and growing trade.

STEEL CITY TROWELS

Precision ground professional grade finish trowels made of Golden Stainless Steel, Carbon Steel, Razor Stainless Steel or Blue Steel.

KEYSTONE FORGED

Forged from a single piece of specially formulated carbon steel and heat tempered for uniform hardness that will not weaken.

Bon River Works

Bon RiverWorks[™] line of construction bars, sledges and other general jobsite tools are exclusively Made in USA.

Bon Lancer

Represents a line of imported tools that includes construction bars, sledges and other general jobsite tools.

An economical option for professional contractors at a lower price point, but having a better quality than DIY

Thrifty Bon

This line is provided specifically for the DIY trade, at a value price point for the homeowner and non-professional.

Wha Lite 14 BON

Darbies and floats constructed of lightweight aluminum or hollow extruded magnesium for easy maneuverability and less strain on the jobsite.

SPRAY SOK

Protective hood-type safety wear popular for multiple construction trades.

Bonfire

Private label products for select Bon items, such as grout bags, tool bags, line pins and line blocks.



Look for the Blue Handle . .



Introducing.

WILL hy Bon W

TH

Highest grade finish trowels available Lightweight & durable aluminum shank Premium blade materials:

Hardened, Tempered Golden Stainless Steel Perfect Flex Blue Steel **Spring Carbon Steel Razor Stainless Steel**

Steel City™ Golden Steel **Concrete Trowel** See all on pages 88-89

KEYSTONE FORGED[™] MASONRY TROWELS by BON Forged from a single piece of specially formulated carbon steel Heat tempered blade for uniform hardness Stronger uniform grain, so blade will not weaken or crack



Keystone Forged[™] Narrow London **Masonry Trowel** See all on page 5

Quality Tools You Can Trust since 1958













NARROW LONDON CARBON STEEL TROWELS

Bonies Pous Narrow London Carbon Steel Masonry Trowel

· High carbon steel

 Precision ground for balance · Professional grade trowel



Bon

-							
Wood		Comfort	Grip	Plastic	1	Leather	1
PART #	SIZE						
72-212-89	9" x 4"	72-219-B9	9" x 4"	72-216-B9	9" x 4"	72-215-B9	9" x 4"
72-222-B9	9-1/2" x 4-1/2"	72-229-B9	9-1/2" x 4-1/2"	72-226-B9	9-1/2" x 4-1/2"	72-225-B9	9-1/2" x 4-1/2"
72-232-89	10" x 4-1/2"	72-239-B9	10" x 4-1/2"	72-236-B9	10" x 4-1/2"	72-235-B9	10" x 4-1/2"
72-242-89	10-1/2" x 4-5/8"	72-249-B9	10-1/2" x 4-5/8"	72-246-B9	10-1/2" x 4-5/8"	72-245-B9	10-1/2" x 4-5/8"
72-252-B9	11" x 4-3/4"	72-259-B9	11" x 4-3/4"	72-256-B9	11" x 4-3/4"	72-255-B9	11" x 4-3/4"
72-272-B9 72-292-B9	12" x 5-3/8" 13" x 5-5/8"	72-279-B9 72-299-B9	12" x 5-3/8" 13" x 5-5/8"	72-276-B9 72-296-B9	12" x 5-3/8" 13" x 5-5/8"	72-275-B9 72-295-B9	12" x 5-3/8" 13" x 5-5/8"

WIDE LONDON CARBON STEEL TROWELS

Bon Steel Masonry Trowel

- · High carbon steel
- · Precision ground for balance
- · Professional grade trowel



-		-					
Wood		Comfort (Arip	Plastic		Leather	
PART #	SIZE						
72-432-B9	10" x 4-7/8"	72-439-B9	10" x 4-7/8"	72-436-B9	10" x 4-7/8"	72-435-B9	10" x 4-7/8"
72-452-B9	11" x 5-1/2"	72-459-B9	11" x 5-1/2"	72-456-B9	11" x 5-1/2"	72-455-B9	11" x 5-1/2"
72-472-B9	12" x 5-3/4"	72-479-B9	12" x 5-3/4"	72-476-B9	12" x 5-3/4"	72-475-B9	12" x 5-3/4"

PHILADELPHIA CARBON STEEL TROWELS

Bonimo Pous Philadelphia **Carbon Steel Masonry Trowel**


- High carbon steel
- · Precision ground for balance
- · Professional grade trowel





NARROW LONDON FORGED STEEL TROWELS

NARROW LONDON FORGED STE WENTOW LONDON Forged Steel Masonry Trowel • Forged from a single piece of carbon steel • Will not weaken or crack • Heat tempered for uniform hardness • Hand polished	NEW		KEYSTONE FORGED MASONRY TROWELS BY BON
Wood PART # SIZE 72-512-89 9" x 4-3/16" 72-532-89 10" x 4-1/2" 72-542-89 10" x 4-1/2" 72-552-89 11" x 4-3/4" 72-572-89 12" x 5" 72-582-89 13" x 5-3/8" WIDE LONDON FORGED STEEL Topology	Comfort Wave PART # SIZE 72-519-89 9" x 4-3/16" 72-539-89 10" x 4-1/2" 72-559-89 10" x 4-1/2" 72-559-89 11" x 4-3/4" 72-579-89 12" x 5" 72-589-89 13" x 5-3/8" TROWELS	Plastic PART # SIZE 72-516-B9 9" x 4-3/16" 72-536-B9 10" x 4-1/2" 72-546-B9 10-1/2 x 4-5/8 72-556-B9 11" x 4-3/4" 72-576-B9 12" x 5" 72-586-B9 13" x 5-3/8"	PART # SIZE 72-515-89 9" x 4-3/16" 72-535-89 10" x 4-1/2" 72-545-89 10.1/2 x 4-5/8 72-555-89 11" x 4-3/4" 72-575-89 12" x 5" 72-585-89 13" x 5-3/8"
Wide London Forged Steel Masonry Trowel • Forged from a single piece of carbon steel • Will not weaken or crack • Heat tempered for uniform hardness • Hand polished	NEW		KEYSTONE FORGED MASONRY TROWELS BY BON
Wood PART # SIZE 72-602-89 10" x 5-1/2" 72-612-89 11" x 5-5/8" 72-622-89 12" x 5-13/16" PHILADELPHIA FORGED STEEL 1100000000000000000000000000000000000	Comfort Wave PART # SIZE 72-609-89 10" x 5-1/2" 72-619-89 11" x 5-5/8" 72-629-89 12" x 5-13/16" TROWELS	Plastic PART # SIZE 72-606-B9 10" x 5-1/2" 72-616-B9 11" x 5-5/8" 72-626-B9 12" x 5-13/16"	PART # SIZE 72-605-89 10" x 5-1/2" 72-615-89 11" x 5-5/8" 72-625-89 12" x 5-13/16"
Philadelphia Forged Steel Masonry Trowel Forged from a single piece of carbon steel Will not weaken or crack Heat tempered for uniform hardness Hand polished	NEW		KEYSTONE FORGED MASONRY TROWELS BY BON
Wood PART # SIZE 72-632-89 10" x 5" 72-632-89 11" x 5-7/16" 72-652-89 12" x 5-9/16"	Comfort Wave PART # SIZE 72-639-89 10" x 5" 72-639-89 11" x 5-7/16" 72-659-89 12" x 5-9/16"	Plastic PART # SIZE 72-636-89 10"x5" 72-646-89 11"x5-7/16" 72-656-89 12"x5-9/16"	PART # SIZE 72-635-89 10" x 5" 72-645-89 11" x 5-7/16" 72-655-89 12" x 5-9/16"



6

Square End Carbon Steel Caulking Trowel - Flexible with Comfort Handle - 11-1/2" length overall - 7" long blade - Square end - Tapered for flexibility - Fully ground and polished	Square End Carbon Steel Caulking rowel - Stiff with Comfort Handle • Made from 1/8" flat stock • Square end • Rigid blade	Bon Bound End Carbon Steel Caulking Trowel - Stiff with Comfort Handle - Made from 1/8" flat stock - Round end - Rigid blade
PART # SIZE HANDLE END 21-301 -B9 1/4" Comfort Grip Square 21-300 -B9 5/16" Comfort Grip Square 21-302 -B9 3/8" Comfort Grip Square		
21-302 295 3/3 Comfort Grip Square 21-303 B9 1/2" Comfort Grip Square 21-304 H9 5/8" Comfort Grip Square 21-305 H9 3/4" Comfort Grip Square 21-306 H9 3/4" Comfort Grip Square 21-306 H9 7/8" Comfort Grip Square 21-307 H9 1" Comfort Grip Square	PART # SIZE HANDLE END 21-308 -B9 1/4" Comfort Grip Square 21-309 -B9 3/8" Comfort Grip Square 21-310 -B9 1/2" Comfort Grip Square 21-311 -B9 5/8" Comfort Grip Square	PART # SIZE HANDLE END 21-856 -89 1/4" Comfort Grip Round 21-857 -89 3/8" Comfort Grip Round 21-858 -89 1/2" Comfort Grip Round 21-859 -89 5/8" Comfort Grip Round
Square End Carbon Steel Caulking Trowel - Flexible with Wood Handle - 11-1/2" length overall - 7" long blade - Square end - Tapered for flexibility - Fully ground and polished	Square End Carbon Steel Caulking Trowel - Stiff with Wood Handle • Made from 1/8" flat stock • Square end • Rigid blade	Bon Round End Carbon Steel Caulking Trowel - Stiff with Wood Handle - Made from 1/8" flat stock - Round end - Rigid blade
PART # SIZE HANDLE END 11-251 - B9 1/4" Wood Square 11-252 - B9 5/16" Wood Square 11-253 - B9 3/8" Wood Square		
11-255 B9 1/2" Wood Square 11-255 B9 1/2" Wood Square 11-255 B9 5/8" Wood Square 11-256 B9 3/4" Wood Square 11-257 B9 7/8" Wood Square 11-258 B9 1" Wood Square	PART # SIZE HANDLE END 11-738 -B9 1/4" Wood Square 11-739 -B9 3/8" Wood Square 11-740 -B9 1/2" Wood Square 11-741 -B9 5/8" Wood Square	PART # SIZE HANDLE END 11-856 -89 1/4" Wood Round 11-857 -89 3/8" Wood Round 11-858 -89 1/2" Wood Round 11-859 -89 5/8" Wood Round
SPECIALTY TROWELS Gauging Trowel • Used for gauging fast setting materials and compounds	Bon-more Tile Setting Trowel	Bonareces Round End Coke Trowel
	-	



PART #	SIZE	HANDLE	
12-202 -B9	7" x 3-3/8"	Wood	
81-100 -B9	7" x 3-3/8"	Comfort Grip	

Cross Joint Trowel



11-625 -B9 4-3/4" x 1-3/4" Wood



PART # SIZE HANDLE 21-188 -B9 21-189 -B9 8" x 2" 8" x 2" Wood Comfort Grip Bonewercus Duckbill Coke Trowel - Long

PART # SIZE HANDLE 11-626 -89 10" x 2" Wood

7

MASONRY TOOLS





HANDLE

Plastic

PART #

18-109 -B9

SIZE

5" x 2"

HANDLE

Plastic

PART #

18-108 -B9

SIZE

9-1/2" x 4-1/2"

HANDLE

Plastic

PART #

18-107 -B9


SIZE


5-1/2" x 2-7/8"



MASONRY TOOLS

Bon Single Size Masonry Slicker • Made from tough 1/8" thick plated steel • One end is turned up • 10" long PART # SIZE 11-440-B9 3/16" 11-441-B9 1/4" 11-441-B9 1/4"	Flat Double Size Masonry Slicker • Made from harden high carbon steel • Hot forged and ground • 1/8" thick • Ends are different sizes for different joints • 10-1/2" long	Bon Double Size Slicker • Made from tough 1/8" thick plated steel • 10-5/8" length • Each end makes a different size joint
11-442 -B9 5/16" 11-443 -B9 3/8" 11-444 -B9 1/2" 11-470 -B9 5/8" 11-471 -B9 3/4" 11-472 -B9 7/8" 11-473 -B9 1"	11-482 -B9 1/4" x 3/8" 11-482 -B9 3/8" x 1/2" 11-489 -B9 1/2" x 5/8" 11-490 -B9 5/8" x 3/4" 11-491 -B9 3/4" x 7/8" 11-492 -B9 7/8" x 1"	PART # SIZE 11-551 -B9 1/4" x 3/8" 11-865 -B9 3/8" x 1/2" 11-552 -B9 1/2" x 5/8"
Bon Leather Ball Jointer Holder • Slotted for belt • Rivets	Bon Ball Jointer with Wood Handle . Ball head allows for consistent joint from every angle . No need to change hand position for long strikes . 4-1/2" wood handle with ferrule	Bon Ball Jointer • Ball head allows for consistent joint from every angle • No need to change hand position for long strikes • Compact design fits in pocket • Different joint size on each end
	PART # SIZE	
	21-179 -B9 1/2" 21-180 -B9 5/8"	PART # SIZE 21-183-B9 1/2" x 5/8"
PART #	21-180 -B9 5/8" 21-181 -B9 3/4"	21-183 -B9 1/2" x 5/8" 21-184 -B9 5/8" x 3/4"
15-227-B7	21-182 -B9 7/8"	21-185 -89 3/4" x 7/8"
BULL HORN & SOLID JOINTERS		
BULL HORN & SOLID JOINTERS Bon Stainless Steel Bullhorn Jointer Polished work surfaces One end is tapered Size is measured at the wider end	Bon' Heavyweight Bullhorn Jointer • Forged steel, large at one end, tapered at other • Size is measured at the wider end	Bon [°] ¹ V' and Round Jointer • Makes a 'V' joint with one end and a sunken round with the other • Overall length is 10"
Son Stainess Steel Bulhorn Jointer • Oilshed work surfaces • One end is tapered • Size is measured at the wider end • Official Control of C	Heavyweight Bullhorn Jointer • Forged steel, large at one end, tapered at other • Size is measured at the wider end	• Y and Round Jointer • Makes a 'V' joint with one end and a sunken round with the other
Stainless Steel Bullhorn Jointer • Polished work surfaces • One end is tapered • Size is measured at the wider end • Could be added by the surface of th	Heavyweight Bullhorn Jointer • Forged steel, large at one end, tapered at other • Size is measured at the wider end	Y' and Round Jointer • Makes a 'V' joint with one end and a sunken round with the other • Overall length is 10" • O
Son Stainess Steel Bulhorn Jointer • Oilshed work surfaces • One end is tapered • Size is measured at the wider end • Official Control of C	Heavyweight Bullhorn Jointer • Forged steel, large at one end, tapered at other • Size is measured at the wider end PART # SIZE 11-445 - B7 1/2" 11-446 - B7 5/8" 11-447 - B7 3/4" Bon Solid Half-Round Jointer/Slicker • Solid half round on one end and a flat slicker on the other	Y' and Round Jointer • Makes a 'V' joint with one end and a sunken round with the other • Overall length is 10" • Wakes a 'V' joint with the other • Overall length is 10" • Wakes a 'V' joint with the other • Overall length is 10" • Wakes a 'V' joint with the other • Overall length is 10" • Wakes a 'V' joint with the other • Overall length is 10" • Wakes a 'V' END SIZE 11-467 -87 • 3/8"-3/16" tapered 1/2"-3/16" tapered Bon' Solid Twisted Jointer • Solid half round twisted in the center • Two long-wearing ends the same width





9"


1/2

11-904 -B7

1"

3/8"

Wood



11-781 -B8

1/2"

11'



		Bon
Bon Soft Tipped Flagged Counter Brush • Flagged silver tipped bristles • Bristles are staple set in clear lacquered hardwood block • Hang-up hole in handle • Wood handle	Bon Tampico Fiber Bricklayer's Brush • Medium soft tampico bristles • Versatile bricklayer brush • Wood handle	Bon Horsehair Bricklayer's Brush • Soft 100% horsehair bristles • Versatile bricklayer brush • Wood handle
PART # LENGTH TRIM BRUSH LENGTH 84-155 -B8 13-1/2" 2-1/2" 9"	PART # LENGTH TRIM BRUSH LENGTH 11-219 -B8 13" 2-1/4" 8"	PART # LENGTH TRIM BRUSH LENGTH 11-212-B8 13" 2-1/2" 8"
Bon Straight Handle Wire Brush with Scraper • Ideal brush for cleaning parts or removing paint • 11-1/2" long • 1-1/2" wide wood block	Bon Filing Duster Brush • Use to clean fluted block joints • Wood block • Steel wire bristles	Bon Tampico Masonry Brush • Tampico bristles • Wood handle
PART # L X W TRIM ROWS 11-217 -B8 11-1/2" x 1-1/2" 1-5/8" 4 x 11 MASONRY ACID BRUSHES	PART # L X W TRIM ROWS 11-182 -B8 9-1/4" x 3" 2-5/8" 4 x 8	PART # BLOCK SIZE TRIM ROWS 11-218 -B8 6-1/2" x 2" 4" 5 x 14
Bon Heavy Duty Mason's Acid Brush • White tampico bristles • Acid resistant • Handle sold separately • Uses tapered handle #11-226 or #12-332	Bon Acid Brush • White tampico bristles • #11-225 uses tapered handle • #11-438 uses threaded handle	Son Long Bristle Acid Brush • White tampico bristles • Uses tapered handle #11-226 or #12-332
PART # BLOCK SIZE TRIM ROWS 81-215 - 88 7-1/2" x2-3/4" 2-1/2" 5x17	PART # BLOCK SIZE TRIM ROWS HOLE 11-225 -B8 8-1/4" x 3" 1-1/8" 7 x 18 Tapered 11-438 -B8 8-1/4" x 3" 1-1/8" 7 x 18 Threaded	PART # BLOCK SIZE TRIM ROWS HOLE 11-183 -B8 7" x 2-3/8" 2-5/8" 6 x 11 Tapered Bon Acid Brush Entropic bristles Entropic bristles Entropic bristles • Will accept both threaded & tapered handles Image: Contropic bristles Image: Contropic bristles Image: Contropic bristles • Will accept both threaded & tapered handles Image: Contropic bristles Image: Contropic bristles Image: Contropic bristles • Will accept both threaded & tapered handles Image: Contropic bristles Image: Contropic bristles Image: Contropic bristles • Will accept both threaded & tapered handles Image: Contropic bristles Image: Contropic bristles Image: Contropic bristles • Will accept both threaded & tapered handles Image: Contropic bristles Image: Contropic bristles Image: Contropic bristles • Will accept both threaded & tapered Image: Contropic bristles Image: Contropic bristles Image: Contropic bristles • Will accept both threaded & tapered Image: Contropic bristles Image: Contropic bristles Image: Contropic bristles • Tampic bristles • Tampic bristles • Tampic bristles • Tampic bristles • Tampic bristles <
Bon Heavy Duty Acid Brush • Tampico & Palmyra • Handle sold separately #11-501	Bon Heavy Duty Acid Brush • Tampico bristles • Handle sold separately #11-501	Bon Acid Brush • Tampico fiber • Hardwood block • No hole
HANDLE SOLD SEPARATELY PART # LENGTH WIDTH TRIM 11-389-B8 6-1/4" 2" 3"	HANDLE SOLD SEPARATELY PART # LENGTH WIDTH TRIM 11-213 -B8 6-1/4" 2" 2-3/4"	PART # BLOCK SIZE TRIM ROWS 84-437 -B8 8-1/4" x 2-3/4" 1-1/4" 5 x 16 Bon Acid Brush with Scrubbing Handle • Tampico fiber • Heavy duty handle for rugged Image: Compare the second se



MASONRY TOOLS



PARI #	SIZE	LENGTH	COLOR	
11-135 -B9	#18	250'	Yellow	
11-775 -B9	#18	250'	White	
11-785 -B9	#18	250'	Green	
500'				
PART #	SIZE	LENGTH	COLOR	
11-134 -B9	#18	500'	Yellow	
11-774 -B9	#18	500'	White	
11-784 -B9	#18	500'	Green	
1000'				
PART #	SIZE	LENGTH	COLOR	
11-133 -B9	#18	1000'	Yellow	
11-773 -B9	#18	1000'	White	
11-783 -B9	#18	1000'	Green	

PART # LENGTH COLOR SIZE 11-876 -B9 #18 Neon Yellow 250' 11-879 -B9 #18 250' Neon Orange 11-882 -89 #18 250' Neon Pink 500' PART # LENGTH COLOR SIZE 11-877 -B9 Neon Yellow #18 500' Neon Orange 11-880 -B9 #18 500' 11-883 -B9 #18 500' Neon Pink 1000' PART # SIZE LENGTH COLOR 11-878 -B9 #18 1000' Neon Yellow 11-881 -B9 #18 1000' Neon Orange 11-884 -B9 #18 1000' Neon Pink



PART # 14-168 -B9

LENGTH

90"

WIDTH

3/4"

Bon Mason's • Specially tr • Will not ro • #15 twist	reated to h		ine	Bon EZC Twi • Specially tr • Will not rot • #15 twist	eated to h		Line	Bon Reload Reel™ with Line • Designed with a thumb brake and auto winder • Spins freely to release the twine without twisting or knotting • Patent pending • #18 braided line
TESTED AT 120 LBS.	(TESTED AT 120 LBS.)		
					-			Hand rewind or auto wind
350'				350'				using a power drill/screwdriver
PART #	SIZE	LENGTH	COLOR	PART #	SIZE	LENGTH	COLOR	inserted into slot in bottom of handle
11-132 -B9 11-772 -B9	#15 #15	350' 350'	Yellow White	11-873 -B9 11-874 -B9	#15 #15	350' 350'	Neon Yellow Neon Orange	
11-792 -B9	#15	350'	Green	11-875 -89	#15	350'	Neon Pink	
500.				5001				
500' PART #	SIZE	LENGTH	COLOR	500' PART #	SIZE	LENGTH	COLOR	
PART # 81-207-B9	#15	500'	Yellow	81-196 -B9	#15	500'	Neon Yellow	Notched on top to secure the loose end of the twine
81-205 -B9	#15	500'	White	81-176 -B9	#15	500'	Neon Orange	
				81-186 -89	#15	500'	Neon Pink	500'
1000'				1000'				PART # SIZE LENGTH LINE COLOR
PART #	SIZE	LENGTH	COLOR	PART #	SIZE	LENGTH	COLOR	21-170 -B9 #18 500' White 21-171 -B9 #18 500' Yellow
81-208 -B9	#15	1000'	Yellow	81-195 -89	#15	1000'	Neon Yellow	21-171 -B9 #18 500' Yellow 21-172 -B9 #18 500' Neon Yellow
81-206 -B9	#15	1000'	White	81-175 -B9 81-185 -B9	#15 #15	1000' 1000'	Neon Orange Neon Pink	21-173 -B9 #18 500' Black/White
•#18 twist TESTED AT 165 LBS.				•#15 twist TESTED AT 120 LBS.			D.B	Line Level • Level slides freely on line for easy positioning • Cat eye vial PART # MATERIAL LENGTH 84-178 - B9 Aluminum 3" Bon Plastic
250' PART # 81-187 -B9 81-197 -B9 81 -197 -B9	SIZE #18 #18	LENGTH 250' 250'	COLOR Neon Pink Neon Yellow	185' PART #	SIZE	LENGTH	COLOR	Line Level • Level slides freely on line for easy positioning • Cat eye vial readable from top, side or bottom PART # MATERIAL LENGTH 14-261-89 Plastic 3"
PART # 81-187 -B9	#18 #18 #18	250' 250' 250'	Neon Pink	2014 - C - C - C - C - C - C - C - C - C -	SIZE #15	LENGTH 185'	COLOR White	Line Level • Level slides freely on line for easy positioning • Cat eye vial readable from top, side or bottom PART # MATERIAL LENGTH

Re Ave

QTY/PKG

5


PART #

11-345 -B9




PART #	LENGTH	WIDTH	
14-193 -B9	180'	3/4"	





* C & T items must ship common carrier. T items ship free on qualifying orders.

Bon[®]



PART #



Bon

Jack Line

- · Improve speed and accuracy when building a corner lead
- · Quick and easy to set up and adjust
- · Attach to masonry using the slider adjustment or attach to timber frame using the screws


NEW

· Secure masonry line to provide a guide






PART #	SIZE	
21-266-B8	23" x 12"	







PART #	WIDTH	LENGTH	
1-171 -B7 1-170 -B7	3-1/2" 4"	7" 7"	
mortar joint	ove mortar from		
PART #	WIDTH	LENGTH	-
1-209 -B7	3/16"	10"	
	ching Chise	el	
Used for faci	ng stone		
		el LENGTH 7"	

	1 5110 511
WIDTH	LENGTH
3/4"	12"
	WIDTH 3/4"



2-3/4"

8"

DETAIL B SCALE 1 : 1			
PART #	WIDTH	LENGTH	
11-189 -B7	2-1/2"	7"	
11-190 -B7	3"	7"	

PARI #	WIDTH	LENGIH	
11-189 -B7	2-1/2"	7"	
11-190 -B7	3"	7"	
11-191 -B7	3-1/2"	7"	
11-192 -B7	4"	7"	
1-184 -B7	5"	7"	

old Chisel

Brick Set

The best tool for cutting brick

· Safety head for longer wear

- lsed for cutting, shaping and removing mortar
- leat treated high carbon steel
- Reducing spalling and mushrooming






22

MASONRY TOOLS

Carbide	Tip Chisels	Earbide Hand Point Carbide tips bonded to steel
Carbide tips bonded to st	eel. Chisels can be sharpened with carbide grinding wheel	PART # WIDTH LENGTH STOCK
Comfort Shape Carbide Hand Chisel • Heavy-duty 1-1/4" stock with comfort grip shape • 1-1/4" carbide tip bonded to steel	Bon Comfort Shape Carbide Hand Tracer • Heavy-duty 1-1/8" stock with comfort grip shape • 2" carbide tip bonded to steel	Bon Comfort Shape Carbide Hand Point • Heavy-duty 1-3/8" stock with comfort grip shape • Unique round tip • Carbide tip bonded to steel
PART # WIDTH LENGTH STOCK 21-241 - B4 1-1/4" 8-3/8" 1-1/4"	PART # WIDTH LENGTH STOCK 21-242 - B4 2" 8-3/8" 1-1/8"	PART # LENGTH STOCK 21-240 -B4 8-3/4" 1-3/8"
Carbide Hand Stone Chisel • Carbide tips bonded to steel	Carbide Hand Tracer - Chisel Point Carbide tips bonded to steel	Carbide Hand Set - Blunt Point - For pounding off stone along the edge of a flat, smooth stone - Usually used along a chalk line
PART # WIDTH LENGTH STOCK 11-827 - B4 1/4" 7-1/2" 1/4" 11-828 - B4 1/2" 7-1/2" 1/2" 11-829 - B4 3/4" 7-1/2" 3/4"	PART # WIDTH LENGTH STOCK 11-835 -B4 1-1/2" 6-3.4" 3/4" 11-836 -B4 2" 8-1/2" 1" 11-837 -B4 3" 8-1/2" 1-1/8"	PART # WIDTH LENGTH STOCK 11-831 -B4 1-1/2" 7-1/2" 7/8" 11-832 -B4 2" 8-1/2" 1" 11-833 -B4 2-1/4" 9" 1-1/8" 11-834 -B4 3" 9" 1-1/8"
HAND CHISELS Bon Hand Chisel • Used to chisel off high spots or edges on stone or to trace lines on stone	Bon Hand Tracer - Chisel Point - Split stone or score before trimming	Bon Hand Set - Blunt Point - For pounding off stone along the edge of a flat, smooth stone - Usually used along a chalk line
PART # WIDTH LENGTH STOCK 11-956 - B4 1/2" 7-1/2" 1/2"	PART # WIDTH LENGTH STOCK 11-959 - B4 1-1/2" 8-1/4" 1-1/8"	PART # WIDTH LENGTH STOCK
11-957 -B4 3/4" 7-1/2" 3/4" 11-958 -B4 7/8" 7-1/2" 7/8"	11-960 -B4 2" 8-1/4" 1-1/8" 11-961 -B4 2-1/2" 8-1/4" 1-1/8"	11-962 -B4 1-1/2" 8-1/4" 1" 11-963 -B4 2" 8-1/4" 1"
BRICK BOLSTERS Bon Protective Grip Brick Bolster • Plastic grip has finger grooves for comfort PART # WIDTH LENGTH	Bon' Rubber Grip Brick Bolster • Slip resistant grooves for comfort • 5" long handle	Bon Brick Bolster • Forged from hardened and tempered steel • Precision tip allows for quick, clean cuts
11-589 - B7 3" 9" 11-204 - B7 4" 9" 11-913 - B7 Replacement Grip	PART # WIDTH LENGTH 11-383 -B7 4" 9"	PART # WIDTH LENGTH 11-860 - B7 3" 9" 11-861 - B7 4" 9"





MASONRY TOOLS

Ron

BON PRO PLUS Solid Steel Brick Hammer

- · Head and shaft are forged in one piece from high
- carbon steel · Popular head design is fitted with a contoured
- non-slip vinyl grip · Pull apart capacity exceeds ANSI specification:
- B173.6 · Face and cutting edge are tempered for extra strength

IT #	SIZE	HANDLE	-
14 -B9	20 oz.	Steel	

	•.		
-			

PAR 11.3

Bon **Fiberglass Handle Brick Hammer**

· Shatter resistant fiberglass handle with plastic coating is permanently bonded to forged alloy steel hammer head · Head is heat treated to hold an edge and provide



PART #	SIZE	HANDLE	
11-307 -B9	18 oz.	Fiberglass	
11-308 -B9	24 oz.	Fiberglass	

BOD TRADE TOUGH

Brick Hammer

· Forged steel head



PARI #	SIZE	HANDLE	
21-357 -B9	18 oz.	Wood	
21-358 -B9	24 oz.	Wood	
21-409 -B6	Replacement	nt Handle for #21-357, #11-311	
21-410 -B6	Replacement	nt Handle for #21-358, #11-312	

Estwing 7

Mason Hammer with End Cap

- · Head and shaft are forged from one solid piece
- · Nylon vinyl shock reduction grip
- · Tough nylon end cap molded into grip



Bon

Steel City" Brick Hammer

· Edges are ground and heat treated to the preferred chamfer · Equipped with a shock absorbent hickory handle · High carbon steel head is polished



PART #	SIZE	HANDLE	10.00
11-315 -B9	18 oz.	Wood	
11-316 -B9	24 oz.	Wood	
21-413 -B6	Replacement	Handle for #11-315	
21-414 -B6	Replacement	Handle for #11-316	

VAUGHAN

Solid Steel Brick Hammer

· Head and shaft are forged from one solid piece · Highly polished striking head, sides and blade · Cushion grip handle



PART #	SIZE	HANDLE	MODEL	
11-532 -B6	18 oz.	11" Steel	ABL-18	
11-967 -B6	24 oz.	11" Steel	ABL-24	

Estwing 7

Big Face Brick Hammer

- · Large smooth face hammer
- · Bonded and molded shock reduction grip
- · Head and handle forged in one piece and fully polished
- · Nylon end caps



Bon **Stainless Steel Wide Bit Brick** Hammer Extra-wide 2-1/4" bit · Forged one piece stainless steel



PART #	SIZE	HANDLE	
70-107 -B9	20 oz.	Wood	

BON PRO PLUS

Mason's Hammer

· Forged steel head is fitted with a hickory wood handle



PART #	SIZE	HANDLE	_
PANI#	SIZE	NANULC	
11-311 -B9	18 oz.	Hickory	
11-312 -B9	24 oz.	Hickory	
21-409 -B6	Replaceme	nt Handle for #11-311, #21-357	
21-410 -B6	Replaceme	nt Handle for #11-312, #21-358	

MUGHAN

Coated Edge Brick Hammer

· A special tungsten carbide coating is applied by an electronic process to the blade edge



PART #	SIZE	HANDLE	MODEL
11-528 -B6	16 oz.	11" Hickory	BL-16TC
11-529 -B6	24 oz.	11-1/2" Hickory	BL-24TC
11-595 -B6	Replacem	ent Hickory Handle fo	r #11-528
11-596 -B6	Replacem	ent Hickory Handle fo	r #11-529

Estwing 3

-

Nylon Sheath

· Heavy duty blue nylon

· Fits Estwing brand blue handled chisel edge mason hammers (Bon #11-357; #11-358)



PART #	SIZE	MODEL	
71-487 -B7	12"	24	






PART #	SIZE	HANDLE	
11-171 -B9	2 lb.	Hickory	
11-177 -B9	3 lb.	Hickory	
11-317 -B9	4 lb.	Hickory	
11-810 -B6 [^]	Replacement	Handle	

Scaling Hammer

- · Handy multi-purpose hammer
- · Both ends are tempered and sharp for the most efficient performance
- · Used to clean off mortar and refinish old bricks



PART #	DETAIL		
11-779 -B9	Scaling Hammer		
21-411 -B6	Replacement Wood Handle for #11-779		



Bon

PART #

PART #

84-560 -B7

11-680 -B7

11-493 -B9

Estwing 7

Prospector Pick

Steel Mash Hammer

· Finely forged, beveled edge and polished face

SIZE

3 lb.

· Flat sharp face is used for splitting rock

· Point end is used to delve into structure

SIZE

14 oz.

22 oz.

HANDLE

11" Steel

13" Steel

MODEL

E3-14P

E3-22P

HANDLE

Steel

One piece construction

· Nylon cushion grip

Garland" **Rawhide Face Mallet**

- · Expertly crafted from the highest quality rawhide
- · Will not scar, dent or mar surface
- · Solid impact with no rebound
- · Faces are replaceable (sold in pairs)

PART #	SIZE	HANDLE	FACE
11-363-B6	2-3/4 lb.	Wood	1-3/4" Dia.
11-364-B6	4 lb.	Wood	2" Dia.
71-519-B6	6-1/2 lb.	Wood	2-3/4" Dia.
11-365-B6	1-3/4" Repl	acement Face for	#11-363 (pair)
11-366-B6	2" Replacer	nent Face for #11	-364 (pair)
71-551-B6	2-3/4" Repl	acement Face for	#71-519 (pair)

Garland"

71-5

- **Urethane Face Mallet** · Solid wood handle is balanced for
- easy gripping and better control · Faces are replaceable (sold in pairs)
- · 33 shore D scale
- PART # 71-52 71-52

-				
	SIZE	HANDLE	FACE	
86	2-3/4 lb.	Wood	1-3/4" Dia.	

27 -B6	2-3/4 lb.	Wood	1-3/4" Dia.	
28 -B6	4 lb.	Wood	2" Dia.	
59 -B6	1-3/4" Repl	acement Face	for #71-527 (pair)	
60 -B6	2" Replacer	ment Face for #	71-528 (pair)	

Estwing 7

- **Mash Hammer**
- · One piece construction
- · Nylon, vinyl cushion grip
- · Finely forged, beveled edge and polished face



PART #	SIZE	HANDLE	MODEL
11-403 -B7	2 lb.	Steel	B3-2
11-404 -B7	3 lb.	Steel	B3-3
11-405 -B7	4 lb.	Steel	B3-4

Estwing 7

- **Rock Pick with Pointed Tip**
- · Leather grip
- · 12-1/2" long



Garland™

Hammer Faces for Garland Mallet

- Faces fit all Garland hammers
- · Faces are replaceable and interchangeable on Garland hammers




2"

71-565-B6 Garland"

Gar-Dur[™] Plastic Face Mallet

Gar-Dur

- · Solid wood handle is balanced for easy gripping and better control
- · Faces are replaceable (sold in pairs)
- · 67 shore D scale





Garland" Weighted Rawhide Mallet

- · Made of tough, long-wearing water buffalo rawhide
- · Contains lead to apply extra force on strikes
- · Multi use applications for broad-faced striking

PART #	SIZE	HEAD SIZE	MODEL
71-510 -B6^	20 oz.	3-1/2" x 2" Dia.	11010
71-511 -86^	40 oz.	4-1/4" x 2-3/4" Dia.	11011

Garland[™]

Solid Head Hammer with Rawhide Face

- · Face made of tough, long-wearing water buffalo rawhide · Provide controlled, non-marring blows for use on steel, iron, brass, aluminum and other soft materials
- · Designed for general purpose applications




PAKI #	SIZE	HEAD SIZE	MODEL	
71-515 -B6	4 lb.	5-1/4" x 2" Dia.	41004	
71-516 -B6	6-1/4 lb.	5-5/8" x 2-3/4" Dia.	41005	

Bon

Rubber Face Paver Hammer

- · Non-marking square-shaped white rubber head
- · Ideal for setting pavers or wall units
- · Steel head covered with
- long lasting rubber · Wood handle



PART # SIZE FACE SIZE HANDLE 21-804 -B8 4 lb. 2-3/4" 8-1/2" Wood

RU	BB	ER	MAL	LET.	s
-					

Bon White Rubber Mallet

- · Top quality rubber mallet with flame-hardened 13" wood handle
- · White rubber will not mark hardscape material · Perfect for knocking down metals



PART #	SIZE	HANDLE
14-477-B6	28 oz.	13" Wood

HALDER

Mallets and Sledge with Interchangeable Rubber & Plastic Faces

- · Cast iron head housing
- Wood handle
- · Color coded heads:
- Red: Hard plastic, Black: Medium hard rubber, White: Medium hard super plastic heads







Paver Mallet

			MODEL	
4 lb.	2-3/8" (Blk/Red)	13" Wood	3026.060	
2-3/8" Repl	lacement Black Rubber H	Head	3202.060	
2-3/8" Repl	lacement Red Plastic He	ad	3206.060	
2	-3/8" Rep	-3/8" Replacement Black Rubber I	Ib. 2-3/8" (Blk/Red) 13" Wood -3/8" Replacement Black Rubber Head -3/8" Replacement Red Plastic Head	-3/8" Replacement Black Rubber Head 3202.060

PART #	SIZE	DETAIL	FACE	LENGTH	MODEL	
21-974 -B6	7 lb.	HD Mallet	3-1/8" (Blk/Wh)	19" Wood	3027.080	
21-971 -B6	8 lb.	Sledge	3-1/8" (Blk/Wh)	31" Wood	3027.081	
21-973 -B6	3-1/8" R	eplacement B	lack Rubber Head	i	3202.080	
21-972 -B6	3-1/8" R	eplacement V	Vhite Plastic Head	1	3207.080	

	Extension and hand	ce Hamn collars transf e breakage y hardwood h	fer shock to m	ore handle su	h Rawhide Face rface, reducing user fatigue has fiberglass handle
	PART #	SIZE	FACE	LENGT	TH MODEL
	37-745 -B6	3-1/4 lb.	1-3/4"	12-3/4"	587-14
	37-746 -86	4-1/2 lb.	2"	13-3/4"	587-16
200	37-747 -B6	7-1/2 lb.	2-3/4"	15-3/4"	587-22
	Sledge				
-	PART #	SIZE	FACE	LENGTH	MODEL
	37-748 -B6	8 lb.	2-3/4"	36"	587-24
-	-	-			
.0					~

Thrifty Bon White Rubber Mallet · Wood handle



Bon **Rubber Mallet**


- · Top quality rubber mallets with flame-hardened wood handle
- · Perfect for knocking down metals



PART #	SIZE	HANDLE	
84-581 -B9	16 oz.	12" Wood	
15-220 -B9	24 oz.	13" Wood	

PART #	SIZE	FACE	LENGTH	MODEL	
21-968 -B6	4 lb.	2-3/8" (Blk/Red)	13" Wood	3026.060	
21-969 -B6	2-3/8" Replacement Black Rubber Head			3202.060	
21-970 -B6	2-3/8" Rep	lacement Red Plastic He	ad	3206.060	

leavy	Duty	Paver	Mallet	&	Wall	Unit	Sledg
-------	------	-------	--------	---	------	------	-------



MASONRY TOOLS



		DVII
Bon Brick Grid Use this grid to lay brick walkways, patios and driveways Uses standard size brick (approx. 8" x 4") Sold in packages of 10 (approx. 20 sq. ft.)	Bon Keystone™ Straight Tines Wall Unit Lifter • 16" long • Sold in pairs	Bon Keystone™ Angled Tines Wall Unit Lifter • 16" long • Sold in pairs
PART # SIZE QTY/PKG 11-846 -86 17" x 17" 10	PART # TINES LENGTH QTY/PKG 11-395 -B9 Straight 16" 2	PART # TINES LENGTH QTY/PKG 11-396 -B9 Angled 16" 2
Bon' Wall Unit Lifter • When lifted, the hinged handle locks onto wall unit for easier moving	Bon Wall Unit Tongs • Tubular tong designed to carry concrete wall units	Bon Heavy Duty Block Tongs • Rubber pads add extra "grip" to block • Stabilizer plate keeps heavy blocks from twisting
		F
PART # SPACING 11-384 -B9 11-3/4" 21-164 -B9 12-3/32"	PART # SPACING 11-373 -B9 12-1/2" to 17"	PART # SPACING 21-468 -B9 8-1/2" to 15"
LANDSCAPE DOLLIES	12-1/2 10 11	
 For transporting all types of pavers on the building site For transporting all types of pavers on the building site Reinforced cross-brace handles prevent twisting Adjustable clamping width without tools Foot bar for better leverage Can be used for non-palleted block 		Bon Tree Dolly • Dual handle design for maximum control transporting large, heavy items • Features 3/4" axle and 1-1/4" tubing for extra durability • 15" turf tread, pneumatic tires
GRIP BLOCK GRIP PART # WIDTH HEIGHT LENGTH CAPACITY 21-470-C5* 22-1/2* -35" 27-1/2" 7-3/4" 440 lb. TIMBER TIE MOVING TOOL S 5 5 5 5 5 5		PART # SCOOP SIZE CAP. W X H 84-866 -C5* 23"W x 19"D 1500 lb. 38" x 57"
TIMBER TIE MOVING TOOLS Bon Timber Tongs • Can be used by two people to clamp and carry logs and timber	Bon' Tie Tongs - Can be used by one person to clamp and carry railroad ties	Bon' Heavy Duty Tree/Rock Cart Holds up to 24" root ball Utility tray has easy on/off design Designed to move trees, shrubs and rocks with ease Heavy duty pneumatic tires with roller bearings and grease zerk fittings

* C & T items must ship common carrier. T items ship free on qualifying orders.

Ron

Bon **Paver & Brick Buster**

- · Cuts bricks and pavers
- · Cutting blade is 10" wide

PART #

84-874 -C2*

CAPACITY

1500 lbs.

- · Height is adjusted with 3-position removable pin and adjustment screw for fine adjustments
- · Hardened cutting blade has three cutting edges to provide longer life

Bon **Block Buster**


· Designed to cut pavers, retaining wall units, and blocks · Handle locks in position for easy moving at the jobsite



Bon **Paver & Wall Cap Splitter**

- · Maximum cutting leverage
- · Center screw with ball grip adjusts from 1-3/16" to 4" · Self leveling upper cutting head floats for proper contact with wall unit
- . The cutting deck is built low to the ground for safe material loading and comfortable use
- · Hardened steel cutting blades have 3 cutting edges
- and can be quickly changed on the job site · Equipped with wheels for easy moving





PART #	JAW CAPACITY	WEIGHT LOAD
21-215 -B5	19-3/8" to 39-3/8"	330 lbs.


JAW CAPACITY WEIGHT LOAD 21-216 -85 3-1/8" to 14-1/2" 110 lbs

PART #

















Rugged 14 gauge steel engine covers with punched ventilation for increased cooling

Malessien

Mortar Mixers

· Cast iron paddle arms with rubber blades for a clean, uniform mix

· Heavy duty safety grate with built in bag cutter Steel drum

7 Cu. Ft. Mortar Mixer

PART #	ENGINE	MODEL	
35-212 -C2*	1.5 HP Electric 115/230V	EM70SE	
35-213 -C2*	4.8 HP Honda	EM70SH5	
35-214 -C2*	7.8 HP Honda	EM70SH8	

9 Cu. Ft. Mortar Mixer

PART #	ENGINE	MODEL	
35-215 -C2*	3 HP Electric 230V	EM90SE	
35-216 -C2*	7.8 HP Honda	EM90S48	

Mortar Mixers

+4.80 x 12 (20" diameter) high speed

- · Extendable axle (34" to 46")
- Steel drum

6 Cu. Ft. Mortar Mixer

1-1/2 - 2 bag capacity

PART #	ENGINE	MODEL	
11-541 -C2*	1.5 HP Electric 115/230 V	68012	
11-570 -C2*	7.9 HP Honda GX240	60216	

8 Cu. Ft. Mortar Mixer

·2-1/2 - 3 bag capacity

PART #	ENGINE	MODEL	
11-973 -C2*	2 HP Electric 115/230 V	68019	
11-971 -C2*	7.9 HP Honda GX240	68020	



PART #	ENGINE	MODEL	
35-188 -C2*	1 HP Electric 115/230V	WM45E	
35-189 -C2*	4.8 HP Honda	WM45H	

Ma WHITEMAN

Mortar Mixer Replacement Parts

PART #	DETAIL	FITS	MODEL
50-440 -B2	Rubber Blade Set	4.5 cu. ft.	8000-008
50-442 -B2	Rubber Blade Set	6.3 cu. ft.	25647-502
50-441 -B2	Drum Bearing (ea)	4.5 cu. ft.	33177-001
50-443 -B2	Drum Bearing (ea)	6.3 cu. ft.	20561-001


Ma WHITEMAN Ma ESSICK

PART #	DETAIL	FITS	MODEL
50-444 -B2	Rubber Blade Set	7 cu. ft.	EM203010
50-445 -B2	Rubber Blade Set	9 cu. ft.	EM200863
50-443 -B2	Drum Bearing (ea)	7, 9 cu. ft.	20561-001

Mortar Mixer Replacement Parts

PART #	DETAIL	FITS	MODEL
11-558-B2	Rubber Blades for steel drum	4 cu. ft.	22112
11-559-B2	Rubber Blades for steel drum	6, 7, 8, cu. ft.	21047
11-560-B2	Rubber Blades for steel drum	10 cu. ft.	21019
14-998-B2	Ball Hitch Tow Bar for	6, 8, 12 cu. ft.	68060
14-999-B2	2" Tow Ball		n/a
50-180-B2	Bearing for Drum (one end)	6, 8, cu. ft.	32003
50-181-B2	Seal Set for Drum (one end)	6, 8, cu. ft.	22620
50-182-B2	Bearing Seal Set (one end)	6, 8, cu. ft.	22153
50-184-B2	Pillow Block Bearing	6, 8, cu. ft.	32208
50-185-B2	Shaft for Pinion	6, 8, cu. ft.	22509
50-186-B2	Pinion Gear	6, 8, cu. ft.	23121
50-183-B2	Trunion - one end of drum	6, 8, cu. ft.	24021-2
50-187-B2	Paddle Shaft	6 cu. ft.	22336
11-798-C2*	Honda Engine with Gear Redu	ction Box	30155







11-409 -B7

36" x 24"

8"

3.5 cu. ft.

11-407 -B7

26" x 20"

6-1/2"

1.5 cu. ft.



PART #

LXW

6"

1 cu ft

34-333-B7 25" x 18"

Brick & Tile Wheel Barrow Made from seasoned hardwood Full 3/4" thick bed and dash boards Legs are made from steel channel Tires equipped with zerk fittings Bed size is 24" x 24" Ships UPS unassembled



Single Wheel Models

PART #	TIRE	HANDLE
11-305 -B5	16" 4-Ply Knobby	Wood
28-712 -B5	16" 4-Ply Ribbed	Wood
28-710 -B5	16" Flat Free	Wood
28-912 -B5	16" 4-Ply Knobby	Steel
28-914 -B5	16" 4-Ply Ribbed	Steel
28-916 -B5	16" Flat Free	Steel

Double Wheel Models

PART #	TIRE	HANDLE
11-660 -B5	16" 4-Ply Knobby	Wood
28-713 -B5	16" 4-Ply Ribbed	Wood
28-711 -B5	16" Flat Free	Wood
28-913 -B5	16" 4-Ply Knobby	Steel
28-915 -B5	16" 4-Ply Ribbed	Steel
28-917 -B5	16" Flat Free	Steel

BRICK TONGS

BONPHOPLUS

Brick Tongs

- Built for long, rugged service
- Designed so it won't damage brick
- Adjusts from six to eleven bricks



PART #	BRICK CAPACITY
11-309 -B9	6-11

Bon

Round Tube Brick Tongs • Heavy duty welded steel construction with 1" O.D. tubular curved handle • Adjusts from six to ten bricks



11-290 -89 6-10

Bon Square Tube Brick Tongs with Grip • Rubber hand grip • Adjusts from six to ten bricks


Thick Reinforced Dash

Available in Wood or Steel Handles



PART # BRICK CAPACITY 11-306 -B9 6-10

Bon Brick & Clay Pipe Carrier • Arms are inserted in cores of bricks or clay pipe



PART # BRICK CAPACITY 11-278 -B9 1-11 Bon Square Tube Brick Tongs • Adjusts from six to eleven bricks • Square tubular design



Double Bolted Nose Piece

PART #	BRICK CAPACITY	
11-295 -B9	6-11	

Bon

Leg Stabilizer

Mortar/Plaster Hod

- · Heliarc welded with riveted reinforcing at the lip
- All aluminum
- 48" hardwood handle included



BONPHO PLUS Mortar Buggy

- · Heavy duty, 11 gauge, reinforced steel construction · Both ends are sloped for easy shoveling from either side
- Two swivel and two fixed wheels for narrow turning radius

6.5 Cu. Ft. Model

PART #	LXW	DEPTH	TIRE
11-679 -C5*	37-3/4" x 22"	15-1/4"	8" Solid Rubber
11-682 -C5*	37-3/4" x 22"	15-1/4"	10" Pneumatic
11-677 -C5*	37-3/4" x 22"	15-1/4"	10" Semi-Pneumatic

10 Cu. Ft. Model

PART #	LXW	DEPTH	TIRE
11-788 -C5*	44" x 24"	24"	8" Solid Rubber
11-787 -C5*	44" x 24"	24"	10" Pneumatic
11-789 -C5*	44" x 24"	24"	10" Semi-Pneumatic



BONPROPLUS

Forklift Mortar Tub

· Continuous welded seams

 Made from 11 gauge steel · Folded lip for extra strength BOD PLUS BON PLUE 6.5 Cu. Ft. Model LENGTH PART # WIDTH DEPTH 11-675 -C5* 15-3/8 40' 24 #11-675 10 Cu. Ft. Model LENGTH PART # WIDTH DEPTH 11-694 11-694 -C5* 59" 24" 18" BONPHOPLUS Bonesseus Bonenneus Pro Plus™ Mortar Tub for Forklift Pro Plus[™] Mortar Tub for Crane Lifting **Brick & Block Cart** NEW Three molded in leas for use with forklifts · Versatile model with handles welded in above and below the · For packaged brick, block or tiles · Non-stick interior has no internal pockets where mortar frame for extra strength One person can could lodge · Has integrated forklift locations on both sides handle 100 bricks Durable and long lasting
 Manufactured from medium density polyethylene · Manufactured from medium density polyethylene, UV stabilized • 35" wide · Equipped with four 10" tires · UV stabilized · Heavy duty design Bon BOR PART # LXW DEPTH CAPACITY PART # LXW DEPTH CAPACITY 21-226 -C5* 49" x 36" 22" 8-1/2 cu. ft. 21-237 -C5* 42" x 30" 22' 8-1/2 cu. ft. BON PRO PLUS BON PRO PLUS Pro Plus™ Mortar Buggy Wheels/Casters for Mortar Buggy #11-599 · Designed with three molded in legs for use with forklifts · Non-stick interior with no internal pockets · Medium density polyethylene, UV stabilized Two fixed and **Brick & Block Cart** two swivel DETAIL TIRE PART # casters 11-600-T5* Cart with Brick Tines 10" Pneumatic · 8-1/2 cu. ft. capacity 21-398-T5* Cart with Brick Tines 10" Flat Free #14-694 #15-303 #14-692 11-601-T5* Cart with Block Tines 10" Pneumatic

R	epl	ac	em	ent	Par	ts
---	-----	----	----	-----	-----	----

21-399-T5*

PART #	DETAIL	QTY/PKG
11-602-B5	7-1/2" Brick Tines	2
11-599-B5	11-1/2" Block Tines	2
50-246-B5	10" Pneumatic Rim/Tire	1
50-255-B5	10" Flat Free Rim/Tire	1
50-304-B5	Inner Tube for 10" Tire	1

Cart with Block Tines

10" Flat Free

21-198-C5* 49" x 36"

DEPTH PART # LXW TIRE 21-197-05* 49" x 36" 22" 8" Solid Rubber 21-196-C5* 49" x 36" 22" 10" Pneumatic

22"

10" Semi-Pneumatic

PART #	TIRE	DETAIL
15-304-B5	8" Solid Rubber	Rigid
15-303-B5	8" Solid Rubber	Swivel
14-693-B5	10" Pneumatic	Rigid
14-694-B5	10" Pneumatic	Swivel
14-691-B5	10" Semi-Pneumatic	Rigid
14-692-B5	10" Semi-Pneumatic	Swivel

BONPHOPLUS

- **Heavy Duty Rubber Pail** · Molded pails will not crush, rust, dent, leak or chip
- · Resists heat and cold, lime, acids, salt, water, fuels, grease and chemicals

Kon





Without Pouring Lip

PART #	WIDTH	DEPTH	CAPACITY
84-902 -B7	11"	8"	8 qt.
84-903 -B7	11"	9"	10 gt.
84-904 -B7	12"	10"	12 gt.

Flat Side Wall Bucket

- · Endures heavy use
- · Resists chemicals, grease, oil, salt water and weathering · Flat-side design allows adequate leg clearance



Anti-Hydro[™] Admixture

- · Add to portland cement to make concrete and mortar impermeable
- · Chemically increases the hydration

SIZE

1 gal.

5 gal.

- · Minimizes crazing
- · Increases compression and tensile strength



With Pouring Lip

PART #	WIDTH	DEPTH	CAPACITY
84-905 -B7	12"	10"	12 gt.
84-906 -B7	14"	11-1/2"	18 qt.

BONPHOPLUS **Rubber Utility Tub**

- · Resists heat, cold and most chemicals
- 15 gallon capacity
- · Widths shown at top and bottom



PART #	WIDTH	DEPTH	CAPACITY
34-204 -B7	26"/21"	10"	15 gal.

Freeze Stop

- · Multi-purpose admixture for use with Portland cement/lime mortar and prepared masonry mortars and non-reinforced concrete
- · Special formulation combines a calcium chloride with powerful wetting agent
- · Permits masonry to bear loads sooner



- · Minimizes shrinkage
- · Significantly reduces efflorescence SIZE

5 gal.

Bon Mixing B • 15 gallon pl • Specially de for added c • Lid and clan included	astic signed hand omfort and (Bon	
PART # 22-816 -B9	WIDTH 12-3/4"	DEPTH 24"	CAPACITY 15 gal.	
	tic bucket wi d the top to when carrying ll thickness f ength ints, coating nts, varnishe tings and m	prevent g for s, es,		The second
PART # 84-231 -88 84-232 -88	DETAIL 5 Gallon Buc	ket		-

84-231 -B8 84-232 -B8 Lid 84-233 -B8 Lid with Pouring Spout

Tile Tub Water Heater

- · Portable immersion type water heater
- 11-1/2" maximum depth suitable for buckets
- · Auto shut-off when not submersed in water
- · Heats 1 gallon of water to 90° F in 10 minutes



PART # SIZE 87-106 -B5

11-1/2" max depth

L.P. Gas Flame Burner

- · Perfect for melting ice build up, thawing pipes in frozen ground and heating work areas
- · Comes with a brass needle valve, ten feet of hose, and a fitting with built in excess flow valve
- · Propane tank not included



PART #	BTU	
14-636 -B7	200,000	
14-637 -B7	500.000	

NEW · Electric UL rated;

Bon

strengths


PART #

21-195 -B6















MASONRY TOOLS

C & T items must ship common carrier. T items ship free on qualifying orders.



RGC

Mason's Track Platform Hoist

- Industry-proven for reliability, portability and versatility
- · Rugged enough to handle tons of material a day, with single payloads of up to 400 lbs.
- · Gas and electric driven power units are designed for safe, one-hand operation
- · High-strength aluminum extruded track provides years of service with minimum maintenance
- . Three section sizes allow assembly of up to 44 ft. (Must use ladder support)
- Track sections are joined with splice plates, bolts and lock nuts
- · No special tools required
- · 110V electric platform hoist will save labor and increase production

PART #	LENGTH	ENGINE	SECTIONS	MODEL
14-194 -C2*	16'	4 HP B&S	16'	0455000
14-180 -C2*	16'	4 HP Honda	16'	0455004
14-195 -C2*	16'	1-1/2 HP Electric	16'	0455003
14-197 -C2*	28'	4 HP B&S	16', 8',4'	0455001
14-182 -C2*	28'	4 HP Honda	16', 8',4'	0455006
14-196 -C2*	28'	1-1/2 HP Electric	16', 8',4'	0455005
14-199 -C2*	44'	4 HP B&S	16', 16', 8',4'	0455002
14-203 -C2*	44'	4 HP Honda	16', 16', 8',4'	0455008
14-198 -C2*	44'	1-1/2 HP Electric	16', 16', 8',4'	0455007

44'Length includes telescoping ladder support (50-338)

Replacement Parts

PART #	DETAIL	MODEL
50-240 -B2	Engine- B & S (4 HP)	0413083
50-141 -B2	Engine- Honda (4 HP)	0413222
50-241 -B2	Engine- Electric (1-1/2 HP)	0401374
50-335 -B2	Top or Platform Sheave (Pulley)	7303600
50-336 -B2	Cable with Thimbles	7304300
50-338 -C2*	Telescoping Ladder Support	0400540
50-138 -B2	Platform Wheel 1-7/8"	0404811
50-139 -B2	Trolley Wheel 2-1/4"	0404810
50-140 -B2	Guide Wheel 1-1/4"	0404804
50-142 -B2	Brake Rope	0462501
50-168 -B2	Splice Plate Kit	0482800
50-169 -B2	Shoe Kit	0401498

#50-336

#50-335

#50-142

#50-139

#50-169

#50-168

#50-138

#50-140



- Over 20% lighter than competitor ladders
- Large foot pads with transverse tread pattern for greater stability in all directions
- Large hinge rivet cross sectional area and large hinge for durability
- · Rung tread pattern for better slip resistance
- · 300 lb. capacity
- ANSI duty rating: Type IA

	A-FRAME	EXTENSION
PART #	MIN/MAX	MIN/MAX
44-101 -B5	4' to 7'	9' to 15'
44-102-T5*	5' to 9'	11' to 19'

RGC

Plywood Carrier Attachment

· Designed for use on the 400 lb. model Platform Hoist



PARI #	MODEL	
14-227 -B2	0400561	

RGC

Gravel Hopper Attachment

Designed for use on the 400 lb. model Platform Hoist
 Telescope Support

must be installed when using the Gravel Hopper regardless of track length



PART #	MODEL	
14-228 -C2*	0400558	


RGC

Platform Hoist Replacement Tracks



PART #	DETAIL	MODEL
14-231 -B2	4 Ft. Track Section with Splice Plate	0400555
14-230 -C2*	8 Ft. Track Section with Splice Plate	0400554
14-229-C2*	16 Ft. Track Section with Splice Plate	0400553
14-233 -C2*	16 Ft. Track Section with Shoes	0405552





Husqvarna

14" Concrete Cutoff Saw - K770

- All round cutter equipped with semi-automatic Smart-Tension™
- · Reliable start and exceptionally low vibration
- 2-stroke gas powered engine (50:1 gas/oil mix)
 Blade shaft 4700 RPM



PART #	POWER	BLADE	CUT DEPTH	MODEL
82-792 -B2	5 HP	14"	5"	967682101

Husqvarna

16" Rapid Cut Saw - K970

- Powerful handheld power cutter with revolutionary X-Torq engine technology
- · Cuts close to walls or ground
- Reduced vibration
- · Adjustable handle
- 5.71 cu inch (93.6cm³⁾ cylinder displacement



PART #	POWER	BLADE	CUT DEPTH	MODEL
76-216 -B2	6.5 HP	16"	6"	967348101

Husqvarna

Ring Saw - K970

- · Cuts holes in alteration, renovation and new construction work
- · Adjustment of window and door openings
- · Pipe cutting for insulation work
- · Cutting depth of 10", twice the depth of traditional power cutter
- Efficient vibration and sound dampening make the machine more convenient to use



PART #	POWER	BLADE	CUT DEPTH	MODEL
82-298-B2	6.5 HP	14"	10"	967272301
82-299-B2	Blade for Hard Mat		i Concrete -	587344701
82-300-B2	Blade for Soft Mate		Concrete -	587344401

MULTIQUIP Compact Masonry Saw - MP3

- Compact, lightweight and powerful
- Precision cuts for a wide variety of materials including
- brick, block, pavers, stone, terra cotta and roofing tile
- Chop saw design
- · Optional wet-cutting kit sold separately



PART #	POWER	BLADE	CUT DEPTH	MODEL
35-113-C2*	2.5 HP	14"	5"	MP3
35-121-B2	Water Kit (MS3WK		
35-122-B2	Saw Stand			MS3SS

Husqvarna

Super Heavy Duty Masonry Saw - MS510

- · Durable steel water pan
- · Wood skids that dampen vibration
- Wide safety foot pedal for full operator control and safety
 Patented Sta-Level blade guard and guick-mount
- solid cutting head for precise sawing • Oversized heavy duty blade shaft and bearings
- Includes 16" x 21" cutting table
- · Blade sold separately

			CUT		
PART #	POWER	BLADE	DEPTH	MODEL	
11-504 -C2*	5 HP Electric-208V	14"	5"	966006603	
11-503 -C2*	5 HP Electric-208V	20"	8'	966006604	

Husqvarna

Portable Masonry Saw - MS360

- One of the few saws that has bearings that are lifetime sealed and don't require greasing
- Durable steel water pan, powder coat paint that resists rust and scratches and a solid cast aluminum cutting cart with bonded rubber surface to grip material
- Includes Super Premium 14" diamond blade



PART #	POWER	BLADE	CUT Depth	MODEL
76-219 -C2*	1.5 HP Electric	14"	5"	967285201
76-218 -C2*	4.8 HP Gas (Honda)	14"	5"	967318201
76-217 -B2	Saw Stand (Sold Se	parately)		585581601







Ron

Bon

Laser Welded Diamond Blades

- · Specially designed "Mason Bond" for cutting brick, block & pavers
- . Use with high speed hand held saws, masonry table saws and walk behind saws
- · Use dry or wet •1 DP

PART #	SIZE	BLADE TYPE	BLADE USE
21-606 -B7	12" x .110"	Type 1	Wet/Dry
21-607 -B7	14" x .110"	Type 1	Wet/Dry
21-608 -B7	20" x .125"	Type 1	Wet/Dry
21-610 -B7	12" x .110"	Type 2	Wet/Dry
21-611 -B7	14" x.110"	Type 2	Wet/Dry
21-612 -B7	20" x .125"	Type 2	Wet/Dry
21-614 -B7	12" x .110"	Type 3	Wet/Dry
21-615 -B7	14" x .110"	Type 3	Wet/Dry
21-616 -B7	20" x .125"	Type 3	Wet/Dry



BLADE USE RECOMMENDATIONS

Type #1 Hard Materials Concrete, Brick & Pavers

Type #2 General Cutting Masonry & Concrete

Type #3 Soft Abrasive Materials Block & Asphalt

Bon

Blue Blades with Jumbo Segments

- · Premium blades with extra-high .475" segments
- . Use dry or wet with high speed hand held saws, masonry table saws and walk behind saws
- · Designed as a premium general all-purpose blade
- · Use to cut a variety of materials including brick, block and concrete pavers





PART #	SIZE	BLADE TYPE	BLADE USE
21-601-B7	12" x .125"	Type 1,2,3	Wet/Dry
21-602-B7	14" x .125"	Type 1,2,3	Wet/Dry
21-603-B7	18" x .125"	Type 1,2,3	Wet/Dry
21-604-B7	20" x .140"	Type 1,2,3	Wet/Dry

Bon

Tuckpointing Mortar Router Bit

- · Full tungsten carbide 4-flute router tip
- · Removes mortar from both vertical and horizontal joints
- · Fits 5/8" -11 thread router
- · Adapter included for use with small angle grinders
- · Safety shield (#11-850) can be used to reduce clean up(sold separately)
- · Bits are 1-1/2" long, with 1-1/8" working length

PART #	SIZE	DETAIL
11-825 -B5	5/16"	Mortar Router Bit with Adapter
11-826 -B5	3/8"	Mortar Router Bit with Adapter
11-854 -B5	5/16"	Replacement Bit
11-855 -B5	3/8"	Replacement Bit

Bon

Wall Scraper

- · Removes excess mortar from brick and block
- · This light weight, durable all aluminum tool has a swivel head
- and a 6' handle
- · Equipped with a 7" abrasive disc
- · Additional 6' handles (#12-147) can be added for a larger reach
- · Ideal for removing fins and burs on poured walls

PART #	DETAIL	
11-921-B6	Wall Scraper	
11-922-B8	7" Replacement Disc	
12-147-B9	6' Extension Handle	

Bon

Laser Welded Diamond Blades

- · Reliable performance and value
- · Designed for cutting concrete, mortar, brick, block and pavers
- · Use with high speed hand held saws
- · Use dry or wet



PART #	SIZE	BLADE TYPE	BLADE USE
21-618 -B7	4" x .080"	Type 1	Wet/Dry
21-619 -B7	4" x .250"	Type 1	Wet/Dry
21-621 -87	6" x .095"	Type 1	Wet/Dry
21-620 -B7	7" x .095"	Type 1	Wet/Dry



Bon **High Speed Diamond Blade**

- · High speed specialty blade for wet or dry cutting
- · Continuous rim; rim height .355"
- · Recommended for paver, concrete, brick and stone
- · Fits most gas powered demolition saws



PART #	SIZE	BLADE TYPE	BLADE USE
21-288-B7	12" x .125"	Type 1	Wet/Dry
21-289-B7	14" x .125"	Type 1	Wet/Dry

Bon

PART # 11-850-B5

Safety Shield for Mortar Router

- · Will fit small grinders from AEG, Bosch, DeWalt, Hitachi, Makita, and Metabo
- · Connect a vacuum hose to the handle to manage dust on the jobsite
- · Safety shield can adjust the router working depth
- 1/8" diameter handle tube



Replacement Water Pump

· Submersible high water volume pumps provide plenty of coolant to the saw blade





PART #	POWER	
11-505 -B5	Electric 115V	
11-506 -B5	Electric 230V	



For Metal Cutting

81-218 -B8 20" x 5/32"

14" x 1/8"

81-220 -88

PART #	SIZE	ARBOR	MAX RPM
84-851 -B8	4" x 1/16"	5/8"	19000
84-852 -B8	7" x 1/8"	5/8"	8700
84-853 -B8	10" x 1/8"	1"	6100
84-854 -B8	12" x 1/8"	1"	6300
84-855 -B8	14" x 1/8"	1"	5400
84-856 -B8	20" x 5/32"	1"	3000

1" 1" 5400

3000

Depressed Center Masonry Grinding Wheel


- · Silicon carbide grain
- 24 arit

-PART #

81-242-B8

- · Internally reinforced with layers of high tensile strength fiberglass
- · Use for brick, block, roof tabs, concrete, natural and artificial stone

9" x 1/4"



6,000

5/8" x 11

Bon'ero PLUS Abrasive Blade for Hand Held Saws (Metal Cutting)



PART #	SIZE	ARBOR	MAX RPM
14-269 -B8	7" x 3/32"	1"	8500
14-183 -B8	12" x 1/8"	1"	6500
14-268 -B8	14" x 1/8"	1"	5400

BON PRO PLUS

Abrasive Blade for Walk Behind Saws



Concrete Cutting

PART #	SIZE	ARBOR	MAX RPM
12-314 -B8	14" x 3/16"	1"	4400

Asphalt Cutting

PART #	SIZE	ARBOR	MAX RPM
12-316 -B8	14" x 3/16"	1"	4400

Tapered Cup Wheel

· 16 grit

· Use for tough sanding masonry applications

· Use with most popular right angle grinders

5/8 x 11 UNC THREAD





PART #	DIAMETER	THREAD
82-150 -B6	4" to 2" Taper	5/8" x 11
82-151 -B6	5" to 2" Taper	5/8" x 11
82-152 -B6	6" to 2" Taper	5/8" x 11

Rotary Core Masonry Drill Bit

· Carbide tipped for drilling all masonry materials

. 12" long with a hexagonal shank



PART #	DIAMETER	SHANK	LENGTH
14-947 -B8	1-1/4"	1/2"	12"
14-948 -B8	1-1/2"	1/2"	12"
14-950 -B8	2"	3/4"	12"
14-951 -B8	3"	3/4"	12"
14-953 -B8	5"	3/4"	12"
14-954 -B8	6"	3/4"	12"

BON PRO PLUS **Abrasive Blade** for Chop Saws



PART #	SIZE	ARBOR	MAX RPM
14-830 -B8	14" x 3/32"	1"	4400

Reducing Arbor Ring - Plastic

· Fits inside of a saw's arbor to reduce the arbor size



PART #	ARBOR	
11-929 -B8	1" to 20 mm	
11-930 -B8	1" to 7/8"	

Bon Fast Spiral Masonry Drill Bit

· Carbide tipped for drilling all masonry materials



PART #	DIAMETER	SHANK	LENGTH
4-365 -B8	1/8"	1/8"	3"
4-100 -B8	5/16"	1/4"	4"
4-648 -B8	3/16"	3/16"	6"
4-366 -B8	1/4"	1/4"	6"
4-382 -B8	3/8"	1/4"	6"
4-367 -B8	1/2"	3/8"	6"
4-368 -B8	9/16"	1/2"	6"
1-369 -B8	5/8"	1/2"	6"
-370 -B8	3/4"	1/2"	6"
-371 -B8	1"	1/2"	6"
-373 -B8	1/4"	1/4"	13"
-374 -B8	3/8"	1/4"	13"
-375 -B8	1/2"	3/8"	13"
-943 -B8	5/8"	1/2"	13"
-944 -B8	3/4"	1/2"	13"
-945 -B8	1"	1/2"	13"
-925 -B8	1/4"	1/4"	18"
926 -B8	3/8"	3/8"	18"
927 -B8	1/2"	1/2"	18"
928 -B8	5/8"	1/2"	18"
929 -B8	3/4"	1/2"	18"
-930 -B8	1"	1/2"	18"
932 -B8	3/8"	3/8"	24"
-933 -B8	1/2"	3/8"	24"
934 -B8	5/8"	1/2"	24"
935 -B8	3/4"	1/2"	24"
936 -B8	1"	1/2"	24"
940 -B8	1/4"	1/4"	36"
-941 -B8	1/2"	1/2"	36"
72 -B8	6 pc. set (3/16", 1/4", 5/	16", 3/8", 1/2	



Masonry Brick & Block Textbook by Robert Ham

- The Home Builders Institute (HBI) skill standards drive this book, focusing coverage on the core topics for masonry
- · Self-assessments and lab activities offer reinforcements of key concents
- · Factual information from the International Residential Code is incorporated where applicable. so readers are getting the most accurate, most reliable information of the industry



PART#	DETAIL	PAGES	STYLE
16-360 -B2	Text	462	Hardcover
16-361 -B2	Workbook	173	Paperback
16-362 -B2	Instructor's Guide	127	Paperback

Bon'

Statistical Booklet

- · Booklet covers brick bonds; chimney and fireplace construction; portland cement types; estimating;
- brick and block shapes: mortar joints; metric conversions and 80 trade terms



PART#	DETAIL	PAGES	STYLE
01-185 -B9	Booklet	28	Paperback

S BRICK

DVD - Brick Masonry Techniques For Builders

· Demonstration of construction techniques with brick that masonry craftsmen can use to speed up job completion, maximize work quality, reduce call backs, and increase profitability



PART #	FORMAT	
16-454 -B2	DVD	

100		
	1 • •	

Bricklayer Apprentice Tool Kit



Advanced Masonry Skills Textbook by Richard Kreh

- · Application of basics from Masonry Skills and introduction of more technical skills
- Safety practices and related math
- integrated throughout



PART#	DETAIL	PAGES	STYLE
	Text	455	Paperback

Practical Problems in Mathematics for Masons Textbook

by John Ball

BRICK

PART # 16-455 -B2

- · Practical mathematic problems encountered by masons
- Units titled: Whole Numbers: Common Fractions: Decimals: Percentages and Discounts; Measure; Powers and Roots; Estimating



PART#	DETAIL	PAGES	STYLE
16-184 -B2	Text	200	Paperback

DVD/CD - Brick Masonry Techniques **For Architects**

· Demonstration of proper construction techniques with basic masonry that are designed to help architects evaluate construction conditions and practices in the field, as well as ensuring that designs and specifications are followed by contractors on the work site.




Masonry Skills Textbook, 7th Edition by Richard Kreh

- · Introduces core concepts such as safety, tools,
- equipment and manufacturing processes · Covers essential skills such as estimating,
- brick and block laying, building corners, chimneys and arches
- · Includes historical significance of how each material evolved
- · Practical advice on maintaining structures
- Seventh edition

			and the second second
PART#	DETAIL	PAGES	STYLE
16-265 -B2	Text	512	Paperback

Safety For Masons/Second **Edition Textbook** by Richard Kreh

- · Chapters include: A clean and safe shop environment; masonry tool safety;
- scaffolding and ladder safety
- OSHA regulations are covered throughout
- Includes English/Spanish
- glossary of masonry terms
- · Each unit is followed by review questions



ASONRY SKILLS

PART#	DETAIL	PAGES	STYLE
16-199 -B2	Text	134	Paperback

Bon

PART#

14-832-84-864-22-494-

- **Step Testing Gauge & Straightedge**
- · Complete with six-foot straight edge and notched gauge
- · Evaluate alignment of masonry projects
- · Includes instruction packet and sample grading sheets




	DETAIL	
B6	Step Testing Gauge Kit	
B6	Gauge Only	
B9	Straightedge Only	





Lufkin	Bon	Lufkin
Wood Masonry Rules • All rules show inches, 8th, and 16ths on one side and spacing scales on the other side • Brick Spacing Rule has 10 scales • Modular Spacing Rule has 6 scales • Oversized Brick Spacing Rule has 11 scales for "gueen"	Fiberglass Masonry Rules • All rules show inches, 8th, and 16ths on one side and spacing scales on the other side • Brick Spacing Rule has 10 scales • Modular Spacing Rule has 6 scales	Flat Reading Wood Rule • Marked both sides, both edges • Graduated to 1/16" both edges • 16" stud centers marked in red • Regular outside makings; has inside markings
or "king" size brick	Oversized Brick Spacing Rule has 11 scales for "queen" or "king" size brick Internet of the state of	Numbering begins on inside of rule
#11-464	#11-497	
PART # LENGTH DETAIL MODEL 11-463-86 6' Brick Spacing T636N 11-464-86 6' Modular Spacing 646LN	PART # LENGTH DETAIL 11-496-B9 6' Brick Spacing 11-497-B9 6' Modular Spacing	PART # LENGTH WIDTH MOD
11-459-B6 6' Oversized Brick T656N	11-498-B9 6' Oversized Brick	34-109-B6 6' 5/8" 066FI
Wood Metric/Inch Rule Made from high quality select wood Graduated metric on one side (outside reading) and inches to the 16th on the other side (inside reading) Permanently lubricated spring joints	Wood Engineer Rule Graduated in feet, 10ths and 100ths. Regular outside marking in feet, inches and 16ths Foot marks in red Decimal points on engineers scale	Lufkin Wood Extension Rule Heavy duty, lightweight 6' rule Brass plated end caps, striking plates & gra Epoxy coated markings on both sides read of and inch
• Moisture proof	LL OL: 6 8 5 5	16" centers marked in red figures
PART # LENGTH MODEL 14-609-B6 2 meters 062CMEN	PART # LENGTH MODEL 14-598-B6 6' 1066DN	PART # LENGTH MODEL 15-209-B6 6' X46
LONG TAPES		
 Nylon clad steel blade will not stretch over time Super fast 3:1 blade retraction saves time Highly visible black numbers on yellow blade Graduated in feet, inches, and 1/8ths 	Lufticm Open Reel FiberglassTape • Designed for use on construction sites, roads, building and surveying • Non-conducting tough PVC coated 1/2" wide fiberglass blade • Highly visible black numbers on yellow blade • Smooth and fast rewind • Reads in feet and inches	Lufficm Hi-Viz Long Steel Table - High impact polystyrene case - Yellow clad steel blade - Easy to read black and red numbers - 3/8" wide blade
	PART # LENGTH WIDTH MODEL 14-498-B6 50' 1/2" FE050 14-499-B6 100' 1/2" FE100 14-497-B6 150' 1/2" FE150	PART # LENGTH WIDTH M 84-139-B6 100' 3/8" 10'
Luffician Long Tape • Open reel is made with a sturdy ABS frame • Special handle designed for fast rewinding • 1/2" wide fiberglass is PVC coated • Graduated in feet, inches and 8ths • Accurate and durable • 1/2" wide blade PART # LENGTH WIDTH MODEL	STANLEY. Long Tape • Easy to read yellow blade with 1/8" graduations, foot and stud markings printed in black and red • Sturdy, lightweight molded plastic case • Large fold out knob for smooth easy rewind • Belt clip • 3/8" wide blade	Luffkin Steel Long Tape • Vinyl case • Yellow clad blade finish • Peg hook • .005" thick blade • .3/8" wide blade

50



· Soft grip case is designed for durability · Heat treated blade resists rust and wear · Triple-riveted non-slip end piece 2 LENGTH WIDTH 25 1 Engineer's Power Tape - High Vis One edge is graduated in 10th & 100ths · Other blade edge is graduated in feet & inches · Toggle lock holds blade securely LENGTH WIDTH MODEL PHV1425D 25' · Blade is coated with Mylar® polyester film for durability . 16" and 19.2" stud center markings



PART #	LENGTH	WIDTH	MODEL
84-367-B6	25'	1"	33-425
84-366-B6	30'	1"	33-430
84-368-B6	35'	1"	33-835

- · Can be looped through or snapped over belt
- · Quick release snap holds tapes



LAYOUT TOOLS





- cling to snapline
- · Fade resistant





84-897-86 10.50 oz. Blue PLC2B300 84-898-86 10.50 oz. Red PLC2R300	PART #	SIZE	COLOR	MODEL
84-898-B6 10.50 oz. Red PLC2R300	84-897-B6	10.50 oz.	Blue	PLC2B300
	84-898-B6	10.50 oz.	Red	PLC2R300

талта

Replacement Snap Line

· Replacement snap-line for Tajima Chalk-Rite™ Series snap-line tools



PART #	SIZE	LENGTH	MODEL	
84-900-B6	.5 mm	100'	PLITOS	
84-899-B6	1 mm	100'	PLITOL	




- · Wind resistant, water-repellent, extra strong chalk for long lasting marking lines
- · Fade resistant, makes a sharp and extremely bold marking line · Formulated to prevent caking and clumping
- on the line · Easy-pour, moisture-proof bottles with screw-cap nozzles



PART # SIZE COLOR MODEL 84-896-B6 10.50 oz. Black PLC3BK300 84-895-B6 10.50 oz. Red PLC3DR300

Bon

Replacement Chalk Line . Can be used for #14-251, #14-590, and #14-591



- · Won't cake
- · Up to 5 strikes per line
- · Great flow for easy reel fill up



PART #	SIZE	COLOR
14-252-B6^	8 oz.	Dark Blue
14-542-B6^	5 lbs.	Dark Blue
14-253-B6^	8 oz.	Red
14-543-B6^	5 lbs.	Red
84-728-B6^	8 oz.	Black
84-729-B6^	5 lbs.	Black
84-759-B6^	8 oz.	White
84-760-B6^	5 lbs.	White
84-802-B6 [^]	8 oz.	Yellow
84-803-B6 [^]	5 lbs.	Yellow
14-431-B6^	8 oz.	Fluorescent Orange
14-432-B6^	5 lbs.	Fluorescent Orange
14-427-B6^	8 oz.	Fluorescent Lime
84-749-B6^	5 lbs.	Fluorescent Lime

Kon



Bon **Carpenter Pencils** · High quality thick carpenter pencils . 7" long and made with strong, flat lead Sold in packages of 12 or 72 · 12-piece package in clam shell · 72-piece package in box QTY/PKG 6 144 Walnut Lumber Crayon Holder **Carpenter Pencil & Lumber** · Increases crayon life and protects clothing from **Crayon Combo** · One end is a carpenter pencil with black lead . The other end is a lumber crayon with a choice of colors PART # COLOR 84-288-B8 Blue Crayon 84-289-B8 Black Crayon 84-290-B8 Red Cravon 84-291 -B8 Yellow Crayon DIXON Aluminum Lumber Crayon Holder **China Markers** · Writes on almost any porous or non-porous surface, including glass, plastic, film, paper, metal and rubber · Marks easily wipe away from non-porous surfaces * Pencils are paper wrapped with a tear string, so there is no need for a sharpener · Sold in packages of 12



PART #	CASING	LEAD	QTY/PKG
34-337-B9	Blue	Black Hard	12
34-338-B9	Blue	Black Hard	72
14-588-B9	Red	Black Medium	12
84-840-B9	Red	Black Medium	72
14-589-B9	Red	Black Hard	12
84-841-B9	Red	Black Hard	72
84-293-B9	Yellow	Black Medium	12
84-842-B9	Yellow	Black Medium	72
14-859-B9	White	Red Medium	12
84-843-B9	White	Red Medium	72
14-850-B9	White	Red/Black Med	12
84-844-B9	White	Red/Black Med	72

PART #	COLOR	MODEL	QTY/PKG
84-283 -B8	Black	00077	12
84-284 -B8	Blue	00080	12
84-285 -B8	Green	00074	12
84-280 -B8	Red	00079	12
84-282 -B8	White	00092	12
84-281 -B8	Yellow	00073	12





DETAIL No Groover or Holes Hand Holes Hand Holes Hand Holes Hand Holes -· Aluminum "I" beam with inlaid mahogany with rubber cushioned ends and hand holes DETAIL Hand Grooves Hand Holes Hand Holes Hand Holes Hand Holes . 3/8" wide and 1/16" thick brass rail fitted into solid mahogany • DETAIL Hand Holes Hand Holes Hand Holes Bon Laminate I-Beam Level Laminate Brass Bound Level · Laminated American hardwood · Aluminum I-Beam with rubber cushion ends · Brass bound edges with rubber cushioned ends · Yellow vials PART # LENGTH DETAIL 21-395-B6 No Grooves or Holes 24' No Grooves or Holes Hand Holes 21-397 -B6 48' Hand Holes

Sman

Smith Level

· Laminated three piece walnut and maple construction and reinforced

with stainless steel rails

- 100% accurate glass vials
- Features 3-peice tongue and groove lamination for superior strength and stability
- Reconditioning kit available #11-683
- 100% guarantee



Tongue and groove laminate stronger than face glue




PART #	LENGTH	DETAIL
21-107-B6	18"	Hand Grooves
21-108-B6	24"	Hand Holes
21-109-B6	30"	Hand Holes
21-110-B6	36"	Hand Holes
21-111-B6	42"	Hand Holes
21-113-86	48"	Hand Holes

PART #	LENGTH	DETAIL
11-702-B6	18"	Hand Grooves
11-703-B6	24"	Hand Holes
21-104-B6	30"	Hand Holes
21-105-B6	36"	Hand Holes
21-106-B6	42"	Hand Holes
11-700-B6	48"	Hand Holes





LAYOUT TOOLS



Bon



GAMMON REEL*

Surveyor Gammon Reel

- Quickly attaches to plumb bob
 Eliminates string troubles
 and provides an instant
- rewind of plumb bob • Equipped with 72 lb. test orange line




PART #	COLOR	LENGTH	MODEL
14-660-B6	Orange Line	6-1/2'	001
14-661-B6	Orange Line	12'	012
14-643-B6	Repl. Orange Line	72'	002-0
14-663-B6	Repl. Fluor. Red Line	72'	002-FR

Bon

Surveyor Steel Arrow

 Arrow made from 7/32" cold rolled steel with a hardness rating of 85



TOPCON

Multi-Purpose Laser Receiver

- 270° detection
- Rugged, waterproof design
 Wireless support & CAN
- support
- Bright indicator lights
 Magnetic for machine
- mounting



MODEL	
312660101	

Johnson -

Hand Level

- · Level vial bubble, crosswire and object sighted on are all
- seen at the same time
- Made of impact resistant phenolic
- 1X power
- Case not included



PART #	SIZE	MODEL	
14-130-B6	1X Power	80-5556	

Bon

- Brass Plumb Bob • Precision machined from solid brass • Point made from hardened steel and the screw caps are of oxidized brass
- PART # SIZE
- 14-528-B9 8 oz.
- 14-529-B9 12 oz. 14-530-B9 16 oz.
- 14-530-B9 16 02. 14-531-B9 24 02.
- 14-534-B9 Replacement Tip
- 14-532-B7 Leather Sheath for 8-12 oz. Plumb Bob 14-533-B7 Leather Sheath for 16-24 oz. Plumb Bob

Self-Leveling Exterior Construction

- Laser with Detector • For grading, excavating and general construction
- For grading, excavaling and general construct
 600 rpm rotation speed, self-leveling
- 2600' diameter working area
- Includes detector and rod holder
- Use with tripod with 5/8" x 11 thread (#37-130) and 13' fiberglass rod (#37-131)



PART #	DETAIL	MODEL	
37-122-B3	Exterior Laser	1021200-07	
37-130-B3	Alum Tripod w/ 5/8"x 11 Thread	320628121	

#37-106 SPECIFICATIONS	
ACCURACY	Horizontal ±10 arc seconds
SELF-LEVELING RANGE	Horizontal ± 5°
WORKING AREA	800 m
ROTATION SPEED (rpm)	600 RPM
DUST/WATER RATING	IP66
OPERATING TIME	Alkaline: 100 hours Ni-MH: 60 hours
OPERATING TEMEPRATURE	-20°C ~ -50°C
SIZE (H X W XL)	205 x 211 x 172 mm

DADT #	I EN	сти	T.L.	
PART #	LEN	ulfi		-
14-167-B6	16'			
Telescopi • Epoxy coated white backgr • Sections tele storage - co	I - black round - fo scope fo mplete v	graduations/ oot numerals r easy of trar vith carrying	numbers on are in red Isport and case	abuhahdanlanhahahahadanlanhada
PART # L	ENGTH	SECTIONS	SCALE	
37-131 -B3	13'	3	10ths ft	

PART #	LENGTH	SECTIONS	SCALE
37-131 -B3	13'	3	10 th s, ft.
34-117-B5	16'	4	8ths, in., ft.
34-118-B2	16'	4	10 th s, ft.
34-119-B5	25'	6	8ths, in., ft.
34-120-B5	25'	6	10 th s, ft.

TOPCON

Bon

Leveling Rod

16' overall length

resistant links

· 5-section aluminum leveling rod

 Injection molded sectional joints and high strength locking button

Speak for militan in

· Aluminum sections with weather and corrosion

· Easy to read graduations in feet, inches and 8ths

Multi-Purpose Interior Laser

- Self-leveling laser, 0-300 RPM
- Horizontal / vertical operation
- · 90 degrees plumb beam to square walls
- Detecting range 1000'
- · Removable lighthouse cover



PART #	MODEL
37-106-B3	313750752

ACCURACY	2 mm / 20 m
DETECTING RANGE	300 m
LASER CLASS	3R
ROTATING SPEED	0-300 rpm
WATERPROOF/DUST RESISTANT	IP54
SCANNING WIDTH	180°
OPERATING TIME	Alk. Batt. 30 hrs. Ni-MH/BT-63Q 45 hrs. Rechargeable (option)
SIZE	182 x 167 x 240 mm



BONPRO PLUS Folded Steel Tray Wheelbarrow

· Deep, narrow (26") 18 gauge steel tray with rolled edges for maximum tray strength

- · Tire equipped with zerk fitting and ball bearings · Leg stabilizer
- · Ships UPS unassembled

Single Wheel Models

PART#	CAP.	TIRE	HANDLES
11-300-B5	6 cu. ft.	16" 4-ply Knobby	Wood
28-702-B5	6 cu. ft.	16" 4-ply Ribbed	Wood
28-700-B5	6 cu. ft.	16" Flat Free	Wood
28-900-B5	6 cu. ft.	16" 4-ply Knobby	Steel
28-902-B5	6 cu. ft.	16" 4-ply Ribbed	Steel
28-904-B5	6 cu. ft.	16" Flat Free	Steel

Double Wheel Models

PART#	CAP.	TIRE	HANDLES
11-676-B5	6 cu. ft.	16" 4-ply Knobby	Wood
28-703-B5	6 cu. ft.	16" 4-ply Ribbed	Wood
28-701-B5	6 cu. ft.	16" Flat Free	Wood
28-901-B5	6 cu. ft.	16" 4-ply Knobby	Steel
28-903-B5	6 cu. ft.	16" 4-ply Ribbed	Steel
28-905-B5	6 cu, ft,	16" Flat Free	Steel



Bon







POLY TRAY WHEELBARROWS

- BONPRO PLUS Poly Tray Wheelbarrow
- High molecular weight poly tray is a full .250 thick
- . Tray is 26" wide with a large rolled lip for extra strength
- · Tire equipped with zerk fitting and ball bearings
- · Leg stabilizer
- · Non-stick surface won't rust or dent
- · Ships UPS unassembled
- · Parts Lists for this item is available at www.bontool.com

Single Wheel Models

PART#	CAP.	TIRE	HANDLES
11-681-B5	5-3/4 cu. ft.	16" 4-ply Knobby	Wood
28-706-B5		16" 4-ply Ribbed	Wood
28-704-B5		16" Flat Free	Wood
28-906-B5	5-3/4 cu. ft.	16" 4-ply Knobby	Steel
28-908-B5	5-3/4 cu. ft.	16" 4-ply Ribbed	Steel
28-910-B5		16" Flat Free	Steel

Double Wheel Models

Rolled Lip

PART#	CAP.	TIRE	HANDLES
11-661-B5	5-3/4 cu. ft.	16" 4-ply Knobby	Wood
28-707-B5	5-3/4 cu. ft.	16" 4-ply Ribbed	Wood
28-705-B5	5-3/4 cu. ft.	16" Flat Free	Wood
28-907-B5	5-3/4 cu. ft.	16" 4-ply Knobby	Steel
28-909-B5	5-3/4 cu. ft.	16" 4-ply Ribbed	Steel
28-911-B5		16" Flat Free	Steel





GENERAL CONSTRUCTION TOOLS

BONTRADE TOUGH

- Trade-Tough™ 6 Cu. Ft. Steel Tray Wheelbarrow
- . Low cost, high quality Trade-Tough™ Wheelbarrow with heavy-gauge
- seamless steel tray · Tire equipped with zerk fitting and ball bearings
- · Bolted/slot and reinforced leg brace
- · 4-bolt nose guard
- · Ships unassembled

Single Wheel Models

PART#	CAP.	TIRE	HANDLES
34-234-B5	6 cu. ft.	16" Knobby	Wood
34-235-B5	6 cu. ft.	16" Ribbed	Wood
34-233-B5	6 cu. ft.	16" Flat Free	Wood
34-231-B5	6 cu. ft.	16" Knobby	Steel
34-232-B5	6 cu. ft.	16" Ribbed	Steel
84-974-B5	6 cu. ft.	16" Flat Free	Steel



Double Wheel



Single Wheel

BONPRO PLUS **Brick & Tile** Wheelbarrow

- · Made from seasoned hardwood
- · Full 3/4" thick bed and dash boards
- · Legs are made from steel channel
- · Tires equipped with zerk fittings
- · Bed size is 24" x 24"
- · Ships UPS unassembled

Single Wheel Models

PART #	TIRE	HANDLE
11-305-B5	16" 4-Ply Knobby	Wood
28-712-B5	16" 4-Ply Ribbed	Wood
28-710-B5	16" Flat Free	Wood
28-912-B5	16" 4-Ply Knobby	Steel
28-914-B5	16" 4-Ply Ribbed	Steel
28-916-B5	16" Flat Free	Steel

Double Wheel Models

REPLACEMENT PARTS

Bon

· 6" hub length • 5/8" bearings

• 16" diameter

· Zerk fitting included

#50-174 PART #

50-174-B5

80-105-B5

84-714-B5

PART #	TIRE	HANDLE
11-660-B5	16" 4-Ply Knobby	Wood
28-713-B5	16" 4-Ply Ribbed	Wood
28-711-B5	16" Flat Free	Wood
28-913-B5	16" 4-Ply Knobby	Steel
28-915-B5	16" 4-Ply Ribbed	Steel
28-917-B5	16" Flat Free	Steel

Replacement Wheels and Tires

TREAD

Knobby

Ribbed

Knobby

#80-105

TIRE

Pneumatic

Pneumatic

50-532-B5

Steel Handle (pair)

Flat Free



Barrow Replacement Parts




Double

Bolted

Nose Piece

PART #	DETAIL	
80-101-B5	5/8" Bearing Set (pair)	
80-102-B5	Inner Tube	
80-104 <i>-</i> B5	Knobby Tire Only	

61









36" Fiberglass

36" Fiberglass

HANDLE

32'

27-153-B7

27-157-B7 27-150-B7

27-154-B7 27-158-B7

3 lb.

2 lb

3 lb. 8 lb.

5-1/4"

4-5/8

5-1/4" 7"

16" Hickory

32" Hickory 16" Fiberglass

16" Fiberglass

32" Fiberglass



64





PART #	SIZE	FACE	HANDLE	MODEL
11-562-B6	19 oz.	Smooth	17" Steel	130-40
11-563-B6	19 oz.	Milled	17" Steel	130-30



2-3/8"

E3-FF4

71-135-B7 14"

Estwing 3	
Heavy Framing Hammer	
Head and handle forged in one piece Larger face and handle Nylon shock reduction grip	
6	



PART #	SIZE	FACE	HANDLE	MODEL
71-115-B7	25 oz.	Smooth	18" Steel	E325S
84-555-B7	28 oz.	Smooth	16" Steel	E328S
71-116-B7	25 oz.	Milled	18" Steel	E325SM
84-556-B7	28 oz.	Milled	16" Steel	E328SM

Estwing 7

Camper Axe

- · Hand polished, forged steel head
- · All steel construction with sharpened cutting edge
- · Shock Reduction Grip reduces impact vibration by 70% · Includes heavy duty ballistic nylon sheath



Estwing 3

- **Camper's Axe** · Molded shock reducing grip handle
- · Forged in one piece steel
- · Includes sheath



VAUGHAN

Sub Zero Michigan Axe


- · Superior balanced axe for reduced fatigue
- · Forged specially hardened hollow ground blade(s) for deep cuts and easy release
- · Stands up to temperature extremes



GENERAL CONSTRUCTION TOOLS











PART #	BLADE	HANDLE	
21-100-B8	3" x 7"	60" Wood	
14-709-B9	7" Replacement Blade		

Bon

Short Handled Mortar Hoe

- · Holes in blade allow for better mixing
- · Straight hard wood handle with steel ferrule





PART #	BLADE L X W	HANDLE
84-222-B7	11" x 3"	48" Straight Wood
84-223-B7	11" x 4"	48" Straight Wood
84-224-B7	11" x 5"	48" Straight Wood
84-225-B7	11" x 6"	48" Straight Wood



PART #	BLADE	HANDLE	
84-472-B9	6-1/4" x 4-3/4"	54" Wood	
84-709-B7	54" Replacement Handle		

- **Mortar Hoe**
- · Holes in blade allow for better mixing · Straight hard wood handle with
- steel ferrule
- · One piece forged blade
 - construction




PART #	BLADE	HANDLE	
11-436-B9	7"	60" Wood	
11-299-B9	10"	66" Wood	
11-437-B7	60" Replacement Handle		
11-439-B7	66" Replacement Handle		





#28-146

#14-263



50-242-B7^

50-243-B7

27" 'D' Replacement Wood Handle 47" Straight Replacement Wood Handle

50-242-B7^

50-243-B7


27" 'D' Replacement Wood Handle

47" Straight Replacement Wood Handle

Bon[®]







*C & T items must ship common carrier. T items ship free on qualifying orders.



Catch Basin Insert Filter

· Will remove hydrocarbons, as well as dirt, sand,

and other particulate contaminants



PART #	LENGTH	WIDTH	
84-873-B5	48"	36"	

Bon

Sand & Gravel Bags

- · Storm water and erosion control bags can withstand being driven over
- High UV rating for 1500 UV hours
- · Filled weight of 50 lbs.
- · Sold in packages

Bon

Dewater Bag

sediment laden water

greater than 150 microns (.150mm)



· Non-woven 10oz filter bags are designed to control and filter silt and

· Constructed of non-woven geotextile material that filters soil particles

· Adjustable spout to accommodate a discharge handle hose of up to 6"

. The amount of discharge water a bag can effectively filter depends on

degree of slope, and the permeability of the underlying surface

MAX INITIAL

PUMP RATE

170 anm

CAPACITY

PART #	LXW	COLOR	QTY/PKG
84-804-B7	14" x 26"	White	25
84-809-T7*	14" x 26"	White	1000

Urethane Outdoor Drain Seal

· Urethane pads deform and temporarily seal to most smooth surfaces to keep out contaminates · Both sides create a seal and resist oil, water and chemicals



PART #	SIZE	SHAPE	COLOR
84-909-B5	24" x 24"	Square	Yellow/Orange
84-912-B5	20" dia.	Round	Yellow/Orange
84-913-B5	30" dia.	Round	Yellow/Orange

Bon

Mortar/Sand Bag Scoop

- · Excellent for low lift grout
- · Ergonomic design makes it easy to scoop and pour exactly where you want it
- · Rugged one piece plastic construction
- · Lighter and better than a bucket; easier than a shovel · Capacity: 1/2 cubic feet of material



PART # CAPACITY 84-978-B6 1/2 cu. ft.



84-877-B5	5' x 6'	170 gpm	30 cu. ft.
84-878-B5	6-1/4' x 15'	540 gpm	95 cu. ft.
84-879-B5	15' x 15'	1300 gpm	225 cu. ft.
WATER	PUMPS		

Little GIANT

Wizard Utility Pump


SIZE


- · Removes water to within 1/8" of floor
- · Attach a garden hose or 1" pipe
- Maximum pumping height is 26.3 feet
- · 8' cord

PART #

84-877-B5







PART #	CAPACITY	POWER	MODEL
35-316-B2	73 gpm	115V	ST2037

Washout Box

- · Clean your equipment on site, collect and transport industrial waste
- · Use built-in tie downs to secure to pallet NEW · Durable, 10ml polyethylene
- · Unfolds for quick easy set up



PART #	DIMENSIONS	CAPACITY
34-251-B5	48" x 48" x 14"	139 gallon

Bon

Sand Bag Funnel

- · One-person operation fills bags five times faster
- and more efficiently than traditional methods
- · A simple solution for all industries bagging soil, stones, construction materials and more



PART # SIZE 84-977-B5 7-1/2" Bottom ID

Bon

Blue Poly Tarp

- · Strong, tear-resistant polyethylene gives maximum protection from rain, dust or grease
- · Lightweight and easy to handle · Will not rot or mildew: stays flexible in freezing weather
- · Reinforced with rope in hem and rust resistant grommets

PART #	LENGTH	WIDTH
84-539-B9	5'	7
84-525-B9	8'	10'
84-526-B9	10'	12'
84-527-B9	10'	20'
84-528-B9	16'	20'
84-529-B9	20'	30'
84-530-89	20'	40'

MULTIQUIP 2" Submersible **Electric Pump**

- Powerful 1 HP with built in overload protection
- · Heavy duty cast iron housing construction
- · Pumps liquid up to 1200 F
- · Dewaters flat surfaces up to2" levels
- · 25' power cord
- · 2" (NPT) female discharge
- PART # CAPACITY POWER MODEL 35-322-B2 95 apm ST2010TCUL 115V



Contractor Grade Rubber Hose • Excellent abrasion and water resistant • Premium quality for industrial use • Recommended for contractors		Bon Plastic Hose • Ideal for fountains and waterfalls • Clear vinyl tubing • Non-toxic
WORKING PART # DIA. LENGTH PRESSURE 84-296-B7 1/2" 50' 250 psi 84-297-B7 1/2" 75' 250 psi 84-298-B7 1/2" 75' 250 psi 84-298-B7 1/2 100' 250 psi 84-299-B7 5/8" 50' 200 psi 84-300-B7 5/8" 75' 200 psi		
84-301-B7 5/8" 100' 200 psi 84-302-B7 3/4" 50' 200 psi 84-303-B7 3/4" 75' 200 psi 84-304-B7 3/4" 100' 200 psi	_	PART # INSIDE DIA. LENGTH 84-295-87 3/8" 100' 84-248-87 1/2" 100'
Glimour Premium Reinforced Water Hose • High pressure reinforced rubber construction water hose • Burst pressure of 400 psi • Solid brass couplings	Climour Economy Water Hose • Reinforced design provides added degree of strength and water capacity • Wear resistant vinyl cover with solid brass "full flow" coupling	Bon Hose Bib "Y" Connector • Fits all grades of water hose • Includes washer
		PART # MATERIAL 84-313-86^ Brass Double Shutoff "Y" Hose Connector
WORKING PART # DIA. LGTH PRESSURE MODEL 14-122-B7 3/4" 50' 200 psi 2534050	WORKING PART # DIA. LGTH PRESSURE MODEL 14-126-87 5/8" 50" 60 psi 15058050	Cap type valve handles resist breakage Longer legs prevent hose kinks at faucet Full ball and retainer rings reduce leakage
Shank Hose Couping Washer included	Replacement Hose End Connectors • Easily attaches to hose • Use with 5/8" or 3/4" diameter hose	PART # MATERIAL
FEMALE #84-315 MALE #84-316 MALE FEMALE SET #84-314 PART # SIZE DETAIL 84-314-86^ 1/2" Set (Female & Male) 84-316-86^ 1/2" Female Only 84-316-86^ 1/2" Male Only 84-317-86^ 5/6" Set (Female & Male)	#84-311 #84-310	84-350-86 Zinc Bon Rubber Water Hose Washers • Sold in packages of 12
Out-3 // 1-B0* S/8" Female Only 84-318-B6* 5/8" Female Only 84-319-B6* 5/8" Male Only 84-320-B6* 3/4" Set (Female & Male) 84-321-B6* 3/4" Female Only 84-322-B6* 3/4" Female Only 84-322-B6* 3/4" Male Only	PART # DETAIL 84-311-B6 Male End 84-310-B6 Female End	PART # QTY/PKG 84-309-86 12
Bon Bricklayer Gloves • Wear resistant coating • Knit wrists • Preferred by masons • Sold in pairs	Protective Rubber Gloves Waterproof to protect hands and forearms from acids and lime Made of heavy duty rubber like material Non-flocked Sold in pairs	Econ Heavy Duty Protective Rubber Gloves • Waterproof to protect hands and forearms from acids and lime • Made of heavy duty rubber like material • Non-flocked • Sold in pairs
PART # SIZE MATERIAL	Tu	No. 1
41-192-B9 Medium Knit Cotton		

74





Bon

Kon

Bon

Ron

34-240-B7

1 Gallon

80161



34-249-B7

34-250-B7

2 Gallon

3 Gallon

90162

90163

GENERAL CONSTRUCTION TOOLS





84-444-B6

JT21CM

34-124-B6

3/8"

27624

5000

78-126-B2

GENERAL CONSTRUCTION TOOLS



34-138-B6

5"

1/2"


84-727-B6

6"

1"

1-1/2"

Passive Tip





GENERAL CONSTRUCTION TOOLS

Bon' Heavy Duty Car

- Heavy Duty Canvas Bag with Leather Bottom
- Made of 15 oz. 100% cotton canvas over a hinged 12-gauge steel frame
- Faux leather reinforced bottom, handles and straps with chrome plated buckles and rivets
- Waterproof fiber board lines the bottom



PART #	LXW	DEPTH
11-125 -B10	20" x 5-1/2"	14"
11-126 -B10	24" x 5-1/2"	14"

Bon

- Nylon Tool Bag
- Made of heavy duty nylon riveted to a 12-gauge steel frame
- · Leather handles and straps
- · Waterproof fiber bottom board



PART #	LXW	DEPTH	
11-156-B10	20" x 5-1/2"	14"	

Bon Rigger's Bag

- Heavy duty 100% cotton duck canvas bag with velcro closing flap
- Triple bottom and back tacked seams
- · 21 bigger pockets
- · Rivet-free, metal-free construction



PART #	LXW	DEPTH
41-125-B7	18" x 5-1/2"	11-1/2"

Bon

Heavy Duty Canvas Bag with Nylon Straps

- 15 oz. cotton canvas over hinged 12-gauge steel frame and waterproof fiber board bottom
- Nylon web straps stitched completely around bag with quick release buckles
- · Rolled web handles



PART #	LXW	DEPTH
41-153-B10	20" x 5-1/2"	14"
41-154-B10	24" x 5-1/2"	14"

Canvas Tool Bag

Made of 10 oz. 100% cotton canvas riveted to 12-gauge

- steel frame
- · Leather handles and straps
- Waterproof fiber bottom board with metal studs



PART #	LXW	DEPTH
11-250-B10	20" x 5-1/2"	13"

Bon Heavy Duty Canvas Tote

- · Rugged 100% cotton, 24 oz. canvas tote
- Two large 8" x 12" inside pockets
- · Web strap handles



PART #	LXW	DEPTH	_
11-130-B7	21" x 6"	18"	

Bon Heavy Duty Canvas Bag

- Made of 15 oz. 100% cotton canvas over a hinged 12-gauge steel frame
- Leather reinforced handles and straps
- Chrome plated buckles with waterproof fiber board bottom



PART #	LXW	DEPTH
11-127 -B10	20" x 5-1/2"	14"
11-128 -B10	24" x 5-1/2"	14"

Bon Canvas Zipper Bag

Sturdy white canvas "bank" bag with a strong zipper
 Convenient storage for pins, twigs, line blocks and other
 tools



PART #	LXW	
11-648-B10	11" x 7-1/2"	
41-648-B10	15" x 9"	

BONTRADE TOUGH


Tote Bag

- Constructed of lighter weight canvas
 Two large 8" x 12" inside pockets
- Web strap handles











		Bon
Econ Asphalt Squeegee 9 Funnels the material into the crack 9 Jese as push or pull squeegee by reversing the bracket mount 9 Black neoprene blade for heats up to 180° red silicone up to 450° H19-134 F19-201 F19-201	Bon Acycasible V-Shaped Asphalt Squeegee - Heavy duty 5' wood handle with metal ferrule and angled stem - Reinforcing cross member for longer life - Black neoprene blade for heats up to 30°; red silicone up to 450° - Reverse bracket mount for push squeegee - PART # DETAIL 19-202-B9 Squeegee with Black Neoprene Blade 19-203-B9 Squeegee with Red Silicone Blade 19-316-B9 V-Shaped Repl. Black Neoprene Blade 19-212-B9 V-Shaped Repl. Red Silicone Blade </td <td> Bon' Asphalt Crack Hoe Use to remove debris from cracks before sealing 5' wood handle Available with flexible or rigid blade #19-137 #19-13</td>	 Bon' Asphalt Crack Hoe Use to remove debris from cracks before sealing 5' wood handle Available with flexible or rigid blade #19-137 #19-13
PART # DETAIL 19-134-B9 V-Shaped Squeegee with Black Neoprene Blade 19-132-B9 U-Shaped Squeegee with Black Neoprene Blade 19-200-B9 V-Shaped Squeegee with Red Silicone Blade 19-201-B9 U-Shaped Squeegee with Red Silicone Blade 19-136-B9 V-Shaped Repl. Black Neoprene Blade 19-135-B9 U-Shaped Repl. Black Neoprene Blade 19-212-B9 U-Shaped Repl. Red Silicone Blade 19-213-B9 U-Shaped Repl. Red Silicone Blade 19-213-B9 U-Shaped Repl. Red Silicone Blade 19-212-B9 V-Shaped Repl. Red Silicone Blade 19-213-B9 U-Shaped Repl. Red Silicone Blade 19-213-B9 Shaped Repl. Red Silicone Blade	PART # HEAD LGTH TEETH TOOTH LGTH 14-639-B9 15-1/2" 14 3" 11-439-B7 66" Replacement Wood Handle	PART # HEAD LENGTH TEETH 19-138-89 16° 14 51-144-87 5' Replacement Wood Handle
ASHPALT LUTE RAKES	Reg	Ren
Bon Sharp Tooth T-Connector Lute Rake • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle	Bon Blunt Tooth T-Connector Lute Rake • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle	Bon Asphalt Lute Rake • Wood handle tapers from round to square for better grip • Light weight aluminum head • Cast aluminum bracket
Bon Sharp Tooth T-Connector Lute Rake • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle	Blunt Tooth T-Connector Lute Rake • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly	Asphalt Lute Rake • Wood handle tapers from round to square for better grip • Light weight aluminum head
Bon Sharp Tooth T-Connector Lute Rake • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle • Mate of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle • Mate of light, but sturdy aluminum • 1-3/8" handle	Blunt Tooth T-Connector Lute Rake • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle • 1-3/8" handle • PART # BLADE LENGTH HANDLE TOOTH 28-126-B9 36" 6' Blunt 28-136-T9* 36"	Asphalt Lute Rake • Wood handle tapers from round to square for better grip • Light weight aluminum head • Cast aluminum bracket PART # BLADE LENGTH HANDLE 22-530-89 30" 66" 51-111-89 Replacement Handle 50-342-89 Replacement Blade 50-339-89 Replacement Bracket
Bon Sharp Tooth T-Connector Lute Rake • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle • Mate of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle • PART # BLADE LENGTH HANDLE TOOTH 28-138-89 36"	Blunt Tooth T-Connector Lute Rake • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle • PART # BLADE LENGTH HANDLE TOOTH 28-126-B9 36"	Asphalt Lute Rake • Wood handle tapers from round to square for better grip • Light weight aluminum head • Cast aluminum bracket PART # BLADE LENGTH HANDLE 22-530-B9 30" 66" 51-111-B9 Replacement Handle 50-342-B9 Replacement Blade
Bon Sharp Tooth T-Connector Lute Rake • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle • Mate of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle • Mate of light, but sturdy aluminum • 1-3/8" handle • Mate of light but sturdy aluminum • 1-3/8" handle • 1-3/8" bandle • 1-3/8" bandle	Blunt Tooth T-Connector Lute Rake • Made of light, but sturdy aluminum • Used to ensure asphalt is applied evenly • 1-3/8" handle PART # BLADE LENGTH HANDLE TOOTH 28-126-B9 36" 8" Blunt Bon Blunt Tooth Asphalt Lute Rake • Blunt point teeth one side; smooth edge on other	Asphalt Lute Rake • Wood handle tapers from round to square for better grip • Light weight aluminum head • Cast aluminum bracket PART # BLADE LENGTH HANDLE 22-530-89 30" 66" 51-111-89 Replacement Handle 50-342-89 Replacement Blade 50-339-89 Replacement Blade 50-339-89 Replacement Blade 50-339-89 Replacement Bracket Bon Sharp Tooth Lute Rake • Sharp point teeth on one side and a smooth blade on the other • 30" and larger equipped with reinforcement brace

*C & T items must ship common carrier. T items ship free on qualifying orders.

ASPHALT TOOLS

Bon **Cast Head Tamper**

- · Cast iron head
- · Steel handle tamper ships assembled
- · Wood and fiberglass handle tampers ship unassembled



Bon

Aluminum Tamper

· Steel handle bolted to head

HEAD

PART #

Bon

19-119-B9 8" x 8"

Buster Bar

with each blow

· Weighs 24 lbs.

PART #

Bon

84-964-B5

SIZE

43"

Bits for Buster Bar

· 1-1/8" hex stock

· 20-1/2" overall length

· 14" under collar length

#84-965

PART #

84-965-B5

84-966-B5

84-967-B5

#84-96

DETAIL

Moil Point

Wide Chisel 3"

Narrow Chisel 1-1/8"

SHANK

1-1/8" Hex

HANDLE

48" Steel

Cast aluminum head

· Ships assembled

PART #	HEAD	HANDLE	WEIGHT
22-801-B9	8" x 8"	48" Steel	13.40 lbs
22-802-B9	10" x 10"	48" Steel	19.30 lbs
12-356-B9	8" x 8"	48" Wood	11.00 lbs
12-357-B9	10" x 10"	48" Wood	17.10 lbs
22-827-B9	8" x 8"	48" Fiberglass	10.40 lbs
22-828-B9	10" x 10"	48" Fiberglass	16.00 lbs
11-296-B7	48" Replacen	nent Wood Handle	2.30 lbs.
22-809-B7	48" Replacen	nent Fiberglass Handle	2.09 lbs.

11 Mikasa

Forward Plate Compactor

- . 8.8 gt. water tank capacity
- · Inludes hour/tachometer
- 2275 Centrifigual force
- 13.8" x 12.3" plate




PART #	ENGINE	HP	VPM	MODEL
35-334-C2*	Honda GX 120	3.5	5600	MVC64VHW

Makasa.

Plate Compactor

- · Reliable engine with Honda easy start-up and low oil shutdown for durability
- · Cyclonic pre-cleaner captures most airborne contaminants for engine protection and extended service life
- · Single cast baseplate and eccentric housing lowers center of gravity and increases travel speed by 12% for greater productivity
- · Hour/tachometer measures runtime and engine rpm
- · Tubular steel roll bar protects engine components and provides
- central lifting point
- · Sealed belt cover keeps dirt and rocks out
- · Open base plate design for easy removal of dirt and rock build-up
- · Cog-tooth belt drive

PART #	MOTOR	PLATE SIZE	FORCE	TANK	MODEL
35-329-C2*	4.8 HP Honda	19.7" x 20.7"	3372 lbs.	n/a	MCV88VTH
35-330-C2*	4.8 HP Honda	19.7" x 20.7"	3372 lbs.	13.7 qt.	MCV88VTHW



19-154-B6

19-168-B6

30

54"


85

ASPHALT TOOLS



84-129-B8

7-1/8" x 2-1/4"



84-159-B8

7-1/8" x 2-1/4"

1-3/4

6 x 19

6 x 19

1-9/16"

82-410-B8

16" x 3-1/2"

3-3/4

6 x 26

ASPHALT TOOLS

NEW

TTE

a a l



ΓΑΠΙ Π		SHANK	E E E E E E E E E E E E E E E E E E E
66-215-89	10" x 3"	Long	\$28.35
66-216-B9	10" x 4"	Long	\$29.50
66-218-B9	11" x 3"	Long	\$29.50
66-220-B9	11" x 4"	Long	\$29.75
66-223-B9	12" x 3"	Long	\$29.90
66-224-B9	12" x 4"	Long	\$30.55
66-225-89	12" x 5"	Long	\$31.20
66-226-B9	13" x 5"	Long	\$32.50
66-227-B9	14" x 3"	Long	\$30.90
66-229-B9	14" x 4"	Long	\$31.90
66-232-89	14" x 5"	Long	\$32.70
66-233-89	16" x 3"	Long	\$31.85
66-235-89	16" x 4"	Long	\$32.75
66-237-89	16" x 5"	Long	\$34.10
66-238-B9	18" x 3"	Long	\$32.90
66-240-B9	18" x 4"	Long	\$34.15
66-242-89	18" x 5"	Long	\$35.45
66-243-B9	20" x 4"	Long	\$34.70
66-244-B9	20" x 5"	Long	\$36,15

Comfort Wa	ve Handle		
PART #	LXW	SHANK	
67-215-B9	10" x 3"	Long	
67-216-B9	10" x 4"	Long	
67-218-B9	11" x 3"	Long	
67-220-B9	11" x 4"	Long	
67-223-B9	12" x 3"	Long	
67-224-89	12" x 4"	Long	
67-225-B9	12" x 5"	Long	
67-226-89	13" x 5"	Long	
67-227-B9	14" x 3"	Long	
67-229-B9	14" x 4"	Long	
67-232-B9	14" x 5"	Long	
67-233-B9	16" x 3"	Long	
67-235-B9	16" x 4"	Long	
67-237-B9	16" x 5"	Long	
67-238-B9	18" x 3"	Long	
67-240-B9	18" x 4"	Long	
67-242-B9	18" x 5"	Long	
67-243-B9	20" x 4"	Long	
67-244-B9	20" x 5"	Long	

Carbon Steel

Blue Steel

Golden Stainless Steel **Razor Stainless Steel**

2

STEEL CITY TROWELS

Carbon Steel - Round End Finish Trowel



Camel Back			
PART #	LXW	SHANK	PRICE
66-190-B9	10" x 3"	Long	\$36.65
66-193-B9	14" x 4"	Long	\$40.85
66-194-B9	16" x 4"	Long	\$41.90
66-196-B9	18" x 4"	Long	\$43.55
66-197-B9	18" x 5"	Long	\$45.10
66-198-B9	20" x 4"	Long	\$44.20
66-199-B9	20" x 5"	Long	\$45.95

STEEL CITY TROWELS

Carbon Steel Pool Trowel



<u> </u>	PARI #	LXW	SHANK	
5	67-190-B9	10" x 3"	Long	
5 5	67-193-B9	14" x 4"	Long	
0	67-194-B9	16" x 4"	Long	
5	67-196-B9	18" x 4"	Long	
0	67-197-B9	18" x 5"	Long	
0	67-198-B9	20" x 4"	Long	
5	67-199-B9	20" x 5"	Long	

Camel Back Wood Handle					
PART #	LXW	SHANK	PRIC		
66-202-B9	8" x 3"	Short	\$28.		
66-203-B9	10" x 3"	Short	\$28.		
66-204-B9	12" x 3"	Short	\$29.		
66-206-B9	14" x 4"	Short	\$31.3		
66-207-B9	16" x 4"	Short	\$31.		
66-209-B9	18" x 4"	Short	\$32.		
66-210-B9	18" x 5"	Short	\$34.		
66-211-B9	20" x 5"	Short	\$34.0		

PART #	LXW	SHANK
67-202-B9	8" x 3"	Short
67-203-B9	10" x 3"	Short
67-204-B9	12" x 3"	Short
67-206-B9	14" x 4"	Short
67-207-B9	16" x 4"	Short
67-209-B9	18" x 4"	Short
67-210-B9	18" x 5"	Short
67-211-B9	20" x 5"	Short

• One end r	Steel Pip ound - one er ck wood or co	nd square		
		1		
				5
PART # 66-255-89	LXW 10-1/2"×3"	SHANK Long	HANDLE Camel Back Wood	5

Precision Ground Professional Grade Trouels

eel Square/Round Trowe

One end round - one end square Carnel back wood or comfort wave handle						
PART #	LXW	SHANK	HANDLE			
66-260-B9	14" x 4"	Long	Carnel Back Wood			
67-260-B9	14" x 4"	Long	Comfort Wave			
66-261-B9	16" x 4"	Long	Camel Back Wood			
67-261-B9	16" x 4"	Long	Comfort Wave			
66-262-B9	18" x 4"	Long	Camel Back Wood			
67-262-B9	18" x 4"	Long	Comfort Wave			
66-263-B9	20" x 4"	Long	Camel Back Wood			
67-263-B9	20" x 4"	Long	Comfort Wave			
66-264-B9	20" x 5"	Long	Camel Back Wood			
67-264-B9	20" x 5"	Long	Comfort Wave			

STEEL CITY TROWELS

Carbon Steel Silo Trowel



PART #	LXW	SHANK	HANDLE
66-269-B9	14" x 4"	Long	Camel Back Wood
67-269-B9	14" x 4"	Long	Comfort Wave
66-270-B9	16" x 4"	Long	Camel Back Wood
67-270-B9	16" x 4"	Long	Comfort Wave

STEEL CITY TROWELS

Carbon Steel Midget Trowel



GOLDEN STAINLESS STEEL

Bon


STEEL CITY	TROWELS				Long Shank			
Golden	Stainless	Steel			PART #	LXW	SHANK	HANDLE
Square	End	/			66-114-B9	10-1/2" x 5"	Long	Camel Back Wood
Finish T	rowel				67-114-B9	10-1/2" x 5"	Long	Comfort Wave
Long or sh	ort shank				66-117-B9	11" x 5"	Long	Camel Back Wood
		- An	-		67-117-B9	11" x 5"	Long	Comfort Wave
		-	-	-	66-120-B9	12" x 3"	Long	Camel Back Wood
	-	1			67-120-B9	12" x 3"	Long	Comfort Wave
	/		-		66-121-B9	12" x 4"	Long	Carnel Back Wood
		1			67-121-B9	12" x 4"	Long	Comfort Wave
					66-124-B9	12" x 5"	Long	Camel Back Wood
Charl Charl					67-124-B9	12" x 5"	Long	Comfort Wave
Short Shan	-				66-125-B9	13" x 5"	Long	Camel Back Wood
PART #	LXW	SHANK	HANDLE		67-125-B9	13" x 5"	Long	Comfort Wave
66-136-B9	11" x 4"	Short	Camel Back Wood		66-126-B9	14" x 5"	Long	Camel Back Wood
67-136-B9	11"x4"	Short	Comfort Wave		67-126-B9	14" x 5"	Long	Comfort Wave
66-137-B9	11-1/2" x 4"	Short	Camel Back Wood		66-128-B9	16" x 4"	Long	Camel Back Wood
67-137-B9	11-1/2" x 4"	Short	Comfort Wave		67-128-B9	16" x 4"	Long	Comfort Wave
66-140-B9	12" x 5"	Short	Camel Back Wood		66-130-B9	16" x 5"	Long	Camel Back Wood
67-140-B9	12" x 5"	Short	Comfort Wave		67-130-B9	16" x 5"	Long	Comfort Wave
66-141-B9	13" x 5"	Short	Camel Back Wood		66-131-B9	18" x 5"	Long	Camel Back Wood
67-141-B9	13" x 5"	Short	Comfort Wave		67-131-B9	18" x 5"	Long	Comfort Wave
66-142-B9	14" x 5"	Short	Camel Back Wood		66-132-B9	20" x 5"	Long	Camel Back Wood
67-142-B9	14" x 5"	Short	Comfort Wave		67-132-B9	20" x 5"	Long	Comfort Wave

Golden S Pool Tro	Stainle	ss Steel	-	
PART #	LXW	SHANK	HANDLE	-
66-103-B9	10" x 3"	Short	Camel Back Wood	-
67-103-B9	10" x 3"	Short	Comfort Wave	
66-105-B9	14" x 4"	Short	Camel Back Wood	_
67-105-B9	14" x 4"	Short	Comfort Wave	-
66-106-B9	16" x 4"	Short	Camel Back Wood	
67-106-B9	16" x 4"	Short	Comfort Wave	
	ment	Andles Handles hing trowels	#51-142	#51-143
PART #	I	HANDLE	N	
51-142-B8 51-143-B8		Carnel Back Woo Comfort Wave	bd	

RAZOR STAINLESS STEEL

STEEL CITY TROWELS

Razor Stainless Steel Square End Finish Trowel





PART #	LXW	SHANK	END
67-300-B9	10-1/2" x 4"	Long	Square
67-302-B9	11" x 4"	Long	Square
67-307-B9	12" x 5"	Long	Square
67-308-B9	13" x 5"	Long	Square
67-309-B9	14" x 4"	Long	Square
67-312 -B9	16" x 4"	Long	Square
67-313 -B9	18" x 4"	Long	Square
67-315 -B9	18" x 5"	Long	Square
67-316 -B9	20" x 5"	Long	Square

STEEL CITY TROWELS

Razor Stainless Steel Pool Trowel



PART #	LXW	SHANK	HANDLE
66-275-B9	10" x 3"	Short	Camel Back Wood
67-275-B9	10" x 3"	Short	Comfort Wave
66-277-B9	14" x 4"	Short	Camel Back Wood
67-277-B9	14" x 4"	Short	Comfort Wave
66-278-B9	16" x 3"	Short	Camel Back Wood
67-278-B9	16" x 3"	Short	Comfort Wave
66-279-B9	16" x 4"	Short	Camel Back Wood
67-279-B9	16" x 4"	Short	Comfort Wave
66-281-B9	18" x 4"	Short	Camel Back Wood
67-281-B9	18" x 4"	Short	Comfort Wave


BLUE STEEL

STEEL CITY TROWELS

Blue Steel Finish Trowel • Square or round end

Square End

Square End			
PART #	LXW	SHANK	HANDLE
66-175-B9	12" x 3"	Long	Carnel Back Wood
67-175-B9	12" x 3"	Long	Comfort Wave
66-176-B9	12" x 4"	Long	Camel Back Wood
67-176-B9	12" x 4"	Long	Comfort Wave
66-177-B9	14" x 3"	Long	Camel Back Wood
67-177-B9	14" x 3"	Long	Comfort Wave
66-178-B9	14" x 4"	Long	Camel Back Wood
67-178-B9	14" x 4"	Long	Comfort Wave
66-179-B9	14" x 5"	Long	Camel Back Wood
67-179-B9	14" x 5"	Long	Comfort Wave
66-180-B9	16" x 4"	Long	Camel Back Wood
67-180-B9	16" x 4"	Long	Comfort Wave
66-181-B9	16" x 5"	Long	Camel Back Wood
67-181-B9	16" x 5"	Long	Comfort Wave
66-182-B9	18" x 4"	Long	Camel Back Wood
67-182-B9	18" x 4"	Long	Comfort Wave
66-183-B9	18" x 5"	Long	Camel Back Wood
67-183-B9	18" x 5"	Long	Comfort Wave
66-184-B9	20" x 4"	Long	Camel Back Wood
67-184-B9	20" x 4"	Long	Comfort Wave
66-185-B9	20" x 5"	Long	Camel Back Wood
67-185-B9	20" x 5"	Long	Comfort Wave



PART #	LXW	SHANK	HANDLE
66-150-B9	12" x 4"	Long	Camel Back Wood
67-150-B9	12" x 4"	Long	Comfort Wave
66-151-B9	14" x 4"	Long	Carnel Back Wood
67-151-B9	14" x 4"	Long	Comfort Wave
66-152-B9	16" x 4"	Long	Camel Back Wood
67-152-B9	16" x 4"	Long	Comfort Wave
66-153-B9	18" x 3"	Long	Camel Back Wood
67-153-B9	18" x 3"	Long	Comfort Wave
66-154-B9	18" x 4"	Long	Camel Back Wood
67-154-B9	18" x 4"	Long	Comfort Wave
66-155-B9	20" x 4"	Long	Carnel Back Wood
67-155-89	20" x 4"	Long	Comfort Wave
66-156-B9	20" x 5"	Long	Carnel Back Wood
67-156-B9	20" x 5"	Long	Comfort Wave

STEEL CITY TROWELS

Blue Steel Pool Trowel



PART #	LXW	SHANK	HANDLE
66-160-B9	10" x 3"	Short	Camel Back Wood
67-160-B9	10" x 3"	Short	Comfort Wave
66-161-B9	12" x 3"	Short	Camel Back Wood
67-161-B9	12" x 3"	Short	Comfort Wave
66-163-B9	14" x 3"	Short	Camel Back Wood
67-163-B9	14" x 3"	Short	Comfort Wave
66-164-B9	14" x 4"	Short	Camel Back Wood
67-164-B9	14" x 4"	Short	Comfort Wave
66-165-B9	16" x 3"	Short	Camel Back Wood
67-165-B9	16" x 3"	Short	Comfort Wave
66-166-B9	16" x 4"	Short	Camel Back Wood
67-166-B9	16" x 4"	Short	Comfort Wave
66-168-B9	18" x 5"	Short	Camel Back Wood
67-168-B9	18" x 5"	Short	Comfort Wave
66-169-B9	20" x 5"	Short	Camel Back Wood
67-169-B9	20" x 5"	Short	Comfort Wave

CARBON STEEL TROWELS

BON PRO PLUS

Square End Finishing Trowel - Long Shank

· Die cast aluminum mounting · Carbon steel blade is attached with rivet and factory cross ground for "perfect feel"

PART #	LXW	HANDLE	SHANK
22-574-B9	12" x 4"	Carnel Back Wood	Long
83-212-B9	12" x 5"	Carnel Back Wood	Long
83-213-B9	13" x 5"	Carnel Back Wood	Long
22-575-B9	14" x 4"	Carnel Back Wood	Long
83-220-B9	14" x 5"	Carnel Back Wood	Long
22-578-B9	16" x 4"	Carnel Back Wood	Long
83-221-B9	16" x 5"	Carnel Back Wood	Long
22-588-B9	18" x 4"	Camel Back Wood	Long
22-647-B9	18" x 5"	Carnel Back Wood	Long
22-338-B9	12" x 4"	Comfort Grip	Long
83-227-B9	12" x 5"	Comfort Grip	Long
83-228-B9	13" x 5"	Comfort Grip	Long
22-342-B9	14" x 4"	Comfort Grip	Long
83-229-B9	14" x 5"	Comfort Grip	Long
22-346-B9	16" x 4"	Comfort Grip	Long
83-230-B9	16" x 5"	Comfort Grip	Long
22-348-B9	18" x 4"	Comfort Grip	Long
22-350-B9	18" x 5"	Comfort Grip	Long



Bon

Pointed Front Trowel with Comfort Grip Handle

- · High carbon tempered steel blade
- · Comfort Grip handle for less fatigue
- · Longer overhangs
- · Pointed for finishing in



PART #	LENGTH	WIDTH
13-523-B9	14" (356mm)	4" (102mm)
13-522-B9	14-1/4" (362mm)	4-11/16" (119mm)
13-521-B9	15-3/4" (400mm)	4-1/2" (114mm)
13-520-B9	17-3/4" (451mm)	4-1/2" (114mm)

BON PAO PLUS

Round End Finishing Trowel - Long Shank



PART #	LXW	HANDLE	SHANK
22-849-B9	12" x 3-1/2"	Camel Back Wood	Long
22-341-B9	14" x 3-1/2"	Camel Back Wood	Long
22-347-B9	14" x 4"	Camel Back Wood	Long
22-349-B9	16" x 4"	Camel Back Wood	Long
22-377-B9	18" x 4"	Camel Back Wood	Long
22-603-B9	12" x 3-1/2"	Comfort Grip	Long
22-605-B9	14" x 3-1/2"	Comfort Grip	Long
22-607-B9	14" x 4"	Comfort Grip	Long
22-609-B9	16" x 4"	Comfort Grip	Long
22-611-B9	18" x 4"	Comfort Grip	Long

BON PRO PLUS **Midget Trowel**

- · Die cast aluminum mounting fitted with ergonomic Comfort Grip handle that reduces fatigue
- Carbon steel blade is attached with rivet and factory cross ground for "perfect feel"
- Square end



PART #	LXW	HANDLE	SHANK
22-360-B9	8" x 3"	Comfort Grip	Long





PART #	LXW	HANDLE	SHANK
22-486-B9	10" x 3"	Camel Back Wood	Short
22-487-B9	12" x 3-1/2"	Camel Back Wood	Short
22-488-B9	12" x 4"	Camel Back Wood	Short
22-522-B9	14" x 3-1/2"	Camel Back Wood	Short
22-555-B9	14" x 4"	Camel Back Wood	Short
22-564-B9	16" x 4"	Camel Back Wood	Short
22-565-B9	18" x 4"	Camel Back Wood	Short
22-601-B9	10" x 3"	Comfort Grip	Short
22-602-B9	12" x 3-1/2"	Comfort Grip	Short
82-281-B9	12" x 4"	Comfort Grip	Short
22-604-B9	14" x 3-1/2"	Comfort Grip	Short
22-606-B9	14" x 4"	Comfort Grip	Short
22-608-B9	16" x 4"	Comfort Grip	Short
22-610-B9	18" x 4"	Comfort Grip	Short

E	SON PRO PLUS
	tainless Steel Trowel
·S	quare end, long shank

STAINLESS STEEL TROWELS

PART # SHANK LXW HANDLE 83-197-B9 Camel Back Wood 12" x 5" Long Long 83-198-B9 13" x 5" Camel Back Wood 83-223-B9 14" x 5" Camel Back Wood Long 16" x 5" 83-224-B9 Camel Back Wood Long 02.225 DO 10" - 5" Camel Dack Wood Lon

00-220-03	10 10	Garrier Dack wood	LUIIU	
83-222-B9	12" x 5"	Comfort Grip	Long	
83-208-B9	13" x 5"	Comfort Grip	Long	
83-209-B9	14" x 5"	Comfort Grip	Long	
83-210-B9	16" x 4"	Comfort Grip	Long	
83-211-B9	18" x 5"	Comfort Grip	Long	
				_
_				

Bonisans tours

Concrete Trowel

- · Carbon steel blade
- · Projection riveted




PART #	LXW	HANDLE	SHANK
82-290-B9	12" x 4"	Wood	Long
82-291-B9	14" x 4"	Wood	Long
82-292-B9	16" x 4"	Wood	Long

Bon

Blue Steel Round End Trowel · Flexible rounded blade to provide a stiffer trowel



PART #	LXW	HANDLE	SHANK
82-340-B9	12" x 4"	Camel Back Wood	Long
82-341-B9	14" x 4"	Camel Back Wood	Long
82-342-89	16" x 4"	Camel Back Wood	Long
82-354-B9	18" x 5"	Camel Back Wood	Long



Concrete Tool Merchandiser

Display unit measures 40° wide x 79° high
 Includes display, tool assortment and hooks

PART#	CONTENTS	QTY
11-932	Margin Trowel - 5" x 2"	6
62-469	Curved End Edger - SS 6" x 3"	4
62-439	Edger - SS 6" x 3"-1/2" - 3/8" rad x 1/2" lip	4
62-440	Edger - SS 6" x 4" - 1/2" rad x 5/8" lip	4
88-304	Groover - Bullet SS 6" x 4-1/2"	2
88-314	Groover - Bullet SS 6" x 4-1/2"	2 2
88-305	Groover - Bullet SS 6" x 4-1/2"	4
88-311	Edger - Bullet SS 6" x 2-3/4" L	2
88-334	Edger - Bullet SS 6" x 2-1/4" L	2 2 2 2
88-335	Edger - Bullet SS 6" x 2-1/4" L	2
88-336	Edger - Bullet SS 6" x 2-1/4" L	2
22-434	Universal Groover - SS 6" x 3"	4
11-750	Pointing Trowel - CS 5-1/2" x 2"	6
12-129	Knee Pads - Hard Shell (PR)	3
22-338	Finish Trowel - CS 12" x 4" - C	2 2
22-342	Finish Trowel - CS 14" x 4" - C	2
22-346	Finish Trowel - CS 16" x 4" - C	2
22-350	Finish Trowel - CS 18" x 5" - C	2
22-389	Concrete Brush - 12"	2 2 3 2 2
12-177	Rub Brick - Fluted 6" x 3" x 1"	2
12-279	Rub Brick - Fluted 8" x 3-1/2"	
12-278	Molded Rubber Float - 9" x 4"	6
12-604	Kneeler Board - Standard Foam Pad	4
12-204	Mag Float - Sq End - 16" x 3-1/8"	6
22-134	Thinline Mag Float - 16" x 3-1/8"	3
82-102	Mahogany Float - 16" x 3-1/2"	3
Also include	d	
20-102	Display Unit	1
01-104	Imprint Catalogs	10
01-148	Restocking Hang Tags	30
20-811	Single Hooks - Small	14
20-815	Single Hooks - large	2
20-805	Trowel Hanger - 10"	2
11-388	Trowel Display Bar	2
PART #		
20-202-T9*		





Curry

CONCRETE TOOLS

Golden Stainless Steel Finishing Trowel with Short Shank

- · Flexible golden stainless steel, mounted on an extra stiff aluminum shank
- · Rivets are ground for a smooth flat blade
- Short shank
- · Camel back wood handle



Curry

13-203-B8

13-204-B8

13-205-B8

13-206-B8

13-207-B8 13-208-B8

13-199-B8

Golden Stainless Steel Finishing Trowel with Long Shank

· Flexible golden stainless steel, mounted on an extra stiff aluminum shank

SHANK

Long

Long

Long

Long

Long

Long

Long Long

Long

· Rivets are ground for a smooth flat blade

LXW

10" x 4-1/2"

10" x 4-3/4"

10-1/2" x 5"

11" x 4-1/2"

10-1/2" x 4-1/2"

10-1/2" x 4-3/4"

<u>11" x 4-3/4"</u> 11-1/2" x 4-1/2"

11-1/2" x 4-3/4"

Long shank



Features:

Hand finished trowel blade Super flat plastering trowels Mounted on heavy duty cast aluminum shank Golden stainless steel, will not rust Rivets are factory ground for a smooth finish

Available in long or short shank

PART #	LXW	SHANK	
13-194-B8	12" x 3"	Long	
13-212-B8	12" x 4"	Long	
13-213-B8	12" x 4-1/2"	Long	
13-214-B8	12" x 4-3/4"	Long	
13-215-B8	12" x 5"	Long	
13-216-B8	13" x 5"	Long	
13-217-B8	14" x 5"	Long	
13-218-B8	16" x 4"	Long	
13-219-B8	16" x 4-1/2"	Long	
13-241-B8	16" x 5"	Long	
13-242-B8	18" x 5"	Long	

PART #	LXW	SHANK
83-186-B8	11-1/2" x 4-3/4"	Short
83-187-B8	12" x 5"	Short
83-188-B8	13" x 5"	Short
83-189-B8	14" x 5"	Short

Curry

High Carbon Steel Finishing Trowel

- · All rivets are factory-ground for a smooth blade
- · Lightweight, long lasting, and professionally

designed for all concrete finishing requirements

· Long shank

PART #	LXW	SHANK
82-486-B8	11" x 3"	Long
12-680-B8	11" x 4-1/2"	Long
12-681-B8	11" x 4-3/4"	Long
12-682-B8	11-1/2" x 4-1/2"	Long
12-683-B8	11-1/2" x 4-3/4"	Long
12-665-B8	12" x 3"	Long
12-666-B8	12" x 4"	Long
12-667-B8	12" x 5"	Long
82-489-B8	13" x 5"	Long
12-668-B8	14" x 3"	Long
12-669-B8	14" x 3-1/2"	Long
12-670-B8	14" x 4"	Long
12-671-B8	14" x 4-1/2"	Long
12-672-B8	16" x 3"	Long
12-673-B8	16" x 3-1/2"	Long
12-674-B8	16" x 4"	Long
12-675-B8	16" x 4-1/2"	Long
12-676-B8	18" x 4"	Long
12-677-B8	18" x 4-1/2"	Long
12-678-B8	20" x 4"	Long
12-679-B8	20" x 5"	Long

Curry

Midget Trowel

· Blade fastened to mounting with steel rivets

- · Ideal for small areas
- · Long shank



PART #	LXW	HANDLE
12-194 -B8	7-1/2" x 3"	Camel Back Wood
48-443-B8	7-1/2" x 3"	Comfort Grip
48-441 -B8	10" x 3"	Camel Back Wood
48-444 -B8	10" x 3"	Comfort Grip

Straight	Wood Handle	

PART #	LXW	SHANK
82-487 -B8	11" x 3"	Long
12-748-B8	11" x 4-1/2"	Long
12-749-B8	11" x 4-3/4"	Long
12-750-B8	11-1/2" x 4-1/2"	Long
12-751-B8	11-1/2" x 4-3/4"	Long
12-645-B8	12" x 3"	Long
12-646-B8	12" x 4"	Long
12-647-88	12" x 5"	Long
82-490-B8	13" x 5"	Long
12-648 -B8	14" x 3"	Long
12-649-B8	14" x 3-1/2"	Long
12-650-B8	14" x 4"	Long
12-651-B8	14" x 4-1/2"	Long
12-652-B8	16" x 3"	Long
12-653-B8	16" x 3-1/2"	Long
12-654-B8	16" x 4"	Long
12-655-B8	16" x 4-1/2"	Long
12-656-B8	18" x 4"	Long
12-657-B8	18" x 4-1/2"	Long
12-658-B8	20" x 4"	Long
12-659-B8	20" x 5"	Long



PART #	LXW	SHANK
82-488 -B8	11" x 3"	Long
22-612 -B8	11" x 4-1/2"	Long
22-613-B8	11" x 4-3/4"	Long
22-614-B8	11-1/2" x 4-1/2"	Long
22-615-B8	11-1/2" x 4-3/4"	Long
22-616-B8	12" x 3"	Long
22-617-B8	12" x 4"	Long
22-618-B8	12" x 5"	Long
82-491 -B8	13" x 5"	Long
22-619-B8	14" x 3"	Long
22-620 -B8	14" x 3-1/2"	Long
22-621 -B8	14" x 4"	Long
22-622 -B8	14" x 4-1/2"	Long
22-623 -B8	16" x 3"	Long
22-624 -B8	16" x 3-1/2"	Long
22-625 -B8	16" x 4"	Long
22-626 -B8	16" x 4-1/2"	Long
22-627-B8	18" x 4"	Long
22-628 -B8	18" x 4-1/2"	Long
22-629 -B8	20" x 4"	Long
22-630 -B8	20" x 5"	Long

Curry

Razor Stainless Steel Finishing Trowel

Rust resistant finishing trowel for concrete, plaster or EIFS finishing


Long shank

PART #	LXW	HANDLE
12-895 -B8	11" x 4-1/2"	Carnel Back Wood
12-896 -B8	11-1/2" x 4-1/2"	Camel Back Wood
12-897 -B8	12" x 5"	Carnel Back Wood
12-898 -B8	14" x 4"	Camel Back Wood
12-899 -B8	16" x 4"	Carnel Back Wood
12-900 -B8	18" x 4-1/2"	Camel Back Wood
12-901 -B8	20" x 5"	Camel Back Wood


Curry

Blue Steel Finishing Trowel

· Made from flexible, strong blue steel




PART #	LXW	HANDLE
12-890 -B8	12" x 4"	Camel Back Wood
12-891 -B8	14" x 4"	Camel Back Wood
12-892 -B8	16" x 4"	Camel Back Wood
22-795 -B8	16 x 5"	Camel Back Wood
12-893 -B8	18" x 5"	Camel Back Wood
12-894 -B8	20" x 5"	Camel Back Wood



CONCRETE TOOLS

93




82-240-B9

3-1/2" x 4"

1/4" x 3/8"

12-543-B9

8" x 8"



Comfort Wave Handle MATCHES # BIT D X W 1/2" x 3/8' 303 3/4" x 3/8" 305 3/4" x 7/8" 304 5/8" x 5/8" 308 1" x 1/2" 314

Bi-Directional Concrete Groover

· Double ended so it works in both directions



MATCHES # LXW BITDXW 8" x 4-1/2" 1" x 1/2" 275



BIT D X W	MATCHES #	
3/4" x 1/4"	276	PART #
1" x 3/8"	278	12-290-B9

MATCHES #

275

8" x 4-1/2" 1" x 1/2"



Wood Wave Wood Wave Wood Wave Wood Wave Comfort Wave

Comfort Wave Comfort Wave Comfort Wave

RADIUS

		D
Bon Stainless Steel Universal Concrete Groover • Reinforcing backing • One end turned up	Stainless Steel Hand Concrete Groover • Yoke bracket • One end curved up • 6" x 3"	Bon' Deep & Thin Stainless Steel Concrete Groover •6"x6"
Patent # D775508 PART # LXW BITDXW RADIUS HANDLE 12-625-89 6"x.2" 1/8"x.3/8" 1/16" Wood Wave 12-590-89 6"x.2" 1/8"x.3/8" 1/16" Wood Wave 12-591-89 6"x.4".43/4" 1/2"x.3/8" 1/16" Wood Wave 12-591-89 6"x.4".3/4" 1/2"x.3/8" 1/16" Comfort Wave 22-436 8-9 6"x.2" 1/8"x.3/8" 1/16" Comfort Wave	PART # BIT D X W RADIUS HANDLE	Patent # D775508 PART # BIT D X W RADIUS HANDLE 12-594-89 1"x1/8" 90° Wood Wave 12-592-89 2"x1/8" 90° Wood Wave 12-592-89 2"x1/8" 90° Comfort Wave 12-439-89 1"x1/8" 90° Comfort Wave
22-434 - B9 6"x 3" 1/2" x 1/2" 1/4" Comfort Wave 22-435 - B9 6"x 4-3/4" 1/2" x 3/8" 1/16" Comfort Wave Bon Aluminum Concrete Groover • Hard wearing popular item • • Cast from quality aluminum alloy • • • •	B2-228-B9 1/2" x 1/2" 1/4" Wood 82-229-B9 1/2" x 1/2" 1/4" Comfort Wave	22-438-B9 1-1/2" x 1/8" 90° Comfort Wave 22-437-B9 2" x 1/8" 90° Comfort Wave Bon Geno Saw Cut Groover Sharp 90° radius mimic a saw cut Matching walking
Wood handle #22-252 has tool bit on both ends	#22-252	tools available • 6" x 6" Patent # D775508 PART # BIT D X W RADIUS HANDLE 22-843-B9 3/4"x 3/32" 90° Wood Wave 22-858-B9 1"x 3/32" 90° Wood Wave 22-856-B9 1-1/2"x 3/32" 90° Wood Wave 22-853-B9 2"x 3/32" 90° Wood Wave
PART # L X W BIT D X W RADIUS DETAIL 22-252-B9 6"x 3" 1/2" x 1/4" 1/4" Western Groover 22-251-B9 6"x 3" 1/2" x 1/4" 1/4" Groover BONTRADE TOUGH Carbon Steel Concrete Groover	STAINLESS STEEL WALKING GROOVERS	22-844-B9 3/4"x 3/32" 90° Comfort Waw 22-859-B9 1"x 3/32" 90° Comfort Waw 22-857-B9 1-1/2"x 3/32" 90° Comfort Waw 22-854-B9 2"x 3/32" 90° Comfort Waw Bon" Bon" Bon" Bon"
#22-396 #22-396	Walking Groover - Locking all angle	Geno Saw Cut Walking Groover Used to simulate a saw cut Sharp 90° corners mimic a square saw cut Matching hand tools available PART # LX W BIT DX W RADIUS
PART # L X W BIT D X W RADIUS HANDLE 22-396-89 6"x 3" 1/2" x 1/2" 3/32" Wood 22-397-89 6"x 3" 1/2" x 1/2" 3/32" Comfort Grip Twrite Bon Steel Concrete Groover	PART # L X W BIT D X W RADIUS 12-292-89 8" x 6" 1/2" x 3/8" 1/4" 12-291-89 10" x 3-1/2" 1/2" x 3/8" 1/4" Bon All Angle Groover • All angle • Matches #22-818 and #82-228/#82-229	22-839-B9 6" x 6" 3/4" x 3/32" 90° 22-838-B9 6" x 6" 1" x 3/32" 90° 22-836-B9 6" x 6" 1-1/2" x 3/32" 90° 22-836-B9 6" x 6" 1-1/2" x 3/32" 90° 22-836-B9 6" x 6" 2" x 3/32" 90° Bon" Locking All Angle Groover • Locking all angle • Matches #22-817 and #82-228/#82-229
	A Car	
PART # L X W BIT D X W RADIUS 22-399-B9 6" x 2-3/4" 1/2" x 1/2" 1/16"	PART # L X W BIT D X W RADIUS 22-817-B9 6" x 3" 1/2" x 1/2" 1/4"	PART # L X W BIT D X W RADIUS 22-818-B9 6" x 3" 1/2" x 1/2" 1/4"

Bon Adjustable Edger/Groover

Wood Wav	e Handle			
PART #	LXW	BIT D X W	RADIUS	LIP
12-781-B9	12"x 4-7/8"	3/4"x 3/4"	3/8"	3/4"
12-783-B9	12"x 4-7/8"	3/4"x 3/4"	1/2"	3/4"
12-785-B9	12"x 4-7/8"	3/4"x 3/4"	3/4"	3/4"
12-782-B9	12"x 4-7/8"	1"x 3/4"	3/8"	3/4"
12-784-B9	12"x 4-7/8"	1"x 3/4"	1/2"	3/4"
12-786-B9	12"x 4-7/8"	1"x 3/4"	3/4"	3/4"
12-395-B9	18"x 4-7/8"	3/4"x 3/4"	3/8"	3/4"
12-609 -B9	18"x 4-7/8"	3/4"x 3/4"	1/2"	3/4"
12-977-B9	18"x 4-7/8"	3/4"x 3/4"	3/4"	3/4"
12-684-B9	18"x 4-7/8"	1"x 3/4"	3/8"	3/4"
12-856-B9	18"x 4-7/8"	1"x 3/4"	1/2"	3/4"
12-978-B9	18"x 4-7/8"	1"x 3/4"	3/4"	3/4"

	Patent # D775508
H	

ave Handle			
LXW	BIT D X W	RADIUS	LIP
12"x 4-7/8"	3/4"x 3/4"	3/8"	3/4"
12"x 4-7/8"	3/4"x 3/4"	1/2"	3/4"
12"x 4-7/8"	3/4"x 3/4"	3/4"	3/4"
12"x 4-7/8"	1"x 3/4"	3/8"	3/4"
12"x 4-7/8"	1"x 3/4"	1/2"	3/4"
12"x 4-7/8"	1"x 3/4"	3/4"	3/4"
18"x 4-7/8"	3/4"x 3/4"	3/8"	3/4"
18"x 4-7/8"	3/4"x 3/4"	1/2"	3/4"
18"x 4-7/8"	3/4"x 3/4"	3/4"	3/4"
18"x 4-7/8"	1"x 3/4"	3/8"	3/4"
18"x 4-7/8"	1"x 3/4"	1/2"	3/4"
18"x 4-7/8"	1"x 3/4"	3/4"	3/4"
	LXW 12"x 4-7/8" 12"x 4-7/8" 12"x 4-7/8" 12"x 4-7/8" 12"x 4-7/8" 18"x 4-7/8" 18"x 4-7/8" 18"x 4-7/8" 18"x 4-7/8"	L XW BIT D X W 12"x 4-7/8" 3/4"x 3/4" 12"x 4-7/8" 3/4"x 3/4" 12"x 4-7/8" 3/4"x 3/4" 12"x 4-7/8" 3/4"x 3/4" 12"x 4-7/8" 1"x 3/4" 12"x 4-7/8" 1"x 3/4" 12"x 4-7/8" 1"x 3/4" 12"x 4-7/8" 3/4"x 3/4" 18"x 4-7/8" 3/4"x 3/4" 18"x 4-7/8" 3/4"x 3/4" 18"x 4-7/8" 3/4"x 3/4" 18"x 4-7/8" 1"x 3/4" 18"x 4-7/8" 1"x 3/4" 18"x 4-7/8" 1"x 3/4"	L X W BIT D X W RADIUS 12"x 4-7/8" 3/4"x 3/4" 3/8" 12"x 4-7/8" 3/4"x 3/4" 1/2" 12"x 4-7/8" 3/4"x 3/4" 1/2" 12"x 4-7/8" 3/4"x 3/4" 3/4" 12"x 4-7/8" 1"x 3/4" 3/8" 12"x 4-7/8" 1"x 3/4" 1/2" 12"x 4-7/8" 1"x 3/4" 3/4" 18"x 4-7/8" 3/4"x 3/4" 3/4" 18"x 4-7/8" 3/4"x 3/4" 1/2" 18"x 4-7/8" 3/4"x 3/4" 3/4" 18"x 4-7/8" 3/4"x 3/4" 3/8" 18"x 4-7/8" 3/4"x 3/4" 3/8" 18"x 4-7/8" 1"x 3/4" 3/8" 18"x 4-7/8" 1"x 3/4" 3/8"

Edger/Groover					
PART #	LXW	BIT D X W	RADIUS	LIP	
12-777-B9	12"x 4-7/8"	3/4"x 3/4"	3/8"	3/4"	
12-779-B9	12"x 4-7/8"	3/4"x 3/4"	1/2"	3/4"	
12-788-B9	12"x 4-7/8"	3/4"x 3/4"	3/4"	3/4"	
12-778-B9	12"x 4-7/8"	1"x 3/4"	3/8"	3/4"	
12-780-B9	12"x 4-7/8"	1"x 3/4"	1/2"	3/4"	
12-793-B9	12"x 4-7/8"	1"x 3/4"	3/4"	3/4"	
12-802-B9	18"x 4-7/8"	3/4"x 3/4"	3/8"	3/4"	
12-804-89	18"x 4-7/8"	3/4"x 3/4"	1/2"	3/4"	
12-805-B9	18"x 4-7/8"	3/4"x 3/4"	3/4"	3/4"	
12-806-B9	18"x 4-7/8"	1"x 3/4"	3/8"	3/4"	
12-808-B9	18"x 4-7/8"	1"x 3/4"	1/2"	3/4"	
12-809-B9	18"x 4-7/8"	1"x 3/4"	3/4"	3/4"	

Stainless Steel Walking Edger/Groover

Bon

Walking

Adjustable



Bon

6" Chamfer Edger • Our quality edger has a 3/4" lip with a 45° angle • Wood wave handle



PART #	LXW	LIP	
12-864-B9	6" x 6"	3/4"	
12-865-B9	6" x 8"	3/4"	
12-866-B9	6" x 10"	3/4"	
12-867-B9	6" x 12"	3/4"	

Bon

Patent # D775508

Chamfer Edger



CONCRETE TOOLS

Bon

Combination Edger/Groover



Wood Wave Handle CURB BIT LXW RADIUS DXW WIDTH PART # LIP 12-179-B9 8" x 6" 1/4" x 1/2" 3/4" 3/4" 6" 12-883-B9 8" x 6" 1/2" 3/4" 1/4" x 1/2" 6" 22-655-B9 8" x 6" 3/4" 1/4" x 1/2" 3/8" 6" 12-884-89 10" x 6" 3/4" 3/4" 1/4" x 1/2" 8" 1/4" x 1/2" 22-100-B9 11" x 6" 3/4" 3/4" Q"

Bon

Double Edger

One side has a 3/8" radius, the other has 1/8" radius

3/4"


1/4" x 1/2"

10"

For use on top of walls or forms

12-885-B9 12" x 6" 3/4"

· Comfort Wave handle



82-766-B9	6" x 3"	3/8" x 5/8"	1/8" x 1/4"	
82-767-B9	6" x 4"	3/8" x 5/8"	1/8" x 1/4"	
82-768-B9	8" x 6"	3/8" x 5/8"	1/8" x 1/4"	

Bon

Aluminum Concrete Edger

- Hard wearing popular item
- · Cast from quality aluminum alloy
- Wood handle





PART #	LXW	RADIUS	LIP	BIT D X W	CURB WIDTH
22-440-B9	8" x 6"	3/4"	3/4"	1/4" x 1/2"	6"
22-441-B9	8" x 6"	1/2"	3/4"	1/4" x 1/2"	6"
22-656-B9	8" x 6"	3/8"	3/4"	1/4" x 1/2"	6"
22-442-B9	10" x 6"	3/4"	3/4"	1/4" x 1/2"	8"
22-184-B9	11" x 6"	3/4"	3/4"	1/4" x 1/2"	9"
22-443-B9	12" x 6"	3/4"	3/4"	1/4" x 1/2"	10"

SPECIALTY CONC	RETE EDGERS
Bon	
Tapered Edger	

 Made of heavy gauge stainless steel to work in all angle corners
 Wood wave handle

e corners d wave handle

PART #	TAPER LXW	RADIUS	LIP
12-830-B9	8" to 3" x 4"	1/4"	3/8"
12-831-B9	8" to 3" x 4"	3/8"	1/2"
12-832-B9	8" to 3" x 4"	1/2"	5/8"
12-833-B9	8" to 3" x 4"	3/4"	7/8"
12-834-B9	9" to 5" x 6"	1/4"	3/8"
12-835-B9	9" to 5" x 6"	3/8"	1/2"
12-836-B9	9" to 5" x 6"	1/2"	5/8"
12-837-B9	9" to 5" x 6"	3/4"	7/8"

Bon Radius Edger

- The perfect tool to edge curved slabs and around irregular shapes
- · Wood wave handle 12-887 #12-471 RADIUS HANDLE PART # LXW LIP Wood Wave 12-886-B9 6" x 1" 1/4" 1/4" 12-887 -B9 6" x 1" 3/8" 3/8" Wood Wave 12-888-B9 6" x 1" 1/2" 1/2" Wood Wave 12-889-B9 3/4" 6" x 1" 3/4" Wood Wave 12-471 -B9 6" x 2" 3/8 3/8 Wood Wave

Made from cast stainless steel, our edgers last five times longer than traditional bronze edgers PART # MATCHES# LXW RADIUS DEPTH WIDTH Comfort Wave Handle 38-333 -B8 303 6" x 2-1/4" 3/16" 3/16' 88-335-B8 305 6" x 2-1/4 3/16" 3/4" 3/16" 38-334-B8 304 6" x 2-1/4 7/16' 8-336-B 1/4" 314 6" x 2-1/4 88-311-B8 311 6" x 2-3/4" 3/16" 5/8' 3/16' WIDTH MATCHES# LXW RADIUS DEPTH PART # Wood Wave Handle 89-333-B8 303 6" x 2-1/4" 3/16 3/16" 89-335-B8 305 6" x 2-1/4" 3/16" 3/4" 3/16" Patent #7,610,648 Bal 89-334-B8 89-336-B8 6" x 2-1/4" (1) 304 Patent #D775508 314 6" x 2-1/4" 3/16" 1/4" 89-311-B8 311 6" x 2-3/4" 3/16" 5/8" 3/16"

STAINLESS STEEL EDGERS

Bon

Concrete Sidewalk Edger Stainless steel




Wood Wave Handle					
PART #	LXW	RADIUS	DEPTH		
12-436-B9	6" x 1-1/2"	1/4"	3/8"		
12-434-B9	6" x 2"	3/8"	3/8"		
12-435-B9	6" x 2"	3/8"	1/2"		
12-437-B9	6" x 2-1/2"	1/4"	3/8"		
12-441-B9	6" x 3"	1/8"	1/4"		
12-438-B9	6" x 3"	1/4"	3/8"		
12-843-B9	6" x 3"	3/8"	1/2"		
12-439-B9	6" x 3-1/2"	3/8"	1/2"		
12-449-B9	6" x 4"	3/8"	1/2"		
12-440-B9	6" x 4"	1/2"	5/8"		
12-442-B9	6" x 4"	1/4"	3/8"		
12-443-B9	6" x 4"	3/4"	7/8"		
12-446-B9	6" x 4"	1/2"	1-1/2"		
12-447-B9	6" x 4"	3/4"	1-1/2"		
12-448-B9	6" x 4"	1"	1-1/2"		
12-418-B9	6" x 6"	1/4"	3/8"		
12-445-B9	6" x 6"	3/8"	1/2"		
12-452-B9	6" x 6"	3/4"	7/8"		
12-444-B9	6" x 6"	1/2"	5/8"		

Comfort Wave Handle

PART #	LXW	RADIUS	DEPTH
62-436-B9	6" x 1-1/2"	1/4"	3/8"
62-434-B9	6" x 2"	3/8"	3/8"
62-435-B9	6" x 2"	3/8"	1/2"
62-437-B9	6" x 2-1/2"	1/4"	3/8"
62-441-B9	6" x 3"	1/8"	1/4"
62-438-B9	6" x 3"	1/4"	3/8"
62-843-B9	6" x 3"	3/8"	1/2"
62-439-B9	6" x 3-1/2"	3/8"	1/2"
62-449-B9	6" x 4"	3/8"	1/2"
62-440-B9	6" x 4"	1/2"	5/8"
62-442-B9	6" x 4"	1/4"	3/8"
62-443-B9	6" x 4"	3/4"	7/8"
62-446-B9	6" x 4"	1/2"	1-1/2"
62-447-B9	6" x 4"	3/4"	1-1/2"
62-448-B9	6" x 4"	1"	1-1/2"
62-418-B9	6" x 6"	1/4"	3/8"
62-445-B9	6" x 6"	3/8"	1/2"
62-452-B9	6" x 6"	3/4"	7/8"
62-444-B9	6" x 6"	1/2"	5/8"

Bon

Concrete Highway Edger



Wood Wave Handle PART # RADIUS LXW DEPTH 12-451-B9 8" x 4" 1/8" 1/4" 12-450-B9 8" x 4" 1/2" 5/8" 12-457-B9 8" x 4" 3/8" 1/2" 12-465-B9 8" x 4" 3/4" 7/8 12-453-B9 9" x 2-1/2 1/2" 5/8" 12-454-B9 9" x 3" 1/2 5/8' 12-455-B9 9" x 4" 5/8" 1/2 12-456-B9 12-458-B9 9" x 4' 3/4" 3/4" 10" x 3-1/2 3/8" 12-459-B9 10" x 4" 3/8" 1/2" 12-460-B9 10" x 4" 1-1/4" 1" 12-461-B9 10" x 4" 1-1/2 1-1/2" 12-462-B9 10" x 6" 3/8" 1/2" 12-463-B9 10" x 6" 1/2" 5/8" 12-464-B9 3/4" 1" 10" x 6"

Comfort Wave Handle PART # LXW RADIUS DEPTH 62-451-B9 8" x 4" 1/8" 1/4" 62-450-B9 8" x 4" 1/2" 5/8" 62-457-B9 8" x 4" 3/8" 1/2" 62-465-B9 8" x 4" 3/4" 7/8" 62-453-B9 1/2 9" x 2-1/2 5/8 62-454-B9 9" x 3" 1/2" 5/8" 62-455-B9 9" x 4" 1/2" 5/8" 62-456-B9 9" x 4" 3/4" 3/4" 62-458-B9 10" x 3-1/2 1/4" 3/8" 62-459-B9 10" x 4" 3/8 1/2 62-460-B9 10" x 4" 1" 1-1/4" 62-461-B9 10" x 4" 1-1/2 1-1/2" 62-462-B9 10" x 6" 3/8" 1/2' 62-463-B9 5/8" 10" x 6" 1/2" 62-464-B9 10" x 6" 3/4" 1"

Patent # D775508

Bon

Curved End Concrete Edger

· Stainless steel



Comfort Wave Handle

PART #	LXW	RADIUS	DEPTH
62-470 -B9	6" x 2-1/2"	1/4"	3/8"
62-417 -B9	6" x 2-7/8"	3/8"	1/2"
62-469 -B9	6" x 3"	1/4"	3/8"
62-343 -B9	6" x 3"	3/8"	1/2"
62-344 -B9	6" x 4"	3/8"	1/2"
62-345 -B9	6" x 4"	1/2"	5/8"

BONTRADE TOUGH

Blue Steel Sidewalk Edger	Blue	Steel	Sidewalk	Edger
---------------------------	------	-------	----------	-------

· Flex to the right feel when edging · Select sizes available with comfort grip or



Wood Han	dle		
PART #	LXW	RADIUS	LIP
82-867-B9	6" x 3"	1/8"	3/8"
22-868-B9	6" x 3"	1/4"	3/8"
22-869-B9	6" x 3"	3/8"	1/2"
22-878-B9	6" x 3"	1/2"	5/8"
22-879-B9	6" x 3"	3/4"	7/8**
22-888-B9	6" x 4"	1/8"	3/8"
22-770-B9	6" x 4"	1/4"	3/8"
22-771-B9	6" x 4"	3/8"	1/2"
22-772-B9	6" x 4"	1/2"	5/8"
22-889-B9	6" x 4"	5/8"	7/8"
22-928-B9	6" x 4"	3/4"	7/8"
22-929-B9	6" x 4"	1"	1-1/8"
22-934-B9	6" x 6"	1/8"	3/8"
22-776-B9	6" x 6"	1/4"	3/8"
22-777-B9	6" x 6"	3/8"	1/2"
22-778-B9	6" x 6"	1/2"	5/8**
22-932-B9	6" x 6"	5/8"	7/8"
22-780-B9	6" x 6"	3/4"	7/8"
22-898-B9	6" x 6"	1"	1-1/8"
22-935-B9	9" x 6"	1/4"	3/8"
22-936-B9	9" x 6"	3/8"	1/2"
22-783-B9	9" x 6"	1/2"	5/8"
22-924-B9	9" x 6"	3/4"	7/8"

PART #	LXW	RADIUS	LIP
22-710-B9	6" x 3"	1/8"	3/8"
22-711-B9	6" x 3"	1/4"	3/8"
22-712-B9	6" x 3"	3/8"	1/2"
22-713-B9	6" x 3"	1/2"	5/8"
22-715-B9	6" x 3"	3/4"	7/8"
22-717-B9	6" x 4"	1/8"	3/8"
22-718-B9	6" x 4"	1/4"	3/8"
22-719-B9	6" x 4"	3/8"	1/2"
22-720-B9	6" x 4"	1/2"	5/8"
22-721-B9	6" x 4"	5/8"	7/8"
22-722-B9	6" x 4"	3/4"	7/8"
22-723-B9	6" x 4"	1"	1-1/8"
22-724-B9	6" x 6"	1/8"	3/8"
22-725-B9	6" x 6"	1/4"	3/8"
22-726-B9	6" x 6"	3/8"	1/2"
22-727-B9	6" x 6"	1/2"	5/8"
22-728-B9	6" x 6"	5/8"	7/8"
22-729-B9	6" x 6"	3/4"	7/8"
22-730-B9	6" x 6"	1"	1-1/8"
22-732-B9	9" x 6"	1/4"	3/8"
22-733-B9	9" x 6"	3/8"	1/2"
22-734-B9	9" x 6"	1/2"	5/8"
22-736-B9	9" x 6"	3/4"	7/8"

Bon **Comfort Grip "Wave"**

Replacement Handle

· Fits any Bon concrete edger or groover





PATENT # D775508 DETAIL Comfort Wave


Bon

Carbon Steel Curved End Hand Edger

•6" x 3"

PART #

51-129-B9



PART #	RADIUS	LIP	HANDLE	
82-125-B9	3/8"	1/2"	Wood	
22-395-89	3/8"	1/2"	Comfort Grip	

Thrifty Bon **Steel Concrete Edger** · 6" x 2-3/4"



Bon

PART #

Bon

PART #

12-528-B9

12-529-B9

PART #

82-230-B9

82-231-B9

82-232-B9

82-244-B9

STEP TOOLS Bon

51-137-B9

CURB & COVE TOOLS

Wood "Wave" Replacement Handle · Fits any Bon concrete edger or groover

· Ergonomically designed for comfort



DETAIL

Blue Steel Inside Cove Tool

HANDLE

HANDLE

Wood

Wood

Wood

Wood

Wood

Wood

Wood Wave

· Step and cove tools flex to the right feel when edging

LXW

9" x 9"

9" x 9"

LXW

6" x 6"

6" x 6"

6" x 6"

6" x 6"

Blue Steel Hand Inside Step Tool

RADIUS

RADIUS

3/8"

1/2"

3/4"

5/8"

LIP

6" 6"

6"

6"

1/2"

3/4"

LIP

4"

4"

Bon

Comfort Grip Replacement Handle

· Fits any Bon concrete edger or groover PART # DETAIL 51-110-B9 Comfort Grip Bon

Wood Replacement Handle · Fits any Bon concrete edger or groover

PART # DETAIL 51-101-B9 Wood

Bon **Blue Steel Outside Curb Tool**


· Step and cove tools flex to the right feel when edging




Bon **Blue Steel Hand Outside Step Tool**









PART #	LXW	RADIUS	DETAIL
12-511-B9	6" x 2-1/2"	Square	Outside Tool
12-515-B9	6" x 2-1/2"	1/4"	Outside Tool
12-513 -B9	6" x 2-1/2"	1/2"	Outside Tool

LIP

6"

6"

6"

RADIUS

1/2"

3/4"

1"

RADIUS

2"

3"

Bon

Outside Step Tool

· 1/2" batter · Wood wave handle



CONCRETE TOOLS

PART #	LXW	LIP	RADIUS
12-692-B9	6" x 5"	2-1/2"	1/2"
12-693-B9	6" x 5"	2-1/2"	3/4"
82-122-B9	6" x 5"	2-1/2"	1"
12-694-B9	6" x 5"	2-1/2"	1-1/2"
82-123-B9	6" x 5"	2-1/2"	2"
82-356-B9	6" x 5"	5"	1"
82-357-B9	6" x 5"	5"	1-1/2"

Bon

Inside Plexiglass Step Tool

- · Will not leave a burn mark · For inside corners
- · Wood handle





PART #	LXW	LIP	RADIUS	_
12-695-B9	6" x 5"	5"	1/2"	
12-696-B9	6" x 5"	5"	3/4"	
82-120-B9	6" x 5"	5"	1"	
12-697-B9	6" x 5"	5"	1-1/2"	
82-121-B9	6" x 5"	5"	2"	

PART #	LXW	RADIUS	DETAIL
12-510-B9	6" x 2-1/2"	Square	Inside Tool
12-514-B9	6" x 2-1/2"	1/4"	Inside Tool
12-512-B9	6" x 2-1/2"	1/2"	Inside Tool

Bon'

Inside Step Tool · 1/2" batter





PATENT # [0775508			
PART #	LXW	LIP	RADIUS	DETAIL
12-410-B9	8" x 4"	4"	1/2"	Inside Tool



on [•] ue Steel Walking Concrete Edger andle and Adapters se with any walking edgers	9" x 4" Blue Steel Walking Concrete Edger	*	9" x 6" Walking Edger			-
	4"		6"			
			PART # 22-744-89	LXW 9"x6"	1/8"	LIP 1/4"
	PART # L X W RADIUS 22-738-B9 9" x 4" 1/4"	LIP 3/8"	22-745-89	9 x 6"	1/6	3/8"
	22-739-B9 9" x 4" 3/8"	1/2"	22-746-B9	9" x 6"	3/8"	1/2"
	22-740-B9 9" x 4" 1/2"	5/8"	22-747-B9	9" x 6"	1/2"	5/8"
	22-741-B9 9" x 4" 3/4"	7/8"	22-748-B9	9" x 6"	3/4"	7/8"
-328	9" x 8" Blue Steel	-	9" x 10"	Blue St	eel	
	Walking Concrete		Walking	Concret	e	-
	Edger		Edger			•
	8"			10"		
	PART # L X W RADIUS	LIP	PART #	LXW	RADIUS	LIP
-259	22-750-B9 9" x 8" 1/8" 22-751-B9 9" x 8" 1/4"	1/4" 3/8"	22-756-B9	9" x 10"	1/4"	3/8"
	22-752-B9 9"x8" 3/8"	1/2"	22-757-B9	9" x 10"	3/8"	1/2"
	22-753-B9 9" x 8" 1/2"	5/8"	22-758-B9	9" x 10"	1/2"	5/8"
	22-754-B9 9" x 8" 3/4"	7/8"	22-760-B9	9" x 10"	3/4"	7/8"
	9" x 12" Blue Steel		9" x 14"	Blue Ste	el 🚽	
-327	Walking Concrete Edger	-	Walking Edger			*
*	12"			14"		
RT # DETAIL		LID	PART #	LXW	RADIUS	LIP
-328-B9 5" Clevis Handle -259-B9 Aluminum Button Adapter	PART # L X W RADIUS 22-763-B9 9" x 12" 1/2"	LIP 5/8"	22-762-B9	9" x 14"	3/8"	1/2"
-327-B9 Aluminum Button Adapter	22-773-89 9"x 12" 5/8"	5/8"	22-764-B9 22-775-B9	9" x 14" 9" x 14"	1/2" 3/4"	5/8" 3/4"
TAINLESS STEEL WALKING EDGERS		010	22-110-89	9 X 14	3/4	3/4
on	Bon		Bon	-		
ainless Steel Flip Flop	Stainless Steel Locking All	Angle	Stainles		Valking	
alking Concrete Edger	Walking Concrete Edger		Concrete		umtalu 🖌	
			Handle soc	ket sold sepa	nately	



PART #	LXW	RADIUS	LIP
12-286-B9	10" x 6"	3/8"	1/2"
12-287-B9	10" x 6"	1/2"	5/8"
12-288 -B9	10" x 10"	1/2"	5/8"
12-289 -B9	8" x 4"	1/2"	5/8"

Bon Stainless Steel Single Action Walking Concrete Edger



PART #	LXW	RADIUS	LIP
12-720-B9	10" x 4"	3/8"	1/2"
12-721-B9	10" x 4"	1"	1-1/4"
12-722-B9	10" x 4"	1-1/2"	1-1/2"
12-723-B9	10" x 6"	3/8"	1/2"
12-724-B9	10" x 6"	1/2"	5/8"
12-725-B9	10" x 6"	3/4"	1"



PART #	LXW	RADIUS	LIP
12-284-B9	10" x 3"	3/8"	3/4"

Bon Stainless Steel Locking All Angle Walking Concrete Edger



PART #	LXW	RADIUS	LIP
82-391-B9	8" x 8"	3/4"	7/8"
12-285-B9	10" x 6"	3/8"	1/2"
12-431 -B9	10" x 6"	1/2"	5/8"
12-430-B9	10" x 6"	3/8"	3/4"
12-432 -B9	10" x 6"	3/4"	1"

PART # 12-208 -B9 12-209 -B9 LIP 1/2" 5/8" LXW RADIUS 3/8" 1/2" 10" x 6" 10" x 6" Bon **Threaded Handle Socket** · Use with threaded handles PART # DETAIL 12-503 -B9 Threaded Handle Socket Only Bon **Button Handle Socket** • Uses 1-3/4" or 1-3/8" button type handles PART # DETAIL 12-612 -B9 Button Handle Socket Only

HANDLE

Plastic


Plastic

Plastic

Plastic

Plastic

Plastic





LENGTH

WIDTH

4"

PART #

12-278-89 9"

PART #

12-362-B9

12-364-B9

THICKNESS

5/8

LENGTH

8"

10"

WIDTH

4"

4"

THICKNESS

5/8"

5/8"

PART #	LENGTH	WIDTH	THICKNESS
83-111-B10^	9-1/2" x 4"	1/2"	
83-113-B10^	12" x 4"	1/2"	
83-112-B10^	9-1/2" x 4"	3/4"	
83-114-B10^	12" x 5"	3/4"	


-


· Wood handle

103

Uha Lite

Thin Hand Float





PART #	LENGTH	WIDTH	THICKNESS	HANDLE
22-807-B8	36"	3-3/4"	1/4"	Wood
22-808-B8	42"	3-3/4"	1/4"	Wood

Bon'

Magnesium 3-1/8" Darby

· Straight 3-1/8" wide darby

· Extra knob handle for added control




PART #	LENGTH	WIDTH	HANDLE
22-391-B9	30"	3-1/8"	Wood
22-392-B9	30"	3-1/8"	Comfort Wave
22-393-B9	36"	3-1/8"	Wood
22-394-B9	36"	3-1/8"	Comfort Wave

Bon

Formed Wall Magnesium Float

· Use for finishing poured wall inside the form



Patent # D775508

PART #	LENGTH	WIDTH	HANDLE	
22-239-B9	7-1/2"	3-1/8"	Wood Wave	
62-239-B9	7-1/2"	3-1/8"	Comfort Wave	

Bon'

Replacement Handles


· Wood handle with or without holes



PART #	DETAIL	LENGTH	HOLES	
22-547-B8	Single Loop	15-1/2"	No Holes	
22-357-B8	Single Loop	15-1/2"	With Holes	
22-548-B8	Double Loop	24"	No Holes	
22-358-B8	Double Loop	24"	With Holes	
22-549-B8	Triple Loop	32-1/2"	No Holes	
22-359-B8	Triple Loop	32-1/2"	With Holes	

Bon

Magnesium Straight Darby · 3-1/2" wide the entire length · Wood handle



Bon

Magnesium Tapered Darby

•Tapers from 2-3/4" at the toe to 3-1/2" wide at the heel

· Wood handle

LENGTH WIDTH HANDLE PART # 82-110-B9 82-111-B9 24" 30" 2-3/4" to 3 1/2" 2-3/4" to 3 1/2" Single Loop Double Loop 82-112-B9 36" 2-3/4" to 3 1/2" Double Loop 82-113-B9 42" 2-3/4" to 3 1/2" Triple Loop 82-116-B9 48" 2-3/4" to 3 1/2" Triple Loop

Bon

Mahogany Tapered Darby

· Tapered blade is 3-1/2" wide on one end and 2-1/4" wide on the other

· Wood handle



PART #	LENGTH	THICKNESS	HANDLE
82-106-B9	24"	3/4"	Single Loop
82-107-B9	30"	3/4"	Double Loop
82-108-B9	36"	3/4"	Double Loop
12-183-B9	44-1/2"	3/4"	Triple Loop

Bon

Magnesium Darby

- The darby preferred by many concrete finishers
 Lightweight and properly balanced for exceptionally easy handling
- · Available in Comfort Wave handle or wood handle
- · 36" available with single or double handle

PART #	LENGTH	WIDTH	DETAIL	HANDLE
12-185-B9	30"	3-1/8"	Straight	Wood
22-185-B9	30"	3-1/8"	Straight	Comfort Wave
12-186-B9	30"	3-1/8" - 2-1/2"	Tapered	Wood
22-186-B9	30"	3-1/8" - 2-1/2"	Tapered	Comfort Wave
12-187-B9	36"	3-1/8"	Straight	Wood
22-187-B9	36"	3-1/8"	Straight	Comfort Wave
12-188-B9	36"	3-1/8"	Straight	Dbl. Wood
22-188-B9	36"	3-1/8"	Straight	Dbl. Comfort Wav



Bon 2-Hole Magnesium Bull Float without Bracket • High purity extruded magnesium • Bracket not included	Bon 48" Square End Bull Float Kit • Kit includes: #22-162 Magnesium Square End Blade (1 ea.) #12-372 Wormgear (1 ea.) #12-265 6' Handles (2 ea.)	Bon Bull Float Tote Bag • Open ended durable nylon tote holds a bull float or fresno and 4 handles • 4 interior, 5 exterior pockets and a tape measure clip • Velcro and two buckle closures • Full length plastic feet
PART # LENGTH WIDTH END 22-161-B9 42" 8" Square 22-162-B9 48" 8" Square	Mounting Hardware Included	Closed tote dimensions shown
22-189-B9 42" 8" Round 22-190-B9 48" 8" Round	PART # LENGTH WIDTH BRACKET 82-567-B9 48" 8" Wormgear	PART # LENGTH WIDTH DEPTH 82-519-B9 23-1/2" 12" 12"
Bon 2-Hole Magnesium Bull Float with Bracket • Includes Bon Universal Threaded Handle Bracket #12-376	Bon Western Magnesium Bull Float Includes Bon Clevis Bracket #22-269 Available with round or square ends	Bon Bull Float Tote Kit • All in one kit to easily store and transport the tools you need
PART # LENGTH WIDTH END		PART # CONTENTS 82-548-B9 Includes:
22-146-B9 42" 8" Square 22-147-B9 48" 8" Square 22-136-B9 42" 8" Round 22-137-B9 48" 8" Round	PART # LENGTH WIDTH END 22-268-B9 48" 8" Square 22-267-B9 48" 8" Round	(1) 12-953 48" Square End Bull Float (1) 12-946 Rock n' Roll Bracket 4) 12-169 6' Swaged Handles (1) 82-519 Tote
Bon' Round End Magnesium Channel Float • 2" high sides • Use with any Bon Tool 2-hole or 4-hole bracket • Bracket not included		Square End Aluminum Bull Float with Threaded Handle Bracket • Slightly curved broken-in shape saves tedious break-in time • Includes Bon's Universal Threaded Handle Bracket #12-376 • Reinforced cross section and husky backbone prevents warping
PART # LENGTH WIDTH END 12-735 - 89 48" 6" Round 12-740 - 89 60" 6" Round 12-736 - 89 72" 6" Round		
12-734-T9* 96" 6" Round 12-737-T9* 120" 6" Round	6"x 2"	PART # LENGTH WIDTH BRACKET 12-112-B9 48" 8" Threaded Handle
Bon Round End Magnesium Channel Float with Rite Height [®] Bracket Includes Bon Rite Height [®] Adjustable Bracket #12-272	Bon Round End Magnesium Channel Float with Wormgear Bracket • Includes Bon Wormgear Adjustable Bracket #12-372	 Bon Square End Aluminum Bull Float with Rock n' Roll® Bracket Reinforced cross section and husky backbone prevents warping Slightly curved broken-in shape saves tedious break-in time Includes Bon's Rock n' Roll Bracket #12-946
PART # LENGTH WIDTH BRACKET 82-293-B9 48" 6" Rite Height 82-294-B9 60" 6" Rite Height 82-295-B9 72" 6" Rite Height 82-296-T9" 96" 6" Rite Height 82-297-T9" 120" 6" Rite Height	PART # LENGTH WIDTH BRACKET 82-314-B9 48" 6" Wormgear 82-315-B9 60" 6" Wormgear 82-316-B9 72" 6" Wormgear 82-317-T9" 96" 6" Wormgear 82-318-T9" 120" 6" Wormgear	PART # LENGTH WIDTH BRACKET 82-469-89 48" 8" Rock n' Roll

BON PRO PLUS Magnesium Float

- · High purity extruded magnesium
- Perfect balance and feel
- Broken in feel

PART #	LENGTH	WIDTH	END
12-182-B9	12"	3-1/8"	Square
22-301-B9	14"	3-1/8"	Square
12-184-B9	16"	3-1/8"	Square
22-304-B9	18"	3-1/8"	Square
12-340-B9	20"	3-1/8"	Square
12-341-B9	24"	3-1/8"	Square

Bon

Bevel-End Cast Magnesium Float

- · A popular float that has the strength of casting
- Very hard, long wearing and extra light
- Broken-in blade has rounded corners
- The original cast mag float design
- Model 150



PART #	LXW	END	HANDLE
22-120-B9	16" x 3-1/2"	Square	Wood
22-122-B9	16" x 3-1/2"	Square	Comfort Wave

Bon

Extra Wide Magnesium Float

- Long lasting extruded magnesium
- Perfect balance



BONTRADE TOUGH

Aluminum Float

- · Extruded and lightweight aluminum
- Curved blade for a broken-in feel
- · 3-1/2" wide blade



PART #	LXW	END	HANDLE
12-199-B9	15-1/2" x 3-1/8"	Round	Wood
22-589-B9	15-1/2" x 3-1/8"	Round	Comfort Wave
12-191-B9	15-1/2" x 3-1/8"	Square	Wood
82-119-B9	15-1/2" x 3-1/8"	Square	Comfort Wave



END

Square

Square

Comfort Wave Handle

Comfort Wave Handle

LENGTH

12'

14"

16"

18"

20"

24"

High purity magnesium

· Broken-in blade shape

LXW

16" x 3-1/8"

16" x 3-18'

· Precision die cast

Model 164

PART # 22-133-B9

22-134-B9

WIDTH

3-1/8"

3-1/8"

3-1/8"

3-1/8"

3-1/8"

3-1/8"

Cast Line Thin Magnesium Float

END

Square

Square

Square

Square

Square

Square

HANDLE

Wood Comfort Wave

PART #

12-203-B9

22-302-B9

12-204-B9

22-305-B9

12-205-89

12-206-B9

Bon

PART #	LXW	END
22-641-B9	12" x 3-1/2"	Square
22-642-B9	14" x 3-1/2"	Square
22-643-B9	16" x 3-1/2"	Square
22-644-B9	18" x 3-1/2"	Square
22-645-B9	20" x 3-1/2"	Square
22-646-B9	24" x 3-1/2"	Square

Uha Lte Finisher Float

- Popular "broken in design"
- A midwest favorite
- High purity magnesium, 7/16" thick
- Thick oversized handle

22-484-B8 24" x 3-1/2"

22-485-B8 30" x 3-1/2"

22-479-B8 Replacement Wood Handle

	-	C	2	
C				
PART #	LXW	END	HANDLE	
22-482-B8	16" x 3-1/2"	Square	Wood	
22-483-B8	20" x 3-1/2"	Square	Wood	

Square

Square

Wood

Wood

6	~		6
PART #	LXW	END	HANDLE
12-408-B9	16" x 3-1/8"	Round	Wood
82-774-B9	18" x 3-1/8"	Round	Wood
82-117-B9	20" x 3-1/8"	Round	Wood
12-412-B9	16" x 3-1/8"	Round	Comfort Waw
82-775-B9	18"x 3-1/8"	Round	Comfort Wave
82-118-B9	20" x 3-1/8"	Round	Comfort Wave
Bon			
			gnesium
Combinatio	on float for eas	sy use	

Bon

PART #	LXW	END	HANDLE
12-313-B9	16" x 3-1/8"	Square/Round	Wood
12-315-B9	16" x 3-18"	Square/Round	Comfort Wave






Wood Float Handle

Wood handle without holes

PART #	SIZE	HOLE SPACING
12-627-B9	10"	None





* C & T items must ship common carrier. T items ship free on qualifying orders.

Rock n' Roll

12-859-T9* 120"

8"

Threaded Handle

82-427-T9*

120"

8"

Wormgear

82-821-T9*

120"

8"





Bon 1-3/4" Aluminum Button Handle · Made of thick anodized aluminum to prevent hands from turning black · Easily locks handles in place with quick snap springs · Will not loosen during use LENGTH PART # 12-264-89 4 12-265-B9 6' 12-731 -T9* 8' 12-732 -T9* 10' Bon 1-3/4" Aluminum Threaded Handle

- · Made of thick anodized aluminum to prevent hands from turning black
- . Threads are easy to clean, easy to join and fit most standard handles and adapters



PART #	LENGTH	
12-114-B9	4'	
12-116-B9	5'	
12-115-B9	6'	
12-106-T9*	8'	
12-107-T9*	10'	

Bon

Handle Replacement Ends • For 1-3/4" threaded handles

PART #	DETAIL	
50-126-B9 50-127-B9	Male End Female End	p

Bon **Handle Replacement Ends** · For 1-3/8" threaded handles

PART # DETAIL 50-128-B9 Male End 50-129-B9 Female End

Bon

Handle Replacement End • For 1-1/2" fiberglass handle

PART # DETAIL

50-172-B9 Male End

Made of thick anodiz from turning black	m Swaged Button Handle red aluminum to prevent hands in place with quick snap springs ing use	Bon 1-3/8" Alumii Button Hand • Made of thick and from turning blac Easily locks hand snap springs • Will not loosen do
12-169 -B9	L ENGTH 6' 8'	PART # 12-147-B9 12-229-T9*

Bon

1-3/8" Aluminum Threaded Handle

· Made of thick anodized aluminum to prevent hands from turning black

Threads are easy to clean, easy to join and fit most standard handles and adapters



PART #	LENGTH	
12-295 -89	4'	
12-296 -89	6'	

Bon

F 1 1

Connector Insert · For 1-3/4" button handle

PART # DETAIL 12-258-B9 8" Insert with Clip

Bon Spring Clip - Double Button

PART # DETAIL **Double Button Clip** 12-266-89

Bon

Spring Clip - Single Button

PART # DETAIL 12-233-B9 Single Button Clip



inum Western Swaged dle odized aluminum to prevent hands

- ack dles in place with quick
- during use



PART #	LENGTH	
12-147-B9	6'	
12-229-T9*	8'	

Bon

1-3/4" Magnesium Swaged **Button Handle**

- · Lightweight and strong
- · Magnesium prevents hands from turning black caused by oxidation
- · Easily locks in place with quick snap
- · Will not loosen during use



PART #	LENGTH	
82-920-B9	6'	
82-921-T9*	8'	

Bon

1-1/2" Fiberglass Handles

· Made of lightweight fiberglass to provide a safer handle to use around electrical power lines · High-impact plastic ends






Bon	Bon	Bon
"T" Brush Base Adapter	Brush & Fresno Threaded	Brush & Fresno Button
Complete with hardware	Handle Adapter	Handle Adapter
Cast aluminum	For 1-3/4" and 1-3/8" bull float threaded handles	For 1 3/4" bull float button handle
	Cast aluminum	Cast Aluminum
		20
in the second seco		
	8 6	
0		
DIDT /		DADY #
PART #	PART #	PART #
12-319-B9	12-327-89	12-259-89
Bon	Bon	Bon
Threaded Brush Adapter	Push Button Adapter	Push Button Adapter
For Acme thread (broom) handles	Male End	Female End
-	1-3/4" aluminum adapter	1-3/4" aluminum adapter
No.		
#82-278		
#12-945	and the second second	
· · · · · · · · · · · · · · · · · · ·	N.	-
PART # DETAIL		2427.4
82-278 - B9 Single Ear	PART #	PART #
12-945-B9 Double Ear	82-460 -B9	82-461-89
Bon	Bon	Bon
		Short Clevis Handle
Fresno Trowel & Big Blue Weight	Clevis Handle	Use to convert long handle tools to hand tools
Fits channel on our fresno and big blue bull trowel Available in two weights	Heavy duty steel clevis	Ose to convert long handle tools to hand tools
Available in two weights Cast iron	Clean, knot free hardwood	
· Cast Iron		*
The State of the S		
	9	
PART # SIZE	PART # HANDLE LENGTH MATERIAL 12-328-89 5' Wood	PART # HANDLE LENGTH MATERIAL
12-534-89 3 lb. 12-664-89 6 lb.	12-328-89 5 Wood 82-200-89 6' Wood	12-557-89 6" Wood
12-009-03 0 10.		
Bon	Bon	Bon
Locking All Angle Bracket	Threaded Handle Adjustable	Swivel All Angle Bracket
 Use with #12-327 or #12-259 adapter 	Fresno Bracket	Use with any Bon fresnos
	Fits Bon 2-hole bull floats and fresnos	All hardware included
	Use with threaded handles	
		\$
-		
-	-	
PART # DETAIL	PART # DETAIL	T
12-739-B9 Locking All Angle Bracket (bolts included)	22-576-B9 Complete Bracket	
12-347-B9 Top Only for #12-739	12-503-B9 Threaded Handle Socket Only	PART #
12-349-B9 Bottom Only	22-309-B9 Fresno Base Only	22-113-B9
Bon	Bon	Bon
Double Locking Adjustable	Button Handle Adjustable	In-Line Bracket
All Angle Bracket	Fresno Bracket	Use with any Bon fresno
Use with #12-503 or	Fits Bon 2-hole bull floats and fresnos	or two hole bull float
#12-612 socket	Uses 1-3/4" or 1-3/8" button	Hardware included
	type handles	
		Sector -
DADT # DETAIL	DADT 4 DETAIL	C
PART # DETAIL	PART # DETAIL	
22-600-B9 Complete Bracket (bolts included) 22-594-B9 Top Only for #22-600	22-577-B9 Complete Bracket 12-612-B9 Button Handle Socket Only	PART #
12-349-B9 Bottom Only	22-309-B9 Fresno Base Only	82-127-89
se e la bottom omy	,	







82-438-B9

48"

7-1/4"

82-138 -B9

48"

7-1/4"

Clevis

22-269-B9



Black plast		e an even	ete Finishing B brush finish to newly		Bon Double Time Brush Bracket • Mounts on bull floats or Big Blue™ Trowels • Mounts under bull float brackets • Brush not included
8		?			- Brush Hot Included
PART # 12-937 -T9*	LENGTH 120"	TRIM 2-1/2"	BRISTLE Medium Poly		
 Black plast 	ic bristles give cement surfa	e an even	Finishing Brus brush finish to	h L Ç	
PART # 12-930-89	LENGTH	TRIM 2-1/2"	BRISTLE Medium Poly		Big Blue and brush sold separately
12-931-B9 12-932-B9 <u>22-361-B9</u> 12-335-B9 12-336-B9 12-337-B9	36" 48" 60" 24" 36" 48"	2-1/2" 2-1/2" 2-1/2" 2-1/2" 2-1/2" 2-1/2"	Medium Poly Medium Poly <u>Medium Poly</u> Coarse Poly Coarse Poly Coarse Poly	6	PART # DETAIL 22-323 B7 Double Time Bracket Only
	r coarse poly		Coarse Poly Weigh-Less™ F	inishing Brush	Bon Double Time Brush • Poly fiber bristles • Aluminum body with replacement strip • Use with bracket #22-323 on Big Blues or Double Time Fresnos (on pg 110)
PART # 12-934-B9 12-935-B9 12-936-B9 22-362-B9	LENGTH 24" 36" 48" 60"	TRIM 2-1/2" 2-1/2" 2-1/2" 2-1/2"	BRISTLE Medium Poly Medium Poly Medium Poly Medium Poly		
12-343-89 12-344-89 12-345-89 22-364-89 BON BI	24" 36" 48" 60"	2-1/2" 2-1/2" 2-1/2" 2-1/2" CONCR	Coarse Poly Coarse Poly Coarse Poly Coarse Poly ETE BRUSHES		PART # LENGTH BRISTLES 22-822-89 36" Coarse Poly 22-823-89 46" Coarse Poly
Foam plast • Foam plast • Blue flagge • Ideal for cl • Standard b • Handle sole	ash Brusi ic block ed tip styrene eaning ready- room thread d separately	h bristles mix truck		Dual Angle Wash Brush - Foam plastic block - Blue flagged tip styrene bristles - Ideal for cleaning ready-mix trucks - Accommodates fountain type handle for water flow to bristles - Standard broom thread - Handle sold separately	Function of the second
PART # 84-957-B8^ 84-958-B8^ 84-959-B8^	8" 2- 9" 2-	·1/2" B ·1/2" B	RISTLE ue Flagged Styrene ue Flagged Styrene ue Flagged Styrene	PART # LENGTH TRIM BRISTLE 84-956-B8 10" 2" Blue Flagged Styrene	PART # LENGTH TRIM BRISTLE 84-960-B8^ 14" 2-1/2" Blue Flagged Styrene 84-961-B8^ 18" 2-1/2" Blue Flagged Styrene 84-962-B8^ 24" 2-1/2" Blue Flagged Styrene





PART #	LENGTH	BRISTLE
22-388-B8	12"	Horsehair
22-389-B8	12"	Horsehair/Poly Mix




PART #	LENGTH	ROWS	BRISTLE
22-311 -B8^	12"	7	Soft Horsehair

· Two rows of soft horse hair create a fine brush finish





		Ron
Bon Handicap Ramp Bull Float Makes 3/8" deep by 3/8" wide penetrations on 2" centers Meets the handicap ramp specifications of many states Includes #12-376 bracket		Bon Handicap Ramp Hand Float - Single Cutter • Single cutter floats make corrugations 3/8" deep by 3/8" wide • Meets many state specifications for handicap ramps • Meets many state specificati
12-517-B8 42" x 8" 3/8" x 3/8" 2"		12-564-B8 8" x 2" 3/8" x 3/8" Single Groove
Bon Fumble Strip Hand Float . Wood handle . Meets many states specifications for shoulder and median areas #12-563 #12-563 #12-519 PART# LXW DETAIL	Bon Rumble Strip Bull Float • Makes a wave pattern 4-1/2" center to center • Measurement from high point of the peak to low point of the • Radius is 1" • Meets many states specifications for shoulder and median ar • Cast aluminum • Includes #12-376 bracket	
12-519-88 13-1/2" x 7-1/4" Rumble Strip 12-563-88 4-1/2" x 7-1/4" Single Cutter	PART# L X W 12-518-B8 48" x 7-1/4"	
Bon Aluminum Wheelchair Ramp Walking and Hand Tool Groovers • 2" groove spacing		EFT (45°)
Walking Tool Groover PART# DETAIL L X W BIT 82-640-B8 Left 13-1/2"x 8" 3/8" x 3/8" 82-641-B8 Right 13-1/2"x 8" 3/8" x 3/8" 22-556-B8 Straight 10" x 8" 3/8" x 3/8" 82-642-B8 Straight 16" x 8" 3/8" x 3/8"	RI	GHT (45°)
Hand Tool Groover PART# DETAIL L X W BIT 82-643-88 Left 13-1/2"x 8" 3/8" x 3/8" 82-644-88 Right 13-1/2"x 8" 3/8" x 3/8" 12-516-88 Straight 10" x 8" 3/8" x 3/8" 82-645-88 Straight 16" x 8" 3/8" x 3/8"	s s	TRAIGHT
Bon Safety Step Edger Makes four safety grooves at the same time Groove spacing is 3/4", 1/2" radius, 1/2" lip Wood wave handle	Bon Safety Step Groover • Makes four safety grooves at the same time • Groove spacing is 3/4" and has no lip • Wood wave handle	Bon Target Ramp Groover . Combination edger and safety step groover . Makes 12 safety grooves at the same time . Groove spacing is 1" . Designed for entry to Target™ stores . Wood wave handle Patent # D775508
PART # L X W RADIUS LIP BIT (D) 12-475-89 6" x 4-3/4" 1/2" 1/2" 1/4"	PART # L X W BIT DEPTH 12-476-B9 6" x 4" 1/4"	PART # L X W RADIUS LIP BIT (D) 22-102-B9 13-1/2" x 6" 1/2" 1/2" 3/16"



- · Complies with DOT specifications for many states
- Flat 1/8" stainless steel tines
- . 5' section available in two different spacing patterns
- PART # LENGTH DETAIL #22-495 22-153-B8 60" Section A without T-Adapter 82-560-B8 60" 22-154-B8 60" Section A with T-Adapter Section B without T-Adapter Section B with T-Adapter 82-561-B8 60" 22-155-T8* 120' Without T-Adapter 82-562-T8* 120" With T-Adapter 22-495-B8 Replacement Tine (each)



· Long term durability · Self-threading corrosion

resistant composite anchors



PART #	SIZE	COLOR	FED #	
34-186-B5	2' x 3'	Yellow	33538	
34-187-B5	2'x4'	Yellow	33538	
34-188-B5	2' x 5'	Yellow	33538	
34-189-B5	2' x 3'	Brick Red	22144	
34-190-B5	2' x 4'	Brick Red	22144	
34-191-B5	2' x 5'	Brick Red	22144	
34-192-B5	2' x 3'	Colonial Red	20109	
34-193-B5	2'x4'	Safety Red	20109	
34-194-B5	2' x 5'	Safety Red	20109	

FLYING GROOVERS

Bon

Flying Groover

- · Made from 8" wide cast aluminum
- · Choose from single (one direction) or double bit (two directions)
- · Use with any Bon Bull Float Bracket
- ·24" long with 1/4" radius



RED LINE VEGAS GROOVERS


Bon

Red Line Vegas Groover

- · 1/4" wide x 1-3/4" deep bit
- · Red line and sight marker
- · High strength aluminum alloy

•	Ideal	for	running	long	joint

PART #	LENGTH	BIT
22-380-B9	24"	Smooth
22-381-B9	36"	Smooth
22-382-B9	48"	Smooth
22-383-B9	60"	Smooth
22-384-B9	24"	Serrated
22-385-B9	36"	Serrated
22-386-B9	48"	Serrated
22-387-B9	60"	Serrated



Round End Flying Groover

PART #	BIT (W)	BIT (D)	BIT END
22-192-B9	3/8"	3/4"	Single
22-193-B9	1/2"	1"	Single
22-194-B9	5/8"	1-1/2"	Single
22-195-B9	3/8"	3/4"	Double
22-196-B9	1/2"	1"	Double
22-197-B9	5/8"	1-1/2"	Double

Square End Flying Groover

PART #	BIT (W)	BIT (D)	BIT END
22-140-B9	3/8"	3/4"	Single
22-141-B9	1/2"	1"	Single
22-142-B9	5/8"	1-1/2"	Single
22-143-B9	3/8"	3/4"	Double
22-144-B9	1/2"	1"	Double
22-145-B9	5/8"	1-1/2"	Double

Bon

Red Line Vegas Hand Groover

· Matches our popular red line groover · Use to deep control joint

· Wood handle



PART #	LENGTH	BIT DEPTH	BIT
22-390-B9	12"	1-3/4"	Smooth





84-255-B8

15

14"

84-261-B8

13

16"

LENGTH


28

PART #

12-606 -B9

WIDTH

8"



LENGTH

28

PART #

12-605-B9

WIDTH


8

SIZE

7-1/2" x 9"

PART #

50-170-B9



MATERIAL HANDLE 10' Threaded Aluminum Aluminum 10' Threaded 10' Threaded Aluminum Replacement Braces (Pair) Replacement Collar/Clamp 2" x 4" Super Flat Paver Straightedge . Complete with handle, braces and Wormgear Bracket #12-372 MATERIAL HANDLE BRACKET 10' Button Magnesium Wormgear Magnesium 10' Button Wormgear Replacement Braces (Pair) Replacement Collar/Clamp

Mag Bull Float with Wormgear Bracket



PART #	LENGTH	DETAIL	MATERIAL	BRACKET
82-417-B9	8'	Square End	Magnesium	Wormgear
82-418-T9*	10'	Square End	Magnesium	Wormgear
82-426-B9	8'	Round End	Magnesium	Wormgear
82-427-T9*	10'	Round End	Magnesium	Wormgear

Magnesium Channel Float Paver Straightedge . 6" wide channel flat bottom magnesium channel has Comes with aluminum handle, braces and HANDLE MATERIAL BRACKET Magnesium 10' Button Wormgear Magnesium 10' Button Wormgear Magnesium 10' Button Wormgear Replacement Braces (Pair)

Replacement blades available for all styles. Call for more information.


Bon Bon **Magnesium Screeds** · Extra thick edges and end caps won't rust, rot or load up with mud 1" x 4" · Replaceable plastic end caps · High purity magnesium 1-1/2" x 3-1/2" 2" x 5" 2" x 4" BEST SCREEDS IN THE INDUSTRY! WORK EDGES ARE THICKER TO LAST LONGER 1-1/2" x 3-1/2" 2" x 4" 2" x 5" PART # LENGTH PART # LENGTH PART # LENGTH 22-306-B8 12-374-B8 12-380-T8* 16' 6' 6' PART # LENGTH 22-308-T8* 8" 12-371-T8* 8 12-128-T8* 20" 22-310-T8* 10' 22-312-T8* 12' 12-375-T8* 10' 12-120-T8* 12' 12-686-B8 12-382-T8* 24' 2 12-687-B8 4 22-793-T8* 26' 12-121-T8* 14 12-126-B8 6' 22-314-T8* 14' 50-137-B6 2"x 5" Repl. End Cap 12-122-T8* 16' 12-189-T8* 18' 12-117-T8* 8' 22-316-T8* 16' 22-318-T8* 18 12-118-T8* 10' 12-119-T8* 12' 22-320-T8* 20' 12-507-T8* 20" 12-373-T8* 14' 22-324-T8* 24 12-508-T8* 24 50-132-B6 1-1/2"x 3-1/2" Repl. End Cap 50-135-B6 1"x 4" Repl. End Cap 50-136-B6 2"x 4" Repl. End Cap

ALUMINUM SCREEDS

Bon

Reinforced Aluminum H-Screed 1-1/2" x 3-1/2"

- · Harder and stronger than magnesium screeds
- · End caps prevent concrete from building up inside screed
- Engineered to be stiffer and straighter
- · Less prone to bending and damage
- Choose welded end caps or replaceable
 plastic caps



PART #	LENGTH	CAP
22-507 -B8	6'	Welded
22-509 -T8*	8'	Welded
22-511 -T8*	10	Welded
22-513 -T8*	12'	Welded
22-515 -T8*	14'	Welded
22-517 -T8*	16'	Welded
22-519 -T8*	18'	Welded
22-521 -T8*	20'	Welded
22-523 -T8*	24'	Welded
22-506 -B8	6'	Plastic
22-508 -T8*	8'	Plastic
22-510 -T8*	10	Plastic
22-512 -T8*	12'	Plastic
22-514 -T8*	14'	Plastic
22-516 -T8*	16'	Plastic
22-518 -T8*	18'	Plastic
22-520 -T8*	20'	Plastic
22-524 -T8*	24'	Plastic
50-132-B6	1-1/2"x 3-1/2" P	lastic Repl. End Cap

Bon

Bon

shims

PART #

22-317-B7

· Sold in pairs

Screed Handles • Lightweight aluminum

 Designed for Bon Screeds smaller sizes may require

· Includes hardware

Reinforced Aluminum H-Screed 3/4" x 4"

- Harder and stronger than magnesium screeds
- Replaceable plastic end caps

PART # LENGTH 24-119-B9 4 24-120-B9 6' 24-121-T9* 8' 24-122-T9* 10' 24-123-T9* 12' 24-124-T9* 14 3/4" x 4" Replacement End Cap (Plastic) 50-124-B6

HEIGHT

36'

Bon

Screed Level

- Clamps onto any Bon[®] screed
 Graduated vial reads pitch or slope in
- 1/8" increments from level to 1/8" per foot



PART # 12-738-B7



CONCRETE TOOLS



Bon **Mustang Power Screed** · Reliable performance and operator comfort

- All angle ergonomic handle provides 360 degree quick adjustment for less fatigue
- Handlebar throttle control
- · Tilt-up stand keeps unit upright · Equipped with an emergency shut off switch
- · Use quick change Aluminum Float Pan Blades - sold separately



PART #	ENGINE	
82-547-B6	1.6 HP Honda GX35	
50-496-B4	Replacement Throttle Cable	
2011 Color		

Bon


Pony Power Screed

- · Heavy rubber mounts to reduce the vibration level on the handle
- · Tilt-up stand keeps the engine out of concrete or off the ground obstacles
- One piece casting body easy connect to engine
- · Equipped with an emergency shut
- off switch
- Use quick change Aluminum Float Pan Blades - sold separately

PART #	ENGINE	
82-546-B6	1.6 HP Honda GX35	
50-496-B4	Replacement Throttle Cable	

Bon

- **Aluminum Float Pan Blade**
- · Cut and finish in a single pass
- · 9" center to center hole spacing
- . For use on Bon Pony Power Screed (#82-546) and Bon Mustang Power Screed (#82-547)
- . The rounded ends of the blade make it easy to go around obstacles



Bon'

Electric Speedy Screed

· Attaches guickly to your own screed board, up to 16' wood boards.

- or up to 20' aluminum or magnesium boards
- · Works faster than manual screed board and allows a drier concrete to be poured
- · Comes with 8' of electric cord and a remote switch · Runs on 120 volt AC 50/60 HZ 2 amps




PART

12-399-B3

Bon'

- **Concrete Vibrators**
- · Electric motor housing is cast aluminum, protected by a roll cage which is also a stable base
- Heads are factory sealed; doesn't need to be
- field lubricated
- · Built rugged for trouble free service
- · Choose motor, shaft length and head size



Bon **Backpack Vibrator**

- · Reliable Honda, air-cooled, 4 stroke
- engine

NEW

- · General construction applications such as footings and stem walls, decks, driveways
- and stairways
- · 1 liter fuel tank
- · Can power a flex shaft in excess of 20'
- 1-1/2" diameter shafts sold separately



PART #	DETAIL	ENGINE
82-769-B6	Backpack Vibrator	1.9 HP Honda GX35U
82-776-B6	1' 8" Shaft with Head	
82-777-B6	3' 4" Shaft with Head	
82-778-B6	5' Shaft with Head	
82-779-B6	6' 6" Shaft with Head	

82-498-T6*

16

Aluminum





Bon

Kangaroo™ Combo Screed with Built-In Level

- · Use as screed, float and checking rod
- · Aluminum screed base features sharp edge for screeding and rounded edge for floating
- Ribbed handle provides excellent grip and better leverage
- Handle has a built-in bubble level to check work

PART # SIZE 82-462-B9 4 82-463-B9 6' 82-464-T9* 8' 82-465-T9* 10' **Built-In Level** 82-466-T9* 12 50-249-B8 Replacement Handle 50-250-B8 Replacement Bracket (each) Replacement End Caps (pair) 50-251-B8



PART #

82-204-B9

SIZE

5'





MATERIAL

Aluminum

HANDLE

6' Button





30"

7-1/2"

82-146-B9 24

22-979-B9

48"

5"

Bon Slump Test Kit • Meets ASTM requirements

Professional kit

PART #	CONTE	NTS
82-485 -B6	Includes	1 each:
	12-718	Slump Tamping Rod
	82-480	Steel Slump Cone
	12-849	Aluminum Slump Scoop
	12-716	Slump Test Pan
	82-483	5" Strike Off Trowel
	84-163	Wire Brush

Bon Steel Slump Cone

Plated for rust resistance and long life

- Equipped with handles and foot pieces
- · 12" high; 4-1/4" top diameter; 8" bottom diameter



PART # 82-480-B6

Bon

Slump Cone Plate

Made of 1/8" aluminum plate for strength and rigidity
 Dual hand holes for easy carrying



PART #	SIZE	
82-381-B5	18" x 18"	

Bon Wet Film Gauge

- Gauge range in mils
- 1-80 mil scale
- Aluminum stock
- Meets ASTM D-4414



PART #	SIZE	
82-479-B9	3-1/2" x 2-1/4"	





Plastic Slump Cone

12-717-B6

Bon

Slump Test Pan • Sturdy galvanized pan resists corrosion • Large size provides greater surface area and easy clean up



SIZE	
24" x 24"	
	LT A LT

Bon

Strike Off Trowel

- Straight sides that taper to sharp point
- Ideal to remove and smooth excess concrete or grout from surface of molds and for mixing of soil samples



PART #	SIZE	
82-483-B9	5"	
82-484-B9	10"	

Son Slump Tamping Rod • Use 24" steel tamper rod to consolidate concrete, then remove cone to allow sample to slump • Graduated in inches and guarter inches



PART # 12-718-B6

Bon Slump Scoop • Cast aluminum with round mouth • Used to scoop fresh concrete into slump cone



PART # 12-849-B6	SCOOP SIZE 5" x 8" x 2-1/2"	CAPACITY 1 guart
Bon Concret • Pocket sty	e Thermome Ie Iastic case with	
PART # 82-481 -B7		FEMP. RANGE -50° F to 120° F
Registers I from last s temperatu Accurately	measures variance effect of setting crete	ngs it
PART # 12-726 -B7		TEMP. RANGE 40° F to 120° F
 Registers from last Environment 	y Free Max-N meter high and low readi setting, plus currer entally friendly, me e - Celsius and Fahr	ings nt temperature rcury-free


SIZE

82-726-B7 9-1/2" x 2-1/2"

PART #

TEMP. RANGE

-40° F to 120° F



- 10 gauge carbon steel with a beveled edge
- Mild dish design to prevent "digging in"
- · Equipped with dual direction, three point welded "Z" Clips
- · 36" pans for walk behind and non-lapping riders
- · 44" & 46" for non-lapping riders only

PART#	DIAMETER	# CLIPS
17-421-T8*	36"	4
17-423-T8*	42"	4
17-424-T8*	44"	4
17-426-T8*	46"	4
17-427-T8*	60"	6

Carbon Steel Float Pan with Safety Clips

· 10 gauge carbon steel with a beveled edge

- Mild dish design to prevent "digging in"
- · Equipped with dual direction, three point welded safety clips
- · 36" pans for walk behind and non-lapping riders

· 44" & 46" for non-lapping riders only

PART#	DIAMETER	# CLIPS
17-431-T8*	36"	4
17-433-T8*	42"	4
17-434-T8*	44"	4
17-436-T8*	46"	4
17-437-T8*	60"	6









MQ WHITEMAN								
Power Trowel with S A favorite of contractors who							Anti-Vibration	
Large knob makes it easy to in			ale				operator com	ort
Power trowels equipped with			9.0		E	gonomic	-	1
Heavy duty gearbox and spide	er assembly				th	rottle control	1	
					14.5	a harde		
PART # DIA. MOTOR	MODEL				Salet	y shut-off switch	Height an	ijustable
35-129-C2* 36" 2 HP Electric 35-130-C2* 36" 4.8 HP Honda		24	Tough	long Standard	lifting bail	0	handleba	
35-132-C2* 36" 8.5 HP Honda	a J36H90H/SXH	11	lasting	genroox	-		/	
35-124-C2* 46" 8.5 HP Honda 35-126-C2* 46" 9.5 HP Honda			Annes	here	Ĩ		Fully end	losed belt g
	da HDA48413H/SXHD		Access	Pause /			Heavy-du clutch	ty centrifug
						-	Optimal	alance for
						×	smooth	inishing
Ma				- <u>></u>			-	
Power Trowel with QH				1 CE	17	(AP)		
A patented spring-loaded des concrete conditions.	sign that enables the oper	ator to react rapidly t	o changing	0	1/ 100			
Blade pitch is increased or de	ecreased in 1/8" incremen	ts by moving the late	hina lever		1000	-		
back and forth		to by morning the late	ing lot of		None-			
			Durable	spider assembly	-	Stabilize	ring	
PART # DIA. MOTOR	MODEL					and the second second		
	la J36H55/QXH	T	X					
	la J36H90H/QXH							
	la B46H90/QXH nda B46H11H/QXH	- 1	1					
	ida HDA48413H/QXHD	1 Stan						
	au norrorrorrorrorro	1						
-			s equipped with 4 cr pe models available		ades			
		PART #	DETAIL	DIAMETER	MOTOR	MODEL	HANDLE	
7-180-B8 24" 7-181-B8 30"		PART # 35-128-C2*	DETAIL Centrifugal Clutch	DIAMETER 24"	MOTOR 3.5 HP	MODEL CA4HC/SXH	HANDLE Twist Pitch	_
17-180-88 24" 17-181-88 30"								_
17-180-B8 24" 17-181-B8 30" 17-182-B8 36"		35-128-C2*	Centrifugal Clutch	24"	3.5 HP	CA4HC/SXH	Twist Pitch	-
7-180-88 24" 17-181-88 30" 17-182-88 36" JOINT MATERIAL		35-128-C2*	Centrifugal Clutch	24" 24"	3.5 HP	CA4HC/SXH	Twist Pitch	
17-180-88 24" 17-181-88 30" 17-182-88 36" JOINT MATERIAL Bon Polyform Expansion	Joint Material	35-128-C2* 35-278-C2*	Centrifugal Clutch Manual Clutch	24" 24" Zip Strip	3.5 HP 3.5 HP	CA4HC/SXH CA4HM	Twist Pitch	
7-180-B8 24" 17-181-B8 30" 17-182-B8 36" JOINT MATERIAL Bon Polyform Expansion Flexible polyethylene foam		35-128-C2*	Centrifugal Clutch Manual Clutch	24" 24" Zip Strip • T-shaped co	3.5 HP	CA4HC/SXH CA4HM y eliminates	Twist Pitch	
17-180-B8 24" 17-181-B8 30" 17-182-B8 36" JOINT MATERIAL Bon Polyform Expansion Flexible polyethylene foam Alternative to asphalt and felt		35-128-C2* 35-278-C2*	Centrifugal Clutch Manual Clutch	24" 24" Zip Strip • T-shaped co	3.5 HP 3.5 HP ntrol joint virtuall cks in flat slab co	CA4HC/SXH CA4HM y eliminates	Twist Pitch	
17-180-88 24" 17-181-88 30" 17-182-88 36" JOINT MATERIAL Bon Polyform Expansion Flexible polyethylene foam Alternative to asphalt and felt 3" high with tear-off top that n	measures 1/2"	35-128-C2* 35-278-C2*	Centrifugal Clutch Manual Clutch	24" 24" Zip Strip • T-shaped co random cra	3.5 HP 3.5 HP ntrol joint virtuall cks in flat slab co	CA4HC/SXH CA4HM y eliminates	Twist Pitch	
7-180-88 24" 17-181-88 30" 17-182-88 36" JOINT MATERIAL Bon Polyform Expansion Flexible polyethylene foam Alternative to asphalt and felt 3" high with tear-off top that n Tear-off top used to create cau	measures 1/2" ulking void	35-128-C2* 35-278-C2*	Centrifugal Clutch Manual Clutch	24" 24" Zip Strip • T-shaped co random cra	3.5 HP 3.5 HP ntrol joint virtuall cks in flat slab co	CA4HC/SXH CA4HM y eliminates	Twist Pitch	
17-180-88 24" 17-181-88 30" 17-182-88 36" JOINT MATERIAL Bon Polyform Expansion Flexible polyethylene foam Alternative to asphalt and felt 3" high with tear-off top that n Tear-off top used to create cau	measures 1/2" ulking void	35-128-C2* 35-278-C2*	Centrifugal Clutch Manual Clutch	24" 24" Zip Strip • T-shaped co random cra	3.5 HP 3.5 HP ntrol joint virtuall cks in flat slab co	CA4HC/SXH CA4HM y eliminates	Twist Pitch	
17-180-88 24" 17-181-88 30" 17-182-88 36" JOINT MATERIAL Bon Polyform Expansion Flexible polyethylene foam Alternative to asphalt and felt 3" high with tear-off top that n Tear-off top used to create cau	measures 1/2" ulking void s	35-128-C2* 35-278-C2*	Centrifugal Clutch Manual Clutch	24" 24" Zip Strip • T-shaped co random cra	3.5 HP 3.5 HP ntrol joint virtuall cks in flat slab co	CA4HC/SXH CA4HM y eliminates	Twist Pitch	
17-180-88 24" 17-181-88 30" 17-182-88 36" JOINT MATERIAL Bon Polyform Expansion Flexible polyethylene foam Alternative to asphalt and felt 3" high with tear-off top that n Tear-off top used to create cau	measures 1/2" ulking void s 2-1/2"	35-128-C2* 35-278-C2*	Centrifugal Clutch Manual Clutch	24" 24" Zip Strip • T-shaped co random cra	3.5 HP 3.5 HP ntrol joint virtuall cks in flat slab co	CA4HC/SXH CA4HM y eliminates	Twist Pitch	
17-180-88 24" 17-181-88 30" 17-182-88 36"	measures 1/2" ulking void s	35-128-C2* 35-278-C2*	Centrifugal Clutch Manual Clutch	24" 24" Zip Strip • T-shaped co random cra	3.5 HP 3.5 HP ntrol joint virtuall cks in flat slab co	CA4HC/SXH CA4HM y eliminates	Twist Pitch	

* C & T items must ship common carrier. T items ship free on qualifying orders.

QTY/PKG 50 50

DEPTH 1" 1-1/2"

 PART #
 LENGTH

 12-405-T7*
 10'

 12-406-T7*
 10'


THICKNESS 1/4" 1/2"

 PART #
 L X W

 83-244-T7*
 100' x 3"


 83-245-T7*
 50' x 3"

TOTAL LENGTH 2000' 1000'










Bevel Edge Blades

PART #	WIDTH	PILOT	CUT	MODEL
22-993 -B2	.375	.125	V-Line	542756151
22-994-B2	.625	.125	V-Line	542756152
22-995 -B2	.625	.250	V-Line	542756153
22-996 -B2	.750	.380	V-Line	542756154
22-997 -B2	1.00	.500	V-Line	542756155
22-998 -B2	.250	.125	Radius Line	542756156
22-999-B2	.500	.125	Radius Line	542756157

Non Bevel Edge Blades

PART #	WIDTH	PILOT	CUT	MODEL
22-938-B2	.100		Straight Line	542777007
22-939 -B2	.225	•	Straight Line	542777011

PART #	ENGINE	APPLICATION	MODEL
22-797-C2*	4.3 HP Robin	General Construction	966844811
22-798-C2*	4.3 HP Robin	Decorative Cuts	966844810



 Ideal for small i Great to use on Adjustable hand for increased s 	ush Saw - FS road repairs difficult to access j dle and extendable	obsites wheel	BLADE NOT INCLUDED			
PART #	BLADE	ENGINE	CUT DEPTH	RPM	MODEL	
22-796-C2*	14"	4.5 Robin	4-5/8"	2620	967678301	
82-549-B7	Water Tank	543084137				

Husqvarna

Concrete Push Saw - FS400

- Multi-purpose concrete saw ideal for small to medium size service and repair jobs on concrete and asphalt
- Water tank standard
- Depth of cut indicator can be adjusted for differen diameter blades
- · Retractable hand wheel can be folded when moving

saw ideal for small to d repair jobs on concrete an be adjusted for different can be folded when moving	
can be rouge when moving	BLADE NOT

PART #	BLADE	ENGINE	CUT DEPTH	RPM	MODEL
22-794-C2*	18"	11 HP Honda	6-5/8"	2800	965148208

Husqvarna **Concrete Push Saw - FS413** · Ideal for small to medium sized service and repair jobs on concrete and asphalt Slip on blade guard · Water tank standard · Compact push saw with patented design to reduce vibration and the force needed to adjust the blade in and out of the cut BLADE NOT CUT DEPTH PART # BLADE ENGINE MODEL 22-789-C2* 11 HP Honda 965150107 18" 6-5/8"

Bon

Wet or Dry Cut Diamond Blades

• 1" (20mm) Arbor

PART #	SIZE	DETAIL
21-601-B7	12" x .125"	Cured Concrete
22-667-B7	12" x .125"	Asphalt or Green Concrete
21-602-B7	14" x .125"	Cured Concrete
22-668-B7	14" x .125"	Asphalt or Green Concrete
21-603-B7	18" x .125"	Cured Concrete
22-669-B7	18" x .125"	Asphalt or Green Concrete
21-604-B7	20" x .140"	Cured Concrete

Husqvama

Core Drill

Hand held core drilling up to 4" in diameter

- Use to drill all concrete and masonry material
- · 3-speed water cooled gearbox
- Short inner thread 5/8" x 11
- Outer thread 1-1/4" x 7




PART #	MOTOR	MODEL	
22-803 -B2	115 volt	968411301	

Husqvama

Core Bit

- For use with Bon #22-803
- General purpose drilling of concrete and masonry
 Will drill through hard/soft concrete with
 reinforcing
- Will also drill through granite, marble and stone
 Other size bits are available
- Segment Height is .308"

PART #	SIZE	MODEL		
22-937-B7	3/8"	542786634		
22-956-B7	1/2"	542786635		
22-957-B7	5/8"	542786636		
22-958-B7	3/4"	542780100		
22-959-B7	1-1/8"	542780103		
22-967-B7	1-3/8"	542780105		
22-968-B7	2"	542780109		
22-969-B7	3"	542780113		








Heavy dut canvas bu rigid botto with leath 8" x 8" ins Rope hand reinforced where it is	Tool Bu y, 24-oz. ucket with om reinforce er side pocket dle is 1 with leathe	r		with leath • 8" x 8" ins • Rope hand with leath is spread	Bucket cket bag with om reinforce er ide pocket ille is reinfor er where it	ced	Bon
PART #	WIDT		EPTH	PART #	WID		DEPTH
41-123-B7	12"	16	7	41-102-88	12"	1	16"
 Bon Iron Worker's Leather Bolt Bag Rectangular single pocket design with two tapered drift pin holders Extra rivets at stress points Wide tunnel belt loop Main bag is 7-1/2" x 8-1/2" x 3" 			Double stir	pocket mea: tched seam: design suita	sures 6-1/2" s with rivets	, tapers from 2" to 1" at stress points vorker bull pin	
PART #	PC	KTS/HLDRS		PART #			
41-107-B7	3			41-105-B7			
Bon Barrel Ty • Tough forg • Uniform ta • Rust-resist for strengt	ed steel per blends t tant and hea	o small size		with steel • Machined • Heat-treat	ligning bolt constructio from quality	y alloy steel	working
PART #	SWELL	LENGTH	HOLE DIA.			LENCTU	POINT DIA
27-217-87 27-218-87 27-219-87 27-220-87 27-221-87 27-222-87 27-223-87	9/16" 11/16" 13/16" 15/16" 1-1/16" 1-3/16" 1-5/16"	6-1/2" 7" 7-1/2" 8" 8-1/2" 9" 11"	1/2" 5/8" 3/4" 7/8" 1" 1-1/8" 1-1/4"	PART # 27-254-87 27-255-87 27-256-87 27-257-87 27-258-87 27-258-87 27-259-87	SWELL 15/16" 1-1/16" 1-1/16" 1-3/16" 1-1/4" 1-15/16"	LENGTH 15" 12" 15" 15" 15" 12" 12"	POINT DIA. 5/16" 3/8" 3/8" 7/16" 7/16" 7/16"
Bon Broadhe • Forged, he • Head desig	ad Bull at-treated bu	Pin Ill pin increas	ses efficiency by providi f pin slipping from the h of radii increase strengtl	ing a larger strik nand when align	ing surface ing holes		

LENGTH POINT DIA. 1-1/16" 1-1/4" 10" 13" 1/4" 5/16" 27-250-B7 27-251-B7

84-497-B8

19"

1-3/8"



REBAR & IRONWORKING TOOLS

*C & T items must ship common carrier. T items ship free on qualifying orders.


Bon°

Bon Rub Brick with Handle • Fluted silicon carbide rub brick is used for dressing down concrete	Bon Rub Brick with Handle • Fastest, most economical medium • Fluted silicon carbide rub brick is used for dressing down all kinds of concrete • Comfortable contoured handle	Bon Rub Brick with Handle • Silicon carbide rub brick is used for dressing down concrete • Broken in and properly shaped for fast cutting • Not fluted
Contraction of the second	PART # LX W HEIGHT GRIT	C
PART # L X W HEIGHT GRIT 12-279-B9^* 8" x 3-1/2" 1-1/2" 20	12-177-B9^ 6"x3" 1" 20 12-280-B9^ 6"x3" 1" 60	PART # L X W HEIGHT GRIT 12-281-B9^A 8" x 3-1/2" 3/4" 20
Bon Rub Brick • Fluted on two sides for shear cutting • Removes form and mold marks	Bon Non-Fluted Rub Brick • Removes form and mold marks	Bon Semi-Flex Grinding Disc • Used with back-up pad • Perfect for grinding concrete, brick, stone, terrazzo and similar materials • Order pad nut to hold grinding disc to back up pad - 5/8" thread
		PART # DIAMETER GRIT 14-657-86 7° 24
PART # L X W HEIGHT GRIT 12-178-B9^A 6" x 2" 2" 20	PART # L X W HEIGHT GRIT	14-658-B6 7" 36 14-659-B6 7" Back-Up Pad
12-282-89^ 8" x 2" 2" 20 INDUSTRIAL CUTTERS	82-134-89 ^A 8"x2" 2" 20	14-946-B6 Pad Nut
Bon' Econo Abrasive Blade (Metal Cutting) • Hand held saws	Bon' Bolt Cutter • Used to cut rebar, mesh and non-ferrous metals	Bon' Replacement Jaws
PART # SIZE ARBOR MAX RPM 84-851-B8 4"x 1/16" 5/8" 19000 84-852-B8 7"x 1/8" 5/8" 8700 84-853-B8 10"x 1/8" 1" 6100 84-854-B8 12"x 1/8" 1" 6300 84-855-B8 14"x 1/8" 1" 5400 84-856-B8 20"x 5/32" 1" 3000	PART # SIZE 82-169-87 12" 82-178-87 18" 82-176-87 24"	PART # SIZE 82-367-B7 Replacement Jaws for #82-169 82-368-B7 Replacement Jaws for #82-178 82-369-B7 Replacement Jaws for #82-176
H.K.Porter Heavy Duty Cutters • Used to cut rebar, hard steel, iron, stainless steel, soft steel and non-ferrous metals	Bon Bolt Cutter • Used to cut rebar, mesh and non-ferrous metals	Bon Replacement Jaws
PART # SIZE DETAIL MODEL	Con C	


PART #	SIZE	DETAIL	MODEL
14-472-B6	36"	7/16" cut	0390MCX
14-474-B6	42"	1/2" cut	0590MCX
14-473-B6	Repl. Jaw	s for #14-472	0312C
14-475-B6	Repl. Jaw	s for #14-474	0512C



PART #	DETAIL
82-370-B7	Replacement Jaws for #82-173
82-371-B7	Replacement Jaws for #82-177
82-372-B7	Replacement Jaws for #82-175



PART #	LENGTH	
22-903-B7	1000'	



QTY/

PKG

500


500

500

500







MODEL

D201-7CST

MODEL

MODEL

MODEL

356G

357

358

430

350S

SIZE

REBAR & IRONWORKING TOOLS

Ron

Bon

Aluminum Straight End Concrete Chute

- · Meets ASTM A820-06 Type II Steel fiber specific a Made from 1/8" thick durable aluminum
- alloy and reinforced with cross braces
- · Adjustable chain
- · 8" high, straight end

PART #	LENGTH	END WIDTH	HEIGHT
12-393 -T8*	8'	14"	8"
12-385 -T8*	12'	14"	8"
12-386 -T8*	16'	14"	8"
12-346 -T8*	20'	14"	8"

Bon

Aluminum Flared End Concrete Chute · Made from 1/8" thick durable aluminum alloy

- and reinforced with cross braces
- Adjustable chain
- · 8' high, flared end

approx (second) is	1
	\mathcal{A}

PART #	LENGTH	END WIDTH	HEIGHT
12-813 -T8*	8'	23-1/2"	8"
12-814 -T8*	12'	23-1/2"	8"
12-815 -T8*	16'	23-1/2"	8"
12-816 -T8*	20'	23-1/2"	8"

CONCRETE FIBERS

Bon

3/4" Anti-Crak Concrete Fibers

- · Reduces plastic shrinkage and improves freeze/thaw durability
- · Over twice the tensil strength of nylon - High dispersion
- · Optimum quality for concrete to prevent up to 80% of concrete cracks
- · Sold in 1lb. degradable bags · Recommended dosage is
- 1 lb. per cubic yd. of concrete
- · Made from fiberglass

PART #

PART

16-26

32-500-B7



Bon 3/4" Nylon Concrete Fibers

· Exceeds ASTM C-1116-95 specifications · Sold in 1 lb. degradable bags

· Recommended dosage is 1 lb. per cubic vd. of concrete



PART # 32-504-B7

PART #


16-224-B5

Foundations & Concrete Work

- by Editors of Fine Homebuilding
- · Guide to laving a foundation that will not fail · Covers the basics of working with concrete, from forming reand pouring , to tips and advice to keep a basement dry.

SIZE

1'



PART #	DETAIL	PAGES	STYLE	
16-138-B2	Text	272	Paperback	



- · Works in feet, inches, fractions, vards and meters - including square and cubic formats · Quick linear, area and volume
- calculations · Store your measurements

blocks, bricks, paint and gravel

· Works as a standard calculator



#	
6-B5	

· Reduce waste, improve design accuracy and cut estimating time · Works in yards, feet-inch fractions, area, volume, weight and loads

Concrete Calculator

- · Instant square-up and drop for layouts · Rebar solutions including inset
- and weight
- · Find number of bags of cement required for small jobs
- · Complete stair layouts set riser height and tread width
- · Built in functions provide problem solving for: Equal sided polygons; blocks and footings; circle arc, column, cone and circumference

Bon

Concrete Chute Scraper

- · Made from aluminum
- · Use with any threaded bull float handle
- · Handle not included



Bon

Romualdi Steel Concrete Fibers

- · Meets ASTM A820-06 Type II steel fiber specifications
- · Works well with slab on grade, shotcrete, or composite metal deck constructions
- · Designed to maximize the bond between steel fibers and concrete
- · Made from low carbon steel

PART #

32-509-B7





SIZE

26" x 38

26" x 38'

DETAIL

Texture Mat

Floppy Mat

PART #

12-698-B6

12-876-B6

32-419-B6

32-420-B6

32-421-B6

6" x 24"

12" x 18'

18" x 30'

Rectangle Rectangle

Rectangle

PART #	SIZE	DETAIL
12-699-B6	24" x 24"	Texture Mat
12-868-B6	24" x 24"	Floppy Mat





DECORATIVE CONCRETE PRODUCTS

GORILINE


Colorado Sandstone Urethane Mat



PART #	SIZE	DETAIL
32-778-T6*	778-T6* 48" x 48" Red Texture Mat	
32-779-T6*	48" x 48"	Copper Texture Mat
32-780-T6*	48" x 48"	Red Floppy Mat
32-781-T6*	48" x 48"	Copper Floppy Mat

Sonutar

Torino **Urethane Mat**



PART #	SIZE	DETAIL	
32-788-B6	42" x 23"	Texture Mat	
32-789-B6	42" x 23"	Floppy Mat	

ELEPHANT MATS

Somany

Arizona **Random Stone** Elephant **Urethane Mat**



Gothulan

PART #

Pennsylvania **Cobble Sanded** Joint Elephant **Urethane Mat**



PART #

32-164-T6

32-165-T6*

SIZE

30" x 60

30" x 60'

DETAIL

Elephant Mat

Floppy Mat

PART #	SIZE	DETAIL	
32-162-T6*	32" x 48"	Elephant Mat	
32-163-T6*	32" x 48"	Floppy Mat	


Golham Santa Fe Random Sandstone **Urethane Mat**




PART #	SIZE	DETAIL	
32-784-T6*	48" x 48"	Red Texture Mat	
32-785-T6*	48" x 48"	Copper Texture Mat	
32-786-T6*	48" x 48"	Red Floppy Mat	
32-787-T6*	48" x 48"	Copper Floppy Mat	

Solluting

Romana Slate Herringbone Urethane Mat





Gothan **Palladian Slate Urethane Mat**



PART #	SIZE	DETAIL	
32-782-T6*	42" x 42"	Texture Mat	
32-783-T6*	42" x 42"	Floppy Mat	

GORMAN

GORMAN

Flagstone

Monterey Brick Basketweave Urethane Mat



PART #	SIZE	DETAIL	
32-774-B6	43" x 21-1/2"	Texture Mat	
32-775-B6	43" x 21-1/2"	Floppy Mat	





PART #	SIZE	DETAIL	
32-166-B6	24" x 48"	Elephant Mat	
32-167-B6	24" x 48"	Floppy Mat	

*C & T items must ship common carrier. T items ship free on qualifying orders.

Gothan BOILMAN Somution **Cobblestone Compass Mat** Step Liner Concrete Form **BonWay Yard Sign** · Features 8-point compass medallion · Designed to produce · Advertise your company with our jobsite sign · London cobblestone pattern texture on the risers · Provide company name and phone number of concrete steps · Create focal point for driveways, courtyards, patios etc. DECORATIVE CONCRETE BY · Heavy stone texture Your Name Here 123-456-7890 Bonium PART # WIDTH LENGTH SIZE PART # SIZE 32-198-B5 48 6" 6" 01-186-B2 18" x 24" 32-399-85 52" x 26 32-199-B5 72"

TEXTURE SKINS


PART #



GORMAN

Italian Slate Texturing Skin


· Slate stone texture with chips, ridges and veins across the entire surface



PART #	SIZE	
32-403-B6	12" x 12"	
32-404-B6	36" x 36"	
32-405-B6	48" x 48"	

Bolhulas

Limestone Texturing Skin · Natural stone surface with finer texture



PART #	SIZE	
32-470-B6	12" x 12"	
32-471-B6	36" x 36"	
32-472-B6	48" x 48"	

Chiseled Slate Texturing Skin · Natural laminated stone texture, split along parallel planes, hand tooled to create chipped, fragmented texture

PART #	SIZE	
32-479-B6	12" x 12"	
32-480-B6	36" x 36"	
32-481-B6	48" x 48"	

Gonthay

Gontahay

Gulf Coast Shells Texturing Skin · Incorporates sea shell and coral in various shapes over a bed of sand




PART #	SIZE	
32-406-B6	12" x 12"	
32-407-B6	36" x 36"	
32-408-B6	48" x 48"	

Gollasha

Bushed Stone Texturing Skin

. The look of bush stone with pits and irregularities, just as created by a mason's bush hammer



PART #	SIZE	
32-473-B6	12" x 12"	
32-474-B6	36" x 36"	
32-475-B6	48" x 48"	

BORMAN

Slate Texturing Skin

· Natural slate texture that incorporates veins and ridges



PART #	SIZE	
32-400-B6	12" x 12"	
32-401-B6	36" x 36"	
32-402-B6	48" x 48"	

Gonuay

Blue Stone Texturing Skin · Natural stone with sandy texture with clefts which leave a layered appearance




PART #	SIZE	
32-409-B6	12" x 12"	
32-410-B6	36" x 36"	
32-411-B6	48" x 48"	

Gollutar

Mayan Texturing Skin

. The look of stone surface with deep chips, pits and fractures, creating a continuous undulating texture



PART #	SIZE	
32-476-B6	12" x 12"	
32-477-B6	36" x 36"	
32-478-B6	48" x 48"	



TEXTURE ROLLERS

Seven patterns available in 6" and 22" lengths Use with Liquiform[™] Liquid Release or BonWay™ True Color **Powdered Release** to prevent the roller from sticking to freshly placed concrete

Matching flexible skinny mat ideal for touch up work or small areas.

Somethy

Slate Pattern Concrete Texture Roller



LENGTH	DIA.	DETAIL
6"	5"	Small Roller
22-5/8"	7"	Large Roller
24" x 24"		Skinny Mat
	6" 22-5/8"	6" 5" 22-5/8" 7"

GORMAN

River Bed Pattern Concrete Texture Roller



PART #	LENGTH	DIA.	DETAIL	PART #
32-228-B6	6"	5"	Small Roller	32-231-B6
32-227-B6	22-5/8"	7"	Large Roller	32-230-B6
32-229-B6	24" x 24"		Skinny Mat	32-232-B6

Bonun

Decorative Concrete Border Kit

- · Polyurethane stamping rollers provide easy and quick method to add patterned borders
- · Incorporate liner features without using stamps
- · Easy one-person operation
- · Suitable for curved edges
- · Includes roller and matching urethane border mat
- · Attach to threaded bull float handle

PART #	PATTERN	
32-494-B5	8" Cut Slate	
32-496-B5	8" Worn Brick	
32-495-B5	9" Old World Soldier	
32-497-B5	9" Old World Stone Tile	

Somany

Frames For Concrete Texture Rollers

- · Easily connects to standard threaded bull float handles · Extends on only one side making it easy to use against walls
- · Allows imprinting without walking on freshly placed concrete
- · Large roller includes weight



DETAIL	LENGTH	PART #
Small Frame	6"	32-237-B6
Large Frame	22-5/8"	32-236-B6
Large Frame	22-3/0	32-230-D0

Somular **Granite Pattern**

Concrete Texture Roller



PART #	LENGTH	DIA.	DETAIL
32-225-B6	6"	5"	Small Roller
32-224-B6	22-5/8"	7"	Large Roller
32-226-B6	24" x 24"		Skinny Mat

Golham

Stone Pattern **Concrete Texture Roller**



PART #	LENGTH	DIA.	DETAIL
32-231-B6	6"	5"	Small Roller
32-230-B6	22-5/8"	7"	Large Roller
32-232-B6	24" x 24"		Skinny Mat
	32-231-B6 32-230-B6	32-231-B6 6" 32-230-B6 22-5/8"	32-231-B6 6" 5" 32-230-B6 22-5/8" 7"







#32-496

#32-497

PART # LENGTH DIA. DETAIL 32-664-B6 5" Small Roller 6" 32-663-B6 22-5/8" Large Roller 32-665-B6 24" x 24" Skinny Mat

- Salatin to	and the second
man and the state	Con The
A Sugar and	1 Aller
A ASSAULT	i la production

PART #	LENGTH	DIA.	DETAIL
32-299-B6	6"	5"	Small Roller
32-298-B6	22-5/8"	7"	Large Roller
32-300-B6	24" x 24"		Skinny Mat

Bonuha **Rock Salt Pattern Concrete Texture Roller**

Bolhum

Cracked Calico Pattern

Concrete Texture Roller



PART #	LENGTH	DIA.	DETAIL
32-234-B6	6"	5"	Small Roller
32-233-B6	22-5/8"	7"	Large Roller
32-235-B6	24" x 24"		Skinny Mat

BORMAN

Quartz Stone Pattern Concrete Texture Roller



PART #	LENGTH	DIA.	DETAIL
32-673-B6	6"	5"	Small Roller
32-672-B6	22-5/8"	7"	Large Roller
32-674-B6	24" x 24"		Skinny Mat

GORMAN

Forest Floor Pattern Concrete Texture Roller



tone lile	

#32-494



BORDER STAMPS

Bollutar

PART #

32-178-B6

Leaf & Flower Border Urethane Mat



		P	7
	1		

Cut Stone Border Urethane Mat

PART #	SIZE	DETAIL
12-620-B6	8-1/2" x 34"	Texture Mat
12-869-B6	8-1/2" x 34"	Floppy Mat

Grapevine Border Urethane Mat

Gonada

SIZE

12" x 36"

Bushed Stone Border Urethane Mat





Golluting

Worn Brick Border Urethane Mat Set

- · Set of 4, 8" x 25" each
- Three in set are standard "rigid" mats; one
- is flexible for easier use around obstacles

Classic worn/weathered brick in traditional soldier layout



PART #	SIZE	QTY/PKG
32-498-B5	8" x 25"	4

Bolhulay

Touch-Up Joint Wheel

- · Use these wheels for "touch-up" of grout lines
- · Sanded has sand pattern, others are smooth



PART #	SIZE	JOINT PATTERN
32-275-B6	1/4"	Convex/Round
32-276-B6	3/16"	Raked/Flat
32-277-B6	3/8"	Raked/Flat
32-365-B6	1/2"	Raked/Flat
32-278-B6	3/8"	Sanded Raked/Flat
32-366-B6	1/2"	Sanded Raked/Flat
32-364-B6	1/2"	Wedge/'V' Shape

TRUE		C.A. R
	a the	and the
the set of the set		
S YES		

PART #	SIZE	
32-148-B6	12" x 48"	

Golhalas

Sommer

Soman

Random Stone

- Companion Mat • Used to fill in edges or uneven ends of entire pattern area • Used as-is or trim
- to desired size • No grout lines
- 3/8" deep

PART #	SIZE	
12-755-B6	20" x 20"	

Sonwhy


Aluminum Detail Chisel

- Use these chisels
- for "touch-up" • The 24" and 36" sizes
- have two handles

PART #	SIZE	HANDLE
32-289-B9	1-1/2"	Single
13-138-B9	2-3/4"	Single
32-290-B9	4"	Single
32-291-B9	6"	Single
32-292-B9	8"	Single
32-293-B9	12"	Single
32-294-B9	16"	Single
32-296-B9	18"	Single
32-295-B9	24"	Double
32-297-B9	36"	Double

Gontan

Torino Tile Border Urethane Mat



Bollutar

Swimming Whale Border Urethane Mat



LENGTH

36"

DIAMETER

4-1/2"

PART #

32-510-B6



DECORATIVE CONCRETE PRODUCTS

FOSSIL STAMPS



PART #

32-694-B5

Grizzly Bear

11

PART #

32-695-B5

Porcupine

4"

PART #

32-693-R5

Black Bear

4" & 8'



BORMAN

Boss Crete Concrete Embossing Tools · Use Boss Crete forms to create a unique effect in poured

- concrete
- · Available in two attractive patterns



Wall Cap Concrete Forms

- · Held in place with ring clamps · Ring clamps #32-184 are sold separately
- Use one ring clamp for every 1-1/2 to 2 feet · Wall cap forms are manufactured in 8' sections
- and are sold in cartons of 10 pieces only



PART #	SIZE	PATTERN
12-601-B7	16" x 24"	Running Bond

Ring Clamp

Available in three classic profiles Mini Cap 0G-4 0G-6 Mini Cap 0G-4 0G-6

PART #	FEET/CARTON	DETAIL
32-185-T5*	80'	0G-6
32-186-T5*	80'	0G-4
32-187-T5*	80'	Mini Cap
32-184-B5	Ring Clamp (Each)	



Somany

heights

quantities only

example

Sandstone Form

Step Liner Concrete Forms

· Step Liners may be bent for radius steps

· Manufactured in 4' sections and sold in carton

· Break-away slots to accommodate three popular riser



PART #	FEET/CARTON	DETAIL
32-189-B5	40'	Intermediate
32-190-B5	28'	Sandstone
32-191-B5	40'	Capstone
32-192-B5	40'	Regular

STEPPING STONE MOLDS

SORMAN

Poly Concrete Stone Mold

- · Make authentic appearing patio stones with these poly molds
- Color the concrete with BonWay's Ironoxx[™]
- Vary the Ironoxx[™] dosage and color range for a more random stone look
- · 18" x 18" x 1-1/2"

PART #	PATTERN
32-321-B4	Cracked Ice
32-322-B4	River Bottom
32-323-B4	Slate/Random Edge
32-324-B4	Blue Stone A/Sawn Edge
32-325-B4	Blue Stone B/Sawn Edge



#32-321 Cracked Ice









Gomman

Veneer Stone Mold

- · Use this mold to create your own concrete veneer stones
- · Molds have five cavities to produce different sized stones
- Concrete can be colored using BonWay Ironoxx[™] Concrete Coloring Agent
- · Vary the Ironoxx dosage and color range for random stone look.
- Dust the inside of the mold with True Color™ Release for color contrast and easy release
- · Stones can be colored with acid stain or water-based stain · Produces stone sizes:
- 13" x 9" - 9" x 4-1/2"
- 13" x 4-1/2" 4-1/2" x 4-1/2"
- 9" x 9"



PART # SIZE 32-326 -B4 24-1/2"L x 24-1/2"W x 1-1/2"D

#32-323 Slate/Random Edge

#32-325 Blue Stone B Sawn Edge



COLOR CHART

Colors shown are approximate of the appearance of various BonWay™ products. Variations should be

expected due to job site conditions and finishing techniques. Color samples shown appear glossier than finished concrete. A test pour should always be performed



GORMAN

True Color Concrete Hardener

· Surface applied dry shake color and surface hardener produces a hard, durable, abrasion resistant surface · Formulated to create a uniform consistent color



Application:

- · Apply using the broadcast method after concrete has been placed, screened, floated and excess bleed water has disappeared from the surface.
- Use alone or together with Bon's True Color[™] Release Agent.
- · Coverage requirements vary according to the color selected and intended use.
- · Apply at a rate of 60 lbs. per 100 sq. ft.
- · Lighter colors may require as much as 100 lbs. per 100 sq. ft.



SOILMAN

- **True Color Release Agent** · Specially formulated, colored powder that prevents
- texture mats and rollers from adhering to freshly placed concrete
- · Texture mats will not work without the use of release agent



Application:

- · Apply to concrete and the texturing tool after coloring application and while the concrete is in a plastic state
- · Generally 3.5 lbs, of material is required per 100 sq. ft.
- · 5 gallon container covers approximately

800-1000 sq. ft.

PART #	COLOR	SIZE
32-102-B6^	Smokey Blue	5 gal.
32-103-B6^	Light Grey	5 gal.
32-104-B6^	Medium Grey	5 gal.
32-105-B6^	Dark Grey	5 gal.
32-106-B6^	Jet Black	5 gal.
32-107-B6^	Cream Beige	5 gal.
32-108-B6^	Sandstone	5 gal.
32-109-B6^	Desert Tan	5 gal.
32-110-B6^	Buff Tan	5 gal.
32-111-B6^	Terra Cotta	5 gal.
32-112-B6^	Autumn Brown	5 gal.
32-115-B6^	Chestnut	5 gal.
32-116-B6^	Dusty Rose	5 gal.
32-117-B6^	Victorian Red	5 gal.
32-118-B6^	Nutmeg	5 gal.
32-119-B6^	Walnut	5 gal.
32-120-B6^	Slate Green	5 gal.

Golhum Liquiform[™] Liquid Concrete **Release Agent** · Acts as a bond-breaker separating the concrete from the texture mats · Apply with a solvent-resistant pump sprayer · Leaves no surface finish · Covers 150 to 250 sq. ft. per gallon · Low VOC

COVERAGE VOC CONTENT SIZE PART # 32-121-B5 750-1250 sf < 100 g/L 5 gallon

Gonuing

- **Spread-Tex Concrete Resurfacer**

- · Twice the wear of ordinary concrete

Application:

- Add water and Spread-Tex[™] is ready to use
- · Can be applied from 1/16" to 1/2" thick
- · At 1/8" thick, coverage is approximately 1 lb./1 sq. ft.
- · Apply with a trowel or spray with gun and hopper
- · Sold in 5 gallon pails containing 40 lbs. of material



PART #	COLOR	SIZE	
32-520-B6^	Brick Red	5 gal.	
32-521-B6^	Buff Tan	5 gal.	
32-522-B6^	Slate Green	5 gal.	
32-523-B6^	Medium Grey	5 gal.	
32-524-B6^	Natural	5 gal.	

Bolhulay

PART #

13-191-B8

Spray Gun for Flat Work

- One piece, die cast aluminum body with an air regulator valve
- 4mm, 6mm, 8mm nozzles included
- · 90° angled adapter included · 2-gallon hopper



- · Specially formulated, high strength, cement based resurfacer
 - Self-binding



Gomman

Water Based Concrete Stain

- · Available in 5 transparent and 6 semi-transparent colors
- · Used for concrete or other porous surfaces
- · Interior or exterior application
- · Weather and UV light resistant
- · Requires a top coat, compatible with solv water based sealers
- · Fast dry time, low odor
- · Mixes with distilled, deionized, or reverse water in a 4:1 ratio
- · Stain adheres to a variety of surfaces inc but not limited to, interior and exterior co brick, plaster and natural stone
- · Color can be varied by altering dilution ra

crete Su

DORMAY

Gel Clean

Use gel cleaner

Application:

- · Applied with an airbrush, pump sprayer, sea sponge, or traditional bristle brush
- · Can be sealed with epoxies, urethanes, solvent or water
- based sealers

Concrete Gel Cleaner

· Non-corrosive, low odor, biodegradable gel used to

· Use to prepare surfaces for the application of

BonWay Water Based Concrete Stains · NOT RECOMMENDED for coating removal

prepare concrete substrate by producing a moderate

including sealer, paint or other film forming products

Soman

surface texture

· Apply with roller

approximately 4-5 mil thickness · Coverage rate -

250 sq ft per gallon


lvent and			2
e osmosis			
cluding	Black	(Antique Gr
concrete,	PART #	SIZE	CO
	32-800-B6^	1 quart	Des
ate	32-850-B6 [^]	1 gallon	Des
	32-802-B6^	1 quart	San
	32-852-B6^	1 gallon	San
	32-804-B6^	1 quart	Terr
	32-854-B6^	1 gallon	Terr
	32-805-B6^	1 quart	Blac
	32-855-B6^	1 gallon	Blac
	32-803-B6 [^]	1 quart	Anti
Water Rayd	32-853-B6^	1 gallon	Anti
Concrete Stain	32-806-B6^	1 quart	Bark
***** *** beter Land	32-856-B6^	1 gallon	Bark

Semi-Transparent Colors



ack		Antique Grey	Bark Brown
	SIZE	COLOR	
٨	1 guart	Desert Sand	

	- dame	-
32-850-B6 [^]	1 gallon	Desert Sand
32-802-B6^	1 quart	Sandstone
32-852-B6^	1 gallon	Sandstone
32-804-B6^	1 quart	Terra Cotta
32-854-B6^	1 gallon	Terra Cotta
32-805-B6^	1 quart	Black
32-855-B6^	1 gallon	Black
32-803-B6^	1 quart	Antique Grey
32-853-B6^	1 gallon	Antique Grey
32-806-B6^	1 quart	Bark Brown
32-856-B6^	1 gallon	Bark Brown
	COVER	AGE RATES
CONCENTRATE YIELD COVERAGE IN SQ.FT.		



Transparent Colors

Red Clay Fawn PART # SIZE COLOR 32-810-B6 1 quart Amber 32-860-B6^ 1 gallon Amber 32-811-B6^ 1 quart Red Clay 32-861-B6^ 1 gallon Red Clay 32-813-B6^ Nutmeg 1 quart 32-863-B6^ 1 gallon Nutmeg 32-807-B6^ 1 quart Fawn 32-857-B6^ 1 gallon Fawn 32-808-B6^ 1 quart Loden 32-858-B6^ 1 gallon Loden

Golden Rod **Red Cedar** Savannah Coffee Mediterranean Moiave Mesquite Nebula Charcoal HUDSON NEW **Poly Acid Stain Sprayer** · Stable, 6-footed translucent tank with large funnel top Two professional style nozzles · Strong, easy carry pump handle · 48" chemical resistant hose · Locking, control valve with in-line filter · 18" fiberglass/poly spray wand · Locking pressure release valve

32-440 -B6 BORMAN

PART #


True Etch Concrete Acid Stain

- · Deeply penetrates, permanently coloring the surface of cured concrete
- · Creates an uneven mottled appearance common to natural stone
- · Available in 4 colors for interior or exterior applications
- Technical Bulletin (TB32350) is available by request

Application:

- · Resulting color depends on the many variables of concrete · Contains hydrochloric acid and reacts with the cement in cured concrete
- · Very old or weathered concrete may not contain the necessary chemicals to produce an acid etch
- · Coverage is approx. 150-200 sq. ft. per gallon, per application

PART #	SIZE	COLOR	
32-352-T6*^	5 gallon	Roman Bronze	
32-351-T6*	5 gallon	Seafoam Green	
32-350-T6*^	5 gallon	Spanish Brown	
32-353-T6*^	5 gallon	Onyx Black	
32-358-B7	Easy Pour Spour		







SIZE

2 Gallon

3 Gallon

MODEL

90162

90163

by your state to use this product. Follow all local state and federal	
safety requirements. Extra care must be taken when	PART #
vorking with acid base material. Wear proper safety equipment.	34-249-B7 34-250-B7

EASY POUR

SPOUT

#32-358

Gollular

1 Quart

1 Gallon

Easy Color™ Concrete Stain

Amount of coverage depends on porosity of surface

1-1/4 Gallon

5 Gallons

250 Sq. Ft.

1000 Sq. Ft.

· Concentrated stain that dilutes in acetone

- UV Stable
- · Can be applied and sealed in one day
- · Semi-transparent finish allows for variations to enhance the overall look
- · Colors can be combined to expand color options
- · Suitable for interior or exterior applications
- · Apply to concrete that is at least 28 days old
- Each 1 nint container vields 1 gallon after

PART #	COVERAGE	COLOR	VOC CONTENT
32-753-B6	200 sf /gallon	Golden Rod	<350 g/L
32-754-B6	200 sf /gallon	Red Cedar	<350 g/L
32-755-B6	200 sf /gallon	Savannah	<350 g/L
32-756-B6	200 sf /gallon	Coffee	<350 g/L
32-757-86	200 sf /gallon	Mediterranean	<350 g/L
32-758-B6	200 sf /gallon	Mojave	<350 g/L
32-759-B6	200 sf /gallon	Mesquite	<350 g/L
32-760-B6	200 sf /gallon	Nebula	<350 g/L
32-761-B6	200 sf /gallon	Charcoal	<350 g/L

BERMAN

- Ironoxx[™] Integral Concrete Pigment
- Pigments are manufactured to the strictest quality control standards to assure uniform and consistent coloring
- Recommended for coloring ready-mix concrete and other masonry products including concrete blocks and pavement
 Available in 10 and 25 lb. disintegrating bags

Application:

- Disintegrating bags can be added directly to the concrete
 Approximate mix ratios:
- 1 or 2 lbs. of Ironoxx[™] per 94 lb. bag of cement for light shades
- 2 or 4 lbs. of Ironoxx^m per 94 lb. bag of cement for medium shades
- 5 or more lbs. of IronoxxTM per 94 lb. bag of cement for darker shades
- Using grey cement will result in "buff" or softer color
- · Using white cement will result in "brighter" or pastel color
- To ensure consistent color, keep all variables the same from batch to batch
- Variations in the mix design, mixing time, and curing conditions, will affect the final color
- Always perform a sample batch to confirm acceptability the color result

PART #	COLOR	SIZE
32-370-B8^	120 Red Ironoxx [™]	10 lb. bag
32-390-B8^	120 Red Ironoxx [™]	25 lb. bag
32-371-B8^	130 Red Ironoxx [™]	10 lb. bag
32-391-B8^	130 Red Ironoxx [™]	25 lb. bag
32-372-B8^	140 Red Ironoxx [™]	10 lb. bag
32-392-B8^	140 Red Ironoxx [™]	25 lb. bag
32-373-B8^	722 Black Ironoxx™	10 lb. bag
32-393-B8^	722 Black Ironoxx™	25 lb. bag
32-375-B8^	5605 Green Ironoxx™	10 lb. bag
32-395-B8^	5605 Green Ironoxx™	25 lb. bag
32-377-B8^	868 Brown Ironoxx™	10 lb. bag
32-397-B8^	868 Brown Ironoxx™	25 lb. bag
32-378-B8^	313 Yellow Ironoxx™	10 lb. bag
32-398-B8^	313 Yellow Ironoxx™	25 lb. bag

Gontany

Color Rite[™] Integral Concrete Color

- For ready mixed and precast concrete projects
 Manufactured with high quality synthetic iron oxide
 pigments
- Economic choice for flatwork and vertical integral color applications
- · Four base colors achieve 16 beautiful standard colors
- Pre-blended iron oxide formulations
- · Formulations based on 6 sack concrete mixes



PART #	COLOR	SIZE
32-770 -B7^	54 Color Rite	6 lb. bag
32-771 -B7^	34 Color Rite	6 lb. bag
32-772 -B7^	16 Color Rite	6 lb. bag
32-773 -B7^	64 Color Rite	6 lb. bag

Suggested	Dosage	
COLOR	*IRONOXX™	COLOR RESULT
120 Red	1 lb.	Dusty Rose
120 Red	3 lbs.	Tile Řed
130 Red	3 lbs.	Brick Red
140 Red	5 lbs.	Victorian Red
722 Black	1 lb.	Light Grey
722 Black	3 lbs.	Medium Grey
722 Black	5 lbs.	Dark Grey
722 Black	7 lbs.	Jet Black
5605 Green	3 lbs.	Slate Green
868 Brown	1.5 lbs.	Buff Tan
868 Brown	2 lbs.	Nutmeg
868 Brown	3.5 lbs.	Walnut
313 Yellow	3 lbs.	Yellow Sandstone
010 Vallour	4 lbc	Vallow Depart Tap



ASTM designation C-979 standard specification for pigments for integrally colored concrete limits the amount of pigments to no more than 10% of the total weight of the cementitious material in the mix.








Sommer

Plastic Stencils for Decorative Concrete

- · Reusable 4' x 8' sheets
- · All patterns have 1/2" mortar joints
- · Can be used on fresh concrete or on resurfaced existing concrete
- Instructions available (IS32530)



COBBLESTONE

PART #	SIZE	PATTERN	BRICK SIZE
32-530-B5	4' x 8'	Natural Stone	4" to 18"
32-531 -B5	4' x 8'	Herringbone	3-1/2" to 7-1/2"
32-532 -B5	4' x 8'	Cobblestone	5-1/2" to 7-1/2"
32-533 -B5	4' x 8'	Running Bond	3-1/2" to 7-1/2"
DIDED	OTTUOU O		

PAPER STENCILS

Sommer

Paper Stencils for Decorative Concrete

· Single-use paper stencils

- · For fresh concrete or to resurface existing concrete
- · Sold in rolls that can be cut to length
- · Provides pronounced mortar joints in the chosen pattern

PART #	SIZE	PATTERN	SQ. FT.	BRICK SIZE
32-241-B6	33" x 365'	Basket Weave	1000	3-5/8" x 7-3/4"
32-242-B6	33" x 365'	Herringbone	1000	3-5/8" x 7-3/4"
32-251-B6	36" x 335'	Running Bond	1000	4" x 7-3/4"
32-252-B6	29" x 415'	Fish Scale	1000	Random Brick Sizes
32-253-B6	36" x 335'	Ashlar Cut Stone	1000	2-3/4" x 4-3/4" to 11" x 12"
32-254-B6	33" x 365'	Old English Cobble	1000	3-1/4" x 3-1/2" to 7" x 8-1/4"
32-255-B6	33" x 365'	Random Blue Stone	1000	5" x 5" to 5" x 10"
32-259-B6	36" x 335'	Silverdale	1000	5" x 5" to 11' x 13-1/2"
32-250-B6	33" x 365'	Flagstone	1000	7" x 9" to 8" x 15"
32-257-B6	5' 4" dia. (ea)	Cobble Circle (18/box)	1000	
32-249-B6	5' 4" dia.	Cobble Circle (1/box)	27-1/2	
32-256-B6	8-3/4" x 300°	Soldier Header		3-5/8" x 7-3/4 "
32-258-B6	8" x 300'	Cobble Header		4" x 8" to 5" x 8"

#32-24

#32-259 SILVERDALE

#32-256 SOLDIER HEADER









2 HERRIN	GBONE	#32-251
ΠU		

#32-253 ASHLAR CUT #32-254 OLD ENGLISH COBBLE

RUNNING BOND





BORMAN

Stencil Embedding Roller



BASIC STEPS TO STENCIL CONCRETE



Embed stencil with roller

Place paper

stencils





2



Add True Color Release™ and texture with roller

Remove stencils

DECORATIVE CONCRETE PRODUCTS





		Con Was
Stampable Overlay Fiber reinforced topping for resurfacing structurally sound concrete High comprehensive strength Broom finish or use with stamping tools Three part system: Primer / Base Overlay / Optional Color Tint Apply at 3/8" to 5/8" thickness Coverage rates per 50 lb. bag; 3/8" = 16 sq ft; 1/2" = 12 sq ft; 5/8" = 10 sq ft PART # DETAIL SIZE 32-429-86^ White Base Overlay 50 lb. 32-430-86 Liquid Primer 5 gal. Tint for Stampable Overlay	 Easy to use colorin secondary color of concrete Mixes with water - Pour out or spray of Apply sealer after a Contains 0 VOC - w Requires no messy 	vater based v clean up ntains 3 lbs of material Atlantic Grav.
Apply 1 bag per each 50 lbs bag of white base color material PART # COLOR SIZE 32-431-B6^ Copper Tint 1ib. 32-432-B6^ Comanche Red Tint 1ib. 32-434-B6^ Durango Tan Tint 1ib. 32-434-B6^ Mesquite Brown Tint 1ib. 32-436-B6^ Arizona Tan Tint 1ib.	PART # COLO 32-441-86^ Terra G 32-442-86^ Atlanti 32-443-86^ Duran 32-443-86^ Stone 32-443-86^ Cortez 32-443-86^ Cortez 32-443-86^ Cortez 32-443-86^ Stone 32-445-86^ Stone 32-445-86^ Stone 32-447-86^ Jet Bla 32-448-86^ Walnut	Cotta 3 lb. 2 Gray 3 lb. Red 3 lb. go Tan 3 lb. Gray 3 lb. gen 3 lb. Jet Black Walnut/Bark
Countertop Edge Form Liner • High quality flexible polyurethane • Easy to clean and maintain for multiple jobs • Reproduce look of natural stone • Striking edges on tops and caps for walls and steps #32-512 #32-511	Concrete Countertop Forms • Easily create detailed countertops • 2" thick profiles are perfect height for most application • Easy to cut • Sold in boxes of 32 feet (8 pieces 4 foot long) • Each box includes 25 tie wires; 25 wood screws; 1 roll of bending tape and 1 foam profile edging tool	
Standard Split Stone	Capstone Diamond Cut 375^{*} 2.00^{*} 2.00^{*} 2.00^{*} 2.00^{*} 2.00^{*}	Pour
Aggressive Split Stone PATT # PATTERN SIZE 32-511-B5 32-512-B5 Standard Split Stone Aggressive Split Stone 2-1/4" x 6" 2-1/8" x 6"	Marble Round Regular OG PART # LENGTH DETAIL 32-422-B5 32' Capstone Form 32-423-B5 32' Diamond Cut Form 32-424-B5 32' Marble Round Form 32-425-B5 32' Regular Form 32-426-B5 32' OG Form	
Concrete Countertops Made Simple by Fu-Tung Cheng • Integrated book/DVD set shows do-it-yourselfers how to execute concrete countertop projects • Create one of a kind countertops • Step by step instructions from making the template to final finishing • Concrete Simple	Concrete Countertops by Fu-Tung Cheng with Eric Olsen . Covers design, forms and finishes for new kitchens and baths	Concrete at Home by Fu-Tung Cheng -Icchnical and style issues addressed - Countertops, floors, walls, columns and fireplaces Concrete



202

Paperback



PART #

DETAIL

16-363-82 Text/30 min. DVD 106

PAGES STYLE

Paperback



· Display meas	Restoration Tool Merchan ures 40" (w) x 79" (h) lay unit, tool assortment and hooks	diser	Boneso Ultra Smo Tool • Ultra smooth
	Bon° Innovation, Value & Service since 1358		• Wood wave I
			PATENT # D77
			PART # L
		124	82-786-B9 6 82-787-B9 6 82-789-B9 6
		<u>N</u>	Bon Epoxy Bas
1	P		This stainless 1/4" radius Wood wave ha
			PATENT # D73
PART #	DETAIL	QTY	PART # L
22-816	15 Gal Mixing Barrel	1	22-813-89 6"
82-289	Leveling Pins (50/pkg)	3	22-814-B9 6" 22-815-B9 6"
22-599 22-224	Spiked Sandals (pr) 9" Spiked Roller	3	-
22-225	20" Spiked Roller	1	Bon
15-431	14" Smoothing Trowel	3	Stainless
15-433	22" Smoothing Trowel	3	Wood wave h
82-330 15-393	Notched Floor Squeegee Egg Beater Mixer	2	
22-369	5 liter Measuring Pitcher	2	
22-596	Cove Tool 6" Lip	2	
22-597	Cove Tool 8" Lip	2	
22-689	Epoxy Spreader	2	
34-164 34-166	Clear Mixing Bucket 1 Qt. Clear Mixing Pail	3	
34-167	2-1/2 Qt. Clear Mixing Pail	3	
34-168	5 Qt. Clear Mixing Pail	3	PATENT # D77
20-806	4-1/2" Single Hook	11	PART #
20-102	Display Unit	1	12-472-B9
PART # 20-305 - T9*	DETAIL Concrete Restoration Merchandiser		12-473-B9 12-474-B9
Bon			Bon
	Up" Edge Rigid Stainless		Blue Steel
	sno Trowel		Wood handle
· Rigid, low-fl		-	_
Turned up e	dge for wet concrete	/	






se Tool - 4" Lip s steel base tool has a top return of 1/2" lip,

handle



PART #	LXW	RADIUS	LIP	BATTER
22-813-B9	6" x 6"	1/2"	4"	1-1/4"
22-814-B9	6" x 6"	3/4"	4"	1-1/4"
22-815-B9	6" x 6"	1"	4"	1-1/4"

Steel Base Tool handle



1	т	ш	1 V W

PART #	LXW	RADIUS	LIP	
12-472-B9	6" x 6"	1/2"	6"	
12-473-B9	6" x 6"	3/4"	6"	
12-474-B9	6" x 6"	1"	6"	

Inside Step Tool



PART #	LXW	RADIUS	LIP
82-230-B9	6" x 6"	3/8"	6"
82-231-B9	6" x 6"	1/2"	6"
82-232-B9	6" x 6"	3/4"	6"
82-244-B9	6" x 6"	5/8"	6"

Bon

- Epoxy Base Tool 6" Lip This stainless steel base tool has a top return of 1/2" lip,1/4" radius
- · Wood wave handle



6"

6"

1-11/16"

1-11/16"

12-811-B9	6" x 6"
12-812-B9	6" x 6"

Bon

PART #

Epoxy Cove Tool

Stainless steel cove base tool creates a 1-1/2" cove, with a 1-1/2" batter

3/4"

1"

· Wood wave handle



PATENT # D775508

PART #	LXW	RADIUS	LIP	BATTER
12-468-B9	6" x 3-1/2"	3/8"	1-3/4"	1-1/2"

Bon

Epoxy Inside Cove Tool · Wood wave handle





PATENT # D775508

PART #	LXW	RADIUS	LIP
22-595-B9	6" x 1-1/2"	3/4"	4"
22-596-B9	6" x 1-1/2"	3/4"	6"
22-597-B9	6" x 1-1/2"	3/4"	8"
22-598-B9	6" x 1-1/2"	3/4"	12"



BORMAN

Epoxy Floor Primer Kit

- · A two part water based system used to prime concrete or masonry surface for the application of a Build Coat
- · Kit consists of 2 1 gallon cans of Part A and 2 -
- 1 quart cans of Part B

Application:

- · A kit will provide 2 gallons of material with a
- coverage rate of approximately 230-320 sg. ft. per gallon · Apply with 1/4" or 3/8" nap roller

PART #	KIT SIZE	COLOR	
32-930 -B5	2 gallon	Clear	



Epoxy Floor Build Coat Kit

- · A two part 100% solids epoxy coating designed to provide a
- high build, colorfast and impact resistant floor · Build Coat is available in five colors and is suitable as a finish coat
- · Kit consists of two, 1 gallon cans of Part A and two, 1/2 gallon cans of Part B

Please note: Epoxy Build Coat is not UV stabilized and should not be used in sunlight impacted areas, unless coated with a solid color urethane sealer or 100% paint chip coverage.

Application:

- · Can be applied directly to the Epoxy Primer coat
- A kit will provide 3 gallons of material with a coverage rate of 53-130 sq.ft. per gallon depending on the required thickness
- · Optional colored paint chips can be added to Build Coat application for a more decorative appearance
- · Apply with 1/4" or 3/8" chemical resistant nap roller

PART #	KIT SIZE	COLOR
32-931-B5^	3 gallon	Light Grey
32-932-B5^	3 gallon	Med. Grey
32-933-B5^	3 gallon	Red
32-934-B5^	3 gallon	Off White
32-935-B5^	3 gallon	Beige

GORMAN

Clear and Solid Color Urethane Sealer Kits

- These polyester/aliphatic polyurethane coatings exhibit excellent characteristics for abrasion, chemical resistance, flexibility, weathering and UV stability
- VOC compliant
- · Recommended for garages, auto service centers, warehouses, computer rooms, laboratories, aircraft hangers and other chemical exposed areas.
- · Clear Sealer is a one part, high performance, clear urethane sealer. Covers 320-800 sg. ft. per gallon
- · Solid Color Sealer Kit is a two part, abrasion resistant and UV protection for epoxy build coat. Solid Color Sealer can be coated with clear sealer for additional protection
- · Kit consists of two, 1 gallon cans of Part A and one. 1 gallon can of Part B. Covers 320-500 sq. ft. per gallon

Please note: Urethane Sealers will have a strong odor for 48 hours and should be applied in well ventilated areas only.

Application:

· Can be applied diectly to the Epoxy Build coat or paint · Apply with 1/4" or 3/8" chemical resistant nap roller

PART #	DETAIL	COLOR	
32-936-B5^	1 gallon Urethane Sealer	Clear	
32-925-B5	3 gallon Sealer Kit	Light Grey	
32-926-B5	3 gallon Sealer Kit	Med. Grey	
32-927-B5	3 gallon Sealer Kit	Red	
32-928-B5	3 gallon Sealer Kit	Off White	
32-929-B5	3 gallon Sealer Kit	Beige	

Basic Steps of Epoxy Flooring with Optional Paint Chips





2 Apply build coat

eopxy and optional

paint chips



3. Lightly sand surface 4. Remove loose chips



5. Apply sealer



PAINT CHIPS

Gothilap


Paint Chips for Epoxy Flooring

· Available in 7 solid colors and in 4 pre-mixed color blends · Solid colors can be used separately or mixed to suit your design

PART #	COLOR	SIZE
32-944-B7^	White	1 lb.
32-964-B7^	White	12 lb.
32-945-B7^	Black	1 lb.
32-965-B7^	Black	12 lb.
32-946-B7^	Blue	1 lb.
32-966-B7^	Blue	12 lb.
32-947-B7^	Grey	1 lb.
32-967-B7^	Grey	12 lb.
32-948-B7^	Tan	1 lb.
32-968-B7^	Tan	12 lb.
32-949-B7^	Green	1 lb.
32-969-B7^	Green	12 lb.
32-950-B7^	Red	1 lb.
32-970-B7^	Red	12 lb.
32-940-B7^	Red/White/Grey/Black	1 lb.
32-960-B7^	Red/White/Grey/Black	12 lb.
32-941-B7^	Blue/Grey/White/Black	1 lb.
32-961-B7^	Blue/Grey/White/Black	12 lb.
32-942-B7^	Black/White/Grey/Tan	1 lb.
32-962-B7^	Black/White/Grey/Tan	12 lb.
32-943-B7^	Green/Black/White/Grey	1 lb.
32-963-B7^	Green/Black/White/Grey	12 lb.


Application:

- · When used with Bon's Epoxy Floor System, it creates an attractive, seamless, chemical resistant and extremely durable surface
- · Final appearance is determined by the density of application and the base color • As a general rule, 1lb. will provide a light cover on 200 sg. ft. and full cover on
- 10 sq. ft
- · Available in 1lb. bottles and 12 lb. pails



HEAVY COVERAGE

Available Colors:





Gonutar

Dura-Film Concrete Sealer

- · Dura-Film is a non-yellowing solvent-based 100% acrylic sealer
- Contains 25% solids
 - Creates a super-high gloss appearance
 - Covers 300-600 sq. ft. per gallon
 - Applications: Broom finish, smooth troweled, decorative (stamp, stencil or exposed), terrazzo, natural stone, pavers



FADI#	GOVENAGE	CONTENT	100	SIZE	
32-912-B6^	300-600 sf	<700g/L	High	1 gal.	
32-911-B6^	1500-3000 sf	<700 g/L	High	5 gal.	
32-913-T6*^	1500-3000 sf	<400 g/L	Low	5 gal.	

Bothulay

Boss Tone Translucent Tint

- Boss Tone is a concentrated tint that can be mixed with solvent - based sealer or cure & seal products to create a translucent tint to concrete surface
- Standard application rate of 1 quart of Boss Tone to 5 gallons of sealer. To achieve a darker shade of the same color, add 2 quarts per 5 gallons
- Applications: Broom finish, smooth troweled, decorative (stamp, stencil or exposed)



PART #	COLOR	MIX RATIO	SIZE 1 quart	
32-951-B6^	Buff	1-2 qt/5 gal. pail		
32-952-B6^	Rawhide	1-2 qt/5 gal. pail	1 quart	
32-953-B6^	Terra Cotta	1-2 qt/5 gal. pail	1 quart	
32-954-B6^	Brown	1-2 qt/5 gal. pail	1 quart	
32-955-B6^	Grev	1-2 ot/5 cal. pail	1 quart	

Sollway

Exposed Aggregate Retarder

- · Produces decorative exposed aggregate finishes
- Spray on one coat to retard the mortar set time to eliminate
- the need for costly sandblasting or acid washing • Easy to apply with standard pressurized spray equipment,
- brush or roller
- Leaves no surface finish
- Covers 100 sq.ft. per gallon



Gonunge

Xylene

- Excellent clean-up solvent for tools and equipment immediately after use
- · Can be used to help strip certain adhesives

 Slows evaporation rate in oil-based paints, lacquer, varnish, epoxy, adhesives and other solvent based materials



PART #	VOC CONTENT	VOC	SIZE
32-987-T7*	>700 g/L	High	1 gal.
32-988-T7*	> 700 g/L	High	5 gal.

Gothulay

Gator Grip™ Slip Resistant Additive

- Combine with most oil-based and water-based sealers, paints or stains to add slip resistance to walkways, poolsides, steps or patios
- · Finely ground polymers disappear in solution
- Non-yellowing formula will not affect finish color
- Use 3.2 oz. per gallon of sealer
- Gator Grip for Pool Decks has heavier particle to ensure extra slip resistance in wet areas (i.e. pool decks, wash rooms, etc.)



PART #	DETAIL	RATIO	SIZE
32-540-B7^	Standard Gator Grip for	1 gal.	3.2 oz.
32-541-B7^	Standard Gator Grip for	5 gal.	16 oz.
32-542-B7^	Standard Gator Grip for	55 gal.	11 lbs.
32-543-B7^	Pool Deck Gator Grip for	5 gal.	16 oz.
32-544-B7^	Pool Deck Gator Grip for	55 gal.	11 lbs.

Somman

Concentrated Concrete Cleaning Detergent

- Recommended for general purpose concrete and construction site cleaning
- Ideal for power washing concrete to remove construction dirt
- Removes natural biological stains including:
- mold, algae, mulch and pollen stains
- Works well on food and automobile fluid stains
- Use with a pressure washer or
- scrub brush • Mix with water at a 4:1 ratio
- Mix of 5 gallons will clean
- approximately 1000 sq. ft.

PART #	COVERAGE	MIX RATIO	SIZE
32-305-B5	1000 sq. ft. (after mixing)	4:1	1 gal. / yields 5 gal.

Gonta

Gloss Restorer

- Gloss Restorer is a water-based product that restores and improves the original shine, gloss and luster of previously sealed concrete surfaces
- · Creates a super high-gloss appearance
- · Covers 300-400 sq. ft. per gallon
- · Meets the VOC requirements of the SCAQMD
- Allows for multiple applications without fear of 'blushing' or whitening



PART #	COVERAGE	CONTENT	VOC	SIZE
32-923-B6^	300-400 sf	<350 g/L	Low	1 gal.
32-922-B6^	1500-2000 sf	<350 g/L	Low	5 gal.

"Bio Release" Form Release

- Dual action, biodegradable, emulsified concrete form release agent suitable for use with all types of forming materials
- Contains 60% solids
- · Use on steel, fiberglass, wood, and plastic
- (including elastomeric-PVC and EPS)
- Will not stain or leave any surface finish
 Material must be clean and free of dust, dirt and bardened concrete
- Covers 800 sq.ft. per gallon



Gontation


Concentrated Evaporation Retarder • Mix with water at a 9:1 ratio

- Mix with water at a 9:1 ratio
- Reduces surface moisture loss by approximately 80% in windy conditions and 40% in direct sunlight
- Keeps surface plastic and "finishable" for a longer time
 Will not interfere with the



PART # rt 32-540-B







FILM FORMING SEALERS Something

Big Boss™ Cure & Seal Clear Enhancer · Big Boss is a non-vellowing solvent based

- 100% acrylic sealer
- · Creates a super high gloss appearance
- · Covers 300-400 sg. ft. per gallon
- · Applications: High end decorative (stamp, stencil or exposed)



Water Shield - 100 Penetrating Silane **Concrete Sealer**

- · Solvent based penetrating sealer contains 100% solids · Leaves no surface finish and offers protection
- against freeze/thaw cycle
- · Must be used on cured horizontal or vertical concrete and masonry surfaces
- · Covers 175-350 sq. ft. per gal. Applications: Broom finish
- and smooth troweled flatwork, concrete structures
- Specifications:
- NCHRP 244
- ASTM C 672 - ASTM C 642
- ASTM E 96
- ASTM G 53
- ASTM D 1653

VOC				
PART #	COVERAGE	CONTENT	VOC	SIZE
32-918-B6	875-1750 sf	<250 a/L	Low	5 gal.



flatwork, concrete structures

625-750 sf

VOC COVERAGE CONTENT VOC SIZE

<250 g/L

Low 5 gal.

· Specifications:

- NCHRP 244

- ASTM C 672

- ASTM C 642

- ASTM E 96

- ASTM G 53

PART # 32-990-T6*

- ASTM D 1653

BORMAN

Gloss Cure & Seal Clear Enhancer

- · Gloss is a solvent-based 100% acrylic sealer
- · Contains 25% solids
- · Creates a medium-gloss appearance
- · Covers 250-400 sq. ft. per gallon
- · Applications: Broom finish and smooth troweled
- · Specifications: - ASTM C 309, Type 1 or 1D, Class A & B
 - ASTM C 1315, Type 1, Class A (non-yellowing)



VOC				
PART #	COVERAGE	CONTENT	VOC	SIZE
32-906-T6*^	1250-2000 sf	<350 g/L	Low	5 gal.
32-905-B6^	1250-2000 sf	<700 g/L	High	5 gal.

So-Cal Gloss Cure & Seal **Clear Enhancer**

- · So-Cal Gloss is a non-vellowing water based sealer · Contains 15% solids
- · Creates a low gloss appearance
- · Covers 200-600 sg. ft. per gallon
- · Applications: Broom finish and smooth troweled
- Meets the VOC requirements
- Specifications: - ASTM C 309, Type 1 and 1D,



PART #	COVERAGE	VOC Content	VOC	SIZE
32-921-B6	1000-3000 sf	<100 g/L	Low	5 gal.

Econo Guard - 10 Penetrating **Concrete Sealer**

- · Econo Guard -10 is a water-based penetrating sealer
- · Contains 10% solids · Leaves no surface finish and offers protection
- against freeze/thaw cycle · Must be used on cured horizontal or vertical concrete
- and masonry surfaces
- · Covers 125-150 sq. ft. per gallon · Applications: Broom finish and smooth troweled
- · Specifications: - NCHRP 244. Series II
- and Series IV - ASTM C 672

Buto

PART #	COVERAGE	VOC Content	VOC	SIZE
32-919-B6	625-750 sf	<200 g/L	Low	5 gal.

<mark>Bon'</mark> Mixina B

Mixing Barrel

- 15 gallon plastic mixing drum ideal for more viscous and cementitious materials
- Specially designed handles for added comfort and ease of pouring material
- Ideal for mixing self-leveling material
- Lid and clamping ring included



PART #	SIZE	HEIGHT	OPENING
22-816 -B9	15 gallon	24"	12-3/4" Dia

Bon

5 Liter Measuring Pitcher

- Used to measure viscous materials
- Measurements for both metric volume in liters and milliliters



PART #	SIZE	MATERIAL	
22-369 -B9	5 liter	Plastic	

Bon 5-Gallon Clear Measuring Pail

- · Calibrated in liters, quarts and gallon markings
- Clear 90 mil heavy duty plastic with reinforced upper rim for extra durability
- Sturdy metal handle with foam comfortable grip
- · Multi use solvent-resistant pail



Bon Self-Leveling Tool Kit

 Complete kit includes all the items required to mix and install self-leveling products





Bon

Transporting & Pouring Barrel Cart

- Fits 15-gallon drums
- Efficient one-man operation for mixing, transporting and pouring materials
- All steel construction
- · Equipped with four swivel casters
- · Toggle latch to hold barrel firmly in place





PART # 82-911-T5*

02-311-10

Bon Transporting & Pouring Bucket Cart

- · Fits standard 5-gallon bucket
- Eliminate accidental spilling during transporting and pouring materials
- Handle is designed for pour from left or right side
 Equipped with 4 swivel casters



Bucket Sold

Bucket Sold Separately



Bon

PART #

34-165-B8

9 Qt

10-3/4'

9-Quart Measuring Pail

Plastic bucket with wide top opening
 Measurements on side
 Metal handle



7-1/2

Bon


Multi-Use Mix Containers

· See through body in natural polyethylene · Calibrated measurements printed on outside of pail (ounces, liters and quart) · Solvent-resistant #34-168 #34-167 #34-166 DEPTH PART # CAP. TOP DIA 34-166-B8 1 Qt 5-1/2 4-1/2" 2-1/2 Qt 6-3/4" 6-1/8" 34-167-B8 7-1/8" 34-168-B8 5 Qt 8-5/8"



7/16" Spiked Roller with Bracket

- · Made from rigid plastic sharp spikes
- Removes trapped gas bubbles from floor coating applications
- Equipped with bracket for use with wood handle sold separately (#12-404)




PART #	SIZE	SPIKE SIZE	
22-225-B10	20"	7/16"	
22-226-B10	30"	7/16"	
50-252-B9	7/16" Rep	blacement Spike	

Bon

1-1/4" Spiked Roller with Bracket

- · Made from rigid plastic sharp spikes Removes trapped gas bubbles from floor coating applications
- Equipped with bracket for use with wood handle sold separately (#12-404)



1-1/4"

1-1/4"

1-1/4" Replacement Spike

Bon


13/16" Spiked Roller with Bracket · Made from rigid plastic sharp spikes

· Removes trapped gas bubbles from floor coating applications

· Equipped with bracket for use with wood handle sold separately (#12-404)

Ò

PART #	SIZE	SPIKE SIZE	
82-913-B10	20"	13/16"	
82-914-B10	30"	13/16"	
50-253-B9	13/16" Re	placement Spike	



Bon **Spiked Roller with Handle** · Made from rigid plastic spikes

- · Removes trapped gas bubbles from floor coating applications
- · Equipped with 17" paint roller type handle



PART #	SIZE	SPIKE SIZE	
22-224 -B10	9"	7/16"	
82-912 -B10	9"	13/16"	
82-915 -B10	9"	1-1/4"	

Bon

Replacement Spikes · Made from rigid plastic spikes

· For use with Bon Spiked Rollers



Heavy Duty • 5 wire frame · Accepts broom handle #84-115 Standard PART # SIZE SHAFT LENGTH 84-115-B9 9 1/4" 12

84-294-89

9"

5/16"

16

50-254-B9 ROLLER COVERS

82-916-B10

82-917-B10

Bon

Coarse Coater

20

- · Specially designed plastic looped nap for applying coarse aggregate epoxy coatings
- Phenolic core
- · Does not include end caps



Bon

"Porky" Spiked Roller

- · Needle-pin design eliminates gas bubbles formed in epoxy floor coatings
- · Relieves surface tension in one pass
- · Creates less surface disturbance so you can use it further into the curing cycle
- · Roller frame sold separately use #12-857

-With			
PART #	SIZE	SPIKE SIZE	
12-855-B6	9"	1/2"	
12-854-B6	18"	1/2"	
82-909-B5	9"	1-1/4"	
82-908-B5	18"	1-1/4"	

-	-			
Ľ	O	Π		
-				

Phenolic Roller



Bon

84-107-B9

84-108-B9

84-109-B9

15-421-B9

15-414-B6

18-15-217-B7 18"

Roller Cover · Draylon cover · Reusable, solvent resistant core

9"

Q"

9

18"

End Cap (pair)


SIZE	NAP
3"	3/8"
4"	3/8"
9"	3/8"
	3" 4"

1/2"

3/4" 1-1/4"


3/8"


1/2"











30"

23'

82-393-B9

7/16" Hex

36"

9-15/16" x 5-7/8"

82-399-B9

3/8" Hex


30"





	Bon				
			, painted to pr	e Cut Blade	
	• 1" x 60" tu	bular steel		oventrusting	
	powder co handle	ated			
			in the second second		
	PART # 15-158-B9	BLADE 14"	60" Steel		
	15-159-B9 15-271-B9	18" 22"	60" Steel 60" Steel		
	15-160-B9	14" Replac	ement Blade		
	15-161-B9 15-366-B9		ement Blade cement Blade		
	Bon				
	Inertial				n
	Heavy dut Chrome pl		with ball grip		
		0 4 .	X		
	PART #	BLADE	HANDLE		
	87-205-B9 87-206-B9	5" 5" Replac	21-1/2" ement Blades (10	D/pkg)	
	Bon				
11		& Floor	Scraper		
//	 Equipped v (4" blade v 		aceable 4" blac	le	
	· Two screw	s lock the	razor sharp bla	ade in	
-	the die cas • Comfortab		1"		
5' stable	rubber grip	on all size	es		
nsion Ile			1		
			•••		
	PART #	BLADE	HANDLE		
	14-920-B9	4"	5"		
	14-921-B9 14-922-B9	4" 4"	9-1/2" 15"		
-	14-923-B9	4"	48"		
and and	Bon' Bonlago	mont	oranor Pl	adas	
	Sold in pace		Scraper Bl	aues	
		-	-		
	1.1		Blue Steel		
			Blue Steel	_	
	-				
			Steel		
	PART # 87-212-B9		DETAIL Blue Steel	QTY/PKG 10	
	87-390-B9	4"	Steel	10	
	87-206-B9 14-714-B9	-	Steel Steel	10 10	

3' to Adjust Exter Hand **Bon**°











FLOORING & TILING TOOLS



Bon[®]

Carpet Trimmer • Adjustable all steel design with rubber grip handle • Can be reversed to make cuts next to the wall	Bon Extra Wide Carpet Seam Roller • Extra wide head	Bon Carpet Seam Roller • Seam roller with angled plastic handle
HALL BE	ALCONCLUS .	and the second s
PART #	PART # WIDTH	PART # WIDTH
24-207-B9	86-100-B9 5"	86-102-B9 3-1/2"
Carpet Trimmer Replacement Blades	Eon Carpet Tractor Easy grip design 3 rows of star wheels	Bon Deluxe Carpet Seam Roller • 3 offset rollers • Star pattern
PART # DETAIL QTY/PKG 24-208 - B9 Trapezoid 5 24-211 - B9 Round Corner 5	PART # WIDTH 24-205 B9 3"	PART # WIDTH 86-101-B9 4-1/2"
CARPET CUTTERS	S	
 CRACKY Versa-Cutter Use utility blades or slotted blades Dual tongue depressors prevent wadding Precision steel row guide mounted on the nose Steel foot plate for use over concrete 	CRAIN Cushion Back Carpet Cutter Tims seam edge close to tufts Blades clip in for rigid hold 30 degree blade angle creates a neat clean cut Use blade #24-208 or #24-211	Bon Leather Cutter Holder • Nylon stitched and rivet reinforced • Fiber lined for extra protection and support • Belt clip Cutter sold separately
Versa-Cutter • Use utility blades or slotted blades • Dual tongue depressors prevent wadding • Precision steel row guide mounted on the nose	Cushion Back Carpet Cutter • Trims seam edge close to tufts • Blades clip in for rigid hold • 30 degree blade angle creates a neat clean cut	Leather Cutter Holder • Top grain saddle leather • Nylon stitched and rivet reinforced • Fiber lined for extra protection and support • Belt clip Cutter sold
 Versa-Cutter 19 Use utility blades or slotted blades 20 Use utility blades or slotted blades 20 Precision steel row guide mounted on the nose 20 Steel foot plate for use over concrete 	Cushion Back Carpet Cutter • Trims seam edge close to tufts • Blades clip in for rigid hold • 30 degree blade angle creates a neat clean cut • Use blade #24-208 or #24-211 • Use blade #24-208 or #24-211	 Easther Cutter Holder Top grain saddle leather Nylon stitched and rivet reinforced Fiber lined for extra protection and support Belt clip Cutter sold separately Cutter sold separately

_

Bon[®]



Cuts all types of 12" x 12" resilient floor tile and cove base
 Diagonally cuts tile up to 8"



PARI #	SIZE	
14-695-B9	12"	
14-696-B5	Replacement Blade/Upper	
14-697-B5	Replacement Blade/Lower	

Bon

Carbide Backerboard Scoring Knife • Chisel tip

- 3 tungsten carbide tips for
- scoring cement backerboard



PART # 87-112-B9

Bon

Recess Scriber

- Two part brass thumb knob
- Top portion adjusts pin height, bottom portion sets the offset distance
- Includes rounded end guide for wall scribing and bottom guide for seam scribing
- · Allows 2-inch range of offset adjustment







Bon

Hook Bill Vinyl Knife

- Fine high carbon steel, individually hardened, tempered, sharpened and honed blade
- · So sharp it will cut core vinyl without heat
- Makes accurate, even cuts without burns
- Extra heavy point



PART # 14-336-B7

Bon' Lominato Securing T

Laminate Scoring Tool

• Contoured handle for better grip and blade angle

Carbide tip blade is made to a 94 rockwell hardness



PART #	DETAIL	
24-212-B9	Scoring Tool	
24-214-B9	Replacement Blade	

Regular Plastic Laminate Shears (Straight Cut)

- Makes straight cuts in all types of decorative plastic laminate
- Patented "double-action" hardened steel cutting blades
- Vinyl coated handles have a

PART #


14-131-B6

spring return

Bon Vinyl Cove Base Groover

- Removes materials from the back of vinyl or rubber cove bases
- Eliminates costly preformed corners
 Equipped with 5/32" U-shaped blade with adjustable cutting depth







- Razor sharp blade cleanly cuts vinyl or
- rubber base for better looking seams



PART #	DETAIL
14-536 -B6	Shears
14-905 -B6	Repl. Blades & Anvil for #14-536 (3/pkg)

Bon

Disposable Cove Base Nozzles

Use on 1 quart caulking gun and then throw it away
 Applies adhesive to 4" cove base



Bon

Multi-Purpose Trim Shears • Heavy duty 2-3/8" replacement blade

- Easily cuts tile trim, PVC piping, quarter round, tackstrips and other light materials
- Pre-notched guide at 45, 60, 75, 90, 105 and 120 degrees



PART # 84-704-B9



QTY/PKG


5

PART #

15-399-B9

DETAIL

Utility Blade



7" Metal Saw Blade

5

15-504-B6 7" Wood/Drywall Saw Blade

15-503-B6

10 pkg. - #15-501 blades (10 pkg)

10 pkg. - #15-502 blades (10 pkg)


Ron



PART #	LENGTH	STOCK
14-538 -B6	10"	1/2" Square Hex

MAUGHAN

- **Mini Pry Bar**
- · Versatile tool will pull small nails and staples
- · High quality tempered steel for



Bon

Magnetic Tack Holder

· Ideal tool for starting and driving nails into concrete · Protects the flange of metal floor molding



PART #	LENGTH	NOSE	
15-214 -B9	8"	5/8"	
15-215 -B9	5-1/2"	3/4"	
-			

Bon

- **Magnetic Hammer**
- · Head is made from high quality heat treated steel
- · Fitted with comfortable 13" wooden handle



13-240-B9	20 oz.	
13-396-B9	Replacement Handle	
13-324-B9	Replacement Head	

CIRAIN

- 13" Wood Cutter · Cuts wood and laminate planks up to 3/4" thick
- · Ideal for laminate, engineered wood and softer solids; materials harder than red oak (Janka hardness of 1290) should not be cut
- · Movable fence for diagonal cuts and guide for accurate repeat cuts
- · Wheels allow cutter to be easily moved from kneeling position
- · Includes a sharpening stone to maintain blade

PART #	DETAIL	MODEL
78-673-B2	Cutter	673
78-674-B2	Replacement Blade	674

CIRATON C **Plastic Plank Spacers**

· V-shaped design won't tip over in the gap

- · 3/16" wide on one end, 1/4" on other end
- for various gap sizes



CIRAIN

Magnetic Driving Bar

- · Magnetic tip for easier use in awkward places
- · Slender nose fits under low wall heaters and toe kicks Shockproof rubber handle
- · Allov steel body



PART #	SIZE	MODEL	
78-166-B2	13" x 4-1/2" x 1-3/4"	166	

Bon

- **Sheepskin Applicator**
- · A 100% natural Merino sheepskin applicator
- · Use to apply varnishes, stains and wax
- . Includes wood block and 12" x 6" sheepskin cover
- Use standard broom thread handle (12-342)
- Handle not included

-



PAKI #	DETAIL	
24-290-B6	Sheepskin Applicator	
24-294-B6	Sheepskin Refill (Each)	











PART #	CASE SIZE	MODEL
78-988-B2	24-1/2" x 10-1/2" x 10"	988

ORAINY

CIRAIN

· Heat weld gun

· Power groover

· Pull hand groover

· Quarter moon knife Trim auide · Metal carrying case

Includes:

Door Jamb Saw Kit

- · This saw is designed for undercutting jambs, doors or walls
- · Blade height is adjustable from flush to 1-1/4"
- · Door as thick as 1-3/4" can be cut without removal
- · Kit includes saw, carbide tipped blade, masonry blade and carrying case
- 13 amps, 110 volt, 4800 rpm





PART #	DETAIL	MODEL
24-304-B2	Door Jamb Saw Kit	812
24-306-B2	Masonry Blade - 6-1/2" dia.	805
24-309-B2	Carbide Tipped Blade - 6-1/2" dia.	821

ORAIN

Toe Kick Saw Kit

- · Cuts flush to wall
- · Max depth 3/4"
- · 2.5 HP 11 amp motor
- · Comes with carry case and #24 -144 carbide blade





PART #	DETAIL	MODEL
24-142 -B2	Toe Kick Saw Kit	775
24-143-B2	2-5/8" Dia. Diamond Blade	789
24-144 -B2	3-3/8" Dia. Carbide Blade	787

CIRAIN

Heavy Duty Undercut Saw

- · Comes with a carbide tipped blade for undercutting wood doors and a masonry blade for undercutting hearths · Solid aluminum ratchet handle
- · Undercuts walls, molding, inside corners, jambs, most toe spaces, and a door while it is hanging in place
- Powerful 13 AMP motor
- · Includes two blades, carrying case and hex blade wrench

PART #	DETAIL	MODEL	
78-835-B2	Undercut Saw	835	
78-836-B2	Repl. Carbide Tipped Blade	836	





CIRAIN

Adhesive Vinyl Bubble Eliminating Syringe

- · Injects adhesive and leaves invisible puncture
- · Inexpensive, disposable
- · Some states prohibit sale check local regulations



PARI #	SIZE	MODEL
78-143-B2	6"	143

Bon

Undercut Saw

- · Ideal for undercutting door jambs
- . 12" long trapezoid shaped blade with 10 point saw teeth on both sides



PART #	DETAIL	
24-307-B9	Undercut Saw	
24-308-B9	Replacement Blade	

MAUGHAN

Bear Hand Saw with Extra Fine Cutting Blade

- · Made to cut on the pull rather than on the push stroke · Design allows for thinner blade which removes less material
- · Faster and more accurate sawing
- · Blade locks in handle
- · NOTE: Bear Hand Saw Blades are
- interchangeable



 37-707-B6
 8-3/8"
 17 TPI
 569-50

 37-717-B6
 Extra Fine Cutting Replacement Blade
 569-52

MUGHAN

Bear Hand Saw with Medium Fine Cutting Blade

- · Made to cut on the pull rather than on the push stroke · Design allows for thinner blade which removes less material
- · Faster and more accurate sawing
- · Blade locks in handle
- · NOTE: Bear Hand Saw Blades are interchangeable



PART #	BLADE LENGTH	PITCH	MODEL
37-704-B6	10-1/2"	14 TPI	569-20
37-714-B6	Fine Cutting Replacer	nent Blade	569-22

|--|





Carbide Tipped Chisel

· Holds tile cutting edge much longer than tempered chisels · Hexagonal 6" forged steel shank

#14-351 #14-352 #14-353

PART #	SIZE	
14-351-B9	1/4" Tip	
14-352-B9	3/8" Tip	
14-353-B9	1/2" Tip	

Bon

Carbide Tipped Tile Nippers

- · Forged steel with carbide tip cutting edges
- · Plastic covers on handles



PART #	SIZE	JAW SIZE	
14-355-B9	8"	5/8"	

BONPRO PLUS White Rubber Mallet

- Top quality rubber mallet with flame-hardened 13" wood handle
- · White rubber will not mark hardscape material
- · Perfect for knocking down metals



PART #	SIZE	HANDLE	
14-477-B6	28 oz.	13" Wood	



LENGTH	WIDTH	HANDLE
5"	2"	Wood
8"	2"	Wood
5"	2"	Comfort Grip
8"	2"	Comfort Grip
	5" 8" 5"	5" 2" 8" 2" 5" 2"

Multi-Use Spreaders

- · V-notches on three sides and tapered straight edge on the fourth side
- · Square notches on all four sides
- · 4-1/4" x 4-1/4"



PART #	NOTCH SIZE	NOTCH
14-770-B9	1/8", 3/16", 1/4"	V
14-771-B9	1/16" , 1/8" , 1/4" , 1/8" x 1/4"	Square

Bon

- **Tile Cutter/Nippers** · Will score and cut tile up to 5/8" thick
- · Adjusts to different thicknesses



PART # 18-406-B9

Thrifty Bon'

White Rubber Mallet · Wood handle



PART #	SIZE	HANDLE
87-398-B9	16 oz.	11' Wood
87-399-B9	32 oz.	13' Wood

Bon



Plastic Knives




PART #	NOTCH SIZE	BLADE	BLADE WIDTH
14-766-B9	3/32"	V-Notch	3"
14-767-B9	1/8"	V-Notch	3"
14-768-89	3/16"	V-Notch	3"
14-769-B9	1/4"	V-Notch	3‴
18-409-B9	N/A	Straight	1-1/2"
18-410-B9	N/A	Straight	2"
18-411-B9	N/A	Straight	3"
18-412-B9	N/A	Straight	4"

Bon

Carbide Tile Saw

· Rod style blade

- 6" long Use Replacement Blade #24-506
- · Particles of tungsten carbide



brick, granite and other hard to cut materials

PART #	DETAIL	
24-504-B9	Saw with Blade	
24-506-B6	6" Replacement Blade	

-

Bon

0.1

Black Rubber Mallet

- · Top quality rubber mallet with flame-hardened wood handle
- · Perfect for knocking down metals



PART #	SIZE	HANDLE
84-581-B9	16 oz.	12" Wood
15-220-B9	24 oz.	13" Wood



14-557-B9

7-1/2"

1-1/2



24-165-B9

7-1/2

1-1/2

14-526 -B9

3

Roller not included

\$86-103

#86-104

WHEEL COLOR

White

Black










PART # **CUP SIZE** DETAIL 14-568-89 3-1/4" Dia. Two Finger Handler



PART # 87-367-B9 PART #

Bon

```
84-953-B9
```



Comfort Grip Handle

PART #	X (WIDTH)	Y(DEPTH)	Z (SPACING)	NOTCH
14-357-B9	3/16"	1/8"	3/16"	SQ
14-309-B9	1/4"	1/4"	1/4"	SQ
14-306-B9	1/2"	1/2"	1/2"	SQ
14-232-B9	3/8"	3/8"	3/8"	SQ
14-496-B9	1/4"	3/8"	1/4"	SQ
14-388-89	3/32"	3/32"	3/32"	SQ
87-196-B9	1/16"	1/32"	5/64"	U
87-194-B9	1/16"	1/16"	3/32"	U
87-119-B9	1/8"	3/16"	1/8"	U
87-117-B9	3/32"	3/32"	3/32"	V
14-479-B9	1/2"	1/2"	_	V
14-478-B9	3/16"	3/16"	_	V
87-114-B9	5/32"	3/16"		V

PART #	X (WIDTH)	Y(DEPTH)	Z (SPACING)	NOTCH	
87-126-B9	1/16"	1/16"	1/16"	SQ	
14-321-B9	3/16"	1/8"	3/16"	SQ	
14-320-B9	1/4"	1/4"	1/4"	SQ	
14-312-89	1/2"	1/2"	1/2"	SQ	
14-221-B9	3/8"	3/8"	3/8"	SQ	
14-292-89	1/4"	3/8"	1/4"	SQ	
14-290-B9	3/32"	3/32"	3/32"	SQ	
87-160-B9	1/16"	1/32"	1/32"	U	
14-322-B9	1/8"	1/8"	1/8"	U	
87-129-B9	1/8"	3/16"	1/8"	U	
87-161-B9	1/8"	3/32"	1/8"	U	
87-164-B9	1/16"	1/16"	1/16"	V	
87-165-B9	3/16"	1/4"	1/2"	V	
14-291-89	1/2"	1/2"	-	V	
14-319-B9	3/16"	3/16"	—	V	

Bon

Straight Edge Trowel

· Made from finely tampered steel and riveted to cast aluminum mounting



HANDLE	NOTCH	
Wood	None	
Comfort Grip	None	
	Wood	Wood None

Bon

Econo Notch Trowel

• 9 " x 4" blade





PART #	NOTCH SIZE	NOTCH	
87-135-B9	1/4" x 3/8" x 1/4"	Square	

Bon **Half Moon Notch Spreader**

PART #

87-140-B9

87-141-B9

PART #

14-763-B9

14-764-B9

14-765-B9

87-144-B9 1/4"

1/16"

87-143-B9 5/32" x 3/16"

Plastic Notched Trowel

· Four sides notched for either

One piece molded high impact

plastic - 8-1/2" to 10" tapered length, 4-1/4" wide

NOTCH SIZE

1/8"

1/4" 3/8"

right or left hand use

Ń

NOTCH

V V

٧

· Galvanized to prevent rusting


· Blade is ribbed for rigidity and strength · 6" x 4" spreader



Bon Pro Notched "U" Trowel

- . 16" x 4" spring steel blade
- Contoured handle improves
- control and comfort
- Handle support held to blade with welding rivets

PART #	WIDTH	DEPTH	SPACING	NOTCH
13-140-B9	1/16"	1/32"	1/12"	U
13-144-B9	1/4"	1/4"	1/4"	U
13-145-B9	3/8"	3/8"	3/8"	U



· Hydrophiliated design grout sponge on one side, and

QTY/PKG

1

scrubbing sponge on the other for dual use

· Rounded corners to prevent marring of grout

PART #

87-104-B9

· Lightweight face bonded to dense rubber pad · Edges beveled and front corners rounded for ease of

PART #	LXW	THICKNESS	HANDLE
87-340-B9	9" x 4"	5/8"	Wood
87-341-B9	12"x 4"	5/8"	Wood

HANDLE PART # LXW

Bon

Bon

Grout Float

spreading

· Centered handle

· Aluminum backing

· Polyester base sponges

- · Tremendous water holding capacity, resist solvents, easy to clean
- · Sold in set of three: oval fine pore, honeycomb and semi-oval fine pore



QTY/PKG 13-252 -B9 3

Grout Float with Offset Handle · Aluminum backing and wood handle



Bon **Cellulose Tile Sponge**

. Keeps "turtle back" shape even when wet

- · Conforms to shape of hand
- · Long lasting cellulose
- · Holds water well, washes clean and won't fall apart



PART #	QTY/PKG	
13-253-B9	1	


Bon

- "Cheese" Cloth · Use for polishing tile surfaces to a bright finish
- · 36" wide
- Fine 24-20 unbleached cotton mesh



PART #	SIZE	
87-222-B9	5 sq. yds	
87-224-B9	70 sq. yds	

173



PART #	LENGTH	
12-686 -B8	2'	
12-687 -B8	4'	
12-126 -B8	6'	
12-117 -T8*	8'	
12-118 -T8*	10'	
12-119-T8*	12'	
12-373 -T8*	14'	

Bon

Aluminum Tri-Fold Layout Square

- · Use for paver layout, tile, framing and landscape work
- · Folds for storage, lightweight and rugged
- · Perfect 45 degree and 90 degree angles
- · Includes carrying case





PART #	SIZE	
21-359-B9	24"	
21-360-B9	48"	

PART #	LENGTH	
24-115-B9	1'6"	
24-118-B9	2'	
24-116-B9	2'6"	
24-117-B9	3'	
24-119-B9	4'	
24-120-B9	6'	
24-121-T9*	8'	
24-122-T9*	10'	
24-123-T9*	12'	
24-124-T9*	14'	




TILE SPACERS

Bon **Tile Spacers**

- · Size indicates the width of the grout joint; thickness is the
- height of the spacer
- · Cross pattern
- · Rubber compound gives just enough to allow differences in tiles to be absorbed
- · Easy to pull out after installation has set





Bon **Tile Wedges**



PART #	DETAIL	SIZE	QTY/PKG
87-213-B9	Regular	5/8" x 1/2"	450
87-214-B9	Super	1-1/8" x 15/16"	75

Bon

Spacer Removal Tool

· Retractable sharp tip

- · Spring loaded to quickly "pop" the spacer off
- · Sharp point for easily snagging spacers
- · Protective no-mar rubber cone



87-122-B9

<u>Bon</u>°



<u>Bon</u>°



84-815-B7

84-816-B7 84-817-B7 8" Dia. x .060 Thick

10" Dia. x .060 Thick

12" Dia. x .080 Thick

84-818-B7 14" Dia. x .080 Thick

5/8" Dia.

5/8" Dia.

1" Dia. 1" Dia.

PART #	DETAIL	MODEL	
14-727-C2*	1-1/2 HP	965154414	
14-997-B2	Folding Stand	542203252	



		Bon
Contemporation of the second s	Crnamental Tool Trowel & Square • Forged and tempered for greater flexibility • Trowel and square ends	Stainless Steel Ornamental Tool Trowel & Square • Made of the finest grade stainless steel • Trowel and square ends
РАЯТ # SIZE 83-255-89 3/8" 83-256-89 1/2" 83-258-89 3/4" Вопеко Рьсоя Ornamental Tool	PART # SIZE 83-250-89 3/8" 83-251-89 1/2" 83-252-89 5/8" 83-253-89 3/4" 83-254-89 1" Bon Cut and Shape Ornamental Tool	PART # SIZE 13:368-B9 1/2" 13:369-B9 5/8" 13:370-B9 3/4" 13:371-B9 1" Bon" Radius Shaping Ornamental Tool
Leaf & Leaf • Ideal for plaster work • Forged and tempered PART # SIZE LENGTH	Forged and tempered for greater flexibility	Forged and tempered for greater flexibility PART # DETAIL LENGTH
83-136-B9 1/2" 8-1/2" Bon' Stainless Steel Miter Rod • Use knife edge to cut cornices and other applications • 4" wide	83-162-89 Cut & Shape 9" Bon Pro Carbon Steel Margin Trowel	Bon Pro Carbon Steel Margin Trowel with XL Handle
PART # SIZE 13-267-B9 6" x 4" 13-268-B9 8" x 4" 13-269-B9 12" x 4" 13-270-B9 14" x 4" 13-271-B9 24" x 4"	PART # SIZE HANDLE 11-630-B9 5" x 1-1/2" Wood 11-631-B9 5" x 2" Wood 12-200-B9 6" x 2" Wood 11-931-B9 5" x 1-1/2" Comfort Grip 11-932-B9 5" x 2" Comfort Grip 11-933-B9 5" x 2" Comfort Grip 11-933-B9 6" x 2" Comfort Grip	PART # SIZE HANDLE 11-838-B9 5" x 2" XL Wood 11-868-B9 6" x 2" XL Wood 11-632-B9 8" x 2" XL Wood 11-855-B9 5" x 2" XL Comfort Grip 11-895-B9 6" x 2" XL Comfort Grip 11-894-B9 8" x 2" XL Comfort Grip
Bon' Angle Paddle • Made from lightweight aluminum with sharp corners and edges • 7" long, 2-3/4" wide and 7/8" thick	Bon Diamond Detail Point Trowel • Carbon steel blade • Ideal for stucco and plastering detail work	Bon 45° Angle Margin Trowel • Angled to work in corners #21-160 #21-160 #21-161

PART # 21-160-B9 21-161-B9

SIZE 6" x 2" 6" x 2"

ANGLE

Left Right

HANDLE Wood

Wood

PART #

13-138-B9





STEEL CITY TROWELS

NEW

Golden Stainless Steel Square End Finish Trowel

· Long or short shank



Long

Long

Long

Long

Long

Long

Long

Long

SHANK

Short

Short

Short

Short

Razor Stainless Steel Finishing Trowel

SHANK

Long

Long

HANDLE

Camel Back Wood

Camel Back Wood

Camel Back Wood

SHANK HANDLE

Camel Back Wood

Camel Back Wood

Carnel Back Wood

Comfort Grip

Comfort Grip

Comfort Grip Camel Back Wood

Comfort Grip

HANDLE

Carnel Back Wood

Carnel Back Wood

Camel Back Wood

Camel Back Wood

Long Shank

66-121-B9

67-121-B9

66-124-B9

67-124-B9

66-125-B9

67-125-B9

66-126-B9

67-126-B9

Curry

flat blade

PART #

83-186-B8

83-187-B8

83-188-B8

83-189-B8

Curry

PART #

12-895-B8

12-896-B8 12-897-B8 LXW

12" x 4"

12" x 4"

12" x 5"

12" x 5"

13" x 5

13" x 5

14" x 5

14" x 5"

Golden Stainless Steel

on an extra stiff aluminum shank

· Rivets are ground for a smooth

LXW

12" x 5"

13" x 5"

14" x 5"

· Rust resistant finishing trowel

LXW

12" x 5"

11" x 4-1/2"

11-1/2" x 4-1/2" Long

for concrete, plaster or EIFS finishing

11-1/2"x 4-3/4"

· Flexible golden stainless steel, mounted

Plastering Trowel

Short Shank

onone ontai			
PART #	LXW	SHANK	HANDLE
66-136-B9	11" x 4"	Short	Camel Back Wood
67-136-B9	11" x 4"	Short	Comfort Grip
66-137-B9	11-1/2" x 4"	Short	Camel Back Wood
67-137-B9	11-1/2" x 4"	Short	Comfort Grip
66-140-B9	12" x 5"	Short	Camel Back Wood
67-140-B9	12" x 5"	Short	Comfort Grip
66-141-B9	13" x 5"	Short	Camel Back Wood
67-141-B9	13" x 5"	Short	Comfort Grip
66-142-B9	14" x 5"	Short	Camel Back Wood
67-142-B9	14" x 5"	Short	Comfort Grip

CURRY TROWELS

Curry

Plastic Trowel

 Ideal when regular metal trowel is causing marks on plaster

Lightweight

• Lightwei	gin	1	-
PART #	LXW	SHANK	HANDLE
13-311-B8	11" x 4-1/2"	Long	Camel Back Wood
13-312-B8	16" x 4"	Long	Camel Back Wood

Curry

Ĩ

Plexiglass Trowel

Short shank and a flexible
rounded blade

Touriue		

PART #	LXW	SHANK	HANDLE
12-905-B8	10" x 3"	Short	Camel Back Wood
12-906-B8	14" x 4"	Short	Camel Back Wood
12-907-B8	16" x 4"	Short	Camel Back Wood

BON TROWELS

BON PRO PLUS

Stainless Steel Plastering Trowel

- Square end, long shank
- 5" wide blade



PART #	LXW	SHANK	HANDLE
83-222-B9	12" x 5"	Long	Comfort Grip
83-208-B9	13" x 5"	Long	Comfort Grip
83-209-B9	14" x 5"	Long	Comfort Grip
83-210-B9	16" x 5"	Long	Comfort Grip
83-211-B9	18" x 5"	Long	Comfort Grip
83-197-B9	12" x 5"	Long	Camel Back Wood
83-198-B9	13" x 5"	Long	Camel Back Wood
83-223-B9	14" x 5"	Long	Camel Back Wood
83-224-B9	16" x 5"	Long	Camel Back Wood
83-225-B9	18" x 5"	Long	Carnel Back Wood

STEEL CITY TROWELS

Razor Stainless Steel Square End Finish Trowel



PART #	LXW	SHANK	HANDLE
66-307-B9	12" x 5"	Long	Carnel Back Wood
67-307-B9	12" x 5"	Long	Comfort Grip
66-308-B9	13" x 5"	Long	Carnel Back Wood
67-308-B9	13" x 5"	Long	Comfort Grip
66-309-B9	14" x 4"	Long	Camel Back Wood
67-309-B9	14" x 4"	Long	Comfort Grip

Curry

Golden Stainless Steel Finishing Trowel

- Flexible golden stainless steel, mounted
- on an extra stiff aluminum shank • Rivets are ground for a smooth
- Rivets are gro
 flat blade

	PART #	LXW	SHANK	HANDLE	
	13-201-B8	10" x 4-1/2"	Long	Carnel Back Wood	
	13-202-B8	10" x 4-3/4"	Long	Camel Back Wood	
	13-203-B8	10-1/2" x 4-1/2"	Long	Carnel Back Wood	
	13-204-B8	10-1/2" x 4-3/4"	Long	Carnel Back Wood	
	13-205-B8	10-1/2" x 5"	Long	Camel Back Wood	
	13-206-B8	11" x 4-1/2"	Long	Carnel Back Wood	
	13-207-B8	11" x 4-3/4"	Long	Carnel Back Wood	
1	13-208-B8	11-1/2" x 4-1/2"	" Long	Carnel Back Wood	
	13-199-B8	11-1/2" x 4-3/4"	Long	Camel Back Wood	
	13-194-B8	12" x 3"	Long	Camel Back Wood	
	13-212-B8	12" x 4"	Long	Camel Back Wood	
	13-213-B8	12" x 4-1/2"	Long	Carnel Back Wood	
	13-214-B8	12" x 4-3/4"	Long	Camel Back Wood	
	13-215-B8	12" x 5"	Long	Carnel Back Wood	
	13-216-B8	13" x 5"	Long	Carnel Back Wood	
J	13-217-B8	14" x 5"	Long	Carnel Back Wood	

Bon

Plexiglass Float

 Popular plexiglass blade with a smooth handle properly balanced



90'

Wood

85-104-B8

3/4"

4" x 2"

Wood

85-110-B8

4" x 2'

3/4"

13-299-B9

2" x 3"



RADIUS

3/8'

5/8"

HANDLE

Wood

Wood

Wood

Wood

Wood

Wood

HANDLE

Wood

Wood

Wood

Wood

Wood



		DVII
EDENCEUSE Magnesium Stucco/Plaster Darby e uilt strong for perfect undercoats and proper flex built strong for perfect undercoats and perfect		EXPRESSION Two Knob Magnesium Stucco/Plaster Darby Built strong for perfect undercoats and proper flex Built strong for perfect undercoats and proper flex Lightweight magnesium
PART # LENGTH DETAIL 13-112-B9 42" Both Sides Serrated 83-152-B9 42" One Side Serrated 83-150-B9 42" Smooth Edge 83-154-B9 48" Both Sides Serrated 83-153-B9 48" One Side Serrated 83-151-B9 48" Smooth Edge		PART # LENGTH DETAIL 83-157-B9 42" Both Sides Serrated 83-156-B9 42" One Side Serrated 83-155-B9 42" Smooth Edge
Bon Aluminum Stucco/Plaster Darby • Built strong for perfect undercoats and proper flex • Features a knob and a rail handle • Lightweight aluminum		Bon Magnesium Scratcher Darby - Features two knob handles - Lightweight magnesium
PART # LENGTH DETAIL 13-501-B9 42" Both Sides Serrated 13-503-B9 42" One Side Serrated 13-505-B9 42" Smooth Edge		PART # LENGTH 83-160-B9 42"
Wha Lite "Regular" Stucco/Plaster Darby - The original and world renowned plasterer darby - Hollow extruded magnesium with a center reinforcing rib - Extra heavy working edges for longer life - Features a knob and a rail handle - Blade is 3-3/4" wide and 3/8" thick	Wha Lte "Flexo" Stucco/Plaster Darby - Hollow extruded magnesium with a center reinforcing rib - Extra heavy working edges for longer life - Preferred by professionals worldwide - Features a knob and a rail handle - Blade is 3-3/4" wide and 1/4" thick	Bon Two Knob Aluminum Stucco/Plaster Darby 9. Built strong for perfect undercoats and proper flex 9. Features two knob handles 9. Lightweight aluminum
PART # LENGTH DETAIL 22-705-B8 42" Both Sides Serrated 22-700-B8 42" One Side Serrated 22-790-B8 42" Smooth	PART # LENGTH DETAIL 22-845-B8 42" Both Sides Serrated 22-840-B8 42" One Side Serrated 22-850-B8 42" Smooth	PART # LENGTH DETAIL 13-507-B9 42" Both Sides Serrated 13-508-B9 42" One Side Serrated 13-509-B9 42" Smooth Edge
Bon Blue Steel Stucco/Plaster Darby • Features a knob and a rail handle • Made of blue steel	Bon Blue Steel Stucco/Plaster Darby • Features a knob and a rail handle • Made of blue steel	Bon Darby Replacement Handles
	P	#51-106 #51-107
PART # LENGTH DETAIL 83-158-B9 30" Square Ends	PART # LENGTH DETAIL 83-159-B9 30" Round Ends	PART # DETAIL 51-106-B9 18" Replacement Rail Handle 51-107-B9 Replacement Knob Handle

#38-109

Replacement Handle

HEAD

Painted

Unpainted

MODEL

200-03

200-01

641-31

PART #

38-104-B6

SIZE

22 oz.

LENGTH

13"

MODEL

SH-2

PART #

84-605 -B7

SIZE

30 oz.

LENGTH

13

MODEL

E3-2H

LENGTH

13"

13'

SIZE

14 oz.


14 07

PART #

W -B6

38-109-B6

84-593-B6



DRYWALL, PLASTER & STUCCO TOOLS



PART #	SIZE	DETAIL
13-318-B9	14" x 2"	Sanding Rasp
13-319-B9	14" x 4"	Sanding Rasp
13-322 -B9	14" x 6"	Sanding Rasp
13-320-B9	14" x 8"	Sanding Rasp
13-344 -B9	14" x 2"	Replacement Paper (12/pkg)
13-345-B9	14" x 4"	Replacement Paper (12/pkg)
13-346 -B9	14" x 6"	Replacement Paper (12/pkg)
13-347 -B9	14" x 8"	Replacement Paper (12/pkg)

SIZE

1 Gallon

PART # 82-190-B5^



	таліта	Bon	
L	Cutting Knife	EIFS Tool Kit	
L	Heavy gauge stainless steel blade sleeve	PART # CONTENTS	
L	• 7 point heavy duty 1" blade	13-321-B7 Includes 1 each:	
L	Positive dial lock	14-160 25' Power Tape	
L	PART # DETAIL MODEL	83-166 Plastering Trowel, 12" x 5" 14-583 Lid Claw	Bon
L	84-642-B6 Cutting Knife LC-650	11-250 Canvas Tool Bag	
	84-643-86 Replacement Blades (10/pkg)	15-125 Corner Trowel	
L	or or or or inspectment blaces (replig)	13-120 Aluminum Hawk, 13" x 13"	1
L	таліта	13-208 Finish Trowel 11-1/2' X 4-1/2" 13-307 Margin Trowel, 7" x 1-1/2"	
L	General Purpose Knife	13-309 Bucket Trowel 7"	10
L	Two replacement blades store in handle	14-362 Neoprene Float, 5" x 12"	
L	Premium carbon steel blades 3/4" x 8 point blade	13-315 Utility Breakaway Knife	81-1-
L		13-316 Repl Blades for Breakaway Knife (5/pkg)	
L	PART # DETAIL MODEL 84-640-86 General Purpose Knife LC-500	13-319 Sanding Rasp 13-183 Angle Float	
L	84-640-86 General Purpose Knife LC-500 84-641-86 Replacement Blades (10/pkg)	01-174 Bon Navy Cap	
L			
L	Bon	Bon	Bon
L	Heavy Duty Go-Devil Spreader	Sacramento Go-Devil Spreader	Go-Devil Spreader
L	Lightweight aluminum	Lightweight aluminum	 Lightweight aluminum
L	 Use for spreading stucco, plaster and EIFS 	 Use for spreading stucco, plaster and EIFS 	 Use for spreading stucco, plas
L		Angled working edges	
L			
L			
L	E		
L			
L			
L			
L			
L	PART # SIZE HANDLE	PART # SIZE	
L	83-122-B9 22" x 10" Comfort Grip	83-118-89 22" x 8" 83-119-89 24" x 10"	PART # SIZE 83-117 - B9 22" x 8"
L		65-119-69 24 X 10	83-117-69 ZZ X 8
Ŀ	HAWKS		
Ŀ	Bon	Bon	Bon
L	Aluminum Hawk	Magnesium Hawk	Poly Foam Hawk
L	5" handle and callous		the second se
	• 5 Hanule and callous	• 5 Hallule allu callous preventer	 Made from lightweight stron
	preventer	S'' handle and callous preventer Straight edge and rounded corners	Made from lightweight, stron Won't rust and easy to clean
	preventer • Straight edge		Won't rust and easy to clean
	preventer • Straight edge and rounded		
	preventer • Straight edge		Won't rust and easy to clean
	preventer • Straight edge and rounded		Won't rust and easy to clean
	preventer • Straight edge and rounded		Won't rust and easy to clean
	Preventer - Straight edge and rounded corner PART # SIZE HANDLE 13-380-B9 8" x 8" Comfort Grip	Straight edge and rounded corners	Won't rust and easy to clean
	Preventer - Straight edge and rounded corner PART # SIZE HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip	Straight edge and rounded corners PART # SIZE HANDLE	Won't rust and easy to clean
	Preventer • Straight edge and rounded corner PART # SIZE HANDLE 13-380-89 8" x 8" Comfort Grip 13-381-89 10" x 10" Comfort Grip 83-123-89 12" x 12" Comfort Grip	Straight edge and rounded corners Straight edge and rounded corners PART # SIZE HANDLE 13-384-89 10" x 10" Comfort Grip	Won't rust and easy to clean
	Preventer - Straight edge and rounded corner PART # SIZE HANDLE 13-380-B9 8" x8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 83-123-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip	Straight edge and rounded corners Straight edge and rounded corners PART # SIZE HANDLE 13-384-B9 10" x 10" Comfort Grip 13-385-B9 12" x 12" Comfort Grip	Won't rust and easy to clean
	Preventer • Straight edge and rounded corner PART # SIZE HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 83-123-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-383-B9 13-1/2" x 13-1/2" Comfort Grip	Straight edge and rounded corners Straight edge and rounded corners PART # SIZE HANDLE 13-384-B9 10" x 10" Comfort Grip 13-385-B9 12" x 12" Comfort Grip 13-386-B9 13" x 13" Comfort Grip	Won't rust and easy to clean
	preventer Straight edge and rounded corner PART # SIZE HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-392-B9 14" x 14" Comfort Grip 13-151-B9 8" x 8" Wood	Straight edge and rounded corners Straight edge and rounded corners PART # SIZE HANDLE 13-384-B9 10" x 10" Comfort Grip 13-385-B9 12" x 12" Comfort Grip	Won't rust and easy to clean
	preventer Straight edge and rounded corner PART # SIZE HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 14" x 14" Comfort Grip 13-382-B9 14" x 14" Comfort Grip 13-382-B9 14" x 14" Comfort Grip 13-19-B9 10" x 10" Wood	Straight edge and rounded corners PART # SIZE HANDLE 13-384-89 10" x 10" Comfort Grip 13-385-89 12" x 12" Comfort Grip 13-386-89 13" x 13" Comfort Grip 13-386-89 13" x 14" Comfort Grip 13-387-89 14" x 14" Comfort Grip 13-278-89 10" x 10" Wood	Won't rust and easy to clean
	preventer Straight edge and rounded corner PART # SIZE HANDLE 13-380-89 8" x 8" Comfort Grip 13-381-89 10" x 10" Comfort Grip 13-382-89 12" x 12" Comfort Grip 13-382-89 13" x 13" Comfort Grip 13-382-89 13" x 13" Comfort Grip 13-382-89 14" x 14" Comfort Grip 13-392-89 14" x 14" Comfort Grip 13-151-89 8" x 8" Wood 13-11-89 10" x 10" Wood 83-125-89 12" x 12" Wood	Straight edge and rounded corners Straight edge and rounded corners PART # SIZE HANDLE 13-384-89 10" x 10" Comfort Grip 13-385-89 12" x 12" Comfort Grip 13-386-89 13" x 13" Comfort Grip 13-387-89 13" / 2" Comfort Grip 13-387-89 14" x 14" Comfort Grip 13-387-89 14" x 14" Comfort Grip 13-278-89 10" x 10" Wood 13-277-89 12" x 12" Wood	Won't rust and easy to clean
	preventer Straight edge and rounded corner PART # SIZE HANDLE 13-380-89 8" x 8" Comfort Grip 13-381-89 10" x 10" Comfort Grip 13-382-89 12" x 12" Comfort Grip 13-382-89 13" x 13" Comfort Grip 13-382-89 13" x 13" Comfort Grip 13-382-89 13" x 13" Comfort Grip 13-392-89 14" x 14" Comfort Grip 13-151-89 8" x 8" Wood 13-151-89 10" x 10" Wood 83-125-89 12" x 12" Wood 13-126-89 13" x 13" Wood	Straight edge and rounded corners Straight edge and rounded corners PART # SIZE HANDLE 13-384-89 10" x 10" Comfort Grip 13-385-89 12" x 12" Comfort Grip 13-386-89 13" x 13" Comfort Grip 13-387-89 13-1/2" x 13-1/2" Comfort Grip 13-387-89 14" x 14" Comfort Grip 13-387-89 10" x 10" Wood 13-277-89 12" x 12" Wood 13-276-89 13" x 13" Wood	Won't rust and easy to clean Threaded handle with sponge
	Preventer Straight edge and rounded corner PART # SIZE HANDLE 13-380-89 8" x 8" Comfort Grip 13-381-89 10" x 10" Comfort Grip 13-382-89 12" x 12" Comfort Grip 13-382-89 13" x 13" Comfort Grip 13-382-89 13" x 13" Comfort Grip 13-382-89 14" x 14" Comfort Grip 13-392-89 14" x 14" Comfort Grip 13-151-89 8" x 8" Wood 13-152-89 12" x 12" Wood 13-12-89 13" x 13" Wood 13-12-189 13"-1/2" x 13-1/2" Wood	Straight edge and rounded corners PART # SIZE HANDLE 13-384-B9 10" x 10" Comfort Grip 13-385-B9 12" x 12" Comfort Grip 13-385-B9 13" x 13" Comfort Grip 13-387-B9 13" x 13" Comfort Grip 13-387-B9 14" x 14" Comfort Grip 13-287-B9 10" x 10" Wood 13-277-B9 12" x 12" Wood 13-276-B9 13" x 13" Wood 83-128-B9 13" x 13" Wood 83-128-B9 13" x 13" Wood	• Won't rust and easy to clean • Threaded handle with sponge PART # SIZE MATER
	preventer Straight edge and rounded corner PART # SIZE HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 14" x 14" Wood 13-151-B9 8" x 8" Wood 13-120-B9 13" x 13" Wood 13-121-B9 13" x 13" Wood 13-121-B9 13" x 13" Wood 13-121-B9 13" x 14" Wood	Straight edge and rounded corners PART # SIZE HANDLE 13-384-B9 10" x 10" Comfort Grip 13-385-B9 12" x 12" Comfort Grip 13-386-B9 13" x 13" Comfort Grip 13-386-B9 13" x 13" Comfort Grip 13-387-B9 14" x 14" Comfort Grip 13-278-B9 10" x 10" Wood 13-277-B9 12" x 12" Wood 13-276-B9 13" x 13" Wood 83-128-B9 13-1/2" x 13-1/2" Wood 13-275-B9 14" x 14" Wood	Won't rust and easy to clean Threaded handle with sponge MATER SIZE MATER 13-161-B9 13" x 13" Poly Foa
	preventer • Straight edge and rounded corner PART # SIZE HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 14" x 14" Comfort Grip 13-382-B9 13" x 13" Wood 13-151-B9 8" x 8" Wood 13-12-B9 13" x 13" Wood 13-12-B9 13" x 14" Wood	Straight edge and rounded corners PART # SIZE HANDLE 13-384-B9 10" x 10" Comfort Grip 13-385-B9 12" x 12" Comfort Grip 13-385-B9 13" x 13" Comfort Grip 13-387-B9 13" x 13" Comfort Grip 13-387-B9 14" x 14" Comfort Grip 13-287-B9 10" x 10" Wood 13-277-B9 12" x 12" Wood 13-276-B9 13" x 13" Wood 83-128-B9 13" x 13" Wood 83-128-B9 13" x 13" Wood	Won't rust and easy to clean Threaded handle with sponge PART # SIZE MATER 13-161-B9 13" x 13" Poly Foa Bon
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 14" x 14" Comfort Grip 13-151-B9 8" x 8" Wood 13-121-B9 13" x 13" Wood 13-121-B9 14" x 14" Wood BON Curved Top Hawk	Straight edge and rounded corners	Won't rust and easy to clean Threaded handle with sponge MATER SIZE MATER 13-161-B9 13" x 13" Poly Foa
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 14" x 14" Wood 13-151-B9 8" x 8" Wood 13-122-B9 13" x 13" Wood 13-121-B9 13" x 13" Wood <t< td=""><td>Straight edge and rounded corners</td><td>Won't rust and easy to clean Threaded handle with sponge PART # SIZE MATER 13-161-B9 13" x 13" Poly Foa Bon' Wood Handle</td></t<>	Straight edge and rounded corners	Won't rust and easy to clean Threaded handle with sponge PART # SIZE MATER 13-161-B9 13" x 13" Poly Foa Bon' Wood Handle
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-151-B9 8" x 8" Wood 13-121-B9 10" x 10" Wood 13-121-B9 13" x 13" Wood 13-121-B9 14" x 14" Wood BON Curved Top Hawk	Straight edge and rounded corners Straight edge and rounded corners PART # SIZE HANDLE 13-384-89 10"×10" Comfort Grip 13-386-89 12"×12" Comfort Grip 13-386-89 13"×13" Comfort Grip 13-386-89 13"×13" Comfort Grip 13-387-89 14"×14" Comfort Grip 13-278-89 10"×10" Wood 13-277-89 12"×12" Wood 13-277-89 12"×13" Wood 13-277-89 14"×14" Wood 13-275-89 14"×14" Wood	Won't rust and easy to clean Threaded handle with sponge <u>PART # SIZE MATER</u> <u>13-161-B9 13" x 13" Poly Foa</u> Bon' Wood Handle <u>PART # SIZE DETAI</u>
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 14" x 14" Wood 13-151-B9 8" x 8" Wood 13-122-B9 13" x 13" Wood 13-121-B9 13" x 13" Wood <t< td=""><td>• Straight edge and rounded corners • Straight edge and rounded corners</td><td>• Won't rust and easy to clean • Threaded handle with sponge PART # SIZE MATER 13-161-B9 13" x 13" Poly Foa Bon" Wood Handle PART # SIZE DETAI 13-160-B9 5" For Alur</td></t<>	• Straight edge and rounded corners • Straight edge and rounded corners	• Won't rust and easy to clean • Threaded handle with sponge PART # SIZE MATER 13-161-B9 13" x 13" Poly Foa Bon" Wood Handle PART # SIZE DETAI 13-160-B9 5" For Alur
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 14" x 14" Wood 13-151-B9 8" x 8" Wood 13-122-B9 13" x 13" Wood 13-121-B9 13" x 13" Wood <t< td=""><td>Straight edge and rounded corners Straight edge and rounded corners PART # SIZE HANDLE 13-384-89 10"×10" Comfort Grip 13-386-89 12"×12" Comfort Grip 13-386-89 13"×13" Comfort Grip 13-386-89 13"×13" Comfort Grip 13-387-89 14"×14" Comfort Grip 13-278-89 10"×10" Wood 13-277-89 12"×12" Wood 13-277-89 12"×13" Wood 13-277-89 14"×14" Wood 13-275-89 14"×14" Wood</td><td>Won't rust and easy to clean Threaded handle with sponge <u>PART # SIZE MATER</u> <u>13-161-B9 13" x 13" Poly Foa</u> <u>Bon</u> <u>Wood Handle</u> <u>PART # SIZE DETAI</u> <u>13-160-B9 5" For Alur</u> <u>13-130-B9 5" For Mag</u></td></t<>	Straight edge and rounded corners Straight edge and rounded corners PART # SIZE HANDLE 13-384-89 10"×10" Comfort Grip 13-386-89 12"×12" Comfort Grip 13-386-89 13"×13" Comfort Grip 13-386-89 13"×13" Comfort Grip 13-387-89 14"×14" Comfort Grip 13-278-89 10"×10" Wood 13-277-89 12"×12" Wood 13-277-89 12"×13" Wood 13-277-89 14"×14" Wood 13-275-89 14"×14" Wood	Won't rust and easy to clean Threaded handle with sponge <u>PART # SIZE MATER</u> <u>13-161-B9 13" x 13" Poly Foa</u> <u>Bon</u> <u>Wood Handle</u> <u>PART # SIZE DETAI</u> <u>13-160-B9 5" For Alur</u> <u>13-130-B9 5" For Mag</u>
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 14" x 14" Wood 13-151-B9 8" x 8" Wood 13-122-B9 13" x 13" Wood 13-121-B9 13" x 13" Wood <t< td=""><td>• Straight edge and rounded corners • Straight edge and rounded corners</td><td>Won't rust and easy to clean Threaded handle with sponge MATER 13-161-89 13" x 13" Poly Foa Bon Wood Handle PART # SIZE DETAI 13-160-89 5" For Alu 13-130-89 5" For Mag Bon</td></t<>	• Straight edge and rounded corners • Straight edge and rounded corners	Won't rust and easy to clean Threaded handle with sponge MATER 13-161-89 13" x 13" Poly Foa Bon Wood Handle PART # SIZE DETAI 13-160-89 5" For Alu 13-130-89 5" For Mag Bon
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-32-B9 13" x 14" Comfort Grip 13-151-B9 8" x 8" Wood 13-12-B9 13" x 13" Wood 13-12-B9 13" x 14" Wood BON E Curved Top Hawk • Radiused lip for easier and faster troweling •	• Straight edge and rounded corners • Straight edge and rounded corners	Won't rust and easy to clean Threaded handle with sponge <u>PART # SIZE MATER</u> <u>13-161-B9 13" x 13" Poly Foa</u> <u>Bon</u> <u>Wood Handle</u> <u>PART # SIZE DETAI</u> <u>13-160-B9 5" For Alur</u> <u>13-130-B9 5" For Mag</u>
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-32-B9 13" x 14" Comfort Grip 13-151-B9 8" x 8" Wood 13-12-B9 13" x 13" Wood 13-12-B9 13" x 14" Wood BON E Curved Top Hawk • Radiused lip for easier and faster troweling •	• Straight edge and rounded corners • Straight edge and rounded corners	Won't rust and easy to clean Threaded handle with sponge MATER 13-161-89 13" x 13" Poly Foa Bon Wood Handle PART # SIZE DETAI 13-160-89 5" For Alu 13-130-89 5" For Mag Bon
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-32-B9 13" x 14" Comfort Grip 13-151-B9 8" x 8" Wood 13-12-B9 13" x 13" Wood 13-12-B9 13" x 14" Wood BON E Curved Top Hawk • Radiused lip for easier and faster troweling •	• Straight edge and rounded corners • Straight edge and rounded corners	Won't rust and easy to clean Threaded handle with sponge Threaded handle with sponge Son Wood Handle PART # SIZE DETAI 13-160-B9 5" For Alu 13-130-B9 5" For Alu 13-130-B9 5" For Mag Bon Comfort Grip Handle PART # SIZE DETAI 13-388-B9 5-1/4" For Alu
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-32-B9 13" x 14" Comfort Grip 13-151-B9 8" x 8" Wood 13-12-B9 13" x 13" Wood 13-12-B9 13" x 14" Wood BON E Curved Top Hawk • Radiused lip for easier and faster troweling •	• Straight edge and rounded corners • Straight edge and rounded corners	Won't rust and easy to clean Threaded handle with sponge MATER 13-161-B9 13" x 13" Poly Foa Bon Wood Handle PART # SIZE DETAI 13-160-B9 5" For Alu 13-130-B9 5" For Mag Bon Comfort Grip Handle PART # SIZE DETAI
	preventer • Straight edge and rounded corner PART # Size HANDLE 13-380-B9 8" x 8" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-381-B9 10" x 10" Comfort Grip 13-382-B9 12" x 12" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 13" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-382-B9 13" x 14" Comfort Grip 13-32-B9 13" x 14" Comfort Grip 13-151-B9 8" x 8" Wood 13-12-B9 13" x 13" Wood 13-12-B9 13" x 14" Wood BON E Curved Top Hawk • Radiused lip for easier and faster troweling •	• Straight edge and rounded corners • Straight edge and rounded corners	Won't rust and easy to clean Threaded handle with sponge Threaded handle with sponge Son Wood Handle PART # SIZE DETAI 13-160-B9 5" For Alu 13-130-B9 5" For Alu 13-130-B9 5" For Mag Bon Comfort Grip Handle PART # SIZE DETAI 13-388-B9 5-1/4" For Alu

tucco, plaster and EIFS

PART #	SIZE	
83-117 -B9	22" x 8"	





awk

ight, strong, rigid structural foam to clean

ith sponge rubber callous preventer



13-161 -B9	13" x 13"	Poly Foam	Poly	
<mark>Bon</mark> ' Wood H	andle	(9 <u>50</u>	
PART #	SIZE	DETAIL		
13-160-B9	5"	For Aluminun	n	
13-130-B9	5"	For Magnesiu	ım	
Bon' Comfoi PART #	rt Grip H SIZE	landle DETAIL	4)	
13-388-B9	5-1/4"	For Aluminun	n	
13-389-B9	5-1/4"	For Magnesiu	Im	
<mark>Bon</mark> Callous	Preven	ter		2
PART #	SIZE			

13-122-B9

5"





DETAIL

Double Chain

HEIGHT

21"or 50"

PART #

14-310-B7

PART #

34-105-B5

34-106-B5

34-107-T5*

34-108-T5*

HEIGHT

24"

36

48"


72"

WIDTH

36" 36"

36"

36"



Shagged Horsehair/Poly Stipple Brush

- · Pre-formed and ready to use
- · Shagged edges
- · Horse hair and poly blended fibers



PART #	SIZE	BRISTLE
15-428-B8	8-1/2"	Horsehair/Poly
15-429-B8	11"	Horsehair/Poly

Bon

Shagged Tampico Stipple Brush

- Tampico bristles · Pre-formed and ready to use
- · Plastic block
- · Shagged edges for leaving impressions in compound



PART #	SIZE	BRISTLE	
15-435-B8	8-1/2"	Tampico	
15-436-B8	12"	Tampico	

Stipple Brush

- · A blend of horsehair and fiber bristles are securely fixed to the round base
- · The contoured block fits your hand comfortably or can be attached to a broom handle
- · 4-1/2" block



PART #	SIZE	TRIM
15-195-B8	6" Dia.	2-1/2"
15-219-B8	9" Dia.	3-1/2"

Bon **Double Stipple Brush**

- · A blend of horsehair and fiber bristles are securely fixed to the round base
- . The contoured block fits your hand comfortably or can be attached to a broom handle
- · 4-1/2" block



PART #	SIZE	TRIM	BAR
15-252-B8	(2) 6" Dia.	2-1/2"	11" x 1-1/2"
15-251-B8	(2) 9" Dia.	3-1/2"	13" x 1-1/2"

	SIZE	TDIM	BRISTLE	_
		調		
		-	-	
	rows plastic trim	imed		
ood b nt stu 3"	Dash Bru lock on this cco dash bi	5		

0-B8	6"	4-1/4"	Plastic	
quality v les	int Bru white tam d handle		i .	
		2.8.3		



PART #	BLOCK SIZE	TRIM	ROWS	
84-144-B8	6-1/2" x 1-3/4"	4"	4 x 14	

Crows Foot Texture Brush

- · White tampico bristles with hardwood block and handle hole in center
- · Flattened, single brush creates a crow's foot pattern



PART #	DETAIL	SIZE
15-255-B8	Single Brush	8-1/2" x 13-1/2"

Bon

Double Crows Foot Texture Brush

· White tampico bristles with hardwood block and handle hole in center




PART #	DETAIL	SIZE
15-256-B8	Double Brush	(2) 8-1/2" x 13-1/2"



18" Stucco Roller Cover

- · Specially designed plastic looped nap Phenolic core
- · Does not include end caps



PART #	SIZE	
22-151-B6	18"	
15-414-B9	End Caps (pair)	

Bon

Mohair Roller Cover

- · Professional quality
- · Shed resistant
- · Poly core
- · Solvent resistant



PART #	SIZE	NAP	
84-106-B9	9"	1/4**	

Bon

Ruff Stucco Roller Cover

- · Extra large loop design for dramatic, deep texture effect
- · Retains shape to produce consistent results



PART #	SIZE	
13-187-B7	9"	

Bon **Sponge Roller**

- · Easy "sponge" painting effect achieved with roller
- · Provides more uniform effect
- · Synthetic fabric can be cleaned and re-used



PART #	SIZE	
13-106-B8	9"	



Roller Cover




PART #	SIZE	NAP	
84-781-B9	3"	3/8"	
34-129-B9	4"	3/8"	
84-889-B9	9"	3/8"	
84-107-B9	9"	1/2"	
84-108-B9	9"	3/4"	
84-109-B9	9"	1-1/4"	
15-414-B6	End Caps (oair)	

Bon

Seamless Foam Roller

- · Provides smooth lint-free finish
- · Solvent resistant core



PART #	SIZE	NAP	
84-717-B9	9"	3/8"	
			_


Bon

Plasterer's Rubber Sponge

- · Shaped to fit your hand
- · Made from sponge rubber



PART #	LENGTH	WIDTH	THICKNESS
13-115-B9	7"	4"	2"



HANDLE

13"

PART #

13-109-B8

ROLLER

4"







Deluxe Paint Roller Set

 Set includes metal tray, 9" roller frame and 3/8" nap premium roller cover



PART # 84-100-B9

Plastic Tray Liner

Protects tray for longer use
 Fits a 10-1/2" x 14-1/2" tray



PART # 84-901-89



Econo Paint Roller Set

 Set includes metal roller tray, 9" roller frame and 1/4" nap roller cover



PART # 84-101-B9

Big Mouth Roller Bucket

- Sturdy, no tip, poly rubber bucket
 5 gallon capacity, equipped with heavy duty
 5/16" galvanized steel handle
- Use with 18" rollers



PART #	LENGTH	WIDTH	DEPTH
22-150-B6	24"	14"	10"

Bon

Texture Roller Set

 Sold complete with 18" texture roller, frame and 5' tapered wood handle #12-332



PART #	DETAIL	
15-216-B7	18" Texture Roller Set	
10-210-01	TO TEXTORE HONEL DEL	

Bon

Threaded Wood Broom Handle

Cast metal acme broom thread

PART #	LENGTH	DIA.	END
84-850-B9	4'	15/16"	Threaded Meta
12-342-B9^	5'	15/16"	Threaded Metal

Bon

Tapered Wood Handle

PART #	LENGTH	DIA.	END
11-226-88	1'	1-1/8"	Tapered
12-332-B8	5'	1-1/8"	Tapered

Paint Roller Tray

Metal



PART # 84-102-B9

Painter's Rags

· White cotton rags

- New bleached white t-shirt material
- Soft and absorbent
- Avoids scratching

Low lint



PART #	SIZE	
84-133-B9	1lb. bag	





 Adjustable 	shaft	dispersal			shaft	
PART #	SHAFT	LENGTH	FIN			
84-416-B9	1/4" Hex	11"	2-1/2" Double	PART #	SHAFT	LE
15-186-B9 15-188-B9	3/8" Hex 1/2" Hex	24" 24"	5" Double 6-1/2" Double	15-187-B9	3/8" Hex	24
	osition Fin Mixe welded in p	-			osition in Mixer welded in p	ositio



Adjustable I	haft	dispersal		
PART #	SHAFT	LENGTH	FIN	_
15-187-B9	3/8" Hex	24"	5" Triple	
Bon Fixed Po Triple Fi Blades are	n Mixer	psition		

Plated to Hex shaft	eater" Mi prevent rusti nixing grout	ng		
PART #	SHAFT	LENGTH	PADDLE	
15-393-B9	7/16" Hex	30"	5" x 5"	
Made from	Head Ma n heavy gaug d and ferrule		2	

PART #	SHAFT	LENGTH	FIN
84-418-B9	3/8" Hex	24"	5" Double
011000			

SUSPENDED CEILING TOOLS

Bon

Grid & Line Clamp

Holds tile grid together for pop-riveting or aligning
 Rubber cushions won't scratch surfaces



PART # 15-383-B9

Bon Grid Punch Pliers

- For installing suspended ceiling grid cut at
- non-standard lengths
- Lightweight and easy access with one hand in tight corners
 Punches 9/16" grid
- Punches holes for 1/8" rivets



Bon[°] Jet Line

PART #

84-419-B9

 Tough, strong line is ideal for aligning tile tracks for suspended ceilings

LENGTH

24"

FIN

5" Triple

SHAFT

3/8" Hex



Bon

Shadow Line Cutter

Ideal for cutting a rabbet in ceiling tile



Bon

PART #

15-168-B9

84-415-B9

Attaches have a second se	GCREWS FOR W anger wire to woo f-drilling point with yellow dichr	d ceiling joint	
PART #	SIZE	QTY/PKG	-
15-385-B6	3" x 1/4" Dia.	100 (Clam Shell)	
15-398-B6	3" x 1/4" Dia.	1000 (Bulk)	

Bon

Eyelag Screws for Steel

LENGTH

24" 37" HEAD

5-1/2" x 5"

5-1/2" x 5"

- Secure fastening into light gauge steel for hanger wire attachment
- Yellow zinc coating

 Self drilling 	sharp point	
PART #	SIZE	QTY/PKG
15-411-B6	2" x 1/4" Dia.	100 (Clam Shell)
15-459-B6	2" x 1/4" Dia.	1000 (Bulk)

Bon

Eyelag Driver

- · Can screw eyelag screws into ceiling and attach wire
- Eyelag screwdriver attaches to any variable speed drill for fast screw installation



Bon

Plastic Bucket

- · Strong plastic bucket with reinforced rings around the top to prevent distortion when carrying
- · Uniform wall thickness for stacking strength · Used for paints, coatings, water sealants,
- varnishes, asphalt coatings and more . 5 gallon white bucket printed with Bon logo; 2 and 3-1/2 gallon buckets are not printed
- · Lids sold separately

PART #	DETAIL	SIZE
84-715-B8	Bucket	2 Gallon
84-230-B8	Bucket	3-1/2 Gallon
84-231-B8	Bucket	5 Gallon
84-718-B8	Lid	Fits 2 Gallon
84-232-B8	Lid	Fits 3-1/2 or 5 Gallon
84-233-B8	Lid w/Pouring Spout	Fits 3-1/2 or 5 Gallon

Use with standard 3-1/2 or 5-gallon bucket



83-272-B9

6-1/2" x 7"

Bucket Hoist

· Bucket not included



Paint Strainer

Extra strong


nylon

double stitched



Lid Claw

- · Quick and easy removal of plastic bucket lids · No distortion of bucket lids,




PART # SIZE DETAIL PART # 5 Gallon/Regular PART # 84-131-B9 600 microns 84-730-B7 84-132-B9 250 microns 5 Gallon/Fine 14-583-B9 BUCKET SCOOPS Bon Bon' Bon **Aluminum Bucket Scoop Plastic Bucket Scoop** Stucco Scoop · Cast aluminum with round mouth · Designed to scoop your bucket clean · Molded plastic · Designed to scoop concrete slump, mortar and stucco · One scoop is generally · Single piece construction 1 guart capacity enough for a full hawk of material · Clip on handle allows scoop to hang from bucket PART # SCOOP SIZE PART # SCOOP SIZE PART # SCOOP SIZE 12-849-B6 83-269 -B8 6-1/2" x 4-3/4" x 2-1/2" 84-512 -B9 6-1/2" x 8" x 7" 5" x 8" x 2-1/2" Bon Bon Bon **Steel Bucket Scoop Bucket Dipper Galvanized Bucket Scoop** · Curved design easy scooping · Galvanized steel · Scoop mud directly on trowel or hawk of bucket walls · Galvanized steel 5" handle · Welded steel construction Comfort grip handle · Clip on handle allows scoop · Equipped with bucket hanging clip to hang from bucket ameter shown at top and bottom PART # SCOOP DIA. PART # PART # 13-484-B9 12" / 7-1/4" SIZE 13-483-B9 13-1/16" / 7-1/8" 83-270-B9

NEW


CAPACITY

20.3 oz

33.8 oz











Protective Grip Magnetic Tack Holder · Protective grip provides added comfort and protection from wayward blows

· Ideal tool for starting and driving nails into concrete · Protects the flange of metal floor molding



PART #	LENGTH	NOSE	
15-439-B9	8"	5/8"	_
84-976-B7	Replacement Prot	ective Grip	_

BONTRADE TOUCH

All Steel Magnetic Hammer

· 3/4" magnetic hex head



PART #	SIZE	
13-323-B9	22 oz.	
13-324-B9	Replacement Head	

Malco

Punch Lock Crimper

- . This tool will first punch a rectangular hole in the two pieces to be joined, then rolls the cut strip back at the top and bottom of hole
- · 24 gauge punching capacity
- · Fits inside tight quarters
- · Soft touch non-slip handles
- · Unique universal latch system allows easy one-hand operation



PART #	SIZE	
15-202-B5	9"	

Bon

PART #

15-515-B8

Punch Lock Crimper

- · By pressing the handles together, this tool will first punch a rectangular hole in the two pieces to be joined, then rolls the cut strip back at the top and bottom of hole
- . This crimper has a 24 gauge punching capacity
- · A fast and easy way to secure studs to runners

SIZE

9

- · Fits inside tight quarters
- · One arm remains stationary for added control



· Ideal tool for starting and driving nails into concrete · Protects the flange of metal floor molding



10-210-03	0 1/2		
15-215-B9	5-1/2"	3/4"	
15-214-B9	8"	5/8"	
	0.11	# 40.0	

Bon

Magnetic Hammer

· Head is made from high quality heat treated steel · Fitted with comfortable 13" wooden handle



Bon **Corner Bead Tool**

- · Crimps each side of the corner bead and locks it into place
- The force of the blow centers the bead and secures installation · Mallet sold separately



· Repair Kit includes 4 nuts, 4 bolts, 4 arms, 2 pins, and 2 crimping teeth

PART #	DETAIL	SIZE
15-199-B9	Corner Bead Tool	1-1/4"
15-200-B9	Repair Kit	
15-220-B9	24 oz. Black Rubber Mallet	

Bon

Stud Channel Shear

- · Cuts through 20 gauge metal stud & runner in
- one easy stroke without disturbing metal channel
- · Hollow ground chrome/moly steel blade can be resharpened or replaced
- Cuts three size studs, 1-5/8", 2-1/2", 3-5/8" and accommodating runners
- · 36" handle with vinyl grips



PART #	DETAIL	
15-201-B5	Stud Channel Shear	
15-333-B5	Replacement Blade	

Bon

Self-Adhesive Stucco Stencils


· Use with stucco wall finish to create a unique finish that simulates the look and feel of masonry

· Available in rolls









RUNNING BOND SOLDIER COURSE

MID-TOWN STUCCO


REGULAR FACE BRICK

PART #	ROLL SIZE	PATTERN	SQUARE FEET	BRICK SIZE
32-991-B6	36" x 167'	Running Bond	500	4" x 7-3/4"
32-993-B6	35-1/2" x 170'	Mid-Town Stucco	500	3" x 10-1/2"
32-994-B6	38" x 160'	Cinder Block	500	8-1/2" x 15-3/4"
32-995-B6	36" x 167'	Regular Face Brick	500	2-1/4" x 7-3/4"
32-996-B6	8-3/4" x 300'	Regular Face Brick Soilder Course	-	2-1/4" x 7-3/4"
32-992-B6	8-3/4" x 300'	Running Bond Soilder Course		3-5/8" x 7-3/4"

· Designed for vertical wall applications









MODEL

M3000



PART #

COLOR

Red

MILS

6

84-138-B6

84-236-86

84-237-B6

LXW

180' x 1'

180' x 2"

180' x 1-1/2"

COLOR

Blue

Blue

Blue

PART #	LXW	COLOR
84-238-B6	180' x 1"	Beige
84-239-B6	180' x 1-1/2"	Beige
84-240-B6	180' x 2"	Beige

PART #

84-244 -B6

LXW

108' x 2"

Bon Plaster/Stucco Dash Spray Gun

- · Used for spraying grouts, stucco, plaster, concrete and other industrial coatings
- · Choice of nozzles provides various spray sizes and finishes
- · Range is from 1/8" heavy texture to 1" thick in structural layers
- . The bigger the tank/more air, the better the unit will operate
- Use with a 5 HP or larger air compressor
- · Nozzles sold separately

PART #	DETAIL	CAPACITY	
13-440-B5	Spray Gun	2 gallon	
13-457-B5	Nozzle (set of 4)	8 mm	
13-459-B5	Nozzle (set of 4)	12 mm	
13-461-B5	Nozzle (set of 4)	16 mm	

Bon

Stucco Patch Gun

- · Galvanized steel with metal tines that fling wet
- · Cylinder is made of rubber with 105 fixed doul
- · Recommended for small work like preparing o
- with mixtures without solvents
- · Unit holds about 1/2 gallon of material · Efficient for acoustic repairs, additions, and patching
- · Can be used to apply color coat, float small areas and spot retouching

t plaster onto surface ıble blades or finishing		T
	Unit	A MA
	Bon	-0-

PART #	SIZE	CAPACITY
83-165-B7	9-1/4" x 10" x 6"	.55 gallons
50-694-B5	Replacement Fingers	

Bon

External Texture Gun

- · Used to apply roughcast cement finish to walls for a durable, decorative finish
- · Adjustable tension bar to vary density of texture
- · Strong plastic molded body
- · Plastic ball knob for simple handling
- · Advanced scale adjuster for texture control



PART #	DETAIL
15-144-B7	External Texture Gun
50-695-B5	Replacement Fingers

BONTRADE T

PART #

83-109-B9

Stucco Patch Gun

- · Powder-coated body with plastic handle
- · Large grip for easy rotary action
- · Adjustable tension bar for texture control







	પ
PART #	SIZE
13-288-B5	6-1/2" H x 7" W x 10" D
Standard c	overage for glitter is 500 overage for glass chip is
200 sq. ft. • Glass chip	can be used for exterior

Bon

Glitter Master Gun

compressor to operate

· Simple turn of the handle

dramatic effect

· Use for interior or exterior

applications

dispenses a steady flow of glitter to create a

· Lightweight, durable plastic gun requires no

glitter is 500 sq. ft glass chip is d for exterior applications

- · Gold, silver and multi-color
- glitter is cut to 1/16"

PART #	DETAIL	SIZE	
13-280-B9	Gold Glitter	1 lb.	
13-281-B9	Gold Glitter	10 lb.	
13-282-B9	Silver Glitter	1 lb.	
13-283-B9	Silver Glitter	10 lb.	
13-284-B9	Multi-Color Glitter	1 lb.	
13-285-B9	Multi-Color Glitter	10 lb.	
13-286-B9	Glass Chip Glitter	1 lb.	
13-287-B9	Glass Chip Glitter	10 lb.	

Bon

Oil-Less Compressor

- · Oil free double piston air compressor
- Delivers 6.1 cfm at 40 PSI / 5.0 cfm at 90 PSI
- · Handle folds for transport and storage
- · Lever type drain
- · "Silent operation"
- · Includes quick connect and regulator
- . 5.5 gallon tank capacity
- •2 HP



MAX PRESSURE PART # SIZE 29" x 20" x 20-1/2" 13-470-T5* 125 PSI

Bon'

Bon BONPRO PLUS Floor Scraper Floor Scraper Replacement · All steel construction, painted to prevent rusting Blades Angle Cut . 1" x 60" tubular steel powder coated handle Angle Cut · Spring steel blade **Angle Cut Blade** BLADE SIZE HANDLE PART # 15-158-B9 60" Steel 14" Square Cut 15-159-B9 15-271-B9 18" 60" Steel 22" 60" Steel PART # DETAIL 15-160-B9 14" Angle Cut Replacement Blade **Square Cut Blade** Square Cut 18" Angle Cut Replacement Blade 22" Angle Cut Replacement Blade 15-161-B9 BLADE SIZE HANDLE PART # 15-366-B9 60" Steel 15-390-B9 13-1/2" 14" Square Cut Replacement Blade 15-387-B9 60" Steel 15-388-B9 15-379-B9 17-1/2" 18" Square Cut Replacement Blade 15-381-B9 21-1/2" 60" Steel 15-389-89 22" Square Cut Replacement Blade Bon **Deluxe Floor Scraper** With Angle Cut Blade · Spring steel blade · Wood handle with 4" metal ferrule PART # BLADE SIZE HANDLE 15-361-B9 14 60" Wood 15-362-89 18" 60" Wood 15-363-B9 60" Wood 22" Bon "Macho" Floor Scraper · 1-1/4" diameter x 60" coated tubular steel handle · Spring steel blade Angle Cut **Angle Cut Blade**

Square Cut

PART #

85-131-B9

85-135-B9

BLADE SIZE

22" 22" Replacement Blade HANDLE

60" Wood

PART #	BLADE SIZE	HANDLE
85-223-B9	14"	60" Steel
85-224-B9	18"	60" Steel
85-225-B9	22"	60" Steel

Square Cut Blade

PART #	BLADE SIZE	HANDLE
85-226-B9	13-1/2"	60" Steel
85-227-B9	17 -1/2"	60" Steel
85-228-B9	21 -1/2"	60" Steel


Bon

Extra Large "Macho" Floor Scraper


- Support bar braces for full blade support
- 1-1/4" diameter x 60" coated tubular steel handle
- Spring steel blade


PART #	BLADE SIZE	HANDLE
84-757-T9*	36"	60" Steel
84-755-T9*	48"	60" Steel
84-756-B9	36" Replacement Blade	
84-195-B9	48" Replacement Blade	

 Steel blade or wood sul 	raper			
or wood sui	for use on con	crete		Ø
• 54" steel "T			19	
- 04 Steel I	nancie	-		
			0	
PART #	BLADE SIZE		HANDLE	-
14-708-B9	7"		54" Steel	-
14-698-89	10"		54" Steel	
14-709-B9	7" Replacement	t Blade	01000	
14-699-B9	10" Replacement			
Ren				
<mark>Bon</mark> Step Scr	-			
	stainless steel l	hlade		
	blade is self-sh			
	nove waste fro			
	pors and steps			
	separately #1			b.
				P
			-	
			-	
		-	0	
				P
PART #	SIZE	DETAIL		
	8"	Scraper w	vith Bracket	-
84-763-B9	8"	Replacem	ent Blade	
Bon				1
Wall Scra	aper			1
		50	1	
	-	4	1	
	-		1	
1				
		-	0	
			0	-
			0	
			-	
			-	
• 4" flexible b	aper blue steel blade handle included			









Spray-Sok[™] is the trusted name for protective hood-type apparel. Made in Pennsylvania with the finest materials sourced in the USA. Available in original open mesh cotton, flame resistant Nomex[™] and dyed black S.W.A.T. fabric.



Bon

Aluminum Universal Pole Sander Head with Female Thread

- · Die cast aluminum wall sander head with female thread
- · Use with standard broom handle



Bon

Aluminum Hand Sander

- Will not warp
- · Equipped with foam rubber pad grips, sand paper and paper locks
- · Plastic handle



PART #	SIZE	
15-176-B9	3-1/4" x 9"	

DRYWALL RASPS

Bon **Drywall Rasp**

· Quickly smooths rough edges

· No clogging, self-cleaning



PART # 15-225-B6

Bon
Plastic Universal Pole Sander
with Female Thread
Female broom handle thread

- · Structural foam bonded rubber pad · Equipped with stainless steel retaining clips to hold
- paper firmly



	DEIME	VILL	
15-197-B9	Female Thread	3-1/4" x 9"	
			_

Bon **Plastic Hand Sander**

- · Spring clips holds paper in position
- · Equipped with foam rubber pad grips, sand paper and paper locks
- · One piece plastic handle and base construction



PART #	SIZE	
15-232-B9	3-1/4" x 9"	



Replacement Blade (each) 85-166-B9



PART #			
	LENGTH	DIA.	END
84-850-B9	4'	15/16"	Threaded Metal
12-342-B9^	5'	15/16"	Threaded Metal

Bon

Aluminum Universal Pole Sander with **Male Thread**

- · Die cast aluminum base plate has reinforcing ridges to prevent bowing
- · Equipped with 48" wood handle



PART #	DETAIL	SIZE
85-151-B9	Head & Handle	3-1/4" x 9-1/4"
15-177-B9	Head Only w/ Male Thread	3-1/4" x 9-1/4"

Bon

DADT

PAR

15-2

Aluminum Wall Sander Adapter

· Allows male end wall sanders to fit acme thread male end handles and extension handles



PARI #	LENGTH	
85-222-B6	2-1/4"	
Bon		
Plastic B	room	
Thread to		
Sander A	dapter	- ATTICAL
PART #	LENGTH	

PARI # LENGIN 15-259-B9 2-5/8

Bon' **Die Cut Screen-Mesh**

· 150 grit silicon carbide sanding cloth

- · Cut joint mud quickly and won't clog
- · Sold in packages of 10



RT #	LXW	GRIT	QTY/PKG
276-B7	11" x 4-3/16"	150	10



Curry

Bon

Wizard Squeegee

PART # BLADE SIZE 15-430-B8 12" 15-431-B8 14" 15-432-B8 18" 15-433-B8 22" 15-434-B8 26" Bon

Poly Knockdown Knife

· Clear polycarbonate blade • 7" plastic handle with threaded end



PART #	BLADE SIZE	BLADE MATERIAL
15-510-B8	12" x 12"	Poly
15-511-B8	18" x 12"	Poly
15-512-B8	24" x 12"	Poly
15-513-B8	36" x 12"	Poly

Innovation. Value & Service since 1958	1
innovation, value a Service since 1956	
A CONTRACTOR OF	1
Bon Bon	
Service	

* C & T	items must ship common carrier.
T items	ship free on qualifying orders.

Kon

Kon





18" x 3"

Blue Steel

Drywall Tool Kit

RT#	CONTENT	ſS
230-B7	Includes 1	each:
	15-115	T-Square
	15-177	Pole Sander Head
	15-178	Wood Handle
	15-329	6" Joint Knife
	15-118	Circle Cutter
	11-250	Canvas Tool Bag
	15-125	Inside Corner Trowel
	15-123	Drywall Trowel
	15-176	Hand Sander
	15-171	6" Utility Saw
	15-120	Drywall Lifter
	15-166	Mud Pan
	15-340	Taping Knife
	84-433	Tool Holder
	85-168	Drywall Saw
	01-174	Bon Cap

2-Pocket Suede Drywall Pouch

- · Split leather design · 1 large flared main pocket, 1 belt level inner pocket
- · Extra rivet reinforced for added strength
- · Wide tunnel belt loop



PART #	POCKETS	
35-780-B7	2	

Long Handle Taping Knife · One piece aluminum extrusion mounted to a stainless 16" wood handle





15-270-88 Bon

Remodeler Banjo

- Mud control knob & stainless dispensing gears apply tape smoothly without folds or wrinkles
- Holds 5 lbs. of mud and up to 500' of tape
- Made from high impact plastic



15-142-B7


2 compartments – 1 to hold mud, 1 to hold tape-text clear with quick opening latches
Holds all 500' tapes
Tape cannot get wet, it is held away from mud.
Adjustable slide regulates exact flow
PART #
Ts132-88

Bon
Dy Dywall Tape:

Upthweight deep draw aluminum body.
Uid lips for a secure, no-leak seal
Tape stays dry and is visible through the back

204





17411 #	DETAIL			
50-175 -B2	Standard Cable	PART #	MAX HEIGHT	LOAD CAPACITY
50-176-B2 Extension Cable	15-560-T5*	14' 9"	175 lbs	
Received and the start of the second				

DRYWALL LIFTS

Bon

Wallboard Carrier

Easy two-person carrying
 Held secure by gravity and rubber sleeves






PART #	QTY/PKG	
15-163-B8	2	

Bon

- **Board Carrier**
- Carries a full size board





Bon Foot Lifter

One piece husky aluminum casting
 Easy to control; scoot around on your foot
 Always turns itself right side up



PART #	LENGTH	WIDTH	WIDTH	
15-249-B9	11-7/8"	5-1/4"		

Bon Roll Drywall Lifter • Ribbed back for extra strength • Will lift board up to 3" high



Bon Mini Steel Board Lifter



Bon

Rigid Fulcrum Drywall Lifter • Ribbed back for extra strength

Will lift board up to 3" high






Bon'





* C & T items must ship common carrier. T items ship free on qualifying orders.



- · Allows quick, efficient transport of scrap materials
- · Ideal for moving old shingles or tiles

· Complete with cable assembly



PART #	SIZE	CAPACITY	MODEL	
34-427-C2*	60" w x 33" d x 21" h	400 lb.	0100052	
34-428-B2	Rep'l Cable Assembly for	r Trash Skip	0104291	

Over 20% lig Large foot pa stability in all Large hinge i durability	directions rivet cross sectional attern for better slip city	r ladders tread pattern for great area and large hinge f	
PART #	A-FRAME MIN/MAX	EXTENSION MIN/MAX	Le ••
			The second se
44-101-B5 44-102-T5*	4' to 7' 5' to 9'	9' to 15' 11' to 19'	-

ROOFING TOOLS



211

ROOFING TOOLS





ROOFING TOOLS









* C & T items must ship common carrier. T items ship free on qualifying orders.

																Ba	חמ
 Black plast clear lacqu 	Duty Conc ic bristles sta iered half-rou i metal tip har	ple set ir nd hard\	n wood block	oom							and flag • Staple s hardwo	d coars gged gr set in de ood bloo	e polystyre rey plastic b ense hole p	oristles attern i	in borde in clear la	r rows	er rows
PART# 12-302 -B8 12-303 -B8 12-304 -B8 12-305 -B8	SIZE 18" 24" 30" 36"	TR 3" 3" 3" 3"	IM	_							PART#		SIZE 24"	TIMM.	TRIM 3"		
Heavy D • Stiff black p flat-top ha	uty Conc polypropylene rdwood block handle (#84-	rete S	set in clear la								floor sw • Ideal for	hair I rsehair ose bro veep an r finishi s 5' met	Broom	rs e			
PART # 12-242-B8^ 12-300-B8^ 12-301-B8^	SIZE 18" 24" 36"	TRIN 3-3/4" 3-3/4" 3-3/4"	0	_					7		PART # 22-289-B 22-290-B		SIZE 24" 36"		TRIM 2-1/2" 2-1/2"		
 Flagged po Will sweep Includes 5' 	p Flagge lystyrene bris finest dust o metal tip har " size include -510)	tles r grit idle (#1:									• 100% b • For dry • Includes	lack ho sweepii s 5' met	Concret rsehair ng smooth tal tip hand es brace (#	and po le (#12	olished fl -342)		
PART # 84-516 -B8 84-517 -B8	SIZE 18" 24"	3" 3"	RIM	_			ulul			11	PART #		SIZE		TRIM		-
84-811 -B8 84-518 -B8	30" 36"	3" 3"							And	W.	84-173-B 84-787-B	8	18" 24" 36"		3" 3" 3"		
Bon Industria Includes 5' Bolt on har Color code Synthetic tr Color Coo Red - All p Blue - Fin Black - M Brown -	al Floor E metal handle d bristles for rristles oded Brist surpose fine sv e sweep with f fedium sweep Coarse sweep SIZE	different (#84-47 different lagged b with a co with larg	76) uses a blend of un ristles. Use fo ombination of ver diameter n COLOR	or dusting and soft and stiff	ent synthe sweeping resilient sy	g on all s ynthetic	surfaces.	#84-17	#84-47	#84-177	• General	e Bro dark rec purpos)	/ mix bris	stles	
84-175-B8 84-471-B8	24" 24"	3" 3"	Red Blue														
84-176-B8 84-177-B8	24"	3" 3"	Black Brown								PART # 84-172 -B	8	SIZE 24"		TRIM 3"		-
84-476-B8	Replacement	Handle									04-112-0		27		0		_



BLOCK SIZE TRIM

3-1/4"

3-1/4"

6" x 7/8"

7" x 7/8"

PART #

84-141-B8

84-142-B8

ROWS

2 x 15

2 x 17

PART #

11-592-B8

BLOCK SIZE

6-1/4" x 1-3/4"

TRIM

3-1/4"

ROWS

4 x 14

LENGTH WIDTH TRIM HANDLE 5' Wood 4-3/4" 2" **Acid Proof Gong Brush** · Blue plastic bristles Extra stiff bristles TRIM HANDLE WIDTH 20' Plastic 4-1/2" 1-1/2" **Cold Water Brush** · Staple set "solvent resistant" polypropylene bristles · 6-3/4" wood handle BLOCK SIZE TRIM ROWS 6-1/2" x 1-3/4" 3-1/2" 4 x 14 **Smoother Brush** · Hardwood block · 2" trim, 2 rows of bristles THE HERE AS A STATE OF TRIM BRISTLE PART # LXW


84-153-B8^ 12-3/4" x 1/2"

84-810-B8 12-3/4" x 1/2"

Clear Plastic

Tampico

2 2"





THE PROPERTY OF

Bon Bon Bon Heavy Duty Mason's Acid Brush Acid Brush Long Bristle Acid Brush · White tampico bristles · White tampico bristles · White tampico bristles Acid resistant ·#11-225 uses tapered handle · Uses tapered handle · Handle sold separately ·#11-438 uses threaded handle (#11-226 or #12-332) Uses tapered handle (#11-226 or #12-332) BLOCK SIZE TRIM ROWS HOLE PART # 2-5/8" 6 x 11 Tapered 11-183-B8 7" x 2-3/8" Bon Acid Brush Tampico bristles · Will accept both threaded PART # BLOCK SIZE TRIM ROWS HOLE PART # BLOCK SIZE TRIM ROWS HOLE 11-225-B8 8-1/4" x 3" 7 x 18 1-1/8 Tanered 81-215-B8 7-1/2" x 2-3/4" 2-1/2" 5 x 17 Tapered 11-438-B8 8-1/4" x 3" 1-1/8" 7 x 18 Threaded Bon Bon **Heavy Duty Acid Brush Heavy Duty Acid Brush** · Tampico & Palmyra Tampico bristles · Handle sold separately (#11-501) · Handle sold separately (#11-501) Handle Sold Handle Sold 111111 Separately Separately LENGTH WIDTH TRIM PART # PART # LENGTH WIDTH TRIM 11-213-B8 6-1/4" 2-3/4" 6-1/4" 11-389-B8 3 11-501-B8 14" Wood Handle 11-501-B8 14" Wood Handle **BLUE FOX BRUSHES** BIUE-DI **Wash Applicator Brush** · Foam plastic block



more liquid. Chemical resistant and long lasting, these brushes are ideal for acid stain applications and ready-mix truck washing. Blue Fox™ Pro Brushes from Bon®, are setting the Standard in the industry.

BIUE-FOR **Truck Wash Brush**

- · Foam plastic block
- · Blue flagged tip styrene bristles
- · Ideal for cleaning ready-mix trucks
- · Standard broom thread
- · Handle sold separately



PART #	LENGTH	TRIM	
84-957-B8 [^]	8"	2-1/2"	
84-958-88^	9"	2-1/2"	
84-959-88^	10"	2-1/2"	

PART #	BLOCK	TRIM	ROWS	HOLE
11-211 -B8	10" x 3"	2-1/8"	7 x 18	Threaded/1
Bon				
Acid Br	ush			1 C C
Tampico f		es		
Hardwood	d block	1	TTT	TILL
 No hole 		4	Labor	
PART #	BLOCK	SIZE	TRIM	ROW
	0 4/411	0.0748	4 4 / 4 !!	E 1/
84-437-B8	8-1/4" x 2	2-3/4	1-1/4"	2 X IC
	8-1/4 X 2	2-3/4	1-1/4	5 x 16
84-437-88 Bon [°] Acid Br			1-1/4	5210
<mark>Bon</mark> Acid Br	ush wi	th	1-1/4	5210
Bon [°] Acid Br Scrubbi	ush wi ing Ha	th ndle	1-1/4	5210
<mark>Bon</mark> Acid Br	ush wi ing Ha	th ndle		5210
Bon Acid Br Scrubbi • Tampico f	ush wi ing Ha	th ndle		5210
Bon Acid Br Scrubbi • Tampico f • Heavy dut	ush wi ing Ha	th ndle es for rugg		ROW

· Blue flagged tip styrene bristles · Ideal for cleaning and scrubbing #84-954

PART #	LENGTH	TRIM	
84-954 -B8^	8"	2"	
84-955 -B8^	20"	2"	
_			

#84-955

BILE **Truck Wash & Concrete Finish Brush** Foam plastic block

- · Blue flagged tip styrene bristles
- · Ideal for cleaning ready-mix trucks and fine finish concrete
- · Standard broom thread
- · Handle sold separately



PART #	LENGTH	TRIM	
84-960 -B8^	14"	2-1/2"	
84-961 -B8^	18"	2-1/2"	
84-962 -B8^	24"	2-1/2"	

8[0640]
Dual Angle Wash Brush
Foam plastic block
Blue flagged tip styrene bristles
Ideal for cleaning ready-mix trucks
Uses fountain type handle for water flow to b
Standard broom thread
Handle sold separately
San Children

ristles

PART #	LENGTH	TRIM	
84-956 -B8	10"	2"	

BIUE FOR Wash Applicator Brush

- · 4" round foam plastic block
- · Blue flagged tip styrene bristles
- · Ideal for washing wheels and faux finishes
- · Standard broom thread



PART #	DIAMETER	TRIM
14-963 -B8^	4"	2-1/2"

Bon®

DVII		
Bon Straight Handle Wire Brush with Scraper • Ideal brush for cleaning parts or removing paint • 11-1/2" long • 1-1/2" wide wood block • 4 x 11 rows of bristles	Bon Shoe Handle Wire Brush • Staple set round steel wire bristles • Contoured shoe handle • 4 x 16 rows of bristles	Bon Curved Handle Wire Brush • 3 x 19 rows of steel bristles
and and a second	Bon IIIIII	NAME AND A DESCRIPTION OF A DESCRIPTION OF A DESCRIPTION OF A DESCRIPTIONO
PART # LENGTH WIDTH TRIM 11-217-B8 11-1/2" 1-1/2" 1-5/8"	PART # LENGTH WIDTH TRIM DETAIL 84-163 - 88 10" 1" 1-1/8" w/o Scraper 84-164 - 88 10" 1" 1-1/8" w/ Scraper	PART # LENGTH WIDTH TRIM DETAIL 84-166 -88 14" 1" 1-1/8" w/o Scraper 84-167 -88 14" 1" 1-1/8" w/o Scraper
Curved Handle Wire Brush • 1-1/4" trim • 3 x 19 rows of steel bristles	Bon Curved Handle Wire Brush with Scraper • 1-1/8" trim • 4 x 18 rows of steel bristles	Bon Two Row Wire Brush • Curved back • 2 x 19 rows of steel bristles
	munnunn	
PART # LENGTH WIDTH TRIM DETAIL 84-165-B8 14" 1" 1-1/4" w/o Scraper 84-762-B8 14" 1" 1-1/4" w/ Scraper	PART # LENGTH WIDTH TRIM 11-233-B8 14" 1" 1-1/8"	PART # LENGTH WIDTH TRIM 84-774-B8 13" 1/2" 1"
Bon Straight Back Wire Brush • Round carbon steel wire • 6 x 19 rows of bristles	Bon Rocker Back Wire Brush • Rocker design for applying extra pressure • Steel wire bristles • 9 x 21 rows of bristles	Straight Back Wire Brush • Hardwood block • Steel wire
2000	000	INTERPORTATION IN THE ISSUE
	NUMBER OF THE OWNER OWNE	PART # LENGTH WIDTH TRIM 84-158 - 68 7-1/4" 2-1/4" 1-5/8" Bon
PART # L X W TRIM DETAIL 84-159-B8 7-1/8" x 2-1/4" 1-3/4" Straight Back	PART # LENGTH WIDTH TRIM 84-160 -B8 7-1/4" 2-1/2" 1-1/8"	Combo Wire Block Brush/Scraper • For heavy duty scraping and cleaning • Includes brush & 6" scraper • Handle sold separately (use #12-844 or #12-404)
Bon Steel Wire Street Broom • Round carbon steel wire • Wire bristles are staple set in hardwood block	Bon Wire Casting Brush • Hardwood block • Flat wire bristles	6 x 19 rows of bristles
with two tapered handle holes • Wide flared ends allow close sweeping next to curbs • Uses standard tapered handle #12-332 (sold separately) • 6 x 26 rows of bristles	• 5 x 10 rows of bristles	PART # L X W TRIM DETAIL 84-129-B8 7-1/8" x 2-1/4" 1-9/16" Brush/Scraper Bon Image: Second Secon
		 Wire Brush with Scrubbing Handle Round carbon steel wire Heavy duty handle for rugged use 6 x 19 rows of bristles
PART # LENGTH WIDTH TRIM 82-410-B8 16" 3-1/2" 3-3/4"	PART # LENGTH WIDTH TRIM 84-170-88 7-1/2" 2-1/4" 4"	PART # L X W TRIM DETAIL 84-668-B8 7-1/8" x 2-1/4" 1-3/4" Scrub Handle

For Additional Concrete Brushes See Pages 114 & 115



For Additional Asphalt Brushe See Page 87

BONPRO PLUS

Wood Block Concrete Brush

- Bracket #12-319 included
- Use adapter #12-327 or #12-259 with Bon's extension handles or use #12-328 handle
- · Epoxy set medium poly bristles





PART #	LENGTH	TRIM	
12-324-B8	36"	3-1/4"	
12-325-B8	48"	3-1/4"	

Bon

Concrete Finishing Brush with Adjustable Handle Socket

- Marine-grade plywood block resists warping
- Black styrene bristles
- · Adjustable handle socket offers flexibility
- · Uses standard threaded handle sold separately
- · Styrene bristles



82-470-B8 [^]	24"	3"	
82-471-B8^	30"	3‴	
82-472-B8^	36"	3‴	
82-473-B8	Replacement So	cket Adapter	

ASPHALT BRUSHES

Bon

Professional Blacktop Brush

- · Tampico bristles are staple set in hardwood block
- Designed for sealants and blacktop applications
- Uses standard tapered handle (sold separately)



BUEFOY

Concrete Finish Brush

- Threaded hole for standard broom handle or use
 #12-319 adapter
- UV resistant fiber
- Blue medium styrene fiber holds its shape longer than poly brushes



PART #	BLOCK SIZE	ROWS	TRIM
82-267-B8	24" x 3-1/4"	3	3-1/4"
82-268-B8	36" x 3-1/4"	3	3-1/4"
82-269-B8	48" x 3-1/4"	3	3-1/4"

Bon

Concrete Finish Brush

- Threaded hole for standard broom handle or use
 #12-319 adapter
- Course poly bristles



PART #	BLOCK SIZE	ROWS	TRIM
12-360-B8	18" x 3-1/4"	3	2-3/8"
12-361-B8	24" x 3-1/4"	3	2-3/8"

Bon

Soft 12" Curb & Step Brush

- Soft horsehair is staple set in clear lacquered hardwood block
- Two rows of soft horse hair create a fine brush finish on small area concrete jobs





Bon Concrete Finish Brush

- Threaded hole for standard broom handle or use
 #12-319 adapter
- Medium poly bristles



PART #	BLOCK SIZE	ROWS	TRIM
12-351-B8	24" x 3-1/4"	3	3-1/4"
12-352-B8	36" x 3-1/4"	3	3-1/4"
12-353-B8	48" x 3-1/4"	3	3-1/4"

Bon

- Concrete Finish Brush • Threaded hole for standard broom handle or use
- #12-319 adapter
- · Soft horse hair bristles



PART #	BLOCK SIZE	ROWS	TRIM
22-253-B8	24" x 3-1/4"	3	2-1/2"
22-254-B8	36" x 3-1/4"	3	2-1/2"
22-255-B8	48" x 3-1/4"	3	2-1/2"

BONPRO PLUS

Aluminum Block Concrete Brush

- Bracket #12-319 included
- Handle not included
- Use adapter #12-327 or #12-259 with Bon's extension handles or use #12-328 handle

0.11

· Soft poly bristles

PART #	LENGTH	TRIM
12-320-B8	24"	3-1/4"
12-321-B8	36"	3-1/4"
12-322-B8	48"	3-1/4"
22-580-B8	60"	3-1/4"

Bon Blacktop Coater/Squeegee

· 2" stiff bristles coat roofs, driveways and more

- Works sealer into cracks
- 5' threaded handle included
- Stiff bristles

12-299-B8



2"

18"



BROOMS & BRUSHES



Bon Stipple Brush

- A blend of horsehair and fiber bristles are securely fixed to the round base
- The contoured block fits your hand comfortably or can be attached to a broom handle
- · 4-1/2" block



PART #	SIZE	TRIM	
15-195-B8	6" Dia.	2-1/2"	
15-219-B8	9" Dia.	3-1/2"	

Bon

Shagged Horsehair/Poly Stipple Brush

- · Pre-formed and ready to use
- Shagged edges
- · Horse hair and poly blended fibers

Bon

Crows Foot Texture Brush - Single

 White tampico bristles with hardwood block and handle hole in center Bon

hole in center

BONPRO PLUS

surfaces

PART #

13-113-B9

13-114-B9

15-217-B7

15-414-B6

18"

End Caps (pair)

Blister Felt Brush

 Use to clean door bucks or windows, eliminate cat faces or pickup excess on walls and ceilings Felts fit into aluminum channel Wood handle

SIZE


Replacement Felts (Pr)

9"

. The perfect tool for applying water

or picking it up off newly finished

· Flattened, single brush creates a crow's foot pattern



PARI #	SIZE	
15-255-B8	8-1/2" x 13-1/2"	

Bon

Shagged Tampico Stipple Brush

- Tampico bristles
- · Pre-formed and ready to use
- Plastic block

Bon

Stucco Dash Brush

.5 rows x 10 rows

. The wood block on this cement

stucco dash brush is 6" x 3"

· Bristles are plastic trimmed

SIZE

6"

TRIM

4-1/4

BRISTLE

Plastic

Shagged edges for leaving impressions in compound





Crows Foot Texture Brush - Double

· White tampico bristles with hardwood block and handle

PLASTER BRUSHES

Bon Italian Style Plaster Brush

SIZE

8-1/2

11"

- Lacouered wood block
- Lacquered removable 5-1/2" handle
- Bucket clip

PART #

15-428-B8

15-429-B8



PART # BLOCK SIZE TRIM BRISTLE 84-140 - B8 6" x 2" 2-1/2" White China

ROLLERS & FRAMERS

Bon

Paint Roller with Heavy Duty Frame

Threaded plastic handle
 Accepts broom handle



 PART #
 SIZE
 SHAFT
 DETAIL

 84-294-B9
 9"
 5/16"
 5 Wire Frame

Bon' Paint Ballou

PART #

13-150-B8



Bon **Roller Cover** · Draylon cover · Reusable, solvent resistant core PART # SIZE NAP 84-781-B9 3/8 34-129-B9 1 3/8 84-889-B9 9 3/8" 84-107-B9 9" 1/2" 84-108-B9 9" 3/4" 1-1/4" 84-109-B9 Q" 15-421 B9 18" 3/8"

1/2"

TRIM

4



Hinge Pro Knee Pads

- · Hard plastic outer shell
- · 1/2" closed cell foam liner
- · Hinged design allows normal motion
- · Elastic woven straps
- with speed clips
- · Sold in pairs

PART #		
12-134-B7		

Pro "Swivel Cap" Knee Pads

- 1/2" thick high density rubber padding.
- · Short poly cap for swiveling and easy
- maneuvering
- · Riveted cap
- · Velcro straps
- · Sold in pairs

PART

84-440-B9

Bon

Rubber Knee Pads

- Heavy duty knee pad preferred by concrete finishers and floor installers
- · Adjustable velcro straps
- Thick sponge rubber
- · Sold in pairs



PART # 12-109-R9

LEATHER KNEE PADS

Bon

Pro Leather Knee Pads

- · Top grain cowhide
- · Lined with contoured felt cushions
- · Sold in pairs



PART # 12-101-B7



PART #

35-992-B7

PART # 41-190-B7 SAFETY GEAR



Straw Hat **Full Brim Hat** Hard Hat · Elastic head band to fit all · Molded from light density · Offers maximum protection and comfort head sizes polyethylene · Features nylon suspension straps, · Quick sliding suspension system · Large brim "cowboy style" to provide maximum shock hat blocks sun rays · Meets ANSI/ISEA Z89.1, absorption and comfort Brim can be tilted Type 1, Class C, E & G · Foam backed head band up or down Meets OSHA and ANSI class A and B requirements PART # COLOR SIZE PART # COLOR SIZE 14-348-B7 6-1/2 to 8 White PART # 84-534-B7 6-1/2 to 8 White 14-347-B7 Yellow 6-1/2 to 8 84-535-B7 84-473-B8 Yellow 14-159-B7 6-1/2 to 8 6-1/2 to 8 Orange Hard Hat with Ratchet Adjustment **Full Brim Hard Hat with Ratchet** Hard Hat Winter Liner · Features short peak and trim profile Adjustment Fits under hard hat · Molded from high density polyethylene · Provides protection from sun, · Easy turn ratchet knob for guick adjustment rain and glare from size 6-1/2 to 8 Adjustable ratchet Meets ANSI/ISEA Z89.1, Type 1 Meets ANSI Z89.1-2003, Type 1, PART # Class C, E & G Class C, E & G 14-315-B7 **Hard Hat Strap** · Chin and nape strap for hard hat PART # COLOR SIZE PART # COLOR SIZE PART # 6-1/2 to 8 84-532-B7 White 84-536-B7 White 6-1/2 to 8 84-533-B7 14-314-B7 Yellow 6-1/2 to 8 84-537-B7 Yellow 6-1/2 to 8 EAR PROTECTION **3M** 3M **Protective Earphone Reusable Respirator Foam Ear Plugs** · Ideal for use with heavy · Face piece is made from soft · Easy to insert into ears equipment lightweight material · 3M #1100 · Adjustable soft padded · Filter is sold separately · Sold in packages of headband and is replaceable 200 pairs (400 pcs.) Noise reduction rating of 29 decibels PART # SIZE MODEL 34-420-B6 Medium 70-0703-1554-7 PART # SIZE PART # SIZE MODEL QTY/PKG 34-421-B6 70-0703-1555-4 Large 14-423-B7 One size fits all 84-538-B6 One size 29008 34-422-B6 Particulate Filter (2/pkg) 200 pair 70-0706-144-0 DUST MASKS Bon 3M Bon **Protective Rain Suit Dust Filter Masks** Homeowners Dust Masks . Three-piece, 35 mil, 2-ply heavy-duty · Lightweight, disposable, paper filter mask · Lightweight disposable mask suit with polyester lining . Low profile for clear vision · Offer relief from common household · Electronically welded seams, take up Double straps dusts snaps on sleeves and ankles · Sold in packages of 5 · Sold in packages of 50 · Detachable drawstring hood, ventilated back High visibility vellow PART # SIZE 14-384-B7 Small 14-385-B7 Medium MODEL PART # SIZE STRAP QTY/PKG PART # SIZE STRAP QTY/PKG 14-386-B7 Large 84-264-B6 14-638-B9 One size Double 50 One size Double 8661P5 5 14-387-B7 X-Large 3M 3M Bon SHIRT NOT **Particulate Respirators Particulate Respirators** Nitrile Apron · Use where exposure to particles are a concern · High efficiency offers up to Heavy double coated nitrile on 100% Meet NIOSH 42 CFR 84 N95 150 hours of protection polyester

• Ivieet IVIOSH 42 CFR 84

84-771-B6 One size Double

- Sold in packages of 20
- PART # SIZE STRAP MODEL QTY/PKG

8200 20

 PART #
 SIZE
 STRAP
 MODEL
 QTY/PKG

 84-263-86
 Med to Lrg
 Double
 8210
 20

Meet NIOSH 42 CFR 84 N95

· Sold in packages of 20

· Solid nitrile belly band over 13 mils

PART #

14-464-B7^

Has adjustable self material neck strap
 Abrasion resistant; resists soils,
 fats, acids and most solvents

SIZE

One size

thick. calendered and cured right into apron

SAFETY GEAF





- **Rebar Protective Cap** · Plastic cap with covered steel plate for improved protection
- · Meets Federal OSHA specs. 1926.701(b)
- · Calif. OSHA approval #C1723AG
- · Protect workers from exposed pipe ends, stems and rebar

· Sold each #22-204 #22-203




_	-	_	_	-	-
-					

Safety Barrier Fence

- · Hi-visible bright orange safety fence is made from high density non-conductive polyethylene
- · 48" fencing establishes barrier for work zones, construction sites, and
- environment conditions such
- as sand, snow or silt
- · Re-usable, lightweight and easy to store
- · Break load is 740 lbs, per foot · 3-1/2" x 7/8" mesh opening







14-103-B7 18 14-104-B7 28

Barricade

- · Barricade meets MUTCD standards and minimum reflectivity requirements
- . Top panel is 12" x 24" with reflective orange and white stripes · Made of plastic · Flashing barricade light sold separately

PART # WIDTH HEIGHT 14-983-B7 24" 36"



Bon

Caution/Danger Tape

- · Plastic tape has message continuously
- printed throughout roll

· Use for roping off dangerous or restricted areas



PART #	LXW	COLOR	DETAIL
14-345-B8	300' x 3"	Yellow	Caution
84-245-B8	1000' x 3"	Yellow	Caution
84-279-B8	1000' x 3"	Red	Caution
84-246-B8	1000' x 3"	Red	Danger

Bon

Safety Cone Holder

· Heavy dusty steel rod and bracket can be bolted to your truck



PART # 14-979-B7

Barricade Light

- · Flashing amber light meets all federal
- **ITE** specifications
- 6 volt configuration
- · 7" diameter lexon polycarbonate lens
- · Batteries not included

PART # SIZE 14-984 -B7 7"



Traffic Control Paddle Sign

- · High visibility portable traffic control sign meets MUTCD regulations
- . Two sided paddle features red "STOP" sign with 6" white letters and "SLOW" sign on other side with orange background and 6" black letters
- All aluminum construction.



Highway Warning Triangles

- · Complies with FMVSS 125 fluorescent orange. high impact plastic with bright reflectors
- · Spring steel base for stability in 40 m.p.h. winds
- · Kit includes three safety triangles in a plastic case



Bon

Traffic Warning Flag

- · Highly visible fluorescent red/orange vinyl blend flag is mounted on 3/4" diameter, 30" long hard wood dowel
- · Hem is heat sealed to help prevent tearing
- Fluorescent Orange









PART #

14-125-B7

PART #

34-418-B9

PART # 14-553-B7

SAFETY GEAF



NEW

Carpenter Pencils

•Thick, high quality 7" long pencils are made with strong, flat, medium lead

Imprint Details

- · Second color available; additional charge applies per unit
- · Choose from black, red, blue, green or white
- · Set up charge applies; waived on repeat orders
- · Minimum order of 1440 pcs.

Bonfire

Hard Hats

- · Choose white or vellow hard hat with ratchet system
- · Meets ANSI/SEA 289.1, Type 1, Class C, E and G

Imprint Details

- · 3 available inprint locations: Front: 2" x 2-3/8" x1-3/4" Side: 3" x 1-1/2"
 - Back:1-3/8" x 1-3/4" x 1"
- · Prints one or two colors at each location
- · One plate per each color required at each location
- Minimum order of 36

PART #	DETAIL	MAX. IMPRINT AREA	MIN. ORDER
50-217-B7	White Hard Hat	See above	36 pcs.
50-218-B7	Yellow Hard Hat	See above	36 pcs.
50-213-BN	Plate Charge (wiith	1 color)	
50-215-BN	Second Color Charg	e (per location)	

Bonfire

Mason's Line Twigs

- · Made from steel and coated with scratch resistant covering preferred by masons
- · 4" long

Imprint Details

- · Choose from black, red, blue, green or white
- · Set up charge applies; waived on repeat orders
- · Minimum order of 1000 pcs.

PART #	LENGTH	COLOR	MAX. IMPRINT AREA	MIN. ORDER
50-530-B9	4"	Yellow	2-1/4" x 3/8"	1000 pcs.
50-502-B9	4"	Black	2-1/4" x 3/8"	1000 pcs.
50-521-BN	Pad Printing	Set-Up Charge		

Bonfire

Mason's Line Pins

- · Hardened steel line pins are tapered and plated to resist corrosion
- · 4-1/4" long, 1" wide

Imprint Details

- · Choose from black, red,
- blue, green or white · Set up charge applies;
- waived on repeat orders
- · Minimum order of 1000 pcs.



PART #	DETAIL	SIZE	MAX. IMPRINT AREA	MIN. ORDER
50-501-B9	Standard Line Pin	4-1/4" x 1"	1-3/4" x 3/8"	1000 pcs.
50-521-BN	Pad Printing Set-U	o Charge		

PART #	LENGTH	PENCIL COLOR/ Lead Color	MAX. IMPRINT AREA	MIN. ORDER
50-562-B9	7"	Blue/Black	5-3/4" x 5/16"	1440 pcs.
50-543-B9	7"	Red/Black	5-3/4" x 5/16"	1440 pcs.
50-544-B9	7"	White/Black	5-3/4" x 5/16"	1440 pcs.
50-549-B9	7"	Yellow/Black	5-3/4" x 5/16"	1440 pcs.
50-545-B9	7"	Red/Red	5-3/4" x 5/16"	1440 pcs.
50-546-B9	7"	White/Red	5-3/4" x 5/16"	1440 pcs.
50-547-B9	7"	Red/Red & Black	5-3/4" x 5/16"	1440 pcs.
50-548-B9	7"	White/Red & Black	5-3/4" x 5/16"	1440 pcs.
50-521-BN	Pad Printin	g Set-Up Charge		
50-528-BN	Second Co	lor Charge (per unit)		

Concern Street on the

Bonfire

NEV

Mason's Grout Bags

· Vinyl grout bag has a 3/8" metal tip

· Poly grout bag has a tip permanently molded in the bag

Imprint Details

- · Includes one standard imprint color
- · Choose from black, red, blue, green
- · Set up charge applies; waived on repeat orders
- · Minimum order of 288 pcs

PART #	SIZE	MATERIAL	MAX. IMPRINT AREA	MIN. ORDER
50-394-B9	23" x 12"	Vinyl	8" x 3"	288 pcs.
50-391-B9	23" x 12"	Poly	8" x 3"	288 pcs.
50-525-BN	Silk-Screen	Set-Up Charge		

Bonfire

Mason's Wood Line Blocks

· Made from select hardwood · Standard 4" block

· Short 2-3/4" block

Imprint Details

- . Choose from black, red, blue, green or white · Second color available; additional charge
- applies per unit
- · Set up charge applies; waived on repeat orders
- · Minimum order of 1000 pcs.

PART #	BLOCK SIZE	MAX. IMPRINT AREA	MIN. ORDER
50-503-B9	4" x 1-1/4"	1" x 2-3/4"	1000 pcs.
50-504-B9	2-3/4" x 1-1/4"	1" x 2-1/4"	1000 pcs.
50-521-BN	Pad Printing Set	Jp Charge	
50-528-BN	Second Color Cha	arge (Per Unit)	

PRIVATE L ABELED PRODUCTS BON

If you want to keep your name in front of your customers or reach new customers...Bon can help. Our selection of BonFire™ private label items provides a unique way to promote your business or personalize your event. Consider these items for tradeshows, outings, holiday greetings, or stock your shelves with these items personalized just the way you want.



#50-391

23"

#50-503

#50-504

STEEL

1

2-3/4

SUPPLY



BLUE TIGER /// 9465554496

#50-502

Boll		
Bon Contractor's Overshoe Boots • Heavy duty rubber with reinforced soles and heavy treads • Order 1 size larger than shoe size, 2-3 sizes larger than work boot size • Sold in pairs	Bon White Concrete Placer Boots • Over the sock style plain toe boot • Men's sizes • Sold in pairs	SPRAY SOK Boot Covers • Designed to be worn over shoes or boot for improved protection of the work-site • Sold in pairs
PART # SIZE HEIGHT 84-858-88 8 17" 84-859-88 9 17" 14-721-88 10 17" 14-722-88 11 17" 14-723-88 12 17" 14-724-88 13 17" 14-725-88 14 17" 14-725-88 15 17" 14-715-88 15 17" 14-716-88 16 17" 84-935-88 17 17" 84-935-88 18 17"	PART # SIZE HEIGHT 34-110-88 10 15" 34-111-88 11 15" 34-112-88 12 15" 34-113-88 13 15"	PART # 34-415-85
Bon 5-Buckle Construction Boots • Treaded sole and heel • Durable metal buckles • Order same size as shoe size or one size larger than boot size • Sold in pairs	34-113-88 13 15" Bon' Concrete Placer Boots • Two stage injection molded construction • Reinforced at stress points • Net lined for comfort • Removable cushion insoles • Sold in pairs • Sold in pairs	Jisposable Coveralls • Made of white, non-woven Tyvek™ material • Breathable and tear resistant • Blocks liquids and airborne particles • Low linting to prevent debris on paint or other wet surfaces
PART # SIZE HEIGHT 84-274-B8 9 14" 84-250-B8 10 14" 84-251-B8 11 14" 84-252-B8 12 14" 84-253-B8 13 14" 84-254-B8 14 14" 84-255-B8 15 14" 84-255-B8 15 14"	PART # SIZE HEIGHT 84-256-88 8 16" 84-257-88 9 16" 84-259-88 10 16" 84-259-88 11 16" 84-260-88 12 16" 84-261-88 13 16"	PART # SIZE 34-430-87 Large 34-431-87 X-Large 34-432-87 2X-Large
Hi-Vis Collared Jacket 94% Polyester, 6% Spandex - Full front zipper Pront zippered pocket ANSI/ISEA 107-2010 • Class 3, Level 2	Hi-Vis Short Sleeve T-Shirt • 100% Polyester with pocket • ANSI/ISEA 107-2010 • Class 2, Level 2	Hi-Vis Hooded Jacket 94% Polyester, 6% Spandex - Full front zipper Pront zippered pockets - ANSI/ISEA 107-2010 - Class 3, Level 2
PART # SIZE 34-213-B6 Large 34-214-B6 X-Large 34-215-B6 2X-Large	PART # SIZE 34-197-B6 Large 34-198-B6 X-Large 34-199-B6 2X-Large	PART # SIZE 34-201-B6 Large 34-202-B6 X-Large 34-203-B6 2X-Large
Hi-Vis Safety Vest • Highly visible lime green polyester mesh vest • 1-1/2" orange/silver reflective stripes • Adjusts for comfortable fit • Velcro closure	Reflective Safety Vest • Highly visible lime green polyester mesh vest • 1" silver plastic reflective tape • Velcro closure • Non ANSI	Hi Vis Vest 100% Solid polyester Zipper closure ANSI/ISEA 107-2010 Class 2, Level 2 PART # SIZE
PART # SIZE 84-673 - B7 One size fits most	PART # SIZE 34-212-86 One size fits most	34-209-86 Medium/Large 34-210-86 X-Large/2X-Large 34-211-86 3X-Large/4X-Large





Cut, Sewn and Stitched in Pennsylvania!


Spray Sok[™] is the trusted name for protective hood-type apparel. Now these Sok head coverings are made in Pennsylvania with the finest materials sourced in the U.S.A.

The original Sok and longer chest length Hood Sok are made of all cotton, open mesh fabric that absorb moisture and allow skin to breath for maximum cooling and comfort. Hood Soks made of a flame resistant NOMEX fabric and permanently dyed black S.W.A.T. fabric are also available.



Can be positioned to expose just eyes, eyes & nose, or eyes, nose & mouth!

Flexible snug fit with no peripheral vision restriction!





Concrete Restoration Tool Merchandiser

- Display unit measures 40" wide x 79" high
- · Display unit includes one shelf 39' wide x 12" deep Merchandiser includes:
- Display unit; (1) display shelf; hooks; and tool assortment listed below



PART#	DETAIL	QTY
15-393	30" Egg Beater Mixer w/5" x 5" Paddle	2
15-431	14" Micro Topping Squeegee	3
15-433	22" Micro Topping Squeegee	3
20-806	4-1/2" Single Hook	11
22-224	9" Spiked Roller w/7/16" Spikes with Handle	2
22-225	20" Spiked Roller w/7/16" Spikes with Bracket	1
22-369	5 Liter Measuring Pitcher	2
22-596	Epoxy Cove Tool 6" Lip	2
22-597	Epoxy Cove Tool 8" Lip	
22-599	Spiked Sandals	3 2 1 3
22-689	24" Gauge Rake Head	2
22-816	15 Gallon Plastic Mixing Barrel	1
34-164	5 Gallon Clear Measuring Pail	3
34-166	1 Quart Clear Mixing Container	
34-167	2-1/2 Quart Clear Mixing Container	3 3 3
34-168	5 Quart Clear Mixing Container	3
82-289	Leveling Pins	3
82-330	24" Notched Micro Topping Floor Squeegee	2
84-968	Hand Held Sprayer	2
Also inclu	ded	
20-102	Display Unit	1
01-104	Imprint Catalogs	10
01-148	Restocking Hang Tags	30
20-806	Single Hooks - 4-1/2"	10
20-815	Single Hook - 12"	1
20-801	Double Hook - 8-1/4"	1

Bon

Tilesetting Tool Merchandiser

- · Display unit measures 40" wide x 79" high
- · Display unit includes one shelf 39" wide x 12" deep · Merchandiser includes:
- Display unit; (1) display shelf; hooks; and tool assortment listed below



PART#	DETAIL	QTY
15-393	Egg Beater Mixer - Plated 5" Dia Paddle	2
14-712	Floor Scraper - Razor Blade 8"	2
14-355	Carbide Nippers - 5/8" Jaw	4
87-398	Rubber Mallet - White 16oz.	2
24-212	Scoring Tool - Laminate	3
14-776	Tile Spacer - 1/8" x 1/8" - 200	3
14-780	Tile Spacer - 3/16" x 3/16" - 1	3
14-309	Notched Trowel - 1/4" Square	7
14-351	Carbide Chisel - 1/4"	4
14-352	Carbide Chisel - 3/8"	4
14-478	Notched Trowel - 3/16" V - Comfort Grip	2
14-320	Notched Trowel - 1/4" Square	2
14-357	Notched Trowel - 1/8" x 3/16" SQ	2
14-353	Carbide Chisel - 1/2"	4
14-569	Ceramic Hole Saw	3
24-933	Margin Float - 6" x 2" Comfort Grip	3
87-203	Grout Saw - Carbide - Comfort Grip	6
11-932	Margin Trowel - CS 5" x 2" Comfort Grip	3
14-831	Rub Brick - White Alum Oxide	3
14-526	"J" Roller	3
14-349	Grout Float - Gum Rubber 4" x 9"	2
87-146	Grout Float - Gum Rubber 4" x 1"	2
14-763	Notched Trowel - Plastic 1/8" V	4
24-307	Undercut Saw	4
13-252	Hydra Sponge	3
87-101	Grouting Sponge - Bagged	3
87-104	Scrubbing Sponge - Bagged	3
81-165	Grouting Gloves - Heavy Duty Latex	4
87-345	Grout Sealer Applicator Bottle with Wheel	2
86-105	Grout Sealer Applicator Bottle with Brush	2
Also include		
20-102	Display Unit	1
01-104	Imprint Catalogs	10
01-148	Restocking Hang Tags	30
11-388	Trowel Display	3
20-806	Single Hooks - 4-1/2"	10
20-815	Single Hook - 12"	1
20-801	Double Hook - 8-1/4"	1

PART # DETAIL 20-502-T9* Tilesetting Tool Merchandiser

Bon

PART #

20-301-T9*

DETAIL

Masonry Tool Merchandiser

Masonry Tool Merchandiser

· Display unit measures 40" wide x 79" high · Display unit includes one shelf 39' wide x 12' deep

Merchandiser includes:
 Merchandiser includes:
 (1) Display unit; (1) display shelf; hooks; and tool
 assortment listed below



PART #	DETAIL	QTY
72-252	11" Brick Trowel - NL, Wood	2
72-255	11" Brick Trowel - NL, Leather	2
72-232	10" Brick Trowel - NL, Wood	2
72-259	11" Brick Trowel - NL, Comfort Grip	2 2 2 2 2
72-279	12" Brick Trowel - NL, Comfort Grip	2
72-292	13" Brick Trowel - NL, Wood	2
72-272	12" Brick Trowel - NL, Wood	2
72-275	12" Brick Trowel - NL, Leather	2
11-382	24" Brass Bound Level	2
11-381	48" Brass Bound Level	2 2 3 3 3 3
14-261	Line Level	3
21-114	Twisted Nylon Line	3
11-876	EZC Braided Nylon Line	3
81-155	16' Brick Masons Tape	3
81-156	16' Modular Masons Tape	3
81-157	16' CSR Spacing Tape	3 3
11-482	Flat Slicker - 1/4" x 3/8"	6
11-489	Flat Slicker - 1/2" x 5/8"	6
11-450	Convex Jointer - 5/8" x 3/4"	6
11-449	Convex Jointer - 1/2" x 5/8"	6
11-932	Margin Trowel 5" x 2"	6
11-750	Pointing Trowel 51/2" x 21/2"	6
11-288	Adjustable Stretchers/Pr.	4
11-478	Grapevine Jointer - 1/2" x 5/8"	3
11-458	Grapevine Jointer - 5/8" x 3/4"	3
11-219	Bricklayers Brush - Medium Soft	3
14-193	Finger Tape	3 3
11-327	Joint Raker	6
11-311	18oz. Brick Hammer - Hickory Handle	3
11-314	20oz. Brick Hammer - Solid Steel	6 3 3 3
11-218	All Purpose Masonry Brush	3
14-394	Grout Bag w/Nozzle	4
Also includ	ded	
20-102	Display Unit	1
01-104	Imprint Catalogs	10
01-148	Restocking Hang Tags	30
20-806	Single Hook - 4-1/2"	15
20-804	Trowel Hanger -7-1/4"	14

Bon

PART #

DETAIL

Stucco Tool Merchandiser

- · Display unit measures 40" wide x 79" high
- · Display unit includes one shelf 39" wide x 12' deep
- Merchandiser includes:
- (1) Display unit; (1) display shelf; hooks; and tool assortment listed below



PART #	DETAIL	QTY
13-157	Aviation Snip - Straight/Combo	6
84-390	Bent Snip 20"	3
83-247	High Hopper Gun Stand	1
13-172	Gun & Hopper - Standard - 2 Gallon	1
83-147	Channel Mortar Scraper - 10" x 4 3/4"	2
13-116	Scarifier - Spring Steel Tines - 8"	2
13-117	Scarifier - Spring Steel Tines - 12"	2
83-139	Scarifier - Spring Steel Tines - 14"	2
83-344	Hand Scratcher Trowel 10 x 6"	2
83-342	Scratcher Trowel - 12" x 4 1/2"	2 2
13-149	Angle Plow	2
13-298	Corner Trowel - Outside	3
13-301	Corner Trowel - Inside	3
83-102	Green Foam Float - 4" x 12" x 3/4"	50
83-166	Plastering Trowel - Plastic 12" x 5"	12
83-222	Plastering Trowel - Stainless 12" x 5"	2
83-209	Plastering Trowel - Stainless 14" x 5"	2
83-208	Plastering Trowel - Stainless 13" x 5"	2
83-212	Plastering Trowel - Steel 12" x 5"	2 2 2
83-213	Plastering Trowel - Steel 13" x 5"	2
11-218	Masonry Brush - Tampico 6 1/2" x 2"	3
13-115	Plasterer's Sponge - Rubber 7" x 4" x 2"	3
83-125	Hawk - Alum 12" x 12" - Wood Handle	6
83-123	Hawk - Alum 12" x 12" - Comfort Grip Handle	6
11-631	Margin Trowel - Carbon 5" x 2"- Wood Handle	4
11-932	Margin Trowel - Carbon 5" x 2"- Comfort Grip	4
Also included .		
20-102	Display Unit	1
01-104	Imprint Catalogs	10
01-148	Restocking Hang Tags	30
11-388	Trowel Display Bar	2
20-806	Single Hooks -4-1/2"	7
20-815	Single Hook - 12"	1

2019 Terms & Conditions

PAYMENT TERMS:

- . For established accounts, 1% 10 days net 30 days.
- . U.S. funds only.
- · Visa, MasterCard, American Express & Discover are accepted.
- · International Orders must be paid before shipment.

TERMS OF SALE

- · Payments are due 30 days from billing date.
- Past due invoices are charged 1.5% interest per month on the unpaid balance (annual percentage rate of 18%).
- Customer agrees to pay all costs incurred by Bon Tool Co. in the enforcement of company's rights, caused by delinquent payment, including all attorney fees (minimum reasonable fee will be 15%).
- All claims for adjustment must be presented in writing no longer than 30 days from the invoice date in question, otherwise such claims are waived.

TIME OF DELIVERY

. Bon Tool Co. attempts to ship orders within 24 hours. Bon Tool Co. is not responsible for any loss or damage resulting from a delay in filling orders.

MINIMUM ORDER

• No minimum order.

QUOTATIONS

· Quotations on large quantities are prepared upon request.

FREIGHT TERMS

- . The freight code is indicated by letter in the product code.
- . For a single destination in the continental USA, orders totaling \$900 net or more of "B" or "T" items are freight prepaid.
- Product codes containing a "C" label do not qualify for prepaid freight.
- International orders will be shipped FOB Gibsonia, Pennsylvania, USA.
- . Bon Tool Co. will determine the routing. Special routing requests may cause additional shipping charges on the customer's invoice.

SHIPPING RESTRICTIONS

- · Items coded with a "B" can be shipped by UPS.
- . Items coded with a "C" or "T" must be shipped via Common Carrier.

RETURNED GOODS

- · Returns must be authorized in advance.
- Indicate on all paperwork and packages the Return Goods Authorization number (RGA) that was supplied by Bon Tool Co. Include a copy of your invoice or packing list.
- . A 10% restocking charge will be deducted from the return credit.
- · Customer is responsible for return freight charges.
- . Items must be returned in new condition, within 30 days of invoice date.
- SHORTAGE, DAMAGE OR PROOF OF DELIVERIES
- · Delivery is FOB shipping point.
- · Title of product transfers upon delivery to carrier at point of shipment.
- . In case of damage or shortage, notify the delivering transportation agent and file a claim immediately. All claims must be made within 30 days.
- . Bon Tool Co. will assist the customer in filing claims for unusual losses.

LIABILITY

- Bon Tool Co. is in no way liable for claims in incidental or consequential damages connected with the manufacture, sale, delivery or use of any of its
 products.
- · Follow all applicable ANSI and OSHA Codes and Regulations for use with all Bon Tool co. products.
- All photographs and drawings are for illustration only. Bon Tool Co. is not responsible for typographical, pictorial or pricing errors in this catalog or any Bon Tool Co. literature.

COPYRIGHT

- . The Bon Tool Co. catalog and all company literature is copyrighted.
- . No portion of the catalog or literature may be reproduced without the express written permission of Bon Tool Co.
- Violation may result in prosecution.

EXPORT SERVICES

- · A pro forma invoice showing CIF can be prepared upon request.
- Payment for international orders is accepted in US funds only via wire transfer, credit card or other specified method.
- · Bon Tool Co. has the expertise and experience to ship orders worldwide.







BON SHOW & SELL

Bon

Hardscape Tool Merchandiser

- Display unit measures 40" wide x 79" high
- Display unit includes one shelf 39" wide x 12" deep
- Merchandiser includes: (1) Display unit; (1) display shelf; hooks; and tool assortment listed below



PART #

20-202-T9*

DETAIL

Concrete Tool Merchandiser

PART #	DETAIL	QTY
72-232	10" Carbon Steel Brick Trowel - NL, Wood	4
72-246	10-1/2" Carbon Steel Brick Trowel - NL, Plastic	4
72-239	10" Carbon Steel Brick Trowel - NL, Comfort Grip	4
11-204	4" Protective Grip Chisel	3
11-589	3" Protective Grip Chisel	3
14-160	Power Tape 25' x 1"	4
14-261	Line Level	6
21-143	3 Lb Dead Blow Hammer	3
21-144	4 Lb Dead Blow Hammer	3
11-493	3 Lb Mash Hammer	
21-360	Folding Tri Square	2
22-342	Finish Trowel - 14" x 4"	3
12-200	Margin Trowel - 6" x 2"	3
12-104	Pointing Trowel - 6" x 2-3/4"	3
21-211	Extracting/Alignment Bar	3
12-604	Kneeler Board	4
11-311	18 oz. Mason Hammer	
11-314	Solid Steel Brick Hammer	2 2 2
11-373	Wall Unit Tongs	2
11-259	Bonded Nylon Line - 500'	4
11-286	Bonded Nylon Line - 500'	4
21-212	Paver Extracting Tongs	1
11-590	Bon Paver Splitter	1
Also includ	ded	
20-102	Display Unit	1
01-104	Imprint Catalogs	10
01-148	Restocking Hang Tags	30
20-102	Display Unit	1
20-804	Trowel Hanger 7-1/4"	10
11-388	Trowel Bar - 24'	1
20-801	Double Hook - 8-1/4"	2
20-811	Single Hook - 9"	1
20-806	Single Hook - 4-1/2"	3

PART #	DETAIL	
21-165-T9*	Hardscape Tool Merchandiser	

Bon **Concrete Tool Merchandiser**

- · Display unit measures 40' wide x 79' high
- · Display unit includes one shelf 39" wide x 12" deep
- Merchandiser includes:
 (1) Display unit; (1) display shelf; hooks; and tool assortment listed below



PART#	DETAIL	QTY
11-932	Margin Trowel - 5" x 2"	6
62-469	Curved End Edger - SS 6" x 3"	4
62-439	Edger - SS 6" x 3"-1/2" - 3/8" rad x 1/2" lip	4
62-440	Edger - SS 6" x 4" - 1/2" rad x 5/8" lip	4
88-304	Groover - Bullet SS 6" x 4-1/2"	2
88-314	Groover - Bullet SS 6" x 4-1/2"	2 4
88-305	Groover - Bullet SS 6" x 4-1/2"	4
88-311	Edger - Bullet SS 6" x 2-3/4" - 5/8' Depth	2
88-334	Edger - Bullet SS 6" x 2-1/4" L - 3/4" Depth	2 2
88-335	Edger - Bullet SS 6" x 2-1/4" L - 3/4" Depth	2
88-336	Edger - Bullet SS 6" x 2-1/4" L - 1" Depth	2
22-434	Universal Groover - SS 6" x 3"	4
11-750	Pointing Trowel - CS 5-1/2" x 2"	6
12-129	Knee Pads - Hard Shell (PR)	3
22-338	Finish Trowel - CS 12" x 4" - Comfort Grip	2
22-342	Finish Trowel - CS 14" x 4" - Comfort Grip	2
22-346	Finish Trowel - CS 16" x 4" - Comfort Grip	2
22-350	Finish Trowel - CS 18" x 5" - Comfort Grip	2
22-389	Concrete Brush - 12"	2 2 3 2 2
12-177	Rub Brick - Fluted 6" x 3" x 1"	2
12-279	Rub Brick - Fluted 8" x 3-1/2"	2
12-278	Molded Rubber Float - 9" x 4"	6
12-604	Kneeler Board - Standard Foam Pad	4
12-204	Mag Float - Sq End - 16" x 3-1/8"	6
22-134	Thinline Mag Float - 16" x 3-1/8"	3
82-102	Mahogany Float - 16" x 3-1/2"	3
Also include	d	
20-102	Display Unit	1
01-104	Imprint Catalogs	10
01-148	Restocking Hang Tags	30
20-811	Single Hooks - 9"	14
20-815	Single Hooks - 12"	2
20-805	Trowel Hanger - 10"	2
	Trowel Display Bar - 24"	2


Bon

Drywall Tool Merchandiser • Display unit measures 40" wide x 79" high • Display unit includes one shelf 39" wide x 12" deep

- Merchandiser includes: (1) Display unit; (1) display shelf; hooks; and tool assortment listed below



PART#	DETAIL	QTY
15-170	Speedy Mixer - 8" x 4-1/2" - 2"	3
15-329	Joint Knife - Steel 6" - Comfort Grip	6
85-134	6-IN1 Tool - Comfort Grip	3
15-339	Taping Knife - BS 8" x 3" - Comfort Grip	6
84-540	Swift Square - Pocket 7-1/2"	3
15-116	T Square - 54" x 22" x 2"	3
15-138	Putty Knife - Steel 3"	3
15-136	Putty Knife - Steel 1-1/4"	3
15-340	Taping Knife - BS 10" x 3" - Comfort Grip	6
15-118	Circle Cutter - 16"	4
15-178	Handle F/Pole Sander - 48" Wood	3
83-247	High Hopper Gun Stand	1
15-341	Taping Knife - BS 12" x 3" - Comfort Grip	6
15-177	Wall Sander - Male Thread	3
15-171	Utility Saw - 6" - Comfort Grip	3
14-583	Lid Claw	4
15-125	Corner Trowel - Inside SS 4"	3
15-162	Drywall Lifter - Rigid Fulcrum	2
13-172	Gun & Hopper - Standard - 2 gal	2
15-166	Mud Pan - SS 12"	3
15-176	Hand Sander - Alum	4
Also included		
20-102	Display Unit	1
01-104	Imprint Catalogs	10
01-148	Restocking Hang Tags	30
20-806	Single Hook - 4-1/2"	9
20-811	Single Hook - 9'	6
20-801	Double Hook - 8-1/4"	2
		-
PART #	DETAIL	
20-402-T9*	Drywall Tool Merchandiser	



Rely on premium hand tools by Bon Trade Tough if you're looking for quality and efficiency.

Bon

16-133-B7

16-134-B7

16-139-B7

Parts of a Level

Brick Veneer Wall

Masonry Poster Set (5/set)

Bon