

BRK[®]

THE PROFESSIONAL STANDARD

Product Catalog

Distributor

Volume 16

SMOKE ALARMS

CO ALARMS

COMBO ALARMS

HEAT ALARMS



LEADERS IN RESIDENTIAL & MULTI-FAMILY ALARM TECHNOLOGY

Wi-Fi Wireless

Combo Alarms Safes

From the #1 Most
Trusted Brand in
Home Safety.



Onelink™

Wi-Fi Smoke + Carbon Monoxide Alarm



- Features**
- Wi-Fi and Bluetooth connectivity
 - 10 Year sealed battery or battery backup
 - Apple HomeKit enabled
 - Works with Apple iOS 9 or later. Not compatible with Android®.
 - Free App to stay connected with alarms
 - Speaks what and where danger is detected
 - Interconnects with all current BRK/First Alert hardwired alarms
 - Two versions available: AC10-500B (120V hardwired w/battery backup) & DC10-500B (battery powered)



120V Hardwire

10yr Sealed Battery



Onelink™

Wi-Fi Smoke + Carbon Monoxide Alarm

Always Connected
Always Protected



10 A decade of protection


The 10-year sealed battery means no battery replacements for the life of the alarm and no low battery chirps in the middle of the night. This alarm was designed to last 10 years. Available in hardwired or battery versions.

Bluetooth Leveraging the install base

These alarms utilize unique bluetooth mesh to speak with each other. When one Onelink alarm goes off all interconnected alarms will sound as one. The hardwire version interconnects with all current BRK hardwire alarms, allowing users to upgrade gradually. Also compatible with select competitive smoke alarms.*

Warning Sends push notifications

Sends notifications to your iOS device in the event of a smoke or CO emergency.



The world's first HomeKit-enabled Wi-Fi Smoke + CO Alarm. Privacy is built in and data is always encrypted.


Wi-Fi Safe

SKU #'s:
2096BD-500 (2.1 cu ft)
2092BD-500 (1.3 cu. ft)



LED Light Ring

Visual indication instantly tells you the state of your safe.



Easily lock and unlock your Wi-Fi connected and Bluetooth-enabled safe right from your iOS smartphone or tablet without the need for passcodes or keys. Customize settings, add personalized notifications, and grant remote access to friends and family, as well as monitor their activity, by conveniently connecting to the mobile app. Sleek new design with aluminum alloy handle and LED light that signals when safe is unlocked, locked or tampered with. No key pad and no dials = no forgotten passcodes. Your phone is your key. And never get locked out with emergency USB power boost backup when batteries have lost power.

Wireless Smoke, CO & Combo Alarms



Innovative Features

WIRELESS INTERCONNECT

Reliable and secure radio frequency communication between alarms. 915 MHz frequency with 65,000 security codes and 3 channel frequency hopping.

MESH NETWORK COMMUNICATION

2-way communication format that sends, receives and re-sends the alarm signals providing a more reliable network.

VOICE WARNING WITH LOCATION

Programmable with up to 11 locations (ex. "basement"). When alarm sounds (if programmed for basement), it will say, "Warning, Evacuate, Smoke in Basement". If other BRK Wireless Interconnect Voice Warning alarms are located throughout the house they will also signal, "Warning, Evacuate, Smoke in Basement".

PHOTOELECTRIC TECHNOLOGY

Helps reduce nuisance alarms, especially around kitchens and baths which are more prone to nuisance alarms from cooking smoke and shower steam.

OPTIPATH 360 TECHNOLOGY™

Patented technology provides 360 degrees of direct access to smoke sensor.

SPREAD SPECTRUM HORN TONE

Lower and varying horn frequency makes it easier for elderly with normal age related hearing loss to hear horn. Sweeps through the 2200 - 3400 Hz range.

LATCHING FEATURES

Alarm Latch: Easily identifies initiating alarm even after alarm condition has subsided. **Low Battery Latch:** Identifies which unit is in low battery condition. Both features activate for up to 15 minutes. (excludes SA520B).

SILENCE FEATURE

Silences unwanted alarms. Two silence features - Temporarily silence low battery chirp for up to 8 hours before replacing battery or silence unwanted alarm for several minutes.


Cost Effective Retrofit & Remodel Solutions

- Wireless interconnect technology eliminates the need to pull wires through existing walls
- Save an average of between \$150 - \$200** per alarm when compared to retrofitting hard-wired alarms in existing walls or ceilings
- Faster job turnaround - 4X more jobs completed increases your profits
- Photoelectric sensing technology saves maintenance calls with fewer nuisance alarms

Mesh Network Communication

Mesh Network Communication

Competitive Wireless One-Way Communication



BRK Wireless Interconnect alarms operate on a "mesh network"; a 2-way communication format that sends, receives and then re-sends the alarm signals. If the initiating alarm signal is blocked from reaching one of the alarms, the mesh network communication reroutes and re-sends the signal via the other alarms as shown in the illustration. With competitive one-way wireless communication, only the initiating alarm sends a signal which may never be received, leaving the blocked alarm deadly silent.

**Note: Based on average retrofitting costs of time, material and labor to connect to existing alarm circuit, drywall repairs, painting, etc. Special cases that require conduit, wire mold, concrete drilling, etc. would add additional costs and increase savings. This product is intended for non-professional do it yourself installation. If you would like information about a professionally installed and monitored system, please contact First Alert Professional at 1-800-921-6025. First Alert Professional is not affiliated with BRK Brands, Inc.

SCO500B - WIRELESS BATTERY SMOKE/CO COMBO

BATTERY POWERED - PHOTO/CO COMBO

- 7 Year CO Sensor/End of Life signal
- Two AA Alkaline battery powered



SA511B - WIRELESS BATTERY SMOKE ALARM

BATTERY POWERED - PHOTO

- Two AA Alkaline battery powered



SA520B - BRIDGE UNIT - WIRELESS HARDWIRED SMOKE ALARM

120V AC WITH BATTERY BACKUP - PHOTO

- Two AA Alkaline battery backup



CO511B - BATTERY CO ALARM

BATTERY POWERED - ELECTROCHEMICAL

- 7 Year CO Sensor/End of Life signal
- Two AA Alkaline battery powered



Hardwired Smoke & Combo Alarms



Hardwired Alarms

BRK Hardwire Alarms offer the complete safety and security of the First Alert brand. The alarms are updated with state-of-the-art technology, and are designed for fast and easy installation. These alarms are virtually maintenance free for the entire alarm's life and meet all current building codes for residential fire alarm products as defined by the NFPA.

PHOTOELECTRIC, IONIZATION, PHOTO/STROBE COMBO OR SMOKE/CO COMBO 120V AC WITH BATTERY BACKUP

- Silence Feature
- Latching alarm indicator - remembers which unit initiated an alarm
- Smart Technology - helps reduce the number of nuisance alarms
- Perfect Mount - allows for easy alignment of alarm
- 10 Year CO sensor (CO and Photo/CO Combo alarms)/10 Year Warranty

ADDITIONAL FEATURES: PHOTO/STROBE COMBO AND SMART STROBE

- Bright 177 candela strobe light designed for hearing impaired residents
- Smart Strobe has separate flash patterns to distinguish between a smoke/heat or CO danger
- Meets the requirements of the ADA (Americans with Disabilities Act)
- 1Hz flash rate meets requirements for visual signaling devices



9120B SERIES

120V AC WITH BATTERY BACKUP - ION

- Ionization smoke sensing technology
- 9V battery backup



Available SKU's:
9120B: 9V Carbon Zinc, 9120AB: 9V Alkaline, 9120LBL: 10YR 9V Lithium - Locked battery drawer, 9120B6CP: Bulk contractor 6-pack

SC9120B SERIES

120V AC WITH BATTERY BACKUP - ION/CO COMBO

- Advanced electrochemical CO and ionization smoke sensing technologies
- 10 Year CO Sensor/End of Life signal
- 9V battery backup



Available SKU's:
SC9120B: 9V Alkaline, SC9120LBL: 10YR 9V Lithium - Locked battery drawer



7010B SERIES

120V AC WITH BATTERY BACKUP - PHOTO

- Photoelectric smoke sensing technology
- 9V battery backup



Available SKU's:
7010B: 9V Carbon Zinc, 7020B: escape light



SC7010B SERIES

120V AC WITH BATTERY BACKUP - PHOTO/CO COMBO

- Voice Warning with Location - (cat. no. SC7010BV)
- Electrochemical CO and photoelectric smoke sensing technologies
- 10 Year CO Sensor/End of Life signal
- Two AA battery backup



Available SKU's:
SC7010B: Combo, SC7010BV: Combo w/Voice



Voice Warning!
WITH LOCATION!

3120B

120V AC WITH BATTERY BACKUP - ION & PHOTO

- Dual photoelectric and ionization smoke sensing technologies
- Two AA alkaline battery backup



7010BSL

120V AC WITH BATTERY BACKUP - PHOTO/STROBE COMBO

- Photoelectric smoke sensing technology
- Two AAA battery backup for smoke alarm. (Note: will not power strobe light)



Hardwired CO & Heat Alarms, Strobe Light



HD6135FB


120V AC WITH BATTERY BACKUP - HEAT ALARM

- 135°F Fixed temperature and rate-of-rise thermistor heat sensor
- For applications not suitable for smoke alarms
- 9V battery backup



Understanding Rate of Rise

This allows the unit to sense a heat rise and alarm prior to reaching the fixed temperature. The alarm will sound when the microprocessor senses a temperature rise of a set number of degrees per minute. This enables a more rapid response to a potential fire.



CO5120 SERIES

120V AC WITH BATTERY BACKUP - ELECTROCHEMICAL

- Advanced electrochemical CO sensing technology
- 10 Year CO Sensor/End of Life signal
- 9V battery backup
- LCD display - (cat. no. CO5120PDBN)



SL177

120V AC - SMART STROBE

- (see page 7 "Hardwired Alarms" section for details)



Plug-in CO & Gas Alarms



CARBON MONOXIDE AND EXPLOSIVE GAS 120V AC PLUG-IN WITH BATTERY BACKUP

- Advanced Electrochemical CO sensing technology
- Silence Feature
- CO615B features an LCD display and a convenient 6' line cord for multiple mounting positions

ADDITIONAL FEATURES: EXPLOSIVE GAS ALARM

- 3-way protection against natural (methane) gas, propane gas and carbon monoxide
- Convenient 6' line cord for multiple mounting positions

CO615B



CO600B & CO605B

CO600 SERIES

120V AC PLUG-IN WITH BATTERY BACKUP - ELECTROCHEMICAL

- 7 Year CO Sensor/End of Life signal
- Battery Access: Rear panel: CO605B, front panel: CO615B



Available SKU's:
CO600B: no battery backup, CO605B: 9V Alkaline battery backup, CO615B: AA Alkaline battery backup


GCO1B

120V AC PLUG-IN WITH BATTERY BACKUP - EXPLOSIVE GAS & ELECTROCHEMICAL

- Large display - clearly shows the hazard and level present
- 5 Year Explosive Gas & CO Sensors/End of Life signal
- 9V battery backup.



Battery 10YR Sealed Alarms



P1010 10YR SEALED BATTERY POWERED MICRO - PHOTO

- Advanced photoelectric micro technology
- Maximum protection - Fewer false alarms
- Easy installation - Smart product clip system



Actual Size Approximately
(1-5/8" H x 1-7/8" Dia)

SA3210 10YR SEALED BATTERY POWERED - ION & PHOTO COMBO

- Dual photoelectric and ionization smoke sensing technologies



SA350B 10YR SEALED BATTERY POWERED - ION

- Ionization smoke sensing technology



10YR Sealed Alarms

Because there are other things you'd rather think about

First Alert, America's # 1 Most Trusted Brand in Home Safety, offers various alarms within its 10-Year Sealed Battery Alarm series. A 10-Year Sealed Battery Alarm is a more convenient, intuitive device that is equipped with a sealed 10-year lithium power cell battery, eliminating the need for numerous battery replacements throughout the life of the alarm. These alarms meet the requirements of recent legislation enacted in several states and municipalities throughout the United States.

PHOTO, ION, PHOTO/ION COMBO, CO or PHOTO/CO COMBO 10YR SEALED BATTERY POWER

- Tamper proof design - prevents battery theft
- Silence Feature
- Smart Technology - helps reduce the number of nuisance alarms
- CO and Photo/CO Combo alarms feature advanced electrochemical CO sensing technology
- Smoke and Combo alarms feature either Photoelectric, Ionization or both smoke sensing technologies
- 10 Year End of Life signal/10 Year CO sensor (CO and Photo/CO Combo alarms)/10 Year Warranty

PRC710 SERIES 10YR SEALED BATTERY POWERED - PHOTO/CO COMBO

- Low profile slim design
- Voice warning with location (PRC710VB)



Available SKU's: PRC710VB: Voice,
PRC710B: Non-Voice

PR710B 10YR SEALED BATTERY POWERED - PHOTO

- Low profile slim design



CO710 10YR SEALED BATTERY POWERED - ELECTROCHEMICAL CO

- Large display - shows visual confirmation of CO levels



CO910 SERIES 10YR SEALED BATTERY POWERED - ELECTROCHEMICAL CO

- Low profile slim square design
- Voice Warning with Location (cat. no. CO910VB)



Available SKU's: CO910B: CO alarm,
CO910VB: CO alarm with Voice



**Voice Warning!
WITH LOCATION!**



CO710



CO910B

**Voice Warning!
WITH LOCATION!**

CO910VB

Battery Smoke, CO & Combo Alarms



P1000

BATTERY POWERED MICRO - PHOTO

- Advanced photoelectric micro technology
- Maximum protection - Fewer false alarms
- Easy installation - Smart product clip system
- Long life lithium battery powered



SA320B

BATTERY POWERED - ION & PHOTO COMBO

- Dual photoelectric and ionization smoke sensing technologies
- Two AA alkaline battery powered



PR700 SERIES

BATTERY POWERED - PHOTO

- Low profile slim design
- Photoelectric smoke sensing technology
- 9V battery powered



Available SKU's: PR700B: 9V Carbon Zinc, PR700AB: 9V Alkaline, PR700LB 9V Lithium

FG250 SERIES

BATTERY POWERED - ION

- Ionization smoke sensing technology
- RV approved (FG250AB & FG250LB)
- 9V battery powered



Available SKU's: FG250B: Carbon Zinc, FG250AB: Alkaline, FG250LB: Lithium

Battery Powered Alarms

Protect your properties from both fire and carbon monoxide related dangers with a complete line of First Alert Smoke, CO and Combination Alarms. First Alert® battery powered Smoke Alarms provide ultimate protection against fires. Our two-in-one technology in our Combo alarms deliver the same amount of protection as two separate devices in one design. First Alert Smoke/CO Combo alarms sound differentiated horn patterns that communicate the type of emergency, indicating a fire or carbon monoxide detection.

PHOTO, ION, PHOTO/ION COMBO, CO, PHOTO/CO COMBO AND ION/CO COMBO BATTERY POWERED

- Silence Feature
- Smart Technology - helps reduce the number of nuisance alarms
- CO and Combo alarms feature advanced electrochemical CO sensing technology
- Smoke and Combo alarms feature Photoelectric and or Ionization smoke sensing technologies
- 10 Year CO Sensor/End of Life signal (unless otherwise noted)/10 Year Warranty

PRC700 SERIES

BATTERY POWERED - PHOTO/CO COMBO

- Voice Warning with Location (PRC700VB).
- Advanced electrochemical CO and photoelectric smoke sensing technologies
- 10 Year CO Sensor/End of Life signal
- Two AA alkaline battery powered



Available SKU's: PRC700VB: Voice, PRC700B: Non-Voice

ZCOMBO-G

BATTERY POWERED - PHOTO/CO COMBO

- Works with First Alert protocol enabled Z-Wave technology wireless hubs.
- 7 Year CO Sensor/End of Life signal
- Two AA battery powered



This product is intended for non-professional do it yourself installation. If you would like information about a professionally installed and monitored system, please contact First Alert Professional at 1-800-921-6025. First Alert Professional is not affiliated with BRK Brands, Inc.

SCO2 SERIES

BATTERY POWERED - ION/CO COMBO

- Advanced electrochemical CO and ionization smoke sensing technologies
- 10 Year CO Sensor/End of Life signal
- 9V alkaline battery powered



Available SKU's: SCO2B: Alkaline, SCO2LB: Lithium



Battery Smoke, CO & Combo Alarms



CO250 SERIES

BATTERY POWERED - ELECTROCHEMICAL CO

- Advanced electrochemical CO sensing technology
- 10 Year CO Sensor/End of Life signal
- 9V battery powered



Available SKU's: CO250B: Alkaline,
CO250LB: 5 year Lithium



CO250LBT

CO250 w/TAMPER PROOF BRACKET

- Advanced electrochemical CO sensing technology
- Tamper proof bracket and screw, tamper proof bit included.
- 10 Year CO Sensor/End of Life signal
- 5 year 9V lithium battery powered



CO400B/CO410B

BATTERY POWERED - ELECTROCHEMICAL CO

- Advanced electrochemical CO sensing technology
- Silence feature
- 9V battery powered
- 7 Year CO Sensor/End of Life signal
- CO410B: Same features as above plus or instead of
 - Large display - shows visual confirmation of CO levels
 - 2 AA battery powered



Other Miscellaneous

EL52-2/EL53W-2

ESCAPE LADDERS

- Strong steel construction with slip-resistant rungs
- Large hooks secure easily to widow sills
- DuPont Cordura™ nylon strapping
- Fully assembled and ready to use
- Tested to ASTM standards




Available SKU's: EL52-2 Two-story 14 foot
long, EL53W-2 Three Story 24 foot long



PIR725

MOTION SENSING LIGHT SOCKET

- Installs in existing edison base light socket
- Senses movement in all directions (12 - foot range 360°)
- Works with incandescent bulbs up to 100 watts or compact fluorescent bulbs up to 50 watts



RM4

BRK RELAY

- 120-volt AC-powered
- Form-C contacts that switch between normally open and closed contacts
- Maximum contact rating: 120-volt AC and 30-volt DC; Resistive - 15 amps; Motor - 1/3 horsepower




ADF-12/ADK-12

ADAPTOR PLUGS

- Easily connect competitive alarms without rewiring
- For use with select Firex® and Kidde® smoke alarms
- Perfect for retrofit applications



Available SKU's: ADK-12 Kidde® adaptor,
ADF-12: Firex® adaptor



- smoke alarms
- carbon monoxide alarms
- fire extinguishers
- safety products



safety

RECONSIDERED



Are you offering the most advanced line of safety products to your consumers?

Today's homeowners are more informed and safety-conscious than ever. First Alert recognizes your need to meet the evolving demands of your loyal customers. When stocking your shelves with First Alert products, rest assured you are providing your customers with innovative solutions from the most recognized brand.

Leading innovations in home safety is just the beginning for First Alert. As your partner in home safety, we promise to keep you informed of the latest developments in the home safety category:

In recent years, several states have mandated the use of photoelectric smoke alarm technology in homes. As your public safety advocate, First Alert allows you to actively support your consumers in these states through our industry-leading comprehensive photoelectric product line.

In 2008, we've revised our product packaging to include educative icon-based messaging to motivate your consumers to purchase safety products with premium features.

With innovative products such as Tundra Fire Extinguishing Spray and ONELINK Wireless Alarms, we are expanding the safety category in both detection and suppression.

Customers in all channels of distribution have shown sales growth when they stock the First Alert Brand. From our award winning new products and innovative packaging, to our unique displays and merchandising concepts, First Alert products will drive your home safety business.

Look for these great features:



Contains both Photoelectric and Ionization Smoke sensors



Tamper-resistant design



Microchip minimizes false alarms



Photoelectric Smoke Sensing reduces false alarms such as those caused by cooking smoke and shower steam.



Talking alarm: Exclusive technology speaks the type and location of danger in your home when programmed



2 AA Batteries/Battery Backup



Remote Control Silence/Test: uses most remote controls to quiet unwanted alarms and test alarm functions



wireless



Dual Smoke & CO Sensing: Ultimate protection from two deadly dangers



120-volt AC Plug-In with Battery Backup



Eco-Friendly: completely recyclable as an electronic device



Mutes unwanted alarms



Sweeping Horn Tone: Varying horn tone makes it easier for those with normal age related hearing loss to hear alarm



No Rewiring: EZ adapter included. Fits most Kidde & Firex alarms



3 sensors in 1 alarm: carbon monoxide, propane gas and natural/methane gas



No battery replacement needed for 10 year life of alarm



Backlit Digital Display for greater visibility of hazard level and peak level



EZ access battery door



Lights a path to safety



Plug into any standard 120V AC outlet. No additional installation required



Why First Alert?

First Alert is America's most trusted brand in home safety. We are recognized by our premium standard of smoke alarms, carbon monoxide alarms, fire extinguishers, and other home safety products. No other manufacturer offers as versatile of a product line, while also driving expansion in the safety category with such innovative products as Tundra Fire Extinguishing Spray. We are the consumers #1 destination for fire and home safety information both in the news, online, and at storefront.

We have been the most trusted partner of safety-minded retailers and consumers ensuring home safety for fifty years. First Alert has great pride in our community involvement including a long standing, extensive outreach to fire service throughout the nation. National and local media experts turn to First Alert before any other when covering a home safety related topic. Last year, the First Alert brand touched media audiences more than 500 million times through placement in television, radio, online, and print.

Doing business with First Alert means you're partnering with the leader of the home safety category. Our mission is to manufacture the most innovative safety products for today's consumers.

merchandising

RECONSIDERED

Packaging Made Simple -

New packaging significantly enhances and simplifies the consumer shopping experience.



safety
made
simple

As a leader in home safety for 50 years, First Alert has created ground breaking technologies while supporting codes and performance standards to help safeguard consumers from dangerous fires. Considerable industry research around the use and response characteristics of photoelectric and ionization-type smoke alarms is fostering public policy discussions with lawmakers regarding how to provide consumers with the best protection available. While First Alert and industry experts agree that both technologies provide adequate escape time in most residential fires, a growing movement within state legislatures and the fire service community now favors photoelectric technology.

Photoelectric technology is significantly less prone to nuisance alarms and, therefore, decreases the risk of consumers improperly disabling batteries and thus leaving a home unprotected in the event of a house fire - research studies have found that consumers – about 22 percent (in a study done by the National Fire Protection Association (NFPA)) – will improperly remove the battery to deactivate the alarm.

Because photoelectric smoke alarms are proven to be less prone to nuisance alarms and potential deactivations, First Alert supports their installation and is encouraging and supporting fire service administration and lawmakers to move towards the use of photoelectric smoke sensing technology as part of a comprehensive fire safety program.





18 piece Gravity Display
Part #: AF400-18WP



Standard 4 Pack Tray
Part #: AF400



18 piece Floor Display
Part #: AF400-18FD



18 piece Shelf Display
Part#: AF400-18SD



What is it?

- A fire extinguishing spray that is powerful, effective, and intuitive to use.
- Designed with families in mind, it's easy to clean, biodegradable, and non-toxic.

Why retailers love Tundra spray

- Tundra spray consistently out sells traditional fire extinguishers.
- No Hazmat shipping fees!
- Unique shelf, floor standing, and power wing displays create opportunities to significantly expand sales of the safety set.
- Tundra spray is backed by the consumer-trusted First Alert® brand.

Tundra spray is more effective than traditional fire extinguishers on common household fires

- More than half of all fires start in the kitchen; traditional fire extinguishers are not formulated for this specific purpose.
- Tundra has a discharge time up to 4x longer than traditional fire extinguishers allowing 32 seconds of fire fighting power.**

What makes Tundra unique.

- A first in the industry. The wide-spray pattern allows the agent to more effectively fight a greater surface area of the fire at once-3x greater than a typical actuator.
- Ability to be able to fight fires involving electrical equipment. Independent testing has shown the spray pattern is not electrically conductive at 35,000 volts making it safe to fight small electrical fires.
- Tundra has been classified by ETL* for fire performance.



GREASE



FABRIC/TRASH



ELECTRIC*

SAFE | EASY | EFFECTIVE



* Classified for Compliance to UL Subject 711A (Class K), UL 711 Electrical Conductivity (Class C) up to 35,000 Volts. Classified for Compliance to KOFEIS 0108 (Class A) Trash Can, Curtain and Cushion Fires.

** 4x greater than 2-B:C or 5-B:C kitchen fire extinguisher; Minimum of approximately 32 seconds vs. approximately 8 seconds



Innovative Safety Solutions

First Alert offers battery operated alarms with the benefits of a hardwired system. OneLink alarms by First Alert feature a wireless connection so when one alarm is triggered, all alarms sound - Faster notification allows faster escape. Now you can enjoy the same level of protection that new homeowners receive without the cost of an electrician.

New Technology Provides New Options

Code and Fire Inspectors are now recognizing the advantages of ONELINK® Technology alarms which are coupled with the nuisance resistant photoelectric sensing technology. The incorporation of these technologies provides an exceptional alarm that can be offered as a lower cost alternative to installing hardwired alarms in retrofitting and remodeling applications.



SA501CN

Wireless Enabled Battery Operated Smoke Alarm

- Photoelectric Smoke Sensing Technology—stops most false alarms and is environmentally friendlier
- Test/Silence Button
- Low Battery Warning Silence
- 2 AA Batteries
- 10-year limited warranty

* Also available in starter twin pack with helpful DVD (SKU: SA501CN2)



SA521CN


Wireless Enabled 120-Volt AC Hardwired Smoke Alarm

- Easily expand an existing interconnected 120V AC system by replacing one alarm in the series with this alarm
- Photoelectric Smoke Sensing Technology—stops most false alarms and is environmentally friendlier
- Test/Silence Button
- Low Battery Warning Silence
- 2 AA Batteries
- 10-year limited warranty



Exclusive! **Voice Warning!** WITH LOCATION™

OneLink alarms Exclusive Voice Location provides a protection that is offered only by First Alert. All OneLink alarms with voice will verbally notify you of the danger and the location of the danger so that you can alter your escape plan if needed.



SCO501CN

Wireless-enabled Battery Operated Combination Smoke & CO Alarm with Voice & Location

- Choose one of eleven pre-programmed locations
- Photoelectric Smoke Sensing Technology – stops most false alarms and is environmentally friendlier
- Test/Silence Button
- Low Battery Warning Silence
- 2 AA Batteries
- End of Life Timer
- 5-year limited warranty



C0511CN

Wireless Enabled Battery Operated Carbon Monoxide Alarm with Voice & Location

- Choose one of eleven pre-programmed locations
- Test/ Silence Button
- Low Battery Warning Silence
- 2 AA Batteries
- End of Life Timer
- 5-year limited warranty



SA511CN

Wireless Enabled Battery Operated Smoke Alarm with Voice & Location

- Choose one of eleven pre-programmed locations
- Photoelectric Smoke Sensing Technology - stops most false alarms and is environmentally friendlier
- Test/ Silence Button.
- Low Battery Warning Silence
- 2 AA Batteries
- 10-year limited warranty



* Also available in starter twin pack with helpful DVD (SKU:SA511CN2)

Add additional battery-operated **First Alert® ONELINK®** Enabled Alarms to create a wireless safety network.

smoke ALARMS



SA720CN
Smoke Alarm with
Escape Light



photoelectric battery operated



SA710LCN
Smoke Alarm with
Lithium Battery

- Single Button Silence/Test
- 9-volt Removable Lithium Battery
- 10-Year Limited Warranty



SA710CN
Smoke Alarm
with Silence

- Single Button Silence/Test
- 9-volt Battery
- 10-Year Limited Warranty



photoelectric



mute button



remote mute



Hardwired



sweeping horn
pattern



10-year lithium
battery



bright escape
light



tamper resistant
design



photoelectric and
ionization



wireless

SA302CN
Dual Ionization and Photoelectric Smoke Alarm

- Utilizes both Ionization and Photoelectric Smoke Sensors
- Intelligent Sensing Technology reduces non-emergency or nuisance alarms
- Remote Control Silence/Test—uses most remote controls to quiet unwanted alarms and test alarm functions
- 9-volt Battery
- Single Button Silence/Test
- 10-Year Limited Warranty

Also available with lithium battery: SA302LCN



SA340CN
Sealed Smoke Alarm with 10-Year Lithium Power

- 10-Year Sealed Lithium Power Cells
- Meets Local Codes
- Tamper Resistant Design
- Single Button Silence/Test
- 10-Year Limited Warranty



SA305CN
Smoke Alarm with Lithium Battery

- 9-volt Removable Lithium Battery
- Single Button Silence/Test
- Locking Features Lock Battery Drawer and Alarm to Base
- 10-Year Limited Warranty



SA304CN
Smoke Alarm with Escape Light

- Bright Escape Light
 - 9-volt Battery
 - Single Button Silence/Test
 - Locking Features Lock Battery Drawer and Alarm to Base
 - 10-Year Limited Warranty
- Also available with lithium battery: SA304LCN



FG200B
Family Gard Smoke Alarm

- Test Button
- 9-volt Battery
- Non-branded carton packaging
- 3-Year Limited Warranty



SA303CN
Smoke Alarm with Silence

- Single Button Silence/Test
 - 9-volt Battery
 - Locking Features Lock Battery Drawer and Alarm to Base
 - 10-Year Limited Warranty
- Also available without silence: SA300CN



ionization battery operated

CO615
Battery Backup
and Digital Display



carbon monoxide

ALARMS



CO605
Battery Backup

- 120-volt AC Plug-In with Battery Backup
- 2 AA Battery Backup
- Front-Access Battery Compartment
- Single Button Silence/Test
- Low Battery Warning Silence
- End of Life Timer
- 5-Year Limited Warranty



CO600
Basic

- 120-volt AC Plug-In
- Single Button Silence/Test
- End of Life Timer
- 5-Year Limited Warranty



CO410
Digital Display

- Backlit Digital Display for greater visibility of hazard level and peak level
- 2 AA Batteries
- Front-Access Battery Compartment
- Single Button Silence/Test
- Low Battery Warning Silence
- End of Life Timer
- 5-Year Limited Warranty



CO400
Basic

- 2 AA Batteries
- Front-Access Battery Compartment
- Single Button Silence/Test
- Low Battery Warning Silence
- End of Life Timer
- 5-Year Limited Warranty



plug in

battery operated



photoelectric



mute button



remote mute



Hardwired



sweeping horn pattern



10-year lithium battery



bright escape light



tamper resistant design



photoelectric and ionization



wireless

combination ALARMS

SCO7CN

Smoke & Carbon Monoxide Alarm with Voice & Location

- Photoelectric Sensing Technology
- Exclusive Voice Alarm with Location
- 2 AA Batteries
- Remote Control Silence/Test
- Single Button Silence/Test
- Low Battery Warning Silence
- End of Life Timer
- 5-Year Limited Warranty



battery operated

GCO1CN

Combination Explosive Gas & Carbon Monoxide Alarm

- 3-Way Protection against Natural/ Methane Gas, Propane Gas and Carbon Monoxide
- Backlit Digital Display
- 120-volt AC Plug-In with Battery Backup
- 2 AA Batteries
- Front-Access Battery Compartment
- Remote Control Silence/Test
- Single Button Silence/Test
- Low Battery Warning Silence
- Line Cord for additional Installation Options
- End of Life Timer
- 5-Year Limited Warranty



SCO5CN

Smoke & Carbon Monoxide Alarm

- Photoelectric Sensing Technology
- 2 AA Batteries
- Single Button Silence/Test
- Low Battery Warning Silence
- End of Life Timer
- 5-Year Limited Warranty



EZ adapter



eco-friendly



backlit digital display



plug & protect



battery backup



dual smoke & co sensing



talking alarm



3-way protection



EZ access battery drawer



smart sensing

hardwired

SMOKE & HEAT ALARMS



7020B

120-volt AC smoke Alarm with
Escape Light and Battery Backup



First Alert® Hardwired Alarms can be interconnected with up to eleven additional BRK® and First Alert® hardwired smoke or CO alarms and six compatible devices.

hardwired photoelectric smoke alarms



7010B

120-volt AC Smoke Alarm
with Battery Backup

- 120-volt AC with 9V Battery Backup
- Single Button Silence/Test
- Tamper-Resistant Locking Pins
- Universal Mounting Bracket
- Side-Load Battery Drawer
- 10-Year Limited Warranty



7010

120-volt AC
Smoke Alarm

- 120-volt AC
- Single Button Silence/Test
- Tamper-Resistant Locking Pins
- Universal Mounting Bracket
- 10-Year Limited Warranty



photoelectric



mute button



remote mute



Hardwired



sweeping horn
pattern



10-year lithium
battery



bright escape
light



tamper resistant
design



photoelectric and
ionization



wireless

9120
120-volt AC
Smoke Alarm

- 120-volt AC
- Single Button Silence/Test
- Tamper-Resistant Locking Pins
- Universal Mounting Bracket
- Latching Alarm Indication
- 10-Year Limited Warranty



9120B
120-volt AC Smoke Alarm
with Battery Backup

- 120-volt AC with 9V Battery Backup
 - Single Button Silence/Test
 - Tamper-Resistant Locking Pins
 - Universal Mounting Bracket
 - Side-Load Battery Drawer
 - Latching Alarm Indication
 - 10-Year Limited Warranty
- Also available in clamshell: SA9120BCN



RM4
Relay

- Activates auxiliary devices like a bell, siren, strobe light, exhaust fan, alarm panel, or door closer when connected alarm is activated
- 120-volt AC
- Form C contacts switch between a normally open contact a normally closed contact
- Maximum contact range: 120-volt AC and 30 volt DC; Resistive-15
- Fits in most standard junction boxes



100S
120-volt AC Hearing
Impaired Smoke Alarm

- Meets requirements of the ADA (Americans with Disabilities Act)
- 177-Candela Strobe Light
- 120-volt AC
- Test Button
- 10-Year Limited Warranty



HD6135FB
120-volt AC Heat Alarm
with Battery Backup

- 135°F fixed and 15°F/min rate-of-rise heat alarm
- 120-volt AC with 9V Battery Backup
- Single Button Silence/Test
- Tamper-Resistant Locking Pins
- Universal Mounting Bracket
- Side-Load Battery Drawer
- Latching Alarm Indication
- Dust Cover
- Interconnectable with BRK® and First Alert® hardwired smoke and CO alarms
- 10-Year Limited Warranty



FIRE extinguishers



AF400
Tundra Fire
Extinguisher Spray

- 4x Longer Spray Time than Traditional Fire Extinguishers
- Non-Toxic, Biodegradable
- Easy Clean Up



KFE2S5
Kitchen Fire Extinguisher

- UL Rated 5-B:C
- Quick-Release Mounting Cap for Easy Access
- Push Button Pressure Check
- Sodium Bicarbonate Extinguishing Agent
- 10-Year Limited Warranty

Also available in Pewter color: KFE2S5PW



FESA5
Auto Fire Extinguisher

- UL rated 5-B:C
- Unique Protective Bracket Mounts in Vehicles
- US DOT approved
- Push Button Pressure Check
- Sodium Bicarbonate Extinguishing Agent
- 10-Year Limited Warranty



FE5GO
Recreation Fire Extinguisher

- UL Rated 5-B:C
- Commercial-Grade Metal Valve and Trigger
- Easy-to-Read Pressure Gauge
- Bracket with Strap for Easy Mounting
- U.S. Coast Guard Approved
- Sodium Bicarbonate Extinguishing Agent
- 10-Year Limited Warranty

Also available in Marine White color: FE5GO-MN



FE10GO
Garage Fire Extinguisher

- UL Rated 10-B:C
- Commercial-Grade Metal Valve and Trigger
- Easy-to-Read Pressure Gauge
- Bracket with Strap for Easy Mounting
- U.S. Coast Guard Approved
- Sodium Bicarbonate Extinguishing Agent
- 10-Year Limited Warranty

Available in Marine White color: FE10GO-MN (pictured) and Red: FE10GO

non-rechargeable

rechargeable

FE1A10GO

Multi-Purpose Home Fire Extinguisher

- UL rated 1-A: 10-B:C
- Commercial-Grade Metal Valve and Trigger
- Easy-to-Read Pressure Gauge
- Bracket with Strap for Easy Mounting
- U.S. Coast Guard Approved
- Monoammonium Phosphate Extinguishing Agent
- 10-Year Limited Warranty

Also available in Designer Pewter color: FE1A10GOP; and Marine White color: FE1A10GOW



FE2A10GR

5lb. Compliance Fire Extinguisher

- UL rated 2-A:10-B:C, meets minimum 2-A:10-B:C code requirements
- Fits Easily Inside Standard Fire Box
- Commercial-Grade Metal Valve and Trigger
- Rechargeable
- Ideal for Offices, Homes and Workshops
- Monoammonium Phosphate Extinguishing Agent
- 12-year Limited Warranty



FE3A40GR

5lb. Heavy Duty Plus Fire Extinguisher

- UL rated 3-A:40-B:C, exceeds minimum 2-A:10-B:C code requirements
- Fits Easily Inside Standard Fire Box
- Commercial-Grade Metal Valve and Trigger
- Rechargeable
- Ideal for Offices, Homes and Workshops
- Monoammonium Phosphate Extinguishing Agent
- 12-Year Limited Warranty



FE4A60B

10lb. Commercial Fire Extinguisher

- UL rated 4-A:60-B:C
- Fits Inside Standard Fire Box
- Commercial-Grade Metal Valve and Trigger
- Rechargeable
- Ideal for Offices and Commercial Applications
- Monoammonium Phosphate Extinguishing Agent
- 12-year Limited Warranty



FE20A120B

20lb. Heavy Duty Commercial Fire Extinguisher

- UL rated 20-A:120-B:C
- Commercial-Grade Metal Valve and Trigger
- Rechargeable
- Ideal for Commercial and Special Applications
- Monoammonium Phosphate Extinguishing Agent
- 2-year Limited Warranty



FEBRA2-6

Steel Fire Extinguisher Bracket

- Designed for secure mounting in Marine and Vehicle Applications
- Fits Models FE5GO, FE10GO, FE1A10GO
- Approved for Marine Use



FEBRA5-6

Steel Fire Extinguisher Bracket

- Designed for Mounting Heavy Duty Fire Extinguishers
- Fits Models FE2A10GR and FE3A40GR
- Approved for Marine Use



rechargeable

brackets

additional

SAFETY PRODUCTS



escape ladder

motion sensing



EL52-2 2-Story Escape Ladder

- 14-foot Long Assembled Escape Ladder
- Strong Steel Construction
- Large Hooks Secure Easily to Window Sills
- Slip-Resistant Rungs
- DuPont Cordura™ Nylon Strapping
- 6-Year Limited Warranty
- Tested to ASTM standards
- Also available in 3-story length: **EL53W-2**



PIR720R Motion Sensor

- Motion Sensing Hand-Free Socket Automatically Turns on Light when you enter room and off when you leave
- Installs in Existing Light Socket
- Senses Movement in all Directions (12-foot range 360°)
- For use with 25-100 watt Incandescent Bulbs
- Ideal for Laundry Rooms, Basements, Walk-in Closets and Garages


LT1 Lead Test Kit

- Tests paint and other items for lead content
- Kit includes all test materials
- No lab-testing necessary




RD1 Radon Gas Test Kit

- Everything included for a complete mail-in radon test
- Kit includes all test materials, manual and preprinted return envelope
- Listed under EPA Radon Gas Measurement Proficiency Program
- Lab test fee included—no additional fees required



MT1 Mold Test Kit

- Tests desired and spots for harmful or toxic mold spores
- Everything included for a complete mail-in mold test
- Kit includes all test materials, manual and preprinted return envelope



WT1 Water Test Kit

- Tests water for harmful bacteria, hardness, mineral content and more
- Kit includes all test materials
- No lab-testing necessary



BRK®

THE PROFESSIONAL STANDARD



ProductCatalog



Why BRK?

50 years of category leadership make BRK Pro Standard products the first choice of professionals and contractors for their home safety and security needs. BRK is the most recognized brand in the contractor channel and boasts the leading market share position. BRK has the history, the experience, and the products to make the contractor's job easier. No brand is more focused on giving the pros what they need in residential safety and security products.

Hardwired

SMOKE ALARMS

7010 SERIES

AC & AC/DC PHOTOELECTRIC SMOKE ALARMS

- Photoelectric smoke sensing technology
- Single button test/silence
- Optipath 360 Technology™ – patented technology provides 360° of direct access to the smoke sensors
- Perfect Mount – allows for easy alignment of alarm
- Dust Cover
- 10 year warranty
- Escape light illuminates path to safety (model 7020B)

Available versions:

7010: AC only

7010B: AC with 9V battery backup

7020B: AC with 9V battery backup & escape light



7020B

120V AC & AC/DC SMOKE ALARMS

- Single button test/silence
- Latching alarm indicator – remembers which unit initiated an alarm
- Smart Technology – helps reduce the number of nuisance alarms
- Perfect Mount – allows for easy alignment of alarm
- Dust Cover
- 10 year warranty

Available versions:

9120: AC only

9120B: AC with 9V battery backup

9120AB: AC with 9V Alkaline battery backup

9120LB: AC with 9V Lithium battery backup

9120B-GFD: 9120B 18-pack Gravity Feed Display

91206CP: 9120 in bulk Contractor 6-pack

9120B6CP: 9120B in bulk Contractor 6-pack

9120 SERIES



120V AC SMOKE/STROBE COMBO

- Designed for hearing impaired residents
- Meets the requirements of the ADA (Americans with Disabilities Act)
- Bright 177 candela strobe light
- 1Hz flash rate meets requirements for visual signaling devices
- 10 year warranty

100S



Hardwired

CARBON MONOXIDE ALARMS



SC7010 SERIES

120V AC/DC PHOTOELECTRIC SMOKE & CO COMBO ALARM w/VOICE

- Voice Warning with Location – Exclusive! A voice will tell you the programmed location of unit and the danger detected (model SC7010BV).
- Spread Spectrum Horn Tone – Lower and varying horn frequency makes it easier for the elderly with normal age related hearing loss to hear the horn.
- Two Latching features – Alarm Latch: Remembers which unit initiated an alarm. Low Battery Latch: Identifies which unit is in low battery condition.
- Two silence features – can silence the low-battery chirp for up to eight hours or temporarily silence an unwanted nuisance alarm
- 5 year warranty



Available versions:

SC7010B: AC with 2AA alkaline battery backup
 SC7010BV: AC with 2AA alkaline battery backup and voice

SC9120B

120V AC/DC SMOKE & CO COMBO ALARM



- Single button test/silence
- Latching alarm indicator – remembers which unit initiated an alarm
- Two silence features – can silence the low-battery chirp for up to eight hours or temporarily silence an unwanted nuisance alarm
- Intelligent Sensing Technology™ – helps reduce the number of nuisance alarms
- Perfect Mount – allows for easy alignment of alarm
- Dust Cover
- 5 year warranty



CO5120 SERIES

120V AC/DC CARBON MONOXIDE ALARMS



- Single button test/silence
- Latching alarm indicator – remembers which unit initiated an alarm
- Two silence features - can silence the low-battery chirp for up to eight hours or temporarily silence an unwanted nuisance alarm
- Intelligent Sensing Technology™ – helps reduce the number of nuisance alarms
- Dust Cover
- 5 year warranty
- LCD digital display with memory (model CO5120PDBN)



CO5120PDBN

Hardwired

ADDITIONAL SAFETY


120V AC/DC HEAT ALARM W/RATE-OF-RISE

HD6135FB

- 135°F Fixed temperature and Rate-of-Rise
- Thermistor heat sensor
- Remote Control Silence/Test uses most remote controls to temporarily quiet unwanted alarms and test alarm functions
- Latching alarm indicator – remembers which unit initiated an alarm
- Two silence features - can silence the low-battery chirp for up to eight hours or temporarily silence an unwanted nuisance alarm
- 9V battery backup
- For applications not suitable for smoke alarms
- 10 year warranty



Listed to
UL 539
Standard



Understanding Rate of Rise

This allows the unit to sense a heat rise and alarm prior to reaching the fixed temperature. The alarm will sound when the microprocessor senses a temperature rise of a set number of degrees per minute. This enables a more rapid response to a potential fire.

120V AC SMART STROBE

SL177

- Smart Strobe has separate flash patterns to distinguish between a smoke/heat or CO danger
- Bright 177 candela strobe light
- 1Hz flash rate meets ADA, ANSI 117.1, NFPA 72 and UL 1971 requirements for visual signaling devices
- Can be interconnected with BRK/First Alert smoke, heat and carbon monoxide alarms
- 10 year warranty



Listed to
UL 1971
Standard

RELAY

RM4


- Now works with "Smart interconnect" BRK CO alarms
- 120-volt AC-powered
- Form-C contacts that switch between normally open and closed contacts
- Maximum contact rating: 120-volt AC and 30-volt DC; Resistive-15 amps; Motor-1/3 horsepower
- 10 year warranty



ADAPTOR PLUGS

ADK-12/ADF-12

- Easily connect competitive alarms without rewiring
- For use with most Firex® and Kidde® smoke alarms
- Perfect for retrofit applications



Available: ADK-12 Kidde® adaptor
ADF-12: Firex® adaptor