



2016 – 2017

North American Product Catalog






Saw Chain

5 – 13



Guide Bars

14 – 52



Guide Bar Mounts

53 – 58



Sprockets

59 – 68



Accessories

69 – 81



For North America only |

**Attention Dealers:
Please Read Thoroughly**


Certain provisions of the safety standard known as “ANSI (American National Standards Institute) B175.1” contain requirements designed to reduce the risk of injury due to kickback from chain saws sold in the United States. Kickback is a rapid upward and backward motion of the chain saw that can occur when the moving saw chain, near the upper portion of the tip of the guide bar, contacts an object such as a log or branch. The ANSI standard contains test methods to evaluate the kickback potential for both chain saws and replacement saw chain.

The saw chain sections of this catalog are designed to help you select appropriate replacement saw chains in order to maintain compliance with the ANSI standard.

**Green-label chain is
low-kickback chain.**

**Yellow-label chain does not comply
with the low-kickback requirements
of the standard.**

The Yellow label reads:



WARNING
ATTENTION: READ
THIS The saw chain in this package may be capable of kickback that could result in serious injury to the chain saw operator or bystanders. Do not use this saw chain unless you have experience and specialized training for dealing with kickback.


The green label reads:



CLASSIFIED
C UL US 17R2 **LOW KICKBACK SAW CHAIN IN ACCORDANCE WITH ANSI/OPEI B175.1-2012, PARAGRAPH 5.11.2.4 AND WITH CSA Z62.3**

This saw chain met the kickback performance requirements of ANSI B175.1-2012 when tested according to the provisions of ANSI B175.1-2012. Low-kickback saw chain meets the kickback performance requirements of CSA Standard Z62.3.

Saw Chain •



ANSI

1/4"



E1MC-BL

.050" 1.3 mm



3/8" LP



N4C

.043" 1.1 mm



3/8" LP



N4C-BL

.043" 1.1 mm



3/8" LP

N1C

.050" 1.3 mm




3/8" LP




N1C-BL

.050" 1.3 mm



Carlton®, Oregon®, Windsor®, Dura Tip™, Safe Tip™, Semi-Pro Tip™, Super Pro™, Speed Tip™, Chamfer Chisel™, , and File-O-Plate® are registered trademarks of Blount, Inc. All other marks are property of their respective owners.



ANSI

.325"	K1L	.050"	1.3 mm		
	K2L	.058"	1.5 mm		
	K3L	.063"	1.6 mm		
	K1LSK [†]	.050"	1.3 mm		
	K3LSK [†]	.063"	1.6 mm		

.325"	K1C	.050"	1.3 mm		
	K2C	.058"	1.5 mm		
	K3C	.063"	1.6 mm		

.325"		K1C-BL	.050"	1.3 mm		
		K2C-BL	.058"	1.5 mm		
		K3C-BL	.063"	1.6 mm		

.325"			K1NK-BL	.050"	1.3 mm		
--------------	--	--	---------	-------	--------	--	--



Chisel



Semi-chisel



Micro chisel



Chipper



Chamfer Chisel™



Narrow kerf



Bumper link




Guard link

Regular sequence






SK[†] = Skip sequence







ANSI


3/8"	A1LM	.050"	1.3 mm	 
	A2LM	.058"	1.5 mm	
	A3LM	.063"	1.6 mm	
	A1LMSK†	.050"	1.3 mm	
	A2LMSK†	.058"	1.5 mm	
	A3LMSK†	.063"	1.6 mm	



3/8"		A1LM-BL	.050"	1.3 mm	 
------	---	---------	-------	--------	---




3/8"	A1EP	.050"	1.3 mm	 
	A2EP	.058"	1.5 mm	
	A3EP	.063"	1.6 mm	
	A1EPSK†	.050"	1.3 mm	



3/8"		A1EP-RP	.050"	1.3 mm	 
		ripping			





ANSI


.404"	B3LM B3LMSK[†]	.063" 1.6 mm .063" 1.6 mm		
--------------	--	------------------------------	--	--

.404"	B3EP	.063" 1.6 mm		
--------------	-------------	--------------	--	--

.404"	B3H-RP ripping	.063" 1.6 mm		
--------------	--------------------------	--------------	--	--



- | | | | | | | | |
|--------|-------------|--------------|---------|-----------------|-------------|-------------|------------|
| | | | | | | | |
| Chisel | Semi-chisel | Micro chisel | Chipper | Chamfer Chisel™ | Narrow kerf | Bumper link | Guard link |










E1MC-BL	90°	30°	.025	85° – 90°	60°	5/32" 4.0 mm	
N4C N4C-BL	90°	35°	.025"	85° – 90°	60°	5/32" 4.0 mm	
N1C N1C-BL	90°	35°	.025"	85° – 90°	60°	5/32" 4.0 mm	
K1L K2L K3L K1LSK† K3LSK†	80°	30°	.025"	80° – 90°	60°	11/64" 4.5 mm	
K1C K2C K3C K1C-BL K2C-BL K3C-BL	90°	30°	.025"	85° – 90°	60°	3/16" 4.8 mm	
K1NK-BL	90°	30°	.025"	85° – 90°	60°	3/16" 4.8 mm	20C0616 6" – 13 cm
A1LM A2LM A3LM A1LMSK† A2LMSK† A3LMSK† A1LM-BL	80°	30°	.025"	80° – 90°	60°	7/32" 5.5 mm	
A1EP A2EP A3EP A1EPSK†	90°	35°	.025"	85° – 90°	60°	7/32" 5.5 mm	
A1EP-RP	80°	10°	.020"	70°	55°	7/32" 5.5 mm	
B3LM B3LMSK†	80°	35°	.040"	80° – 90°	60°	7/32" 5.5 mm	
B3EP	90°	35°	.030"	85° – 90°	60°	7/32" 5.5 mm	
B3H-RP	90°	5° – 10°	.036"	85° – 90°	60°	7/32" 5.5 mm	

K1C-BL-072G











Pitch	Gauge	Semi-chisel	Bumper link	Drive link count	Reel length (ft.)	Loop box, North America
A 3/8"	1 .050" 1.3 mm	C Semi-chisel	BL 			G 
B .404"	2 .058" 1.5 mm	EP Semi-chisel				U 
E 1/4"	3 .063" 1.6 mm	L Chisel				K 
K .325"	4 .043" 1.1 mm	LM Chisel				
N 3/8" Lo Pro		MC Micro chisel				
		NK Narrow kerf 				
		H-RP EP-RP Semi-chisel Ripping				

Drive Link Count per Reel

Pitch	Drive Link Count	Reel Length (ft.)
100'	25'	
1/4"	2,392	600
.325"	1,848	464
3/8"	1,640	412
.404"	1,484	372



#								
	Drive link	Tie strap	Pre-set tie strap	RH cutters	LH cutters	Bumper link	Universal guard link	Repair kit

E1MC-BL	P18960	43044	43045	43046	43047	P21893	-	-
N4C	43122PK	43002PK	42993PK	43063	43064	-	-	-
N4C-BL	43122PK	43002PK	42993PK	43063	43064	43123PK	-	-
N1C	43105PK	43002PK	43011PK	43063	43064	-	-	41105RK
N1C-BL	43105PK	43002PK	43011PK	43063	43064	43103PK	-	41104RK
K1L	43100	43000	43008	43060	43061	-	-	41100
K1LSK[†]								
K2L	43101	43000	43008	43060	43061	-	-	41101
K3L	43102	43000	43009	43060	43061	-	-	41102
K3LSK[†]								
K1C	43100	43000	43008	43070	43071	-	-	41100
K2C	43101	43000	43008	43070	43071	-	-	41101
K3C	43102	43000	43009	43070	43071	-	-	41102
K1C-BL	43100	43000	43008	43070	43071	43037	-	41122
K2C-BL	43101	43000	43008	43070	43071	43038	-	-
K3C-BL	43102	43000	43009	43070	43071	43036	-	41124
K1NK-BL	Please contact Carlton I Blount, Inc.: 800-223-5168							
A1LM	552354	43003	43012	43191	43190	-	-	552359
A1LMSK[†]								
A2LM	552355	43003	43012	43191	43190	-	-	552360
A2LMSK[†]								
A3LM	552356	43003	43013	43191	43190	-	-	552226
A3LMSK[†]								
A1LM-BL	552356	43003	43012	43191	43190	-	-	552991
A1EP	552354	43003	43012	43074	43075	-	-	552359
A1EPSK[†]								
A2EP	552355	43003	43012	43074	43075	-	-	552360
A3EP	552356	43003	43013	43074	43075	-	-	552226
A1EP-RP	552354	43003	43012	-	-	-	-	552359
B3LM	554721	43004	43015	43300PK	43301	-	-	554723
B3LMSK[†]								
B3EP	554721	43004	43015	43066	43086	-	-	554723
B3H-RP	554721	43004	43015	-	-	-	-	554723





ANSI



STIHL®



E1MC-BL	1/4"	.050"	1.3 mm	■	25AP	13RM	–
N4C	3/8" LP	.043"	1.1 mm	■	–	61PMM	43RG
N4C-BL	3/8" LP	.043"	1.1 mm	■	90PX	61PMM3	–
N1C	3/8" LP	.050"	1.3 mm	■	91VXL	63PM	50R
N1C-BL	3/8" LP	.050"	1.3 mm	■	91PXL	63PM3	–
K1L	.325"	.050"	1.3 mm	■	20LPX	23RS	50JL
K2L	.325"	.058"	1.5 mm	■	21LPX	25RS	58JL
K3L	.325"	.063"	1.6 mm	■	22LPX	26RS	63JL
K1LSK[†]	.325"	.050"	1.3 mm	■	20JPX	–	–
K3LSK[†]	.325"	.063"	1.6 mm	■	22JPX	–	–
K1C	.325"	.050"	1.3 mm	■	–	23RM	50J
K2C	.325"	.058"	1.5 mm	■	–	25RM	–
K3C	.325"	.063"	1.6 mm	■	–	26RM	–
K1C-BL	.325"	.050"	1.3 mm	■	20BPX	23RM3	–
K2C-BL	.325"	.058"	1.5 mm	■	21BPX	25RM3	–
K3C-BL	.325"	.063"	1.6 mm	■	22BPX	26RM3	–
K1NK-BL	.235"	.050"	1.3 mm	■	95VPX	–	–
A1LM	3/8"	.050"	1.3 mm	■	72LGX	33RS / 33RSK	50APL
A2LM	3/8"	.058"	1.5 mm	■	73LGX	35RS	58APL
A3LM	3/8"	.063"	1.6 mm	■	75LGX	36RS	63APL
A1LMSK[†]	3/8"	.050"	1.3 mm	■	72JGX	33RSF	–
A2LMSK[†]	3/8"	.058"	1.5 mm	■	73JGX	–	–
A3LMSK[†]	3/8"	.063"	1.6 mm	■	75JGX	–	–
A1LM-BL	3/8"	.050"	1.3 mm	■	72LPX	33RS / 33RSK	–
A1EP	3/8"	.050"	1.3 mm	■	72DPX	33RM	50A
A2EP	3/8"	.058"	1.5 mm	■	73DPX	35RM	58A
A3EP	3/8"	.063"	1.6 mm	■	75DPX	36RM	63A
A1EPSK[†]	3/8"	.050"	1.3 mm	■	–	–	–
A1EP-RP	3/8"	.050"	1.3 mm	■	72RD	–	–
B3LM	.404"	.063"	1.6 mm	■	59L	46RS	63BL
B3LMSK[†]	.404"	.063"	1.6 mm	■	–	–	–
B3EP	.404"	.063"	1.6 mm	■	27X	46RMF [†] Skip sequence only	–
B3H-RP	.404"	.063"	1.6 mm	■	27R	–	–

Regular sequence

SK[†] = Skip sequence




ANSI Carlton saw chains that comply with the ANSI Low-Kickback Standard are indicated with a green ■ square.

Carlton saw chains that do not comply with the ANSI Low-Kickback Standard are indicated with a yellow ■ square.

Competitor part numbers are for reference only, and do not indicate that competitor chains are in compliance with the ANSI standard.



16-81-A260-SP12



16 **81** **A** **2** **60** **SP** **12**

Bar length

Mount

Pitch


Gauge

Drive link count

Bar type

Nose sprocket tooth count



10	01	A 3/8"	1 .050"		RK Safe Tip™
12	01W	K .325"	2 .058"		PT Semi-Pro Tip™
13	10	N 3/8" Lo Pro	3 .063"		SP Super Pro™
14	10W				ST Speed Tip™
15	26				
16	38				
18	42				
20	71				
21	81				
22					
24					
28					
32					
36					





3/8-11T = **11**



3/8-12T = **12**





™ Narrow kerf = **NK**



13	01W	058	.058"		DT Dura Tip™ DTL Dura Tip™ large
15	42	063	.063"		DT
16	55				DTL
18	57				
20	81				
24					
25					
28					
30					
36					



Safe Tip™ (RK)



Safe Tip™



3/8" Lo Pro

7 T

≤ 2.5 cu. in.
≤ 40 cc



10" – 18"
25 – 45 cm

- Laminated nickel chromium alloy construction
- Narrow nose to reduce kickback
- For small consumer gas and electric saws

#		
14-01-N152-RK	01	14 in. Safe Tip
16-01-N156-RK	01	16 in. Safe Tip
10-10-N140-RK	10	10 in. Safe Tip
12-10-N145-RK	10	12 in. Safe Tip
14-10-N152-RK	10	14 in. Safe Tip
16-10-N156-RK	10	16 in. Safe Tip
18-10-N162-RK	10	18 in. Safe Tip
12-26-N144-RK	26	12 in. Safe Tip
14-26-N150-RK	26	14 in. Safe Tip
16-26-N155-RK	26	16 in. Safe Tip
16-29-N154-RK	29	16 in. Safe Tip
12-29-N144-RK	29	12 in. Safe Tip
14-29-N149-RK	29	14 in. Safe Tip




Semi-Pro Tip™ (PT)




Semi-Pro Tip™	3/8" Lo Pro .325" 3/8" .325"	9 T 10 T 11 T 12 T	2.5 – 3.5 cu. in. 40 – 57 cc	12" – 20" 30 – 50 cm
---------------	---------------------------------------	-----------------------------	---------------------------------	-------------------------


- Laminated nickel chromium alloy construction
- Larger nose helps dissipate heat
- For small / casual user saws



3/8LP-9T







325-10T






325-12T, 3/8-11T

Small radius • multi-rievet nose
Radio pequeño • punta con remaches múltiples
Petit rayon • Nez à plusieurs rivets

#			#		
14-01-N152-PT	01	14 in. Semi-Pro Tip	12-26-N144-PT	26	12 in. Semi-Pro Tip
16-01-N156-PT	01	16 in. Semi-Pro Tip	14-26-N150-PT	26	14 in. Semi-Pro Tip
13-01W-K156-PTNK	01W	13 in. Semi-Pro Tip	16-26-N155-PT	26	16 in. Semi-Pro Tip
15-01W-K164-PTNK	01W	15 in. Semi-Pro Tip	20-41-A170-PT11	41	20 in. Semi-Pro Tip
16-01W-K166-PTNK	01W	16 in. Semi-Pro Tip	16-42-A360-PT	42	16 in. Semi-Pro Tip
16-01W-K266-PT	01W	16 in. Semi-Pro Tip	16-42-K367-PT	42	16 in. Semi-Pro Tip
18-01W-K172-PTNK	01W	18 in. Semi-Pro Tip	18-42-A366-PT	42	18 in. Semi-Pro Tip
18-01W-K272-PT	01W	18 in. Semi-Pro Tip	18-42-K374-PT	42	18 in. Semi-Pro Tip
12-10-N144-PT	10	12 in. Semi-Pro Tip	20-42-A372-PT	42	20 in. Semi-Pro Tip
14-10-N152-PT	10	14 in. Semi-Pro Tip	16-81-A260-PT	81	16 in. Semi-Pro Tip
16-10-N157-PT	10	16 in. Semi-Pro Tip	18-81-A268-PT	81	18 in. Semi-Pro Tip
16-10W-K266-PT	10	16 in. Semi-Pro Tip	20-81-A272-PT	81	20 in. Semi-Pro Tip
18-10W-K272-PT	10	18 in. Semi-Pro Tip			




Super Pro™ (SP)




Super Pro™	.325" 3/8" .325"	10 T 11 T 12 T	≥ 3.5 cu. in. ≥ 61 cc	13" – 20" 33 – 50 cm
------------	------------------------	----------------------	--------------------------	-------------------------

- Laminated nickel chromium alloy construction
- Light and maneuverable
- For mid-size saws



325-10T

Small radius • multi-rivet nose





325-12T, 3/8-11T

Large radius • multi-rivet nose

#		
13-01W-K256-SP	01W	13 in. Super Pro
15-01W-A256-SP	01W	15 in. Super Pro
15-01W-K164-SP	01W	15 in. Super Pro
15-01W-K264-SP	01W	15 in. Super Pro
15-01W-K264-SP12	01W	15 in. Super Pro
16-01W-A260-SP	01W	16 in. Super Pro
16-01W-K166-SP	01W	16 in. Super Pro
16-01W-K266-SP	01W	16 in. Super Pro
18-01W-A268-SP	01W	18 in. Super Pro
18-01W-K172-SP	01W	18 in. Super Pro
18-01W-K272-SP	01W	18 in. Super Pro
20-01W-A272-SP	01W	20 in. Super Pro
20-01W-K278-SP	01W	20 in. Super Pro
13-10W-K256-SP	10W	13 in. Super Pro
16-10W-K166-SP	10W	16 in. Super Pro
16-10W-K266-SP	10W	16 in. Super Pro
18-10W-K172-SP	10W	18 in. Super Pro
18-10W-K272-SP	10W	18 in. Super Pro

#		
20-10W-K178-SP	10W	20 in. Super Pro
20-10W-K278-SP	10W	20 in. Super Pro
16-26-K362-SP	26	16 in. Super Pro
18-26-K368-SP	26	18 in. Super Pro
16-42-A160-SP	42	16 in. Super Pro
16-42-A360-SP	42	16 in. Super Pro
18-42-A166-SP	42	18 in. Super Pro
18-42-A366-SP	42	18 in. Super Pro
20-42-A172-SP	42	20 in. Super Pro
20-42-A372-SP	42	20 in. Super Pro
20-42-K381-SP	42	20 in. Super Pro
16-71-A260-SP	71	16 in. Super Pro
18-71-A268-SP	71	18 in. Super Pro
20-71-A272-SP	71	20 in. Super Pro
15-81-A256-SP	81	15 in. Super Pro
16-81-A260-SP	81	16 in. Super Pro
18-81-A268-SP	81	18 in. Super Pro
20-81-A272-SP	81	20 in. Super Pro



Speed Tip™


.325"
3/8"

12 T
11 T

≥ 3.5 cu. in.
≥ 58 cc





16" – 36"
40 – 90 cm

- Replaceable sprocket nose
- Nickel chromium steel for longer life in demanding conditions
- Induction hardened rail and nose
- Five rivets to secure the replaceable nose
- For mid-to-large size saws




Large radius • multi-rivet nose

325-12T, 3/8-11T

#			#		
16-01W-K266-ST	01W	16 in. Speed Tip	24-42-A384-ST	42	24 in. Speed Tip
18-01W-A268-ST	01W	18 in. Speed Tip	28-42-A191-ST	42	28 in. Speed Tip
18-01W-K272-ST	01W	18 in. Speed Tip	28-42-A391-ST	42	28 in. Speed Tip
20-01W-A172-ST	01W	20 in. Speed Tip	32-42-A3105-ST	42	32 in. Speed Tip
20-01W-A272-ST	01W	20 in. Speed Tip	36-42-A3114-ST	42	36 in. Speed Tip
20-01W-K178-ST	01W	20 in. Speed Tip	16-81-A160-ST	81	16 in. Speed Tip
20-01W-K278-ST	01W	20 in. Speed Tip	16-81-A260-ST	81	16 in. Speed Tip
16-42-A160-ST	42	16 in. Speed Tip	18-81-A168-ST	81	18 in. Speed Tip
16-42-A360-ST	42	16 in. Speed Tip	18-81-A268-ST	81	18 in. Speed Tip
18-42-A166-ST	42	18 in. Speed Tip	20-81-A172-ST	81	20 in. Speed Tip
18-42-A366-ST	42	18 in. Speed Tip	20-81-A272-ST	81	20 in. Speed Tip
20-42-K381-ST	42	20 in. Speed Tip	22-81-A276-ST	81	22 in. Speed Tip
20-42-A172-ST	42	20 in. Speed Tip	24-81-A184-ST	81	24 in. Speed Tip
20-42-A372-ST	42	20 in. Speed Tip	24-81-A284-ST	81	24 in. Speed Tip
22-42-A376-ST	42	22 in. Speed Tip	28-81-A192-ST	81	28 in. Speed Tip
24-42-A184-ST	42	24 in. Speed Tip	36-81-A3115-ST	81	36 in. Speed Tip



Dura Tip™ (DT)




Dura Tip™

3/8"
.404"

≥ 2.3 cu. in.
≥ 38 cc

13" – 36"
33 – 90 cm

- Chrome-moly steel alloy for longer life
- Tough cobalt alloy nose for abrasive cutting conditions
- For mid-to-large size saws




≥ 2.66" (67.6 mm) = **DT**





≥ 67.6 mm (2.66") = **DT**







≥ 83.9 mm (3.30") = **DTL**















≥ 3.30" (83.9 mm) = **DTL**

#		
16-01W-058-DT	01W	16 in. Dura Tip
18-01W-058-DT	01W	18 in. Dura Tip
18-26-063-DT	26	18 in. Dura Tip
13-42-063-DT	42	13 in. Dura Tip
16-42-063-DT	42	16 in. Dura Tip
18-42-063-DT	42	18 in. Dura Tip
20-42-063-DT	42	20 in. Dura Tip
24-42-063-DT	42	24 in. Dura Tip
30-42-063-DTL	42	30 in. Dura Tip
36-42-063-DT	42	36 in. Dura Tip
21-55-063-DT	55	21 in. Dura Tip

#		
25-57-063-DTL	57	25 in. Dura Tip
30-57-063-DTL	57	30 in. Dura Tip
36-57-063-DTL	57	36 in. Dura Tip
16-81-058-DT	81	16 in. Dura Tip
18-81-058-DT	81	18 in. Dura Tip
20-81-058-DT	81	20 in. Dura Tip
24-81-058-DT	81	24 in. Dura Tip
28-81-058-DT	81	28 in. Dura Tip
30-81-063-DTL	81	30 in. Dura Tip
36-81-063-DTL	81	36 in. Dura Tip





					
553562	5		3/8"	.050"	11
553558	5		3/8"	.058"	11
553561	5		3/8"	.063"	11
553560	5		.325"	.050"	12
553559	5		.325"	.058"	12
553551	5		.325"	.063"	12
543542*	4		.325"	.050"	10
543543*	4		.325"	.058"	10
543544*	4		.325"	.063"	10
543545	4		.325"	.050"	10
543546	4		.325"	.058"	10
543547	4		.325"	.063"	10


*To be obsoleted. Check with your authorized Carlton® dealer for remaining inventory.



Guide Bar Nose Assemblies



STA325	Speed Tip™ (ST)	.325 "	.050 " / .058 " / .063 "	12
STA375	Speed Tip™ (ST)	3/8 "	.050 " / .058 " / .063 "	11
STA404	Speed Tip™ (ST)	.404 "	.058 " / .063 "	10



PST325	Sprocket Tip™ (PS)	.325 "	.050 " / .058 " / .063 "	12
PST375	Sprocket Tip™ (PS)	3/8 "	.050 " / .058 " / .063 "	11
PST404	Sprocket Tip™ (PS)	.404 "	.058 " / .063 "	10



Chain Loop Display Packs



			"	cm	"	mm	#	ANSI†	
	N1C-BL	3/8 LP	10	25	.050	1.3	40	■	
	N1C-BL	3/8 LP	12	30	.050	1.3	44	■	
	N1C-BL	3/8 LP	12	30	.050	1.3	45	■	
	N1C-BL	3/8 LP	14	35	.050	1.3	50	■	
	N1C-BL	3/8 LP	14	35	.050	1.3	52	■	
	N1C-BL	3/8 LP	16	40	.050	1.3	55	■	
	N1C-BL	3/8 LP	16	40	.050	1.3	56	■	
	N1C-BL	3/8 LP	16	40	.050	1.3	57	■	
	N1C-BL	3/8 LP	18	45	.050	1.3	60	■	
	N1C-BL	3/8 LP	18	45	.050	1.3	62	■	
	K1L	.325	16	40	.050	1.3	68	■	
	K1C-BL	.325	18	45	.050	1.3	72	■	
	A1LM	3/8	18	45	.050	1.3	68	■	
	A1LM	3/8	20	50	.050	1.3	72	■	

† See following page for ANSI specifications. |



ANSI Carlton saw chains that comply with the ANSI Low-Kickback Standard are indicated with a green ■ square.

Carlton saw chains that do not comply with the ANSI Low-Kickback Standard are indicated with a yellow ■ square.

Competitor part numbers are for reference only, and do not indicate that competitor chains are in compliance with the ANSI standard.





Bar and Chain Combo Packs





		"	"	cm	"	mm		#			ANSI†
10	549767	3/8 LP	12	30	.050	1.3	N1C-BL	45	Safe Tip™	12-10-N145-RK	■
10	549769	3/8 LP	14	35	.050	1.3	N1C-BL	52	Safe Tip™	14-10-N152-RK	■
10	549771	3/8 LP	16	40	.050	1.3	N1C-BL	56	Safe Tip™	16-10-N156-RK	■
10	549773	3/8 LP	18	45	.050	1.3	N1C-BL	62	Safe Tip™	18-10-N162-RK	■
26	549775	3/8 LP	14	35	.050	1.3	N1C-BL	50	Semi-Pro Tip™	14-26-N150-PT	■
26	549777	3/8 LP	16	40	.050	1.3	N1C-BL	55	Semi-Pro Tip™	16-26-N155-PT	■
81	549779	3/8	18	45	.058	1.5	A2EP-GL	68	Semi-Pro Tip™	18-81-A268-PT	■
81	549781	3/8	20	50	.058	1.5	A2EP-GL	72	Semi-Pro Tip™	20-81-A272-PT	■
42	549783	3/8	18	45	.063	1.6	A3EP-GL	66	Semi-Pro Tip™	18-42-A366-PT	■
42	549785	3/8	20	50	.063	1.6	A3EP-GL	72	Semi-Pro Tip™	20-42-A372-PT	■
10W	549787	.325	18	45	.050	1.3	K1C-BL	72	Semi-Pro Tip™	18-10W-K172-PT	■
10W	549789	.325	20	50	.050	1.3	K1C-BL	78	Semi-Pro Tip™	20-10W-K178-PT	■
01W	549791	.325	18	45	.058	1.5	K2C-BL	72	Semi-Pro Tip™	18-01W-K272-PT	■

† See page 24 for ANSI specifications. |



ALLIS CHALMERS / DAYTON

65, 75, 2Z753, 2Z760

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

ALPINA

A-40, C-40, CP-41, CP-45, CP-540, CP-600, P-370, P-410, P-460, P-510, Pro-41, Pro-45, Pro-540, Pro-600

15	38	0.325	1.3	.050	64	7		15-01W-K164-SP	
16	40	0.325	1.3	.050	66	7		16-01W-K166-SP	
18	45	0.325	1.3	.050	72	7		18-01W-K172-SP	K1-72K
20	50	0.325	1.3	.050	78	7			20-01W-K178-ST
13	33	0.325	1.5	.058	56	7		13-01W-K256-SP	
15	38	0.325	1.5	.058	64	8		15-01W-K264-SP	
16	40	0.325	1.5	.058	66	7	16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST
18	45	0.325	1.5	.058	72	7	18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST 549791
20	50	0.325	1.5	.058	78	7		20-01W-K278-SP	20-01W-K278-ST

CHICAGO

67255

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K

CUB CADET®


CS3916

14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

CS5018, CS5220

16	40	.325	1.3	.050	66	7		16-01W-K166-SP	
18	45	.325	1.3	.050	72	7		18-01W-K172-SP	K1-72K
20	50	.325	1.3	.050	78	7			20-01W-K178-ST

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



DAYTON

2Z970, 4Z022, 4Z023, 4Z109, 4Z573, 6Z284, 6Z823

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

DOLMAR

109, 110, 111, 115, 115i, PS-460, PS-510, PS-540, PS-5100SH, PS-5100S, PS-5105, PS-5105H, PS-6100, PS-6100H

16	40	.325	1.3	.050	66	7		16-01W-K166-SP	
18	45	.325	1.3	.050	72	7		18-01W-K172-SP	K1-72K
20	50	.325	1.3	.050	78	7			20-01W-K178-ST
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP
20	50	.325	1.5	.058	78	7		20-01W-K278-SP	20-01W-K278-ST
16	40	3/8	1.3	.050	60	7			
18	45	3/8	1.3	.050	64	7			
18	45	3/8	1.3	.050	68	7			A1-68LK
20	50	3/8	1.3	.050	72	7			20-01W-A172-ST A1-72LK

100, 101, 102, 103, 104, 105, 106, 108, ES-161, ES-171, ES-173, ES-173A, PS-32, PS-34, PS-35, PS-45, PS-340, PS-341, PS-350, PS-400, PS-401, PS-420, PS-3300TH, PS-3410TH, PS-3410TH TLC


12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

112, 113, 114, 116, 116si, 117, 118, 118, 120, 120si, PS-6000i, PS6800i

16	40	3/8	1.3	.050	60	7			
18	45	3/8	1.3	.050	64	7			
18	45	3/8	1.3	.050	68	7			A1-68LK
20	50	3/8	1.3	.050	72	7			20-01W-A172-ST A1-72LK

PS-6400, PS-6400H, PS-6400W, PS-7300, PS-7300H, PS-7300W, PS-7310, PS-7310H, PS-7900, PS-7900H, PS-7900W, PS-7910, PS-7910H, PS-7910W, PS-7910XD, PS9000, PS9010FL

16	40	3/8	1.3	.050	60	8		16-81-A160-ST	
18	45	3/8	1.3	.050	68	8		18-81-A168-ST	A1-68LK
20	50	3/8	1.3	.050	72	8		20-81-A172-ST	A1-72LK
24	60	3/8	1.3	.050	84	8		24-81-A184-ST	
28	70	3/8	1.3	.050	92	7		28-81-A192-ST	
36	90	3/8	1.3	.063	115	7		36-81-A3115-ST	



EARTHQUAKE®

CS3814, CS3816, CS4116

14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K	549769
16	40	3/8 LP	1.3	.050	57	6	16-10-N156-RK	16-10-N156-PT*	N1-56K	549771

CS4518

18	45	3/8 LP	1.3	.050	62	6			N1-62K	
----	----	--------	-----	------	----	---	--	--	--------	--

EARTHWISE

CS30014, YT4729

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K	
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K	549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K	549769

CS30016

16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K	
----	----	--------	-----	------	----	---	--	----------------	--------	--

CPS40110, LCS32010, LPS4210, PS40010

10	25	3/8 LP	1.3	.050	40	6	10-10-N140-RK		N1-40K	
----	----	--------	-----	------	----	---	---------------	--	--------	--

LCS32412

12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K	549767
----	----	--------	-----	------	----	---	---------------	----------------	--------	--------

ECHO®



PPF-225, PPF-280, PPT-265, PPT-265S, PPT-266, PPT-266H, PPT-266S, PPT-280

10	25	3/8 LP	1.3	.050	39	6	original equipment guide bar /			
10	25	3/8 LP	1.3	.050	40	6	10-10-N140-RK		N1-40K	
12	30	3/8 LP	1.3	.050	44	6	original equipment guide bar /			
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K	549767
14	35	3/8 LP	1.3	.050	49	6	original equipment guide bar /			
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K	549769

CS-280, CS-290, CS-300, CS-300EVL, CS-301, CS-302, CS-302S, CS-303T, CS-310, CS-315, CS-330EVL, CS-330MX4, CS-330T, CS-340, CS-341, CS-345, CS-346, CS-351, CS-352, CS-355T, CS-360, CS-360T, CS-370, CS-370F, CS-370T, CS-400, CS-400F, CS-3000, CS-3400, CS-3450, ECS-2000, ECS-3000

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K	
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K	549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K	549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K	549771
16	40	3/8 LP	1.3	.050	57	6	original equipment guide bar /			
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K	549773

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



ECHO®

CS-400EVL, CS-440, CS-440EVL, CS-510, CS-520, CS-3600, CS-3900, CS-4000, CS-4100, CS-4400, CS-4500, CS-4600, CS-5000

16	40	.325	1.3	.050	66	7			16-10W-K166-SP		
18	45	.325	1.3	.050	72	7			18-10W-K172-SP	K1-72K	549787
20	50	.325	1.3	.050	78	7			20-10W-K178-SP		549789

EFCO®

132S, MT 3600, MT 3700, MT 3750, MT 4000, MT 4100

12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*		N1-45K	549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT		N1-52K	549769
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*		N1-57K	

MT 3500

14	35	3/8 LP	1.3	.050	53	6	14-10-N152-RK	14-10-N152-PT			
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*		N1-57K	

147, 152, MT 5200



16	40	.325	1.3	.050	66	7			16-01W-K166-SP		
18	45	.325	1.3	.050	72	7			18-01W-K172-SP		K1-72K
20	50	.325	1.3	.050	78	7					20-01W-K178-ST
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP		16-01W-K266-ST
18	45	.325	1.5	.058	72	7		18-01W-K272-PT	18-01W-K272-SP		18-01W-K272-ST
20	50	.325	1.5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST

156, 165

16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP		16-01W-K266-ST
18	45	.325	1.5	.058	72	7		18-01W-K272-PT	18-01W-K272-SP		18-01W-K272-ST
20	50	.325	1.5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST
20	50	3/8	1.3	.050	72	7					20-01W-A172-ST
											A1-72K
16	40	3/8	1.5	.058	60	7			16-01W-A260-SP	16-01W-058-DT	16-01W-A260-ST
18	45	3/8	1.5	.058	68	7			18-01W-A268-SP		18-01W-A268-ST
20	50	3/8	1.5	.058	72	7			20-01W-A272-SP		20-01W-A272-ST

MT 6500

16	40	3/8	1.3	.050	60	8					16-81-A160-ST
18	45	3/8	1.3	.050	68	8					18-81-A168-ST
											A1-68LK
20	50	3/8	1.3	.050	72	8					20-81-A172-ST
											A1-72LK
24	60	3/8	1.3	.050	84	8					24-81-A184-ST



EFCO®

181, MT 7200, MT 8200

20	50	3/8	1.3	.050	72	7				20-81-A172-ST	A1-72LK	
24	60	3/8	1.3	.050	84	8				24-81-A184-ST		
28	70	3/8	1.3	.050	92	7				28-81-A192-ST		
20	50	3/8	1.5	.058	72	8		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	549781
22	55	3/8	1.5	.058	76	7					22-81-A276-ST	
24	60	3/8	1.5	.058	84	8					24-81-A284-ST	
24	60	3/8	1.5	.058	84	7				24-81-058-DT		
28	70	3/8	1.5	.058	92	8				28-81-058-DT		

FAIRMONT®

LimbLopper

13	33	.325	1.5	.058	56	7					13-01W-K256-SP	
----	----	------	-----	------	----	---	--	--	--	--	----------------	--

38568, 43177, 43178, HCS513, HCS516, HCS520, HPS513



16	40	.325	1.3	.050	66	7					16-01W-K166-SP	
18	45	.325	1.3	.050	72	7					18-01W-K172-SP	K1-72K
20	50	.325	1.3	.050	78	7					20-01W-K178-ST	
13	33	.325	1.5	.058	56	7					13-01W-K256-SP	
15	38	.325	1.5	.058	64	8					15-01W-K264-SP	
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP		16-01W-K266-ST	
18	45	.325	1.5	.058	72	7		18-01W-K272-PT	18-01W-K272-SP		18-01W-K272-ST	549791
20	50	.325	1.5	.058	78	7				20-01W-K278-SP	20-01W-K278-ST	
20	50	3/8	1.3	.050	72	7					20-01W-A172-ST	A1-72K
16	40	3/8	1.5	.058	60	7			16-01W-A260-SP	16-01W-058-DT	16-01W-A260-ST	
18	45	3/8	1.5	.058	68	7			18-01W-A268-SP		18-01W-A268-ST	
20	50	3/8	1.5	.058	72	7			20-01W-A272-SP		20-01W-A272-ST	

GIO

5200

16	40	.325	1.3	.050	66	7					16-01W-K166-SP	
18	45	.325	1.3	.050	72	7					18-01W-K172-SP	K1-72K
20	50	.325	1.3	.050	78	7					20-01W-K178-ST	
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP		16-01W-K266-ST	
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP		18-01W-K272-ST	549791
20	50	.325	1.5	.058	78	7				20-01W-K278-SP	20-01W-K278-ST	

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



GREEN MACHINE®

7100, 7200, 7400

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

GREENWORKS

12A Electric 20022

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

9A Electric 20012

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769

7A 2-in-1 Pole Saw 20062

10	25	3/8 LP	1.3	.050	40	6	10-10-N140-RK		N1-40K
----	----	--------	-----	------	----	---	---------------	--	--------

20292 40V, 40V Lithium-Ion 20082, 40V Lithium-Ion 20202

12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
----	----	--------	-----	------	----	---	---------------	----------------	---------------



HITACHI

CS33EB, CS33EB/16

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K

CS33ET14

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769



HOMELITE®

25, 27, 4100, 4500, 4550, D4550B, i3850B, i4150B, i4550B, Super 240, Timberman, UT10518, UT10519, UT10520, UT10522, UT10526, UT10550, UT10552, UT10896, UT10910, UT10927A, UT10946A, ZR10518, ZR10520, ZR10522; some saws may take 3/8" pitch chain, see other applications /

16	40	.325	1.3	.050	66	7		16-10W-K166-SP	
18	45	.325	1.3	.050	72	7		18-10W-K172-SP	K1-72K 549787
20	50	.325	1.3	.050	78	7		20-10W-K178-SP	549789

20, 20AV, 23, 23AV, 3300, 3314, 3316, 3318, 3350, 3550, 3800, 3850, CS-40, d3300, d3350b, d3850, d3850b, i3350b, PS33, Ranger, UT10510, UT10514, UT10516, UT10517, UT10530, UT10530A, UT10540, UT10542, UT10544, UT10546, UT10548, UT10549, UT10560, UT10562, UT10564, UT10566, UT10568, UT10569, UT10580, UT10584, UT10586, UT10582, UT10588, UT10589, UT10640, UT10660, UT10680, UT10901, UT10901A, UT10926, UT10947A, UT10947D, UT10947E, UT43100, UT43102, UT43103, UT43120, UT43122, ZR10540, ZR10560, ZR10580; some saws may take .325" pitch chain, see other applications /



10	25	3/8 LP	1.3	.050	40	6	10-10-N140-RK		N1-40K
12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

HUSQVARNA® →

40, 42, 44, 45, 49, 50, 51, 55, 57, 133, 154, 234, 238, 242, 242XP, 246, 254, 257, 261, 262, 340, 340E, 345, 346, 346XP, 346XP E-Tech, 346XPG, 350, 351, 353E-Tech, 353G E-Tech, 359, 360, 435, 435E, 440E, 444, 445, 445E, 450, 450 50th Anniversary, 450E

16	40	.325	1.3	.050	66	7		16-01W-K166-SP	
18	45	.325	1.3	.050	72	7		18-01W-K172-SP	K1-72K
20	50	.325	1.3	.050	78	7			20-01W-K178-ST
13	33	.325	1.5	.058	56	7		13-01W-K256-SP	
15	38	.325	1.5	.058	64	8		15-01W-K264-SP	
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP 16-01W-K266-ST
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP 18-01W-K272-ST 549791
20	50	.325	1.5	.058	78	7		20-01W-K278-SP	20-01W-K278-ST
20	50	3/8	1.3	.050	72	7			20-01W-A172-ST A1-72K
16	40	3/8	1.5	.058	60	7		16-01W-A260-SP	16-01W-058-DT 16-01W-A260-ST
18	45	3/8	1.5	.058	68	7		18-01W-A268-SP	18-01W-A268-ST
20	50	3/8	1.5	.058	72	7		20-01W-A272-SP	20-01W-A272-ST

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



HUSQVARNA® ←

36, 41, 136, 137, 141

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773
16	40	.325	1.3	.050	66	7		16-10W-K166-SP	
18	45	.325	1.3	.050	72	7		18-10W-K172-SP	K1-72K 549787
20	50	.325	1.3	.050	78	7		20-10W-K178-SP	549789
16	40	.325	1.5	.058	66	7		16-10W-K266-PT	16-10W-K266-SP
18	45	.325	1.5	.058	72	7		18-10W-K272-PT	18-10W-K272-SP
20	50	.325	1.5	.058	78	7			20-10W-K278-SP

23, 235, 235E, 240E, 243, 249, Electric 16


12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

316 Electric, 334T, 335, 335XPT, T435, T540

14	35	3/8 LP	1.3	.050	52	6	14-01-N152-RK	14-01-N152-PT	N1-52K
16	40	3/8 LP	1.3	.050	56	6	16-01-N156-RK	16-01-N156-PT	N1-56K

338XPT, 339XPT, 1400, 1600

14	35	3/8 LP	1.3	.050	52	6	14-01-N152-RK	14-01-N152-PT	N1-52K
16	40	3/8 LP	1.3	.050	56	6	16-01-N156-RK	16-01-N156-PT	N1-56K
16	40	.325	1.3	.050	66	7		16-01W-K166-SP	
18	45	.325	1.3	.050	72	7		18-01W-K172-SP	K1-72K
20	50	.325	1.3	.050	78	7			20-01W-K178-ST
13	33	.325	1.5	.058	56	7		13-01W-K256-SP	
15	38	.325	1.5	.058	64	8		15-01W-K264-SP	
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP 16-01W-K266-ST
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP 18-01W-K272-ST 549791
20	50	.325	1.5	.058	78	7		20-01W-K278-SP	20-01W-K278-ST



HUSQVARNA® →



254XP, 257, 261, 262, 262XP, 362, 362XP

20	50	3/8	1.3	.050	72	7			20-01W-A172-ST	A1-72K
16	40	3/8	1.5	.058	60	7		16-01W-A260-SP	16-01W-058-DT	16-01W-A260-ST
18	45	3/8	1.5	.058	68	7		18-01W-A268-SP		18-01W-A268-ST
20	50	3/8	1.5	.058	72	7		20-01W-A272-SP		20-01W-A272-ST
16	40	.325	1.3	.050	66	7		16-01W-K166-SP		
18	45	.325	1.3	.050	72	7		18-01W-K172-SP		K1-72K
20	50	.325	1.3	.050	78	7			20-01W-K178-ST	
13	33	.325	1.5	.058	56	7		13-01W-K256-SP		
15	38	.325	1.5	.058	64	8		15-01W-K264-SP		
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST
20	50	.325	1.5	.058	78	7			20-01W-K278-SP	20-01W-K278-ST

61, 160, 162, 260

16	40	3/8	1.3	.050	60	8				16-81-A160-ST
18	45	3/8	1.3	.050	68	8				18-81-A168-ST
20	50	3/8	1.3	.050	72	8				A1-68LK
24	60	3/8	1.3	.050	84	8				20-81-A172-ST
28	70	3/8	1.3	.050	92	7				A1-72LK
										24-81-A184-ST
										28-81-A192-ST
15	38	3/8	1.5	.058	56	8		15-81-A256-SP	15-81-058-DT	
16	40	3/8	1.5	.058	60	8		16-81-A260-PT	16-81-A260-SP	16-81-058-DT
18	45	3/8	1.5	.058	68	8		18-81-A268-PT	18-81-A268-SP	18-81-058-DT
20	50	3/8	1.5	.058	72	8		20-81-A272-PT	20-81-A272-SP	20-81-058-DT
22	55	3/8	1.5	.058	76	7				18-81-A268-ST
24	60	3/8	1.5	.058	84	7				20-81-A272-ST
28	70	3/8	1.5	.058	92	7				22-81-A276-ST
										24-81-058-DT
										24-81-A284-ST
										28-81-058-DT

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



HUSQVARNA® ←

181, 185, 266, 268, 272, 281, 285, 288, 288XP Lite, 298, 365, 371, 372, 372XP, 372XPG, 372XPW, 380, 385, 385XP, 385XPG, 385XPW, 390XP, 390XPG, 390XPW, 394, 394XP, 395, 395XP, 395XPG, 395XPW, 480, 570, 562XP, 562XPG, 575XP, 575XPG, 575XPW, 576XP, 576XP Auto Tune, 576XPG, 576XPW, 1100, 2100, 2101, 3120, 3120XP

16	40	3/8	1.3	.050	60	8					16-81-A160-ST	
18	45	3/8	1.3	.050	68	8					18-81-A168-ST	A1-68LK
20	50	3/8	1.3	.050	72	8					20-81-A172-ST	A1-72LK
24	60	3/8	1.3	.050	84	8					24-81-A184-ST	
28	70	3/8	1.3	.050	92	7					28-81-A192-ST	
15	38	3/8	1.5	.058	56	8			15-81-A256-SP	15-81-058-DT		
16	40	3/8	1.5	.058	60	8			16-81-A260-PT	16-81-A260-SP	16-81-058-DT	16-81-A260-ST
18	45	3/8	1.5	.058	68	8			18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST 549779
20	50	3/8	1.5	.058	72	8			20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST 549781
22	55	3/8	1.5	.058	76	7						22-81-A276-ST
24	60	3/8	1.5	.058	84	7					24-81-058-DT	24-81-A284-ST
28	70	3/8	1.5	.058	92	7					28-81-058-DT	
36	90	3/8	1.3	.063	115	7						36-81-A3115-ST

JOHN DEERE

25EV, 28, 28V, 30, 30V, 35 & 35EV, 40V, 200CS, 230CS, CS36, CS36LE, CS40, CS40LE, CS40V, J3816

12	30	3/8 LP	1.3	.050	44	6			12-10-N144-PT*			N1-44K
12	30	3/8 LP	1.3	.050	45	6		12-10-N145-RK	12-10-N145-PT*			N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6		14-10-N152-RK	14-10-N152-PT			N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6		16-10-N156-RK	16-10-N156-PT*			N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6			16-10-N157-PT*			N1-57K
18	45	3/8 LP	1.3	.050	62	6		18-10-N162-RK				N1-62K 549773

CS46, CS52, CS56

16	40	.325	1.3	.050	66	7			16-01W-K166-SP			
18	45	.325	1.3	.050	72	7			18-01W-K172-SP			K1-72K
20	50	.325	1.3	.050	78	7						20-01W-K178-ST

CS62

16	40	.325	1.3	.050	66	7			16-01W-K166-SP			
18	45	.325	1.3	.050	72	7			18-01W-K172-SP			K1-72K
20	50	.325	1.3	.050	78	7						20-01W-K178-ST
20	50	3/8	1.3	.050	72	7						20-01W-A172-ST A1-72K
16	40	3/8	1.5	.058	60	7			16-01W-A260-SP	16-01W-058-DT	16-01W-A260-ST	
18	45	3/8	1.5	.058	68	7			18-01W-A268-SP		18-01W-A268-ST	
20	50	3/8	1.5	.058	72	7			20-01W-A272-SP		20-01W-A272-ST	



JONSERED® →

45, 49, 50, 51, 52, 370, 410, 420, 425, 435, 450, 451, 455, 510, 521, 2145, 2149, 2150, CS 2145, CS 2149, CS 2149 Turbo, CS 2150, CS 2152, CS 2152W, CS 2153, CS 2240, CS 2240S, CS 2245, CS 2250, CS 2250S, CS 2252, CS 2253, CS 2253WH

16	40	.325	1.3	.050	66	7		16-01W-K166-SP			
18	45	.325	1.3	.050	72	7		18-01W-K172-SP			K1-72K
20	50	.325	1.3	.050	78	7				20-01W-K178-ST	

13	33	.325	1.5	.058	56	7		13-01W-K256-SP			
15	38	.325	1.5	.058	64	8		15-01W-K264-SP			
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST	
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST	549791
20	50	.325	1.5	.058	78	7		20-01W-K278-SP		20-01W-K278-ST	

520SP, 525, 535, 2050, 2051, 2054, 2055, 2063, 2159, 2163, CS 2050, CS 2050 Turbo, CS 2156, CS 2159, CS 2159C, CS 2159CWH, CS 2159WH, CS 2163, CS 2163WH CS 2255, CS 2258, CS 2260, CS 2260WH

16	40	.325	1.3	.050	66	7		16-01W-K166-SP			
18	45	.325	1.3	.050	72	7		18-01W-K172-SP			K1-72K
20	50	.325	1.3	.050	78	7				20-01W-K178-ST	

13	33	.325	1.5	.058	56	7		13-01W-K256-SP			
15	38	.325	1.5	.058	64	8		15-01W-K264-SP			
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST	
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST	549791
20	50	.325	1.5	.058	78	7		20-01W-K278-SP		20-01W-K278-ST	

20	50	3/8	1.3	.050	72	7				20-01W-A172-ST	
----	----	-----	-----	------	----	---	--	--	--	----------------	--



16	40	3/8	1.5	.058	60	7		16-01W-A260-SP	16-01W-058-DT	16-01W-A260-ST	
18	45	3/8	1.5	.058	68	7		18-01W-A268-SP		18-01W-A268-ST	
20	50	3/8	1.5	.058	72	7		20-01W-A272-SP		20-01W-A272-ST	

2014, 2016, 2035, 2036, 2036 Turbo, 2040, 2040 Turbo, 2041, 2045, CS 2135, CS 2137, CS 2138

16	40	.325	1.3	.050	66	7		16-10W-K166-SP			
18	45	.325	1.3	.050	72	7		18-10W-K172-SP			K1-72K 549787
20	50	.325	1.3	.050	78	7		20-10W-K178-SP			549789

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*			N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*			N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT			N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*			N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*			N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK				N1-62K 549773

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



JONSERED® ←

CS 2234, CS 2238s

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*		N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*		N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT		N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*		N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*		N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK			N1-62K 549773

2139T, CS 2139T

14	35	3/8 LP	1.3	.050	52	6	14-01-N152-RK	14-01-N152-PT		N1-52K
16	40	3/8 LP	1.3	.050	56	6	16-01-N156-RK	16-01-N156-PT		N1-56K

630, 630 Super, 630 West Coast, 2065, 2071, 2077, 2165, 2171, CS 2165, CS 2166, CS 2171, CS 2171WH, CS 2172, CS 2172WH, CS 2186, CS 2186WH, CS 2188

16	40	3/8	1.3	.050	60	8				16-81-A160-ST
18	45	3/8	1.3	.050	68	8				18-81-A168-ST A1-68LK
20	50	3/8	1.3	.050	72	8				20-81-A172-ST A1-72LK
24	60	3/8	1.3	.050	84	8				24-81-A184-ST
28	70	3/8	1.3	.050	92	7				28-81-A192-ST

15	38	3/8	1.5	.058	56	8		15-81-A256-SP	15-81-058-DT	
16	40	3/8	1.5	.058	60	8	16-81-A260-PT	16-81-A260-SP	16-81-058-DT	16-81-A260-ST
18	45	3/8	1.5	.058	68	8	18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST 549779
20	50	3/8	1.5	.058	72	8	20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST 549781
22	55	3/8	1.5	.058	76	7				22-81-A276-ST
24	60	3/8	1.5	.058	84	7			24-81-058-DT	24-81-A284-ST
28	70	3/8	1.5	.058	92	7			28-81-058-DT	

36	90	3/8	1.6	.063	115	7				36-81-A3115-ST
----	----	-----	-----	------	-----	---	--	--	--	----------------



490, 590

20	50	3/8	1.3	.050	72	7				20-01W-A172-ST A1-72K
----	----	-----	-----	------	----	---	--	--	--	-----------------------

16	40	3/8	1.5	.058	60	7		16-01W-A260-SP	16-01W-058-DT	16-01W-A260-ST
18	45	3/8	1.5	.058	68	7		18-01W-A268-SP		18-01W-A268-ST
20	50	3/8	1.5	.058	72	7		20-01W-A272-SP		20-01W-A272-ST

60, 61, 62, 66, 70, 75, 77, 80, 81, 90, 110, 111, 601, 621, 751, 801, 820, 830, 910, 920, 930, 939, 941, 1020, 2350

16	40	3/8	1.5	.058	60	8		16-71-A260-SP		
18	45	3/8	1.5	.058	68	8		18-71-A268-SP		
20	50	3/8	1.5	.058	72	8		20-71-A272-SP		



JONSERED®

670, 670 West Coast, 2083, 2083II, 2094, 2095

16	40	3/8	1.3	.050	60	8				16-81-A160-ST
18	45	3/8	1.3	.050	68	8				18-81-A168-ST A1-68LK
20	50	3/8	1.3	.050	72	8				20-81-A172-ST A1-72LK
24	60	3/8	1.3	.050	84	8				24-81-A184-ST
28	70	3/8	1.3	.050	92	7				28-81-A192-ST

15	38	3/8	1.5	.058	56	8			15-81-A256-SP	15-81-058-DT
16	40	3/8	1.5	.058	60	8		16-81-A260-PT	16-81-A260-SP	16-81-058-DT 16-81-A260-ST
18	45	3/8	1.5	.058	68	8		18-81-A268-PT	18-81-A268-SP	18-81-058-DT 18-81-A268-ST 549779
20	50	3/8	1.5	.058	72	8		20-81-A272-PT	20-81-A272-SP	20-81-058-DT 20-81-A272-ST 549781
22	55	3/8	1.5	.058	76	7				22-81-A276-ST
24	60	3/8	1.5	.058	84	7				24-81-058-DT 24-81-A284-ST
28	70	3/8	1.5	.058	92	7				28-81-058-DT

36	90	3/8	1.6	.063	115	7				36-81-A3115-ST
----	----	-----	-----	------	-----	---	--	--	--	----------------

MAKITA® →

DCS430, DCS431

16	40	.325	1.3	.050	66	7			16-01W-K166-SP	
18	45	.325	1.3	.050	72	7			18-01W-K172-SP	K1-72K
20	50	.325	1.3	.050	78	7				20-01W-K178-ST

13	33	.325	1.5	.058	56	7			13-01W-K256-SP	
15	38	.325	1.5	.058	64	8			15-01W-K264-SP	
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST 549791
20	50	.325	1.5	.058	78	7			20-01W-K278-SP	20-01W-K278-ST

DCS460, DCS510, DCS520i, DCS540, DCS5121, DCS5200i, DCS6000i, EA5000P53G



16	40	.325	1.3	.050	66	7			16-01W-K166-SP	
18	45	.325	1.3	.050	72	7			18-01W-K172-SP	K1-72K
20	50	.325	1.3	.050	78	7				20-01W-K178-ST

13	33	.325	1.5	.058	56	7			13-01W-K256-SP	
15	38	.325	1.5	.058	64	8			15-01W-K264-SP	
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST 549791
20	50	.325	1.5	.058	78	7			20-01W-K278-SP	20-01W-K278-ST

20	50	3/8	1.3	.050	72	7				20-01W-A172-ST A1-72K
----	----	-----	-----	------	----	---	--	--	--	-----------------------

16	40	3/8	1.5	.058	60	7			16-01W-A260-SP	16-01W-058-DT 16-01W-A260-ST
18	45	3/8	1.5	.058	68	7			18-01W-A268-SP	18-01W-A268-ST
20	50	3/8	1.5	.058	72	7			20-01W-A272-SP	20-01W-A272-ST

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



MAKITA® ←

5012B, 5014NB, 5016NB, DCS 34, DCS330S, DCS330TH, DCS340, DCS341, DCS390, DCS390S, DCS400, DCS401, DCS3416, EA3201S35B, EA4300F40B, UC3030A, UC3500, UC3530A, UC4000, UC4030A

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

DCS6800i

20	50	3/8	1.3	.050	72	7			20-01W-A172-ST	A1-72LK
16	40	3/8	1.5	.058	60	7		16-01W-A260-SP	16-01W-058-DT	16-01W-A260-ST
18	45	3/8	1.5	.058	68	7		18-01W-A268-SP		18-01W-A268-ST
20	50	3/8	1.5	.058	72	7		20-01W-A272-SP		20-01W-A272-ST

DCS 6401, DCS 6421, DCS 7301, DCS 7901, DCS9000, DCS9010FL

16	40	3/8	1.3	.050	60	8				16-81-A160-ST
18	45	3/8	1.3	.050	68	8				18-81-A168-ST A1-68LK
20	50	3/8	1.3	.050	72	8				20-81-A172-ST A1-72LK
24	60	3/8	1.3	.050	84	8				24-81-A184-ST
28	70	3/8	1.3	.050	92	7				28-81-A192-ST
15	38	3/8	1.5	.058	56	8		15-81-A256-SP		
16	40	3/8	1.5	.058	60	8		16-81-A260-PT	16-81-A260-SP	16-81-058-DT 16-81-A260-ST
18	45	3/8	1.5	.058	68	8		18-81-A268-PT	18-81-A268-SP	18-81-058-DT 18-81-A268-ST 549779
20	50	3/8	1.5	.058	72	8		20-81-A272-PT	20-81-A272-SP	20-81-058-DT 20-81-A272-ST 549781
22	55	3/8	1.5	.058	76	7				22-81-A276-ST
24	60	3/8	1.5	.058	84	7			24-81-058-DT	24-81-A284-ST
28	70	3/8	1.5	.058	92	7			28-81-058-DT	
36	90	3/8	1.6	.063	115	7				36-81-A3115-ST



MCCULLOCH®

2138, 3214, 3216, 3514; 3516, 3518, 3816, 3818, 3818AV, Eager Beaver: 2010, 2014, 2016, 2116, 2318, EB 2.3, EB 6a, MacCat, MacCat: 16, 18, MC series: 110, 115, 120, 130, 140, 155, 160S, 165, 175, 310, 320, 330, 340, 355, 365, 375, 430, 435, 440, 445, 510, 515, MCC1514, Mini Mac (all models, todos los modelos, tous les modèles), MS1415, MS1420, MS1430, MS1432, MS1435, MS1455, MS1635, MS1635AV, MS1635NAV, MS1635NAVCC, MS1645, MS1838, MS1838 AVCC, MS1838AV, MS1842 AVCC, MS1846 AVCC, PM380 (1 bolt bar, 1 espada de perno, 1 barre à boulon), PM400 (1 bolt bar, 1 espada de perno, 1 barre à boulon), Power Mac series: 6, 145-14, 255-16, ProMac series: 3200, 3205, 3205-14, 3210, 3212, 3214, 3216, 3219, 3505, 3800, 3805, 3818, 3850, Silver Eagle series: 2010, 2012, 2012S, 2014, 2014S, 2016, 2018S, 2316, SP-40, Super 16, Super 18, Titan series: 35, 36, 37, 38, 39, 40, Wildcat

12	30	3/8 LP	1.3	.050	44	6	12-29-N144-RK		N1-44K
14	35	3/8 LP	1.3	.050	49	6	14-29-N149-RK		
16	40	3/8 LP	1.3	.050	54	6	16-29-N154-RK		

EB428, MS 1434, MS 1436, MS 1636, MS 1639NAVCC, MS 1839

14	35	3/8 LP	1.3	.050	52	6	14-01-N152-RK	14-01-N152-PT	N1-52K
16	40	3/8 LP	1.3	.050	56	6	16-01-N156-RK	16-01-N156-PT	N1-56K



MCCULLOCH®

EB 356a, EB 358a, MC438, MC3516, MC4218AV, MCC1435A, MCC1635A, MCC1840B, MS 354a, MS 4016P, MS 4018P, MXC1840D, MXC1840DK

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*		N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*		N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT		N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*		N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*		N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK			N1-62K 549773

46, 1849AV, 2046AV, 2049AV, 4600, 4700, 4900, 5000, 5500, MS 1846AV, MS 1849AV, MS 1850, MS 2046AV, MS 2046AVCC, MS 2049, MS 2049AV, MS 2049AVCC, MS 2050, PM1845AV, ProMac 40, Silver Eagle 2818, Silver Eagle 3020

16	40	.325	1.3	.050	66	7		16-01W-K166-SP		
18	45	.325	1.3	.050	72	7		18-01W-K172-SP		K1-72K
20	50	.325	1.3	.050	78	7			20-01W-K178-ST	

OLEO-MAC® (OLYMPYK)

240, 241, 244, 935, OLE 140F, OLE 300

14	35	3/8 LP	1.3	.050	50	7	14-26-N150-RK	14-26-N150-PT		N1-50K 549775
16	40	3/8 LP	1.3	.050	55	7	16-26-N155-RK	16-26-N155-PT		N1-55K 549777

938, 940C, 941, 945, 950, 951, 956, 962

16	40	.325	1.5	.058	66	7	16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST	
18	45	.325	1.5	.058	72	8	18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST	549791
20	50	.325	1.5	.058	78	7		20-01W-K278-SP	20-01W-K278-ST	

250, 250A, 251, 252, 254, 260, 261, 264, 272, 280, 284, 355, 460A Super, 461, 480A Super, 481, 970, 980, Super 482

16	40	3/8	1.5	.058	60	8		16-71-A260-SP		
18	45	3/8	1.5	.058	68	8		18-71-A268-SP		
20	50	3/8	1.5	.058	72	8		20-71-A272-SP		

PARTNER →



365

14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT		N1-52K 549769
----	----	--------	-----	------	----	---	---------------	---------------	--	---------------

P360, P400, P450, P500, P5000

16	40	.325	1.3	.050	66	7		16-01W-K166-SP		
18	45	.325	1.3	.050	72	7		18-01W-K172-SP		K1-72K
20	50	.325	1.3	.050	78	7			20-01W-K178-ST	
13	33	.325	1.5	.058	56	7		13-01W-K256-SP		
15	38	.325	1.5	.058	64	8		15-01W-K264-SP		
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST 549791
20	50	.325	1.5	.058	78	7		20-01W-K278-SP	20-01W-K278-ST	

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



PARTNER ←

550, 650, 1655, 2055, 7000, P55, P65, P70, P85, P100, R-11, R-12, R-14, R-16, R-17, R-18, R-19, R-20, R-21, R-22, R-23, R-30, R-35, R-40, R-416, R-420, R-421, R-435, R-440, S-50, S-55, S-65

16	40	3/8	1.3	.050	60	8					16-81-A160-ST	
18	45	3/8	1.3	.050	68	8					18-81-A168-ST	A1-68LK
20	50	3/8	1.3	.050	72	8					20-81-A172-ST	A1-72LK
15	38	3/8	1.5	.058	56	8			15-81-A256-SP			
16	40	3/8	1.5	.058	60	7		16-81-A260-PT	16-81-A260-SP		16-81-A260-ST	
16	40	3/8	1.5	.058	60	8				16-81-058-DT		
18	45	3/8	1.5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST	549779
20	50	3/8	1.5	.058	72	8		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	549781

PIONEER

1074, P-21, P-26, P-28

16	40	.325	1.3	.050	66	7			16-01W-K166-SP			
18	45	.325	1.3	.050	72	7			18-01W-K172-SP			K1-72K
20	50	.325	1.3	.050	78	7					20-01W-K178-ST	
13	33	.325	1.5	.058	56	7			13-01W-K256-SP			
15	38	.325	1.5	.058	64	8			15-01W-K264-SP			
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP		16-01W-K266-ST	
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP		18-01W-K272-ST	549791
20	50	.325	1.5	.058	78	7			20-01W-K278-SP		20-01W-K278-ST	

POULAN® / POULAN PRO®

180, 190, 200, 205, 210, 220, 221, 222, 225, 230, 235, 236, 240, 250, 260, 262, 400E, 1220, 1420, 1425, 1625, 1630, 1800, 1900, 1900 LE, 1950, 1950 LE, 1975, 1975 LE, 2000, 2025, 2050, 2055, 2055 LE, 2075, 2075C, 2100, 2150, 2155, 2160, 2175, 2250, 2250 LE, 2300, 2350, 2375, 2375LE, 2450, 2550, 2550LE, 2555, 3314, 3314WS, 3314WSA, 3416, 3516, 3516AVX, 3818AV, 4018, 4218, 4218AV, 4218AVX, P3816, PPB1838

10	25	3/8 LP	1.3	.050	40	6	10-10-N140-RK					N1-40K
12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*				N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*				N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*				N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*				N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK					N1-62K 549773

25 Series, Micro 25PS


14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT				N1-52K 549769
----	----	--------	-----	------	----	---	---------------	---------------	--	--	--	---------------

PLN1514

14	35	3/8 LP	1.3	.050	49	6	14-29-N149-RK					
----	----	--------	-----	------	----	---	---------------	--	--	--	--	--

PLN3516F

16	40	3/8 LP	1.3	.050	55	6	16-29-N154-RK					
----	----	--------	-----	------	----	---	---------------	--	--	--	--	--



POULAN® / POULAN PRO®

325

16	40	.325	1.3	.050	66	7		16-01W-K166-SP			
18	45	.325	1.3	.050	72	7		18-01W-K172-SP	K1-72K		
20	50	.325	1.3	.050	78	7			20-01W-K178-ST		
13	33	.325	1.5	.058	56	7		13-01W-K256-SP			
15	38	.325	1.5	.058	64	8		15-01W-K264-SP			
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST	
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST	549791
20	50	.325	1.5	.058	78	7		20-01W-K278-SP		20-01W-K278-ST	

285, 295, 305, 306SA, 310, 315, 335 Predator, 336, 2700, 2750, 2775, 2800, 2900 Farm Hand, 3000, 3050, 3100, 3300, 4600, 4620, 4620AV, 4620 AVHD, 4620AVX

16	40	.325	1.3	.050	66	7		16-10W-K166-SP	
18	45	.325	1.3	.050	72	7		18-10W-K172-SP	K1-72K 549787
20	50	.325	1.3	.050	78	7		20-10W-K178-SP	549789



PP5020AV

20	50	3/8	1.3	.050	70	7	original equipment guide bar /		
20	50	3/8	1.3	.050	72	7		20-01W-A172-ST	A1-72LK

415, 425, 475, 505

16	40	3/8	1.3	.050	60	8			16-81-A160-ST			
18	45	3/8	1.3	.050	68	8			18-81-A168-ST	A1-68LK		
20	50	3/8	1.3	.050	72	8			20-81-A172-ST	A1-72LK		
24	60	3/8	1.3	.050	84	8			24-81-A184-ST			
28	70	3/8	1.3	.050	92	7			28-81-A192-ST			
15	38	3/8	1.5	.058	56	8		15-81-A256-SP	15-81-058-DT			
16	40	3/8	1.5	.058	60	8		16-81-A260-PT	16-81-A260-SP	16-81-058-DT	16-81-A260-ST	
18	45	3/8	1.5	.058	68	8		18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST	549779
20	50	3/8	1.5	.058	72	8		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	549781
22	55	3/8	1.5	.058	76	7					22-81-A276-ST	
24	60	3/8	1.5	.058	84	7				24-81-058-DT	24-81-A284-ST	
28	70	3/8	1.5	.058	92	7				28-81-058-DT		
36	90	3/8	1.6	.063	115	7					36-81-A3115-ST	

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



POWERHORSE

190500, 190501, 190555, 190556

14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K	549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K	549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K	

190502, 190503, 190557, 190559

16	40	.325	1.3	.050	66	7		16-01W-K166-SP		
18	45	.325	1.3	.050	72	7		18-01W-K172-SP		K1-72K
20	50	.325	1.3	.050	78	7			20-01W-K178-ST	

16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST	
18	45	.325	1.5	.058	72	7		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST	549791
20	50	.325	1.5	.058	78	7		20-01W-K278-SP	20-01W-K278-ST		

REDMAX® (KOMATSU ZENOAH AMERICA, INC.)

G250, G2500, G2500TS, G300AVS, G300TS, G3100, G3100TS, G3200EZ, G3300, G3300E, G3300EZ, G3800, G3800AVS, GZ380, GZ3500T, GZ400, GZ4000

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*		N1-44K	
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*		N1-45K	549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT		N1-52K	549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*		N1-56K	549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*		N1-57K	
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK			N1-62K	549773

G390, G450AVS, G455AVS, G5000, G5000AVS, G5300



16	40	.325	1.3	.050	66	7		16-01W-K166-SP			
18	45	.325	1.3	.050	72	7		18-01W-K172-SP		K1-72K	
20	50	.325	1.3	.050	78	7			20-01W-K178-ST		

13	33	.325	1.5	.058	56	7		13-01W-K256-SP			
15	38	.325	1.5	.058	64	8		15-01W-K264-SP			
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST	
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST	549791
20	50	.325	1.5	.058	78	7		20-01W-K278-SP	20-01W-K278-ST		

GZ7000

18	45	3/8	1.3	.050	68	7			18-81-A168-ST	A1-68LK	
20	50	3/8	1.3	.050	72	7			20-81-A172-ST	A1-72LK	
24	60	3/8	1.3	.050	84	7			24-81-A184-ST		

18	45	3/8	1.5	.058	68	7		18-81-A268-PT	18-81-A268-SP	18-81-058-DT	18-81-A268-ST	549779
20	50	3/8	1.5	.058	72	7		20-81-A272-PT	20-81-A272-SP	20-81-058-DT	20-81-A272-ST	549781
22	55	3/8	1.5	.058	76	7					22-81-A276-ST	
24	60	3/8	1.5	.058	84	7				24-81-058-DT	24-81-A284-ST	
28	70	3/8	1.5	.058	92	7			28-81-058-DT			



SEARS® (CRAFTSMAN®)

34094, 34101, 34102, 34104, 34106, 34108, 34109, 34111, 34114, 34115, 34116, 34117, 34118, 34124, 34150, 34180, 34181, 34190, 34195, 35006, 35008, 35018, 35023, 35024, 35026, 35027, 35028, 35036, 35037, 35038, 35044, 35046, 35048, 35056, 35058, 35060, 35066, 35067, 35080, 35081, 35082, 35083, 35087, 35088, 35091, 35093, 35095, 35096, 35099, 35104, 35106, 35108, 35114, 35115, 35116, 35117, 35118, 35134, 35136, 35138, 35144, 35145, 35146, 35148, 35156, 35158, 35160, 35161, 35170, 35171, 35180, 35181, 35182, 35190, 35191, 35198, 35202, 35203, 35205, 35206, 35207, 35209, 35211, 35215, 35216, 35218, 35219, 35224, 35231, 35232, 35235, 35238, 35263, 35266, 35267, 35268, 35269, 35270, 35273, 35280, 35281, 35283, 35363, 35366, 35367, 35504, 35505, 35506, 35508, 35512, 35514, 35515, 35516, 35623, 35624, 35713, 35714, 35717, 35718, 35723, 35736, 35802, 35824, 35841, 35886, 36010, 36012, 36013, 36015, 36017, 36018, 36026, 36028, 36036, 36038, 36068, 36069, 36080, 36082, 36083, 36085, 36087, 36088, 36218, 38160, 38170

10	25	3/8 LP	1.3	.050	40	6	10-10-N140-RK			N1-40K
12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*		N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*		N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT		N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*		N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*		N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK			N1-62K 549773

35022, 35201, 316.38188

16	40	.325	1.3	.050	66	7		16-01W-K166-SP		
18	45	.325	1.3	.050	72	7		18-01W-K172-SP		K1-72K
20	50	.325	1.3	.050	78	7			20-01W-K178-ST	

13	33	.325	1.5	.058	56	7		13-01W-K256-SP		
15	38	.325	1.5	.058	64	8		15-01W-K264-SP		
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST 549791
20	50	.325	1.5	.058	78	7		20-01W-K278-SP		20-01W-K278-ST

35098

20	50	3/8	1.3	.050	70	7	original equipment guide bar / barra guía original del equipo / guide-chaîne de l'équipement d'origin			
20	50	3/8	1.3	.050	72	7		20-01W-A172-ST	A1-72LK	

SHINDAIWA →



90, 100, 110, 120, 140, 150 Electrics, 160 Electrics

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*		N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*		N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT		N1-52K 549769
16	40	3/8 LP	1.3	.050	57	6	16-10-N156-RK	16-10-N156-PT*		N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK			N1-62K 549773

104P, 180, 300, 300S, 345, 350, 352s, 357, 360, E305AV

14	35	3/8 LP	1.3	.050	53	6	14-10-N152-RK	14-10-N152-PT		
16	40	3/8 LP	1.3	.050	57	6	16-10-N156-RK	16-10-N156-PT*		N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK			N1-62K 549773

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



SHINDAIWA ←

366, 377, 415, 450, 451, 488, 488S, 490, 500, 502s

16	40	.325	1.3	.050	66	7		16-10W-K166-SP	
18	45	.325	1.3	.050	72	7		18-10W-K172-SP	K1-72K 549787
20	50	.325	1.3	.050	78	7		20-10W-K178-SP	549789

550, 575, 577

16	40	3/8	1.3	.050	60	7			16-81-A160-ST
18	45	3/8	1.3	.050	68	7			18-81-A168-ST A1-68LK
20	50	3/8	1.3	.050	72	7			20-81-A172-ST A1-72LK
24	60	3/8	1.3	.050	84	7			24-81-A184-ST
28	70	3/8	1.3	.050	92	7			28-81-A192-ST



15	38	3/8	1.5	.058	56	7		15-81-A256-SP	
16	40	3/8	1.5	.058	60	7		16-81-A260-PT	16-81-A260-SP 16-81-058-DT 16-81-A260-ST
18	45	3/8	1.5	.058	68	7		18-81-A268-PT	18-81-A268-SP 18-81-058-DT 18-81-A268-ST 549779
20	50	3/8	1.5	.058	72	7		20-81-A272-PT	20-81-A272-SP 20-81-058-DT 20-81-A272-ST 549781
22	55	3/8	1.5	.058	76	7			22-81-A276-ST
24	60	3/8	1.5	.058	84	7			24-81-058-DT 24-81-A284-ST
28	70	3/8	1.5	.058	92	7			28-81-058-DT

680, 695, 757, 757C, 757W

16	40	3/8	1.3	.050	60	7			16-81-A160-ST
18	45	3/8	1.3	.050	68	7			18-81-A168-ST A1-68LK
20	50	3/8	1.3	.050	72	7			20-81-A172-ST A1-72LK
24	60	3/8	1.3	.050	84	7			24-81-A184-ST
28	70	3/8	1.3	.050	92	7			28-81-A192-ST

15	38	3/8	1.5	.058	56	7		15-81-A256-SP	
16	40	3/8	1.5	.058	60	7		16-81-A260-PT	16-81-A260-SP 16-81-058-DT 16-81-A260-ST
18	45	3/8	1.5	.058	68	7		18-81-A268-PT	18-81-A268-SP 18-81-058-DT 18-81-A268-ST 549779
20	50	3/8	1.5	.058	72	7		20-81-A272-PT	20-81-A272-SP 20-81-058-DT 20-81-A272-ST 549781
22	55	3/8	1.5	.058	76	7			22-81-A276-ST
24	60	3/8	1.5	.058	84	7			24-81-058-DT 24-81-A284-ST
28	70	3/8	1.5	.058	92	7			28-81-058-DT

36	90	3/8	1.6	.063	115	7			36-81-A3115-ST
----	----	-----	-----	------	-----	---	--	--	----------------



SKIL®

1620, 1622, 1624, 1631 Type 3, 1634, 1635, 1636

12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

SNAPPER®

S1634, S1838

10	25	3/8 LP	1.3	.050	40	6	10-10-N140-RK		N1-40K
12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK		N1-62K 549773

SOLO® →



638, 639, 641, 644, 645, 647, 650, 651, 651SP, 654

16	40	.325	1.3	.050	66	7		16-01W-K166-SP	
18	45	.325	1.3	.050	72	7		18-01W-K172-SP	K1-72K
20	50	.325	1.3	.050	78	7			20-01W-K178-ST
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP
20	50	.325	1.5	.058	78	7		20-01W-K278-SP	20-01W-K278-ST

603, 662, 665, 667, 670, 675, 680, 681, 690, 694

16	40	3/8	1.3	.050	60	8			16-81-A160-ST
18	45	3/8	1.3	.050	68	8			18-81-A168-ST A1-68LK
20	50	3/8	1.3	.050	72	8			20-81-A172-ST A1-72LK
24	60	3/8	1.3	.050	84	8			24-81-A184-ST
28	70	3/8	1.3	.050	92	7			28-81-A192-ST
15	38	3/8	1.5	.058	56	8		15-81-A256-SP	15-81-058-DT
16	40	3/8	1.5	.058	60	8		16-81-A260-PT	16-81-A260-SP
18	45	3/8	1.5	.058	68	8		18-81-A268-PT	18-81-A268-SP
20	50	3/8	1.5	.058	72	8		20-81-A272-PT	20-81-A272-SP
22	55	3/8	1.5	.058	76	7			22-81-A276-ST
24	60	3/8	1.5	.058	84	7			24-81-058-DT
28	70	3/8	1.5	.058	92	7			28-81-058-DT
36	90	3/8	1.6	.063	115	7			36-81-A3115-ST

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



SOLO® ←

633, 635, 636, 637, 640, 643

14	35	3/8 LP	1.3	.050	52	6	14-01-N152-RK	14-01-N152-PT		N1-52K
16	40	3/8 LP	1.3	.050	56	6	16-01-N156-RK	16-01-N156-PT		N1-56K

STANLEY®

CS05, CS06

13	33	.325	1.5	.058	56	7				13-01W-K256-SP
15	38	.325	1.5	.058	64	7				15-01W-K264-SP
16	40	.325	1.5	.058	66	7		16-01W-K266-PT	16-01W-K266-SP	16-01W-K266-ST
18	45	.325	1.5	.058	72	8		18-01W-K272-PT	18-01W-K272-SP	18-01W-K272-ST 549791
20	50	.325	1.5	.058	78	7			20-01W-K278-SP	20-01W-K278-ST

STIHL®

021, 025, 025C, 70, MS 230, MS 230 C, MS 230 C-BE, MS 241, MS 250, MS 250 C, MS 250 C-BE, MS 251, MS 251 C, MS 251 C-BE

16	40	.325	1.6	.063	62	7				16-26-K362-SP
18	45	.325	1.6	.063	68	7				18-26-K368-SP

12	30	3/8 LP	1.3	.050	44	6	12-26-N144-RK	12-26-N144-PT		N1-44K
14	35	3/8 LP	1.3	.050	50	6	14-26-N150-RK	14-26-N150-PT		N1-50K 549775
16	40	3/8 LP	1.3	.050	55	6	16-26-N155-RK	16-26-N155-PT		N1-55K 549777



009, 009L, 010, 011, 012, 015, 017, 018, 018 C, 019, 019T, 020, 020 Super, 020T, 023, 023C, 023L, E10, E14, E140, E180, E180C, HT70 Pole Pruner, HT 73 Pole Pruner, HT100 Pole Pruner, HT101 Pole Pruner, HT 130 Pole Pruner, HT 131 Pole Pruner, HT 250 Pole Pruner, MS170, MS171, MS180, MS180C, MS 181, MS 181C, MS181C-BE, MS190T, MS191T, MS192C, MS192C-E, MS192TC-E, MS200T, MS201C, MS201C-E, MS201T, MS210, MS210C, MS211, MS211C, MS220, MS220Q, MSE140, MSE160, MSE170C-BQ, MSE180, MSE200, MSE210C-BQ

12	30	3/8 LP	1.1	.043	44	6				
14	35	3/8 LP	1.1	.043	50	6				
16	40	3/8 LP	1.1	.043	55	6				

12	30	3/8 LP	1.3	.050	44	6	12-26-N144-RK	12-26-N144-PT		N1-44K
14	35	3/8 LP	1.3	.050	50	6	14-26-N150-RK	14-26-N150-PT		N1-50K 549775
16	40	3/8 LP	1.3	.050	55	6	16-26-N155-RK	16-26-N155-PT		N1-55K 549777

MS 271, MS280, MS 280 C-BQ, MS 280 C-QS

16	40	.325	1.6	.063	67	7		16-42-K367-PT	16-42-K367-SP	
18	45	.325	1.6	.063	74	7		18-42-K374-PT	18-42-K374-SP	
20	50	.325	1.6	.063	81	7			20-42-K381-SP	20-42-K381-ST



STIHL® →

039



16	40	.325	1.6	.063	67	7		16-42-K367-PT	16-42-K367-SP		
18	45	.325	1.6	.063	74	7		18-42-K374-PT	18-42-K374-SP		
20	50	.325	1.6	.063	81	7			20-42-K381-SP	20-42-K381-ST	
16	40	3/8	1.3	.050	60	7			16-42-A160-SP	16-42-A160-ST	
18	45	3/8	1.3	.050	66	7			18-42-A166-SP	18-42-A166-ST	
20	50	3/8	1.3	.050	72	7			20-42-A172-SP	20-42-A172-ST	A1-72LK
24	60	3/8	1.3	.050	84	7				24-42-A184-ST	
28	70	3/8	1.3	.050	91	7				28-42-A191-ST	
16	40	3/8	1.6	.063	60	7		16-42-A360-PT	16-42-A360-SP	16-42-063-DT	16-42-A360-ST
18	45	3/8	1.6	.063	66	7		18-42-A366-PT	18-42-A366-SP	18-42-063-DT	18-42-A366-ST
20	50	3/8	1.6	.063	72	7		20-42-A372-PT	20-42-A372-SP	20-42-063-DT	20-42-A372-ST
24	60	3/8	1.6	.063	84	7				24-42-063-DT	24-42-A384-ST
28	70	3/8	1.6	.063	91	7					28-42-A391-ST
32	80	3/8	1.6	.063	105	7					32-42-A3105-ST
36	90	3/8	1.6	.063	114	7					36-42-A3114-ST

MS 361, MS 361 C, MS 390

16	40	.325	1.6	.063	67	7		16-42-K367-PT	16-42-K367-SP		
18	45	.325	1.6	.063	74	7		18-42-K374-PT	18-42-K374-SP		
20	50	.325	1.6	.063	81	7			20-42-K381-SP	20-42-K381-ST	
16	40	3/8	1.3	.050	60	7			16-42-A160-SP	16-42-A160-ST	
18	45	3/8	1.3	.050	66	7			18-42-A166-SP	18-42-A166-ST	
20	50	3/8	1.3	.050	72	7			20-42-A172-SP	20-42-A172-ST	A1-72LK
24	60	3/8	1.3	.050	84	7				24-42-A184-ST	
16	40	3/8	1.6	.063	60	7		16-42-A360-PT	16-42-A360-SP	16-42-063-DT	16-42-A360-ST
18	45	3/8	1.6	.063	66	7		18-42-A366-PT	18-42-A366-SP	18-42-063-DT	18-42-A366-ST
20	50	3/8	1.6	.063	72	7		20-42-A372-PT	20-42-A372-SP	20-42-063-DT	20-42-A372-ST
24	60	3/8	1.6	.063	84	7				24-42-063-DT	24-42-A384-ST

024, 024 Super, 026, 026 Pro, 026P, 028, 028 Super, Farm Boss, MS 260, MS 260 Pro, MS 261, MS 261 C-M, MS 261 CM-Q, MS 261 CQ, MS 270, MS 270 C, MS 270 C-B, MS 270 CQS, MS 280, MS 280 C-BQ, MS 280 CQS, MS 290, MS 291, MS 291-CQ, MS 310, MS 341

16	40	.325	1.6	.063	67	7		16-42-K367-PT	16-42-K367-SP		
18	45	.325	1.6	.063	74	7		18-42-K374-PT	18-42-K374-SP		
20	50	.325	1.6	.063	81	7			20-42-K381-SP	20-42-K381-ST	
16	40	3/8	1.3	.050	60	7			16-42-A160-SP	16-42-A160-ST	
18	45	3/8	1.3	.050	66	7			18-42-A166-SP	18-42-A166-ST	
20	50	3/8	1.3	.050	72	7			20-42-A172-SP	20-42-A172-ST	A1-72LK
16	40	3/8	1.6	.063	60	7		16-42-A360-PT	16-42-A360-SP	16-42-063-DT	16-42-A360-ST
18	45	3/8	1.6	.063	66	7		18-42-A366-PT	18-42-A366-SP	18-42-063-DT	18-42-A366-ST
20	50	3/8	1.6	.063	72	7		20-42-A372-PT	20-42-A372-SP	20-42-063-DT	20-42-A372-ST



STIHL® ←

040, 048, E15, E20, E220, MS 362, MS 362-CM, MS 362 C-MQ, MS 362 CQ, MS 362 RC-M, MS 391, MSE 220

16	40	3/8	1.3	.050	60	7			16-42-A160-SP	16-42-A160-ST	
18	45	3/8	1.3	.050	66	7			18-42-A166-SP	18-42-A166-ST	
20	50	3/8	1.3	.050	72	7			20-42-A172-SP	20-42-A172-ST	A1-72LK
24	60	3/8	1.3	.050	84	7				24-42-A184-ST	

16	40	3/8	1.6	.063	60	7		16-42-A360-PT	16-42-A360-SP	16-42-063-DT	16-42-A360-ST	
18	45	3/8	1.6	.063	66	7		18-42-A366-PT	18-42-A366-SP	18-42-063-DT	18-42-A366-ST	549783
20	50	3/8	1.6	.063	72	7		20-42-A372-PT	20-42-A372-SP	20-42-063-DT	20-42-A372-ST	549785
24	60	3/8	1.6	.063	84	7				24-42-063-DT	24-42-A384-ST	

E20, E220, MS 311, MSE 220


16	40	3/8	1.3	.050	60	7			16-42-A160-SP	16-42-A160-ST	
18	45	3/8	1.3	.050	66	7			18-42-A166-SP	18-42-A166-ST	
20	50	3/8	1.3	.050	72	7			20-42-A172-SP	20-42-A172-ST	A1-72LK

16	40	3/8	1.6	.063	60	7		16-42-A360-PT	16-42-A360-SP	16-42-063-DT	16-42-A360-ST	
18	45	3/8	1.6	.063	66	7		18-42-A366-PT	18-42-A366-SP	18-42-063-DT	18-42-A366-ST	549783
20	50	3/8	1.6	.063	72	7		20-42-A372-PT	20-42-A372-SP	20-42-063-DT	20-42-A372-ST	549785

038, 038 Super Magnum, 041, 042, 044, 044 Magnum, 045, 046, 046 Magnum, 056, 056 Super, 064, 066, 066 Magnum, MS 440, MS 440 Magnum, MS 441, MS 441 C, MS 441 C-M, MS 441 C-MQ, MS 441 RC-M, MS 460, MS 460 Magnum, MS 461, MS 461 R, MS 650, MS 660, MS 660 Magnum, MS 661 C-M, MS 661 RC-M

16	40	3/8	1.3	.050	60	7			16-42-A160-SP	16-42-A160-ST	
18	45	3/8	1.3	.050	66	7			18-42-A166-SP	18-42-A166-ST	
20	50	3/8	1.3	.050	72	7			20-42-A172-SP	20-42-A172-ST	A1-72LK
24	60	3/8	1.3	.050	84	7				24-42-A184-ST	
28	70	3/8	1.3	.050	91	7				28-42-A191-ST	

16	40	3/8	1.6	.063	60	7		16-42-A360-PT	16-42-A360-SP	16-42-063-DT	16-42-A360-ST	
18	45	3/8	1.6	.063	66	7		18-42-A366-PT	18-42-A366-SP	18-42-063-DT	18-42-A366-ST	549783
20	50	3/8	1.6	.063	72	7		20-42-A372-PT	20-42-A372-SP	20-42-063-DT	20-42-A372-ST	549785
22	55	3/8	1.6	.063	76	7					22-42-A376-ST	
24	60	3/8	1.6	.063	84	7				24-42-063-DT	24-42-A384-ST	
28	70	3/8	1.6	.063	91	7					28-42-A391-ST	
32	80	3/8	1.6	.063	105	7					32-42-A3105-ST	
36	90	3/8	1.6	.063	114	7					36-42-A3114-ST	



STIHL®

029, 030, 031, 032, 034, 034 Super, 036, 036 Pro, 036 QS, MS 290, MS 360, MS 360 C, MS 360 Pro, MS 360 QS

16	40	.325	1.6	.063	67	7		16-42-K367-PT	16-42-K367-SP		
18	45	.325	1.6	.063	74	7		18-42-K374-PT	18-42-K374-SP		
20	50	.325	1.6	.063	81	7			20-42-K381-SP	20-42-K381-ST	
16	40	3/8	1.3	.050	60	7			16-42-A160-SP	16-42-A160-ST	
18	45	3/8	1.3	.050	66	7			18-42-A166-SP	18-42-A166-ST	
20	50	3/8	1.3	.050	72	7			20-42-A172-SP	20-42-A172-ST	A1-72LK
24	60	3/8	1.3	.050	84	7				24-42-A184-ST	
28	70	3/8	1.3	.050	91	7				28-42-A191-ST	
16	40	3/8	1.6	.063	60	7		16-42-A360-PT	16-42-A360-SP	16-42-063-DT	16-42-A360-ST
18	45	3/8	1.6	.063	66	7		18-42-A366-PT	18-42-A366-SP	18-42-063-DT	18-42-A366-ST 549783
20	50	3/8	1.6	.063	72	7		20-42-A372-PT	20-42-A372-SP	20-42-063-DT	20-42-A372-ST 549785
24	60	3/8	1.6	.063	84	7				24-42-063-DT	24-42-A384-ST
28	70	3/8	1.6	.063	91	7					28-42-A391-ST

TAS TANAKA®

ECS-35, ECS-290, ECS-300, ECS-320, ECS-330, ECS-350, ECS-351, ECS-355, ECS-356, ECS-370, ECS-405, ECS-3301, ECS-3351, ECS-3500, ECS-3500B, TCS 3401, TCS-3301-PFS, TCS-3351-PFS, TCS33EB/14, TCS33EB/16

12	30	3/8 LP	1.3	.050	44	6			12-10-N144-PT*		N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*			N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT			N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*			N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*			N1-57K
18	45	3/8 LP	1.3	.050	62	6	18-10-N162-RK				N1-62K 549773



ECS-415, ECS-4000, ECV-4501, TCS40EA, TCS51EAP

16	40	.325	1.3	.050	66	7			16-10W-K166-SP		
18	45	.325	1.3	.050	72	7			18-10W-K172-SP	K1-72K	549787
20	50	.325	1.3	.050	78	7			20-10W-K178-SP		549789

TCS33EDTP/12, TCS33EDTP14

12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*			N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT			N1-52K 549769

*Bars to be discontinued. Contact your authorized Carlton® distributor for availability.



TORO®

51100, 51140

10	25	3/8 LP	1.3	.050	40	6	10-10-N140-RK		N1-40K
12	30	3/8 LP	1.3	.050	44	6		12-10-N144-PT*	N1-44K
12	30	3/8 LP	1.3	.050	45	6	12-10-N145-RK	12-10-N145-PT*	N1-45K 549767
14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K

WEN

3814, 4014

14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
16	40	3/8 LP	1.3	.050	56	6	16-10-N156-RK	16-10-N156-PT*	N1-56K 549771
16	40	3/8 LP	1.3	.050	57	6		16-10-N157-PT*	N1-57K

WORX®

WG300, WG303, WG304

14	35	3/8 LP	1.3	.050	53	7	14-10-N152-RK	14-10-N152-PT	
16	40	3/8 LP	1.3	.050	57	7		16-10-N157-PT*	N1-57K
18	45	3/8 LP	1.3	.050	63	7	18-10-N162-RK		

WG305, WG305.1

14	35	3/8 LP	1.3	.050	52	6	14-10-N152-RK	14-10-N152-PT	N1-52K 549769
----	----	--------	-----	------	----	---	---------------	---------------	---------------




CARLTON 01

OREGON A095

WINDSOR CJL



Husqvarna®, Jonsered®, McCulloch®, Solo®



1:1

The 01W mount is used in applications with larger drive sprockets.


CARLTON 01W


OREGON K095

WINDSOR CJL



Alpina, Cub Cadet®, Dolmar, Efco®, Fairmont®, Gio, Husqvarna®, John Deere, Jonsered®, Makita®, McCulloch®, Partner, Pioneer, Poulan® / Poulan Pro®, Powerhorse, Redmax® (Komatsu Zenoah America, Inc.), Sears® (Craftsmen®), Solo®, Stanley®





29.16 mm
1.148"

1:1

The 10W mount is used in applications with larger drive sprockets.


CARLTON 10

OREGON A041

WINDSOR PKU



Allis Chalmers / Dayton, Chicago, Cub Cadet®, Dayton, Dolmar, Earthquake®, Earthwise, Echo®, Efcó®, Green Machine®, Greenworks, Hitachi Homelite®, Husqvarna®, John Deere, Jonsered®, Makita®, McCulloch®, Partner, Poulan® / Poulan Pro®, Powerhorse, Redmax® (Komatsu Zenoah America, Inc.), Sears® (Craftsman®), Shindaiwa, Skil®, Snapper®, Tas Tanaka®, Toro®, Wen, Worx®




37.19 mm
1.464"

CARLTON 10W

OREGON K041

WINDSOR PKU



Echo®, Homelite®, Husqvarna®, Jonsered®, Poulan® / Poulan Pro®, Shindaiwa, Tas Tanaka®




CARLTON 26

OREGON A074

WINDSOR ST



Oleo-Mac® (Olympyk), Stihl®



1:1


CARLTON 29


OREGON A218

WINDSOR —




McCulloch®, Poulan® / Poulan Pro®





CARLTON	42
OREGON	D025
WINDSOR	40
Stihl®	

1:1




CARLTON	55
OREGON	D033
WINDSOR	—
Alpina®, Efcó®, Husqvarna®, Oleo-Mac® (Olympyk), Stihl®	




CARLTON 57

OREGON —

WINDSOR —



Echo®, Stihl®




1:1


CARLTON 71


OREGON D024

WINDSOR JR



Efco®, Jonsered®, McCulloch®, Stihl®





1:1

CARLTON

81

OREGON

D009

WINDSOR

EM



Alpina, Dolmar, Efco®,
Husqvarna®, Jonsered®, Makita®,
Partner, Poulan® / Poulan Pro®,
Redmax® (Komatsu Zenoah
America, Inc.), Shindaiwa / SDK / Iseki,
Solo®



SPROCKETS

Carlton strongly recommends a new sprocket with every new saw chain.

Spur Sprockets




- True sprocket pitch
- Case hardened for good impact resistance
- Copper-brazed joint between sprocket and drum
- Resists high torque during operation

Power Drive Spline / Rim Assemblies




- Manufactured from wear-resistant alloy steel for durability

Rim Sprockets

- Preferred by professional loggers
- Long-wear life
- Self-alignment
- Great serviceability
- Sold in packs of 10



.325"	7	Small 7	SR7-11892
.325"	8	Small 7	SR8-11891
3/8"	7	Small 7	SR7-18720
3/8"	7	Standard 7	SR7-68210
3/8"	8	Standard 7	SR8-22273
.404"	7	Standard 7	SR7-22270



N = 3/8" LP	K = .325"	A = 3/8"	B = .404"
-------------	-----------	----------	-----------



DOLMAR

109, 110, 111, 115, 115i

.325	7	SMALL 7	SR7-11892
.325	8	SMALL 7	SR8-11891
3/8	7	SMALL 7	SR7-18720

112, 113, 114, 116, 116SI, 117, 119, 120, 120 Super, 120Si, PS-6000i, PS-6400, PS-6400 H, PS-6400 W, PS-6800i, PS-7310, PS-7310 H, PS-7910, PS-7910 H, PS-7910 W, PS-9000, PS-9010, PS-9010FL

3/8	7	STD 7	SR7-68210
-----	---	-------	-----------

122, 123, 133, 143, CA

3/8	8	STD 7	SR8-22273
-----	---	-------	-----------

ECHO®

CS-400EVL, CS-440, CS-440EVL, CS-510, CS-3600, CS-3900, CS-4400, CS-4510, CS-5100

.325	7	SMALL 7	SR7-11892
3/8	7	SMALL 7	SR7-18720

CS-450, CS-450P, CS-500P, CS-4000, CS-4500, CS-4600, CS-5000, CS-5500

.325	7	SMALL 7	SR7-11892
------	---	---------	-----------

CS-451, CS-451VL, CS-452, CS-452VL, CS-500, CS-500VL, CS-510EVL, CS-550, CS-550EVL, CS-610EVL, CS-610T

3/8	7	SMALL 7	SR7-18720
-----	---	---------	-----------

CS-60, CS-60S, CS-600P, CS-650, CS-650EVL, CS-660, CS-660EVL, CS-680, CS-8000

3/8	7	STD 7	SR7-68210
-----	---	-------	-----------

HOMELITE®

150, 150 AO, 330, 350, 350HG, 350SL, 35SL, 360, 410, 450, 550, EZ, EZ 250 AO, EZ Auto, EZ250, SEZ AO, Super XL, Super XL-AO, Super XL925, Super XL Mini, SXL Mini AO, VI-123, VI-125, VI-944, VI-955, VI955, XL, XL 101

3/8	7	STD 7	SR7-68210
-----	---	-------	-----------

240, 240SL, 245SL

.325	7	SMALL 7	SR7-11892
3/8	7	SMALL 7	SR7-18720

245 (after / despues / après #XE339)

.325	7	SMALL 7	SR7-11892
------	---	---------	-----------

245 (before / antes / avant #XE339)

3/8	7	SMALL 7	SR7-18720
-----	---	---------	-----------



HUSQVARNA®

181, 185, 281, 285, 288, 298, 394, 394XP, 395, 395XP, 395XPG, 395XPW, 1100, 2100, 2101, 2101XP

3/8	7	STD 7	SR7-68210	6-28094X	21276
.404	7	STD 7	SR7-22270		

39, 42, 44, 133, 140, 141, 142, 234, 238, 240, 242, 242XP, 246, 340, 444

.325	7	SMALL 7	SR7-11892		
------	---	---------	-----------	--	--

36, 41, 136

.325	7	SMALL 7	SR7-11892	6-41726X	5-106656X	37325
------	---	---------	-----------	----------	-----------	-------

50, 51, 55, 55 Rancher, 154, 254 (before / S/N 345-1001), 262 (before / antes / avant S/N 345-1001)

.325	7	SMALL 7	SR7-11892	6-29175X	11893
.325	8	SMALL 7	SR8-11891		
3/8	7	SMALL 7	SR7-18720		
3/8	7	STD 7	SR7-68210		

160, 163, 180, 260, 263, 280, 380, 480, 576XP, 576XPG, 576XPW, L-65

3/8	7	STD 7	SR7-68210		
-----	---	-------	-----------	--	--

257, 262XP

.325	7	SMALL 7	SR7-11892		
.325	8	SMALL 7	SR8-11891		
3/8	7	STD 7	SR7-68210		
3/8	7	SMALL 7	SR7-18720		

61 (after / S/N 0510572), 266 (after / S/N0510000), 268 (after / S/N 0510000), 272 (after / S/N 0510000)

3/8	7	STD 7		5-32057	11999
3/8	7	STD 7	SR7-68210	6-26831	11893

61 (before / S/N 0510571), 66, 162, 266 (before / S/N 0510000), 268 (before / S/N 0510000), 272 (before / S/N 0510000)

3/8	7	STD 7	SR7-68210	6-102469	11999
-----	---	-------	-----------	----------	-------

340, 340e, 345, 345e, 346, 346XP, 346XPG, 350, 351, 353, 353E-Tech, 359, 445, 445E, 450, 450E

.325	7	SMALL 7	SR7-11892	6-108215X	5-108308X	11893
------	---	---------	-----------	-----------	-----------	-------

355, 357, 357XP, 359

.325	7	SMALL 7	SR7-11892	6-108215X	5-108308X	11893
3/8	7	STD 7	SR7-68210			

362, 365, 371, 372, 372XP, 570, 575XP

3/8	7	STD 7	SR7-68210	6-105772X	37501
-----	---	-------	-----------	-----------	-------

77, 385XP, 385XPG, 390XP, 390XPW

3/8	7	STD 7	SR7-68210		
-----	---	-------	-----------	--	--

40, 45, 49

.325	7	SMALL 7	SR7-11892	6-35641X	11893
------	---	---------	-----------	----------	-------



HUSQVARNA®

455, 455 Rancher, 460, 460 Rancher

.325	7	SMALL 7	SR7-11892
3/8	7	SMALL 7	SR7-18720

3120XP, Jungle 2100, Jungle 3120

.404	7	STD 7	SR7-22270
------	---	-------	-----------

JOHN DEERE

50V, 55EV, 55V, 7600, Green Machine

3/8	7	SMALL 7	SR7-18720
-----	---	---------	-----------

45EV

.325	7	SMALL 7	SR7-11892
3/8	7	SMALL 7	SR7-18720

65EV, CS71, CS81

3/8	7	STD 7	SR7-68210
-----	---	-------	-----------

CS46, CS52

.325	7	SMALL 7	SR7-11892
------	---	---------	-----------

C556, C562

.325	7	SMALL 7	SR7-11892
3/8	7	STD 7	SR7-68210

JONSERED® →

1020, 2077, 2083, 2094

3/8	7	STD 7	SR7-68210
-----	---	-------	-----------

2035, 2036, 2040

.325	7	SMALL 7	SR7-11892	6-41726X	5-106656X	37325
------	---	---------	-----------	----------	-----------	-------

410, 420, 425, 435, 2041, 2045, 2050

.325	7	SMALL 7	SR7-11892	6-35641X	11893
------	---	---------	-----------	----------	-------

450, 455, 510, 520, 525, 535, 2051, 2054, 2055

.325	7	SMALL 7	SR7-11892
.325	8	SMALL 7	SR8-11891
3/8	7	SMALL 7	SR7-18720

2141, 2145, 2149, 2150, 2152, 2153, CS2141, CS2145, CS2149, CS2150, CS2152, CS2153, CS2245, CS2250, CS2250s

.325	7	SMALL 7	SR7-11892	6-108215X	5-108308X	11893
------	---	---------	-----------	-----------	-----------	-------

2156, 2159

.325	7	SMALL 7	SR7-11892	6-108215X	11893
3/8	7	STD 7	SR7-68210		



JONSERED® ←

490, 590

.325	7	SMALL 7	SR7-11892	6-29175X	11893
.325	8	SMALL 7	SR8-11891		
3/8	7	STD 7	SR7-68210		

625 (after / S/N 0510123), **630** (after / S/N 0510000),
630 Super (after / S/N 0510000), **630 West Coast** (after / S/N 0510000),
670 (after / S/N 0510513)

3/8	7	STD 7		5-32057	11999
3/8	7	STD 7	SR7-68210	6-26831	11893

625 (before / S/N 0510123), **630** (before / antes / avant S/N 0510000),
630 Super (before / S/N 0510000), **630 West Coast** (before / S/N 0510000),
670 (before / S/N 0510123)

3/8	7	STD 7	SR7-68210	6-102469	11999
-----	---	-------	-----------	----------	-------

820, 830, 910, 920, 930

3/8	8	STD 7	SR8-22273		
-----	---	-------	-----------	--	--

2065, 2071, 2165, , CS2165, CS2166, CS2171, CS2171WH, CS2172

3/8	7	STD 7	SR7-68210	6-105772X	37501
-----	---	-------	-----------	-----------	-------

2095

3/8	7	STD 7	SR7-68210	6-28094X	21276
-----	---	-------	-----------	----------	-------

MAKITA®

DCS430, DCS520i, DCS4300

.325	8	SMALL 7	SR8-11891		
3/8	7	SMALL 7	SR7-18720		

DCS5200i

.325	7	SMALL 7	SR7-11892		
------	---	---------	-----------	--	--

DCS6000i, DCS6800i, DCS9000, DCS9010

3/8	7	STD 7	SR7-68210		
-----	---	-------	-----------	--	--

MASTERCRAFT®

54-5720, 54-5721, 54-5722

3/8	6			5-29888	21940
-----	---	--	--	---------	-------

MCCULLOCH®

1-10, 2-10, 3-10, 4-10, 5-10, 6-10, 7-10, 8-10, 9-10, 10-10, 515, 605, 610, 650, 655, 700, 805, 850, 855, Pro Mac 55, Pro Mac 60, Timberbear

3/8	7	STD 7	SR7-68210		
-----	---	-------	-----------	--	--

1-70 series, 105, 125, 200, 250, 300, 380, 440, 450, 550, 740, 790, 795, 797, CP-125, SP-125

.404	7	STD 7	SR7-22270		
------	---	-------	-----------	--	--



MCCULLOCH®

365, 2000, 2010, 2012, 2014, 2016, 2116, 2316, 2318, 3000, 3200, 3210, 3214, 3216, 3505, 3516, 3805, 3818, Mac 110-140, Mini Mac (all models), MS 1432, MS 1435, MS 1838, PM310, PM320, PM330, PM340, PM480, Pro Mac 3205 AV-14, Titan 35-40

3/8 6 5-29888 21940

MONTGOMERY WARD®

TMY24062, TMY24064, TMY24066, TMY24068

3/8 6 5-29888 21940

TMY24084, TMY24086

3/8 7 STD 7 SR7-68210

OLEO-MAC® (OLYMPYK)

251, 252, 254, 350, 355

3/8 7 STD 7 SR7-68210

260, 261, 271, 272, 280, 280A, 281, 284, 400, 460, 461, 480, 481, 482

3/8 7 STD 7 SR7-68210

3/8 8 STD 7 SR8-22273

938, 941, 942, 945, 946, 947, 951, 952

.325 7 SMALL 7 SR7-11892

956, 962

.325 7 SMALL 7 SR7-11892

.325 8 SMALL 7 SR8-11891

3/8 7 STD 7 SR7-68210

970, 980

3/8 7 STD 7 SR7-68210 SR7-68210

PARTNER

351

3/8 6 5-106114 37325

365, 405

.325 7 SMALL 7 SR7-11892 6-41726X 5-106656X 37325

400, 410, 450, 460, 490, 510, 540

.325 7 SMALL 7 SR7-11892 6-35641X 11893

421, 7000, F55, F65, P100, P70, R-16, R-17, R-18, R-19, R-20, R-21, R-22, R-420, S-50, S-55, S-65

3/8 7 STD 7 SR7-68210

P48, P49V, P400, P500, P545, P5000, P5100

.325 7 SMALL 7 SR7-11892 6-29175X 11893

.325 8 SMALL 7 SR8-11891

3/8 7 STD 7 SR7-68210



PIONEER

970, 1072, 1073, 1074, 2071, 2073, Holiday II, P-20, P-21, P-25, P-26, P-28

.325 8 SMALL 7 SR8-11891

POULAN®

210, 221, 230, 260, 1950, 2050, 2055, 2075, 2150, 2155, 2175, 2250, 2375, 2450, 2550, Patriot 1900, Wildthing

3/8 6 5-106114 37325

375, 395, 3400, 3700, 3800, 4000

3/8 7 STD 7 SR7-68210

295, 2500, 2600, 2750, 2775, 2900, 3050, 4620AV, 4620AVX, P600

.325 7 SMALL 7 SR7-11892 6-41726X 5-106656X 37325

285, 305, 330, 335, 336, 2700, 2800, 3000, 3300

.325 7 SMALL 7 SR7-11892

325

.325 7 SMALL 7 SR7-11892 6-29175X 11893

.325 8 SMALL 7 SR8-11891

REDMAX®

G561AVS, G621AVS

3/8 7 SMALL 7 SR7-18720

REMINGTON®

Logger, PL-4, PL-5, PL-55, SL-11, Woodsman

3/8 7 STD 7 SR7-68210

SEARS® (CRAFTSMAN®)

351062, 351142, 351161, 351181, 352161, 352180

3/8 6 5-106114 37325

35826, 35829

3/8 7 SMALL 7 SR7-18720

35881, 35884, 35885

3/8 7 STD 7 SR7-68210

41554, 41556, 41558

3/8 6 5-29888 21940

SKIL®

1632, 1641, 1646

3/8 7 STD 7 SR7-68210



SNAPPER®

S1634, S1838

3/8	6			5-106114	37325
-----	---	--	--	----------	-------

STIHL®

017, 018, 018 C, 019, 021, 023, 023C, 025, MS 210, MS 230, MS 250, MS 250 C

.325	7	SMALL 7	SR7-11892	6-100961X	37325
3/8	6			5-100962X	37325

024, 026, (after / después / après SN# 25809074), MS 240, MS 260, MS 260 Pro, MS 270, MS270C

.325	7	SMALL 7	SR7-11892	6-100791X	37325
------	---	---------	-----------	-----------	-------

028, 028 Super

.325	7	SMALL 7	SR7-11892		
3/8	7	SMALL 7	SR7-18720		

029, 034, 034 Super, 036, 039, MS 290, MS 310, MS311, MS 360, MS 390, MS391

3/8	7	SMALL 7	SR7-18720	6-34162X	37325
-----	---	---------	-----------	----------	-------

030, 031, 032, 038, 041, 044, 046, 056 Super, MS 361, MS 362, MS 440, MS 441, MS 441 C, MS 460

3/8	7	STD 7	SR7-68210		
-----	---	-------	-----------	--	--

050, 051, 075, 076

3/8	8	STD 7	SR8-22273		
.404	7	STD 7	SR7-22270		

064, 066, 066 Magnum, MS660

3/8	7	STD 7	SR7-68210		
.404	7	STD 7	SR7-22270		

07, 07S, 08, 08S, S-10

.404	7	STD 7	SR7-22270		
------	---	-------	-----------	--	--

070

.404	7	STD 7	SR7-22270	6-108818X	5-32669X	37825
------	---	-------	-----------	-----------	----------	-------


WESTERN AUTO

3400, A-18

3/8	7	STD 7	SR7-68210		
-----	---	-------	-----------	--	--



Power Drives without Bearing



6-28094X

6-29175X

6-34162X

6-35641X

6-41726X

6-100791X


6-100961X

6-105772X

6-108215X

6-108818X

Spur Sprockets without Bearing




5-32669X

5-100962X

5-106656X

5-108308X


Power Drives with Bearing



6-26831

6-102469

Spur Sprockets with Bearing



5-29888

5-32057

5-106114



21C1840	5/32"	4.0 mm	21C1840T
21C1845	11/64"	4.5 mm	
21C1848	3/16"	4.8 mm	21C1848T
21C1852	13/64"	5.2 mm	
21C1855	7/32"	5.5 mm	21C1855T



Chain Saw Round Files

- Precision round file design
- Precision sharpening
- Optimum performance
- Long stay-sharp
- Double-cut to prevent clogging





20C0616

6" 150 mm




x 12

20C0616

Chain Saw Flat Files

- For easy and efficient saw chain depth gauge and clearing saw blade maintenance
- Excellent stay-sharp



File-O-Plate®

- Fits in your pocket
- Duplicates factory cutting angles and correct depth gauge setting

	  #				#
3/8"	A1EP, A2EP, A3EP A1EP-GL, A2EP-GL, A3EP-GL	65985	5/32"	4.0 mm	21C1840
	A1LM, A2LM, A3LM A2LM-BL, A3LM-BL	65986	11/64"	4.5 mm	
.325"	K1C, K2C, K3C K1C-BL, K2C-BL, K3C-BL K1NK-BL	65980	3/16"	4.8 mm	21C1848
	K1L, K2L, K3L	65981	13/64"	5.2 mm	
3/8" LP	N4C, N4C-BL N1C, N1C-BL	65993	7/32"	5.5 mm	21C1855T




22C2000*

Bar-Mounted Sharpener

- Precise and easy saw chain maintenance
- Holds round and flat files (not included)

*Files not included.





Sharpening Kit

- 2 plastic file handles
- 1 round and 1 flat file
- 1 file holder
- 1 depth-gauge tool

23C4025 5/32" 4.0 mm





23C4525 11/64" 4.5 mm

23C4825 3/16" 4.8 mm

23C5525 7/32" 5.5 mm




Grinding Wheels •

			
13C1032	5.75" 145 mm	1/8" 3.2 mm	1/4", .325", 3/8" LP
13C1047	5.75" 145 mm	3/16" 4.7 mm	3/8" & .404"
13C1060	5.75" 145 mm	1/4" 6 mm	



29C2000





Plastic File Handle


- Comfortable, non-slip handle
- Accommodates file sizes:
 - 5/32" / 4 mm
 - 11/64" / 4.5 mm
 - 3/16" / 4.8 mm
 - 13/64" / 5.2 mm
 - 7/32" / 5.5 mm





12C1115 = 120 V 12C1000 = 115V

  120V, 60Hz 230V, 50 Hz

 120 W

 3400 rpm


 Ø 5.75" 145 mm

 13 lbs. 5.8 kg

Electric Bench Chain Grinder

- Professional chain grinder for fast, accurate chain sharpening
- For chain pitches 1/4" – .404"

- 1 537613**
Complete electrical assembly
- 2 537409**
Flange kit
- 3 522692**
Shield wheel protector
- 4 537410**
Scales kit
- 5 522688**
Chain stop assembly kit
- 6 537412**
Adjustment knob kit
- 7 537413**
Vise adjustment knob kit
- 8 534477**
Vise assembly w/no down angle
- 9 109879**
Switch, on/off
- 10 35589**
Spring, arm return
- 11 105538**
Handle kit, head assembly
- 12 522649**
Bracket arm support
- 13 534549**
Vise jaws assembly
- 14 32677, x 5**
Chain stop single
- 15 37947**
End motor cap



- 16 534550**
Vise handle kit
- 17 35596**
Wheel contour template
- 18 DB-2**
Dressing brick
- 19 109246**
Knob (short) and bolt
- 20 32681**
Shield kit,
- 21 35610**
Pawl center spring kit
- 22 1135252**
Chain vise spacers
- 23 35590**
Spring




10C1000

Bench Chain Breaker

- Fast and easy chain breaking
- Complete with adjustable anvil and punch
- For 1/4" to .404" pitch chains






11C1000

Bench Rivet Spinner

- Fast and efficient rivet spinning
- For 1/4" to .404" pitch chains





19C8001


Chain Scale Bench Chart

- Get drive link count quickly
- Durable, self-adhesive backing; perfect for work bench



Protective Gloves

- High-quality cowhide gloves with left hand chain saw protection
- Reinforced palm area
- Elasticized knitted wrist
- Available in M (9) and L (10)



54C1009 9 M

54C1010 10 L



EN 381-5
Class 1
(20 m/s)