

DeVilbiss
CLEAN™

CLEAN AIR



CLEAN TECHNICIAN



CLEAN FINISHES



CONTAMINANT FREE REFINISHING





CLEAN TECHNICIAN

Reusable Coverall

Keeps both painter and spray booth cleaner

- Lightweight durable nylon front
- Breathable cool cotton back
- Washable/Reusable



Order No.	
803596 (M)	6/cs
803597 (L)	6/cs
803598 (XL)	6/cs
803599 (3XL)	6/cs

Disposable Coverall

Reduces Contamination From Street Clothing

- Disposable
- Lightweight and Comfortable
- Meets OSHA requirement



Order No.	
803671 (M)	48/cs
803672 (L)	48/cs
803673 (XL)	48/cs
803674 (3XL)	48/cs

Champion™ Disposable Cartridge Respirator

OV/N95 Dual Cartridge Respirator

- Soft, comfortable face piece
- Low-profile cartridges enhance visibility
- Packaged in resealable storage bag



Approved, when used as specified.



Order No.	Model No.	
803611 (M)	DCR-502	1/bag-12/cs
803612 (L)	DCR-503	1/bag-12/cs

Reusable Lab Coat

Contributes to clean prep practices

- Lightweight durable nylon
- 3-pocket design
- Washable/Reusable



Order No.	
803664 (M)	6/cs
803665 (L)	6/cs
803666 (XL)	6/cs
803667 (3XL)	6/cs



Champion™ Disposable Cartridge Respirator

Disposable Coverall

Reusable Lab Coat

Paint Booth & Prep Stations

CamAir® CT Plus™ 5-Stage Filter System

Worry free air filtration for top-quality paint jobs

- First stage filter removes oil, water and dirt down to 40 microns
- Second stage coalescer removes oil vapors and dirt particles down to .01 microns
- Third stage filter media repeats dirt and oil filtering
- Fourth stage dessicant removes water vapor down to dewpoint of -40° F
- Fifth stage exits final filter media
- 30 CFM capacity



Order No.
130522

Patented quick-change
dessicant bag design

First Step at Compressor

Automatic Drain with Y-Strainer Valve

Electric timer automatically drains water from compressed air systems

- Mounts directly on compressor tank drain and air piping drain points
- Eliminates water build-up that can decrease shop air capacity
- Removable filter for easy cleaning



Order No.
130512

Air Tools

FinishLine® Clean Air Control

Clean air filtration for air tool reliability and longevity

- 5 micron filter removes particulates and moisture
- Large capacity in a compact design
- Regulator and gauge included
- 80 CFM and 120 CFM models



Order No.	Model No.	Description
130099	HAR-602	FinishLine® Air Control Unit (120CFM w/50CFM Regulator)
803643	HAR-680	FinishLine® Clean Air Control (80CFM w/50CFM Regulator)


Booth & Prep Stations

3/8" x 35' Air Hose with High Flow Fittings

Durable construction for efficient air delivery

- Synthetic rubber compound tube
- High tensile strength braid
- Superior resistance to heat, weathering, ozone and abrasion

Synthetic rubber compound tube
High tensile strength braid



Order No.	Model No.	Description
220052	HA-5867	Hose w/HF Fittings
240145	HC-4419	HF Stem Female
240147	HC-4719	HF Coupler Male

CamAir® CT Plus™ 5-Stage Filter System

FinishLine® Clean Air Control

3/8" x 35' Air Hose with High Flow Fittings

Automatic Drain with Y-Strainer Valve





CLEAN BOOTH SOLUTIONS

A clean spray booth is the first step to a clean paint job.

Dirt Control Floor Coat

Traps airborne particulates caused by increased air movement necessary for drying waterborne paints

- A must for waterborne shops!
- Shops observe a reduction of airborne particles in spray booth of up to 50%
- Neutralizes particles electrical charge so they stick to the floor, not the vehicle

Order No.	Description
803491	Dirt Control Floor Coat
803492	2-Gallon Pump Sprayer



Dirt Control Wall Coat

Maintains bright spray booth walls for better color-match visibility

- Bright white, water based formula
- Lasts 500 bake cycles
- Easily peels off and reapplies without surface prep

Order No.	4 gals/cs
803668	



DeVilbiss® Clear Glass Coat

Peelable glass surface coating

Order No.	6 quarts/cs
803669	



1. Bumper Cover Surfaces

Bumper Prep Pad

Clean, degrease and abrade in one easy step

- Removes mold release residues found in OEM bumper covers
- Removes both water-based and oil-based contaminants
- Prepares surface for paint adhesion
- Individually bar coded for job costing



Order No.	1/pkg-12/cs
803557	

4. Pre-Paint - Decontamination

DeWipe-Outs™

Pre-saturated wipes for contaminant-free primed surfaces

- OEM process for final decontamination
- Eliminates static that attracts dirt
- Ideal for paintable surfaces, plastic parts and bumper covers



Order No.	Description	
803045	85% IPA/15% DI Water – Normal Climates Formula	50 wipes/pouch
803046	50% IPA/50% DI Water – Dry Climates Formula	50 wipes/pouch
803418	Acetone Blend – Low VOC Formula	50 wipes/pouch

DeWipe-Outs™ Refill Case

Sealed container keeps DeWipe-Outs saturated and ready to use

Order No.	803048
-----------	--------



CLEAN SURFACE PREP

Best practices for contaminant-free refinishing

2. Pre-Paint Surfaces - Cleaning

Paint Prep Wipe

Pre-clean prep wipe

- Strong, absorbent, virtually lint-free non-woven wipe
- For use with water-based and solvent-based surface pre-cleaners
- Production oriented ¼ fold format



Order No.	Model No.	
803657	DC-101	300 ct dispenser box

3. Pre-Paint Surfaces - Tacking

Tack Wipe

Removes lint and fine particulates from refinish surfaces

- Low tack and moderate tack formulas
- Solvent and waterborne compatible
- Individually bar coded for job costing



Order No.	Model No.	Description	
803816	TCK-101-K12	Moderate Tack: Cotton	Individually bagged 12/bx
803817	TCK-121-K12	Low Tack: Poly	Individually bagged 12/bx

5. Intercoat Surfaces

Anti-Static Wipe

Treated wipe eliminates static between refinish coats

- Removes contaminants between coats of sealer, basecoat and before clear
- Helps reduce orange peel and improve metallic orientation
- Non-marring, lint-free and reusable



Order No.	
803553	Individually bagged 12/cs

Defect Repair

Shim-Mask®












































Stainless steel masking stencil minimizes repair area of runs, sags and nibs

- Helps prevent sanding and shaving rub-through
- Saves time and improves repair quality
- Minimizes repair area to prevent over processing



Order No.	
803654	3/pkg

Air Filtration Service Parts from DeVilbiss® Automotive Refinishing

Air Filtration Unit	Order No.	Service Part	Service Part Description	Replacement Interval
 DeVilbiss® DAD-PRO	130538		First stage removes oil, water and dirt down to 5 microns.	Clean as needed, replace only when necessary.
	130539		Second stage removes oil vapors and dirt particulates down to .01 microns.	Replace every 6 months.
	130504		Quick change desiccant bag removes water vapor from compressed air down to a dew point of -40°F.	Indicator provided Green=OK, Yellow=replace
 Camair® CT30	130504		Quick change desiccant bag removes water vapor from compressed air down to a dew point of -40°F.	Indicator provided Green=OK, Yellow=replace
 Camair® CT-Plus™	130517		First stage removes water and dirt to 40 microns.	Replace every 3 months.
	130518		Second stage removes oil and vapors to .01 microns.	 (check with air flowing)
	130504		Quick change desiccant bag removes water vapor from compressed air down to a dew point of -40°F.	Indicator provided Green=OK, Yellow=replace
	130534		CT Plus Tune Up Kit contains: 130504 desiccant cartridge, 130517 water filter element, 130518 coalescing filter element and humidity indicator.	Indicator provided Green=OK, Yellow=replace
 Camair® 130523	130517		First stage removes water and dirt to 40 microns.	Replace every 3 months.
	130518		Second stage removes oil and vapors to .01 microns.	 (check with air flowing)
 Camair® 130526	130517		First stage removes water and dirt to 40 microns.	Replace every 3 months.
	130518		Second stage removes oil and vapors to .01 microns.	 (check with air flowing)
	130527		Third stage removes oil vapor and odors.	Replace every 6 weeks.
 Camair® 130525	130524		Removes water, oil and dirt to 0.1 microns. Kit contains replacement cartridge, O-rings and humidity indicator.	Indicator provided Blue=Ok, White=replace
 Camair® TS-10	130507		Second stage removes oil and vapors to .01 microns.	Replace every 3 months
	130508		Complete Tune Up Kit for TS-10 includes 10 lbs desiccant, coalescing filter and humidity indicator.	Indicator provided Green=OK, Yellow=replace
 DeVilbiss® 130041 & 130042	HAF-6		Removes water and dirt to 5 microns.	Replace every 3 months
 DeVilbiss® HAF-518	HAF-6		Removes water and dirt to 5 microns.	Replace every 3 months
	HAF-28		Removes oil and vapors to .01 microns.	Indicator provided Green=OK, Red=replace (check with air flowing)
	HAF-6		First stage removes water and dirt to 5 microns.	Replace every 3 months
 DeVilbiss® DAD-500	HAF-28		Second stage removes oil and vapors to .01 microns.	Indicator provided Green=OK, Red=replace (check with air flowing)
	DAD-1		Third stage 10 lb. desiccant refill removes humidity from the air.	Indicator provided Blue=Ok, Pink/White=replace
	DAD-600		Tune Up Kit for DAD-500 includes 10 lbs desiccant and filter element.	See above for filter change outs
	DAD-600-1		Complete Tune Up Kit for DAD-500 includes 10 lbs desiccant, filter element and coalescing filter element.	See above for filter change outs
	 FinishLine® HAR-602 & Sharpe® 606	HAF-39		Removes water and dirt to 5 microns.
 FinishLine® HAF-580 & HAR-680	HAF-47		Removes water and dirt to 5 microns.	Replace every 3 months.
 Sharpe® 6760	DAD-1		Third stage removes humidity from the air. 10 lbs Desiccant refill for two 5-lbs changes of Sharpe 6760. Replaces Sharpe 6765-1.	Indicator provided Blue=OK, Pink/White=replace (place indicator paper into sight glass)

Sharpe is a registered trademark of Graco Inc.

Discover other paint spray guns & accessories on our website.