



DR POWER EQUIPMENT

DEALER PROGRAM 2020



1985



1987

1989



1993



1996



1999



PRODUCT TIMELINE

1985: Country Home Products is born. The Dick Raymond Work/Rest Wagon

1987: DR® Trimmer Mower

1989: DR® Field & Brush Mower

1993: DR® Powerwagon
DR® Owner News

1996: DR® Rototiller
DR® Rapidfire™ Log Splitter

1999: DR® Rapid Feed Chipper

2001: DR® Converta Mower

2003: Neuton® Battery Lawn Mower

2004: DR® Leaf & Lawn Vacuum

2006: DR® Power Grader

2009: DR® Towable Backhoe

2006



2010



2014



2009



2012



ROUGH THE YEARS



2003



2001



2004

2010: Sunward® Solar Hot Water Heaters & DR® Dump Pro
 2012: DR® BurnCage™
 2014: DR® Tree Chopper
 DR® SP22 Lawn Mower

2018: DR® Battery Powered Tools
 DR® Snow Blowers
 2019: DR® Pulse 62V Trimmer
 DR® SP26 & SP30
 Wide Cut Mowers



2018



TABLE OF CONTENTS

DR Timeline2

Field & Brush Mowers

- Walk-Behind*6
- Attachments*8
- Accessories*10
- Tow-Behind*12

Finish Mowers13

Trimmer Mowers

- Walk-Behind*16
- Accessories*18
- Tow-Behind*19

Chippers & Chipper Shredders

- Dedicated Chippers*22
- Chipper Shredders*24

Leaf & Lawn Vacuums and Blowers

- Tow-Behind*28
- Accessories*30
- Walk-Behind Vacuums*31

Log Splitters

- RapidFire Kinetic*34
- Hydraulic*35

Snow Blowers36

Rototillers38

Lawn Mowers40

Lawn & Garden Edger42

Battery Powered Tools43

Stump Grinders46

Power Graders48

Haulers

- Trailers*50
- Powerwagons*51

ATV & Tractor Attachments52

Generators & Inverters54

Water Pumps56

Pressure Washers57

Index58





“...this is the best walk behind brush mower ever built. It cuts through small trees and brush like a hot knife through butter! The Power Steering helps make this machine so much easier to turn while cutting.”

—Louis Costanza, MS

“This machine is not for the faint of heart! It demolishes everything in its path. I was skeptical at first but now am completely sold.”

—James G., Huffman, TX



PRO SERIES UNSTOPPABLE.



**Turn on a Dime—
Almost Effortlessly!**

POWER STEERING

Each wheel is equipped with a hand-operated disc brake. Just squeeze the brake on one side and the mower will pivot around that wheel. This simple but highly effective system lets you easily navigate around trees and obstacles...or make a 180° turn at the end of a row.

ALL WALK-BEHIND PRO MODELS FEATURE:

- GEAR-DRIVEN TRANSMISSION
- 3 FORWARD SPEEDS/1 REVERSE
- PIVOTING DECK
- COMMERCIAL-GRADE ELECTRIC CLUTCH
- ATTACHMENT COMPATIBILITY (see page 8)
- ADJUSTABLE HANDLEBARS
- CUSTOM MADE SPINDLES
- 18" X 6.5" LUGGED TIRES



10.5 HP PRO 26

14.5 HP PRO 26

	10.5 HP PRO 26	14.5 HP PRO 26
SKU	AT43026BMN	AT45026BEN
Cutting Width	26"	26"
Cutting Capacity	4'-high grass, 8'-weeds & brush 2"-thick saplings	4'-high grass, 8'-weeds & brush, 2.5"-thick saplings
Engine	Manual-Start Briggs & Stratton® POWERBUILT OHV	Electric-Start Briggs & Stratton® INTEK OHV
Power Steering	No	Yes
Weight	268 lbs	290 lbs
Warranty	Machine: 2 yrs residential / 90 days commercial. Engine: 2 yrs residential / 1 yr commercial	

Professional Features—



ADJUSTABLE HANDLEBARS for a comfortable working height.



EVERYTHING AT YOUR FINGERTIPS. LITERALLY.

All operating functions are on our control panel or on the handgrips: electric start, operator presence, throttle, gear shift, blade engagement, and independent wheel brakes. Operation is simple, safe, and intuitive.



PRO MAX34 Model
Now with side discharge!

HARDENED STEEL BLADES

These big blades weigh up to 6 pounds and are a full 1/4" thick. (Optional Extra Heavy-Duty Brush Blade available for sustained mowing in thick brush.)

ELECTRIC CLUTCH

This extremely rugged clutch enables you to engage the blade instantly, with the pull of a knob. Because the "communication" is electrical, there are no cables or linkages to adjust or wear out. (Not on PREMIER model)

PIVOTING DECK

Follows the contours of your land, providing a cleaner cut and reducing the chance of scalping. (Not on PREMIER model)

WIDE CUT

Only DR® gives you the choice of models with 26", 30", or 34" wide mowing decks.



16.5 HP PRO XL30	20 HP PRO XL30	20 HP PRO MAX34
AT45030BEN	AT47030BEN	AT47134BEN
30"	30"	34"
6'-high grass, 8'-weeds & brush, 2.5"-thick saplings	6'-high grass, 8'-weeds & brush, 3"-thick saplings	6'-high grass, 8'-weeds & brush, 3"-thick saplings
Electric-Start Briggs & Stratton® PRO SERIES OHV	Electric-Start Briggs & Stratton® PRO SERIES V-TWIN OHV	Electric-Start Briggs & Stratton® PRO SERIES V-TWIN OHV
Yes	Yes	Yes
303 lbs	325 lbs	339 lbs
Machine: 2 yrs residential / 90 days commercial. Engine: 2 yrs residential / 1 yr commercial		



QUICK-CHANGE ATTACHMENTS



VERSATILITY



42" LAWN MOWER

Cuts a clean, even 42"-wide swath and mows a half-acre lawn in about 30 minutes. Front caster wheels swivel for fast, tight turns. Deck is made of 12-gauge steel with 2 high-lift mulching blades. Easily converts from side-discharge to mulching. Height adjustment from 2" to 4.5".

SNOW THROWER

Throw snow off long driveways and walkways with our single-stage, 30"-wide Snow Thrower attachment. The powerful auger quickly chews through dry or wet snow, and towering snowdrifts. Throws snow up to 30 feet. Adjustable skid shoes.

CHIPPER

An 18-pound flywheel creates tremendous inertia for smooth chipping. The single chipping knife takes up to 40 bites per second, for quickly devouring hardwood branches up to 3.5" thick. Now you can rid your property of unsightly brush piles.

Turn your Brush Mower into a 4-SEASON **WORKHORSE!**



**DR® Field and Brush Mower
POWER UNIT**



GRADER/SNOW BLADE

Mount this 42"-wide Blade to spread and level loose gravel, topsoil, sand, and more. (Not for use moving packed material.) Works great in snow, too. Made of 11-gauge steel for strength.



EASY ON—EASY OFF ATTACHMENTS

We designed the Field and Brush Mowers with a unique coupling system that makes it easy to add optional attachments. Just slide off the brush deck and slide the attachment onto the power unit shaft, slip the belt over the electric clutch's pulley, and lock the attachment in place with a locking pin.

DR® EXCLUSIVE!

The DR® is the **ONLY** brush mower with the versatility to accept attachments for year-round use.

NOTE: Attachments not compatible with the PREMIER model.



GET MORE OUT OF YOUR FIELD & BRUSH MOWER WITH OPTIONAL ACCESSORIES.

MAINTENANCE METER

Monitor engine hours, RPM, and oil and filter change schedules.



HEAVY-DUTY BRUSH BLADE

For particularly thick, woody brush. 1/4"-thick, 6 lbs.



BATTERY CHARGER

For all electric-starting models.



PROTECTIVE COVER

Protect your machine from dirt and dust. For all models except PRO MAX34.



HALOGEN HEADLIGHT

55-watt halogen lamp easily connects to the machine's electrical system.



TIRE CHAINS

Get extra traction in snow or ice.



MAINTENANCE KITS

For all models. Includes wheel and blade drive belts, paper air filter, spark plug(s), fuel stabilizer, engine oil, and oil filter (where required).



PREMIER MODELS— our value choice.



Our PREMIER models provide excellent balance, performance, and ease-of-use. With a 26" cutting width and three forward speeds (as well as powered reverse) the Premier is a tremendous value.

NOTE: Premier Model does not accept optional attachments.

PREMIER MODELS FEATURE:


- DR® OR BRIGGS AND STRATTON OHV ENGINES
- CUSTOM MADE SPINDLES
- FIXED POSITION DECKS



	10.5 HP PREMIER 26	13.3 FPT PREMIER 26
SKU	AT41026BMN	AT41026DMN
Cutting Width	26"	26"
Cutting Capacity	4'-high grass, 8'-weeds & brush 2"-thick saplings	4'-high grass, 8'-weeds & brush, 2"-thick saplings
Engine	Manual-Start Briggs & Stratton POWERBUILT OHV	Manual-Start DR® OHV
Power Steering	No	No
Weight	240 lbs	237 lbs
Warranty	Machine: 2 yrs residential / 90 days commercial. Engine: 2 yrs residential / 1 yr commercial	



CLEAR BRUSH...WHILE YOU RIDE!



STAY SEATED. CONTROL IS AT YOUR FINGERTIPS!

A remote control allows you to engage and disengage the mower blade from the driver's seat of your tow vehicle.

HINGED HITCH

Our unique Hinged Hitch makes it easy to hook up to ATVs, UTVs, and lawn and garden tractors (minimum 14 HP and/or 400 lbs.) with a pin hitch, regardless of the height of the vehicle's hitch. If you're not offsetting the mower, you can just use the shorter towbar.

ELECTRIC LIFT

PRO MAX52T model features an electric lift for easily adjusting mowing height from driver's seat.

FLOATING DECK RIDES OVER OBSTACLES

The deck is suspended from a frame, allowing it to ride up and over high points, minimizing scalping and protecting the drivetrain from damage.

BLADES EXTEND BEYOND THE WHEEL PATH

The 2 mowing blades extend outside of the wheels—so you mow right up next to fences, walls, hedgerows, and other obstacles without interference.

SHOCK-ABSORBING "SWINGING" BLADES

If you hit an obstacle, blades PIVOT, protecting engine and spindle.



TRACTOR OWNERS!

DR® PTO BRUSH MOWER

- Mows 60" wide!
- Made of durable 11-gauge steel
- Fits all Category 1 Tractors
- PTO Shaft included



16.5 HP PRO 44T

20 HP PRO XL44T

22 HP PRO MAX52T

PRO 60P

SKU	TB23044BEN	TB25044BEN	TB27052BEN	TB250603PNO
Cutting Width	44"	44"	52"	60"
Cutting Capacity	4'-high grass; 8'-high weeds & brush; 3"-thick saplings	6'-high grass; 8'-high weeds & brush; 3"-thick saplings	6'-high grass; 8'-high weeds & brush; 3"-thick saplings	1"-thick saplings
Engine	Electric-Start Briggs & Stratton® OHV PRO Series	Electric-Start Briggs & Stratton® V-Twin PRO Series	Electric-Start Briggs & Stratton® V-Twin PRO Series	PTO Driven Category 1, 20-35 HP Tractor
Weight	448 lbs	460 lbs	566 lbs	480 lbs
Warranty	Machine: 2 yrs residential/90 days commercial. Engine: 2 yrs residential/1 yr commercial			

A QUALITY FINISH CUT FOR LARGE, OPEN LAWNS!



Our Tow-Behind FINISH CUT Mowers produce a finish-quality cut on big open lawn areas.

- **Wide Cut—up to 60"**
- **Tow with a Riding Mower, ATV, UTV, or Tractor.**
- **Use as an outrigger to your traditional riding mower (or Zero-Turn) and EXPAND your cutting width!**



AIR-TIP BLADES provide excellent lift and deliver a clean finish cut. 3 blades on 60" and PTO models, 2 on 44" model.



TRACTOR OWNERS!

DR® PTO FINISH MOWER

- The frame-over-deck design supports the deck
- Hard rubber tires will never go flat
- Anti-scalp wheel in front helps avoid getting hung up
- Mows 72" wide!
- Fits all Category 1 Tractors
- PTO Shaft included



13.3 FPT PRO 44T



14.5 HP PRO XL60T



PRO 72P

TF11044DMN	TF13060BEN50	TF130723PN
44"	60"	72"
1' High Grass	1' High Grass	1' High Grass
Manual-Start DR® OHV	Electric-Start Briggs & Stratton® OHV PRO Series	PTO Driven Category 1, 20-35 HP Tractor
270 lbs	320 lbs	452 lbs

Machine: 2 yrs residential/90 days commercial. Engine: 2 yrs residential/1 yr commercial





“I feel confident using this machine all over my yard. It has the power and the flexibility to trim around all the unusual spaces. It’s the best trimmer I’ve ever used.”

—Linda W., FL

“What a great time saver! I was able to cut down the long weeds around my pond in record time. Even used it to cut down the tall grass and small bushes that took over the shady ground under my big trees....every rural home should have one of these.”

—Louis B., VA



Engineered & Built for

ENDURING PERFORMANCE

DR invented the trimmer-on-wheels category and we have perfected it over the years!



PRO XLSP
Self-Propelled model

ADJUSTABLE HANDLEBAR

Easily adjusts without tools.

BLADE BRAKE CLUTCH (BBC)

The BBC allows you to stop the trimmer head from spinning (by releasing the bail bar) *without* stopping the engine—cutting down on how often you need to restart. (Not on Pilot Model).

STURDY ALL-STEEL FRAME

The mainframes on all DR® Trimmer Mowers are made of heavy-duty 14-gauge steel. These lightweight frames are incredibly strong, and powder-coated to resist rust and corrosion.

RUGGED CAST-ALUMINUM BEARING ASSEMBLY

Cast entirely from lightweight, high-strength aluminum, the Main Bearing Assembly has roller bearings at the top and bottom—to withstand the rigors of hundreds of hours of heavy-duty trimming and mowing at over 3,000 rpm.



OFFSET FRAME DESIGN

Ensures that the cut reaches outside the wheel path, making it easy to trim up against fences and foundations.



	PILOT	PREMIER	PRO
SKU	T4X1070DMNB	TR43067BEN, TR43067BMN	TR45072BEN, TR45072BMN
Cutting Width	22"	22"	22"
Cutting Height	5 Heights, 1.5" to 3.5"	5 Heights, 1.5" to 3.5"	5 Heights, 1.5" to 3.5"
Engine	Manual-Start 7.0 ft-lbs DR® OHV	Manual- or Electric-Start 6.75 ft-lbs Briggs & Stratton EXi OHV	Manual-, or Electric-Start 7.25 ft-lbs Briggs & Stratton EXi OHV
Wheels	14" Resin	14" Resin	16" Resin
Warranty	Machine & Engine: 2 yrs residential/90 days commercial		

PULSE 62V: World's First BATTERY-POWERED Trimmer Mower!

- LIGHT AND MANEUVERABLE (just 45 lbs including battery)!
- ULTRA QUIET...mow any time of day without disturbing neighbors!
- TRIM FOR UP TO 40 MINUTES on a single charge (equivalent to a tankful on our gas models)



850W BRUSHLESS MOTOR brings all the power of gas to your trimming tasks. Plus, it's so QUIET that you can trim or mow any time of day without disturbing your neighbors.

ERGONOMIC HANDLEBARS with vibration-dampening hand grips make operating for extended periods easy and comfortable.



NO GAS, NO FUMES, NO FUSS! Powering up is as simple as inserting the battery and using the push-button electric start.

62 VOLT LITHIUM-ION POWER!



QUICK-LOCK™ TRIMMER HEAD
The PULSE 62V model uses a customized version of our Quick-Lock™ Trimmer Head that provides the easiest and fastest cord changing system in the industry. Change cord in seconds without tools!



PRO XL	PRO XLSP Self-Propelled	Pulse 62V Battery Powered
TR45187BEN	TR47187BEN	T4X3062XEN
22"	22"	18"
5 Heights, 1.5" to 3.5"	5 Heights, 1.5" to 3.5"	3 Heights, 2" to 4"
Electric-Start 8.75 ft-lbs Briggs & Stratton OHV with Ready Start	Electric-Start 8.75 ft-lbs Briggs & Stratton OHV with Ready Start	DR® 850 Watt Brushless Motor / 5Ah 62V Battery
16" Resin	14" Resin	14" Resin
Machine & Engine: 2 yrs residential/90 days commercial		



GET MORE OUT OF YOUR TRIMMER MOWER WITH THE RIGHT CORD FOR THE JOB.

Patented Quick-Lock® Cord Attachment System

Offers 3 Benefits Unmatched by ANY Other Cord System:

SIMPLY PUSH CORD IN TO ATTACH

1-way cam allows cord to enter, but it cannot pull out, even in brushy conditions.

SELECT A WIDE RANGE OF CUTTING HEIGHTS

From 1" to 7.5" (depending on the Trimmer Mower model).

ACCEPTS 225 MIL SAWTOOTH CORD AND 255 SERRATED CORD The thickest, longest-wearing cords in the industry.

Quick-Lock™ Trimmer Head Kit *Standard on all Tow-Behind Trimmers*

Our DR® Cord is thicker and tougher than normal trimmer line and that translates into more power for cutting gnarly vegetation. In addition to being STRONGER, DR cord LASTS much longer than any trimmer. PLUS, we offer a great assortment of cord, in a variety of bulk options—

PRECUT LENGTHS

The ultimate in convenience, cord is precut to the right length for all DR Trimmer Mower models.

1 LB ROLLS

Economical 1-pound rolls. Cut it to length as you need it and save versus buying precut. Each roll includes from 80 to 250 feet of cord (depending on the cord size).



JUMBO SPOOLS

For those who trim and mow frequently, these spools offer the lowest possible "per foot" cost. Up to 394 ft of cord included.



	SILVER Notched	ORANGE Round	GREEN Round	BLUE Spiral	ORANGE Serrated	GRAY Serrated
Thickness	095 mil	130 mil	155 mil	175 mil	225 mil	255 mil
Recommended for	PULSE model	Any model	Any model	Any model	Models with Quick-Lock™	Models with Quick-Lock™
Available in precut pieces or in bulk						
11" PRECUT for PULSE-62V Model ⁽¹⁾	48 Pack #44634	N/A	N/A	N/A	N/A	N/A
13" PRECUT for Quick-Lock Trimmer Head ⁽²⁾	N/A	N/A	48 Pack #35633	48 Pack #35632	48 Pack #44629	48 Pack #44631
25" PRECUT for Wide-Body Trimmer Head ⁽³⁾	N/A	N/A	24 Pack #32182	24 Pack #32181	N/A	N/A
1 lb Roll	250 ft #52381	120 ft #19658	100 ft #19659	80 ft #19660	82 ft #36207	72 ft #44630
5 lb Spool	N/A	N/A	394 ft #44633	318 ft #44632	324 ft #44628	N/A

Beaver Blade® Attachment Turns Your Trimmer Mower Into A Brushcutter On Wheels



The Beaver Blade® Attachment, which easily installs on any Walk-Behind Trimmer Mower model,

allows you to cut brush and even small trees up to 3" thick! The Beaver Blade® should always be used with the Aluminum Mow-Ball® Support.

BEAVER BLADE® Attachment Package includes Aluminum Mow-Ball® Support and sharpening file.

DR® DURABLADES®

Our DR® DuraBlades® easily mow through brambles, vines, stalky weeds like burdock and cattails, and woody brush up to 3/8" thick. Plus, they are 100 times stronger than our cutting cords!

DR® DuraBlade Kit
Replacement Blades 6 pack



Trim and mow ...WHILE YOU RIDE!

Mow Fence Lines 3X Faster!

PROTECTED SHAFT COUPLING

keeps PTO free from debris.

SPRING-LOADED MOWING ARM

lets you adjust the amount of resistance against your fence posts. The circular guard rides around fence posts so you can cut back grass and weeds that can short out electric fences when wet.

23" DIAMETER STEEL GUARD Cut within 1/2" of fence posts and other obstacles!

DECK PIVOTS UP AND DOWN to mow ditches and roadsides without scalping.



All-Terrain Cleanup!

- Fence lines • Underneath shrubs
- Driveway shoulders
- Orchards • Pond banks

SPRING-LOADED TENSIONING allows the trimmer mower head to easily deflect around obstacles for precise mowing and trimming.

SMART SHIELD covers cord on the cutting edge but leaves it open in the back to provide easy access for cord changes.

UP TO 72" OFFSET REACH depending on tow vehicle. The wide reach allows you to trim and mow up to four feet outside your wheelbase.

ANTI-SCALPING WHEEL prevents damage to your turf. Adjustable height.



PRO XLT

PRO XLP

	PRO XLT	PRO XLP
SKU	TT13072BMN	TT130003PN
Cutting Width	22"	22"
Cutting Height	3" to 7.5"	1" to 7"
Engine	7.25 ft-lbs Briggs & Stratton	Tractor Dependent up to 45HP (Category 1 tractors), 80" Max Wheelbase
Weight	262 lbs.	220 lbs.
Warranty	Machine & Engine: 2 yrs residential/90 days commercial	





“What an awesome machine. I originally bought a chipper from a big box store that was allegedly commercial grade. I ended up returning it for a full refund. Spent more time pruning than I did chipping. With the DR Chipper, there was minimal pruning. Awesome piece of equipment!!!!”

—Paul F., MO

“I can’t begin to count the purchases that I have regretted making. This is not one of them... great design, execution and ease of use. Wish I had bought it sooner.”

—Chuck R., AR



MAKE BRANCHES DISAPPEAR!



Our dedicated Self-Feeding Chippers are designed for branches and other woody material up to 5.75" in diameter. These machines are engineered for the rigors of continuous wood chipping—hour after hour, year after year. They feature powerful engines, heavy-duty flywheels that create the inertia to chew up the toughest wood, and can be transported in multiple ways. They also have big, oversized hoppers, which means you have greater leeway to feed in material with side branches so you spend less time pruning.



7.0 HP PREMIER 375



11.5 HP PRO 475

	7.0 HP PREMIER 375	11.5 HP PRO 475
SKU	CP53037BMN	CP55047BMN, CP45047BEN
Chipping Capacity	3.75" Diameter	4.75" Diameter
Flywheel	14", 25 lbs.	17.75", 50 lbs.
Engine	Manual-Start Briggs & Stratton OHV	Manual- or Electric-Start Briggs & Stratton OHV
Hopper Opening	14.5" x 23.5"	17" x 27"
Weight	164 lbs.	270 lbs (Man-Start) / 277 lbs. (Elec-Start)
Warranty	Machine & Engine: 2 yrs residential, 90 days commercial	

GET MORE OUT OF YOUR CHIPPER WITH



ACCESSORIES

EXTENDED DISCHARGE CHUTE

Compatible with DR PRO, PRO XL, and 3-Point Hitch Self-Feeding Chipper models. The Extended Discharge Chute allows you to load chips directly into a pickup bed or cart, so you don't have to pick them up off the ground. You can control the angle of discharge with a multi-position deflector.

ROAD-TOWING PACKAGE

Make the PRO and PRO XL models ROAD-READY with our Road Towing Package: lights, highway axle, high-speed wheels and bearings, fenders, 2" ball coupler, and safety chains.



PIN-HITCH PACKAGE
for PREMIER



PRO XL575 with optional Road-Towing Package



PRO 475 with optional Pin-Hitch Package



13.5 HP PRO XL575

CP57057BEN

5.75" Diameter

20", 62.5 lbs.

Electric-Start
Briggs & Stratton OHV

19" x 30.5"

325 lbs.



3-POINT HITCH PRO 475P

CP550403PN

4.75" Diameter

17.75", 50 lbs.

PTO Driven,
Category 1 Tractor, 19HP – 65 HP

7" x 27"

255 lbs.

Machine & Engine: 2 yrs residential, 90 days commercial



COMPLETE YARD & GARDEN CLEANUP

We offer a wide range of Chipper Shredders to cover everyone from the suburban property owner—who deals mainly with lighter yard and garden waste—to the big property owner who has lots of trees and shrubs, garden plots and lawn. Our smallest unit, the PREMIER 300 model, is light and maneuverable, and easily stows in a garage or shed. Our top-of-the-line new PRO XL501 model offer an optional road-towing kit. And right in the middle, the PRO 400 allows for off-road towing with the addition of a pin hitch.



PREMIER 300



6.5 HP PREMIER 300

7.0 HP PRO 400

	6.5 HP PREMIER 300	7.0 HP PRO 400
SKU	CS23030BMNB, CS23030BEN0	CS33040BMN, CS33040BEN
Chipping Capacity	3" Diameter	4" Diameter
Shredding Capacity	0.5"	0.75"
Engine	Manual- or Electric Start Briggs & Stratton OHV	Manual- or Electric-Start Briggs & Stratton OHV
Shredding Hammers	8	12
Hopper Openings	Chipper: 7.25" x 7.5"; Shredder: 18.5" x 12.75"	Chipper: 7.25" x 7.5"; Shredder: 18.5" x 12.75"
Weight	126 lbs (Man-Start) / 156 lbs (Elec-Start)	171 lbs (Man-Start) / 186 lbs (Elec-Start)
Warranty	Machine & Engine: 2 yrs residential, 90 days commercial	



CHIPPER SHREDDERS have two separate input chutes: one for branches, which get CHIPPED, and a bigger one for lighter yard and garden waste, which gets SHREDDED.



Best Uses: If it's primarily lightweight material you deal with, and you only occasionally have branches, the PREMIER and PRO models are your best options. If you have large amounts of both sorts of materials, check out the new PRO XL501 model.



13.5 HP PRO XL501
CS35050BEN
5" Diameter
1.5" / 20:1
Electric-Start Briggs & Stratton OHV
24
Shredder 18" x 20"; Chipper: 8" X 12"
545 lbs.
Machine & Engine: 2 yrs residential, 90 days commercial





“What would take me a couple of **DAYS** multiple times during the fall/spring before raking leaves onto a tarp takes me a couple of **HOURS** on a Saturday.”

—*Shaun M., IL*

“I bought the Pro XL model. Wow! It’s great. Anything you are brave enough to run over with the mower, the DR further reduces and stows it in the back. Excellent product!”

—*Tim M., IL*



Here's how the DR[®] Leaf and Lawn Vacuum is **5 WAYS BETTER** than all others:



Maximum Suction Force

Larger engines and impellers combine to provide the highest vacuum power in the industry (as tested by a third party laboratory) —an amazing 2,792 cubic feet per minute! Simply put, the job goes faster, and your lawn ends up looking neater and cleaner.

Easy to Unload One Step and You're Done.

Our PILOT model has buckle closures that open quickly. Our larger models feature a "clamshell" design that lets you dump with **JUST ONE HAND!**



Collector Folds Flat for Easy Storage!

Constructed of rugged 1800 denier polyester with a weatherproof urethane backing, stretched over a tubular steel frame, our collector is designed to remove quickly. Folds down to only 5" thick! It can easily lean up against the wall or be placed on a shelf.

Virtually Clog-Free Operation!

Choosing the right hose material and size is crucial for allowing the unobstructed flow of collected debris. We spent hundreds of hours testing different size hoses, ranging from 5" to 10", and found 8" to be optimal. Plus, our unique collector top is designed to allow air to escape easily, preventing blockages and keeping debris flowing smoothly throughout the system.



Easily Converts to a Heavy-Duty Utility Trailer!

With the collector and engine/vac removed the DR[®] doubles as a yard and garden trailer for your riding mower. The PILOT features a flat bed trailer, other models have a molded cart.

RATED #1 IN POWER

by independent testing laboratories!



- DR Leaf and Lawn Vacuums can ONLY be used with right-side discharge mowers.
- All models can be used with most zero-turn mowers.
- The PREMIER and PILOT models, on very level terrain, can be used with an engine as small as 12HP. Otherwise we recommend a minimum of 14 HP.
- The PRO and PRO XL models require a minimum of 14 HP.



	6.6 HP PILOT 200	6.6 HP PREMIER 200	9.2 HP PRO 321	11.7 HP PRO XL321
SKU	LL21009DMN	LL23009DMN, LL23009DEN	LL25013DMN, LL25013DEN	LL27016DMN, LL27016DEN
Collector Capacity	27 cu.ft., 200 gal.	27 cu.ft., 200 gal.	43 cu.ft., 321 gal.	43 cu.ft., 321 gal.
Trailer Capacity	400 lbs.	500 lbs.	800 lbs.	800 lbs.
Engine	Manual-Start, DR® 6.6 HP OHV/223cc	Manual-Start, DR® 6.6 HP OHV/223cc	Manual-Start, DR® 9.2 HP OHV/301cc	Manual-Start, DR® 11.7 HP OHV/389cc
Jackstand	Optional	Optional	Standard	Standard
Weight	230 lbs	231 lbs Manual-Start 243 lbs Electric-Start	299 lbs Manual-Start 311 lbs Electric-Start	313 lbs Manual-Start 325 lbs Electric-Start
Tires	(2) 14" x 4.5"	(2) 14" x 4.5"	(4) 14" x 4.5"	(4) 14" x 4.5"
Warranty	Machine: 2 yrs residential / 90 days commercial. Engine: 2 yrs residential / 1 yr commercial			



Tow-Behind LEAF & LAWN VAC ACCESSORIES



14' Vacuum Hose

Reach up to 17 feet from your Leaf Vac to clean out corners, perennial beds, under fences, and any spots you can't reach from your tow vehicle. Optional hose picks up just about any type of organic debris—including pine cones, twigs, and nuts—from hard-to-reach spots.

34' Vacuum Hose

Includes the standard 14' Vacuum Hose, a Coupler, and 14' of additional hose.



Mulch Discharge Kit

Use this handy Discharge Hose in conjunction with our optional Vacuum Hose to blow out collected materials into the woods, over fences, or into a container. Perfect for any time you cannot simply dump materials from the Leaf and Lawn Vacuum.



Lawn Saver Wheel Upgrade Kit

For Premier and Pilot Models. This axle and wheel kit lets you convert to a dual wheel set up for improved weight distribution that is easier on your lawn.




Deck Adapters

Adapt your lawn tractor's discharge chute to your Leaf and Lawn Vacuum's 8" hose. Call or visit online to determine which model is right for your mower.

Trailer Jack Stand

Raise or lower the tongue of your Leaf and Lawn Vacuum for hitching to your tow vehicle without back strain. The hand crank allows you to easily make the small height adjustments you may need in order to align the tongue to your vehicle's hitch—without awkward lifting. *Comes standard on Pro and PRO XL models.*



NO TRACTOR? NO PROBLEM?

SELF-PROPELLED (PRO model) with 3 forward speeds and 1 reverse.

LARGEST COLLECTION BAGS in their class holding up to 8 cubic feet of material, and with a weight capacity of up to 80 lbs (PRO model).

EASY ACCESS SIDE ZIPPERS allow unloading to either side of machine. For power-assisted dumping of wet or compacted materials, open flaps and restart engine. This will send a powerful air blast through the collector, emptying it completely.

VENTED PANELS direct air downward, away from the operator.

ONBOARD CHIPPER (PRO model) lets you dispose of branches up to 2" in diameter.

LIFETIME WARRANTY STEEL IMPELLER aggressively mulches material as it is collected, reducing it to as little as one-tenth of its original volume!

DUAL REAR CASTER WHEELS swivel for easy maneuverability.



PRO Model



Steel Impeller



6.6 HP PREMIER

9.2 HP PRO

	6.6 HP PREMIER	9.2 HP PRO
SKU	WL33006DMN	WL35008DMN / WL35008DEN
Suction	86 mph	93 mph
Capacity	6 cubic ft.	8 cubic ft.
Chipping	N/A	Yes- 2" max
Engine	Manual-Start DR OHV 6.6 HP (223 cc)	Manual- or Electric-Start DR OHV 9.2 HP (301 cc)
Drive	Push	Self-Propelled; 3 fwd., 1 reverse
Weight	150 lbs	250 lbs
Warranty	Machine: 2 yrs residential/90 days commercial. Engine: 2 yrs residential/1 yr commercial	



SIMPLER. STRONGER. FASTER...

Than any hydraulic log splitter!



The **FLYWHEEL** magnifies and stores power from the engine.

Spinning at over 400 rpm, the RapidFire's massive cast-iron flywheel stores energy from the gas engine and unleashes it to split even the knottiest logs with a rapid, 1-second stroke.

The flywheel turns the **PINION GEAR**.

The RapidFire's pinion gear is five pounds of industrial steel, hardened two times during its manufacturing. When you engage the RapidFire's handle, the pinion gear engages the rack.

The **RACK** transfers the rotational force of the pinion gear to a linear (splitting) force.

When the energy of the rotating flywheel and pinion gear is transferred to the rack, it becomes a rapid, powerful linear force that drives the RapidFire's ram and the log into a wedge, splitting the log in one second.

The Secret is in the **FLYWHEEL** and **RACK & PINION** System!



	K10 ELECTRIC BENCHTOP	K22 GAS PREMIER	K22 ELECTRIC PREMIER	K28 PRO	K34 PRO XL
SKU	WR31010ACN	WR33022DMN	WR33022ACN	WR35028BMN	WR36034BEN, WR36034BMN
Max Log Length/Diameter	12" Log Length 16" Diameter	18" Log Length 30" Diameter	18" Log Length 30" Diameter	24" Log Length 30" Diameter	24" Log Length 30" Diameter
Average Cycle Time	1 second	2.5 seconds	2.5 seconds	3 seconds	3 seconds
Engine	Electric-Start 1060 Watts	Manual-Start 3.5 FPT DR® OHV	Electric-Start 6.7 Amp, 115 Volt	Manual-Start 7.5 FPT Briggs & Stratton	Manual- or Electric-Start 9.5 FPT Briggs & Stratton
Flywheels	Two 12.5 lbs. cast iron	One 55 lbs. cast iron	One 55 lbs. cast iron	Two 55 lbs. cast iron	Two 75 lbs. cast iron
Warranty	Machine & Motor: 2 yrs res./90 days comm.	Machine: 2 yrs residential, 90 days commercial. Engine: 2 yrs residential, 1 yr commercial			

Horizontal/Vertical Hydraulic Splitters: EASY ON YOUR BACK!

If you split a lot of heavy logs that are difficult to lift onto a horizontal splitter beam, we recommend our high-quality Horizontal/Vertical Hydraulic Splitters. Simply pivot the splitter to its vertical orientation (in seconds) and split heavy logs at ground level, without having to lift them.



- RUGGED HYDRAULICS
- EASY LOADING AT THE RIGHT HEIGHT
- CAST IRON BEAM
- 16" D.O.T. APPROVED TIRES



	22-TON HORIZONTAL VERTICAL	28-TON HORIZONTAL VERTICAL	34-TON HORIZONTAL VERTICAL	22-TON 3-POINT HITCH	34-TON 3-POINT HITCH
SKU	WH23022DMN	WH25028DMN	WH25034BMN	WH230223PN	WH250343PN
Max Log Length/Diameter	25" Log Length 30" Diameter	25" Log Length 30" Diameter	25" Log Length 30" Diameter	25" Log Length 30" Diameter	25" Log Length 30" Diameter
Average Cycle Time	16 seconds	17 seconds	16 seconds	14-26 seconds (Tractor Dependent)	14-26 seconds (Tractor Dependent)
Engine	Manual-Start DR® 9.59 FPT	Manual-Start DR® 9.59 FPT	Manual-Start, 14.5 FPT Briggs & Stratton OHV	Category 1 Tractor (18hp min)	Category 1 Tractor (18hp min)
Warranty	Machine & Engine: 2 yrs residential, 90 days commercial		Machine: 2 yrs res., 90 days comm./Engine: 2 yrs res., 1 yr comm.	Machine & Engine: 2 yrs residential, 90 days commercial	



DR® SNOW BLOWERS

Always ready when you are!

Professional-duty performance
you can depend on...year after year!



INTEGRATED CONTROL PANEL

Controls for all functions are right at your fingertips and easy to grasp, even with a mittened hand!

LED HEADLIGHT

Illuminates your path for early morning or night time operation.

HEATED GRIPS

For those extra chilly days.

LIFETIME WARRANTY!

HEAVY-DUTY IMPELLERS

10-gauge steel impellers are optimized for each model to maximize their ability to draw snow in and expel it through the discharge chute up to 50 feet away. So durable we back it up with a LIFETIME WARRANTY!

HEAVY-DUTY AUGER

The serrated auger (10-gauge steel), breaks up ice and compacted snow and channels it toward the high-speed impeller.

SNOW TIRES

15" x 4" (PRO 24, PRO 28) or 16" (PRO XL30, PRO MAX34) pneumatic tires provide positive traction, even in icy conditions.

SCRAPER BLADE

Replaceable, 9-gauge steel scraper blade lets you clear right down to pavement.

2-PIECE SKID SHOES By lowering the skid shoes you can give the auger ground clearance...especially useful when clearing gravel driveways to help prevent pulling stones into the blower.



NO MORE HARD STARTS!

Our push-button electric starting feature provides "insurance" for an engine that has been sitting unused for many months.

THE WRESTLING MATCH IS OVER!

Our EZ-Turn™ Steering technology does the hard work. There are no hand levers to engage...all you have to do is steer. The result is the ability to make tight, 180° turns without wrestling the machine.

ALL CONTROLS ARE AT YOUR FINGERTIPS!

With some snow blowers you are forced to run circles around the machine to make adjustments. Our integrated control panel puts everything within easy reach. Even with a mittened hand, controls are easy to grasp and operate!



NEW 62V BATTERY POWERED SNOW THROWER

- Variable Auger Speed Control
- Electric Chute Rotation
- 22" Wide Clearing Width
- 2800W Brushless Motor
- Collapsible Handle For Storage
- 30' Throwing Distance



ACCESSORIES FOR GAS POWERED UNITS



DRIFT CUTTERS (Included)

For extra deep snow, these drift cutters carve a clean path and channel the snow into the auger. Remove/attach without tools.



SNOW STICK (Included)

Onboard snow stick for quick and safe clearing of ice or other clogs.



TIRE CHAINS (Optional)

For that extra traction on slopes or in icy conditions. Easy on-off.



	PULSE 62V	PRO 24	PRO 28	PRO XL30	PRO MAX34
SKU	SB11022XEN	SB13124DEN	SB13128DEN	SB15130DEN	SB17134DEN
Width	22" Working Width	24" Working Width	28" Working Width	30" Working Width	34" Working Width
Engine	2800W Brushless motor	DR® 7 HP, 212 cc, OHV	DR® 8 HP, 252 cc, OHV	DR® 13 HP, 375 cc, OHV	DR® 14 HP, 420 cc, OHV
Blowing Distance	Up to 30 ft	Up to 36 ft	Up to 50 ft	Up to 50 ft	Up to 50 ft
Transmission	N/A	6 forward speeds, 2 reverse	6 forward speeds, 2 reverse	6 forward speeds, 2 reverse	6 forward speeds, 2 reverse
Warranty	Machine & Engine: 2 yrs residential, 90 days commercial				



BIG GARDEN? TILL WHILE YOU RIDE!

Tow the DR Tiller behind any ATV, riding mower, or tractor and churn soil the easy way! Whether preparing a new garden or "tilling under" in the fall, the DR's 3-foot wide tilling width gets the job done in half the time it takes with a hard-to-use walk-behind tiller.



POWERED SPREADER ATTACHMENT
This spreader can be turned on and off remotely, from any towing vehicle. Carries up to 125 lbs. of fertilizer, lime, or seed. *PRO Model Only.*



AGRICULTURAL-STYLE MULTI-PACKER ATTACHMENT
Maximize seed-to-soil contact and dramatically increase germination rates. Excellent for planting cover crops, grass seed, and food plots. *PRO Model Only.*



HILLER ATTACHMENT
Attach the Hiller to your machine and it will mound up soil into perfect raised beds. *PRO Model Only.*



PREMIER 36T

PRO 36T

PRO 52P

SKU	TT13036BMN	TT15036BEN	TT150523PN
Tines	12	24	28
Tilling Width	36"	36"	52"
Tilling Depth	Up to 7.5" deep	Up to 7.5" deep	Up to 7.5" deep
Engine	Manual-Start 9.50 CR Briggs & Stratton OHV	Electric-Start 9.50 XR Briggs & Stratton OHV	PTO Driven: Category 1, 20HP-35HP Tractor Required
Wheels	9.5" Diameter x 2" Width	14" Diameter x 5.5" Width	N/A
Warranty	2 yrs residential, 90 days commercial		



The **DR PRO XLDRT** model combines the best features of our **PREMIER FRT** and **PRO CRT** models, allowing choice of the appropriate tine rotation direction based on the task at hand. For cultivating and lighter tilling, choose forward rotation (FRT) to get a smooth and efficient churn. For heavier uses—when tilling compacted soil or breaking ground—counter rotation (CRT) provides extra leverage to get the job done without a struggle.



A powerful OHV engine and aggressive counter-rotating tines give the **DR PRO CRT** model the extra muscle needed for sod-busting, making all types of soil preparation fast and easy. Power driven wheels can be released with a pin for free-wheeling when needed to travel or maneuver the tiller.



The **DR PREMIER FRT** model is perfect for preparing flower beds, weeding small areas, and mixing fertilizer into the soil. The tilling width is versatile with the ability to rearrange the tine clusters to get three different widths. The rear wheels swing back while tilling, engaging the drag stake to provide resistance against the forward-rotating tines.



The **DR PILOT Cultivator** is a portable powerhouse that makes a perfect companion for one of our larger DR Rototillers. Tackle the big jobs with a Walk-Behind or Tow-Behind model, then turn to an easy-to-use DR PILOT for lighter weeding and cultivating. Keeping soil loose and drainable as the growing season progresses will help ensure root growth and an abundant harvest.



	PILOT 2C & 4C	PREMIER FRT	PRO CRT	PRO XLDRT
SKU	TW13120DMN, TW13040DMN	TW15121DMN	TW17016DMN	TW19118BMN
Tine Rotation	FRT (Forward)	FRT (Forward)	CRT (Counter)	DRT (Counter or Forward)
Tilling Width	6" or 10"	11", 16", 21"	16"	18"
Tilling Depth	up to 10" deep	Up to 10" deep	Up to 11" deep	Up to 11" deep
Engine	2-Cycle 43cc DR® 4-Cycle 40cc DR®	Manual-Start 173.9cc DR®	Manual-Start 212cc DR®	Manual-Start 208cc DR®
Wheels	7" Diameter x 1.5" Width	11" Diameter x 1.75" Width	Pneumatic 13" x 5"	Pneumatic 13" x 5"
Warranty	2 yrs residential, 90 days commercial			



ENGINEERED TO PERFORM, BUILT TO LAST!

The **DR® SP WIDE-CUT MOWER SERIES** consists of 3 models with the quality features expected from DR®! Starting with our 22" model, and now including a 26" and 30" model, we've got a mower just right for any size property. One-piece cast aluminum decks with a lifetime-warranty and powerful DR OHV engines (up to 10.62 fpt, 223cc) will provide years of reliable use. All models are available with manual- or electric-start.



42% WIDER!

*than standard mowers***

DR® SP SERIES MOWERS



UP TO 30"



ELECTRIC START is available on all models. The SP22 has a push-button start option, while the SP26 and SP30 models utilize a key-start option.





* Assembled in the USA using domestic and foreign parts.



**CAST ALUMINUM
LIFETIME
WARRANTY
MOWER DECK**

BUILT TOUGH with a one-piece cast aluminum mowing deck that comes with a **LIFETIME WARRANTY!**



DUAL BLADE DESIGN provides a precise high-quality cut.

3-IN-1 PERFORMANCE—side discharge, mulch, or collect clippings with our high capacity baggers (up to 2.5 bushels).

BALL BEARING MOUNTED WHEELS for easy rolling and long life.



FLEX-SPEED™ DRIVE SYSTEM lets you control your speed with a pressure-sensitive hand throttle.

SINGLE POINT HEIGHT ADJUSTMENT allows for cutting heights between 1" and 4".



	SP22	SP26	SP30
SKU	414081, 414091	WM13026DEN, WM13026DMN	WM15030DEN, WM13026DMN
Cutting Width	22"	26"	30"
Blade	Single Blade	Dual Blade	Dual Blade
Engine	Manual- or Electric-Start, 8.0 ft-lbs gross torque†, DR® OHV	Manual- or Electric-Start, 8.85 ft-lbs gross torque*, DR® OHV	Manual- or Electric-Start, 10.62 ft-lbs gross torque*, DR® OHV
Drive	Self-Propelled	Self-Propelled	Self-Propelled
Weight	Manual-Start: 83 lbs. Electric-Start: 93 lbs.	Manual-Start: 101 lbs. Electric-Start: 111 lbs.	Manual-Start: 117 lbs. Electric-Start: 125 lbs.
Warranty	2 yrs residential, 90 days commercial		


*Gross torque values at 2500 rpm per SAE J1940

** Most walk-behind mowers are 20"-21" wide



PROFESSIONAL EDGING.

The DR Lawn & Garden Edger lets you take your yard care to the next level by cutting perfect edges with precision and confidence.



ADJUSTABLE CUTTING DEPTH (6 positions, from 1/2" to 3")

PIVOTING HEAD allows for beveled cuts around garden beds (+15°, Vertical, -15°)



4-WHEEL DESIGN WITH CURB HOP WHEEL adds stability for edging along curbs

PRO LAWN & GARDEN EDGER

SKU	LE15081DMN, LE17081DEN
Cutting Depth	.5" to 3"
Cutting Angle	3 Settings: Vertical, +15°, -15°
Engine	Manual- or Electric-Start 8.1 FPT DR® OHV
Weight	Manual-Start: 71 lbs. Electric-Start: 73 lbs.
Warranty	2 yrs residential, 90 days commercial

PULSE 62V

Clean, Quiet Battery Tools—all the power you need to get the job **DONE RIGHT**.

Powered by LiPRO™ interchangeable 62-Volt Lithium-Ion batteries.



ULTRA QUIET



EASY START



GAS FREE



LIGHTWEIGHT



Create a full set of powerful yard tools utilizing one battery platform!

5.0 Amp-Hour Battery

- Sold with 21" Lawn Mowers, Trimmer Mower, & Snow Thrower
- Recharges in 90 minutes
- 2 onboard USB ports for charging devices
- Also sold separately—

2.5 Amp-Hour Battery

- Sold with Handheld Yard Tools and 16" Lawn Mower
- Recharges in 60 minutes
- Onboard USB port for charging devices
- Also sold separately—



See the full collection of Battery Powered Tools on the following pages





PULSE 62V

Mowers



DR offers a complete line of 62-Volt Battery Mowers. Choose between cutting widths of 16" and 21", battery run-time, motor wattage, and convenience features.

Trimmer



Introducing the World's First Battery-Powered Trimmer! The Pulse 62V is light and maneuverable (just 45 lbs including battery), boasts an ultra-quiet brushless motor, and a run time up to 40 minutes on a single charge.



	18" Trimmer	16" Mower	21" Mower	21" Mower
SKU	T4X3062XEN	CE73016XEN0	CE75021XEN0	CE77021XEN0
Cutting Width	18"	16"	21"	21"
Brushless Motor	850W	700W	850W	1,250W
Standard Battery	62 Volt, 5.0Ah	62 Volt, 2.5Ah (5.0Ah Optional)	62 Volt, 5.0Ah	62 Volt, 5.0Ah
Run Time	Up to 40 minutes	Up to 75 minutes	Up to 60 minutes	Up to 45 minutes
Drive	Push	Push	Push	Self-Propelled w/ Variable Speed Dial
Height Adjustment	2"-4"	1"-3" (7 positions) Single Lever	1.2"-3.5" (7 positions) Single Lever	1.2"-3.5" (7 positions) Single Lever
Wheel Size	14"	6" Front; 7" Rear	7" Front; 10" Rear	6" Front; 7" Rear
Warranty	2 years residential, 90 days commercial			

10" Pole Saw

Runtime: up to 45 minutes

- Up To 90 Cuts Per Charge
- 10" Oregon® Bar & Chain
- 3 Piece Aluminum Shaft
- Auto Chain Oiler
- Quiet Brushless Motor



Extends up to 104"

16" Chainsaw

Up to 100 4" cuts/charge

- 16" Oregon Bar and Chain
- Tool-Free Chain Tensioner
- Quiet 1500W Brushless Motor
- Oil Level Window



Cuts Logs up to 12" thick!

24" Hedge Trimmer

Runtime: up to 60 minutes

- 24" Cutting Length
- Cuts up to .75" Diameter Material
- Quiet 400W Brushless Motor
- Handle Rotates for Horizontal or Vertical Trimming



24" dual action blades

16" String Trimmer

Runtime: up to 45 minutes

- 16" Cutting Width
- Variable Speed with Trigger Control
- Quiet 450W Brushless Motor
- Extra-thick 80mil Cord
- Easy Bump-Feed Trimmer Line



Variable Speed Trigger!

530 CFM Blower

Runtime: up to 45 minutes

- Air Movement: 250-530 cu. ft./minute
- Air Speed Adjustable from 45-98 MPH
- Variable Speed with Thumb Dial
- Turbo Boost and Cruise Control
- Quiet 560W Brushless Motor



Air Velocity up to 98mph!

	STRING TRIMMER	POLE SAW	CHAINSAW	HEDGE TRIMMER	BLOWER
SKU	414130	524131	414170	414150	414190
Brushless Motor	450W	1500W	1500W	400W	560W
Standard Battery	62 volt, 2.5Ah Standard (5.0Ah Optional)	62 volt, 2.5Ah Standard (5.0Ah Optional)	62 volt, 2.5Ah Standard (5.0Ah Optional)	62 volt, 2.5Ah Standard (5.0Ah Optional)	62 volt, 2.5Ah Standard (5.0Ah Optional)
Run Time	Up to 45 minutes	Up to 100 4" cuts/charge	Up to 100 4" cuts/charge	Up to 60 minutes	Up to 45 minutes
Weight (w/Battery)	10.3 lbs.	14 lbs.	12.7 lbs.	11.2 lbs.	8.8 lbs.
Dimensions (LxHxW)	73" x 10.5" x 10.5"	77" (104") x 4" x 4.5"	33" x 8.5" x 11.25"	45" x 11" x 9"	35" x 9" x 13"
Warranty	2 years residential, 90 days commercial				

22" Snow Thrower

- Variable Auger Speed Control
- Electric Chute Rotation
- 22" Wide Clearing Width
- Quiet 2800W Brushless Motor
- Collapsible Handle For Storage
- 30' Throwing Distance
- LED Headlights



All controls are at your fingertips: Push-button start, chute rotation, and auger speed.



Handlebars fold for compact storage



REMOVE ANY SIZE STUMP FAST!

With a DR® Stump Grinder you don't have to put up with any stump, no matter where it is on your property. And never again will you struggle with back-breaking and time-consuming methods of stump removal (digging by hand, ripping out with a tractor and chains, burning, chemicals).



SELF-PROPELLED!

	6.6 HP PREMIER	9.2 HP PRO	11.7 HP PRO XL	11.7 HP PRO XLSP
SKU	ST43011DMN	ST45015DMN, ST45015DEN	ST47019DEN	ST49019DEN
Displacement	223 cc	301 cc	389 cc	389 cc
Engine	Manual-Start DR® OHV	Manual- or Electric-Start DR® OHV	Electric-Start DR® OHV	Electric-Start DR® OHV
Towbar	Optional	Optional	Standard	N/A
Warranty	Machine: 2 yrs residential, 90 days commercial. Engine: 2 yrs residential or commercial			

Patented cutting head with 8 carbide-tipped cutting teeth spin at 88 mph and take 360 bites per second!

Carbide-tipped teeth have 3 grinding positions for added durability.



Our **TOW KIT** comes standard on our PRO XL model and is available as an option on our PREMIER and PRO models. It lets you hitch your DR Stump Grinder to an ATV, UTV, or riding mower with either a pin-hitch or ball hitch.




TAKE IT WHERE YOU NEED IT!
Tow Kit allows you to hitch up to a riding mower or ATV.



Walk your Self-Propelled model easily around your property.

Our PRO XLSP model is **SELF-PROPELLED** thanks to our commercial grade dual shaft transmission, with built in differential, which makes for smooth, easy, self-propelled transport between job sites.





RENEW YOUR DRIVEWAY!

- Fill in potholes, ruts and washboard.
- Keep your driveway smooth—without shoveling and raking.
- Also great for horse rings, ball fields, and parking areas.



EZ-Dial Model



Using carbide scarifying teeth, a 4'-wide leveling blade, and an EZ-Dial adjustment system that allows you to precisely match your grading depth to the hardness of your driveway, the EZ-Dial DR® Power Grader provides superior grading results!

Powered Remote Models



Our models with powered depth control utilize a rechargeable battery, a powerful electric motor, and a precise remote control to raise or lower the scarifying teeth from your towing vehicle with the touch of a button.


Here are the unique features that enable you to remove driveway ruts, washboard, and potholes with ease—

RUGGED STEEL FRAME is fabricated out of solid steel and powdercoated to resist rust and corrosion.

WHEELS lower, lifting the scarifying teeth for shaving off material or for turning.

LEVELING BLADE together with the patented side rails, stays at a uniform height to provide level and uniform distribution of the material being spread. Can be flipped for “scallop” finish.

DUAL HITCH allows you to attach the grader to either a ball hitch, or to a pin hitch, depending on your towing vehicle.



DRAG SCREEN OPTION smooths out clumps and helps fill in hollows. Speeds up work and provides a nice, finished look.



CARBIDE TEETH GUARANTEE YEARS OF SERVICE!

Loosening hard-packed driveway gravel and dirt is incredibly wearing on grading equipment. That's why the scarifying teeth on the DR POWER GRADER are carbide — the same material used on top-quality saw blades — for long wear.



PREMIER 48 w/EZ-DIAL™

PRO 48

PRO 60

SKU	PG21148XXN	PG25048XEN	PG25060XEN
Width	48"	60"	60"
Powered Remote	No	Yes	Yes
Teeth	Carbide-Tipped Steel, 12	Carbide-Tipped Steel, 12	Carbide-Tipped Steel, 14
Length	68"	85"	85"
Weight	133 lbs.	168 lbs.	175 lbs.
Recommended Towing Vehicle	Minimum 14HP or 400 lbs. lawn tractor, garden tractor, utility tractor, ATV	Minimum 14HP or 400 lbs. lawn tractor, garden tractor, utility tractor, ATV, UTV	Minimum 19HP and 500 lbs. lawn tractor, garden tractor, utility tractor, ATV, UTV
Warranty	2 yrs residential, 90 days commercial		



The Ultimate OFF-ROAD TRAILER



Power Loading up to 440 lbs!



Power Unloading up to 600 lbs!

1/2-TON Model

Our simplified, smaller trailer is just about as versatile as our 1-Ton model for customers who don't require the boom lift. Easy to dump by hand. Add winch kit for added ease with heavy loads or skidding.

1-TON Model

Features a boom lift that lets you hoist heavy objects from either side of the trailer plus side stabilizers to steady the trailer for loading and unloading. The dump bed converts to a stake body for carrying logs or other long loads. The tandem wheels (on a pivoting axle) let you "walk" over downed trees and other obstacles.



Converts to a stake bed hauler



Shown with optional Pivoting Jack Stand



PRO XL2000 Shown with optional accessories

PRO 1000

PRO XL2000

SKU	VT13005TBN	VT15010TBN
Hauling Capacity	1000 lbs.	2000 lbs.
Bed Volume	16.85 cu. ft.	31.25 cu. ft.
Bed Dimensions	57.3"L x 35.7"W x 18.1"H	79"L x 42"W x 23.5"H
Boom Lifting Capacity	N/A	440 lbs.
Weight	287 lbs.	760 lbs.
Warranty	2 Yrs residential, 90 Days commercial	

PRO PACKAGES



PRO 1000 PRO PACKAGE
Includes 1/2-Ton Model plus Pivoting Jack Stand, Wall Extenders, and Winch Kit



PRO XL2000 PRO PACKAGE
Includes 1-Ton Model plus Electric-Hoist, Wall Extenders, and Rear Tow Hitch

Move up to 800 lbs. with SELF-PROPELLED POWER!

The DR Powerwagon is a go-anywhere hauler designed to operate in tight spaces, and go places a trailer could never go. The engine powers the big knobby front tires that pull you up steep slopes with great stability and traction. 3-forward speeds let you match speed to walking pace, and with powered reverse, easily back out of tight spots.



- 500-800 lb. capacity, depending on the model
- 3 forward speeds and powered reverse
- Briggs and Stratton engines with up to 8.75 ft-lbs of torque
- Flatbed functionality (standard on PRO XL, available option for PREMIER and PRO models)



	PREMIER 500	PRO 700	PRO XL 800
SKU	PW23050BMN	PW25070BEN	PW27080BEN
Hauling Capacity	500 lbs.	700 lbs.	800 lbs.
Bed Volume	5.2 cu. ft.	8.0 cu. ft.	8.0 cu. ft.
Cargo Bed Style	High-Density Polyethylene (HDPE)	High-Density Polyethylene (HDPE), Powder-coated steel tailgate	High-Density Polyethylene (HDPE), Powder-coated steel tailgate
Engine	6.75 Briggs & Stratton Manual-Start	7.25 Briggs & Stratton Electric-Start	8.75 Briggs & Stratton Electric-Start
Warranty	Machine & Engine: 2 yrs residential, 90 days commercial		



UNLEASH THE POWER OF YOUR TRACTOR OR ATV

SKU# 414741

Post Hole Digger

- Drill holes up to 12" in diameter and 48" deep
- Cast iron gear box with 3:1 ratio
- Available Augers: 6", 9", 12"



9" Auger shown.
(Augers sold separately)



SKU# 414751

Quick Hitch

- Fits Category 1 Tractors
- Includes bottom link bushings and top hitch adapter

SKU# 414641

Subsoiler/Middle Buster

- Heat treated ripper tooth for breaking ground and creating drainage (8.75" long)
- Solid steel beam (1" thick)
- 20" wide furrowing blade
- 18" max digging depth
- Quick Hitch compatible



Middle Buster Tooth

Subsoiler Tooth

SKU# 414651

72" Landscape Rake

- 36 spring steel tines with 1" spacing
- Rake can be angled in 5 positions (0°, +/- 22.5°, +/- 45°)
- Integrated parking stand for fast connecting/disconnecting
- Quick Hitch compatible



SKU# 407820

48" Landscape Rake

- 48" working path
- 24 tines (5/16" x 1")
- Turnbuckle adjustment for operating depth
- Rope for raising/lowering rake
- 12" pneumatic tires



WARRANTY:
2 yrs Residential Use
90 Days Commercial Use



SKU# 407790

Compact Disc Harrow

- 33" wide working width
- Heavy-duty 2" steel tube frame
- Adjustable height/depth control
- 10 offset notched discs—14" diameter
- Coupler-style hitch, 2"
- 12" pneumatic tires



SKU# 407910

Drag Harrow

- Great for gravel driveways or grading
- 48" wide x 48" long
- Tow chain with ring fits over 2" trailer ball
- Heavy-duty .5" teeth will level lawns and food plots and break up soil clumps



SKU# 407880

125 lb. Receiver Spreader

- Holds up to 125 lbs of fertilizer or seed
- 12 volt motor (rated speed 570 rpm) uses ATV battery
- Mounts to 1.25" and 2" receiver hitches
- Controls reachable from operator's seat
- Up to 12' broadcast width



SKU# 414731

60" Box Blade

- 5 adjustable scarifiers with replaceable teeth (4" depth)
- 12 cu ft capacity
- 17" Moldboard height
- .25"-thick side plates
- Quick Hitch compatible



SKU# 414671

72" Rear Grader Blade

- Bolt-on, curved cutting edge is reversible
- Blade can be angled in 5 positions (0°, +/- 22.5°, +/- 45°)
- Integrated parking stand for fast connecting/disconnecting
- Moldboard: 14.7" high, .25" thick
- Quick Hitch compatible





POWER ON THE GO!

Inverters provide clean, reliable, stable AC current to power today's sensitive electronics (computers, smartphones, etc.). They run MUCH QUIETER than conventional generators, making them perfect for camping, tailgating, and any other use where quiet operation is a priority.



ULTRA QUIET

perfect for use in noise sensitive environments, recreational use, and the job site.

SURGE STARTING™

(on PRO models) delivers over 50% extra starting power. This allows you to start up a second or third piece of equipment that would overload many competitive units.



PREMIER 2200i

PRO 3000i

PRO 3500i

PRO 3500io

SKU	INV2200DMN	INV3000DMN	INV3500DMN	INV3501DMN
Watts	2,200	3,000	3,000	3,500
Outlets	(1) 120V, 20A Duplex; (1) 12V DC; (1) 1.5A USB	(1) 120V, 20A Twistlock; (1) 120V, 20A Duplex; (2) 2.1A USB	(1) 5-20R 120V 20A Duplex; (1) L5-30R 120V 30A; (1) 1.0A USB; (1) 2.1A USB	(1) 120V, 30A Twistlock; (1) 120V, 20A Duplex; (2) 2.1A USB
Weight	46.6 lbs	59.5 lbs	98 lbs	74.3 lbs
Run Time	5.2 hrs (50% load)	4.5 hrs (50% load)	11 hrs (25% load)	8 hrs (50% load)
Surge Starting™	NO	YES	YES	YES
Warranty	Generator & Engine: 3 yrs residential / 1 year commercial			

MORE POWER, EVEN MORE POSSIBILITIES!

PRO XL17500P SKU# GP117KW DEN

OUR MOST POWERFUL PORTABLE GENERATOR!

- For jobsites or home backup power
- Runtimes up to 10 hours
- Pneumatic tires for easy maneuvering
- Electric Starting with recoil backup



PRO 7500F Dual Fuel SKU# GF1700DMN

FLEXIBLE FUEL: GAS OR PROPANE!

- Easy selector dial for switching fuel sources
- Runtimes up to 10 hours
- Integrated wheel kit and collapsible handle
- Electric Starting with recoil backup



PRO 5000D SKU# GD15000YEN

DIESEL POWER FOR EXTENDED RUNTIMES!

- For jobsites or home backup power
- Runtimes up to 32 hours
- Powerful Yanmar 435cc engine
- Electric Starting with recoil backup





DR® Water Pumps—powerful and easy to use!



Our NEW DR® Water Pumps are easy to prime and are color coded for quick identification of intake and discharge connections. It's reliable equipment that you can get up and running...FAST!

CLEAN WATER PUMPS

For water free of solids. Great for household flooding, swimming pools, hot tubs, and other situations where solids are not an issue. Hose kits are included with both clean water models.

CHEMICAL PUMP

Designed to handle corrosive fertilizers or pesticides. The right choice for agricultural applications.

SEMI-TRASH PUMP


For water with solids up .25" in diameter. Dirt floor basements and ponds are common use cases.



EASY PRIME FUNNEL for quick and easy priming



COLOR CODED for quick identification of intake and discharge connections



EASY TO FOLLOW INSTRUCTIONS for quick referral when you need it



	PREMIER PC10	PRO PC20	PRO PCH20	PRO PST20
SKU	WP1PC10DMN	WP1PC20DMN	WP1CH20DMN	WP1ST20DMN
Category	Clean Water	Clean Water	Chemical	Semi-Trash
Flow	30 GPM	158 GPM	164 GPM	158 GPM
Inlet/Discharge	1"	2"	2"	2"
Engine	DR OHV, 33cc	DR OHV, 208cc	DR OHV, 223cc	DR OHV, 208cc
Run Time	Up to 1 hr	Up to 2 hrs	Up to 1.4 hrs	Up to 5 hrs
Warranty	1 Year Residential Use; 90 Days Commercial Use			

Pressure Washers for home, yard, and farm.



The **POWER GUN** lets you choose the right pressure for the job!



The **SOAP BLASTER** throws detergent 3X farther!



The **TURBO NOZZLE** Pulsating jet cleans 30% faster!



The **POWER BROOM** cleans decks and driveways up to 5X faster!

PRO 2900

With 2900 PSI and a flow of 2.4 GPM, the PRO 2900 is up to any residential task. Features the Power Gun and includes the Turbo Nozzle and Soap Blaster.

PRO 3100ES

Push-Button Starting with Power Broom and Soap Blaster!

Step up to 3100 PSI and 2.5 GPM, plus get the ease of push button starting! Features the Power Gun and includes the Power Broom and Soap Blaster.

PRO XL3600

PROFESSIONAL-GRADE Triplex Pump!

With a low profile cart body and big 10" pneumatic tires that go anywhere with ease, this professional grade washer is up to any cleaning challenge. Features a rebuildable triplex pump and a 30' flex hose that stays pliable even under maximum pressure. With 3600 PSI and 2.6 GPM, the PRO XL3600 is great for farm applications including heavy equipment.

PRO MAX3800

BELT DRIVE for Long Life!

Our PRO MAX uses belt drive to promote longer pump life than direct drive models (up to 3X longer!). Featuring a 50' steel reinforced hose, a rebuildable triplex pump, and 10" pneumatic tires, the PRO MAX3800 is our most heavy duty washer. 3800 PSI and 3.6 GPM.



	PRO 2900	PRO 3100ES	PRO XL3600	PRO MAX3800
SKU	DPW2900DMN	DPW3100DEN	DPW3600DMN	DPW3800DMN
Category	Residential	Residential	Professional	Commercial
Pressure	2900 PSI	3100 PSI	3600 PSI	3800 PSI
Flow	2.4 GPM	2.5 GPM	2.6 GPM	3.2 GPM
Cleaning Units	6,960	7,750	9,360	12,160
Pump	Axial Cam	Axial Cam	Triplex, rebuildable	Triplex, rebuildable
Engine	DR OHV, 196cc	DR OHV, 173cc	DR OHV, 212cc	DR OHV, 302cc
Start	Recoil	Push-Button (E/S)	Recoil	Recoil
Warranty	3 Years Residential Use 90 Days Commercial Use	2 Years Residential Use 90 Days Commercial Use	3 Years Residential Use 90 Days Commercial Use	

