

A person wearing a full-body white protective suit, a hood, and large blue safety goggles. They are holding a small glass vial with a red cap and a red liquid inside. The background is a blurred laboratory or industrial setting with blue lighting.

DuPont Controlled Environments

Garment and product catalog

DuPont Controlled Environments garments

Quality, comfort, and durability for your cleanroom. For more than 200 years, DuPont has been putting science to work by creating sustainable solutions essential to a better, safer, healthier life for people everywhere. One of the areas in which safety and health are of paramount importance is in cleanrooms and controlled environments.

DuPont understands your need to do everything possible to improve productivity and reduce risk in your controlled environment. The DuPont Controlled Environments (CE) portfolio offers a comprehensive selection of single-use cleanroom apparel and accessories designed for use in pharmaceutical, medical device, biotech, and electronic settings that require high standards for particle and microbiological contamination control.

DuPont™ Tyvek® garments have a long history of use in cleanrooms due to their excellent barrier to particles,

microorganisms, and non-hazardous liquids. They offer an ideal balance of protection, durability, and comfort. They are available in many styles for different cleanroom and controlled environment applications.

With the DuPont Controlled Environments offering, you get the advantage of a wide range of proven, science-based solutions that help keep your cleanroom environment protected.



Contents

DuPont Controlled Environments garments	2
DuPont garment material	4
Controlled environments apparel selection guide	5
How to interpret DuPont product part numbers	7
Tyvek® IsoClean® garments	8
Gowning recommendations	9
Garment processing and packaging options	11
The DuPont CE garment portfolio	12
Clean-processed and sterile garments	18
Sterile garments	21
Clean-processed garments	25
Non-sterile garments	28
Sizing chart for DuPont Controlled Environments garments	44
Featured products summary	45
Tyvek® protective apparel recycling program	48

DuPont garment material

Tyvek® sterile garments

The highest performing garments in our product line are made from Tyvek®, which has been used to make high-quality cleanroom garments for more than 25 years. Tyvek® is made by DuPont with a proprietary flash-spinning process that creates continuous fibers of high-density polyethylene that are randomly distributed and non-directional.



Tyvek® is tough, yet lightweight and soft.



Tyvek® offers an ideal balance of protection, durability, and comfort.



Tyvek® acts as a breathable barrier against particles and bacteria.



Tyvek® repels aqueous liquids and liquid aerosols.



Tyvek® is inherently low linting and abrasion resistant.




Image shown at 200x magnification.

Tyvek® is made with a unique flash-spinning process that creates a tortuous path for particles.

Single-use garments from DuPont

DuPont sterile cleanroom garments, designed for single use, offer meaningful advantages in today's challenging cleanroom environments, including:

- **Quality**—single-use garments are not subjected to multiple cycles of wearing, laundering, and sterilization, so fabric barrier and strength are consistent and predictable. Also, DuPont Controlled Environments garments help minimize cross-contamination risk because clean-processing and packaging are done in a facility that only handles new garments.
- **Flexibility**—the DuPont single-use apparel program allows you to order only the quantities that you plan to use, which offers flexibility as your needs change.
- **Cost control**—single-use garments help eliminate budget uncertainties associated with garment repair, damage, and loss, helping you to better predict expenditures.

DuPont quality systems for cleanroom garments

DuPont single-use garments for controlled environments offer the following standards of quality:

- The DuPont Controlled Environments quality management system is ISO 9001:2015 registered.
- Tyvek® IsoClean® sterile garments have a sterility assurance level of 10^{-6} . Radiation doses are validated in accordance with ANSI/AAMI/ISO 11137 through bioburden and dose verification testing.
- Tyvek® IsoClean® sterile garments are gamma irradiated in a facility that is registered by ISO 13485 quality standard and adheres to the requirements of ANSI/AAMI/ISO 11137.
- A Certificate of Sterility and a Certificate of Compliance come with every shipment of sterile single-use garments.
- Dose audits are conducted quarterly to maintain dose validation.
- Customers are invited to audit our manufacturing and sterilization facilities.
- Quality documentation is readily available and accurate when requested to help meet customer requirements.
- Lot traceability is maintained through garment manufacturing, processing, and sterilization.

Controlled environments apparel selection guide

When it comes to working in a broad range of controlled environments, specifiers have many product options from which to select. The process to understand which option matches a given environment can be confusing and taxing. DuPont has tried to help reduce some of that burden by providing a complete line of products and information to help guide specifiers through their selection process.

To get the most out of your cleanroom apparel, it is necessary to understand where each product can be used. To provide a quicker overview of our products and where they are intended for use, we developed the simple guide below. Our goal is to provide the appropriate DuPont product that is suitable for a given environment or hazard.

Fabric performance features

Fabric	Available sterile	Particle barrier	Non-hazardous liquid barrier	Comfort	Durability	Static dissipation†	Particle shedding	Strengths
Tyvek® IsoClean® flashspun polyolefin, clean-processed	Yes CS option	✓+	✓	✓+	✓+		✓+	
Tyvek® IsoClean® flashspun polyolefin, bulk	Yes Sterile OS option	✓+	✓	✓+	✓+	✓+	✓+	Ideal combination of protection, durability, and comfort
Tyvek® Micro-Clean® 2-1-2 flashspun polyolefin	Yes Sterile OS option	✓+		✓+	✓+	✓**	✓+	
DuPont™ ProClean® 6 microporous films	No	✓+*	✓+*	✓+	✓+	✓+	✓	Effective liquid barrier; low cost

Comparison within the DuPont portfolio:

✓+ Best

✓ Better

(Blank) Not recommended

* Barrier properties may be compromised through use.

** Antistatic performance may be reduced for sterile products.

† Nuisance static.

Controlled environments apparel selection guide

DuPont Controlled Environments garments: Tyvek® IsoClean®, Tyvek® Micro-Clean® 2-1-2, ProClean® 6

Environments	Tyvek® IsoClean®				Tyvek® Micro-Clean® 2-1-2		ProClean® 6*	Considerations
	Clean-processed sterile	Sterile	Clean-processed non-sterile	Bulk non-sterile	Sterile	Non-sterile**	Non-sterile	
ISO Class 5 Aseptic Cleanrooms (Former FED-STD-209E; Class 100)	✓+	✓			✓			Tyvek® IsoClean® sterile garments offer excellent cleanliness, barrier, and sterility assurance level.
ISO Class 6, 7, and 8 Bioburden Control Areas (Former FED-STD-209E; Class 1000, 10,000 and 100,000)	✓+	✓+			✓			Tyvek® IsoClean® sterile garments offer excellent cleanliness, barrier, and sterility assurance level.
ISO Class 6, 7, and 8 Cleanrooms (Former FED-STD-209E; Class 1000, 10,000 and 100,000)			✓+	✓+		✓	✓	Tyvek® is durable, low-linting and provides an inherent particle barrier. Clean processing and bound seams should be considered for more critical environments.
Hazards								
Non-hazardous dry particles	✓+	✓+	✓+	✓+	✓+	✓+	✓+	Tyvek® provides an inherent barrier against small particles. Bound seam garments offer a higher level of protection than serged seam garments.
Non-hazardous, light liquid splash	✓	✓	✓	✓			✓+	ProClean® provides an effective barrier against a variety of common non-hazardous liquids.
Hazardous powders Notice: DuPont Controlled Environments garments should not be used in potentially explosive or flammable environments.	✓+	✓+	✓+	✓+				Use bound seam garments when working with hazardous powders.
Hazardous liquid splash Examples: organic solvents, caustics								Please refer to our DuPont™ Tychem® product line for liquid and vapor chemical protection.
Electric arc, industrial fire hazard, welding								Please refer to DuPont™ Nomex® for flame-resistant apparel. Controlled environment garments are not suitable for firefighting activities, nor for protection from hot liquids, steam, molten metals, welding, electric arc, or thermal radiation.
Do Not Use								

Comparison within the DuPont portfolio:

✓+ Best

✓ Better

(Blank) Not recommended

* Barrier properties may be compromised through use.

** Packaged individually.

How to interpret DuPont product part numbers

To simplify ordering and inventory management, we developed a simple, logical, and intuitive product part numbering system. Using only 16 characters, each part number comprises abbreviations that provide all the information you need.

Base catalog number

The first six characters provide the basic representation of the product.

Additional product detail

The remaining characters provide additional product detail and complete the full part number.



Fabric

The first two characters are the fabric description.

Abbreviations

- TP** Tychem® 6000 FR
- SL** Tychem® 4000
- QC** Tychem® 2000
- TJ** Tyvek® 800
- TY** Tyvek® 600
- TY** Tyvek® 400
- IC** Tyvek® IsoClean®
- CC** Tyvek® Micro-Clean® 2-1-2
- PB** ProShield® 80
- PE** ProShield® 30
- PB** ProShield® 10
- DT** Dura-Trac™
- ML** Sierra™
- PC** ProClean® 6
- GC** ProClean® 3
- GB** ProClean® 2
- GA** ProClean® 1
- PP** Polypropylene

Style

DuPont offers a wide array of garment styles— from hoods, aprons, and coveralls to fully encapsulated suits. Each garment style has a unique three-digit code.

Seam construction

Abbreviations

- S** Serged or sewn
 - B** Bound
 - T** Taped or double taped
 - W** Welded
 - O** No seam
- See page 10 for details.

Color

Several DuPont fabrics are available in color options.

Abbreviations

- BU** Blue
- GY** Gray
- OR** Orange
- WH** White
- YL** Yellow

Size

Many DuPont garments are available in a range of sizes; refer to catalog descriptions for details.

Abbreviations*

- SM** Small
- MD** Medium
- LG** Large
- XL** Extra large
- 2X** 2 Extra large
- 3X** 3 Extra large
- 4X** 4 Extra large
- 5X** 5 Extra large
- 6X** 6 Extra large
- 7X** 7 Extra large
- OO** Universal

See page 44 for sizing charts.

Case count

The number of garments per case.

Options

Abbreviations

- CS** Clean-processed and sterile
- OS** Sterile
- OC** Clean-processed
- PI** Individually packaged
- OO | OB** Bulk
- BB** Bulk
- BH** 50/bag
- MP** Multipack

Not all option codes are available for all products; refer to catalog descriptions for details.

See page 11 for descriptions.

*Not all sizes are available in all styles.

Tyvek® IsoClean® garments

For ISO 4/5 (class 10/100) and ISO 7/8 (class 10,000/100,000) controlled environments

One of the most popular products in the DuPont Controlled Environments portfolio, Tyvek® IsoClean® clean-processed and sterile single-use garments offer an ideal balance of protection, durability, and comfort.

Tyvek® IsoClean® garments are available sterile and non-sterile in a wide variety of styles, such as coveralls, frocks, lab coats, hoods, gowns, bouffants, shoe and boot covers, and sleeve protectors.

For more information on Tyvek® IsoClean® garments, see page 19 of this catalog.

Gowning for ISO 5 controlled environments—per IEST-RP-CC003

Clean and sterile bouffant
Tyvek® IsoClean®
IC729SWH000250CS

Clean and sterile hood
Tyvek® IsoClean®
IC668BWH000100CS

Sterile face mask
Controlled environment
ML7360WH0002500S

Clean and sterile coverall
Tyvek® IsoClean®
IC253BWHXX0025CS

Garments folded to facilitate aseptic donning

Bound seam garments offer better particle barrier than serged seams.

Clean and sterile boot cover
Tyvek® IsoClean®
IC458BWHXX0100CS

Elastic wrists and ankles are covered by garment materials so the elastic is not exposed.

Gripper™ soles offer a higher level of slip resistance than standard PVC soles.



Gowning for ISO 7/8 controlled environments—per IEST-RP-CC003

Bouffant
Tyvek® IsoClean®
IC729SWH0002500B

Frock with snaps
Tyvek® IsoClean®
IC270BWHXX003000

with zipper
Tyvek® IsoClean®
IC264SWHXX00300B

Shoe cover with Gripper™ sole
Tyvek® IsoClean®
IC451SWHXX01000B



Gowning recommendations

ISO 14644-1 air cleanliness classes for cleanrooms and clean zones

ISO classification number	0.1 µm	0.2 µm	0.3 µm	0.5 µm	1.0 µm	5.0 µm	SI	English former FED-STD-209E
ISO Class 1	10							
ISO Class 2	100	24	10					
ISO Class 3	1,000	237	102	35	83		M 1.5	1
ISO Class 4	10,000	2,370	1,020	352	832		M 2.5	10
ISO Class 5	100,000	23,700	10,200	3,520	8,320	293	M 3.5	100
ISO Class 6	1,000,000	237,000	102,000	35,200	83,200	2,930	M 4.5	1,000
ISO Class 7				352,000	832,000	29,300	M 5.5	10,000
ISO Class 8				3,520,000	8,320,000	293,000	M 6.5	100,000
ISO Class 9				35,200,000	83,200,000	2,930,000		

IEST-RP-CC003 minimum gowning recommendations


	ISO Class 8 (Class 100,000)	ISO Class 7 (Class 10,000)	ISO Class 6 (Class 1,000)	ISO Class 5 (Class 100)	ISO Class 4 (Class 10)
Hair cover	•	•	•	•	•
Hood				•	•
Face mask				•	•
Frock	•	•			
Coverall			•	•	•
Shoe covers	•	•			
Boots			•	•	•

A, B, C, D rating table

Maximum permitted number of particles equal to or greater than 0.5 µm		
Grade	At rest equal to or greater than 0.5 µm per m ³	In operation equal to or greater than 0.5 µm per m ³
A	3 520	3 520
B	3 520	352 000
C	352 000	3 520 000
D	3 520 000	Not defined


Gowning recommendations

Seam construction—even the best protective fabrics are useless without strong, tight seams.




Serged or sewn

A seam produced when three threads are interlocked around the raw edges of two pieces of material for a strong, stress-resistant seam.




Bound

Tightly sewn with a reinforced outer binding to increase seam strength and barrier. For potential misting exposure of non-hazardous liquids or particle penetration through the seam.



Covered elastic

Elastic covered by garment material so elastic is not exposed.



Taped

Both sewn and taped to provide strong chemical resistance against heavy liquid splashes and tough seam stress. A sewn seam is covered with a strip of compatible material by heat-sealing.



Welded

A sealed seam produced when materials are lapped and thermally welded. There are no fillers, thread, or needle holes. Select Sierra™ masks have welded seams.



DuPont™ SafeSPEC™—we're here to help

Our powerful web-based tool can assist you with finding the appropriate DuPont garments for chemical, controlled environment, thermal, and mechanical hazards.



Certified Industrial Hygienist team

A DuPont Certified Industrial Hygienist can conduct a job hazard assessment to help you determine the best DuPont garment for a specific hazard.

Garment processing and packaging options

Sterile

Clean-processed and sterile (option code CS)

Garments are specially processed to minimize particle shedding, then folded to aid in aseptic donning and individually packaged in an ISO Class 4 cleanroom. The case quantity is packaged in a cardboard case with two polyethylene liners. Sterility is achieved by gamma irradiation. Radiation dosage is validated in accordance with ISO 11137 for a Sterility Assurance Level (SAL) of 10^{-6} .

Sterile (option code OS)

Garments are folded to aid in aseptic donning and individually packaged. The case quantity is packaged in a cardboard case with two polyethylene liners.

Some sterile items are folded and individually packaged in an ISO Class 5 cleanroom (see garment data sheet). Sterility is achieved by gamma irradiation. Radiation dosage is validated in accordance with ISO 11137 for a Sterility Assurance Level (SAL) of 10^{-6} .



Opaque sterile pouch packaging features a no-smear label.

Non-sterile

Clean-processed (option code OC)

Garments are specially processed to minimize particle shedding and individually packaged in an ISO Class 4 cleanroom. The case quantity is packaged in a cardboard case with two polyethylene liners.

Individually packaged (option code PI)

Garments are individually packaged in an ISO Class 5 cleanroom. The case quantity is packaged in a cardboard case with two polyethylene liners.

Bulk (option code OB or OO)

Case quantities are packed in a cardboard case with two polyethylene liners. Tychem® garments are packed in a cardboard case with a single polyethylene liner.


BB Bulk

BH 50/bag

MP Multipack

Note: Individual packaging for shoe and boot covers indicates that each pair has its own sealed bag. Masks and cuff tapes may have subgroupings of individually packaged items within the case.

Sterile packaging process—Critical assurance sterile apparel multilevel packaging



The DuPont CE garment portfolio

To help you select the right garments for your controlled environment, please select garment type, sterile or non-sterile, and your preference for either clean-processed, bulk or individually packaged.


Clean-processed and sterile garments (CS)

Coveralls—hooded



Tyvek®
IsoClean®
IC105
p. 19

Coveralls—without hood




Tyvek®
IsoClean®
IC182
p. 19

Tyvek®
IsoClean®
IC253
p. 19

Tyvek®
IsoClean®
IC254
p. 19

Tyvek®
IsoClean®
IC255
p. 19

Frocks and lab coats



Tyvek®
IsoClean®
IC264
p. 20

Tyvek®
IsoClean®
IC270
p. 20

Hoods and bouffants



Tyvek®
IsoClean®
IC666
p. 20

Tyvek®
IsoClean®
IC668
p. 20


Tyvek®
IsoClean®
IC729
p. 20

Sleeves



Tyvek®
IsoClean®
IC501
p. 20

Shoe and boot covers




Tyvek®
IsoClean®
IC447
p. 20

Tyvek®
IsoClean®
IC458
p. 20

The DuPont CE garment portfolio

Sterile garments (OS)


Coveralls—without hood



Tyvek®
IsoClean®
IC253
p. 22

Tyvek®
Micro-Clean® 2-1-2
CC252
p. 23

Sleeves



Tyvek®
IsoClean®
IC501
p. 22

ProClean®
GB500
p. 24

Frocks and lab coats



Tyvek®
IsoClean®
IC262
p. 22

Hoods and masks



Tyvek®
IsoClean®
IC669
p. 22

Tyvek®
IsoClean®
9820
p. 22

Sierra™
ML7300
p. 24

Sierra™
ML7360
p. 24

Gowns



ProClean®
GC705
p. 24

Shoe and boot covers



Tyvek®
IsoClean®
IC457
p. 22

The DuPont CE garment portfolio


Clean-processed garments (OC)

Coveralls—hooded



Tyvek®
IsoClean®
IC105
p. 26

Coveralls—without hood




Tyvek®
IsoClean®
IC181
p. 26

Tyvek®
IsoClean®
IC182
p. 26

Tyvek®
IsoClean®
IC253
p. 26

Frocks and lab coats



Tyvek®
IsoClean®
IC264
p. 27

Tyvek®
IsoClean®
IC270
p. 27

Hoods and bouffants



Tyvek®
IsoClean®
IC666
p. 27

Tyvek®
IsoClean®
IC668
p. 27


Tyvek®
IsoClean®
IC729
p. 27

Sleeves



Tyvek®
IsoClean®
IC501
p. 27

Shoe and boot covers




Tyvek®
IsoClean®
IC447
p. 27

Tyvek®
IsoClean®
IC458
p. 27

The DuPont CE garment portfolio


Non-sterile garments

Coveralls—hooded




Tyvek® IsoClean® IC105 p. 29
 Tyvek® IsoClean® IC180 p. 29
 Tyvek® 600 TY198 p. 37
 Tyvek® 800 TJ198 p. 37
 Tychem® 2000 QC122 p. 39
 Tychem® 2000 QC127 p. 39


Frocks and lab coats



Tyvek® IsoClean® IC224 p. 29
 Tyvek® IsoClean® IC262 p. 30
 Tyvek® IsoClean® IC263 p. 30
 Tyvek® IsoClean® IC264 p. 30
 Tyvek® IsoClean® IC270 p. 30
 ProShield® 10 PB219 p. 38




Tychem® 4000 SL127 p. 41
 Tychem® 4000 SL122 p. 41
 ProShield® 80 P8127 p. 38




ProShield® 10 PB267 p. 38
 ProClean® 6 PC270 p. 33
 ProClean® 6 PC271 p. 33
 ProClean® 2 GB218 p. 34
 ProClean® 2 GB219 p. 34

Coveralls—without hood



Tyvek® IsoClean® IC253 p. 29
 Tyvek® IsoClean® IC255 p. 29
 Tyvek® IsoClean® IC181 p. 29
 Tyvek® IsoClean® IC182 p. 29
 ProClean® 6 PC143 p. 33
 Tychem® 2000 QC120 p. 39



Tychem® 2000 QC125 p. 39
 Tychem® 4000 SL125 p. 41
 Tyvek® Micro-Clean® 2-1-2 CC252 p. 32

The DuPont CE garment portfolio

Non-sterile garments

Aprons, gowns, and smocks



Tyvek®
400
TY273
p. 37



Tyvek®
IsoClean®
IC226
p. 29



Tyvek®
IsoClean®
IC701
p. 30



Tychem®
2000
QC275
p. 40



Tychem®
2000
QC278
p. 40

Scrubs



ProClean® 2
GB304
p. 34



ProClean® 2
GB350
p. 34




Tychem®
4000
SL275
p. 41



Tychem®
4000
SL278
p. 41



Tychem®
6000 FR
TP275
p. 42



Tychem®
6000 FR
TP284
p. 42



ProClean® 1
GA702
p. 36



ProClean® 2
GB702
p. 34



ProClean® 2
GB703
p. 34

Masks, beard covers, and face veils



Tyvek®
IsoClean®
IC731
p. 31



ProClean® 1
GA793
p. 36



Sierra™
ML732
p. 43



Sierra™
ML733
p. 43



Sierra™
ML734
p. 43



Sierra™
ML735
p. 43




Sierra™
ML736
p. 43



Sierra™
ML737
p. 43



General
purpose
PP740
p. 36



General
purpose
PP741
p. 36

The DuPont CE garment portfolio

Non-sterile garments

Hoods and bouffants



Tyvek®
IsoClean®
IC666
p. 31



Tyvek®
IsoClean®
IC668
p. 31



ProClean® 6
PC663
p. 33



Tyvek®
IsoClean®
IC729
p. 31



ProClean® 2
GB728
p. 34



ProClean® 1
GA728
p. 36



ProClean® 1
GA729
p. 36

Shoe and boot covers



Tyvek®
IsoClean®
IC451
p. 32



Tyvek®
IsoClean®
IC461
p. 32



ProShield™ 30
PE440
p. 38



ProClean® 2
GB440
p. 34



Dura-Trac™
DT440
p. 38



Tyvek®
IsoClean®
IC444
p. 32



Tyvek®
IsoClean®
IC447
p. 32



Tyvek®
IsoClean®
IC457
p. 32



Tyvek®
IsoClean®
IC458
p. 32



ProClean® 6
PC444
p. 33



ProShield® 30
PE444
p. 38

Sleeves



Tyvek®
IsoClean®
IC501
p. 31



ProClean® 6
PC500
p. 33



Tychem®
2000
QC500
p. 40

Sterilization wraps



ProClean® 2
GB008
p. 35



ProClean® 2
GB012
p. 35



ProClean® 2
GB015
p. 35



ProClean® 2
GB018
p. 35



ProClean® 2
GB020
p. 35



ProClean® 2
GB024
p. 35



ProClean® 2
GB030
p. 35



ProClean® 2
GB036
p. 35



ProClean® 2
GB040
p. 35



ProClean® 2
GB045
p. 35



ProClean® 2
GB048
p. 35



ProClean® 2
GB054
p. 35



ProClean® 2
GB060
p. 35



ProClean® 2
GB065
p. 35



ProClean® 2
GB072
p. 35

Clean-processed and sterile garments



Clean-processed and sterile garments



Coverall
IC253

Tyvek® IsoClean®

Made from Tyvek® brand flashspun polyolefin protective material

Unique, patented flash-spinning process creates a barrier to dry particles, microorganisms, and non-hazardous liquids

Comfortable, lightweight, and durable

Garments available gamma sterilized to an SAL of 10^{-6}

Serged or bound seams with covered elastic options

Bound seam garments offer highest particle barrier within DuPont CE product portfolio

Traceability on all sterilized apparel

Gripper™ soles offer a higher level of slip resistance than standard PVC soles

NOTE Please substitute your size for XX when ordering. See page 7 for full part number description.

Coverall

IC105SWHXX0025CS

Serged seams
Standard hood
Elastic hood opening
Set sleeve
Zipper closure
Elastic wrists
Elastic ankles
Attached thumb loops
Attached boots with PVC soles
25/cs
MD-4X



Coverall

IC182BWHXX0025CS

Bound seams
Bound neck
Raglan sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-4X



Coverall

IC253BWHXX0025CS

Bound seams
Bound neck
Dolman sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-7X



Coverall

IC254BWHXX0025CS

Bound seams
Bound neck
Dolman sleeve
Zipper closure
Elastic wrists
Elastic ankles
Snaps for aseptic donning
25/cs
SM-4X



Coverall

IC255BWHXX0025CS

Bound seams
Bound neck
Dolman sleeve
Storm flap
Zipper closure
Elastic wrists
Elastic ankles
Thumb loop
25/cs
SM-6X



Clean-processed and sterile garments

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.



Tyvek® IsoClean®

Frock
IC270

Frock
○ IC264SWHXX0030CS

Serged seams
Bound neck
Raglan sleeve
Zipper closure
Elastic wrists
A-line
30/cs
SM-4X



Frock
○ IC270BWHXX0030CS

Bound seams
Bound neck
Set sleeve
Snap closure
(6 + 1 adjustable)
Elastic wrists
30/cs
SM-4X




Boot cover
○ IC447SWHXX0100CS

Serged seams
Elastic openings
Elastic ankles
Gripper™ sole
18" high
100/cs
MD-2X



Boot cover
○ IC458BWHXX0100CS

Bound seams
Elastic openings
Ties at ankles
Gripper™ sole
18" high
100/cs
SM-XL




Hood
○ IC666BWHXX0100CS

Bound seams
Bound hood opening
(eyes only)
Snaps for fit
Bound bottom
100/cs
MD-LG



Hood
○ IC668BWH000100CS

Bound seams
Full face opening
Bound hood opening
Ties with loops for fit
100/cs
Universal sizing (00)




Bouffant
○ IC729SWH000250CS

Serged seams
Elastic headband
21.5" diameter
250/cs
Universal sizing (00)



Sleeves
○ IC501BWH000100CS

Bound seams
Elastic openings
18" length
100/cs
Universal sizing (00)





Sterile garments

Sterile garments



Coverall
IC253 and CC252

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.

Coverall

○ IC253BWHXX00250S

Bound seams
Bound neck
Dolman sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-5X



Frock

○ IC262SWHXX00300S

Serged seams
High mandarin collar
w/adjustable snaps
Raglan sleeve
Snap closure (6)
Elastic wrists
Generous cut
30/cs
MD-3X



Boot cover

○ IC457SWHXX01000S


Serged seams
Elastic openings
Ties at ankles
PVC sole
18" high
100/cs
SM-XL



Sleeves

○ IC501BWH0001000S

Bound seams
Elastic openings
18" length
100/cs
Universal sizing (00)



Tyvek® IsoClean®

Made from Tyvek® brand flashspun polyolefin protective material

Unique, patented flash-spinning process creates a barrier to dry particles, microorganisms, and non-hazardous liquids

Comfortable, lightweight, and durable

Garments available gamma sterilized to an SAL of 10⁻⁶

Serged or bound seams with covered elastic options

Bound seam garments offer highest particle barrier within DuPont CE product portfolio


Traceability on all sterilized apparel

Gripper™ soles offer a higher level of slip resistance than standard PVC soles

Hood/mask

● IC669BWH0001000S


Integrated hood/
mask combination
Bound seams
Bound head opening
Ties with loops for fit
White hood
Blue face mask
Pleated polyethylene outer
7" wide mask
Individually packaged
100/cs
Universal sizing (00)



Hood/mask

● 9820

Separate hood/
mask combination
Bound seams
Bound head opening
Ties with loops for fit
White hood
Blue face mask
Pleated polyethylene outer
7" wide mask
Individually packaged
100/cs
Universal sizing (00)



Sterile garments




Coverall
CC252B

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.

Coverall

● CC252BBUXX002505

Bound seams
Bound neck with loop at center back
Dolman sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-5X



Tyvek® Micro-Clean® 2-1-2

Made from Tyvek® brand flashspun polyolefin protective material

Coated on both sides with proprietary 2-1-2 blue polymeric resin

Antistatic treated

Garments available gamma sterilized to an SAL of 10^{-6}

Traceability on all sterilized apparel

Sterile garments

NOTE See page 7 for full part number description.



Gown
GC705

Procedure gown

- GC705WBUMD00320S
- GC705WBULG00300S
- GC705WBUXL00280S
- GC705WBU2X00260S


Welded seams
Set-in sleeves
Generous cut
Extra-long hook-and-loop closure for customized neck fit
MD-2X



Sleeves

- GB500SBU0001000S

Elastic openings
100/cs
Universal sizing (00)



ProClean®

Non-hazardous liquid and dry particulate barrier protection for cleanroom applications



Mask
ML7360

Mask

- ML7300WH0002500S

7" size
Bound Tyvek® ties
Pleated
Rayon outer facing
Metal nose piece
Adhesive at nose
250/cs
Universal sizing (00)



Mask

- ML7360WH0002500S

9" size
Bound Tyvek® ties
Pleated
Rayon outer facing
Metal nose piece
250/cs
Universal sizing (00)



Sierra™

Provides balance of bacteria and particle filtration efficiency and breathability

7" and 9" sizes available

White masks available



Clean-processed garments

Clean-processed garments



Coverall, hood, and boot covers
IC181S
IC668B
IC447S

Tyvek® IsoClean®

Made from Tyvek® brand flashspun polyolefin protective material

Unique, patented flash-spinning process creates a barrier to dry particles, microorganisms, and non-hazardous liquids

Comfortable, lightweight, and durable

Serged or bound seams with covered elastic options

Bound seam garments offer highest particle barrier within DuPont CE product portfolio

Gripper™ soles offer a higher level of slip resistance than standard PVC soles

NOTE Please substitute your size for XX when ordering. See page 7 for full part number description.

Coverall

IC105SWHXX00250C

Serged seams
Standard hood
Elastic hood opening
Set sleeve
Zipper closure
Elastic wrists
Elastic ankles
Attached thumb loops
Attached boots with PVC soles
25/cs
MD-3X



Coverall

IC181SWHXX00250C

Serged seams
Standard collar
Set sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-4X



Coverall

IC182BWHXX00250C

Bound seams
Bound neck
Raglan sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-4X



Coverall

IC253BWHXX00250C

Bound seams
Bound neck
Dolman sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-5X



Clean-processed garments



Frock
IC270

Tyvek® IsoClean®

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.

Frock

○ IC264SWHXX00300C

Serged seams
Bound neck
Raglan sleeve
Zipper closure
Elastic wrists
A-line
30/cs
SM-4X



Frock

○ IC270BWHXX00300C

Bound seams
Bound neck
Set sleeve
Snap closure
(6 + 1 adjustable)
Elastic wrists
30/cs
SM-4X



Boot cover

○ IC447SWHXX01000C


Serged seams
Elastic openings
Elastic ankles
Gripper™ sole
18" high
100/cs
MD-XL



Boot cover

○ IC458BWHXX01000C

Bound seams
Elastic openings
Ties at ankles
Gripper™ sole
18" high
100/cs
MD-XL



Sleeves

○ IC501BWH0001000C


Bound seams
Elastic openings
18" length
100/cs
Universal sizing (00)



Hood

○ IC666BWHXX01000C


Bound seams
Bound hood opening
(eyes only)
Snaps for fit
Bound bottom
100/cs
MD-LG



Hood

○ IC668BWH0001000C

Bound seams
Full face opening
Bound hood opening
Ties with loops for fit
100/cs
Universal sizing (00)



Bouffant

○ IC729SWH0002500C

Serged seams
Elastic headband
21.5" diameter
250/cs
Universal sizing (00)



Non-sterile garments



Non-sterile garments



Coverall
IC181S

Tyvek® IsoClean®

Made from Tyvek® brand flashspun polyolefin protective material

Unique, patented flash-spinning process creates a barrier to dry particles, microorganisms, and non-hazardous liquids

Comfortable, lightweight, and durable

Serged or bound seams with covered elastic options

Bound seam garments offer highest particle barrier within DuPont CE product portfolio

Gripper™ soles offer a higher level of slip resistance than standard PVC soles

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.

Coverall

○ IC105SWHXX002500

Serged seams
Standard hood
Elastic hood opening
Set sleeve
Zipper closure
Elastic wrists
Elastic ankles
Attached thumb loops
Attached boots with PVC soles
25/cs
MD-3X



Coverall

○ IC180SWHXX002500

Serged seams
Standard hood
Elastic hood opening
Set sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
MD-3X



Coverall

○ IC181SWHXX002500

Serged seams
Standard collar
Set sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-8X



Coverall

○ IC182BWHXX002500

Bound seams
Bound neck
Raglan sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-4X



Coverall

○ IC253BWHXX00250B

Bound seams
Bound neck
Dolman sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-5X



Coverall

○ IC255BWHXX00250B

Bound seams
Bound neck
Dolman sleeve
Storm flap
Zipper closure
Elastic wrists
Elastic ankles
Thumb loops
25/cs
SM-7X



Lab coat

○ IC224SWHXX00300B

Serged seams
Laydown collar
Raglan sleeve
Snap closure (5)
Pockets (1 chest pencil, 2 lower front)
30/cs
SM-2X



Smock

○ IC226SWHXX00300B

Serged seams
Bound neck
Set sleeve
Elastic wrists
Wrap around (ties at waist)
Pockets (1 chest pencil, 2 lower front)
30/cs
SM-XL



Non-sterile garments

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.



Tyvek® IsoClean®

Frock
IC270

Frock

IC262SWHXX00300B

- Serged seams
- High mandarin collar w/adjustable snaps
- Raglan sleeve
- Snap closure (6)
- Elastic wrists
- Generous cut
- 30/cs
- SM-4X



Frock

IC263SWHXX00300B

- Serged seams
- High mandarin collar w/snap
- Set sleeve
- Snap closure (6)
- Elastic wrists
- 30/cs
- SM-4X



Frock

IC264SWHXX00300B

- Serged seams
- Bound neck
- Raglan sleeve
- Zipper closure
- Elastic wrists
- A-line
- 30/cs
- SM-4X



Frock

IC270BWHXX003000


- Bound seams
- Bound neck
- Set sleeve
- Snap closure (6 + 1 adjustable)
- Elastic wrists
- 30/cs
- SM-4X



Gown

IC701SWH00003000

- Serged seams
- Bound neck w/ties
- Knit cuff
- Bound ties originating at center front waist
- 30/cs
- Universal sizing (00)



Non-sterile garments

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.




Sleeve
IC501

Sleeves

○ IC501BWH0001000B

Bound seams
Elastic openings
18" length
100/cs
Universal sizing (00)



Bouffant

○ IC729SWH0002500B

Serged seams
Elastic headband
21.5" diameter
250/cs
Universal sizing (00)




Tyvek® IsoClean®

Hood

○ IC666BWHXX010000


Bound seams
Bound hood opening
(eyes only)
Snaps for fit
Bound bottom
100/cs
MD-LG



Hood

○ IC668BWH0001000B

Bound seams
Full face opening
Bound hood opening
Ties with loops for fit
100/cs
Universal sizing (00)



Mask

● IC7310BU0003000B

7"
Bound Tyvek® ties
Pleated polyethylene outer
PBT filter
Metal nose piece
300/cs
Universal sizing (00)



Non-sterile garments

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.



Shoe cover
IC451

Tyvek® IsoClean®

Boot cover

○ IC444SWHXX02000B


Serged seams
Elastic opening
Elastic ankles
PVC sole
15" high
200/cs
MD-XL



Boot cover

○ IC447SWHXX01000B

Serged seams
Elastic opening
Elastic ankles
Gripper™ sole
18" high
100/cs
SM-XL



Boot cover

○ IC457SWHXX01000B


Serged seams
Elastic opening
Ties at ankles
PVC sole
18" high
100/cs
SM-XL



Boot cover

○ IC458BWHXX01000B

Bound seams
Elastic opening
Ties at ankles
Gripper™ sole
18" high
100/cs
MD-XL



Shoe cover

○ IC451SWHXX01000B


Serged seams
Elastic opening
Gripper™ sole
5" high
100/cs
SM-XL



Shoe cover

○ IC461SWHXX03000B

Serged seams
Elastic opening
PVC sole
Elastic toe
5" high
300/cs
SM-XL



Tyvek® Micro-Clean® 2-1-2

Made from Tyvek® brand flashspun polyolefin protective material

Unique, patented flash spinning process creates an inherent barrier to dry particles, microorganisms, and non-hazardous liquids

Breathable, lightweight, and durable

Traceability on all sterilized apparel

Coverall

● CC252BBUX0025PI

Bound seams
Bound neck with loop at center back
Dolman sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-4X



Non-sterile garments

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.



Coverall
PC143

ProClean® 6

Microporous composite fabric


Non-hazardous liquid and dry particulate barrier protection for cleanroom applications

Serged seams

Coverall

PC143SWHXX00250B

Serged seams
Bound neck
Set sleeve
Zipper closure
Enclosed elastic at back
Elastic wrists
Elastic ankles
25/cs
SM-4X



Frock

PC270SWHXX00300B

Serged seams
Bound neck
Set sleeve
Elastic wrists
Snaps (5)
30/cs
SM-4X



Frock

PC271SWHXX00300B


Serged seams
Bound neck
Set sleeve
Zipper closure
Elastic wrists
30/cs
SM-4X



Boot cover

PC444SWHXX01000B

Serged seams
Elastic opening
Elastic ankles
PVC sole
18" height
100/cs
MD-XL



Sleeves

PC500SWHXX02000B


Serged seams
Elastic openings
18" length
200/cs
Universal sizing (00)



Hood

PC663SWHXX01000B

Serged seams
Full face
Bound hood opening
Bound ties
100/cs
Universal sizing (00)



Non-sterile garments

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.



Procedure gown
GB703S

ProClean® 2

Microporous composite fabric

Non-hazardous liquid and dry particulate barrier protection for cleanroom applications

Serged seams

Isolation gown

● GB702SYL000100MP


Serged seams
Neck and waist ties
Elastic wrists
100/cs
Universal sizing (00)



Procedure gown

● GB703SBUXX00250B

Serged seams
Raglan sleeves
Hook-and-loop neck closure
Knit cuffs
25/cs
Universal sizing (00),
XL available




Lab coat

○ GB218SWHXX00300B

● GB218SBUXX00300B

Serged seams
Traditional collar
Knit cuffs
Square snaps
Back vent
Hanging loop
30/cs
MD-2X



Lab coat

○ GB219SWHXX00300B

Serged seams
Knit collar
Knit cuffs
Square snaps
Hanging loop
30/cs
MD-2X



Scrub top

● GB304SBUXX00600B


Serged seams
Short sleeves
Pockets
(1 left chest, 1 right waist)
60/cs
MD-3X



Scrub pants

● GB350SBU00600B


Serged seams
Elastic waist
Pocket
60/cs
MD-3X



Bouffant

● GB728SBU000750MP

Serged seams
Elastic headband
24" diameter opening
750/cs
Universal sizing (00)



Shoe cover

● GB440SBUXX0400MP

Serged seams
Elastic openings
Traction sole
400/cs
Universal sizing (00),
XL-2X available



Shoe cover

● GB440SBUXX04000B

Serged seams
Elastic openings
Traction sole
400/cs
Universal sizing (00),
XL-2X available



Non-sterile garments

NOTE See page 7 for full part number description.



ProClean® 2

Sterilization wraps

● GB0080BU0010000B
8"x 8"



Sterilization wraps

● GB0120BU0010000B
12"x 12"



Sterilization wraps

● GB0150BU0005000B
15"x 15"



Sterilization wraps

● GB0180BU0005000B
18"x 18"



Sterilization wraps

● GB0200BU0005000B
20"x 20"



Sterilization wraps

● GB0240BU0005000B
24"x 24"



Sterilization wraps

● GB0300BU0002500B
30"x 30"



Sterilization wraps

● GB0360BU0001500B
36"x 36"



Sterilization wraps

● GB0400BU0001500B
40"x 40"



Sterilization wraps

● GB0450BU0001000B
45"x 45"



Sterilization wraps

● GB0480BU0001000B
48"x 48"



Sterilization wraps

● GB0540BU0001000B
54"x 54"



Sterilization wraps

● GB0600BU0001000B
60"x 60"



Sterilization wraps

● GB0650BU0001000B
65"x 65"



Sterilization wraps

● GB0720BU0001000B
54"x 72"



Non-sterile garments

NOTE See page 7 for full part number description.



Isolation gown
GA702S

Isolation gown

GA702SYL0000300S

- Serged seams
- Set-in sleeves
- Elastic cuffs
- Tie neck and waist
- 46" long
- 100/cs
- Universal sizing (00)



Beard cover

GA793SWH0003000B


- Serged seams
- Elastic headband
- 300/cs
- Universal sizing (00)



Bouffant

GA728SWH0003000B

- Serged seams
- Elastic headband
- 24" diameter
- 300/cs
- Universal sizing (00)



Bouffant

GA728SBU000750MP

- Serged seams
- Elastic headband
- 24" diameter
- 750/cs
- Universal sizing (00)



ProClean® 1

Non-hazardous liquid and dry particulate barrier protection for cleanroom applications

Serged seams

Bouffant

GA729SWH0003000B

- Serged seams
- Elastic headband
- 21" diameter
- 300/cs
- Universal sizing (00)



Polypropylene

Cleanroom face veil

PP7400WH00150BH


- Stainless steel snaps
- Metal nose piece
- 150/cs
- Universal sizing (00)



Cleanroom face veil

PP7410WH000150BH

- Elastic head band
- Metal nose piece
- 150/cs
- Universal sizing (00)



Non-sterile garments

NOTE Please substitute your size for XX when ordering. See page 7 for full part number description.



Coverall
TJ198T



Coverall
TY198T



Apron
TY273

Tyvek® 800

Tyvek® 800 garments combine resistance to low-concentration, water-based, inorganic chemicals (even under pressure) with the durability of Tyvek® thanks to their innovative fabric technology and enhanced garment design

Chemical protective clothing, Category III, Type 3-B, 4-B, 5-B, and 6-B

Protection against infective agents (EN 14126), including resistance to penetration by blood and body fluids using synthetic blood (ISO 16603)

Suitable for applications such as industrial cleaning; chemical packaging and redistribution; waste treatment and disposal; environmental remediation and many others

Tyvek® 800 is white

PI = Packaged individually

Coverall

○ TJ198TWHXX0025PI

Taped seam
Attached hood (respirator fit)³
Storm flap
Elastic wrists
Elastic ankles
CE certified
Category III type 3-B, 4-B, 5-B, and 6-B
25/cs
SM-7X



Tyvek® 600

Tyvek® 600 garments are composed of flashspun high-density polyethylene, which creates a unique, nonwoven material available only from DuPont

Tyvek® 600 Type 4/5/6 coveralls offer the following safety and comfort benefits:

Chemical protective clothing, Category III, Type 4-B, 5-B, and 6-B

Protection against infective agents (EN 14126), including resistance to penetration by blood and body fluids using synthetic blood (ISO 16603)

Fabric and seams offer chemical permeation barrier to low concentration water-based inorganic chemicals

Tyvek® 600 is white

PI = Packaged individually

Coverall

○ TY198TWHXX0025PI

Taped seam
Attached hood (respirator fit)³
Storm flap
Elastic wrists
Elastic ankles
CE certified
Category III type 4-B, 5-B, and 6-B
25/cs
SM-7X



Tyvek® 400

Tyvek® fabric is composed of flashspun high-density polyethylene, which creates a unique nonwoven material available only from DuPont

Tyvek® 400 fabric provides an ideal balance of protection, durability, and comfort compared to any limited-use fabric technology

Tyvek® 400 fabric's durability delivers a consistently better barrier, even after wear and abrasion

Tyvek® 400 is white

Apron

○ TY273BWH00010000

Bound seams
Bound neck
Tie closure
Tyvek® ties at waist
100/cs
Universal sizing (00)



Non-sterile garments

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.

ProShield® 80

Hydrophobic outer layer
Comfort fit design and gusset crotch
Meets the US industry requirements for blood (ASTM F1670) and viral penetration (ASTM F1671)

ProShield® 30

Spunbonded polypropylene with polyethylene film coating
Slip resistance—both wet and dry

ProShield® 10

Made from polypropylene SMS fabric
Fabric resists non-hazardous dry particle penetration
Air permeability helps keep wearer comfortable
Serged seams
Available in blue and white

Coverall

 P8127BBUX002500

Bound seams
Standard hood
Elastic hood opening
Storm flap
Elastic wrists
Elastic ankles
Thumb loops
25/cs
SM-6X



Boot cover

 PE444SWHXX010000

Serged seams
Elastic opening
Elastic ankles
13" height
100/cs
LG-XL



Lab coat

 PB219SWHXX00300B

Serged seams
Knit collar
Set sleeve
Snap closure (6 + 1 adjustable)
Knit cuffs
Pockets (1 left chest pencil, 2 lower front)
30/cs
SM-5X



Dura-Trac™

Spunbonded polypropylene with polyethylene film coating
Slip resistance—both wet and dry

Shoe cover

 PE440SWHXX020000

Serged seams
Elastic opening
5.5" height
200/cs
MD-XL



Lab coat

 PB219SBUX00300B

Serged seams
Knit collar
Set sleeve
Snap closure (6 + 1 adjustable)
Knit cuffs
Pockets (1 left chest pencil, 2 lower front)
30/cs
SM-5X



Shoe cover

 DT440SBU0003000B

Serged seams with heat seal
Elastic opening
Elastic toe, heel
6.5" height
300/cs
LG-XL



Shoe cover

 PE440SBUX020000

Serged seams
Elastic opening
5.5" height
200/cs
LG-XL



Frock

 PB267SWHXX00300B

Serged seams
Mandarin collar
Set sleeve
Snap closure (6 + 1 adjustable)
Knit cuffs
Enclosed elastic wrists
30/cs
SM-4X



Non-sterile garments



Coverall
QC122SYL

Tychem® 2000

Light liquid splash protection

Used extensively in the petroleum; pulp and paper; food and chemical processing; and pharmaceutical industries

Tychem® 2000 is polyethylene-coated Tyvek® fabric

Flexible, durable, and lightweight

Tychem® 2000 provides at least 30 minutes of protection against >40 chemical challenges

When used with masks and gloves, can help reduce the risk of cross-contamination in pandemic preparedness activities

NOTE Please substitute your size for XX when ordering. See page 7 for full part number description.

Coverall

● QC122BYLXX001200

Bound seams
Attached hood
Zipper closure
Storm flap with tape closure
Elastic wrists
Attached socks³
12/cs
MD-6X



Coverall

● QC122SYLXX001200

Serged seams
Attached hood
Zipper closure
Elastic wrists
Attached socks³
12/cs
MD-8X



Coverall

● QC127BYLXX001200

Bound seams
Attached hood
Zipper closure
Storm flap
Elastic wrists
Elastic ankles
12/cs
MD-6X



Coverall

● QC127SYLXX001200

Serged seams
Attached hood
Zipper closure
Elastic wrists
Elastic ankles
12/cs
SM-7X



Coverall

● QC125BYLXX001200

Bound seams
Collar
Zipper closure
Storm flap with tape closure
Elastic wrists
Elastic ankles
12/cs
MD-6X



Coverall

● QC125SYLXX001200

Serged seams
Collar
Zipper closure
Elastic wrists
Elastic ankles
12/cs
MD-7X



Coverall

● QC120SYLXX001200

Serged seams
Collar
Zipper closure
12/cs
MD-7X



Non-sterile garments

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.

Tychem® 2000

Apron

● QC275BYLXX002500

Bound seams
Waist ties
Elastic wrists
Knee length apron/gown
Open back
44" long
25/cs
SM-4X



Apron

● QC278BYL00001200


Bound seams
Bound yoke neck without snaps
Sleeved apron
Waist ties
Elastic wrists
52" long
12/cs
Universal sizing (00)



Sleeves

● QC500BYLXX02000B

Bound seams
Tunneled elastic wrists
Elastic biceps
18" length
200/cs
Universal sizing (00)



Non-sterile garments

NOTE Please substitute your size for XX when ordering.
See page 7 for full part number description.



Coverall
SL122T

Coverall

○ SL122TWHXX000600

Taped seams
Attached hood
Zipper closure
Storm flap with tape closure
Elastic wrists
Attached socks³
MD-6X



Coverall

○ SL122BWHXX001200

Bound seams
Attached hood
Zipper closure
Storm flap with tape closure
Elastic wrists
Attached socks³
MD-7X



Coverall

○ SL127TWHXX000600

Taped seams
Attached hood
Zipper closure
Storm flap with tape closure
Elastic wrists
Elastic ankles
MD-7X



Coverall

○ SL125BWHXX001200

Bound seams
Collar
Zipper closure
Storm flap with tape closure
Elastic wrists
Elastic ankles
SM-6X



Tychem® 4000

Effective protection against a range of chemicals

Rugged and durable

Tychem® 4000 is white for high visibility

Tychem® 4000 provides at least 30 minutes of protection against >120 chemical challenges

When used with masks and gloves, can help reduce the risk of cross-contamination in pandemic preparedness activities

Apron

○ SL278BWHXX001200


Bound seams
Bound yoke neck without snaps
Attached long sleeves
Waist ties
Elastic wrists
52" long
Universal sizing (00)



Apron

○ SL275TWHXX002500

Taped seams
Raw edge neck with snaps
Attached long sleeves
Waist ties
Elastic wrists
44" long
SM-4X



Non-sterile garments



Apron
TP284TOR

Tychem® 6000 FR

Provides triple hazard protection from chemicals, flash fire, and electric arc, combining the trusted chemical protection of Tychem® with the flame and arc flash protection of Nomex® into a single garment

Constructed for heavy use, yet lightweight and easy to wear


Tychem® 6000 FR provides at least 30 minutes of protection against >180 chemical challenges

NOTE Please substitute your size for XX when ordering. See page 7 for full part number description.

Apron

● TP275TORXX000200


Taped seams
Two buckle closure system
45" long
SM-4X



Apron

● TP275TGYXX000200

Taped seams
Two buckle closure system
45" long
SM-4X



Apron

● TP284TORXX000400


Taped seams
Sleeveless apron
Waist strap
4/cs
SM-4X



Apron

● TP284TGYXX000400

Taped seams
Sleeveless apron
Waist strap
4/cs
SM-4X



Non-sterile garments

NOTE See page 7 for full part number description.



Mask

● ML732WBU000500BB

Welded seams
7" size
Elastic ear loops
Pleated polypropylene
outer facing
Metal nose piece
500/cs
Universal sizing (00)



Mask

● ML7330BU000500BH

7" size
Elastic ear loops
Pleated polypropylene
outer facing
Metal nose piece
500/cs
Universal sizing (00)



Mask

● ML734WBU000500BB

Welded seams
6" size
Molded cone mask
Over the head elastic band
Metal nose piece
500/cs
Universal sizing (00)



Mask

● ML735WBU000300BB

Welded seams
7" size
Ties
Pleated rayon outer facing
Metal nose piece
300/cs
Universal sizing (00)



Sierra™

Provides balance of bacteria
and particle filtration efficiency
and breathability

6", 7", and 9" sizes available

Blue and white masks available

Mask

○ ML7360WH000250BH

9" size
Bound Tyvek® ties
Pleated rayon outer facing
Metal nose piece
250/cs
Universal sizing (00)



Mask


○ ML7370WH000250BH

9" size
Bound Tyvek® ties
Pleated rayon outer facing
Metal nose piece
Adhesive at nose
250/cs
Universal sizing (00)



Sizing chart for DuPont Controlled Environments garments

Use this chart to determine what size garment is right for you.
 Sizes are based on an individual's height and chest size.



Garment may shrink during cleaning process. Please use your best judgment to determine the most appropriate size to order based on this chart.

Featured products summary



Tyvek® IsoClean®

Made from Tyvek® brand flashspun polyolefin protective material

Unique, patented flash-spinning process creates a barrier to dry particles, microorganisms, and non-hazardous liquids

Comfortable, lightweight, and durable

Garments available gamma sterilized to an SAL of 10^{-6}

Serged or bound seams with covered elastic options

Bound seam garments offer highest particle barrier within DuPont CE product portfolio

Traceability on all sterilized apparel

Gripper™ soles offer a higher level of slip resistance than standard PVC soles

Tyvek® IsoClean® is white

Note: All sizes not available in all styles. For one size fits most use 00 in the part number.

Seams and closures have less barrier than fabric.

Coverall

- IC253BWHXX00250B SM-5X
- IC253BWHXX00250S SM-5X
- IC253BWHXX00250C SM-5X
- IC253BWHXX0025CS SM-7X

Bound seams
Bound neck
Dolman sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs



Boot cover

- IC447SWHXX01000B SM-XL
- IC447SWHXX01000C MD-XL
- IC447SWHXX0100CS MD-2X

Serged seams
Elastic openings
Elastic ankles
Gripper™ sole
18" high
100/cs (50 pairs)



Coverall

- IC105SWHXX002500 MD-3X
- IC105SWHXX00250C MD-3X
- IC105SWHXX0025CS MD-4X

Serged seams
Standard hood
Elastic hood opening
Set sleeve
Zipper closure
Elastic wrists
Elastic ankles
Attached thumb loops
Attached boots with PVC soles
25/cs



Boot cover

- IC458BWHXX01000B MD-XL
- IC458BWHXX01000C MD-XL
- IC458BWHXX0100CS SM-XL

Bound seams
Elastic openings
Ties at ankles
Gripper™ sole
18" high
100/cs (50 pairs)



Coverall

- IC254BWHXX0025CS

Bound seams
Bound neck
Dolman sleeve
Zipper closure
Elastic wrists
Elastic ankles
Snaps for aseptic donning
25/cs
SM-4X



Boot cover

- IC457SWHXX01000B
- IC457SWHXX01000S

Serged seams
Elastic openings
Ties at ankles
PVC sole
18" high
100/cs (50 pairs)
SM-XL



Coverall

- IC181SWHXX002500 SM-8X
- IC181SWHXX00250C SM-4X

Serged seams
Standard collar
Set sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs



Shoe cover

- IC461SWHXX03000B

Serged seams
Elastic openings
PVC sole
Elastic toe
5" high
300/cs (150 pairs)
SM-XL



Featured products summary

Frock—Tyvek® IsoClean®

- IC270BWHXX003000
- IC270BWHXX00300C
- IC270BWHXX0030CS


Bound seams
Bound neck
Set sleeve
Front snap closure
(6 + 1 adjustable)
Elastic wrists
30/cs
SM-4X



Shoe cover—Tyvek® IsoClean®

- IC451SWHXX01000B

Serged seams
Elastic openings
Gripper™ sole
5" high
100/cs (50 pairs)
SM-XL



Frock—Tyvek® IsoClean®

- IC264SWHXX00300B
- IC264SWHXX00300C
- IC264SWHXX0030CS

Serged seams
Bound neck
Raglan sleeve
Front zipper closure
Elastic wrists
A-line
30/cs
SM-4X



Lab coat—Tyvek® IsoClean®

- IC224SWHXX00300B

Serged seams
Laydown collar
Raglan sleeve
Front snap closure (5)
Pockets
(1 left chest pencil, 2 lower front)
30/cs
SM-2X



Frock—Tyvek® IsoClean®

- IC263SWHXX00300B

Serged seams
High mandarin collar w/snap
Set sleeve
Snap closure (6)
Elastic wrists
30/cs
SM-4X



Coverall—Tyvek® IsoClean®

- IC182BWHXX002500
- IC182BWHXX00250C
- IC182BWHXX0025CS

Bound seams
Bound neck
Raglan sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs
SM-4X



Hood—Tyvek® IsoClean®

- IC668BWH0001000B
- IC668BWH0001000C
- IC668BWH000100CS


Bound seams
Full face opening
Bound hood opening
Ties with loops for fit
100/cs
Universal sizing (00)



Hood/mask—Tyvek® IsoClean®

- IC669BWH0001000S

Integrated hood/
mask combination
Bound seams
Bound head opening
Ties with loops for fit
White hood
Blue face mask
Pleated polyethylene
outer 7" wide mask
Individually packaged
100/cs
Universal sizing (00)



Featured products summary

Shoe cover—ProShield® 30

● PE440SBUX020000

Serged seams
Elastic opening
5.5" height
200/cs (100 pairs)
LG-XL



Shoe cover—ProShield® 30

○ PE440SWHXX020000

Serged seams
Elastic opening
5.5" height
200/cs (100 pairs)
MD-XL



Controlled environment mask— DuPont™ Sierra™

○ ML7360WH000250BH

○ ML7360WH0002500S

9" size
Bound Tyvek® ties
Pleated
Rayon outer facing
Metal nose piece
250/cs
Universal sizing (00)



Boot cover—ProShield® 30

○ PE444SWHXX010000

Serged seams
Elastic opening
Elastic ankles
13" height
100/cs (50 pairs)
LG-XL



Sleeves

○ IC501BWH0001000B

○ IC501BWH0001000C

○ IC501BWH0001000S

○ IC501BWH0001000CS

Bound seams
Elastic openings
18" length
100/cs
Universal sizing (00)




Coverall— Tyvek® Micro-Clean® 2-1-2

● CC252BBUX00250S
SM-5X

● CC252BBUX0025PI
SM-4X

Bound seams
Bound neck with loop
at center back
Dolman sleeve
Zipper closure
Elastic wrists
Elastic ankles
25/cs



Made from Tyvek® brand flashspun polyolefin protective material

Coated on both sides with proprietary 2-1-2 blue polymeric resin

Antistatic treated

Garments available gamma sterilized to an SAL of 10⁻⁶

Traceability on all sterilized apparel

Tyvek® protective apparel recycling program

Tyvek® is proud to offer a garment recycling program that helps our customers within the continental United States manage used Tyvek® and IsoClean® protective apparel and reduce waste. The program includes setup, collection, transportation, storage, and recycling of garments.


Why recycle?

The Tyvek® protective apparel recycling program offers the chance to divert garments away from landfills and give them a second life in products like containers, lumber pallets, and park benches.

Predicted savings

For every case of 25 Tyvek® coveralls that is recycled, 10 lbs. of Tyvek® are diverted from the waste stream and given a second life in products like pallets and park benches. DuPont offers this service for free to qualifying customers. On an annualized usage basis, the savings really add up.

Recycling process



DuPont sustainability

Sustainability is at the core of what we do—from reducing our operational footprint and creating market-facing sustainable solutions to addressing the global challenges of the future. This program is yet another example of the DuPont commitment to sustainability. The Tyvek® protective apparel recycling program is easy to participate in and is a cost-effective and responsible choice.



Conserve materials and energy



Lower waste-related costs



Increase eligibility for grants and incentives



Boost employee morale



Meet your ISO 14001 goals



Help the environment

[View other work coveralls and overalls made by DuPont on our website.](#)