



**REACHING  
NEW  
HEIGHTS**

**19**

New products	3
About EMM International	4
Knowledge and Experience	6

**DISPOSABLES 7**

**1 Paint Process 7**

Step 1 Masking	8
1.1.1 Masking Paper	9
1.1.2 Miscellaneous	10
1.1.3 Masking Film	12
1.1.4 Masking Tape	14
Step 2 Sanding	16
1.2.1 Mobile Sanding System	17
1.2.2 Sanding Material	18
1.2.3 Machines	24
1.2.4 Mobile Vacuum Cleaners	27
1.2.5 Vacuum accessories	28
Step 3 Surface Preparation	30
1.3.1 Pump Spray System	31
1.3.2 Tack rags and cloth	32
1.3.3 Miscellaneous	33
1.3.4 Degreasing Wipes	33
1.3.5 WaterlessWash	33
Step 4 Paint Preparation	34
1.4.1 Mixing Cups	35
1.4.2 Turbomix	36
1.4.3 Paint Check	36
1.4.4 Cups	37
1.4.5 Spray Samples	37
1.4.6 Paint Strainers	38
1.4.7 Miscellaneous	39
Step 5 Painting	40
1.5.1 Snap Lid System®	41
1.5.2 Spray Guns and accessories	43
Step 6 Polishing	44
1.6.1 Polishing Compounds	45
1.6.2 Optimus	45
1.6.3 Foam Pads	46
1.6.4 Miscellaneous	47
1.6.5 Spot Repair Polishing System	47

**2 Personal Protection 48**

2.1 Paint Overalls	49
2.2 Gloves	51
2.3 Hand Cleaners and protection	54
2.4 Masks	55
2.5 Head Protection	55

**3 Repair of bodywork and plastic parts 56**

3.1 Undercoating	57
3.2 Magic Fix	57
3.3 Plastic Repair	59
3.4 Guns	59
3.5 Glass Repair	60
3.6 Sealants	60
3.7 Panel Bonding	61
3.8 Spreaders	61
3.9 Fasteners	61

**4 Spray Booth Protection 62**

4.1 Spray Booth Protection System	63
4.2 Miscellaneous	63
4.3 Spray Booth Coating	65

**INVESTMENT 66**

**5 Mixing Room 67**

5.1 Work Station	68
5.2 Cleaners	69
5.3 Paint Waste Containers	71
5.4 Ventilators and Waste Bins	72
5.5 Stick & Go	72

**6 Workshop 74**

6.1 Mobile Cabinets and standards	75
6.2 Presses	76
6.3 Physical Support	76
6.4 Miscellaneous	77

**7 Central Dust Extraction 78**

7.1 Top Quality	82
7.2 High Quality	84
7.3 Pre-separator	85
7.4 Swing Arms	86
7.5 Extraction Points	87
7.6 Energy Boxes	88
7.7 Accessories and filters	89

**8 Tools 90**

8.1 Toolstations	92
8.2 Kits	94
8.3 Various	95
8.4 Socket sets	95
8.5 Inlays screwdrivers and pliers	96
8.6 Inlays wrenches and sockets	97
8.7 Screwdrivers and hex keys	98
8.8 Pin Punches	98
8.9 Wrenches	99
8.10 Sockets	100
8.11 Bits	102
8.12 Pliers	103



**NEW PRODUCTS**


OUR NEW PRODUCTS ARE MARKED WITH THIS ICON THROUGHOUT THE CATALOG.

Today professionals, only want to work with the best products. EMM continuously looks at its brands ranges with an eye to innovation to get the most out of each other's expertise. This results in the introduction of various new products that complement the complete process and help you achieve the best results possible.



**Colad Orange™ Masking Tape**

An all-round high tack orange coloured masking tape for masking jobs that require high performance and maximum flexibility. 9000xx



**Tack Rags Waffled**

High quality, large textured cotton cloth. Superior dust holding capacity! 9175



**Snap Lid System® 350 & 900 ml**

Lids for 350/900 ml Colad Mixing Cups. 9350xxxSL + 9350xxxSLS 9390xxxSLS



**Disposable Overall**

The protective paint suit for single use! 5300xx



**BodyGuard® Overall**

Improved fit and higher comfort. For a full day of working comfort and protection! 5200xx




**Hand Cleaning range**

Experience the new Hand Cleaning Extreme for very dirty hands and check out the new Dispenser and Refill. 8240 - 8235 - 8290 - 8260 - 8265



**Nitrile Gloves Black and Dispenser**

A box with 400 pieces Nitrile Gloves Black and a 400 pieces Bulk Dispenser. 53640x - 5364D



**High End Adhesives**

A large range of high quality and durable adhesives based on the latest adhesive technology! 90672440 - 9067225x - 9067224x 90672412 - 9067242x - 90673719



**Check out the new Hamach Central Vacuum Units**

The core of Hamach systems HCV 5000 TQ, 7000 TQ, 9000 TQ, 15000 TQ and 18000 TQ. 000584 - 000588 - 000589 - 000565 - 000586



**BEST SELLING PRODUCTS**

OUR BESTSELLERS ARE MARKED WITH THIS ICON THROUGHOUT THE CATALOG.





## EMM INTERNATIONAL

**EMM International is the creative centre for innovative applications in all paint processing branches. At EMM, new inventions are developed which are essential for working with paint effectively and efficiently.**

Practical solutions are conceived, developed, tested and produced based on the collaborative work of the Blue Box. Blue box is EMM's think tank, in which dealers and end users like painters and finishers from all over the world are involved on a rolling basis. This results in solutions that increases the productivity of the workflows, increases the quality of the work and ensures a high safety standard. Together we facilitate excellent work for paint processors in the automotive, aviation, nautic and industry.

EMM features the brands Colad, Hamach and Ronin Tools. Over the last three years EMM introduced over 40 new and innovative products like Colad Turbomix Paintsaver®, Colad Snap Lid System®, Hamach HR1400 and Colad Orange™ Masking.

Increase productivity with the new insights, with EMM you make it happen.



### CERTIFIED: ISO 9001:2015

ISO 9001 is the international standard that specifies requirements for a quality management system. Organizations use the standard to demonstrate the ability to consistently provide products and services that meet customer and regulatory requirements. EMM has the certificate of ISO 9001:2015. Each year audits are done to confirm the quality.



## BRANCHES AND HQ



## 125 ACTIVE COUNTRIES

In more than 125 countries we serve end users via our excellent dealer network with all products from our brands Colad, Hamach and Ronin Tools.

## MARKETS

EMM distributes goods and disposables to all sectors that use paints on a large scale.

	
<b>AUTOMOTIVE</b>	<b>AVIATION</b>
	
<b>NAUTIC</b>	<b>INDUSTRY</b>

## BRANDS



- Complete and effective solutions for mixing room equipment and smart work spot processes, focused on sustainability and health.
- Designs high quality, tailor-made HCV dust extraction solutions for every market and budget. Our smart engineers are highly creative in combining materials, techniques and applications into one effective solution.
- Safety, quality and sustainability are an integrated part of every development. Connecting industrial automation systems with the HCV dust extraction solutions is done in many branches.

**Hamach; 'Thinking out of the box'**



- Makes professional work efficient with practical disposables and smart investment solutions for mixing rooms and work spots.
- Creates solutions to industry-specific issues, that's is Colad's DNA. It's not by chance that Colad invented the famous Mixing Cup, the BodyGuard® paintsuit, Turbomix Paintsaver® and Snap Lid System®, the fastest paint application system ever!
- Focused on achieving high quality results within the working procedures for professional paint users.

**Colad, inventing more**

## RONIN TOOLS



- With an extensive range of high quality hand tools, Ronin makes professional (de) mounting and service jobs possible with a long lasting result.
- Designed for maximum conveniences and functionality, extremely comfortable to use.
- For every job the right tool and guaranteed for life.

**Ronin Tools for Pros Only**



**EXPERIENCE CENTRE**

Your questions, comments and insights will strengthen the collective. In the same way, the collective can strengthen your business. Together we know more. For knowledge sessions and strategic session we organize workshops in various ways. For example: about opportunities within other markets such as automotive, aviation, nautic and industry. Within the centre we also offer product training on new products, processes and systems.

- ✓ DIALOGUE
- ✓ PRACTICE
- ✓ TRAINING
- ✓ TESTING

“The detailed product training gave me new insights and improved my professional abilities!”



**1 PAINT PROCESS**



Speed up your process for winning results!

As a committed coach EMM contributes directly to the success of dealers and end users in the automotive, aviation, nautic and industry market. The wide assortment of disposables, investment goods and custom made solutions of EMM, strengthens directly the productivity of your complete paint process. We continuously are driven to upgrade your expertise with new insides, solutions and systems for masking, sanding, surface- en and paint preparation, painting and polishing work actions. Join us, let's work together and grow!

**STEP 1 MASKING**

Make your masking process efficient, fast and economical!

**STEP 2 SANDING**

Turn the roughest surfaces into the smoothest finish!

**STEP 3 SURFACE PREPARATION**

Guarantee perfect cleaning and avoid any contamination on the painted surface!

**STEP 4 PAINT PREPARATION**

Eliminate the risk of any contamination and reduce costs!

**STEP 5 PAINTING**

For a spotless paintjob!


**STEP 6 POLISHING**

Puts the finishing touch to every painted surface!





1.1.1	MASKING PAPER	9
1.1.2	MISCELLANEOUS	10
1.1.3	MASKING FILM	12
1.1.4	MASKING TAPE	14



Make your masking process efficient, fast and economical!

- Easy to tear in a straight line
- Perfect barrier properties
- Right absorption features
- Paint sticks to the masking paper but does not bleed through under normal conditions

**Property triangle of masking paper:**

- **Grammage** Depending on the grammage, the porosity and absorption capacities of the paper may vary.
- **Absorption** Determines the amount of paint that can be absorbed by the paper before leaking through.
- **Strength** The strength of the paper determines the risk of cracking while applying.
- **Porosity** Determines the amount of paint that will leak through the paper.

**ENVIRONMENTAL FRIENDLY**

31% of the world is covered in woods, 1.6 billion people depend on this. Between 2000 and 2012, 229.8 million acres of these woods were destroyed. In the search of durable and environmental friendly solutions, EMM introduced recycled masking paper. Specially selected recycled paper is the base of Colad recycled masking paper. The fibers are smaller and easier to produce. This reduces the use of energy and water. Colad recycled masking paper is produced in accordance with:



ISO 14001 ensures that environmental impact is being measured and improved.



Biodegradable in accordance with the requirements of standard EN 13432:2000.

Paper Type	Classic	Premium	Small	Ultimate
Art. no.	2100xx	2060xx	2062xx	2200xx
Paper	Recycled	Recycled	Recycled	Coated
Grammage	40 g/m <sup>2</sup>	50 g/m <sup>2</sup>	50 g/m <sup>2</sup>	50 g/m <sup>2</sup>
Absorption	22 g/m <sup>2</sup>	22 g/m <sup>2</sup>	22 g/m <sup>2</sup>	22 g/m <sup>2</sup>
Strength	2.2 kPa.m <sup>2</sup> /g	2.2 kPa.m <sup>2</sup> /g	2.2 kPa.m <sup>2</sup> /g	-
Porosity	150 ml/min	120 ml/min	120 ml/min	120 ml/min
Length	450 m	300 m	50 m	200 m
Available in	7 versions	8 versions	4 versions	2 versions



**Colad**

**Masking Paper Classic**

- 210021 (21 cm)
- 210037 (37.5 cm)
- 210045 (45 cm)
- 210060 (60 cm)
- 210090 (90 cm)
- 2100120 (120 cm)
- 2100150 (150 cm)

Easy tearable with the help of an aprontaper knife, but will not easy tear because of the handling of it. Perfect barrier properties in combination with the right absorption possibilities. One 450 meters roll.



**Colad**

**Masking Paper Premium**

- 206021 (21 cm)
- 206028 (28 cm)
- 206037 (37.5 cm)
- 206045 (45 cm)
- 206060 (60 cm)
- 206090 (90 cm)
- 2060120 (120 cm)
- 2060150 (150 cm)

Easy tearable with the help of an aprontaper knife, but will not easy tear because of the handling of it. Perfect barrier properties in combination with the right absorption possibilities. One 300 meters roll.




## 1.1.1 MASKING PAPER



### Colad Masking Paper Ultimate

220030 (30 cm)  
220060 (60 cm)

Impregnated with a special coating to prevent the paint from bleeding through. One 200 meters roll.



Colad

### Masking Paper Small (50 meter rolls)

206215 (15 cm)  
206222 (22.5 cm)  
206230 (30 cm)  
206245 (45 cm)

Easy to use by hand due to the compact size of the rolls. One 50 meters roll.



## 1.1.2 MISCELLANEOUS

### Aprontapers

The dispensers apply the masking tape automatically with the paper!

All our aprontapers are designed to mask quick and easy. The mobile units are fitted with strong wheels which can be moved through the masking area, including grid floors.

Art. no.	No. of rolls	Max. roll width	Place
2040	1 roll	37.5 cm	Wall/Table
2030	1 or 2 rolls	120 cm	Wall/Table
2010	3 rolls	100 cm	Mobile
2020	4 rolls	100 cm	Mobile
000847	5 or 6 rolls	120 cm	Mobile



Colad

**Aprontaper 1 roll**  
2040  
Not assembled.



Colad

**Aprontaper 1 or 2 rolls**  
2030  
Not assembled.



Colad

**Aprontaper 3 rolls**  
2010  
Not assembled.



Colad

**Aprontaper 4 rolls**  
2020  
Not assembled.

Colad

**Aprontaper 5 or 6 rolls**  
000847  
Trolley dimensions, 150 x 40 x 135 cm.  
Not assembled.

## 1.1.2 MISCELLANEOUS



Colad

### Overpaintable Wheel Covers

6101 (800 x 700 mm)

High quality plastic HDPE wheel covers, 20 microns. For masking of car wheels and rims during the paint process. Very easy in use and universal in application due to the Extra Large opening. 200 pieces in a box.



Colad

### Wheel Covers

6010 (58/15)  
6020 (70/20)

Made of an aluminum impregnated non-woven material. Can be used and re-used between 150 and 200 times. 4 pieces in a box.



Colad

### Plastic Seat Covers

6110 (820 x 1300 mm)

For protection of car seats during the complete process of preparation/ sanding/ painting. 100 pieces in a dispenser box.



Colad

### Sensor Covers

9090

The quick and easy solution for masking integrated parking sensors! Integrated parking sensors need to be handled with care. To sand or paint a bumper perfectly they must be covered for the full 100%. Or worse, need to be disassembled. Both of these solutions are time consuming. Solve this problem by using the Colad Sensor Covers. Dispenserbox 500 pcs.



**TIME SAVING**  
Save up to 15 minutes in the total process!



**EASY TO USE**  
Apply and remove within seconds!



**IDEAL MEASUREMENTS**  
Suitable for most modern sensors!



**OVERSANDABLE**  
Can be sanded over by machine sander



**PAINT ADHESIVE**  
Paint sticks to the covers



Colad

### Liquid Masking

8400 (5 L)

Liquid masking forms a strong film which traps dirt and protects the vehicle from overspray. Just apply one layer with any type of spray gun (drying time ± 20 min.). 5 L can.

## Film4Crash

The smart film to protect a car from all weather influences after removal of doors or broken windows!

- A tough, flexible, self-adhesive plastic film to protect openings from weather influences
- Simply seal a car after collision, dismantling or vandalism
- UV resistant for at least 6 months. This means that you will not face any discolor of the interior of the vehicle
- After removal all adhesive comes off with the film and does not transfer to the surface
- Can be applied on new cured paint



Colad


### Film4Crash

6870 (75 cm x 60 m)

## 1.1.3 MASKING FILM

Makes your process faster, more efficient and more economical!

- Quick and efficient masking
- A fitted film for every job
- Highest quality standards
- Create efficiency in process and costs



## 1 + 2 + 3 MASKING FILM SYSTEM



**Colad**  
**Foil Dispenser**  
2050

For wall mounting: 1 roll capacity, maximum width 110 cm. Per piece. Not assembled.



**Colad**  
**Mobile Foil Dispenser II**  
2062

This Mobile Foil Dispenser is ideal for covering vehicles with plastic foil. So easy to use that one man can do the job. Simply take the dispenser to the object, stretch the foil over the vehicle and cut along the cutter guide with the foil cutter. Two rolls can be mounted in the dispenser saving space in the workshop (4 m and 6 m). Per piece. Not assembled.



**Colad**  
**Electrical Foil Cutter**  
2075

Electrical cutter for plastic foil and masking paper, supplied in a bag with belt strap for easy storage. The special design of this cutter guarantees that cutting is simple, safe and prevents damage to the vehicle. It ensures fast and effortless cutting of the masking foil. Requires 2 x AA batteries (not included). Per piece.

2076 (optional) Spare blades (4 pcs)



**Colad**  
**Magnetic Foil Cutter**  
2070

Very practical cutter for plastic foil and masking paper with magnet on back. The special design of this cutter guarantees that cutting is simple, safe and prevents damage to the vehicle. Per 10 pieces.

## 1.1.3 MASKING FILM



**Colad**  
**Translucent Spraymask**  
6365 (4 m x 300 m)  
6365150 (4 m x 150 m)  
6365-48 (4.8 m x 300 m)  
Translucent masking film with paint adhesion. Per roll in a carton box with dispenser functionality.



**Colad**  
**Masking Film**  
6340 (3.8 m x 200 m)  
6340300 (3.8 m x 300 m)  
Translucent green masking film without paint adhesion. Per roll in a carton box with dispenser functionality.



**Colad**  
**Heavy Duty Spraymask**  
6345 (4 m x 150 m)  
Extra thick, white masking film with paint adhesion. Per roll in a carton box with dispenser functionality.



**Colad**  
**Translucent Spraymask (extra wide)**  
6660-5 (5 m x 120 m)  
6660 (6 m x 100 m)  
Suitable for masking sideways. Suitable for masking large vehicles like vans, SUV's and trucks. Per roll in a carton box with dispenser functionality.



**Colad**  
**Plastic film (with tape)**  
640001 (34 cm x 25 m)  
640002 (60 cm x 25 m)  
640003 (90 cm x 25 m)  
640004 (120 cm x 25 m)  
640005 (180 cm x 25 m)  
640007 (260 cm x 25 m)  
Masking film with paint adhesion and tape on one side. To mask various areas such as car windows, bonnets, one side of buses etc. Can be easily torn by hand (without a knife). Has static properties to ensure the film 'clings' to the surface. Per roll.



**Colad**  
**Breathable Spraymask**  
6375 (4 m x 150 m)  
6375-6 (6 m x 100 m)  
Translucent blue masking film with paint adhesion, 'breathing' capabilities and moist absorption. Ready to use on a humid object, prevents 'Ghost stains'. Per roll in a carton box with dispenser functionality.

	Art. no.	High static power	Paint adhesion	High tensile strength	Infrared drying max 120°C	Extra thick (17 micron)	Extra wide: 5 m / 6 m	Breathing capabilities	Moist absorbing	Tape on one side
<b>Translucent Spraymask</b>	6365 6365150 6365-48	✓	✓	✓	✓	-	-	-	-	-
<b>Masking Film</b>	6340 6340300	✓	-	✓	-	-	-	-	-	-
<b>Heavy Duty Spraymask</b>	6345	✓	✓	✓	✓	✓	-	-	-	-
<b>Translucent Spraymask Extra Wide</b>	6660-5 6660	✓	✓	✓	✓	-	✓	-	-	-
<b>Plastic film with tape</b>	64000x	✓	✓	-	-	-	-	-	-	✓
<b>Breathable Spraymask</b>	6375 6375-6	✓	✓	✓	✓	-	✓	✓	✓	-





**Colad**

**Colad Orange™ Masking Tape**

- 900019 (48 rolls - 19 mm x 50 m)
- 900025 (36 rolls - 25 mm x 50 m)
- 900038 (24 rolls - 38 mm x 50 m)
- 900050 (24 rolls - 50 mm x 50 m)

Colad Orange™ Masking Tape is a orange coloured masking tape that is high temperature and UV resistant! It also has a unique adhesive compound.

It is suitable for all types of paint systems!

- This tape is UV and weather resistant up to 8 days!
- It leaves no residue after removal, has exceptional sharp lines and has a temperature resistance of 100°C for 1 hour.



**Colad**

**Aqua Dynamic Masking Tape**

- 900419 (48 rolls - 19 mm x 50 m)
- 900425 (36 rolls - 25 mm x 50 m)
- 900438 (24 rolls - 38 mm x 50 m)
- 900450 (24 rolls - 50 mm x 50 m)

Suitable for waterborne coatings and a resistance up to 130 degrees for 1 hour! Colour: green.

**Colad**

**Ultimate Masking Tape**

- 902019 (48 rolls - 19 mm x 50m)
- 902025 (36 rolls - 25 mm x 50 m)
- 902030 (40 rolls - 30 mm x 50 m)
- 902038 (24 rolls - 38 mm x 50 m)
- 902050 (24 rolls - 50 mm x 50 m)

Masking tape with even higher temperature resistance than the Colad Classic and Premium Masking tapes. Leaves no residue. Up to 110 degrees for a maximum of 1 hour!



**Colad**

**Premium Masking Tape**

- 907019 (48 rolls - 19 mm x 50 m)
- 907025 (36 rolls - 25 mm x 50 m)
- 907030 (40 rolls - 30 mm x 50 m)
- 907038 (24 rolls - 38 mm x 50 m)
- 907050 (24 rolls - 50 mm x 50 m)

Masking tape with high temperature resistance to optimize the application of the product. Can be used for a variety of purposes and leaves no residue. Sharp clean edge for perfect application.

**Colad**

**Classic Masking Tape**

- 907519 (48 rolls - 19 mm x 50 m)
- 907525 (36 rolls - 25 mm x 50 m)
- 907538 (24 rolls - 38 mm x 50 m)
- 907550 (24 rolls - 50 mm x 50 m)

The well-known and high quality tape to be used for masking during sanding or painting. Can also be used in the spray booth at higher temperatures without leaving residue. Sharp clean edge for perfect application.



**Colad**

**Fine Line Tape**

- 903003 (3 mm x 55 m)
- 903006 (6 mm x 55 m)
- 903009 (9 mm x 55 m)
- 903012 (12 mm x 55 m)
- 903019 (19 mm x 55 m)

Green Fine Line Tape, specially designed to mask objects if excellent colour separation is required when spraying with multiple colours, printing or custom painting. It adheres to a wide variety of surfaces and can be used in combination with waterborne coatings. It can be removed easily without leaving any residue. 1 roll in a plastic bag.



**Colad**

**Foam Masking Tape**

- 908013 (13 mm x 50 m)
- 908019 (19 mm x 35 m)

Foam Masking Tape is the product to use for masking gaps between bonnets, doors and car body parts. Per roll in a dispenser box.

	Art. no.	High temperature	High tack	Weather resistant	No residue	UV resistant	Sharp edges
<b>Colad Orange™ Masking Tape</b>	9000xx	✓ 100°C 1 hour	✓	✓	✓	✓	✓
<b>Aqua Dynamic Masking Tape</b>	9004xx	✓ 130°C 1 hour	✓	-	✓	-	✓
<b>Ultimate Masking Tape</b>	9020xx	✓ 110°C 1 hour	✓	-	✓	-	✓
<b>Premium Masking Tape</b>	9070xx	✓ 80°C 1 hour	✓	-	✓	-	✓
<b>Classic Masking Tape</b>	9075xx	✓ 60°C 1 hour	✓	-	✓	-	✓



**Colad**

**Stegoband Classic**

- 906011 (25 mm x 10 m)
- 906012 (18 mm x 10 m)
- 906013 (9 mm x 10 m)

Masking tape designed specifically for masking jobs in hard-to-reach places, ensuring you to cover glued or rubber-mounted windscreens or gaps between car body parts. To make masking jobs easier, the adhesive is protected by a paper liner. Stegoband can be removed easily leaving no residue. Per roll in a dispenser box.




**Colad**

**Stegoband Perforated**


- 906023 (10/11 mm x 10 m)

This Stegoband is perforated every 4 cm so it is easy to tear off. It has a wide edge of 21 mm in total. It is also possible only to use the small edges of 10 or 11 mm. Stegoband can be removed easily leaving no residue. Per roll in a dispenser box.





1.2.1	MOBILE SANDING SYSTEM	17
1.2.2	SANDING MATERIAL	18
1.2.2.1	DISCS	18
1.2.2.2	SCUFFS	18
1.2.2.3	SHEETS	19
1.2.2.4	ROLLS	19
1.2.2.5	MISCELLANEOUS	20
1.2.2.6	PADS	22
1.2.2.7	HAND SANDERS	23
1.2.3	MACHINES	24
1.2.3.1	PNEUMATIC MACHINES	24
1.2.3.2	ELECTRIC MACHINES	26
1.2.4	MOBILE VACUUM CLEANERS	27
1.2.5	VACUUM ACCESSORIES	28



**MOBILE SANDING SYSTEM FOR SAFE WORKING!**

Do you produce fine dust of metal, iron, aluminum, plastic, paint or a mixture, then work safe! Start now with this mobile solution for reducing sanding dust in your workshop! It is good for the quality of your work and for your health.



**1 Mobile Vacuum Cleaners**  
For every sanding job Hamach had developed perfect solutions for dust extraction on the job. For large industrial sanding projects Hamach has created the high quality Hamach Central Vacuum (HCV) dust extraction systems, see the chapter Central Dust Extraction.

Smaller projects can work also with mobile vacuum cleaners for dust extraction, Hamach has several solutions with dry and/or liquid suction, automatic and/or pneumatic switches.  
000791 - HMV 3 EA  
00076x - HMV 6-L EA/ PA



**2 Vacuum Hoses**  
Hamach has all kinds of hoses. With air hose, couplings and in several diameters and dimensions.  
00996x - standard, air hose and with and without couplings  
009956  
00997x



**Vacuum Hoses Anti Static**  
Do you work in an environment that is potentially explosive (dust + oxygen + sparks)? Then choose for the anti static hose. Hamach has all kinds of anti static hoses, with air hose and in several diameters and dimensions.  
00995x - standard and without couplings



**3 Dust bags**  
Use the mobile vacuum machine with a filter for your own protection and for the protection of the machine. When the filter is filled with sanding dust, just throw away the filter, place a new one and go one with your sanding job!



**4 Sanding and Polishing machines with pads and discs**  
Experience the quality machines of Hamach for pneumatic sanding and polishing in an intensive and demanding environment. Choose for one-hand machines, planetary or orbital, for every job the right machine. And only select the best discs and a matching sanding pad!





**5 Personal Protection**  
Work safe for a healthy life! Ask us for the appropriate solutions for respirator/filters and the best protection for hands and eyes.  
5000 - Respirator  
5425 - Fine Dust Mask P2  
5085 - Safety Glasses



## 1.2.2.1 DISCS

For machine sanding during all stages of the repair process. Open-coated aluminium oxide abrasives especially prepared for strength and durability. Hook & Loop, to be used with 150 mm pads.

	Holes	Hook & loop	Art. no.	
<b>Sanding Discs Premium</b> 	8 + 6 + 1	150 mm	36800040 (P40) (50 discs per box)	36800060 (P60) (50 discs per box)
			3680008010 (P80) (100 discs per box)	3680032010 (P320) (100 discs per box)
			3680010010 (P100) (100 discs per box)	3680036010 (P360) (100 discs per box)
			3680012010 (P120) (100 discs per box)	3680040010 (P400) (100 discs per box)
			3680015010 (P150) (100 discs per box)	3680050010 (P500) (100 discs per box)
			3680018010 (P180) (100 discs per box)	3680060010 (P600) (100 discs per box)
			3680022010 (P220) (100 discs per box)	3680080010 (P800) (100 discs per box)
			3680024010 (P240) (100 discs per box)	3680100010 (P1000) (100 discs per box)
			3680028010 (P280) (100 discs per box)	3680150010 (P1500) (100 discs per box)
			<b>Sanding Discs Premium</b> 	6 + 1
3650008010 (P80) (100 discs per box)	3650028010 (P280) (100 discs per box)			
3650010010 (P100) (100 discs per box)	3650032010 (P320) (100 discs per box)			
3650012010 (P120) (100 discs per box)	3650036010 (P360) (100 discs per box)			
3650015010 (P150) (100 discs per box)	3650040010 (P400) (100 discs per box)			
3650018010 (P180) (100 discs per box)	3650050010 (P500) (100 discs per box)			
3650022010 (P220) (100 discs per box)	3650080010 (P800) (100 discs per box)			
3650024010 (P240) (100 discs per box)	3650150010 (P1500) (100 discs per box)			

## 1.2.2.3 SHEETS



**hamach**  
DUTCH ENGINEERING  
**Waterproof Sheets**  
230 x 280 mm

For wet hand sanding of all paints. Specially prepared latex waterproof paper for surface treatment of small paint defects. A set of 50 sheets per sleeve.

35000080 (P80)  
35000120 (P120)  
35000150 (P150)  
35000180 (P180)  
35000220 (P220)  
35000280 (P280)  
35000320 (P320)  
35000400 (P400)  
35000600 (P600)  
35000800 (P800)  
35001000 (P1000)  
35001200 (P1200)  
35001500 (P1500)  
35002000 (P2000)  
35003000 (P3000)




**hamach**  
DUTCH ENGINEERING  
**Delta Sanding Sheet (7 Holes)**  
Hook & Loop

Sanding sheets to use for dry sanding with Hamach Delta sanding tools. Box of 50 sheets.

858060 (P60)  
858080 (P80)  
858100 (P100)  
858120 (P120)  
858150 (P150)  
858180 (P180)  
858220 (P220)  
858240 (P240)  
858280 (P280)  
858320 (P320)  
858360 (P360)

Related product:  
000094X VH914 V Mini Orbital Sander



**hamach**  
DUTCH ENGINEERING  
**Mini Sanding Sheet (8 Holes)**  
Hook & Loop 81 x 153 mm

Sanding sheets to use for dry sanding with Hamach dust extraction sanding tools. Box of 50 sheets.

856080 (P80)  
856100 (P100)  
856120 (P120)  
856150 (P150)  
856180 (P180)  
856220 (P220)  
856240 (P240)  
856280 (P280)  
856320 (P320)  
856360 (P360)

## 1.2.2.2 SCUFFS

Non-woven material can be used for both wet and dry hand scuffing as well as with a sanding machine. Type A Very Fine (Red) is particularly appropriate for the roughening of unpainted plastics, plywood and aluminium. Type S Ultra Fine (Grey) is particularly effective for the roughening between coats when using 2-component paints and primers. Type A Micro Fine (Gold) is ideal for attaining the perfect finish. The material is flexible and follows the shape of the working surface.



**Colad**  
**Scuff Pads**  
150 mm x 230 mm

38000800 (Red Type A Very Fine)  
38001500 (Grey Type S Ultra Fine)  
20 pads in a box



**Colad**  
**Scuff Discs**  
Ø 150 mm

38500800 (Red Type A Very Fine)  
38501500 (Grey Type S Ultra Fine)  
10 discs shrink wrapped



**Colad**  
**Scuff Rolls**  
115 mm x 10 m

38200800 (Red Type A Very Fine)  
38201500 (Grey Type S Ultra Fine)  
38202000 (Gold Type A Micro Fine)  
1 roll shrink wrapped

## 1.2.2.4 ROLLS

Sanding paper for dry hand sanding or sanding machine.

**hamach**  
DUTCH ENGINEERING  
**Sanding Rolls**  
70 mm x 23 m

118040 (P40)  
118060 (P60)  
118080 (P80)  
118100 (P100)  
118120 (P120)  
118150 (P150)  
118180 (P180)  
118220 (P220)

**hamach**  
DUTCH ENGINEERING  
**Sanding Rolls**  
95 mm x 23 m

119040 (P40)  
119060 (P60)  
119080 (P80)  
119100 (P100)  
119120 (P120)  
119150 (P150)  
119180 (P180)  
119220 (P220)

**hamach**  
DUTCH ENGINEERING  
**Sanding Rolls**  
115 mm x 23 m

120040 (P40)  
120060 (P60)  
120080 (P80)  
120100 (P100)  
120120 (P120)  
120150 (P150)  
120180 (P180)  
120220 (P220)





**Colad**  
**AirTec Spot Blaster**  
3060

Pneumatic Spot Blaster. Removes rust, old paint layers, dust, etc. from steel. Suitable for concrete blasting due to enclosed spot nozzle. The unique Venturi system allows the used blasting material to be recycled through the filter bag.  
Per piece (incl. one Spot Nozzle)



**Colad**  
**Nozzle Set**  
3070

Nozzle set for various applications, for the AirTec Spot Blaster 3060. Per set of 4 pieces.



**Colad**  
**Spot Nozzle**  
3080

Suitable for concrete blasting, for the AirTec Spot Blaster. Per piece.

**Colad**  
**Soft Flex Rolls**  
115 mm x 25 m  
38950180 (P180)  
38950240 (P240)  
38950320 (P320)  
38950400 (P400)  
38950500 (P500)  
38950600 (P600)  
38950800 (P800)  
38951000 (P1000)

Sanding paper on foam backing. Specially for sanding intricate parts. Can be used wet or dry. Roll of 25 m long with perforated pieces. Size of the perforated pieces 125 x 115 mm. In a dispenser box.



**Colad**  
**Foam Sanding Pads**  
38700100 (Medium)  
38700180 (Fine)  
38700220 (Super Fine)  
38700280 (Micro Fine)

Highly flexible sanding pads for hand sanding. Can be used for wet or dry sanding to sand parts that machines cannot reach. Long-lasting product. Size: 115 x 140 mm. Box of 20 pads.



**Colad**  
**Prepping Paste**  
3800 (600 ml)

Prepping paste is used to simultaneously degrease, clean and sand the surface before painting. Recommended for application with Colad Scuff Pad S Ultra Fine Grey (Art. No. 38001500). This water based product is absolutely silicone free and does not harm the environment. 600 ml in a bottle.



**Colad**  
**Rubber Eraser Pad**  
021290

Specially designed to remove pinstripes, stickers & decals, car lettering, glue residue, attachment tape and foil from paint and chrome surfaces. The pad can withstand up to 4000 RPM and with included adapter it's suitable for use in any drilling machine. 2 pieces in a box, adapter included.



**Colad**  
**Viscose Sponges**  
9150

Viscose Sponges for washing or adding water during any sanding process. Dimensions 135 x 90 x 34 mm. 10 pieces in a plastic bag.



**Colad**

**Easy2Check®**  
9300 (400 ml spray)

The most efficient and effective product to check for any irregularities while sanding panels. The 'glossy finish' helps detecting any defects or colour deviations. Spray the panel after the sanding process to check repaired surfaces on irregularities. Can also be used for spray sample checks!  
400 ml per spray.



**Colad**

**Control Powder**  
8035 (100 g)

Sanding guide to be used as a sanding control coat on fillers. This product is very economical in use and can be widely applied. Per box of 100 g and applicator in each box.



**Colad**

**Surface Protection Tape**  
905050 (50 mm x 50 m)

For protection during sanding, grinding and light blasting jobs. Perfectly suited for the temporary wedging of glued windscreens. 1 roll in a plastic bag.



**Colad**

**Control Spray**  
8030 (500 ml spray) (Black)

Sanding guide to be used on putties or primer surfaces before sanding. This spray helps to achieve a perfectly sanded surface without damaging adjacent zones. Can also be used as black matte if applied in several coats (2 - 3).  
500 ml per spray.





## 1.2.2.6 PADS



**hamach**  
DUTCH ENGINEERING  
**Sanding Support Pad Hard**  
010027

(8 holes / 6 screws) Hook & Loop  
200 mm. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Sanding Support Pad Hard**  
010014

(8 holes / 8 screws) Hook & Loop  
200 mm. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Titanium Sanding Support Pad Hard**  
010861

(8 + 6 + 1 holes) Hook & Loop 150 mm.  
5/6 thread. Per piece.




**hamach**  
DUTCH ENGINEERING  
**Sanding Interface Pad Soft**  
010047

(8 + 6 + 1 holes) Hook & Loop  
150 mm. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Sanding Support Pad Hard**  
010860

(8 + 6 + 1 holes) Hook & Loop  
150 mm. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Sanding Support Pad Medium**  
010033

(6 + 1 holes) Hook & Loop 150 mm.  
5/6 thread. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Sanding Support Pad Hard**  
010018

(6 + 1 holes) Hook & Loop  
150 mm. 5/6 thread. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Sanding Support Pad Hard**  
009997

(6 holes) Hook & Loop  
150 mm. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Sanding Support Pad Hard**  
010056

(3 holes) Hook & Loop  
76 mm. 5/6 thread. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Sanding Interface Pad Soft**  
010058

(3 holes) Hook & Loop  
76 mm. Per piece.

## 1.2.2.7 HAND SANDERS



**hamach**  
DUTCH ENGINEERING  
**Soft Hand Pad HP 150**  
010098

Soft hand pad width 150 mm, flexible pad with hand tie.  
Suitable for hand sanding round surfaces and seams by hand. Per piece.

**Colau**

**Hand Sanders**  
5140 (70 x 400 mm)  
5150 (70 x 235 mm)  
5160 (70 x 160 mm)



Sanding boards with a wooden handle, rubber backing and sanding foot made of aluminium and vinyl. Abrasive is secured with a clip. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Flat Sanding Board PF 16 S**  
016398


Flat Sanding Board 70 x 400 mm. Sanding board with a plastic handle and rubber backing. Abrasive is secured with a clip. Per piece.

**Colau**

**Sanding Cork**  
5200



Block made of cork for wet or dry sanding. Three layers of natural cork, sealed together. On one side the edges are sharp for precise application and on the other side the edges are shaped for optimal grip. Size: approx. 25 x 60 x 105 mm. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Hand Sanding Block HSB 85**  
010085

Hand sanding block - 80 x 153 mm. Plastic Hand Sanding block Hook & Loop and provided with dust extraction. Suitable for exhaust connection: 010088 Thin dust extraction hose 4 m, Ø 21 mm. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Hand Sanding Block HSB 86**  
010086

Hand sanding block - 115 x 210 mm. Plastic Hand Sanding block Hook & Loop and provided with dust extraction. Suitable for exhaust connection: 010088 Thin dust extraction hose 4 m, Ø 21 mm. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Hand Sanding Block HSB 87**  
010087

Hand sanding block - 70 x 400 mm. Plastic Hand Sanding block Hook & Loop and provided with dust extraction. Suitable for exhaust connection: 010088 Thin dust extraction hose 4 m, Ø 21 mm. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Hose**  
010088  
Thin dust extraction hose 4 m, Ø 21 mm. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Hand Sanding Mouse HM 150**  
010094

Hand Sanding Mouse - 150 mm. Lightweight construction made of tough plastic. Developed for Ø 150 mm Sanding Discs, Hook & Loop. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Hand Sanding Mouse HM Delta**  
010095

Hand sanding mouse - Delta. Lightweight construction made of tough plastic. Developed for the Delta Sanding Sheets, Hook & Loop. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Hand Sanding Block SP 150 ST**  
010096

Hand sanding block - Ø 150 mm. Lightweight construction made of tough plastic. Developed for Ø 150 mm Sanding Discs, Hook & Loop. With dust extraction connection. Per piece.






### THE ALPHA SERIES

**Powerful random orbital sanders, very strong for intensive and demanding jobs.**

- Always the required power in each rpm range
- Low air consumption
- Very low vibrations and noise level
- Provides optimum dust extraction
- Comfortable in use



**Technical data  
Alpha 3 & Alpha 5:**

Air pressure:	6 - 8 bar
Air consumption:	ca. 280 L/min
Speed:	6.500 RPM (6.3 bar)
Weight:	800 g
Sanding pad:	150 mm

**Sanding pattern**



**hamach**  
DUTCH ENGINEERING

**Alpha 3 and 5 One-Hand Random Orbital Sander**  
000315 Alpha 3 Sanding Ø 3 mm  
000314 Alpha 5 Sanding Ø 5 mm

One-Hand Random Orbital Sander pneumatic with a sanding pattern of 3 or 5 mm, to achieve the highest sanding capacity. Warranty 24 months.  
One piece per box.

010861 Standard: Titanium Sanding Support Pad Hard Ø 150 mm  
009942 Standard: Machine Oil  
3680xxxxx Option: Sanding Discs Premium (8 + 6 + 1 Holes) 150 mm



### THE HD SERIES



**hamach**  
DUTCH ENGINEERING

**HD 75 One-Hand Spot Repair Sander and Polisher**  
**2.4 mm - 75 mm**  
000217

A small and lightweight machine for sanding and polishing spot repairs. With dust extraction connection and low air consumption of 300 L/min. Warranty 12 months.

010056 Standard: Sanding Support Pad Hard Ø 76 mm  
009942 Standard: Machine Oil  
010057 Option: Foam Pad Ø 76 mm  
010058 Option: Sanding Interface Pad Soft Ø 76 mm



**hamach**  
DUTCH ENGINEERING

**HD 983 and HD 98 One-Hand Orbital Sander**  
000215 HD 983 2.4 mm - 150 mm pad  
000214 HD 98 5 mm - 150 mm pad

Designed for sanding fine grits, paint, wood, mastic and primers. With vacuum connection for dust extraction. Warranty 12 months.

010861 Standard: Titanium Sanding Support Pad Hard Ø 150 mm  
009942 Standard: Machine Oil  
010033 Option: Sanding Support Pad Medium Ø 150 mm



**hamach**  
DUTCH ENGINEERING

**Machine Oil**  
009942



**hamach**  
DUTCH ENGINEERING

**Sander PHP 165 VD Planetary Pneumatic 150 mm**  
000240

Specially designed for the preparation process because of its very high sanding capacity. Equipped with a useful digital air pressure read-out.

010860 Standard: Sanding Support Pad Hard Ø 150 mm  
009942 Standard: Machine Oil  
009997 Option: Sanding Support Pad Hard Ø 150 mm



**hamach**  
DUTCH ENGINEERING

**Sander PHP 300 VD Planetary Pneumatic 200 mm**  
000241

Specially designed for the preparation process because of its very high sanding capacity. The Ø 200 mm pad is designed for big surfaces. Equipped with a useful digital air pressure read-out.

010027 Standard: Sanding Support Pad Hard Ø 150 mm  
009942 Standard: Machine Oil



**hamach**  
DUTCH ENGINEERING

**Random Orbital Pneumatic Sander EHP 3 mm - 150 mm pad**  
000247 EHP 163 V - 3 mm - 150 mm pad  
000248 EHP 165 V - 5 mm - 150 mm pad

Perfect tool for the final sanding process. Optimal performance with Ø 3 mm or Ø 5 mm. Equipped with a useful digital air pressure read-out.

010861 Standard: Titanium Sanding Support Pad Hard Ø 150 mm  
009942 Standard: Machine Oil  
010033 Option: Sanding Support Pad Medium Ø 150 mm



**hamach**  
DUTCH ENGINEERING

**Orbital Pneumatic Sander EHP 300 V Random 5 mm - 200 mm pad**  
000249

Perfect tool for the final sanding process of large surfaces. Optimal sanding marks through the 5 mm sanding diameter. Equipped with a useful digital air pressure read-out.

010027 Standard: Sanding Support Pad Hard Ø 200  
009942 Standard: Machine Oil



**hamach**  
DUTCH ENGINEERING

**HAM 4300**  
000225

Drilling, grinding and polishing machine. Equipped with a quick release chuck. Drill bits are not included. The HAM 4300 comes in a blow moulded case.

009942 Standard: Machine Oil

**hamach**  
DUTCH ENGINEERING

**DS 30 Random Orbital Micro Sander 2.5 - 30 mm pad**  
000220

Pneumatic random orbital sander for the elimination of paint defects in the top coat. Air consumption - 200 L/min.

022001 Standard: Sanding shoe (Hook & Loop)  
022003 Standard: Sanding shoe (Hook & Loop)  
009942 Standard: Machine Oil  
022008 Option: Mini sanding pad (Hook & Loop)  
022009 Option: Mini sanding pad (Adhesive)  
4028xx Option: Micro-polishing discs (Hook & Loop)



## 1.2.3.1 PNEUMATIC MACHINES

hamach  
DUTCH ENGINEERING



### Sander DS 40 Random Orbital Micro 3.0 - 30 mm pad

000223

Pneumatic mini random orbital sander for efficient elimination of paint defects. Fast sanding.

022301 Standard: Mini pad (Hook & Loop) Ø 30 mm

009942 Standard: Machine Oil

022302 Option: Mini pad (Adhesive) Ø 30 mm

4028xx Option: Micro-polishing discs (Hook & Loop)

hamach  
DUTCH ENGINEERING



### DS 70 Rotating Polishing Machine 70 mm pad

000224

Compact Ø 70 mm pneumatic rotating polishing machine for efficient polishing of paint defects. Supplied in a carrying case with:

022401 Standard: Support pad (Hook & Loop) Ø 70 mm

010057 Standard: Foam pad Ø 76 mm

009942 Standard: Machine Oil



hamach  
DUTCH ENGINEERING

### VH 77 V Orbital Sander 5 mm - 350 W Hook & Loop backing plate

000014X

Perfectly suited for multiple flat sanding tasks. Supplied with a dust extraction connection.

001438 Standard: Backing plate 115 x 208 mm with holes (Hook & Loop)

836xxx Option: Sanding Sheet (10 holes) Hook & Loop 115 x 230 mm

001403 Option: Adhesive rubber backing plate 115 x 208 mm with holes

hamach  
DUTCH ENGINEERING



### VH 914 V Mini Orbital Sander 2 mm - 200 W

000094X (in a carrying plastic case)

The Delta Sander has a modern design and perfect ergonomics. The powerful and lightweight motor makes this machine ideal for the decorative painter. Suitable for panels and profiled surfaces.

009217 Standard: Delta backing plate 98 x 144 mm (Hook & Loop)  
858xxx Option: Delta Sanding Sheet (7 holes) (Hook & Loop)

hamach  
DUTCH ENGINEERING

### VH 77 V Orbital Sander 5 mm - 350 W Adhesive backing plate

000014Y

Perfectly suited for multiple flat sanding tasks. Supplied with a dust extraction connection.

001403 Standard: Adhesive rubber backing plate 115 x 208 mm with holes

836xxx Option: Sanding Sheet (10 holes) Hook & Loop 115 x 230 mm

001438 Option: Backing plate 115 x 208 mm with holes (Hook & Loop)

## 1.2.4 MOBILE VACUUM CLEANERS

hamach  
DUTCH ENGINEERING

### Vacuum Cleaner HMV 3 EA

000791

Vacuum Cleaner 1200 W - 55 L/sec. Suitable for all light tools. Electric automatic switch (EA). Equipped with 12 L container.

009965 Standard: Hose 4 m

079101 Paper dust bag (1 piece)



### HMV 6-L MOBILE VACUUM

A compact and powerful mobile vacuum cleaners line suitable for dry and liquid suctioning.

- 1400 W powerful engine
- Manually adaptable suction power
- Supplied with an intelligent start system
- Supplied with an automatic filter cleaning system
- L-certified (filtration rate of > 99.9%)



#### Need more capacity?

Central Dust Extraction information see chapter 7.



#### Performance:

Pressure: 248 mbar

Airflow: 60 L/sec.

Noise level: 69 dB (A)

#### Capacity:

Gross: 25 L

Dust: 20 L

Liquid: 15 L



hamach  
DUTCH ENGINEERING

### Vacuum Cleaner HMV 6-L EA

000768

Vacuum Cleaner 1400 W - 60 L/sec. Underpressure 248 mbar. Noise level 69 dB (A). Electric Automatic switch (EA). Automatic start system, automatic filter cleaning. Suitable for vacuuming fluids. Warranty 24 months.

009965 Standard: Hose 4 m

077682 Standard: Double hose connector

076802 Standard: Dust bag (1 piece)

Optional

076801 Filter set 2 pieces

076802 Dust bags 5 pieces



hamach  
DUTCH ENGINEERING

### Vacuum Cleaner HMV 6-L EA/PA

000769

Vacuum Cleaner 1400 W - 60 L/sec. Underpressure 248 mbar. Noise level 69 dB (A). Electric Automatic switch (EA) + Pneumatic Automatic switch (PA). Automatic start system, automatic filter cleaning. Suitable for vacuuming fluids. Warranty 24 months.

009962Y Standard: Combihose 4 m

077682 Standard: Double hose connector

076802 Standard: Dust bag (1 piece)

Optional

076801 Filter set 2 pieces

076802 Dust bags 5 pieces



## 1.2.5 VACUUM ACCESSORIES

hamach  
DUTCH ENGINEERING



**Vacuum Hose with Air Hose and Couplings Ø 29 mm**

009968 (4 m)  
009969 (8 m)



**Vacuum Hose Ø 29 mm**

009965 (4 m)  
009966 (8 m)  
009967 (15 m)



**Vacuum Hose with Air Hose (no couplings) Ø 29 mm**

009962 (4 m)  
009956 (6 m)  
009963 (8 m)  
009975 (10 m)  
009977 (15 m)



**Vacuum Hose Ø 29 mm Anti Static**

Conductive  $< 10^6 \Omega$   
(according to DIN EN ISO 8031)  
009958 (4 m)  
009959 (8 m)



**Vacuum Hose Anti Static with Air Hose (no couplings) Ø 29 mm**

Conductive  $< 10^6 \Omega$   
(according to DIN EN ISO 8031)  
009958-1 (4 m)  
009959-1 (8 m)



**Vacuum Hose for Glass Ø 38 mm**

079780 (2.5 m)

All vacuum hoses are supplied per piece.

hamach  
DUTCH ENGINEERING



079786



079787

Dust bags supplied per 5 pieces.  
Adaptors and accessories per piece.



079701 Paper Dust Bag HMV 7  
079101 Paper Dust Bag HMV 3



077781



004995  
For combihose.



077582



079783



077583



077784



079290 Fleece Dust Bag HMV 5  
075790 Fleece Dust Bag HMV 2500  
076802 Fleece Dust Bag HMV 6-L



004994  
Adapter for hose connection vacuum cleaner, 31 mm.



004993  
Adapter for hose connection sander, 29 mm.



079182  
For HMV 3/5/7.



077682  
For HMV 6-L EA / EA-PA.



SP1289  
For HMV 6-L EA / EA-PA.

REDUCE SANDING DUST  
IN YOUR WORK ENVIRONMENT FOR:

- A HEALTHY WORK SPOT
- A PERFECT WORK RESULT

Hamach has top range dust extractions solutions for industrial work processes (HCV, Central Vacuum systems) and for crafts men that work with hand held sanding machines (like orbital sanders).



hamach  
DUTCH ENGINEERING





1.3.1	PUMP SPRAY SYSTEM	31
1.3.2	TACK RAGS AND CLOTHS	32
1.3.3	MISCELLANEOUS	33
1.3.4	DEGREASING WIPES	33
1.3.5	WATERLESSWASH	33

The Colad Pump Spray uses a unique Coding System to distinguish the different types of liquid content.

- Easy distinction and identification of fluids
- Helps maintain a clean and ordered workplace
- Complies with ISO certification where applicable
- Patented and innovative system



**Colad**  
**Pump Spray 1000 ml + Coding Rings®**  
9705

The Pump Spray is equipped with VITON O-rings to resist both water and/or solvent based degreasers and the spray mist is adjustable to fit your job perfectly. Including set of 6 Coding Rings + 2 Colour Identification Charts.



**Colad**  
**Pump Spray 1000 ml without Coding Rings®**  
9705Z  
The Colad Pump Spray is equipped with VITON O-rings to resist both water and/or solvent based degreasers and the spray mist is adjustable to fit your job perfectly.



**Colad**  
**Wall Bracket**  
970506

Organise your workshop and use the Colad Wall Bracket to hang the Pump Spray on and have a central place for fluid identification. 2 pcs and connectable. Dimensions L x W x H (cm): 38 x 16.6 x 1.70 cm.



**Colad**  
**Pump Spray Coding Rings®**  
9705CR

Set of 6 coding rings including 2 Color Identification Charts. Easy to apply on your Pump Spray bottle. Helps you to identify the content quickly.



**Colad**  
**Pump Spray Promotion Package**  
970508

A complete package, including the new Wall Bracket. Ready to go! Do you want to distinguish easily different types of liquids, then buy now the unique Pump Spray in combination with the Pump Spray Coding System®. Content Colad Pump Spray Promotion Package: 3 x Pump Spray 1000 ml, 1 x Wall Bracket, 6 x Coding Rings®, 2 x Colour Identification Chart.



**Colad**  
**Pump Spray EPDM**  
9705EPDM

The Colad Pump Spray EPDM is equipped with (black) EPDM O-rings to resist DIFFERENT materials for example Acetone, Benzyl alcohol, Butanol (butyl alcohol), Castor oil A371, etc. see the RESISTENCE list for all liquids. Designed to fit perfectly to the paint job. The Colad Liquid Pump Action Spray Gun is silicone free. Container is transparent. Content: 1000 ml. Per piece.





## 1.3.2 TACK RAGS AND CLOTHS

Designed to eliminate dust on any surface.



**Colad**

### Non-woven Tack Rags

9180 per box of 10 pieces, in individual bags.  
9181 1 piece in individual bag.

Recommended for small to medium dust particles. Made of viscose and polyester. 2 sizes. Compact structure. For use with water and/or solvent based coatings. Natural binders (no solvents) so solvent compatible. Lint free.



**Colad**

### Tack Cloth Waterbased

000805

Small, medium and large dust particles. Made of viscose and polyester. Size 61 x 37 cm. Combined compact and open structure. For use with water and/or solvent based coating. Can be applied as transition edge remover. Removes imperfections on various substrates before spraying. Lint free. Set of 10 pieces in a plastic bag.



**Colad**

### Tack Rags Waffled

9175

High quality, large textured cotton cloth. Superior dust holding capacity! The cotton wipe is specially designed to collect and remove loose contamination such as dust, dirt, hair and lint from surfaces. The Tack Rag is recommended for large dust particles but also eliminates the smallest dust particles in an instant. For pre-paint wiping of all surfaces. The size (unfolded: 81 x 92 cm, folded: 14 x 17 cm) is more than enough for wiping of dust on a large surface. Per piece packed in foil.



**Colad**

### Tack Rags

9165

Recommended for medium to large dust particles. Made of cotton gauze. Size 82 x 45 cm. Open structure. For use with water and/or solvent based coatings. Naturally treated (no chemical treatment or bleaching). Anti-static and lint free. Per box of 10 pieces in individual bags.

## 1.3.3 MISCELLANEOUS



**Colad**

### Glass Scraper

9190

Scraper specially designed for the body shops, to remove the coat on car windows if these have been sprayed accidentally. Will not cause scratches. With 5 spare blades. Per piece.

9200 Option: A box with 20 pieces spare blades



## 1.3.4 DEGREASING WIPES



**Colad**

### Non-woven Degreasing Wipes

B12686589

Non-woven degreasing wipes, easy to use in combination with the Colad pump spray system. Main features: strong material, a minimum of loose fibres and super absorbent. Ideal for use with water and/or solvent based degreasers. No traces at all are left behind on the cleaned surface. Allowing to carry out the job efficiently without using paper. 200 pieces in a box. Dimensions 32.5 x 42 cm, folded in four.



## 1.3.5 WATERLESSWASH

Washing without water enhances your productivity!

**Cleaning panels just within a few minutes without the need to drive to the car wash. Colad WaterlessWash increases your productivity by enabling you to clean car panels and/or surfaces directly at the body shop. It saves up to 15 minutes per repair job! You'll be done washing in just a few minutes!**



### How it works

- Apply WaterlessWash on the car panel, wait 30 seconds.
- Wipe WaterlessWash off with a damp cloth.
- Use a dry, clean Colad Micro Polishing Cloth to polish the surface to a high gloss.
- You are ready to start your repair work!

Note: Colad WaterlessWash is not a surface degreaser. Always degrease properly before you start your repair!



**Improved formula!**

**Colad**

### WaterlessWash

8000 (5 L can)

1.4.1	MIXING CUPS	35
1.4.2	TURBOMIX	36
1.4.3	PAINT CHECK	36
1.4.4	CUPS	37
1.4.5	SPRAY SAMPLES	37
1.4.6	PAINT STRAINERS	38
1.4.7	MISCELLANEOUS	39



## 1.4.1 MIXING CUPS

Colad Mixing Cups for paint preparation are made of polypropylene, because of the clearness of the cups the paint content and the mixing ratios are very visible from the inside of the cup.

It is designed for one way use, save cleaning time with the Colad disposable mixing cup.

### THE PERFECT MIX!

AVAILABLE IN FIVE SIZES

COMPATIBLE WITH VARIOUS PAINT APPLICATION SYSTEMS

SOLVENT RESISTANT

ANTI-STATIC

STACKABLE TO SAVE SPACE

PRECISION PRINTED WITH 11 ACCURATE MIXING RATIOS:

1:1, 2:1, 3:1, 4:1, 5:1, 6:1, 7:1, 8:1, 9:1, 10:1, 11:1. \*350 ml has 8 mixing ratios.

2 MEASURING SCALES in millilitres and fluid ounces.

FLAT BOTTOM



**Colad**

#### Mixing Cup 6 L 9425

Strong plastic 6 L mixing cup for industrial paint preparation. Engraved mixing ratio's. 40 pieces in a box.

**Colad**

#### Mixing Cups

	Quantity		
	120 pieces 4 x 30 pcs (plastic bag)	150 pieces 6 x 25 pcs (plastic bag)	300 pieces 6 x 50 pcs (plastic bag)
350 ml	-	9350150	9350300
700 ml	-	9370150	9370300
<b>NEW:</b> 900 ml	-	9390150	-
1400 ml	9400120	-	9400300
2300 ml	9410120	-	9410300



**Colad**

#### Mixing Cup Dispenser

94990350 (350 ml)  
94990700 (700 & 900 ml)  
94991400 (1400 ml)  
94992300 (2300 ml)

Wall dispenser made of durable metal to hold Colad Mixing Cups. The Mixing Cups are easily dispensed one at a time, keeping them clean and free from dust and saving space in the mixing room. Per piece.



**Colad**

#### Mixing Cup Lids

9360 (350 ml)  
9380 ((700 & 900 ml)  
9480 (1400 ml)  
9490 (2300 ml)  
9425LID (6000 ml)

To cover the Colad Mixing Cups and to protect paint against dirt and dust. Easy application. 40 pieces in a box: 9425LID, 100 pieces in a box: all others.




## 1.4.2 TURBOMIX



**Colad**  
**Turbomix Paintsaver®**  
 9500  
 937010 Wall Mount

Perfect consistency and pigment blend are crucial for a spotless end result. Mixing paint with the Turbomix Paintsaver® speeds up the process, reduces paint wastage and ensures a perfect result! Dimensions: 22 x 2 cm. Suitable for mixing cups up to 1400 ml. 512 pieces in a dispenser.



**Colad**  
**Turbomix Paddles XL**  
 9520200

Plastic paddle made from recycled synthetic material. Easier stirring and better mixing due to the curved shape and holes. Dimensions: 30 x 3 cm, suitable for mixing cups of 1400 or 2300 ml. 200 pieces in a dispenser box.



## 1.4.3 PAINT CHECK


**Colad**  
**Easy2Check®**  
 9300 (400 ml)

Spray on a spray sample to create a glossy finish and check if the colour corresponds. Can also be used for sanding checks! 400 ml spray.



**Colad**  
**Check Light**  
 9330

A versatile work light with high efficiency LED (high CRI value) and an operating time up to 3 hours. Designed for perfect colour matching, scratch and defects recognition. The removable and replaceable lens enables daily cleaning for an accurate view. Warranty 24 months. Per piece.



## 1.4.4 CUPS



**Colad**  
**Exchangeable Cups**  
 9440 Box of 100 cups (2300 ml) +  
 4 Colad Iron Cans  
 9450 Box of 36 Iron Cans

Plastic mixing cups holding 2300 ml for quick exchange of paint types or colours for the house painter.



**Colad**  
**Insert Cup 2.5 L**  
 9435

Always a clean Insert Cup for quick and easy change of paint colour or paint type. Equipped with extra wide, smooth edge to remove access paint from paint brush. The clear cups are engraved with mixing ratios of 2:1, 3:1, 4:1, 5:1, 10:1 and milliliters. Content 2.5 L. 120 pieces per box.

## 1.4.5 SPRAY SAMPLES

To test colour accuracy of both waterborne coatings and conventional coatings with a black stripe to indicate the degree of the colours' opaqueness and a 15 mm Ø hole to match the colour. Suitable for conventional and waterborne coatings.



**Colad**  
**Metal Spray Samples**  
 9315 (white)  
 9315-01 (light grey)  
 9315-02 (medium grey)  
 9315-03 (dark grey)  
 Set of 750 pieces.

**Colad**  
**Metal Spray Samples with Magnetic Holder**

Set of 250 pieces:  
 9319 (white)  
 9319-01 (light grey)  
 9319-02 (medium grey)  
 9319-03 (dark grey)  
 9319-04 (all colours, 50 pieces/colour)



**Colad**  
**Magnetic Holder**  
 931901

To keep your hands clean while spraying.



**Colad**  
**Spray Samples with Hole**  
 9310

Paper card as spray sample provided with black and white stripes. A small hole in the card speeds up exact colour matching. Suitable for conventional and waterborne coatings. 250 pieces in a box with one holder.



**Colad**  
**Spray Sample Sleeves**  
 9319SLEEVE

These small carton sleeves provide room for one painted Colad Spray Sample. Basic information of the date, car type, colour code and remarks can be listed on the sleeve. When stored, the colour is visible at a glance through the square hole in the front of the sleeve. Per set of 250 pieces.



**Colad**  
**Spray Sample Cabinet**


Metal spray samples (white) equipped with solid cabinet: an ideal system for keeping your Metal Spray Samples neatly stored!

931801 Empty  
 9318 (931801 + 250 Metal Spray Samples)



## 1.4.6 PAINT STRAINERS

The highest quality and quickest paint straining solution!



### Colad 100% Synthetic Paint Strainers

Strainers in a dispenser box of 180 pieces.  
10350090D White (90 micron)  
10350130D Blue (130 micron)  
10350190D Green (190 micron)  
10350280D Red (280 micron)

Strainers in plastic bag of 180 pieces.  
10350090 White (90 micron)  
10350130 Blue (130 micron)  
10350190 Green (190 micron)  
10350280 Red (280 micron)



Colad  
**Spray Gun Holder**  
103511



Colad  
**Holder for Synthetic Paint Strainer**  
103505

Colad  
**Dispenser Box**  
103506



Colad  
**Paint Strainers 280 micron**  
1000  
1000 pieces in box  
1015  
250 pieces in dispenser box

Strainers for high solid paints or primers made in paper with nylon mesh of 280 micron. Delivered either in plastic bag or in dispenser to keep the strainers perfectly clean.



Colad  
**Paint Strainers 400 micron**  
1010  
1000 pieces in box

Strainers for high-solid paints or some primers, made in paper with nylon mesh of 400 micron.

## 1.4.6 PAINT STRAINERS



Colad  
**Nylon Strainers 125 micron**  
1043  
1000 pieces in box  
10430250  
250 pieces in dispenser box

Paper strainers for water-based paints, with 125 micron nylon mesh for fast and perfect filtering, delivered either in plastic bag or in dispenser to keep them perfectly clean.



Colad  
**Nylon Strainers 190 micron**  
1045  
1000 pieces in box  
10450250  
250 pieces in dispenser box

Strainers for conventional paints made in paper with 190 micron nylon mesh, delivered either in plastic bag or in dispenser to keep them perfectly clean.



Colad  
**Paint Strainer Stand**  
1040

Paint strainer stand made of a strong metal construction to hold strainers over a suction cup or a spray gun to keep hands free. Per piece.



Colad  
**Cup Strainers**  
1093 (90 micron)  
1094 (130 micron)  
1095 (190 micron)  
1096 (280 micron)  
1097 (375 micron)

Rigid plastic strainer with various meshes for primer and all kinds of industrial or car paints. 90 and 130 micron for clear coats and water based coatings. 190 and 280 micron for both conventional and water based coatings. 375 micron for Ultra High Solid materials. Can be washed and used several times. 6 pieces in a plastic bag.



Colad  
**Paint Strainer Dispenser**  
101505

Wall dispenser made of strong plastic specially designed for the strainer dispensers (art. no. 1015, 10430250 and 10450250) to keep the strainers clean and easy to access. Per piece.



Colad  
**Paint Strainers for Gravity Feed Spray Guns**  
1090  
100% plastic paint strainer, with 290 micron mesh to be used with gravity feed spray gun. 10 pieces in a bag.



Colad  
**Spray Gun Strainer Large**  
1070  
100% plastic paint strainer, large sized with 120 micron mesh to be used with suction or airless spray gun. 12 pieces in a bag.



Colad  
**Cup Strainers**  
1080  
Strainers, 250 micron, made of plush-free perlon, solvent resistant, to be placed on the top of a gravity cup of a spray gun. 20 pieces in a box.

## 1.4.7 MISCELLANEOUS



Colad  
**Touch Up Bottle Set**  
9186

Provide your client with a paint specimen so that they can touch up minor damage themselves. 100 touch up bottles 30 ml, 100 lids with built-in brush, 200 metal mixing balls to obtain thorough mixture, self adhesive labels for your companyname and a funnel.



Colad  
**Dispenser Bottle 1000 ml**  
9700

1000 ml plastic bottle for dispensing special diluent to waterborne coatings. Equipped with a fine, "drop by drop" nozzle. Per bottle.





1.5.1	SNAP LID SYSTEM®	41
1.5.2	SPRAY GUNS AND ACCESSORIES	43



## Colad SNAPLID SYSTEM

The fastest paint application system for all types of paint!

Colad introduces the Snap Lid System®, the fastest and easiest paint application system on the market. Save effort, time and money in just two simple steps. Mix, Snap and Go!

• **Fastest system**

Save time and money by using the mixing cup as a paint cup.

• **Easy-to-use**

Complete system with attuned components.

• **Four filters available**

Suitable for clear coatings, waterborne coatings, conventional based coatings and for primers.



- 1 Unique valve system**  
To prevent a vacuum and guarantee stable paint flow.
- 2 Reinforced lid**  
For fast and easy closure and leak prevention.
- 3 Secure and tight thread**  
For a stable and watertight connection to the spray gun.
- 4 Matching adapter**  
Suitable for most types of spray guns.



**Colad SNAPLID SYSTEM**



**Colad Snap Lid® Dispenser Box**  
50 pieces of Snap Lids with built in strainer of one micron size in a handy dispenser box. Suitable for the 350 ml (new) or 700 ml Colad Mixing Cup. The dispenser box is easy to mount at working height with the Colad Snap Lid Wall Mount art.nr. 937010.

9350xxxSL - 350 ml lids with strainer  
9370xxxSL - 700 ml lids with strainer



**Colad Snap Lid System®**  
50 pieces of Snap Lids with built in strainer of one micron size. Suitable for the 350 ml (new), 700 or 900 ml Colad Mixing Cup + 50 pieces Colad Mixing Cups of 350 ml, 700 or 900 ml Colad Mixing Cups.

9350xxxSLS - 350 ml mixing cups + lids with strainers  
9370xxxSLS - 700 ml mixing cups + lids with strainers  
9390xxxSLS - 900 ml mixing cups + lids with strainers

**Snap Lid System® overview**

	Filter types	White	Blue	Green	Red
	Filter in micron/µm	90 micron clear coating	130 micron waterborne coating	190 micron conventional based coating	280 micron primer
350 ml:	50 lids for 350 ml Colad Mixing Cups	9350090SL	9350130SL	9350190SL	9350280SL
	50 lids for 350 ml Colad Mixing Cups + 50 Colad Mixing Cups 350 ml	9350090SLS	9350130SLS	9350190SLS	9350280SLS
700 ml:	50 lids for 700 ml Colad Mixing Cups	9370090SL	9370130SL	9370190SL	9370280SL
	50 lids for 700 ml Colad Mixing Cups + 50 Colad Mixing Cups 700 ml	9370090SLS	9370130SLS	9370190SLS	9370280SLS
900 ml:	<b>NEW:</b> 50 lids for 900 ml Colad Mixing Cups + 50 Colad Mixing Cups 900 ml	-	9390130SLS	9390190SLS	-



**Colad Snap Lid® Sealing Caps**  
9370CAP  
Seal your Colad Snap Lid temporarily with a Snap Lid Sealing Cap. The cap fits perfectly on top of the Snap Lid when removed from the spray gun. Use a second Snap Lid Sealing Cap to seal your adapter and keep the paint channel dust-free. Packed in a plastic bag with 100 pieces.



**Colad Snap Lid System® UV Resistant**  
9370190SLSUV  
9370280SLSUV  
This UV blocking Snap Lid is specially designed for the processing of UV curing coatings.



**Colad Snap Lid® Wall Mount**  
937010  
Easily mount your Snap Lid Dispenser Box to the wall at working height with this Snap Lid Wall Mount. Attach to the wall with Colad Double Faced Acrylic Foam Tape or use two screws. Per piece.



**Colad Adapters for the Snap Lid System®**  
Matching adapters are available for most types of spray guns. Most popular adapters are articlenumbers: 9370A04, 9370A09 and the 9370A11. Do you have a question about the right adapter, please ask your local dealer.



**hamach Spray Gun Holder**  
000829  
Suitable for two spray guns, suction and gravity feed guns. Multifunctional, removable and supplied with magnets to be fixed in the spray booth wall. Per piece.



**hamach Blow Off Nipple**  
000882

Blowing gun to eliminate dust over surface. Covered by rubber to protect the surface. Air connection 1/4". Per piece.

Hamach offers professional gravity Spray Guns with HVLP (High Volume Low Pressure) technology for excellent performance. Delivered in practical plastic cases. Accessories are also included.

**hamach SSG Spray Gun**  
000880 (Ø 1.2 mm)  
000883 (Ø 0.8 mm)  
000884 (Ø 1.0 mm)

The Spot Spray Gun (SSG) has been specifically designed for the more compact spraying of smaller objects. The SSG features HVLP (High Volume Low Pressure) spray technique. Per piece in a carrying case.



**hamach ESG Spray Gun**  
000885 (Ø 1.3 mm)  
000886 (Ø 1.5 mm)  
000887 (Ø 1.8 mm)  
000889 (Ø 2.0 mm)  
000890 (Ø 2.5 mm)

The Economic Spray Gun (ESG) is perfectly suited to the highly demanding professional. Infinitely variable adjustment possible for both round and flat spray control. The ESG features HVLP (High Volume Low Pressure) spray technique. Per piece in a carrying case.







1.6.1	POLISHING COMPOUNDS	45
1.6.2	OPTIMUS	46
1.6.3	FOAM PADS	46
1.6.4	MISCELLANEOUS	47
1.6.5	SPOT REPAIR POLISHING SYSTEM	47

## 1.6.1 POLISHING COMPOUNDS

### OneStepReady

Covers the entire polishing process from fine sanding at the start to remove scratches, to a high gloss finish.

- One step polishing compound: efficient in use, you only need one sponge and one polishing material
- Works excellently with both old and new coatings
- Can be used on all kinds of painted surfaces
- Non-solvent based



**Colad**

**OneStepReady**  
8700 (1 kg bottle)  
8725 (250 g bottle)



### Advanced Cut

An harsh cutting compound that removes aggressive scratches, defects and surface imperfections in an instant!

- A quick solution for aggressive scratches and paint defects
- Not affecting clear coats, plastic & rubber parts so no need for time consuming masking
- Solvent free



**Colad**

**Advanced Cut**  
8600 (1 kg bottle)



1  
SCRATCH



2  
POLISH



3  
READY

## 1.6.2 OPTIMUS

### Optimus

A quick and safe solution for solving small paint defects. Can be used preliminary to the polishing process, to achieve a high gloss result and decrease the polishing time.

- A multifunctional, flexible abrasive
- The perfect solution on sanding angled and edged surfaces
- Limits the risk of pressure marks
- Suitable for both wet and dry sanding by machine and by hand

**Colad**


### Optimus

3881000 (Grit 1000)  
3882000 (Grit 2000)  
3883000 (Grit 3000)  
3884000 (Grit 4000)  
20 pieces per box.





## 1.6.3 FOAM PADS



Ultra-thin polishing pads for the perfect finish!

- Washable, so a 100% clean start of each job
  - Only 12 mm thick Clean Pads
  - Hologram-free performance
  - High durability
  - Immediate savings & best results
- In a box of 5 pieces.\*



**Colad**

### Clean Pads

8810 12 mm Hard (Yellow)\*  
8820 12 mm Medium (White)\*  
8830 12 mm Soft (Black)\* €  
8840 15 mm Interface Pad, per piece.



**Colad**

### Hard Foam Pad

010050 (150 mm)

For hard jobs when you need to fix minor scratches. Per piece in a bag.



**Colad**

### Medium Foam Pad

010051 (150 mm)

To polish old paints and areas without gloss. Per piece in a bag.



**Colad**

### Soft Foam Pad

010052 (150 mm)

To get the highest gloss. Per piece in a bag.



**Colad**

### Foam Pad

010057 (76 mm)

Foam pad medium for all kind of small jobs. Per piece in a bag.



**Colad**

### Hard Foam Pad

010053 (200 mm)

For hard jobs when you need to fix minor scratches. Per piece in a bag.



**Colad**

### Medium Foam Pad

010054 (200 mm)

To polish old paints and areas without gloss. Per piece in a bag.



**Colad**

### Soft Foam Pad

010055 (200 mm)

To get the highest gloss. Per piece in a bag.



**Colad**

### Support Pad M-14 Hook & Loop

010034 (160 mm)

Pad screw M-14 to use with Foam 010053, 010054 and 010055. Per piece in a bag.



**Colad**

### Support Pad 5/8 Hook & Loop

010038 (160 mm)

Pad screw 5/8 to use with Foam 010053, 010054 and 010055. Per piece in a bag.



**Colad**

### Support Pad M-14 Hook & Loop

010037 (115 mm)


Pad for use with Foam 010050, 010051 and 010052. Per piece in a bag.



**1**  
**POLISH**



**2**  
**WASH**



**3**  
**NEW PROJECT**

## 1.6.4 MISCELLANEOUS



**Colad**

### Polishing Cloth

B12686579

Non-woven cloths made to polish any kind of surface without scratching or leaving traces. Without any additives is ideal for polish chrome, glass and interior details. Cloth dimension 40 x 36.5 cm. Roll with 275 cloths pre-cut in a dispenser carton.



**Colad**

### Micro Polishing Cloths

8800

Very smooth cloths to clean rests of polishing material and puts the finishing touch to the surface. Re-useable: up to 500 wash cycles (60°C). Bag with 4 pieces.



**hamach**  
DUTCH ENGINEERING

### Micro Polishing Discs

402815 (P1500, 35 mm, Hook & Loop)  
402820 (P2000, 35 mm, Hook & Loop)  
402825 (P2500, 35 mm, Hook & Loop)  
100 discs in a box.



**hamach**  
DUTCH ENGINEERING

### Mini Sanding Block

010084 (Ø 30 mm)

Small sanding blocks with Hook & Loop and self-adhesive face for micro sanding. Perfectly suited to be used with Ø 30 mm sanding discs to remove dust particles or small irregularities from the paint surface. Per piece.

## 1.6.5 SPOT REPAIR POLISHING SYSTEM

The removal of small pits and scratches was never easier.



Locate the defect and sand it lightly. Then simply polish away the defect with our one step polishing compound OneStepReady. The quick and easy solution for removal off small defects.

**1 + 2 + 3 =**  
**SPOT REPAIR POLISHING SYSTEM**



**1**

**hamach**  
DUTCH ENGINEERING

Sand the defect with the mini sanding block or DS 30, selecting the grit according to the characteristics of the defect.

010084 Mini Sanding Block 30 mm (Hook & Loop & Adhesive)

000220 DS 30 Random Orbital Micro Sander 2.5 mm – 30 mm pad

402815 P1500  
402820 P2000  
402825 P2500



**2**

**Colad**

Polish the surface with OneStepReady polishing compound, using the DS 70 in combination with the 76 mm foam pad or mini polishing sheep skin.

000224 DS 70 Rotating Polishing Machine (70 mm)

8700 OneStepReady polishing compound (1 kg)

010057 Foam Pad (Hook & Loop) 76 mm



**3**

**Colad**

Remove the abundant material with the Micro Polishing Cloths.

8800 Micro Polishing Cloths



## 2 PERSONAL PROTECTION



2.1	PAINT OVERALLS	49
2.2	GLOVES	51
2.3	HAND CLEANERS AND PROTECTION	54
2.4	MASKS	55
2.5	HEAD PROTECTION	55

## 2.1 PAINT OVERALLS

Improved fit and higher comfort!



### BODYGUARD®

For a full day of working comfort and protection!

### BodyGuard®

The Colad BodyGuard® Overall provides optimum protection against overspray and prevents pollution of the paint job by fibres, dust and lint.

#### Designed with the user in mind!

To guarantee you a full day of working comfort, this updated BodyGuard® responds to the experiences of our users. We improved the antistatic capacity with a different type of fabric and redesigned the hood for a better fit!

#### Personal Protective Equipment (PPE)


Category I according to European Directive 2016/425 - Basic PPE protects against minimal risks. Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.



#### Colad

#### BodyGuard® Premium Comfort Spray Overall

520046 (size 46)	520050 (size 50)	520054 (size 54)	520058 (size 58)	520062 (size 62)
520048 (size 48)	520052 (size 52)	520056 (size 56)	520060 (size 60)	520064 (size 64)



1% carbon thread for higher antistatic capacity!



Spacious but fitted hood for a more comfortable fit!



Still the best fit and highest comfort!

#### As you are used to, the BodyGuard® has:

- Ultimate heat release capacities
- Soft, flexible cuffs
- A highly durable blind zipper
- Two back pockets
- Durable grey nylon fabric
- Extra movability



According to 1149-3, Method 2: Induction decay time.



#### BEST PROTECTION

- Anti Static Coating (EN 1149-1:2006)
- Dust and Lint free
- Protects against overspray
- Tight fit to neck, sleeves and ankles cuffs



#### HIGH PERFORMANCE

- Perfect fit for all sizes
- Maximum movability
- Efficient body heat loss
- Comfortable for the entire working day



#### DURABILITY

- Durable, protected zipper



#### ATTRACTIVE APPEARANCE

- Grey colour
- Non-transparent
- Representative appearance



## 2.1 PAINT OVERALLS



According to 1149-3, Method 2: Induction decay time.

**Colad**

### Nylon Spray Coat

510148 (size 48)  
510152 (size 52)  
510156 (size 56)  
510160 (size 60)  
510164 (size 64)

For use during paint jobs to protect the wearer against paint spray and to protect the paint job against fibers, dust and lint. White to prevent distortion of colour vision, very durable and well ventilated. One spray coat in a box. Personal Protective Equipment (PPE) category I according to European directive 2016/425 – Basic PPE protects against minimal risks.

Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.



According to 1149-1, Method 1: Measurement of surface resistivity.

**Colad**

### Carbon Spray Overall

511748 (size 48)      511758 (size 58)  
511750 (size 50)      511760 (size 60)  
511752 (size 52)      511762 (size 62)  
511754 (size 54)      511764 (size 64)  
511756 (size 56)

For use during paint jobs to protect the wearer against paint spray and to protect the paint job against fibers, dust and lint. White with carbon thread to prevent distortion of colour vision, very resistant and well ventilated. The carbon is added to reduce static electricity. One overall in a box. Personal Protective Equipment (PPE) category I according to European directive 2016/425 – Basic PPE protects against minimal risks.

Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.



**Colad**

### FR Spray Overall

512548 (size 48)  
512552 (size 52)  
512556 (size 56)  
512560 (size 60)  
512564 (size 64)

For use during paint jobs to protect the wearer against paint spray and to protect the paint job against fibers, dust and lint. White to prevent distortion of colour vision, very durable and well ventilated. A flame retardant product to be used when regulations require. One overall in a plastic box. Personal Protective Equipment (PPE) category I according to European directive 2016/425 – Basic PPE protects against minimal risks.

Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.



**Colad**

### Disposable Overall

530048 (S - size 48)  
530052 (M - size 52)  
530056 (L - size 56)  
530060 (XL - size 60)  
530064 (XXL - size 64)  
Per piece in a plastic bag.

Disposable overall for single use. Provides optimum protection against non-hazardous chemicals and protects the paint job against fibers, dust and lint. The overall is white to prevent distortion of colour vision. Water and dust resistant. Seals tightly due to the elastic in the hood, ankles and cuffs. Zipper fastening at the front. Personal Protective Equipment (PPE) Category I according to European directive 2016/425 – Basic PPE protects against minimal risks.

Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.



**Colad**

### Nylon Spray Overall

510046 (size 46)      510058 (size 58)  
510048 (size 48)      510060 (size 60)  
510050 (size 50)      510062 (size 62)  
510052 (size 52)      510064 (size 64)  
510054 (size 54)      510066 (size 66)  
510056 (size 56)      510068 (size 68)

For use during paint jobs to protect the wearer against paint spray and to protect the paint job against fibers, dust and lint. White to prevent distortion of colour vision, very durable and well ventilated. One overall in a box. Personal Protective Equipment (PPE) category I according to European directive 2016/425 – Basic PPE protects against minimal risks.

Protects against non-hazardous chemicals, like waterbased paints or harmless cleaning detergents.



According to 1149-3, Method 2: Induction decay time.

## 2.2 GLOVES

### GLOVE CHARACTERISTICS

Colad offers a complete range of gloves, suitable for all steps in the paint process. We categorize three types of gloves for different steps in the paint process: preparation, painting and cleaning.

#### EN standards

All our gloves are tested in accordance with various EN standards.

Below you will find more information about our EN standards:



#### Mechanical risks

These gloves offer protection against mechanical risks. The EN 388:2003 test indicates the abrasion, blade cut, tear and puncture resistance.



#### Penetration resistance

These gloves are tested on penetration resistance to guarantee that they are leak proof. This is indicated by the EN374-2:2003 or EN374-2:2014 logo.



#### Resistance against chemical splashes

These gloves are tested on resistance of chemical splashes, like overspray. A table with the glove indicates the chemicals and the matching resistance time.



#### Dipping resistance

These gloves are tested on resistance of chemical dipping / full chemical contact. The EN 374-3:2003 test indicates the chemicals (each type is marked with a specific letter) and the matching resistance time.



#### Anti-static

Are gloves marked with the anti-static logo have anti-static properties, tested according to EN1149-3 Method 2: Measurement of induction decay time.

#### Gloves sizing chart

Measurement	Glove size
8 cm	M
9 cm	L
10 cm	XL
11 cm	XXL



#### Sizing chart

Easily find your correct size of gloves using the sizing chart. Measure the space between the red lines (in cm) and look up the corresponding glove size.



### PREPARATION

For disassembly, assembly and preparation we provide you with the Colad Nylon Preparation Gloves. Colad Nylon Preparation Gloves offer protection against mechanical risks. The EN 388:2003 test indicates the abrasion, blade cut, tear and puncture resistance.

**Colad**

#### Nylon Preparation Gloves

534000 (size M)  
534002 (size L)  
534004 (size XL)

Provides excellent protection against cuts and scratches. Durable nylon, very comfortable with great grip. Recommended for sanding and assemble-disassemble processes.



Tested acc.	Abrasion resistance	Level 4
EN388:2003	Blade cut resistance	Level 1
	Tear resistance	Level 0
	Puncture resistance	Level 1

4101

CE Notified body number: 0075







**PAINTING**

Colad disposable nitrile gloves are especially developed for use during the paint process, offering comfort and protection for the user and protection against paint contamination.

**User protection**

Not just any glove is suitable to be used in the paint process, when working with paints protection of the painter is of utmost importance.

**Protecting the paint**

Next to offering protection for the user, it's also vital that gloves protect the paint from contamination. Paint is next to labour the most expensive component in a paint processing company. Nitrile gloves in general protect the paint from hairs, skin fibres & skin grease getting in contact with the paint. Colad gloves itself are developed to create the most ideal circumstances to work with paint.

**Characteristics**

Our Colad Disposable Nitrile Gloves are produced with a variety of characteristics. Below you can find more specific information. Each product on the following pages is marked with the applicable properties.



**Natural latex free**

Our gloves marked with the latex free logo are natural latex-free. Absolutely safe to wear for people with a latex allergy.



**Single use**

Our gloves marked with the 'single use' logo are designed to be disposed after use. This prevents contamination and guarantees clean working.



**Silicone free**

Our gloves marked with the silicone-free logo are designed to be silicon free. This prevents contamination of the paint.



**Powder free**

Our gloves marked with the 'powder free' logo are washed 3 times during production. This makes them 100% powder free to prevent paint contamination.



**Colad**

**Disposable Nitrile Gloves Grey**

This extra thick and extra strong nitrile glove is powder, silicon and latex free. It combines extra protection with extra comfort due to its high elasticity.

- Thickness 8 mil (0.2 mm)
- Extra strong, extra flexible and higher tensile strength
- Extra long sleeves (300 mm) and textured surface for better grip
- Especially suitable for working with paints and solvents
- Produced without zinc, sulphur and accelerant to maintain the environment

- 538000 (size M)
- 538002 (size L)
- 538004 (size XL)

Dispenser box with 50 gloves.


Personal Protective Equipment (PPE) CAT III according to European directive 89/686/EEC. PPE of complex design protects against risks that cause irreversible damage to health.

CE Notified body number: 0321

**EC Type examination test results**

Tested in accordance with EN374-2:2003	Performance level	AQL	Inspection levels
Specified: Level 2 (AQL<1.5) acc. to producer	Level 3	< 0.65	G1
	Level 2	< 1.5	G1
	Level 1	< 4.0	S4

Tested acc. to EN374-3	N-heptane 99% - Level 6 Sodium Hydroxide 40% - Level 6	
	Level 1: > 10 minutes	Level 4: > 120 minutes
	Level 2: > 30 minutes	Level 5: > 240 minutes
	Level 3: > 60 minutes	Level 6: > 480 minutes



**Colad**

**Disposable Nitrile Gloves Black**


Not just any glove is suitable for use in the painting process. When working with paints, protection of the painter is of the utmost importance. Besides providing protection for the user, it's also vital that gloves protect the paint from contamination. Paint is, together with labour, the most expensive component in a paint processing company. Colad nitrile gloves prevent hairs, skin fibres and skin grease from coming into contact with the paint and protect the user against chemical splashes.

- Thickness 6 mil (0.15 mm)
- Long sleeve (length 285 mm)
- Textured finger tips for better grip
- Free of powder, silicone and latex to prevent skin allergies
- Especially suitable for working with paints and solvents

Dispenser box with 60 gloves. Dispenser box with 400 gloves.

- 536000 (size M)
- 536002 (size L)
- 536004 (size XL)
- 536006 (size XXL)
- 536400 (size M)
- 536402 (size L)
- 536404 (size XL)

Personal Protective Equipment (PPE) CAT III according to European directive 89/686/EEC. PPE of complex design protects against risks that cause irreversible damage to health.




**EC Type examination test results**

Tested in accordance with EN374-2:2003	Performance level	AQL	Inspection levels
Specified: Level 2 (AQL<1.5) acc. to producer	Level 3	< 0.65	G1
	Level 2	< 1.5	G1
	Level 1	< 4.0	S4

CE Notified body number: 0321

Tested acc. to EN374-3	N-heptane 99% - Level 3 Sodium Hydroxide 40% - Level 6	
	Level 1: > 10 minutes	Level 4: > 120 minutes
	Level 2: > 30 minutes	Level 5: > 240 minutes
	Level 3: > 60 minutes	Level 6: > 480 minutes



**Colad**

**Gloves Dispenser for 400 pieces 5364D**

Wall dispenser only suitable for Colad Disposable Nitrile Gloves Black art. no. 53640x. Per piece.



**Colad**

**Gloves Dispenser 5390**

Wall dispenser box for Colad disposable gloves. Only suitable for Colad Disposable Nitrile Gloves Black and Blue. Per piece.



**Colad**

**Disposable Nitrile Gloves Blue**

A solvent-resistant quality glove that provides excellent protection.

- Thickness 4.5 mil (0.115 mm)
- Sleeve length 245 mm
- Textured finger tips for better grip
- Free of powder, silicone and latex to prevent skin allergies
- Especially suitable for working with paints and solvents

- 530904 (size M)
- 530900 (size L)
- 530902 (size XL)

Dispenser box with 100 gloves.

Personal Protective Equipment (PPE) CAT III according to European directive 89/686/EEC. PPE of complex design protects against risks that cause irreversible damage to health.

CE Notified body number: 0321

**EC Type examination test results**

Tested in accordance with EN374-2:2014	Performance level	AQL	Inspection levels
AQL < 1.5 (Level 2) acc. to producer	Level 3	< 0.65	G1
	Level 2	< 1.5	G1
	Level 1	< 4.0	S4

Tested acc. to EN374-3	Sodium Hydroxide 40% - Level 6	
	Level 1: > 10 minutes	Level 4: > 120 minutes
	Level 2: > 30 minutes	Level 5: > 240 minutes
	Level 3: > 60 minutes	Level 6: > 480 minutes



## 2.2 GLOVES



### CLEANING

For cleaning with various chemicals, Colad advises to use their Industrial Nitrile or Neoprene gloves. These Gloves are fitted with a soft, anti-allergic liner that prevents allergies and strengthens the gloves. Both Colad gloves are tested according to EN 374-1-:2003, EN 374-2:2003, 388:2003 and EN 374-3:2003 which means they are leak-proof, protect against mechanical risks and chemical dipping (full contact).

**Colad**

#### Industrial Neoprene Gloves

Resistant to most chemicals (frequent usage). Excellent grip and suitable for multiple use. Per pair.



5310004 (size M)  
5310000 (size L)  
5310002 (size XL)

Personal Protective Equipment (PPE) CAT III according to European directive 89/686/EEC. PPE of complex design protects against risks that cause irreversible damage to health.

CE Notified body number: 0120

Tested in accordance with EN374-2:2003	Performance level	AQL	Inspection levels
Specified: Level 2 (AQL<1.5) acc. to producer	Level 3	< 0.65	G1
	Level 2	< 1.5	G1
	Level 1	< 4.0	S4

Tested acc.	Abrasion resistance	Level 4
4110	Blade cut resistance	Level 1
	Tear resistance	Level 1
	Puncture resistance	Level 0

Tested acc.	A: Methanol	Level 3	J: N-Heptane	Level 2
ABUJL	B: Acetone	Level 3	K: Sodium hydroxide 40%	Level 6
	I: Ethyl acetate	Level 3	L: Sulphuric acid 96%	Level 4
	Level 1: > 10 minutes		Level 4: > 120 minutes	
	Level 2: > 30 minutes		Level 5: > 240 minutes	
	Level 3: > 60 minutes		Level 6: > 480 minutes	

**Colad**

#### Industrial Nitrile Gloves

Recommended when you are in continuous contact with solvents. Resistant to most chemicals. Excellent grip and moulded to the contours of the hand. Highly comfortable and suitable for multiple use. Per pair.



5330004 (size M)  
5330000 (size L)  
5330002 (size XL)

Personal Protective Equipment (PPE) CAT III according to European directive 89/686/EEC. PPE of complex design protects against risks that cause irreversible damage to health.

CE Notified body number: 0120

Tested in accordance with EN374-2:2003	Performance level	AQL	Inspection levels
Specified: Level 2 (AQL<1.5) acc. to producer	Level 3	< 0.65	G1
	Level 2	< 1.5	G1
	Level 1	< 4.0	S4

Tested acc.	Abrasion resistance	Level 4
4101	Blade cut resistance	Level 1
	Tear resistance	Level 0
	Puncture resistance	Level 1

Tested acc.	A: Methanol	Level 2	K: Sodium hydroxide 40%	Level 6
AJKL	J: N-Heptane	Level 6	L: Sulphuric acid 96%	Level 3
	Level 1: > 10 minutes		Level 4: > 120 minutes	
	Level 2: > 30 minutes		Level 5: > 240 minutes	
	Level 3: > 60 minutes		Level 6: > 480 minutes	

## 2.3 HAND CLEANERS AND PROTECTION



**Colad**

#### Hand Cleaner Extreme

8240 (300 ml)

Extremely powerful hand cleaner with natural scrubbing particles. Ideal for quickly cleaning of extreme soiling. It's unique product formulation easily removes stubborn soiling like paint, ink, resins, silicones, adhesives and sealants. Cleans and cares, prevents skin irritation. Natural scrubbing particles.

**Colad**

#### Skin Care Cream

8236 (250 ml)

Quickly absorbed by the skin, moisturizes the skin, prevents the skin from drying out and silicone free. Frequent use helps the skin to recover, leaving it smooth and supple. Use it after each working day! Apply the Skin Care Cream on dry and clean hands. Rub the cream on the hands until it is absorbed by the skin for maximum skin recovery. Dermatologically tested. Bottle 250 ml.



**Colad**

#### Hand Cleaner Dispenser 2 L

8265 - Dispenser 2 L  
8260 - Refill 2 L

The user-friendly designed Colad dispenser ensures a controlled measured dose with each hand wash. Use in combination with the Colad Hand Cleaner Refill (art. no. 8260) suitable for the dispenser.

**Colad**

#### Hand Cleaner

8235 (300 ml)  
8290 (3.8 L)

A powerful Hand Cleaner, especially developed for quick removal of daily soiling. Moisturizes hands and prevents skin irritation. Removes easily soiling's like grease, ink, adhesive, oil and paints. Contains natural scrubbing particles.

## 2.4 MASKS

**Colad**

#### A2P3 filters inclusive built-in pre-filter

5021

Set of 2 A2P3 filters with built-in pre-filter. For respirator art. no. 502100. Use the filters for maximum 40 hours, then replace the filters. The filters comply with EN 14387 (Gas Filters and Combined Filters) and are CE-marked: 0082. Package: per 2 pcs.



**Colad**

#### Safety Goggles

5085

Adjustable safety goggles with polycarbonate lenses. Provide optimum protection and clear vision while working. Frame: CE SGI 166 F. Lens: CE 2C-1.2 SGI 1F. Optical class: 1 (suitable for continuous use). Mechanical strength: F (impact protection against particles with high speed and low energy – 45 m/s). EN 166 safety specification. Per piece.



Personal Protective Equipment (PPE) CAT II according to European directive 2016/425. PPE of intermediate design, protecting against intermediate risks to health.

**Colad**

#### Respirator with A2P3 filters inclusive built-in pre-filter

502100

Respirator that protects against the inhalation of isocyanate from paint or solvents for an effective respiratory personal protection. Fits perfectly around the nose and mouth. Complete with 2 A2P3 filters with built-in pre-filter. Complies with the strict EN 140 standard, CE-marked: 0082. The 2 A2P3 filters can be replaced with article number 5021.

Personal Protective Equipment (PPE) CAT III according to European directive 89/686/EEC. PPE of complex design protects against risks that cause irreversible damage to health.



**Colad**

#### Active Carbon Filters A1

5020

The filters comply with EN 14387 (Gas Filters and Combined Filters) and are CE-certified. CE-marked: 0082.



**Colad**

#### Respirator

5000

Protects against the inhalation of isocyanate from paint or solvents. Fits perfectly around the nose and mouth. Maximum usage 40 hours. Complies with the strict EN 140 standard, CE-marked: 0082. One mask in an air-tight storage box with 2 carbon filters A1 and 50 pre-filters P2.

**Colad**

#### Pre-filter P2

5010

50 pieces in a box.



Personal Protective Equipment (PPE) CAT III according to European directive 89/686/EEC. PPE of complex design protects against risks that cause irreversible damage to health.



**Colad**

#### Disposable Respirator

506600

Disposable Respirator for protection from harmful paint or solvent vapors. Fits perfectly around the nose and mouth. Maximum usage 40 hours. Complies with the strict EN 140 standard, CE-marked: 0082. Include A1 filter. Per piece in an air-tight resealable bag.




**Colad**

#### Fine Dust Mask P2 with Valve and Active Carbon

5425

High protection against dust particles (P2). Fitted with an adjustable nose-clip and an exhalation valve for increased comfort. The carbon eliminates unpleasant odors. Complies EN 149:2001+A1:2009 FFP2, CE-marked: 0086. Box with 15 masks.



**Colad**

#### Fine Dust Mask P2 with Valve

5420

High protection against dust particles (P2). Fitted with an adjustable nose-clip and an exhalation valve for increased comfort. Complies EN 149:2001+A1:2009 FFP2, CE-marked: 0086. Box with 15 masks.



**Colad**

#### Fine Dust Mask P2

5410

High protection against dust particles (P2). Fitted with an adjustable nose-clip for a comfortable fit. Complies EN 149:2001+A1:2009 FFP2, CE-marked: 0086. Box with 15 masks.



## 2.5 HEAD PROTECTION

**Colad**

#### Spray Caps Large

5120

Protects head and neck during sanding and spraying. Cotton, pleasant to wear and washable. Per 5 pieces.



**Colad**

#### Spray Caps Small

5130

Protects hair during sanding and spraying. Cotton, pleasant to wear and washable. Per piece.





### 3 REPAIR OF BODYWORK AND PLASTIC PARTS

3.1	UNDERCOATING	57
3.2	MAGIC FIX	57
3.3	PLASTIC REPAIR	59
3.4	GUNS	59
3.5	GLASS REPAIR	60
3.6	SEALANTS	60
3.7	PANEL BONDING	61
3.8	SPREADERS	61
3.9	FASTENERS	61

### 3.1 UNDERCOATING



**Colad**

#### Undercoating M80

4010 (1 L) (Black)  
4020 (1 L) (White)  
4030 (1 L) (Grey)

Undercoating with anti-corrosion and noise reduction properties. Material made of rubber and resins. After drying, the coating is paintable. The coating offers excellent protection against climatic influences and against gravel and stone chips. 1 L tin with spray connection (suitable for +/- 2.5 m<sup>2</sup>).



**Colad**

#### Undercoating M40

4000 (1 L) (Black)

Protects against corrosion and salt. Noise-absorbing, flexible and chip-resistant. 1 L tin with spray gun connection.



**Colad**

#### Undercoating Spray

8100 (500 ml) (Black)

Undercoating in spray for rust prevention and sound deadening properties. Quick drying and recoatable. 500 ml spray.



**Colad**

#### Allround Neoprene Putty

4060 (1 kg)(Grey)  
4070 (Nylon Brush)

Allround Neoprene Putty is a petrol and oil resistant compound. While remaining elastic after drying, brush and spray textures are retained. Allround Neoprene Putty is repaintable. Application: seals body panel joints, e.g. in the trunk of a car and other parts of the bodywork. Allround Neoprene Putty is an excellent adhesive and resists temperatures ranging from -25°C to +80°C. Allround Neoprene Putty is delivered ready for use. Directions for use: Apply Allround Neoprene Putty to a clean, dry, oil-free surface. 1 kg can.

**Colad**

#### Disposable Tubes and Nozzles

90672690

Tubes and Nozzles for the disposable undercoating spray gun. Set consists of 6 tubes and nozzle.

**Colad**

#### Disposable Undercoating Spray Gun

90672682

Gun for coating application with disposable tube and nozzle. Saves cleaning time and costs. Includes disposable and replaceable tube and nozzle. Per set.

**Colad**

#### Undercoating Spray Gun Adjustable

90672674

Gun for the application of undercoating and cavity protection products in tins of one L. Gun with an air connection and a nozzle to apply the product on the surface. This gun is also equipped with an adjustable nozzle to adapt the spray pattern. Per piece.

**Colad**

#### Undercoating Spray Gun

4040

Gun for the application of undercoating in tins of one L. Per piece.

**Colad**

#### Undercoating Spray Gun Adjustable

4045

Gun for the application of undercoating in tins of one L. With an adjustable nozzle to adapt the spray pattern. Per piece.

### 3.2 MAGIC FIX



**Colad**

#### Magic Fix Glue and Filler

4325

Long lasting repair in seconds with an ultra strong sandable and paintable result. Magic Fix is a glue and filler for a fast and strong repair of various materials. Repair (almost) everything with Colad Magic Fix. It is a super glue to be combined with black and grey reinforcement powder. If it's worth repairing: Fix it, Sand it, Paint it! Ready!

Use Colad Magic Fix for glueing, filling and repairing of various materials such as steel, plastics, aluminium, fibreglass, carbon fibre, plastics and rubber. Fill cracks or spaces with Magic Fix for example on: car bumper fixing points. Magic Fix content: Glue (A) 6 pcs 10 ml, Reinforcement Powder (B) 2 pcs Black 22 g and 1 pc Grey 22 g.



7 sec.



### 3.3 PLASTIC REPAIR

#### Plastic Repair



**Colad**

Powerful 2-component (2K-PU) plastic adhesive. For bonding and repairing of plastic parts. Cartridge of 50 ml with 2 mixing tips.

- Sandable
- Excellent adhesion
- No smell. Fast Cure
- Paintable

90672258 (50 ml)(Black) - **30 Seconds**  
 Sandable in 5 Minutes  
 Handling time: 2.5 Minutes  
 Sanding time: 5 Minutes  
 Paint time: 5 Minutes  
 Per piece.

90672240 (50 ml)(Black) - **3.5 Minutes**  
 Handling time: 15 Minutes  
 Sanding time: 30 Minutes  
 Paint time: 30 Minutes  
 Per piece.

90672259 (50 ml)(Black) - **1.5 Minutes**  
 Sandable in 10 Minutes  
 Handling time: 5 Minutes  
 Sanding time: 10 Minutes  
 Paint time: 10 Minutes  
 Per piece.

90672241 (50 ml)(Transparent) - **5 Minutes**  
 Handling time: 20 Minutes  
 Sanding time: 45 Minutes  
 Paint time: 45 Minutes  
 Per piece.

#### Accessories for Plastic Repair



**Colad**

**Plastic Cleaner**  
 90672270 (500 ml)

- Excellent cleaning and degreasing of plastics
- Quickly removes grease, oil and sanding dust
- Waterbased
- Spray bottle
- Per piece



**Colad**

**Plastic Primer**  
 90672267 (200 ml)

- Adhesion promoter for plastic materials
- Improves adhesion significant in the plastic repair process
- Aerosol
- Per piece

**Colad**

**Mixing Tips Plastic Repair**  
 90672980 (25 pieces)  
 90672981 (10 pieces)

- Mixing tips for 2-component (2K) plastic repair adhesives
- Perfect blend and exact application
- Single use



**Colad**

**Contour Film**  
 90672275

- Helps shaping adhesive on plastic parts
- Restores original shape of the surface
- Can be used to create new parts
- Dimensions: 360 cm x 12 cm
- Per roll



**Colad**

**Reinforcement Film**  
 90672276

- Helps shaping and strengthen a damaged area of cracks and holes
- Achieves a strong and smooth surface
- Dimensions: 360 cm x 12 cm
- Per roll



#### Panel Bonding



- Adhesive especially developed for metal and composite panel bonding.
- Application on bare metal is possible, high energy absorption.
- To bond steel and aluminum. Replace quarter panels, roofs, van sides and door skins.



**Red:**  
 Suggested welded areas.




**Grey:**  
 Suggested adhesive bonded areas.



#### Plastic Repair



- Powerful two-part structural adhesive for plastic repairs.
- From 30 seconds quick cosmetic repairs, to larger 5 minutes repairs of plastic parts.
- Also applicable in any industry where a fast strong bond is demanded.



#### Glass Repair



- Fast curing, permanently elastic adhesive. Very high initial adhesion and high adhesive strength.
- Perfectly suited for bonding windscreens to the car body. Also for bonding of windcreens in vehicle, wagon and cabin construction.

#### Sealants



- Universal seam sealer or adhesive. For the automotive but also for many other applications like nautic and industry.
- Excellent filling properties, strong, flexible and durable bond. Outstanding adhesive strength on a wide range of materials and surfaces.

	Plastic Repair				Glass Repair	Sealants		Metal Repair
<b>Art. no.</b>	90672258	90672259	90672240	90672241	90673719	90672412	906724xx	90672440
<b>Product name</b>	<b>2K Plastic Adhesive Super Fast</b> 30 Seconds	<b>2K Plastic Adhesive Fast</b> 1.5 Minutes	<b>2K Plastic Adhesive Medium Fast</b> 3.5 Minutes	<b>2K Plastic Adhesive Slow</b> 5 Minutes	<b>Windscreen Adhesive MS Polymer</b>	<b>Sprayable Seam Sealer MS Polymer</b>	<b>Seam Adhesive MS Polymer</b>	<b>Panel Bonding Adhesive</b>
<b>Colour</b>	Black	Black	Black	Transparent	Black	Grey	Black, White, Grey	Black
<b>Content</b>	50 ml	50 ml	50 ml	50 ml	290 ml	310 ml	290 ml	195 ml

### 3.4 GUNS

**Colad**

**Universal Gun Manual**

90675550

- Manually operated gun for exact placement of adhesives and sealants
- For standard cartridges of 290 and 310 ml
- Per piece



**Colad**

**Caulking Gun Pneumatic**

90672658

- Accurate and even placement of sealers and adhesives 1-component (1K) gun
- With delivery regulator or spray pressure regulator (max. 6 bar)
- Compatible with Nozzles: Flat, 1.5, 2 and 3 mm
- For cartridges of 290 and 310 ml and sausages of 400 ml
- Per piece



**Colad**

**Gun for 2K Plastic Adhesive Manual**

90672666

- For 2-component (2K) adhesives
- Compact and light weight for precise application of adhesives
- Per piece





## 3.5 GLASS REPAIR

### Glass Repair

**Colad**

#### Windscreen Adhesive MS Polymer

90673719 (290 ml)(Black)

High quality MS Polymer, 1-component (1K). Permanently elastic adhesive, very high initial adhesion and high adhesive strength. Per piece.

#### Application

Perfectly suited for bonding windscreens to the car body. Also for bonding of windcreens in vehicle, wagon and cabin construction. Bus, truck, agricultural and construction machine sectors.

#### Features

- 2 hours drive away time, 8 hours with airbags
- Very good sealing properties
- Open time: 3.5 minutes
- Handling time: 15 minutes
- Paint time: Wet-wet
- Skinning time: 5 minutes
- Curing: After 24 hours: 3 mm

### Accessories for Glass Repair

**Colad**

#### Application Nozzle Windscreen Adhesive

90628373 (10 pieces)

- Per 10 pieces in a bag



**Colad**

#### Windscreen Primer

90675436 (100 ml)

- Adhesion promoter for a strong bond
- Colourless
- In a tin of 100 ml
- Per piece



## 3.7 PANEL BONDING

### Panel Bonding

**Colad**

#### Panel Bonding Adhesive

90672440 (195 ml)(Black)

90663803 (Panel Bonding Nozzles)(195 - 220 ml cartridges) (10 pieces)

Two-component structural adhesive, epoxy based for metal and composite panel bonding. 2 mixing tips included.

#### Application

- Bond steel and aluminum panels of the same or different metal composition together
- Alternative to refitted or welded bonded joints
- Panel to frame assembly, aluminum panel on steel body work, aluminum fender, quarter panels, roofs and van sides

#### Features

- Long open time of 60 minutes, cures faster than other adhesives for panel bonding
- Contains glass pearls to assure an even layer of adhesive
- High energy absorption
- Can be used on bare metal, contains a corrosion protection
- Room temperature curing
- Withstands automotive e-coat, powder prime and paint oven temperatures up to 230°C



Always follow OEM instructions with repairs. Not for chassis/structural parts of the car.

## 3.6 SEALANTS

### Sealants

**Colad**

#### Sprayable Seam Sealer MS Polymer

90672412 (310 ml)(Grey)

High quality Sprayable Seam Sealer. Paintable with waterborne and 2K paints. Apply with Pneumatic Caulking gun plus Nozzle Flat and Nozzles 1.5, 2 and 3 mm. MS Polymer based. Per piece.

#### Application

- Where textured coating or sound insulation is needed
- Protective layer inside and outside car body welding and construction seams
- Restore sealing and bonding in original state

#### Features

- Permanent elastic.
- Possibility to modulate (brush)
- Matches factory sealing jobs
- Sand time: After fully cured
- Paint time: Wet-wet
- Skinning time: 15 minutes
- Curing: 3 mm in 24 hours



**Colad**

#### Seam Adhesive MS Polymer

90672426 (290 ml)(Black)

90672427 (290 ml)(White)

90672428 (290 ml)(Grey)

High quality universal sealing and bonding adhesive. MS Polymer. Neutral curing. Per piece.

#### Application

- All joints and seams on almost all substrates
- Bonds many materials (metal, plastic, glass, wood, etc)
- Can also be used as universal bonding-, sealing- and assembling sealant

#### Features

- Excellent Adhesion
- Permanent elastic
- Fast curing. Wet-on-wet applicable
- Sandable. Paintable with waterborne and 2K paints
- Resistant to UV-radiation, weather, water, moist
- Sand time: After fully cured
- Paint time: Wet-wet
- Skinning time: 10 minutes
- Curing: 3 mm in 24 hours



## 3.8 SPREADERS



**Colad**

#### Plastic Spreaders

9105, 9106 (Flexible Red)

9107, 9108 (Super Flexible Black)

These spreaders are specially designed for the application of putties. Use the flexible spreader for use on flat surfaces. Use the super flexible spreader for use on curved ones. Made of plastic to avoid scratch in the surfaces, with flattened spread-edge, including grip. Both available in the same size: 120 x 90 mm. 9105 and 9107 available per display with 25 sets of 5 pieces. 9106 and 9108 available per box (of 100 pieces).

**Colad**

#### Rubber Squeegees

9130

Rubber Squeegees specially designed for application of putties to achieve a very smooth finish. Dimensions 95 x 65 mm. Per piece.

**Colad**

#### Japanese Putty Knives

9100

Japanese knives for spreading putty. Made of first class quality steel; very flexible, with grip. Per set of 4 pieces in different sizes.



**Colad**

#### Mixing Board

000846

Mixing board specially developed for preparing filler. Compact, handy and clean. Use new paper for every job. Per piece.

### Accessories for Sealants

	Art. no.	Description	Packing
<b>Nozzle Flat</b>	90663772	Suitable for Caulking Gun Pneumatic (90672658).	Per 10 pieces.
<b>Nozzle Standard</b>	90627997	Multi-purpose nozzle.	Per 10 pieces.
<b>Nozzle 1.5 mm</b>	90663799	1.5 mm for Caulking Gun Pneumatic (90672658).	Per 10 pieces.
<b>Nozzle 2 mm</b>	90663780	2 mm for Caulking Gun Pneumatic (90672658).	Per 10 pieces.
<b>Nozzle 3 mm</b>	90663802	3 mm for Caulking Gun Pneumatic (90672658).	Per 10 pieces.

## 3.9 FASTENERS

**Colad**

#### Permanent Attachment Tape

900509 (9 mm)

900512 (12 mm)

Transparent double-face tape, for attaching strips, registration plates and accessories to cars. Clear, permanent bonding, double-sided film. Thin and highly durable. Quick and simple to apply. Resulting in an appearance equal to O.E.M. standards. Available in 9 and 12 mm x 9 m. Per roll in a plastic bag.

**Colad**

#### Double-faced Acrylic Foam Tape

901006 (6 mm)

901009 (9 mm)

901012 (12 mm)

901019 (19 mm)

901025 (25 mm)

Double side foam tape, to attach strips, registration plates and accessories to cars. Weather resistant. Available are: 6, 9, 12, 19, 25 mm x 10 m. Per roll in a plastic bag.

**Colad**

#### Self Adhesive Noise Absorbing Sheets

4050

Colad Self Adhesive Noise Absorbing Sheets are designed to be applied to the interior sheets metal of car doors, trunk, car roofs etc. These sheets are made of 100% heat resistant bitumen. Excellent noise and vibration reduction properties. Colad Noise Absorbing Sheets are repaintable. Thickness: 2.2 mm. Per box of 8 sheets of 250 mm x 500 mm.



## 4 SPRAY BOOTH PROTECTION

4.1	SPRAY BOOTH PROTECTION SYSTEM	63
4.2	MISCELLANEOUS	63
4.3	SPRAY BOOTH COATING	64

# 4

## 4.1 SPRAY BOOTH PROTECTION SYSTEM

### A COMPLETE SOLUTION FOR MAINTAINING YOUR SPRAY BOOTH!

To guarantee a clean working space and a longer life-span of your spray booth, EMM developed the Cabin Protection System. Optimal protection against booth contamination wall-dust-pollution of your spray job.



### SPRAY BOOTH PROTECTION SYSTEM

**Colad**

#### Film4Booth

6860 (90 cm x 84 m) (including 6 rolls of tape).  
6880 (3 rolls of tape)

Protect your spray booth walls for 1 year, using this 4-layered protection film! Layer has to be removed after 250 booth cycles or 3 months. To remove a layer, peel the top layer off to expose fresh film and re-tape the edges. Roll of 90 cm x 84 m (including 6 rolls of tape).



- Self-adhesive
- Transparent
- Can be applied over lights and windows
- Treated with paint adhesion

Film4Booth is suitable to be used on the walls of a spray booth, and is tested / certified by norm EN 60079-0 : 2011 which specifies the general requirements of construction, testing and marking of electrical equipment and Ex Components intended for use in Explosive atmospheres.

Film4Booth can be used in accordance with ATEX normative 2014/34/EU (replacement of the old ATEX norm 94/9/CE) and is suitable for the following zones and explosion groups, this was tested by norm EN 60079-0:2011).

6900 Foil Dispenser  
6950 Foil Applicator  
2070 Magnetic Foil Cutter  
9105 Plastic Spreader



## 4.2 MISCELLANEOUS

**Colad**

#### Film4Floor

6865 (90 cm x 150 m)  
6864 (60 cm x 50 m)

A self-adhesive strong and durable white film. Makes cleaning very easy.

- White high gloss for optimum reflection
- Strong and durable (100 micron)
- Treated with paint adhesion.
- Easy to apply and cut
- Solvent resistant



- Ribbed anti-slip surface
- Easy to remove, does not leave adhesive residue
- Can be used in combination with Dust Control to eliminate dust
- Not anti-static
- Not to be applied in ATEX zone 1, 2, 20, 21 and 22.



### ANTIDUST (transparent coating)

Keep your spray booth in perfect conditions for high quality paint work! Protect your spray booth walls with the transparent Colad Antidust adhesive coating. Maintain your spray booth with this coating and it will result in a spray booth life time that is much longer than average.

Cleaning the spray booth is no longer an annoying task, with Antidust it is an easy job! Regularly use in the spray booth gives also a brighter sight on the paint projects, resulting in perfect paint jobs.

#### Features and advantages

- Paint overspray adheres on the Antidust coating
- Ready to apply fluid, which saves on preparation time
- Can be applied is with the application method you prefer; like spray gun, brush or paint roller
- Easy removeable with hot water or steam cleaner and save on cleaning time
- Silicone free, no fear for contaminating your paint work!
- The tackiness prevents dust particles going airborne for a perfect paint result!



**Colad**

**Antidust**  
8142 (5 L)  
8141 (10 L)  
8140 (20 L)

Use 10-12 m<sup>2</sup> per L.

### NON-TACKY BOOTH COATING



**Colad**

**Booth Coating**  
8144 (5 L)

This coating for spray booths walls is ready to apply by spray gun (1.8, 2.0). A different method for masking a spray booth. Protects the walls from overspray by applying a single layer of booth coating. Booth coating forms a strong and transparent dry film. Remove it with warm water or high pressure spray gun. Per piece. 5 L can.

### PEELABLE BOOTH COATING



**Colad**

**Aqua Strippable Coating**  
8145 (10 L)

Strippable coating for masking spray booths walls. Apply by spray gun, brush or paint roller. Is an alternative to Booth coating or Antidust for the protection of the walls from overspray and dirt. Remove it by peeling of the film from the wall. Per piece. 10 L can.

**Colad**

**Dust Control**  
8200 (5 L)

A static clear solution for spray booths floors and preparation areas. Specially designed to keep dust and dirt down on the floor to prevent dust from swirling during the paint job. Reducing the time spent on polishing job. Applied with pressure sprayer. 5 L can.



**Colad**

**Pressure Sprayer**  
8300

Designed to apply Colad Dust Control. It is fitted with Viton O-rings for durability and has a 5 L capacity. Automatic safety valve protects against over-pressure. Per piece.





5	MIXING ROOM	67
6	WORKSHOP	74
7	CENTRAL DUST EXTRACTION	78
8	TOOLS	90



# 5

**Mixing room equipment and extraction systems from Hamach offer the complete professional mixing room solution.**

All equipment is manufactured in polished stainless steel to avoid paint contamination, prevent rust and allow easy cleaning. The complete solution includes tables, washing machines, can containers, all the extraction tubes and fans to renew the air in the mixing room. Consult with our experts to get a quote for your new clean and efficient mixing room. High quality and compliance with all environmental regulations are guaranteed. Hamach stainless steel mixing room equipment is the best solution for a safe and clean mixing area that conforms to current regulations.



5.1	WORK STATION	68
5.2	CLEANERS	69
5.3	PAINT WASTE CONTAINERS	71
5.4	VENTILATORS AND WASTE BINS	72
5.5	STICK & GO	72



**ATEX**  
Directive 2014/34/EU

When a mixture of air gases, vapours, mists, or dusts combine in a way that they can ignite under certain operating conditions a potentially explosive atmosphere arises. Working in such an environment demands certified equipment, equipment that Hamach supplies in.

Most of our Hamach products are available as certified ATEX Directive 2014/34/EU. This means that they are for use in potentially explosive atmospheres like spray booths or mixing rooms. The directive defines the essential health and safety requirements and therefore guarantees you a safe and healthy environment to get the most out of your expertise.



## 5.1 WORK STATION

Hamach offers a wide variety of high quality standard mixing room equipment made of stainless steel.

See the workstations, cleaners, ventilators, scale tables and more. We also are well known for our tailor made mixing room solutions. If you want a mixing room facility that fastens and fits perfectly into your daily work process, then ask us for a solution just designed for your company.

**hamach**  
DUTCH ENGINEERING

### Stainless Steel Tables

Tables with or without doors in two sizes with one extraction hood. Vapor extraction over the complete working surface at a height of  $\pm 20$  cm:

- Stainless Steel
- Extraction point:  $\varnothing$  180 mm
- With extraction hood on top of the table
- Height adjustable
- Polished flat work surface
- Spilled fluid stays on worktop



Art. no.	Width	Depth	Doors	Working height (cm)	Weight kg
000463 - HT 120	120 cm	60 cm	open - no doors	91 cm	41 kg
000465 - HT 120	120 cm	60 cm	2 doors	91 cm	55 kg
000460 - HT 180	180 cm	60 cm	open - no doors	91 cm	61 kg
000462 - HT 180	180 cm	60 cm	2 doors	91 cm	76 kg

The Stainless Steel tables are also deliverable without the extraction hood. Ask for art.no. 000465-1, 000463-01, 000460-1 and 000462-1.

**hamach**  
DUTCH ENGINEERING

### HS Spray Board

Spray board that is suitable for spraying small parts, such as spray samples. Suitable for wall mounting or mounting on Hamach Stainless Steel tables, art.no. 00046x.

- Stainless Steel
- Size extraction point:  $\varnothing$  180 mm
- Equipped with:
  - pressure regulator
  - a manometer



Art. no.	Width	Height	Depth	Mounting	Weight kg
000478 - HS 120	120 cm	74 cm	20/44 cm	wall or on HT 120 table	30 kg
000479 - HS 180	180 cm	74 cm	20/44 cm	wall or on HT 180 table	50 kg

**hamach**  
DUTCH ENGINEERING

### Computer Scale Table

000468

Computer scale table with vapour extraction. Adjustable height to keep your computer scale stable. Dimensions: 60 x 45 x 125 cm (H x W x D)  
Extraction point:  $\varnothing$  80 mm  
Extraction volume: 30 m<sup>3</sup>/h  
Weight: 18 kg



## 5.2 CLEANERS

One compact station (automatic or manual) for cleaning your spray guns. Possibility to connect to the Hamach ventilators.

**hamach**  
DUTCH ENGINEERING

### HR 3000 Automatic Spray Gun Washer

000453

Automatic spray gun washer with capacity for two spray guns. Equipped with fluid pumps, cleaning brushes and cleaning nozzle for final rinsing of spray gun with cleaning solvent. During the automatic cleaning process you can clean a spray gun manual on the working platform. The cleaning process stops automatically when you open the lid. Only driven by max. 4 bar compressed air.

**hamach**  
DUTCH ENGINEERING

### HR 2000 Spray Gun Washer

000473

A manual spray gun washer for solvent paint. With vapour extraction connection. All you need is a 5 bar air pressure connection. Simple and intuitive to use.

**hamach**  
DUTCH ENGINEERING

### HR 2400 Spray Gun Washer

000474

Pneumatic manual spray gun washing machine. To be connected directly to water supply. With space to carry out the coagulation process and a pneumatic system to accelerate this process. A large tank with a filter system and 4 large wheels to collect all waste, is easy moveable. A security valve limits the water excess.



HR 3000

HR 2000

HR 2400



### Spray Gun Washers

CE II 2 G c IB T4

Type	HR 3000	HR 2000	HR 2400
Art.no.	000453	000473	000474
Based	Solvent based	Solvent based	Waterborne
Dimensions (H x W x D cm)	158 x 84 x 60 cm	158 x 84 x 60 cm	158 x 84 x 60 cm
Working height	105 cm	105 cm	105 cm
Weight (kg)	70 kg	65 kg	70 kg
Extraction point $\varnothing$	$\varnothing$ 180 mm	$\varnothing$ 180 mm	$\varnothing$ 180 mm
Extraction volume	700 m <sup>3</sup> /h	700 m <sup>3</sup> /h	400 m <sup>3</sup> /h
Collecting tank	2 x 25 L	2 x 25 L	60 L
Remark	Automatic Pump	Manual Venturi	Direct connectable to water supply
			Included: 1 piece Filter Bag (coarse) (045601) 1 piece Filter Bag (thin) (045605)



### HR 1400 SPRAYGUN CLEANER

Cleaning your spray gun in between jobs is a time consuming task. The quick and compact Hamach Spraygun Cleaner increases your productivity by enabling you to clean your spray gun from leftover waterborne coatings paint in a matter of seconds!




hamach  
DUTCH ENGINEERING

**HR 1400  
Spraygun Cleaner**  
000452

Dimensions:  
85 x 30 x 20 cm  
(H x W x D)



CE II 3G IIB T4

-  • **Easy to use**  
Jet, Flush and Dry.
-  • **Increases productivity**  
Fast and easy colour change.
-  • **Environmentally friendly**  
Limited waste / Limited use of water.
-  • **ATEX 2014/34/EU**  
Can be placed in ATEX zone 2.
-  • **Neat and hygienic working**  
Clean working environment = Excellent results.



hamach  
DUTCH ENGINEERING

**Cleaning Fluid HR 1000**  
009819 (10 L)

This is a cleaner, very active and only made with biodegradable products. Suitable for cleaning polyester mastic, two-component polyurethanes, water-based and solvent-based paints, clear coat as well as various kinds of adhesives from spreaders, rules, etc. Environmentally friendly, does not produce vapours. 10 L can.



hamach  
DUTCH ENGINEERING

**Micro Cleaner HR 1000**  
000457

Is a wall manual stainless steel washing tank, ideal for the manual cleaning of putty spreaders and small pieces. Equipped with a cleaning brush and automatic circulation of fluid. Suitable to be used with the special Hamach cleaning fluid (009819). All you need is a connection to a compressed air line and fill the special cleaning fluid in the tank of the HR 1000. Ready to use by opening the front flap. The front flap is also the cleaning table and when you close the flap the rest of the cleaning fluid flows back into the tank. The Micro Cleaner HR 1000 can be connected to a steam extraction line. Equipped with a drain cock to drain the dirty cleaning fluid. Dimensions: 46 x 19 x 53 cm (H x W x D). Tank content: 7 L. Extraction point: Ø 80 mm.

CE II 3G IIB T4

### PAINT WASTE CONTAINERS

Special waterproof waste containers for paint waste and solvent products. You can place leftover paint and solvents upside down inside this container and close it. Liquids will leak into two different cans underneath. Any hazardous vapours will be extracted from the container through an exhaust duct. It is the perfect solution for paint waste from tins, cups, etc. There are three different options depending on the sizes of the paint tins, solvent packaging and different lids (automatic or manual). Complies with environmental standards and regulations.



**Paint Waste Container  
Manual**  
000458



**Paint Waste Container Manual  
Easy Access**  
000471



**Paint Waste Container  
Pneumatic**  
000459

CE II 3G IIB T4

hamach  
DUTCH ENGINEERING

#### Paint Waste Containers

Art.no.	000458	000471	000459
<b>Type</b>	Paint Waste Container	Paint Waste Container - Easy Access	Paint Waste Container
<b>Based</b>	Manual	Manual	Pneumatic
<b>Dimensions (H x W x D cm)</b>	122 x 100 x 60 cm	124 x 90 x 60 cm	122 x 100 x 60 cm
<b>Weight (kg)</b>	71.5 kg	50 kg	50 kg
<b>Extraction point Ø</b>	Ø 80 mm	Ø 80 mm	Ø 80 mm
<b>Extraction volume</b>	100 m³/h	100 m³/h	100 m³/h
<b>Capacity</b>	30 L	30 L	30 L
			Optional: 045901- 30 L can for Paint Waste Containers



## 5.4 VENTILATORS AND WASTE BINS

hamach  
DUTCH ENGINEERS

### Ventilator Units 380 V and 230 V

To make sure that all harmful / dangerous gasses are eliminated, a well equipped mixing room needs a good ventilation system. The Hamach ventilator units create a healthy environment for your staff, eliminating health and safety risks.



### Ventilators 380 V

ATEX certified. Suitable for indoor use.

Art. no.	Capacity	V
RVE000001	250 m <sup>3</sup> /h	380 V
RVE000002	700 m <sup>3</sup> /h	380 V
RVE000003	1200 m <sup>3</sup> /h	380 V
RVE000004	1980 m <sup>3</sup> /h	380 V

### Ventilators 230 V

Art. no.	Capacity	V
RVL000001	250 m <sup>3</sup> /h	230 V
RVL000002	700 m <sup>3</sup> /h	230 V
RVL000003	1200 m <sup>3</sup> /h	230 V
RVL000004	1980 m <sup>3</sup> /h	230 V

hamach  
DUTCH ENGINEERS

### Waste Bin 250 L

000469

This is a waste bin specially designed to go with all Stainless Steel furniture. The front opening extends the table size. Use it with normal 250 L plastic bags.

Waste box volume: 250 L.

Dimensions: 92 x 46 x 60 cm (H x W x D). Prepared for a connection to a vapor extraction of Ø 80 mm.



## 5.5 STICK & GO



Colad

### Stick & Go®

Quick and efficient protection of surfaces like stainless steel table tops.

- White for optimum reflection
- Chemical and solvent resistant
- Strong and durable
- Ribbed anti-slip surface
- Easy to apply and cut
- Not anti-static
- Not to be applied in ATEX zone 1, 2, 20, 21 and 22.

676010 (60 cm x 10 m)  
676025 (60 cm x 25 m)  
6710025 (100 cm x 25 m)





6.1	MOBILE CABINETS AND STANDARDS	75
6.2	PRESSES	76
6.3	PHYSICAL SUPPORT	76
6.4	MISCELLANEOUS	77



# 6

**hamach**  
DUTCH ENGINEERING  
**Partscar**  
000525



For collecting and storage of dismantled car parts during repair, e.g. bumpers and doors. Large storage space. Mixing cup holders for collecting small parts as screws and lamps. Dimensions: 109 x 76 x 166 cm (H x W x D). Per piece. Not assembled.

**hamach**  
DUTCH ENGINEERING  
**Sanding Cart**  
000529



A workstation for storing products or equipment. Suitable for sanding or polishing materials. Supplied with antislip material and drawer lock. Fitted with 4 strong wheels. Per piece. Not assembled.  
052911 Standard: Holder for garbage bag.  
052912 Standard: Holder for 4 spray cans.

**Colad**  
**Trestle**  
7080



A workshop trestle for placing bumpers and doors on, for either preparation or painting. Sturdy construction and lightweight. Adjustable working height. Equipped with rubber buffers. Can be used on grid floors. Dimensions: 116 x 70 cm. Max. opening: 85 cm. Max. carrying weight 60 kg. Per piece.

**hamach**  
DUTCH ENGINEERING  
**H Trestle**  
000651



Accordion trestle which lets you quickly and easily create a flexible sanding area. Equipped with 2 separately adjustable bars and 4 castors with brake. The replaceable foam holders provide protection for the sanding object. Extendable height: 65.5/95 cm. Max. opening: 140 cm. Storage size: 22 x 87 x 83 cm. Max. carrying weight 100 kg. Per piece.  
065101 Option: Set Foam sponges

**hamach**  
DUTCH ENGINEERING  
**X-Bok**  
000827  
000840  
(with bumper holder)



Sand / Spray Trestle. Universal trestle. Adjustable in different heights and 4-point support for large parts. Max. opening: 124 cm. Storage size: 126 x 60.5 x 9.5 cm. Per piece.

**hamach**  
DUTCH ENGINEERING  
**PS 4 Telescopic Bars**  
000826



A practical set of work stays to support boot lids, bonnets and doors during preparation. Per set of 3 lengths in a box.

**Optional for Paint Stand art. no. 000672**

**hamach**  
DUTCH ENGINEERING



**Clamp 10 cm**  
067221  
**Clamp 20 cm**  
067222  
**Clamp 30 cm**  
067223



**Mirror Holder**  
067224



**Wheel Rim Holder**  
067225



**Table (Without Clamps)**  
067226

**hamach**  
DUTCH ENGINEERING  
**HLS 93 Paint Stand**  
000672



To paint all kinds of parts safely and to paint both sides at once. Robust, solid, strong and easy to move. Additional accessories available if required. Dimensions: 210 x 140 x 170 cm. Per piece, not assembled, with 8 bars.



## 6.2 PRESSES

To reduce the size of paper, plastic or tins Hamach offers a range of professional pneumatic bale presses. Ideal to lower your waste volume easy and fast.

- Compact bales for easier disposal
- Pneumatic so no manpower needed
- Compact and easy to use



**hamach**  
DUTCH ENGINEERING  
**Bale Press**  
7000

Pneumatic paper and plastic press. Reduces waste volume substantially. Provided with a water separator and safety system that prevents you from opening the pressing room while operating. Ready to use: incl. 2 rolls of cord. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Buggy 30**  
000802

Press for tins, paper and plastic foil. Suitable for tins up to 30 L, paper and plastic foil. Press cylinder with a compressing force of 650 kg. Provided with a safety system that prevents you from opening the pressing room while operating. Per piece.



**hamach**  
DUTCH ENGINEERING  
**Buggy 10**  
000841

Press for tins. Suitable for normal cans up to max. 10 L. reduces volume up to 85%. Press cylinder with a compressing force of 450 kg. Max. 10 bar – 20 L / Pressure. Provided with a safety system that prevents you from opening the pressing room while operating.

000842  
Stand for Buggy 10, for an ideal height. Per piece.

Type	Bale Press	Buggy 30	Buggy 10
<b>Art.no.</b>	7000	000802	000841
<b>Press for</b>	paper, plastic	tins, paper, plastic foil	tins
<b>Dimensions (H x W x D cm)</b>	66 x 68 x 151 cm	185 x 55 x 55 cm	104 x 35 x 33 cm
<b>Pressure</b>	8 - 10 bar (115 - 145 PSI)	Max. 10 bar (145 PSI)	Max. 10 bar
<b>In accordance with</b>	EN 13736 : 2003 + A1 : 2009.	EN 13736 : 2003 + A1 : 2009.	(145 PSI) EN 13736 : 2003 + A1 : 2009.
<b>Optional</b>	art.no. 7010 Ball of Cord.		art.no. 000842 Stand for Buggy 10 for an ideal height.

## 6.3 PHYSICAL SUPPORT



**hamach**  
DUTCH ENGINEERING

**Aluminum Working Platform**  
709040 (H 34 cm)  
709050 (H 44 cm)

A working platform for when working at height or difficult angles. Very stable, with anti-slip profile. For use on grid floors. Max. weight: 125 kg. Dimensions: 709040 (H x W x D) 34 x 90 x 40 cm + 709050 (H x W x D) 44 x 115 x 50 cm. Per piece.



**hamach**  
DUTCH ENGINEERING

**Working Seat**  
000528P

Provides a comfortable working position especially when working at difficult angles. Universal seat with gas spring. Large seat area. Adjustable in height. Self assembly required. Per piece. Not assembled.

## 6.4 MISCELLANEOUS



**Colad**

**High Pressure Hose**  
PU/TPR

9110 (8 x 12 mm and 100 m roll)  
9111 (10 x 15 mm and 60 m roll)

Compressed air hose recommended for paint jobs: strong and lightweight. Reinforced with polyester. Working pressure 20 bar, bursting pressure 60 bar. Silicone free.



**Colad**

**Hose Cutter**  
9119

For safely cutting high pressure air hose. Per piece.



**hamach**  
DUTCH ENGINEERING

**Venturi**  
000659

The Venturi provides air flow to reduce paint drying time. The use of the Venturi on waterborne coating systems reduces the program run of the spray cabins saving time and energy. The air flow is adjustable and the filters in each gun ensure dust-free air. It is adjustable in height and sideways. Dimensions: Height 164 cm x width 100 cm. Per piece.



**hamach**  
DUTCH ENGINEERING

**Venturi Gun**  
065901

Per piece in a box.



**Colad**

**Welding Blanket**  
7100

Avoids scorching stains from welding-sparks. Made of glass fibre. Fitted with magnets. Vertical application only. Dimensions: 200 x 115 cm. One blanket in a box.



# 7 CENTRAL DUST EXTRACTION

7.1	TOP QUALITY	82
7.2	HIGH QUALITY	84
7.3	PRE-SEPARATOR	85
7.4	SWING ARMS	86
7.5	EXTRACTION POINTS	87
7.6	ENERGY BOXES	88
7.7	ACCESSORIES & FILTERS	89



SERVICE AND QUALITY



SAFETY



EFFICIENCY AND DURABILITY



INNOVATION



**Over the last thirty years, EMM has designed and installed many high quality Hamach Central Vacuum (HCV) dust extraction systems for the automotive, shipbuilding and industrial sectors.**

**We are experts in:**

- Customized systems
- Maintenance by our in-house Hamach service team
- Solutions for every budget.

HCV Central Vacuum for dust extraction is the top range concerning: Service, Quality, Safety, Efficiency and Innovation.

Our qualified Hamach engineers develop dust extraction systems that collect sanding dust at the source (the sanding machine). All of our systems are 100% tailored to your work processes and applicable ATEX regulations.

In addition to the health benefits of reduced sanding dust, HCV dust extraction systems keep dust particles from contaminating your fresh coating layers. Did you know that HCV dust extraction systems are also fitted with highly efficient filter cleaning? The filters always stay "free" of dust, even when working with fillers that leave a sticky sanding residue. This also applies to sanding dust from composites such as carbon fibre, fibreglass and polyester.

**THINKING  
OUT OF  
THE BOX**

# CREATIVE ENGINEERING



- Safe and soundless in use
- Proven high quality and durability
- Powerful and constant dust extraction of fine and coarse dust
- High performance dust filters
- Installation and maintenance by our service teams
- High efficiency
- Savings in the use of abrasives



## SERVICE AND QUALITY

- Over 30 years of experience worldwide (more than 13 million working hours)
- Installation on the spot
- Experience in both industrial customer (24/7) and smaller customers
- Service and maintenance by our experienced HCV team
- Warranty included, possibility to expand with specific warranty packages



## SAFETY

### CE safety regulations



All our HCV units and parts comply with the European Economic Area regulations. This is our declaration that our products meet the requirements of the applicable EC directives.



### ATEX

All HCV TQ systems are optionally available as ATEX zone 22 units and match the requirements in directive 2014/34/EU: "European directive for equipment & protective systems intended for use in potentially explosive atmospheres". These units are also suitable to extract potentially explosive dust (St1).



## EFFICIENCY AND DURABILITY

- Built in filter cleaning system provides continuous power and suction
- Saving of abrasives (up to 20%)



## INNOVATION



### Programmable control system

This system keeps track of the HCV working hours. This major energy saver automatically shuts down on weekends or when you leave the company at closing time.




### Frequency regulator

Possibility of saving up to 70% on energy or upgrade the power by 25%.



**YOUR HCV SYSTEM**

Fill in the Hamach Selection Tool on the Hamach website and you will find out in only a few minutes which Central Vacuum System will match your company needs. All HCV Systems are custom made from high quality material and designed by experienced engineers for each specific customer. Depending on the size of your company, requirements and budget, the Hamach experts build your custom made HCV installation. In short each HCV system consists of 4 specific parts:



- 1 Central Vacuum Unit**  
Each HCV system starts with one of Hamach's central vacuum units. This may vary from a small and portable HCV 410 HQ, suitable for 4 extraction points up to a industrial HCV 18000 TQ suitable for 18 extraction points. Optional is for the TQ 5000/7000, 9000, 15000 and 18000 a blast cover available.
- 2 Piping**  
The chosen Central Vacuum will be equipped with the requested pipework. The steel pipes of each HCV unit are electrically conductive and grounded.
- 3 Optional Pre-separator**  
50 TQ EX Pre-separator for separation potentially explosive dust. More information, see page 85. Optional is for this machine a blast cover available.
- 4 Extraction points**  
For easy access we equip every work station with the extraction points of your choice.



Customers worldwide choose Hamach as their central vacuum partner, for instance ITAS (UK). ITAS provides bodyshop approval programmes, world-class bodyshop training, ground-breaking software and critical data analysis. Their body and paint programmes create best-in-class repair networks, bringing commercial value and delivering the best possible post-accident experience.

"For dust extraction and in the mixing room, EMM was our first and only choice of supplier. Their customer service is always excellent and the quality of the product is exceptional and complies with the highest technological standards required by the industry. Where safety and standards are concerned there can be no compromise. That is why ITAS is proud to use EMM equipment."

Bryan Young, Chairman ITAS



**PRODUCT RANGES**

The core of your HCV system is your Central Vacuum Unit. This unit provides you with the requested dust extraction when needed. Hamach's Central Vacuum Unit's are divided into two specific ranges. Each range matching a different capacity.



	<b>High Quality</b>	<b>Top Quality</b>
Type of company	Small size bodyshop Middle size bodyshop	Middle size industry Large size industry
Type of use	Variety of use, up to 8 hours a day	Continious professional use 24/7
Amount of work stations	1 - 6	1 - 18

**LET'S TAKE A LOOK INSIDE**

Now that you have seen the complete system, let's meet the inside of your Central Vacuum Unit.

**Switchbox**  
Enables you to use energy as efficient as possible. The switchbox controls the central vacuum units main functions like:

- start/stop
- automatic filter cleaning
- running time after turning off.

Additional:

- pressure regulator
- automatic start for electric sanders
- remote control.

\*For the units HCV 410 HQ and HCV 510 HQ the switch box is an additional option.

**Filters**  
The smart filter system of HCV makes sure that you are always working in the best possible circumstances. The automatic filter cleaning system prevents loss of underpressure.

**Air entrance**  
Fresh air enters the engine.

**Waste Bin**  
The HCV waste bin fits perfectly to keep the inside of your unit clean and dust-free.

**Base**  
Makes sure that the unit is stable and prevents shaking and strumming.

**Engine**  
The powerful engines of HCV have proven to have a lifetime of over 20 years.

**Housing**  
The solid yellow HCV housing is supplied with vent holes to prevent over-heating of the unit.

**Blast Cover**  
Optional: ATEX blast cover provides an outlet for explosion in case of a limited explosive destruction.

“ Over 30 years of worldwide experience, tailor made systems maintained by our HCV team and a solution for every budget! ”





**HCV 9000 TQ**

000584

- Central Vacuum TQ with a 7.5 kW/380-400 V motor
- Sufficient for max. 9 sanding workers and tube work of ± 120 m



**HCV 15000 TQ**

000588

- Central Vacuum TQ with a 12.5 kW/380-400 V motor
- Sufficient for max. 15 sanding workers and tube work of max. ± 200 m



**HCV 18000 TQ**

000589

- Central Vacuum TQ with a 12.5 kW/380-400 V motor
- Sufficient for max. 18 sanding workers and tube work max. ± 250 m



**HCV 5000 TQ**

000586


- Central Vacuum TQ with a 4 kW/380-400 V motor
- Sufficient for max. 5 sanding workers and tube work of ± 70 m
- Ideal for working areas in adjacent rooms



**HCV 7000 TQ**

000565

- Central Vacuum TQ with 2 x 3 kW/380-400 V motor
- Sufficient for max. 7 sanding workers and tube work of ± 110 m
- Ideal for a working area with variable number of workers (3 - 7) during the day
- With the 2 motor on/off switch, depending on the number of workers connected, one only uses the energy needed, saving money every day!



Technical data	9000 TQ	15000 TQ	18000 TQ
Max. extraction points	9	15	18
Volt (V)	380 - 400	380 - 400	380 - 400
Power (kW)	7.5	12.5	12.5
Air flow (m³/h)	710	1100	1400
Air flow (L/min)	11.800	18.300	23.300
Under pressure (Kpa)	260	260	260
Under pressure (m. bar)	200	200	200
Number of motors	1	1	1
Air pressure (bar)	5	5	5
Weight (kg)	400	600	625
Dimensions L x W x H (cm)	135 x 60 x 150	188 x 95 x 190	188 x 95 x 190
Noise level (dBa)	73	74	74
Polyester non woven filters m²	6 x 0.8	9 x 0.8	9 x 0.8
Filter surface (m²)	4.8	7.2	7.2
Automatic filter cleaning	Yes	Yes	Yes
Container volume (L)	50	150	150
Tube work (m)	± 120	± 200	± 250
Switch box (24 V)	Standard	Standard	Standard
Inverter available	Optional	Optional	Optional
Formulated according to ATEX standards	Optional	Optional	Optional

Technical data	5000 TQ	7000 TQ
Max. extraction points	5	7
Volt (V)	380 - 400 / 50 Hz	380 - 400 / 50 Hz
Power (kW)	4.0	6.0 (2 x 3.0 kW)
Air flow (m³/h)	430	620
Air flow (L/min)	7.150	10.300
Under pressure (Kpa)	200	200
Under pressure (m. bar)	260	260
Number of motors	1	2
Air pressure (bar)	5	5
Weight (kg)	270	325
Dimensions L x W x H (cm)	135 x 60 x 150	135 x 60 x 150
Noise level (dBa)	70	72
Polyester non woven filters m²	6 x 0.8	6 x 0.8
Filter surface (m²)	4.8	4.8
Automatic filter cleaning	Yes	Yes
Container volume (L)	50	50
Tube work (m)	± 70	± 110
Switch box (24 V)	Standard	Standard
Inverter available	Optional	Optional
Formulated according to ATEX standards	Optional	Optional



**Top Quality dust extraction turbines for duct piping of max. 200 m. Suitable for 24 hour operating in industry or large companies. Standard with 24 months guarantee, can be extended with maintenance contract to max. 60 months.**

- For continuous industrial use (24 hours a day)
- Can be installed in combination with swing arms, energy boxes or simple connections
- Frequency regulator optional





**High Quality extraction turbine for duct piping of max. 90 m. Suitable for normal, professional use in medium and small companies. Standard 12 months guarantee.**



**Central Vacuum HCV 410 HQ**  
000561

- Central Vacuum HQ with a 4 kW/400 V motor
- Sufficient for max. 4 sanding workers and a pipeline of ± 20-30 m
- Ideal for multiple working areas in one hall
- Can be installed in combination with swing arms, energy boxes or simple connections
- With manual filter cleaning
- L-class



**Central Vacuum HCV 410 HQ A**  
000566

- Same capacity as the HCV 410 but with automatic filter cleaning
- M-class



**Central Vacuum HCV 510 HQ**  
000562

- Central Vacuum HQ with a 5.5 kW/400 V motor
- Sufficient for max. 5 sanding workers and a pipeline of ± 30-70 m
- Ideal for multiple working areas in one hall
- Can be installed in combination with swing arms, energy boxes or simple connections
- With manual filter cleaning
- L-class



**Central Vacuum HCV 610 HQ**  
000563

- Central Vacuum HQ with a 5.5 kW/400 V motor
- Sufficient for max. 6 sanding workers and a pipeline of ± 30-70 m
- Ideal for working areas in adjacent rooms
- Can be installed in combination with swing arms, energy boxes or simple connections
- With automatic filter cleaning
- M-class

Technical data	410 HQ	410 HQ A	510 HQ	610 HQ
Max. extraction points	4	4	5	6
Volt (V)	400	400	400	400
Air flow (m³/h)	300	300	550	550
Air flow (L/min)	5000	5000	9166	9166
Under pressure (Kpa)	20	20	26	26
Under pressure (m. bar)	200	200	240	240
Power (kW/HP)	4/5.5	4/5.5	5.5/7.5	5.5/7.5
Number of motors	1	1	1	1
Air pressure (bar)	-	5	-	5
Weight (kg)	100	100	160	180
Dimensions L x W x H (cm)	112 x 62 x 96	112 x 62 x 96	138 x 68 x 110	138 x 68 x 110
Noise level (dBa)	70	70	80	80
Filter	Molton and nylon	Polyester	Molton and nylon	Polyester
Filter surface (m²)	0.5	1	0.5	2.8
Automatic filter cleaning	No	Yes	No	Yes
Container volume (L)	35	35	70	70
Tube work (m)	± 20-30	± 20-30	± 30-70	± 30-70
Switch box	Optional	Standard	Optional	Standard



**HCV 50 TQ EX Aluminum Pre-separator**  
000585

Pre-separator with automatic filter cleaning to separate and collect explosive dust. To be installed between the HCV cyclone extraction unit and work areas where explosive dust is extracted. Designed to meet ATEX guidelines for extracting explosive dust (classification ST1). The unit can also be installed in Zone 22-classified areas. Optional: Blast cover.



**Directive 2014/34/EU:** "European directive for equipment & protective systems intended for use in potentially explosive atmospheres".



Technical data	Standard HCV 50 TQ EX	Optional for the HCV 50 TQ EX
Maximum number of workspaces	4 - 5	8 - 10
Operating pressure	4 bar	4 bar
Filters (anti-static)	3 x 0.8 m²	6 x 0.8 m²
Filter surface area	2.4 m²	4.8 m²
Dust container capacity	50 L	50 L
Dimensions L x W x H (cm)	90 x 60 x 150	90 x 60 x 150
Automatic filter cleaning	Yes	Yes
Blast cover	Optional (preparation available)	Optional (preparation available)
Weight	160 kg	160 kg



“ All TQ models can be optionally delivered as ATEX versions, making them suitable for the extraction of potentially light explosive dust (ST1 dust) ”



## 7.4 SWING ARMS

Ideal for a big scope in a flexible workspace. If necessary, combine with one of Hamach's Energy Boxes.

- Equipped with an unique balanced gear transmission
- These swing arms gives you a range of 8 - 12 m in your working area and all connections for energy and dust extraction in direct operating reach

hamach  
DUTCH ENGINEERING

### Swing Arm HSA 625 C

000556

- A length of 6 m. to be combined with one of Hamach's Energy Boxes



hamach  
DUTCH ENGINEERING

### Swing Arm HSA 625

000555

- Manual on/off switch for compressed air or electric sanding tools
- 6 m. length incl. 3 compressed air connections (regulable), 2 electric sockets 230 V, 1 double dust extraction connection and a lamp

hamach  
DUTCH ENGINEERING

### Swing Arm HSA 625 P

000557

- The same as Swing Arm HSA 625 but with Pneumatic Automatic switch (autostart)

## 7.5 EXTRACTION POINTS

To get the most out of your Central Vacuum Unit, you can choose your custom extraction points.

Making it possible to create a dust extraction solution for each situation and each budget. Simple (low investment) or fully automatic, the basic value always complies (no compromise in quality), a simple (low investment) solution has the same durability as a more complicated fully automatic version.



**WORK  
SMART  
BE SAFE**



### CUSTOMIZED SOLUTIONS

To make sure your installation is 100% perfect, we design all kinds of customized solutions. For instance these connection points that combine dust extraction and compressed air, suitable to be installed inside the spray and sanding booth.



“ To make sure your installation is 100% perfect, we design all kinds of customized solutions. Proactive thinking is one of our qualities! ”



## 7.6 ENERGY BOXES

hamach


### Energy Box

Add an Energy Box to your HCV installation and you have a maximum of working flexibility in the daily operations.

All functions combined one central unique Hamach HCV device! Control the HCV machine, operate sanding machines/spray guns/air flow pistol/insert other machines in the electric connection and/or hang machines and hoses. The Hamach Energy Box is one central spot for compressed air, vacuum and electricity!

### Energy Box features

- dust extraction connection for 2 sanding machines, in one double switch
- electric power connection
- compressed air connection with safety coupling
- hose bracket
- bracket for hanging sanding machines
- on/off switch for the HCV motor
- prepared for several mounting options
- handle.



	EB Basic		EB Matic	
	- ceiling mount	- manual on/off switch	- ceiling mount	- automatic on/off switch
	- 2 electric power sockets	- 2 compressed air sockets	- 2 electric power sockets	- 2 compressed air sockets
	- 1 hose bracket	- 1 machine bracket	- 1 hose bracket	- 1 machine bracket
	- 1 handle		- 1 handle	
Art. no.	000577	000576	000578	000575
	230 V	400 V	230 V	400 V
Optional				
Wall mount	000577W	000576W	000578W	000575W
Swing arm mount	000577Z	000576Z	000578Z	000575Z

## 7.7 ACCESSORIES AND FILTERS

To complete your HCV station, we offer a range of hose and machine holders which are suitable to attach to walls or swing arms.



Optimum dust extraction asks for top range filters. All HCV systems contain these filters when delivered and installed. To maintain proper extraction we offer a wide variety of filters suitable for all HCV stations.



**SMART  
AND SAFE  
SOLUTIONS**

“ HCV is top range concerning: Service, Quality, Safety, Efficiency and Innovation. HCV will fit your needs! ”



# 8 TOOLS


8.1	TOOLSTATIONS	92
8.2	KITS	94
8.3	VARIOUS	95
8.4	SOCKET SETS	95
8.5	INLAYS SCREWDRIVERS AND PLIERS	96
8.6	INLAYS WRENCHES AND SOCKETS	97
8.7	SCREWDRIVERS AND HEX KEYS	98
8.8	PIN PUNCHES	98
8.9	WRENCHES	99
8.10	SOCKETS	100
8.11	BITS	102
8.12	PLIERS	103

**RONIN TOOLS**



## RONIN TOOLSTATION FEATURES

The Ronin Toolstation is a robust and practical tool trolley for every professional job. You can choose either of the two ready-made configurations or you can configure it yourself by adding your own selection of tool inlays.



Optional:

**RONIN TOOLS**  
**Spray Can Holder**  
10.000.001

Easy to mount with 2 included screws. Holes are already present in every Ronin Toolstation.



**RONIN TOOLS**  
**Pimp Your Toolstation**

Exclusive for users of Ronin Toolstations is the possibility to Pimp your Tool Station with a personal nameplate. Put your name or other text on the nameplate. You can put anything up to a maximum of 20 characters.





# 8.1 TOOLSTATIONS



RONIN TOOLS

## Empty Toolstation

10.001.000

Configure it yourself by adding your own selection of tool inlays.



RONIN TOOLS

## 143-pieces Toolstation

10.002.143

Ronin Toolstation filled with a basic assortment of 143 pieces Ronin tools. This includes various drive sockets in 1/4" and 1/2". A hammer, grip pliers, adjustable wrenches, multiple screwdrivers and a variety of T-handle Hex Keys.

RONIN TOOLS

### Filled with the following inlays:



Slotted screwdriver inlay  
15.440.000  
5 pcs. 4 - 8 mm



Phillips screwdriver inlay  
15.430.000  
6 pcs. PH0 - PH3



T-handle hex key inlay  
15.620.010  
10 pcs. 2 - 12 mm



Ratchets inlay 1/4" - 1/2"  
30.001.015  
15 pcs. Ratchets + accessories 1/4" - 1/2"



Drive socket inlay 1/2"  
30.001.028  
28 pcs. 10 - 32 mm / E12 - E24



Drive socket inlay 1/4" + 1/2"  
30.001.052  
52 pcs. 4 - 13 mm / bits slotted - Phillips - Pozidriv - Torx - Hex



Pliers inlay  
20.420.000  
3 pcs. Diagonal cutting pliers 160 mm / Combination pliers 180 mm / Long nose pliers 200 mm



Pliers / Adjustable wrench inlay  
20.430.000  
3 pcs. Pliers combi inlay 3 pcs Water pump pliers 240 mm / Round nose grip pliers 250 mm / Adjustable wrench 200 mm



Combination wrench inlay  
25.310.018  
18 pcs. 6 - 23 mm



Hammer + Grip pliers inlay  
45.250.000  
3 pcs. Engineers hammer 500 g / death blow hammer / grip plier 250 mm



# 8.1 TOOLSTATIONS



RONIN TOOLS

## 271-pieces Toolstation

10.002.267

Ronin Toolstation comes with a 271 pieces assortment. These 271 pieces are versatile products; you always have the right tool for the job at hand. The introduction of combination socket inlays, from 1/4" - 3/8" and 1/2" drive sockets and ratchets; there is something for every job. In this station you can find double-end flexible socket wrenches and a complete inlay of thin sided impact sockets that assist you with every task.



RONIN TOOLS

### Filled with the following inlays:



Complete screwdriver inlay  
15.460.000  
33 pcs. Slotted - Pozidriv - Phillips - Torx - Resi-Torx



T-bar nut driver inlay  
15.500.009  
9 pcs. 5 - 13 mm



T-handle Hex Key inlay  
15.620.010  
10 pcs. 2 - 12 mm



Circlip / waterpump plier inlay  
20.320.000  
6 pcs. 4 circlip pliers / adjustable wrench / waterpump pliers



Pliers inlay  
20.350.000  
7 pcs. Side cutting / long nose straight / long nose bent / combination / round nose / flat nose / wire stripping



Combination wrench inlay  
25.310.018  
18 pcs. 6 - 23 mm




Ratchet type combination wrench inlay  
25.220.012  
12 pcs. 8 - 19 mm



Flexible socket wrench inlay  
25.700.007  
7 pcs. 6 x 7 - 18 x 19 mm (double end)



Ratchets inlay 1/4" - 1/2"  
30.001.015  
15 pcs. Ratchets + accessories 1/4" - 1/2"



Drive deep socket inlay 3/8"  
30.001.023  
23 pcs. 8 - 22 mm / 3/8" - 13/16"



Drive socket inlay 3/8"  
30.001.026  
26 pcs. 8 - 22 mm / 3/8" - 13/16" / 3/8" ratchet + accessories



Drive socket inlay 1/2"  
30.001.028  
28 pcs. 10 - 32 mm / E12 - E24



Drive socket inlay 1/4" + 1/2"  
30.001.052  
52 pcs. 4 - 13 mm / bits slotted - Phillips - Pozidriv - Torx - Hex



Drive impact socket inlay 1/2"  
30.315.000  
15 pcs. 10 - 32 mm



Pin-punch inlay  
45.080.008  
7 pcs. 4 pin punches - 1 center punch - 2 chisels



Hammer + Grip pliers inlay  
45.250.000  
3 pcs. Engineers hammer 500 G / death blow hammer / grip plier 250 mm

## 8.2 KITS



To complement your Ronin Toolstation there are kits available in different categories. Pick your task and choose the matching kit to make your job faster and easier.

### RONIN TOOLS

#### Damage Repair Kit

Every damage repair job is cleared in no-time with the Ronin Damage Repair Kit. This kit contains tools to (de)mount panels. The Grip pliers assure you that everything will stay in place and the kit is also equipped with interior removal tools to help you remove interiors quick and safe.



T-bar nut driver inlay  
15.500.009  
9 pcs. 5 - 13 mm



Interior removal tools inlay  
15.900.500  
5 pcs.



Grip pliers inlay  
20.650.000  
22 pcs. 4 grip pliers - L-keys Resi-Torx + hex



Files inlay  
40.105.000  
5 pcs. round - flat - oval files



Pin-punch inlay  
45.080.008  
7 pcs. 4 pin punches - 1 centre punch - 2 chisels



Panel beating inlay  
45.200.005  
5 pcs. 2 hammers - 3 dollies

### RONIN TOOLS

#### Mechanic Kit

The indispensable addition for every mechanic. This comprehensive kit contains 3/8" tools for the more advanced tooler. Every job will be done in no-time with these advanced spline, Hex and Torx tools.



Circlip pliers inlay  
20.440.000  
4 pcs. Internal straight / external straight / Internal bend / external



Ratchet type combination wrench inlay  
25.220.012  
12 pcs. 8 - 19 mm



Drive deep socket inlay 3/8"  
30.001.023  
23 pcs. 8 - 22 mm / 3/8" - 13/16"



Drive socket inlay 3/8"  
30.001.026  
26 pcs. 8 - 22 mm / 3/8" - 13/16" / 3/8" ratchet + accessories



1/2" spline bit socket inlay  
30.615.000  
16 pcs. M5 - M18



1/2" long Torx & Hex bit socket inlay  
30.711.000  
11 pcs. Hex 5 - 12 / Torx 30 - 55

### RONIN TOOLS

#### Wrenches Kit

Do you often use wrenches? This kit assures you that everything you need is always within reach. To complement your wrenches assortment this kit contains offset ring wrenches, flexible socket wrenches, ratchet type combination wrenches and big size combination wrenches.



Big size combination wrench inlay  
25.210.004  
4 pcs. 24 - 32 mm



Ratchet type combination wrench inlay  
25.220.012  
12 pcs. 8 - 19 mm



Ring ring offset wrench inlay  
25.330.008  
8 pcs. 6 x 7 - 21 x 23 mm



Flexible socket wrench inlay  
25.700.007  
7 pcs. 6 x 7 - 18 x 19 mm (double end)

### RONIN TOOLS

#### Tire Changing Kit

Changing tires quick and easy without damaging the aluminum. This Ronin Tire changing kit contains all the tools necessary. The wheel nut caps conducted with plastic in combination with the pneumatic and adjustable wrenches ensure a safe, fast and damage-free removal.



RONIN TOOLS  
1/2" drive adjustable torque wrench  
30.300.200  
40 - 200 Nm



RONIN TOOLS  
1/2" drive pneumatic impact wrench  
30.350.100



RONIN TOOLS  
1/2" thin sided impact socket inlay  
15 pcs. 10-32 mm  
30.315.000

## 8.3 VARIOUS



RONIN TOOLS  
45.010.300  
Engineers hammer 300 g



RONIN TOOLS  
45.050.030  
Nylon hammer 30 mm striking face



RONIN TOOLS  
35.100.010  
Measurement tape 5 m

45.010.500  
Engineers hammer 500 g

45.050.130  
30 mm replaceable pats



RONIN TOOLS  
35.200.050  
Digital calliper



RONIN TOOLS  
30.350.100  
1/2" drive pneumatic impact wrench



RONIN TOOLS  
40.200.100  
Hack saw (in toolstation including 3 blades)



RONIN TOOLS  
30.300.200  
1/2" drive adjustable torque wrench  
40 - 200 Nm

RONIN TOOLS  
40.200.105  
5 pcs. Hack saw blade

## 8.4 SOCKET SETS

### RONIN TOOLS

#### Socket Sets (Metric)



30.142.000  
1/4" socket suitcase (42 pcs)



30.250.000  
3/8" socket suitcase (50 pcs)



30.353.000  
1/2" socket suitcase (53 pcs)



## 8.5 INLAYS SCREWDRIVERS AND PLIERS



RONIN TOOLS

### Screwdrivers



Pozidriv screwdriver inlay  
15.410.000  
5 pcs. PZ0 - PZ3



Resi-Torx screwdriver inlay  
15.420.000  
8 pcs. T8H - T40H



Phillips screwdriver inlay  
15.430.000  
6 pcs. PH0 - PH3




Slotted screwdriver inlay  
15.440.000  
5 pcs. 4 - 8 mm



Torx screwdriver inlay  
15.450.000  
8 pcs. T8 - T40



Screwdriver inlay complete  
15.460.000  
33 pcs. Slotted - Pozidriv - Phillips - Torx - Resi-Torx



T-bar Hex Key inlay  
15.620.010  
10 pcs. 2 - 12 mm



T-bar nut driver inlay  
15.500.009  
9 pcs. 5 - 13 mm



Interior removing tool inlay  
15.900.500  
5 pcs

RONIN TOOLS

### Pliers / Hammers / Measurement Tools



Pliers inlay  
20.420.000  
3 pcs. Diagonal cutting pliers 160 mm / Combination pliers 180 mm / Long nose pliers 200 mm



Pliers combi inlay  
20.430.000  
3 pcs. Water pump pliers 240 mm / Curved jaw grip pliers 250 mm / Adjustable wrench 200 mm



Circlip pliers inlay  
20.440.000  
4 pcs. Internal straight / external straight / internal bend / external bend 160/180 mm



Pliers inlay  
20.350.000  
7 pcs. Side cutting / long nose straight / long nose bent / combination / round nose / flat nose / wire stripping



Circlip pliers inlay  
20.320.000  
6 pcs. 4 circlip pliers / adjustable wrench / waterpump pliers



Grip plier inlay  
20.650.000  
22 pcs. 4 grip pliers / extra long keys Resi-Torx - Hex



Measurement / hammer inlay  
35.500.010  
10 pcs. 2 engineers hammers / death blow hammer / 5 m measurement tape / electronic caliper / hand saw



Hammer + Grip pliers inlay  
45.250.000  
3 pcs. engineers hammer 500 g / death blow hammer / grip plier 250 mm



Panel beating inlay  
45.200.005  
5 pcs. 2 hammers - 3 dollies



Pinn-punch inlay  
45.080.008  
7 pcs. 4 pinn-punches / 1 center punch / 2 chisels



Files inlay  
40.105.000  
5 pcs. round - flat - oval files

## 8.6 INLAYS WRENCHES AND SOCKETS



RONIN TOOLS

### Wrenches



Combination wrench inlay  
25.310.018  
18 pcs. 6 - 23 mm



Combination wrench inlay  
25.210.004  
big sizes 4 pcs. 24 - 32 mm



Combination wrench inlay  
25.210.212  
12 pcs. Inch 1/4" - 15/16"



Ratchet type combination wrench inlay  
25.220.012  
12 pcs. 8 - 19 mm



Ratchet type combination wrench inlay  
25.220.208  
8 pcs. Inch 5/16" - 3/4"



Ring ring offset wrench inlay  
25.330.008  
8 pcs. 6 x 7 - 21 x 23 mm



Double end flexible socket wrench inlay  
25.700.007  
7 pcs. 6 x 7 - 18 x 19 mm



L-type pipe wrench inlay  
25.440.010  
10 pcs. 6 - 19 mm



RONIN TOOLS

### Combination Wrench Inlay (Metric)

25.210.011  
11 pcs (7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 mm)

25.210.018  
18 pcs (6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 mm)



RONIN TOOLS

### Ratchet Type Combination Wrench Inlay (Metric)

25.220.007  
7 pcs (8 - 10 - 11 - 13 - 14 - 17 - 19 mm)

RONIN TOOLS

### Sockets & Ratchets



1/2" drive socket inlay  
30.001.028  
28 pcs. 10 - 32 mm / E12 - E24



1/4" & 1/2" drive socket inlay  
30.001.052  
52 pcs. 4 - 13 mm / bits slotted - Phillips - Pozidriv - Torx - Hex



1/4" & 1/2" drive socket inlay  
30.001.015  
15 pcs. Ratchets + accessories (1/4" - 1/2")



3/8" drive socket inlay  
30.001.023  
23 pcs. 8 - 22 mm / 3/8" - 13/16"




3/8" drive socket inlay  
30.001.026  
26 pcs. 8 - 22 mm / 3/8" - 13/16" / 3/8" ratchet + accessories



1/2" standard socket inlay  
30.001.217  
17 pcs. 3/8" - 1-3/8"



1/2" deep socket inlay  
30.001.213  
13 pcs. 1/2" - 1-1/4"



1/4" + 3/8" standard + deep socket inlay  
30.001.237  
37 pcs. 5/32" - 7/8"



1/2" thin sided impact socket inlay  
30.315.000  
15 pcs. 10 - 32 mm



1/2" spline bit socket inlay  
30.615.000  
16 pcs. M5 - M18



1/2" long Torx & Hex bit socket inlay  
30.711.000  
11 pcs. Hex 5 - 12 / Torx 30 - 55

## 8.7 SCREWDRIVERS AND HEX KEYS



### RONIN TOOLS Screwdriver Set

Art.no.	Description
15.301.000	6 pcs (3 x Slotted / 3 x Phillips), (Slotted 5.5 - 6.5 - 8 mm + PH1 - PH2 - PH3)
15.302.000	6 pcs (3 x Slotted / 3 x Pozidriv), (Slotted 5.5 - 6.5 - 8 mm + PZ1 - PZ2 - PZ3)
15.303.000	6 pcs (Torx) (T10 - T15 - T20 - T25 - T27 - T30)
15.304.000	6 pcs (Torx tamper proof) TR10 - TR15 - TR20 - TR25 - TR27 - TR30

### RONIN TOOLS Screwdrivers

Name	Art.no.	Size
<b>Slotted</b> 	15.100.040	4.0x100
	15.100.055	5.5x100
	15.100.065	6.5x100
	15.150.080	8.0x150
	15.038.065	6.5x38 stubby
<b>Pozidriv</b> 	15.075.200	PZ0x75
	15.075.201	PZ1x75
	15.100.202	PZ2x100
	15.150.203	PZ3x150
	15.038.202	PZ2x38 stubby
<b>Phillips</b> 	15.075.100	PH0x75
	15.075.101	PH1x75
	15.100.102	PH2x100
	15.150.102	PH2x150
	15.150.103	PH3x150
	15.038.102	PH2x38 stubby
<b>Torx</b> 	15.075.308	T8x75
	15.075.309	T9x75
	15.075.310	T10x75
	15.100.315	T15x100
	15.100.320	T20x100
	15.100.325	T25x100
	15.100.327	T27x100
	15.150.330	T30x100
	15.150.340	T40x150
<b>Resi-Torx</b> 	15.075.408	T8Hx75
	15.100.410	T10Hx100
	15.100.415	T15Hx100
	15.100.420	T20Hx100
	15.100.425	T25Hx100
	15.100.427	T27Hx100
	15.100.430	T30Hx150
	15.100.440	T40Hx150

### RONIN TOOLS Hex Keys Set

Art.no.	Description
15.510.010	L-type Hex keys ballpoint (9 pcs)
15.510.020	L-type Resi-Torx keys (9 pcs)

### RONIN TOOLS T-bar Hex Keys

Art.no.	Size
15.620.020	2 mm
15.620.025	2.5 mm
15.620.030	3 mm
15.620.040	4 mm
15.620.050	5 mm
15.620.060	6 mm
15.620.070	7 mm
15.620.080	8 mm
15.620.100	10 mm
15.620.120	12 mm

### RONIN TOOLS T-bar Nut Drivers

Art.no.	Size
15.500.050	5 mm
15.500.060	6 mm
15.500.070	7 mm
15.500.080	8 mm
15.500.090	9 mm
15.500.100	10 mm
15.500.110	11 mm
15.500.120	12 mm
15.500.130	13 mm

## 8.8 PIN PUNCHES



### RONIN TOOLS

Art.no.	Size
45.080.030	Pin punch 3 mm
45.080.050	Pin punch 5 mm
45.080.070	Pin punch 7 mm
45.080.090	Pin punch 9 mm



### RONIN TOOLS

Art.no.	Size
45.080.060	Center punch



### RONIN TOOLS

Art.no.	Size
45.080.120	Chisel 12 mm
45.080.200	Chisel 20 mm

## 8.9 WRENCHES



### RONIN TOOLS



### Combination Wrenches (Metric)

Art.no.	Size	Art.no.	Size
25.010.006	6 mm	25.010.017	17 mm
25.010.007	7 mm	25.010.018	18 mm
25.010.008	8 mm	25.010.019	19 mm
25.010.009	9 mm	25.010.020	20 mm
25.010.010	10 mm	25.010.021	21 mm
25.010.011	11 mm	25.010.022	22 mm
25.010.012	12 mm	25.010.023	23 mm
25.010.013	13 mm	25.010.024	24 mm
25.010.014	14 mm	25.010.027	27 mm
25.010.015	15 mm	25.010.030	30 mm
25.010.016	16 mm	25.010.032	32 mm

### RONIN TOOLS



### Combination Wrenches (Inch)

Art.no.	Size
25.010.110	1/4"
25.010.120	5/16"
25.010.130	3/8"
25.010.140	7/16"
25.010.150	1/2"
25.010.160	9/16"
25.010.170	5/8"
25.010.180	11/16"
25.010.190	3/4"
25.010.200	13/16"
25.010.210	7/8"
25.010.220	15/16"

### RONIN TOOLS



### Ratchet Type Combination Wrenches (Metric)

Art.no.	Size
25.020.008	8 mm
25.020.009	9 mm
25.020.010	10 mm
25.020.011	11 mm
25.020.012	12 mm
25.020.013	13 mm
25.020.014	14 mm
25.020.015	15 mm
25.020.016	16 mm
25.020.017	17 mm
25.020.018	18 mm
25.020.019	19 mm

### RONIN TOOLS



### Ratchet Type Combination Wrenches (Inch)

Art.no.	Size
25.020.110	5/16"
25.020.120	3/8"
25.020.130	7/16"
25.020.140	1/2"
25.020.150	9/16"
25.020.160	5/8"
25.020.170	11/16"
25.020.180	3/4"

### RONIN TOOLS



### Ring Ring Offset Wrenches (Metric)

Art.no.	Size
25.330.067	6 x 7 mm
25.330.089	8 x 9 mm
25.330.111	10 x 11 mm
25.330.113	12 x 13 mm
25.330.115	14 x 15 mm
25.330.117	16 x 17 mm
25.330.119	18 x 19 mm
25.330.223	21 x 23 mm

### RONIN TOOLS



### Double End Flexible Socket Wrenches (Metric)

Art.no.	Size
25.700.067	6 x 7 mm
25.700.089	8 x 9 mm
25.700.101	10 x 11 mm
25.700.123	12 x 13 mm
25.700.145	14 x 15 mm
25.700.167	16 x 17 mm
25.700.189	18 x 19 mm

### RONIN TOOLS



### Adjustable Wrench

Art.no.	Size
25.050.008	Adjustable wrench (8" / 200 mm)





**RONIN TOOLS**  
1/4" Standard Sockets (Metric)

Art.no.	Size
30.110.040	4 mm
30.110.045	4.5 mm
30.110.050	5 mm
30.110.055	5.5 mm
30.110.060	6 mm
30.110.070	7 mm
30.110.080	8 mm
30.110.090	9 mm
30.110.100	10 mm
30.110.110	11 mm
30.110.120	12 mm
30.110.130	13 mm



**RONIN TOOLS**  
1/4" Deep Sockets (Metric)

Art.no.	Size
30.120.070	7 mm
30.120.080	8 mm
30.120.090	10 mm
30.120.110	11 mm
30.120.120	12 mm
30.120.130	13 mm



**RONIN TOOLS**  
1/4" Standard Sockets (Inch)

Art.no.	Size
30.400.010	5/32"
30.400.020	3/16"
30.400.030	7/32"
30.400.040	1/4"
30.400.050	9/32"
30.400.060	5/16"
30.400.070	11/32"
30.400.080	3/8"
30.400.090	7/16"
30.400.100	1/2"



**RONIN TOOLS**  
1/4" Deep Sockets (Inch)

Art.no.	Size
30.400.210	5/32"
30.400.220	3/16"
30.400.230	7/32"
30.400.240	1/4"
30.400.250	9/32"
30.400.260	5/16"
30.400.270	11/32"
30.400.280	3/8"
30.400.290	7/16"
30.400.300	1/2"



**RONIN TOOLS**  
1/4" 8-sided Sockets (Inch)

Art.no.	Size
30.400.310	1/4"
30.400.320	5/16"
30.400.330	3/8"



**RONIN TOOLS**  
1/4" Accessories (Metric)



Ratchet  
30.100.010



Flexible extension bar 150 mm  
30.150.020

Ratchet replacement drive  
30.100.101



Extension bar  
30.150.030 - 50 mm  
30.150.080 - 100 mm

Universal joint 1/4"  
30.150.060



Spinner handle 165 mm  
30.150.070



Sliding T-bar  
30.150.050

**RONIN TOOLS**  
1/4" Bit Sockets

Name	Art.no.	Size
1/4" Bit Socket Phillips	30.130.101	PH1
	30.130.102	PH2
1/4" Bit Socket Resi-Torx	30.130.408	T8H
	30.130.410	T10H
	30.130.415	T15H
	30.130.420	T20H
	30.130.425	T25H
1/4" Bit Socket Slotted (Metric)	30.130.040	4 mm
	30.130.055	5.5 mm
	30.130.065	6.5 mm
1/4" Bit Socket Pozidriv	30.130.201	PZ1
	30.130.202	PZ2
1/4" Bit Socket Hex (Metric)	30.130.503	3 mm
	30.130.504	4 mm
	30.130.505	5 mm
	30.130.506	6 mm
3/8" Bit Socket Hex (Inch)	30.230.503	1/8"
	30.230.504	5/32"
	30.230.505	3/16"
	30.230.506	7/32"
	30.230.507	1/4"
1/4" Bit Socket Torx	30.230.508	9/32"
	30.130.308	T8
	30.130.310	T10
	30.130.315	T15
	30.130.320	T20
	30.130.325	T25
	30.130.327	T27



**RONIN TOOLS**  
3/8" Standard Sockets (Metric)

Art.no.	Size
30.210.008	8 mm
30.210.009	9 mm
30.210.010	10 mm
30.210.011	11 mm
30.210.012	12 mm
30.210.013	13 mm
30.210.014	14 mm
30.210.015	15 mm
30.210.016	16 mm
30.210.017	17 mm
30.210.018	18 mm
30.210.019	19 mm
30.210.020	20 mm
30.210.021	21 mm
30.210.022	22 mm



**RONIN TOOLS**  
3/8" Deep Sockets (Metric)

Art.no.	Size
30.230.008	8 mm
30.230.009	9 mm
30.230.010	10 mm
30.230.011	11 mm
30.230.012	12 mm
30.230.013	13 mm
30.230.014	14 mm
30.230.015	15 mm
30.230.016	16 mm
30.230.017	17 mm
30.230.018	18 mm
30.230.019	19 mm
30.230.020	20 mm
30.230.021	21 mm
30.230.022	22 mm



**RONIN TOOLS**  
3/8" Spark Plug Sockets (Metric)

Art.no.	Size
30.250.016	16 mm
30.250.018	18 mm
30.250.021	21 mm



**RONIN TOOLS**  
3/8" Accessories (Metric)



Ratchet  
30.220.010



Extension  
30.220.043 - 43 mm  
30.220.075 - 75 mm  
30.220.150 - 150 mm



T-bar  
30.220.700



Universal joint  
30.220.600

**RONIN TOOLS**  
3/8" Standard Sockets (Inch)

Art.no.	Size
30.210.130	3/8"
30.210.180	7/16"
30.210.140	1/2"
30.210.150	9/16"
30.210.190	5/8"
30.210.160	11/16"
30.210.200	3/4"
30.210.170	13/16"
30.210.210	7/8"



**RONIN TOOLS**  
3/8" Deep Sockets (Inch)

Art.no.	Size
30.230.130	3/8"
30.230.180	7/16"
30.230.140	1/2"
30.230.150	9/16"
30.230.190	5/8"
30.230.160	11/16"
30.230.200	3/4"
30.230.170	13/16"
30.230.210	7/8"



**RONIN TOOLS**  
1/2" Standard Sockets (Metric)

Art.no.	Size
30.310.100	10 mm
30.310.110	11 mm
30.310.120	12 mm
30.310.130	13 mm
30.310.140	14 mm
30.310.150	15 mm
30.310.160	16 mm
30.310.170	17 mm
30.310.180	18 mm
30.310.190	19 mm
30.310.210	21 mm
30.310.220	22 mm
30.310.240	24 mm
30.310.270	27 mm
30.310.300	30 mm
30.310.320	32 mm



**RONIN TOOLS**  
1/2" Deep Sockets (Metric)

Art.no.	Size
30.320.100	10 mm
30.320.130	13 mm
30.320.170	17 mm
30.320.190	19 mm



**RONIN TOOLS**  
1/2" E-sockets (Metric)

Art.no.	Size
30.350.012	E12
30.350.014	E14
30.350.016	E16
30.350.018	E18
30.350.020	E20
30.350.024	E24



**RONIN TOOLS**  
1/2" Spark Plug Sockets (Metric)

Art.no.	Size
30.360.040	16 mm
30.360.050	21 mm



## 8.10 SOCKETS



### RONIN TOOLS 1/2" Standard Sockets (Inch)

Art.no.	Size
30.600.010	3/8"
30.600.020	7/16"
30.600.030	1/2"
30.600.040	9/16"
30.600.050	5/8"
30.600.060	11/16"
30.600.070	3/4"
30.600.080	13/16"
30.600.090	7/8"
30.600.100	15/16"
30.600.110	1"
30.600.120	1-1/16"
30.600.130	1-1/8"
30.600.140	1-3/16"
30.600.150	1-1/4"
30.600.160	1-5/16"
30.600.170	1-3/8"



### RONIN TOOLS 1/2" Deep Sockets (Inch)

Art.no.	Size
30.600.200	1/2"
30.600.210	9/16"
30.600.220	5/8"
30.600.230	11/16"
30.600.240	3/4"
30.600.250	13/16"
30.600.260	7/8"
30.600.270	15/16"
30.600.280	1"
30.600.290	1-1/16"
30.600.300	1-1/8"
30.600.310	1-3/16"
30.600.320	1-1/4"



### RONIN TOOLS 1/2" Accessories (Metric)

30.300.010 Ratchet	30.150.090 5/16" bit hold socket
30.300.110 Ratchet replacement drive	30.360.060 Universal joint 1/2"
30.360.020 - 125 mm 30.360.030 - 250 mm Extension	30.360.070 3/8" adaptor - T-bar connection



### RONIN TOOLS 1/2" Wheel Nut Sockets (metric)

Art.no.	Size
30.375.019	19 mm
30.375.021	21 mm
30.375.022	22 mm
30.375.024	24 mm



## 8.11 BITS

### RONIN TOOLS 1/2" Bit Sockets

Name	Art.no.	Size
1/2" Bit Sets	30.140.001	Bit set complete (16 pcs)
	30.140.025	
1/2" Bits Pozidriv	30.140.202	PZ2
	30.140.203	PZ3
1/2" Bits Resi-Torx	30.140.430	T30H
	30.140.440	T40H
	30.140.445	T45H
	30.140.450	T50H
	30.140.455	T55H
1/2" Bits Slotted	30.140.080	8 mm
	30.140.100	10 mm
	30.140.120	12 mm
1/2" Bits Torx	30.140.330	T30
	30.140.340	T40
	30.140.345	T45
	30.140.350	T50
	30.140.355	T55
1/2" Bits Hex	30.140.508	8 mm
	30.140.510	10 mm
	30.140.512	12 mm
	30.140.514	14 mm
	30.140.102	PH2
1/2" Bits Phillips	30.140.103	PH3

### RONIN TOOLS 1/2" Long Spline Bit Socket (105 mm)

Art.no.	Size
30.615.105	M5
30.615.106	M6
30.615.108	M8
30.615.110	M10
30.615.112	M12
30.615.114	M14
30.615.116	M16
30.615.118	M18

### RONIN TOOLS 1/2" Short Spline Bit Socket (20 mm)

Art.no.	Size
30.615.005	M5
30.615.006	M6
30.615.008	M8
30.615.010	M10
30.615.012	M12
30.615.014	M14
30.615.016	M16
30.615.018	M18

### RONIN TOOLS 1/2" Long Torx Bit Socket (100 mm)

Art.no.	Size
30.711.030	T30
30.711.040	T40
30.711.045	T45
30.711.050	T50
30.711.055	T55

### RONIN TOOLS 1/2" Long Hex Bit Socket (100 mm)

Art.no.	Size
30.711.005	5 mm
30.711.006	6 mm
30.711.007	7 mm
30.711.008	8 mm
30.711.010	10 mm
30.711.012	12 mm

## 8.12 PLIERS



### RONIN TOOLS Pliers Sets

20.201.000 3 Pliers (160 diagonal cutting / 180 Combination / 200 Long nose)
20.202.000 3 Pliers (160 diagonal cutting / 180 Combination / 240 Water pump)
20.203.000 4 Pliers (160 diagonal cutting / 180 Combination / 160 Wire Stripping / 200 Long nose)



### RONIN TOOLS Combination Pliers

20.010.160	160 mm
20.010.180	180 mm
20.010.200	200 mm

### RONIN TOOLS Diagonal Cutting Pliers

20.020.160	160 mm
20.020.180	180 mm
20.020.165	160 mm (Heavy Duty)
20.020.185	180 mm (Heavy Duty)
20.020.205	200 mm (Heavy Duty)



### RONIN TOOLS Long Nose Pliers

20.030.160	160 mm
20.030.200	200 mm



### RONIN TOOLS Bent Nose Pliers

20.040.160	160 mm
20.040.200	200 mm



### RONIN TOOLS Round Nose Pliers

20.050.160	160 mm
------------	--------



### RONIN TOOLS Flat Nose Pliers

20.060.160	160 mm
------------	--------



### RONIN TOOLS Wire Stripping Pliers

20.070.160	160 mm
------------	--------



### RONIN TOOLS Cable Cutting Pliers

20.090.160	160 mm
20.090.200	200 mm



### RONIN TOOLS Water Pump Pliers

20.080.240	240 mm
------------	--------



### RONIN TOOLS Circlip Pliers Set

20.252.000 4 pcs circlip pliers set (180 mm)
---



### RONIN TOOLS Circlip Pliers

20.252.010	Straight internal (180 mm)
20.252.030	Bent internal (160 mm)



### RONIN TOOLS Circlip Pliers

20.252.020	Straight external (180 mm)
20.252.040	Bent external (160 mm)



### RONIN TOOLS Grip Pliers

20.500.111 Locking C-grip pliers 280 mm (11")
--



### RONIN TOOLS Grip Pliers

20.500.210 Curved jaws grip pliers 250 mm (10")
--



### RONIN TOOLS Grip Pliers

20.500.118 Locking C-grip pliers 455 mm (18")
--