

SAFETY DATA SHEET

Revision Date 05/24/2018

1. IDENTIFICATION

Product identifier

Product Name Fluid Film® Aerosol (AS)

Product Type Liquid, lubricant, Corrosion inhibitor

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Corrosion inhibitor, lubricant

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Eureka Chemical Company

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Flammable Aerosols Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Signal word Danger

Hazard Statements Extremely flammable aerosol

Appearance Straw-colored liquid Physical State Liquid spray Aerosol Odor Mild piney odor

Precautionary Statements - Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Pressurized container: Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F

Precautionary Statements - Disposal

Product should be disposed of via authorized waste disposal contractors in accordance with all local and national regulations.

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

No information available.

Other information

No information available.

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% | Trade Secret |
|--|------------|----------|--------------|
| Refined petroleum oil, hydrotreated heavy paraffinic | 64742-54-7 | 40 - 80 | * |
| Petroleum gases, liquified, sweetened | 68476-86-8 | 1 - 25 | * |
| Benzenesulfonic Acid, Di-C10-18-alkyl derivs., calcium salts | 93820-57-6 | 1 - 10 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, also under the

eyelids. If symptoms persist, call a physician.

Skin Contact Wipe excess material from the skin with a cloth, followed by washing with soap

and water. A waterless skin cleanser is beneficial in removing the material from

the skin. In the case of skin irritation or allergic reactions, see a physician.

Inhalation If respiratory symptoms develop, remove to fresh air. If symptoms persist, call a

physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable Extinguishing Media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific Hazards Arising from the Chemical

Some may burn but none ignite readily. Ruptured cylinders may rocket.

Uniform Fire Code Aerosols: Level III

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

Move containers from fire area if you can do it without risk. Damaged cylinders should be handled only by specialists.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Stop leak if you can do it without risk.

Other Information Ventilate the area.

Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upSoak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Do not puncture or

incinerate cans. Contents under pressure. Avoid breathing vapors or mists. Avoid contact

with eyes. Keep away from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near

combustible materials. Keep in an area equipped with sprinklers.

Incompatible ProductsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | AC | GIH TLV | OSHA PEL | NIOSH IDLH |
|----------------------------------|---------------------|---------------------|---|------------|
| Refined petroleum oil, hydrotrea | ated heavy TWA: 5 m | g/m3, as oil mist, | TWA: 5 mg/m ³ , as oil mist, | |
| paraffinic | | mineral | mineral | |
| 64742-54-7 | STEL: TWA | A: 10 mg/m³, as oil | | |
| | mis | st, mineral | | |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection No special protective equipment required. Use chemical eye goggles in tanks and

confined spaces.

Skin and Body Protection Wear protective gloves and protective clothing.

with organic vapor cartridges in tanks and confined spaces. If exposure limits are exceeded

or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Liquid spray Aerosol

AppearanceAmberOdorMild piney odor

Color Straw-colored Odor Threshold No information available

None known

Property Values Remarks/ Method

На 7.8 None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known 207 C / 405 F (less propellant) Flash Point None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Vapor pressure
Vapor density

No data available
No data available
No data available

Specific Gravity

Water Solubility

Solubility in other solvents

Partition coefficient: n-octanol/waterNo data available

Autoignition temperature

Decomposition temperature

Kinematic viscosity

Dynamic viscosity

No data available

No data available

No data available

No data available

Dynamic viscosityNo data availableExplosive propertiesNo data availableOxidizing PropertiesNo data available

Other Information

Softening Point
VOC Content (%)
VOC Content
VOC Conten

VOC Content < 219 g/L Particle Size No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

.

Inhalation Specific test data for the substance is not available.

Eye Contact Minimally irritating.

Skin Contact Prolonged contact could cause skin irritation.

Ingestion > 5000 mg/kg (Rat)

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 | |
|-----------------------------|--------------------|-----------------------|-----------------|--|
| Calcium petroleum sulfonate | > 5000 mg/kg (Rat) | > 4000 mg/kg (Rabbit) | - | |
| 61789-86-4 | | | | |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects There is no data available for this product.

Carcinogenicity Contains no known carcinogens.

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Chronic Toxicity No information available.

Target Organ Effects No information available.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity

No information available.

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods Product should be disposed of via authorized waste disposal contractors in accordance with

all local and national regulations. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

Description CONSUMER COMMODITY, ORM-D

Emergency Response Guide

Number

126

<u>TDG</u>

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class 2.1

Description UN1950, AEROSOLS, 2.1

MEX

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class 2.1

Description UN1950, AEROSOLS, 2.1

ICAO

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class 2.1

Description UN1950, AEROSOLS, 2.1

IATA

UN-No. UN1950

Proper Shipping Name AEROSOLS, FLAMMABLE

Hazard Class 2.1

Description UN1950, AEROSOLS, FLAMMABLE, 2.1

Page 7/9

IMDG/IMO

VN-No. UN1950
Proper Shipping Name AEROSOLS
Hazard Class 2.1
EmS No. F-D, S-U

Description UN1950, AEROSOLS, 2.1

RID

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class 2.1 Classification code 5F

Description UN1950, AEROSOLS, 2.1

ADR

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class2.1Classification code5FTunnel restriction code(D)

Description UN1950, AEROSOLS, 2.1

ADN

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class 2.1 Classification code 5F

Special Provisions 190, 327, 344, 625 **Description** UN1950, AEROSOLS, 2.1

Limited Quantity 1 L

Ventilation VE01, VE04

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardYesSudden release of pressure hazardYesReactive HazardNo

VOC Regulations

This product complies with the consumer product VOC limits of CARB, the US EPA and states adopting the OTC VOC rules.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--------------------|------------|---------------|--------------|--------------|----------|
| Propane | X | X | X | | |
| 74-98-6 | | | | | |
| N-Butane | X | X | X | | |
| 106-97-8 | | | | | |
| Isobutane | X | X | X | | |
| 75-28-5 | | | | | |
| 1,1-Difluoroethane | X | X | | | |
| 75-37-6 | | | | | |

International Regulations

Canada

WHMIS Hazard Class

A - Compressed gases B5 - Flammable aerosol



16. OTHER INFORMATION

NFPA Health Hazards 0 Flammability 4 Instability 0 Physical and Chemical Hazards - HMIS Health Hazards 0 Flammability 4 Physical Hazard 0 Personal Protection

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By Product Stewardship

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

End of Safety Data Sheet

Page 9/9