Installation: GT-A19-10PK3 | 800LM/9W A19 Bulb E26 Base

TROUBLESHOOTING GUIDE:

Problem	Probable Cause	Solution
Fixture does not turn on.	Bad connection. Faulty switch. Power is off.	Check wiring connections. Test switch or replace it. Verify power supply is on.
Circuit breaker trips or fuse blows when light is turned on.	Discontinue use immediately.	Call customer service

CLEANING INSTRUCTIONS:

- 1. Turn power OFF.
- 2. Use a soft cloth and a mild, non-abrasive glass cleaner.
- 3. Lightly wipe and clean the fixture.
- DO NOT use solvents.
- DO NOT use cleaners containing abrasive ingredients.
- NEVER spray cleaning liquid directly onto the LEDs, fixture, or wiring.



- Do not look directly at LEDs for extended periods of time.
- Do not shine the light directly into other people's eves.



This product is guaranteed against failure due to factory defects in materials or workmanship for one (1) year from the date of purchase. This warranty is non-transferable and applies only to the original owner. Proof of purchase required for replacement. This warranty does not cover normal wear of parts or damage resulting from any misuse of the product. Misuse of the product includes but is not limited to: using in extreme weather conditions, opening the housing of the product, or attempted remodel/alterations made to product.





Installation: GT-A19-10PK3 | 800LM/9W A19 Bulb E26 Base

353-1050



Color temperature: 3000K CCT Soft White Lumens: 800LM Watts: 9W Equivalent to: 60W Bulb CRI: 80 Bulb Shape: A19 Operating Voltage: AC120V Base: E26/ Standard Edison Base Damp Rated LED Emitter Life: 25,000 hours Operating temperature: -4°F to 104°F (-20°C to 40°C) NOT FOR USE IN ENCLOSED FIXTURES.



- When using product, basic precautions should always be followed.
- Read and follow these instructions and observe all warnings.
- Carefully read and understand the information given in this manual before beginning installation. Failure to do so could lead to electric shock, fire, or other injuries which could be hazardous or even fatal. - Save these instructions and warnings.

This product may present a possible shock or fire hazard if improperly installed or mounted. Products should be installed following these instructions, local electrical codes, and the current National Electric Code (NEC).



- NEVER submerge this product in water!
- Do not use near hot surfaces.
- Do not remove the lens protecting the LED.
- Do not use in areas near a gas source.
- It is NOT possible to change the LED light source.
- This light is not intended for use in potentially explosive
- environments. This is NOT a vapor proof light.
- This bulb is **NOT A TOY**.



ADDITIONAL WARNINGS:



- DO NOT USE WITH DIMMER. This bulb is not compatible with dimmer switches.
 - (Using this lamp with dimmer of any kind will void the warranty.)
- Not compatible with photocell/motion sensors rated less than 150W.
- Not compatible with ballasted fixtures. Ballast must be bypassed if present. If unsure how to retrofit MHZ/HPS light fixtures call a gualified electrician.
- Not compatible with enclosed fixtures.
- Do not install this light inside of undersized fixtures.
- Do not dismantle this light. There are NO replaceable LEDs or serviceable parts.
- Do not use where exposed to water.
- Do not leave bare wires exposed outside of the electrical connections.
- Make sure wiring section is insulated.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's warranty and the authority to operate the equipment. Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause interference to radio communications. However, there is no guarantee that interference will or will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- 1) Reorient or relocate the receiving antenna.
- 2) Increase the separation between the equipment and receiver.
- 3) Connect the equipment into an outlet on a different circuit from the receiver.
- 4) Consult the dealer or an experienced radio/TV technician for help.






INSTALLATION INSTRUCTIONS:

1. Before installing the bulb, shut of power supply at the circuit breaker panel to avoid electrical shock. Ballast must be bypassed if present. It is recommended that surge/lightning protection be installed.

- 2. Remove old bulb.
- 3. Screw in new high lumen LED bulb.

(Lamp may be mounted with the base up, down, or horizontal.)

4. Restore power.



Be sure to wire fixtures properly. Improper wiring greatly increases your risk of electrical shock.

