

Impact wrench

· Maximum loosening torque: 850 Nm · Square, solid 12.5 mm (1/2 inch) · Powerful pin clutch mechanism

Article no.: 9012SPC

EAN: 4000896119639

Product information

- · Maximum loosening torque: 850 Nm
- Enhanced power characteristics due to new, specially developed air motor as well as efficient air guide and improved pull-up torque of the air motor
- · Specially heat-treated inner parts for minimised wear
- Ergonomically shaped handles and housing for improved handling and operation
- · Exhaust air is guided through the handle downwards
- · Reduced vibrations
- · Easy handling
- · Powerful pin clutch mechanism
- Air connection inlet: Inside thread 12.91 mm (1/4")
- Coupler plug: Nominal size 7.2 (included)
- · Recommended torque: 550 Nm
- · Hose diameter (recommended): 10 mm
- Working pressure (bar): 6.3
- Sound power level: 103.1 db(A) Lp W
- · Vibration acceleration: 7.42 m/s2
- · Loosening torque (max) determined with screw size M: 16
- Forward and reverse: three-stage (forward), single-stage (reverse)
- · Cold insulated handle
- Output: Square, solid 12.5 mm (1/2 inch)
- Net weight: 2.6 kg
- · Tightening torque max.: 750 Nm
- Maximum loosening torque: 850 Nm
- Sound pressure level: 92.1 dB(A) Lp A
- Revolutions per minute: 7000
- Air requirement: 127.4 l/min (2.1 l/sec)



TECHNICAL DATA

- Air inlet thread: Inside thread 12.91 mm (1/4")
- Air requirement I/min: 127.4 I/min
- Coupler plug: Nominal size 7.2 (included)
- Forward/reverse : three-stage (forward), single-stage (reverse)
- Handle: Cold insulated handle
- Hose diameter (recommended): 10 mm

• Loosening torque max.: 850 Nm

Net weight : 2.6 kg
Output : ■ 12,5 = 1/2"

Recommended torque: 550 NmRevolutions per minute: 7000

• Screw size M : 16 M

Sound power level: 103.1 db(A) Lp W
Sound pressure level: 92.1 dB(A) Lp A

• Striking mechanism (type) : Powerful pin clutch mechanism

Tightening torque max.: 750 Nm
Vibration acceleration: 7.42 m/s2
Working pressure (bar): 6.3 bar