## **Inerkules**

### **Waste Disposal Simplified with**

# Crushers

Aerosol
Oil Filter
Paint Can

Providing environmentally-safe disposal,
Herkules Crushers offer a simple and efficient
way to reduce waste volume. Residual oil, paint and
other liquids are trapped and contained for easy
disposal or recycling.

100% air-powered, Herkules Crushers provide a safe, hydraulic fluid-free crushing method.

Extremely durable and built to last, Herkules Crushers are built with pride in Walled Lake, Michigan.





## Reduce, Recycle and Reap the Benefits

### Reduce Can Waste with Herkules HCRs

In twenty seconds or less, Herkules Paint Can Crushers reduce used can waste size up to 90%.

#### HCR1

The Herkules HCR1 crushes up to 4 one gallon cans - or 7 one quart cans, or a single five gallon can - each cycle, and offers auto-eject for crushed cans, simplifying waste collection.

#### HCR2

Mount to any bench, the Herkule HCR2 Can Crusher crushes up to 4 one gallon cans—or 7 one quart cans, or a single five gallon can-each cycle.

#### HCR3

Compact and easy to place in the shop, the HCR3 Paint Can Crusher crushes a single one gallon can or several quart cans in a twenty-second cycle. A custom stand is also available.









HCR3

Drain and Crush Aerosol Cans with the Herkules AFC2



Powerful and efficient, the Herkules AFC2 Aeorsol Can Crusher drains and crushes two aerosol cans in a minute or less. Providing a dual door/latch interlock safety system and a fume extractor to trap contaminants and odors, this crusher captures and drains residual fluids for quick and easy disposal.

## Recycle up to 98% of used oil, and reduce filter size up to 80%, with Herkules Oil Filter Crushers

Herkules Oil Filter Crushers drain and crush used oil filters, while capturing oil waste quickly and efficiently. Equipped with an interlock safety system, these crushers are 100% air operated, use up to 120 psi standard shop air, and require little maintenance.

#### OFC1

Herkules OFC1 Oil Filter Crusher crushes a single filter each cycle. Available in both bench top and stand alone units, this crusher safely reduces the size of filter waste and collects used oil in just seconds.

#### OFC4

A workhorse with nearly 18 tons of crushing force, the OFC4 Oil Filter Crusher crushes up to 4 regular filters, or a single tall heavy duty filter, each cycle.





OFC1 with stand



OFC1 benchtop

#### OFC5

The OFC5 Oil Filter Crusher is similar to the OFC4, but offers a taller crushing chamber that enables it to handle a single heavy-duty filter (such as a locomotive filter) or 4 regular oil filters—in under a minute.



### **Crushers Comparison Chart**

	AFC2	HCR1	HCR2	HCR3	0FC1	0FC4	0FC5
Item crushed	Aerosol cans	Paint cans	Paint cans	Paint cans	Oil filter	Oil filters	Oil filters
Capabilities/ Capacity	2 cans	7- one quart, 4 - one gallon or 1 five gallon can	7 - one quart, 4 - one gallon, or 1 five gallon can	3 one quart or 1 - one gallon can	1 filter up to 8" tall	up to 4 regular or 1 tall filter (up to 12"tall)	up to 4 regular or 1 heavy duty filter (up to 16.5" tall)
Crushing cycle time	25-60 seconds	20 seconds	20 seconds	20 seconds	45 seconds	35-55 seconds	55-90 seconds
Crushing strength (tons)	15	3.75	3.75	2.1	5.5	17.5	17.5
Air input	90-120 psi	90-120 psi	90-120 psi	90-120 psi	90-120 psi	90-120 psi	90-120 psi
Weight	550 lbs	350 lbs	295 lbs	75 lbs	150 lbs (bench mount)	575 lbs	720 lbs
External size	27.5"W x 55"H x 27.5"D	33"W x 91"H x 29"D	16.5"W x 43.25"H x 19"D	18"W x 25.25"H x 13.5"D	17"W (round) x 60"H (w stand) 17"W x 30"H (bench mount)	28"W x 61"H x 28"D	28"W x 77.5"H x 28"D
FEATURES							
Extractor - Fume or Oil	Yes	No	No	Yes	Yes	Yes	Yes
<b>Locked Chamber</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Table Stand/ Auto Eject	n/a	Yes	n/a	n/a	Stand or bench models available	n/a	n/a
Filter/Regulator	Yes	Yes	Yes	Yes	Yes	Yes	Yes

<sup>\*</sup> all measures are approximate

Herkules crushers are proudly made in the USA