




Twist-a-Nut™ Screwdrivers



- Top quality screwdrivers designed especially for the professional electrician
- Patented wire connector wrench in handle eases installation of twist-on connectors
- Patent pending Accu-Loop™ wire looping holes in handle
- Tough Chrome-Vanadium shanks
- Precision, machined tips for accurate fit



21-in-1 Twist-a-Nut™
Screwdriver



21-in-1 Twist-a-Nut™



- Wire-Nut® connector wrench reduces finger fatigue and gets in tight spots
- Premium screwdriver ratchet mechanism can handle high torque without failure
- Ergonomic, slip resistant comfort grip



Patented Wire-Nut® wrench accepts a wide variety of connectors.



B-Cap® Wing-Nut® Wire-Nut® Twister®



Heavy-duty chrome vanadium shafts provide robust strength and long life for professional use

Textured Santoprene™ grip provides excellent torque and resists perspiration, water, oil and chemicals



Multiple Bit Storage Unit

Heavy duty Chrome-Vanadium fixed shaft

Precision tips for accurate fit

35-688

Six torsion bars provide exceptional grip




Accu-Loop™ Wire Looping Hole




PREMIUM RATCHET HIGH TORQUE

All-Metal Ratchet


- Pro-quality, 28 tooth double action, twin-tooth ratchet
- 225 lbs of torque (stronger than human wrist can torque)



#1 PHILLIPS
#2 PHILLIPS
#3 PHILLIPS



3/16" SLOTTED
1/4" SLOTTED
5/16" SLOTTED




#1 SQUARE
#2 SQUARE



#15 STAR
#20 STAR
#25 STAR
#30 STAR



3/32" HEX
1/8" HEX
3/16" HEX
5/32" HEX



1/4" NUT DRIVER
5/16" NUT DRIVER
7/16" NUT DRIVER

9-in-1 Ratch-a-Nut™

- Ratcheting wire connector wrench prevents finger fatigue and gets in tight spots
- Premium screwdriver ratchet mechanism can handle high torque without failure
- Ergonomic, slip resistant comfort grip

Patented Wire-Nut® wrench accepts a wide variety of connectors.



Ratcheting Wire-Nut™ Connector Wrench

- Prevents finger fatigue and gets in tight spots
- Accepts a wide variety of IDEAL wire connectors



RATCHETS AT BOTH ENDS



All-Metal Ratchet

- Pro-quality, 28 tooth double action, twin-tooth ratchet
- 225 lbs of torque (stronger than human wrist can torque)

Textured Santoprene™ grip provides excellent torque and resists perspiration, water, oil and chemicals

Six torsion bars provide exceptional grip



#1 PHILLIPS
#2 PHILLIPS



3/16" SLOTTED
1/4" SLOTTED



1/4" NUT DRIVER
5/16" NUT DRIVER
7/16" NUT DRIVER



7-in-1 Twist-a-Nut™



Wire-Nut™ Connector Wrench

Universal connector wrench in handle to help install twist-on wire connectors



Patented Wire-Nut® wrench accepts a wide variety of connectors.

Accu-Loop™

Wire-looping hole in handle

Twist-a-Nut™ Handle

Interchangeable with new conduit deburrer head and 6-in-1 Tap Tool

Chrome Vanadium Steel Shaft

Heavy duty chrome vanadium steel shaft




30-908

- 1/4" Nutdriver
- 1/4" Slotted
- 3/16" Slotted
- #1 Phillips
- #2 Phillips
- 5/16" Nutdriver

30-909

- 1/4" Nutdriver
- 1/4" Slotted
- 3/16" Slotted
- #2 Square
- #1 Square
- 5/16" Nutdriver

Twist-a-Nut™ Pro Screwdrivers



30-330

#2 Square x 6"



30-331

1/4" Slotted x 4"



30-332

#2 Phillips x 4"



30-333

1/4" Cabinet x 6"



Wire-Nut™ Connector Wrench

Universal connector wrench in handle to help install twist-on wire connectors

- Convenient Wire-Nut® Wrench in end of handle
- Wire-looping hole in handle
- Tough, chrome vanadium steel shank
- Precision ground tip provides secure fit in screw slot

Accu-Loop™ Wire Looping Hole



Textured Santoprene™ grip provides excellent torque and resists perspiration, water, oil and chemicals

Innovation by IDEAL, The Brand Electricians Trust.



6-in-1 Twist-a-Nut™ Tapping Tool



Textured Santoprene™ grip provides excellent torque and resists perspiration, water, oil and chemicals

Six torsion bars provide exceptional grip

Complete Tool with Taps
30-922

Replacement Collar & Taps
30-923

Taps: 6-32, 8-32, 10-32, 10-24, 12-24, 1/4-20

- Forms new threads, re-forms burred threads and cleans out obstructions
- Reversible, high-carbon tap with three clearly marked thread sizes on each end
- Handle is interchangeable with 7-in-1 Screwdriver (35-908) and Conduit Deburrer (35-083)

Wire-Nut™ Connector Wrench

Universal connector wrench in handle to help install twist-on wire connectors




Patented Wire-Nut® wrench accepts a wide variety of connectors.



Accu-Loop™ Wire Looping Hole

Triple-Tap Tool

Taps: 6-32, 8-32, 10-32



35-412

- Forms new threads, re-forms burred threads and cleans out obstructions
- Reversible, high-carbon tap with three clearly marked thread sizes on each end
- Handle is interchangeable with 7-in-1 Screwdriver (35-908) and Conduit Deburrer (35-083)
- Universal connector wrench in handle to help install twist-on wire connectors

Twist-a-Nut™ Conduit Deburring Tools

- Deburrs inside and outside edges of 1/2 in., 3/4 in. and 1 in. EMT conduit
- Hooded tip tightens EMT fitting set screws without slipping
- Square tip “seats” much more quickly on fitting screws than slotted version
- Head removes and is interchangeable with IDEAL 7-in-1 Twist-a-Nut™ Screwdriver shaft (#35-908)
- Head can be used in drill or cordless screwdriver at low RPM
- Universal Wire-Nut® Wire Connector Wrench in handle



30-098
Conduit Deburrer
Head Only
#2 Square Tip

30-075
Conduit Deburrer
#2 Square Tip

30-083
Conduit Deburrer
Slotted Tip

30-096
Conduit Deburrer
Head Only
Slotted Tip

30-097
Replacement Blades
2 Pack

Twist-a-Nut™ Conduit Wiring Kit




Wire-Nut™ Connector Wrench

Universal connector wrench
in handle to help install
twist-on wire connectors



35-926

- Includes Twist-a-Nut™ Screwdriver (35-908), Twist-a-Nut™ Deburring Head-Square Tip (35-098), Twist-a-Nut™ Tap Tool Shaft (35-923), Three Spare Bits (1/4 in. slotted & #2 square, 3/16 in. slotted & #1 square, #10 & #15 Torx®), 8-Pocket Carrying Pouch (35-927)
- Nylon carrying pouch holds all three Twist-a-Nut™ tools plus room for four replacement bits or taps
- Strong easy-slide metal belt clip





Twist-a-Nut Product Line



	Standard	Standard	Standard	Standard	7-in-1	7-in-1	9-in-1	21-in-1	6-in-1 Tap	BurMaster™	BurMaster™	Triple-Tap	Conduit Kit
Item Number	30-330	30-331	30-332	30-333	35-908	35-909	35-988	35-688	35-922	35-075	35-083	35-412	35-926
Design	Standard	Standard	Standard	Standard	Fixed	Fixed	2 Ratchets	1 Ratchet	Tap Tool	Deburrer	Deburrer	Tap Tool	Deburrer
Screw Tips	1 Screw Tip	1 Screw Tip	1 Screw Tip	1 Screw Tip	4 Screw	4 Screw	4 Screw	15 Screw	-	1 Screw	1 Screw	-	1 Screw
Nut Tips	-	-	-	-	2 Nut	2 Nut	3 Nut	3 Nut	-	-	-	-	-
Wire-Nut Wrench	1 Wrench	1 Wrench	1 Wrench	1 Wrench	1 Wrench	1 Wrench	1 Wrench	1 Wrench	1 Wrench	1 Wrench	1 Wrench	1 Wrench	1 Wrench
Wire-Looping	2 Loopers	2 Loopers	2 Loopers	2 Loopers	2 Loopers	2 Loopers	2 Loopers	2 Loopers	2 Loopers	2 Loopers	2 Loopers	2 Loopers	2 Loopers
Phillips Tips													
#1	-	-	-	-	#1 Phillips	-	#1 Phillips	#1 Phillips	-	-	-	-	-
#2	-	-	#2x4" Phillips	-	#2 Phillips	-	#2 Phillips	#2 Phillips	-	-	-	-	-
#3	-	-	-	-	-	-	-	#3 Phillips	-	-	-	-	-
Slotted Tips													
3/16"	-	-	-	-	3/16" Slot.	3/16" Slotted	3/16" Slot.	3/16" Slot.	-	-	-	-	3/16" Slot.
1/4"	-	1/4" Slot x 4"	-	1/4" Slot x 6"	1/4" Slot.	1/4" Slotted	1/4" Slot.	1/4" Slot.	-	-	-	-	1/4" Slot.
5/16"	-	-	-	-	-	-	-	5/16" Slot.	-	-	-	-	-
Square Tips													
#1	-	-	-	-	-	#1 Square	-	#1 Square	-	-	-	-	#1 Square
#2	#2 Sq. x 6"	-	-	-	-	#2 Square	-	#2 Square	-	-	-	-	#2 Square
Star													
#15	-	-	-	-	-	-	-	#15 Star	-	-	-	-	-
#20	-	-	-	-	-	-	-	#20 Star	-	-	-	-	-
#25	-	-	-	-	-	-	-	#25 Star	-	-	-	-	-
#30	-	-	-	-	-	-	-	#30 Star	-	-	-	-	-
Hex Driver													
3/32"	-	-	-	-	-	-	-	3/32" Hex	-	-	-	-	-
1/8"	-	-	-	-	-	-	-	1/8" Hex	-	-	-	-	-
3/16"	-	-	-	-	-	-	-	3/16" Hex	-	-	-	-	-
5/32"	-	-	-	-	-	-	-	5/32" Hex	-	-	-	-	-
Nut Driver													
1/4"	-	-	-	-	1/4" Nut	1/4" Nut	1/4" Nut	1/4" Nut	-	-	-	-	-
5/16"	-	-	-	-	5/16" Nut	5/16" Nut	5/16" Nut	5/16" Nut	-	-	-	-	-
7/16"	-	-	-	-	-	-	7/16" Nut	7/16" Nut	-	-	-	-	-
Deburrer													
Slotted	-	-	-	-	-	-	-	-	-	-	Slot. Tip	-	Slot. Tip
Square	-	-	-	-	-	-	-	-	-	Square Tip	-	-	-
Tap Tool													
6-32	-	-	-	-	-	-	-	-	6-32	-	-	6-32	6-32
8-32	-	-	-	-	-	-	-	-	8-32	-	-	8-32	8-32
10-32	-	-	-	-	-	-	-	-	10-32	-	-	10-32	10-32
10-24	-	-	-	-	-	-	-	-	10-24	-	-	-	10-24
12-24	-	-	-	-	-	-	-	-	12-24	-	-	-	12-24
1/4-20	-	-	-	-	-	-	-	-	1/4-20	-	-	-	1/4-20