



CARGO MANAGEMENT



- TIE-DOWNS
- BUNGEE / EPDM RUBBER
- COMMERCIAL GRADE
- TRUCK & AUTO HARDWARE
- TOWING/TOWING SECURITY
- CARGO BAGS
- SPECIALTY PRODUCTS
- WINCHES



Presenting the Keeper® brand of products.

We are proud to provide the broadest assortment of high quality Cargo Control products available for today's demanding consumers. Our Cargo Control Products include; Tie-Downs, Bungee, Truck & Trailer Accessories, Towing/Towing Security, Electric Winches and more.

For over 36 years, the Keeper® brand has grown to continually meet the demands of a changing marketplace; improving cargo handling and helping mold the way the world transports cargo.

We are committed to maintaining our reputation as a valued supplier, consistently providing the highest quality products in a timely and professional manner.



TABLE OF CONTENTS

CATEGORIES

Tie-Downs.....	6-19
Ratchet.....	6-15
Cam Buckle	16-17
Specialty.....	18-19
Bungee	20-23
Vinyl Coated Hooks	20
Dichromate Hooks	20
Zip Hooks®.....	20
Lock-It™.....	20
Carabiners.....	20
SST Hooks.....	21
Ultra® Hooks.....	21
Twin Anchor® Hooks.....	21
Multi-Packs.....	21
Reels	22
Specialty.....	23
EPDM Rubber	24-25
EPDM Rubber Straps.....	24
VersaStrap®.....	24
Poly Tarps & Accessories.....	25
Truck & Auto	26-33
<u>Emergency / Recovery</u>	
Tow Ropes.....	26
Tow Straps	26
Vehicle Recovery Straps	26
<u>Cargo Accessories</u>	
Key Keepers	27
Wrap-It-Up™ Carabiner Straps	27
Cargo Bars.....	27
Truck Accessories	28-29
<u>Trailer Hardware</u>	30-32
<u>Commercial</u>	
Lifting Slings.....	33
Safety.....	33
Marine	34
Towing.....	35-38
Security, Pins & Clips	35-36
Welded One-Piece Ball Mounts.....	37
Standard Ball Mounts & Trailer Balls.....	37
Jacks & Specialty.....	38
Winches.....	39-42
Index	43



GENERAL PURPOSE

For all of your DIY projects, Working Load Limits up to 500 lbs. and various lengths and hook combinations to meet all of your needs. Choose ratchets or cam buckle to suit your style and applications.



OUTDOOR

Designed to meet the demands of outdoor enthusiasts from casual to serious. Offering the widest selection of camo patterns in the market, from traditional woodlands to premium Realtree®.



POWER SPORTS

Transporting your power sports gear is serious business, and that's why we've designed these straps for your demanding needs. Wider straps, higher capacities and Soft-Tie applications all deliver top performance.



COMMERCIAL

The products in our commercial offering are designed to meet or exceed DOT/FMCSA standards, giving you the confidence when on the road. Various widths up to 4" and capacities up to 5,000 lbs. Working Load Limits.



BUNGEEES

One of the most versatile tools available, bungee cords come in many different sizes, shapes and colors. Various hook sizes and styles to fit many different needs inside and out.



TRUCK & AUTO

Offering a wide variety of accessories to complement and expand the use of your vehicles. From anchor points to cargo bags, Keeper has the product to help you out.



SAFETY/TOWING

When on the road, safety and security are top priorities. From our industry first Welded One Piece Ball Mounts, to a wide variety of ball mount locks and OTR, we have all of your needs locked up.



MARINE

Specialty products designed for the extreme marine environment, featuring stainless steel components and application specific products.



WINCHES

Covering all your needs from General Purpose, ATV/UTV's, 4x4, and Tow/Recovery applications, the complete line from Keeper gives you the features you look for. No matter what your application, we have the units and accessories to cover your needs.



RATCHET

Ratchet Tie-Downs are the fastest, easiest and safest way to secure your cargo. Unlike rope and twine, they work without having to tie knots. Ratchet Tie-Downs apply the perfect amount of tension to the load and lock to prevent accidental release.



GENERAL PURPOSE



05508-V
10' x 1" Ratchet Tie-Down, 4 pack
300 lbs. WLL
900 lbs. Break Strength



05511/ 89511
10' x 1" Ratchet Tie-Down
300 lbs. WLL
900 lbs. Break Strength



84518
15' x 1" Steel Ratchet Tie-Down
300 lbs. WLL
900 lbs. Break Strength



85512/ 89512
13' x 1" Endless Loop Ratchet Tie-Down
400 lbs. WLL
1,200 lbs. Break Strength



85513/ 89513
13' x 1" Ratchet Tie-Down w/Padded Handle
400 lbs. WLL
1,200 lbs. Break Strength



43509
12' x 1" Molded Ratchet Tie-Down, 4 Pack
500 lbs. WLL
1,500 lbs. Break Strength



05505
14' x 1" Ratchet Tie-Down, 4 pack
500 lbs. WLL
1,500 lbs. Break Strength



05514/ 89514
14' x 1" Ratchet Tie-Down
500 lbs. WLL
1,500 lbs. Break Strength



89518
15' x 1" Ratchet Tie-Down
300 lbs. WLL
900 lbs. Break Strength



05506
15' x 1" Padded Ratchet, 4 pack
500 lbs. WLL
1,500 lbs. Break Strength



45506
15' x 1" Molded Ratchet Tie-Down 4 pack
500 lbs. WLL
1,500 lbs. Break Strength

TIE-DOWNS



85543
16' x 1-1/4" Ratchet Tie-Down
600 lbs. WLL
1,800 lbs. Break Strength



85542
16' x 1-1/4" Endless Loop Ratchet Tie-Down
600 lbs. WLL
1,800 lbs. Break Strength



85544
16' x 1-1/4" Tape Measure Ratchet Tie-Down
600 lbs. WLL
1,800 lbs. Break Strength

Part Number	Webbing Width	Webbing Length	Working Load Limit	Break Strength	Hook Type	Ratchet Style	Packaging Type	Case Pack
05508-V	1"	10'	300 lbs.	900 lbs.	Compact S	Solid	Chip board, 4 Pack	6
05511	1"	10'	300 lbs.	900 lbs.	Compact S	Solid	Clamshell, 2 Pack	4
89511	1"	10'	300 lbs.	900 lbs.	Compact S	Solid	Bin Display	12
84518	1"	15'	300 lbs.	900 lbs.	Compact S	Solid	Bin Display	12
89518	1"	15'	300 lbs.	900 lbs.	Compact S	Solid	Bin Display	12
85512	1"	13'	400 lbs.	1,200 lbs.		Solid	Clamshell	12
89512	1"	13'	400 lbs.	1,200 lbs.		Solid	Bin Display	12
85513	1"	13'	400 lbs.	1,200 lbs.	Compact S	Solid/Molded	Clamshell	12
89513	1"	13'	400 lbs.	1,200 lbs.	Compact S	Solid/Molded	Bin Display	12
43509	1"	12'	500 lbs.	1,500 lbs.	Compact S	Solid/Molded	Open Pack, 4 Pack	6
05505	1"	14'	500 lbs.	1,500 lbs.	Compact S	Solid	Chip board, 4 Pack	6
05514	1"	14'	500 lbs.	1,500 lbs.	Large S	Solid	Clamshell	4
89514	1"	14'	500 lbs.	1,500 lbs.	Large S	Solid	Bin Display	8
05506	1"	15'	500 lbs.	1,500 lbs.	Compact S	Solid/Molded	Chip board, 4 Pack	5
45506	1"	15'	500 lbs.	1,500 lbs.	Compact S	Solid/Molded	Open Pack, 4 Pack	5
85542	1-1/4"	16'	600 lbs.	1,800 lbs.		Solid/Molded	Clamshell	8
85543	1-1/4"	16'	600 lbs.	1,800 lbs.	Compact S	Solid/Molded	Clamshell	8
85544	1-1/4"	16'	600 lbs.	1,800 lbs.	Compact S	Solid/Molded	Clamshell	4

OUTDOOR



03720
6' x 1" ATV/Cycle Ratchet Tie-Down, Camo, 2 pack
400 lbs. WLL
1,200 lbs. Break Strength



03508-V
8' x 1" Ratchet Tie-Down, Camo, 4 pack
400 lbs. WLL
1,200 lbs. Break Strength



84102
12' x 1" Molded Ratchet Tie-Down, Desert Camo
400 lbs. WLL
1,200 lbs. Break Strength



84309
12' x 1" Molded Ratchet Tie-Down, Digital Gray Camo
400 lbs. WLL
1,200 lbs. Break Strength

OUTDOOR



03518
12' x 1" Ratchet Tie-Down w/Padded Handle, Camo, 2 pack
500 lbs. WLL
1,500 lbs. Break Strength



03519
12' x 1" Ratchet Tie-Down, Desert Camo, 2 pack
500 lbs. WLL
1,500 lbs. Break Strength



03521
12' x 1" Ratchet Tie-Down, Blaze Camo, 2 pack
500 lbs. WLL
1,500 lbs. Break Strength



03523
12' x 1" Ratchet Tie-Down, Digital Gray Camo, 2 Pack
500 lbs. WLL
1,500 lbs. Break Strength



43561
12' x 1" Mini Pistol Grip Ratchet Tie-Down, 2 pack
500 lbs. WLL
1,500 lbs. Break Strength



83000
12' x 1" Ratchet Tie-Down, Polar Camo
500 lbs. WLL
1,500 lbs. Break Strength



83101
12' x 1" Ratchet Tie-Down, Blaze Camo
500 lbs. WLL
1,500 lbs. Break Strength



85546
16' x 1-1/4" Ratchet Tie-Down, Blaze Camo
600 lbs. WLL
1,800 lbs. Break Strength



TIE-DOWNS



83102
12' x 1" Ratchet Tie-Down, Digital Desert Camo
500 lbs. WLL
1,500 lbs. Break Strength



83103
12'x1" Ratchet Tie-Down, Digital Naval Camo
500 lbs. WLL
1,500 lbs. Break Strength



43568
12' x 1-1/4" C-Grip Ratchet Tie-Down, w/ Double J-Hooks, 2 pack
1,000 lbs. WLL
3,000 lbs. Break Strength



03547
12' x 1-1/4" WWP Desert Camo C-Grip Ratchet Tie-Down, w/ Double J-Hooks, 2 pack
1,000 lbs. WLL
3,000 lbs. Break Strength



03548
16' x 1-1/4" Ratchet Tie-Down Camo, w/ Double J-Hooks, 2 pack
1,000 lbs. WLL
3,000 lbs. Break Strength



83616
16'x2" Padded Ratchet, Camo, w/ Double J-Hooks
3,333 lbs. WLL
10,000 lbs. Break Strength



84618
16' x 2" Molded Grip Ratchet, Digital Gray Camo, w/ Double J-Hooks
3,333 lbs. WLL
10,000 lbs. Break Strength



03622
27' x 2" Ratchet Tie-Down, Camo, w/ Double J-Hooks
3,333 lbs. WLL
10,000 lbs. Break Strength

Part Number	Webbing Width	Webbing Length	Working Load Limit	Break Strength	Hook Type	Ratchet Style	Camo Pattern	Packaging Type	Case Pack
03720	1"	6'	400 lbs.	1,200 lbs.	Large S	Solid	Woodland	Clamshell, 2 Pack	4
03508-V	1"	8'	400 lbs.	1,200 lbs.	Compact S	Solid	Woodland	Chip board, 4 Pack	6
84102	1"	12'	400 lbs.	1,200 lbs.	Compact S	Solid, Molded	Desert	Bin Display	6
84309	1"	12'	400 lbs.	1,200 lbs.	Compact S	Solid, Molded	Digital Gray	Bin Display	6
03518	1"	12'	500 lbs.	1,500 lbs.	Large S	Solid, Molded	Woodland	i-Pack, 2 Pack	4
03519	1"	12'	500 lbs.	1,500 lbs.	Large S	Solid, Molded	Desert	i-Pack, 2 Pack	4
03521	1"	12'	500 lbs.	1,500 lbs.	Large S	Solid, Molded	Blaze	i-Pack, 2 Pack	4
03523	1"	12'	500 lbs.	1,500 lbs.	Large S	Solid, Molded	Digital Gray	i-Pack, 2 Pack	4
43561	1"	12'	500 lbs.	1,500 lbs.	Large S	Molded Mini Pistol Grip	Real Tree Blaze APB®	Open-Pack, 2 Pack	4
83000	1"	12'	500 lbs.	1,500 lbs.	Compact S	Solid, Molded	Polar	Bin Display	12
83101	1"	12'	500 lbs.	1,500 lbs.	Compact S	Solid, Molded	Blaze	Bin Display	12
83102	1"	12'	500 lbs.	1,500 lbs.	Compact S	Solid, Molded	Digital Desert	Bin Display	12
83103	1"	12'	500 lbs.	1,500 lbs.	Compact S	Solid, Molded	Digital Naval	Bin Display	12
43568	1-1/4"	12'	1,000 lbs.	3,000 lbs.	Double J	Molded C-Grip	Real Tree AP®	Open Pack, 2 Pack	4
03547	1-3/4"	12'	1,000 lbs.	3,000 lbs.	Double J	Molded C-Grip	Desert	i-Pack, 2 Pack	4
03548	1-3/4"	16'	1,000 lbs.	3,000 lbs.	Double J	Open Molded	Woodland	i-Pack, 2 Pack	4
83616	2"	16'	3,333 lbs.	10,000 lbs.	Double J	Open Molded	Woodland	Bin Display	4
84618	2"	16'	3,333 lbs.	10,000 lbs.	Double J	Open Molded	Digital Gray	Bin Display	4
03622	2"	27'	3,333 lbs.	10,000 lbs.	Double J	Open Molded	Woodland	Bulk/Bin Display	5

POWER SPORTS



05720
**6' x 1" Ratchet/
Cycle Tie-Down, 2 pack**
400 lbs. WLL
1,200 lbs. Break Strength



05721
**8' x 1" Soft-Tie Cycle
Ratchet Tie-Down, 2 pack**
500 lbs WLL
1,500 lbs. Break Strength



45721
**8' x 1" Soft-Tie
Molded Grip Ratchet
Tie-Down
2 pack**
500 lbs. WLL
1,500 lbs. Break Strength



45766
**8' x 1" Mini Pistol
Grip Tie-Down,
4 pack**
500 lbs. WLL
1,500 lbs. Break Strength



05722
**8' x 1-1/4" Ratchet
Tie-Down, 2 pack**
600 lbs. WLL
1,800 lbs. Break Strength



05729
**16" x 1" Soft Tie
Extension Tie-Down,
4 pack**
800 lbs. WLL
2,400 lbs. Break Strength



05737
**8' x 1-1/4" Soft Tie
Ratchet Tie-Down,
2 pack**
800 lbs. WLL
2,400 lbs. Break Strength



05561
**6' x 1" Retractable
Ratchet Tie-Down,
2 pack**
500 lbs. WLL
1,500 lbs. Break Strength



05562
**10' x 1" Retractable
Tie-Down, 2 pack**
500 lbs. WLL
1,500 lbs. Break Strength



05563
**15' x 1" Retractable
Tie-Down, 2 pack**
500 lbs. WLL
1,500 lbs. Break Strength

TIE-DOWNS



45732
8' x 1-1/4" Soft-Tie
Straight Grip
Ratchet Tie-Down,
2 pack
800 lbs. WLL
2,400 lbs. Break Strength



05741
8' x 1-1/4" Soft-Tie
Ratchet Tie-Down,
2 pack
1,000 lbs. WLL
3,000 lbs. Break Strength



05723
8' x 1-1/2" Soft-Tie
Cycle Padded
Ratchet Tie-Down,
2 pack
1,000 lbs. WLL
3,000 lbs. Break Strength



45723
8' x 1-1/2" Soft-Tie
Open Molded Grip
Ratchet,
2 pack
1,000 lbs. WLL
3,000 lbs. Break Strength




Part Number	Webbing Width	Webbing Length	Working Load Limit	Break Strength	Hook Type	Ratchet Style	Packaging Type	Case Pack
05720	1"	6'	400 lbs.	1,200 lbs.	Large S	Solid	Clamshell, 2 Pack	4
05721	1"	8'	500 lbs.	1,500 lbs.	Large S	Solid, Molded	i-Pack, 2 Pack	4
45721	1"	8'	500 lbs.	1,500 lbs.	Large S	Solid, Molded	Open Pack, 2 Pack	4
45766	1"	8'	500 lbs.	1,500 lbs.	Compact S	Molded Mini Pistol Grip	Open Pack, 4 Pack	6
05561	1"	6'	500 lbs.	1,500 lbs.	Large S	Molded/Retractable	i-Pack, 2 Pack	3
05562	1"	10'	500 lbs.	1,500 lbs.	Large S	Molded/Retractable	i-Pack, 2 Pack	3
05563	1"	15'	500 lbs.	1,500 lbs.	Large S	Molded/Retractable	i-Pack, 2 Pack	3
05722	1-1/4"	8'	600 lbs.	1,800 lbs.	Large S	Solid, Molded	Clamshell, 2 Pack	4
05729	1"	16"	800 lbs.	2,400 lbs.			Clamshell, 4 Pack	4
05737	1-1/4"	8'	800 lbs.	2,400 lbs.	Large S w/ Latch	Molded Straight Grip	i-Pack, 2 Pack	4
45732	1-1/4"	8'	800 lbs.	2,400 lbs.	Large S w/ Latch	Molded Straight Grip	Open Pack, 2 Pack	4
05741	1-1/4"	8'	1,000 lbs.	3,000 lbs.	Coated Snap	Open, Molded	i-Pack, 2 Pack	4
05723	1-1/2"	8'	1,000 lbs.	3,000 lbs.	Coated Snap	Open/Molded	i-Pack, 2 Pack	2
45723	1-1/2"	8'	1,000 lbs.	3,000 lbs.	Coated Snap	Open, Molded	Open Pack, 2 Pack	4


PRO



05518
15' x 1" Ratchet Tie-Down w/Padded Handle, 2 pack
500 lbs. WLL
1,500 lbs. Break Strength



45518
15' x 1" Molded Ratchet Tie-Down 2 pack
500 lbs. WLL
1,500 lbs. Break Strength



05530/ 89430
8' x 1-1/2" Rack-Ratchet®, Mountable
500 lbs. WLL
1,500 lbs. Break Strength



05517/ 89517
14' x 2" Ratchet Tie-Down
500 lbs. WLL
1,500 lbs. Break Strength



05520
14' x 2" Ratchet Tie-Down
666 lbs. WLL
2,000 lbs. Break Strength



05515/ 89515
15' x 1" Ratchet Tie-Down
666 lbs. WLL
2,000 lbs. Break Strength



05510
12' x 1" Ratchet Tie-Down, w/ Double J-Hooks, 4 pack
1,000 lbs. WLL
3,000 lbs. Break Strength



05516/89516
16' x 1" Ratchet Tie-Down
1,000 lbs. WLL
3,000 lbs. Break Strength



45830
10' x 1-1/4" Ratchet Tie-Down 4 pack
1,000 lbs. WLL
3,000 lbs. Break Strength



45835
10' x 1-1/4" Ratchet Tie-Down, w/ Webbing Clip, 2 pack
1,000 lbs. WLL
3,000 lbs. Break Strength



05545
12' x 1-1/2" Industrial Ratchet Tie-Down, C-Grip
1,000 lbs. WLL
3,000 lbs. Break Strength



05524/ 89524
14' x 1-1/2" Pad Ratchet Tie-Down
1,000 lbs. WLL
3,000 lbs. Break Strength

TIE-DOWNS




05544
16' x 1-1/2" Ratchet Tie-Down
1,000 lbs. WLL
3,000 lbs. Break Strength



05565
10' x 1-7/8" Retractable Tie-Down
1,000 lbs. WLL
3,000 lbs. Break Strength



05519/ 89519
15' x 1-3/4" Ratchet Tie-Down
1,666 lbs. WLL
5,000 lbs. Break Strength



05522
15' x 1-3/4" Ratchet Tie-Down
1,666 lbs. WLL
5,000 lbs. Break Strength



Part Number	Webbing Width	Webbing Length	Working Load Limit	Break Strength	Hook Type	Ratchet Style	Packaging Type	Case Pack
05518	1"	15'	500 lbs.	1,500 lbs.	Large S	Solid, Molded	i-Pack, 2 Pack	4
89518	1"	15'	500 lbs.	1,500 lbs.	Large S	Solid, Molded	Bin Display	12
45518	1"	15'	500 lbs.	1,500 lbs.	Large S	Solid, Molded	Open Pack, 2 Pack	4
05530	1-1/2"	8'	500 lbs.	1,500 lbs.	Double J	Open, Molded	i-Pack	3
89430	1-1/2"	8'	500 lbs.	1,500 lbs.	Double J	Open, Molded	Bin Display	5
05517	2"	14'	500 lbs.	1,500 lbs.	Large S	Open	Clamshell	4
89517	2"	14'	500 lbs.	1,500 lbs.	Large S	Open	Bin Display	6
05520	2"	14'	666 lbs.	2,000 lbs.	Large S	Open	i-Pack	4
05515	1"	15'	666 lbs.	2,000 lbs.	Double J	Open	Clamshell	4
89515	1"	15'	666 lbs.	2,000 lbs.	Double J	Open	Bin Display	8
05510	1"	12'	1,000 lbs.	3,000 lbs.	Double J	Open Molded	Chip board, 4 Pack	4
05516	1"	16'	1,000 lbs.	3,000 lbs.	Double J	Open	Clamshell	4
89516	1"	16'	1,000 lbs.	3,000 lbs.	Double J	Open	Bin Display	6
45830	1-1/4"	10'	1,000 lbs.	3,000 lbs.	Double J	Open, Molded	Open Pack, 4 Pack	4
45835	1-1/4"	10'	1,000 lbs.	3,000 lbs.	Large S w/ Latch	Open, Molded	Open Pack, 2 Pack	4
05545	1-1/2"	12'	1,000 lbs.	3,000 lbs.	Double J	Molded C-Grip	i-Pack	4
05524	1-1/2"	14'	1,000 lbs.	3,000 lbs.	Double J	Open, Molded	i-Pack	4
89524	1-1/2"	14'	1,000 lbs.	3,000 lbs.	Double J	Open, Molded	Bin Display	4
05544	1-1/2"	16'	1,000 lbs.	3,000 lbs.	Double J	Molded C-Grip	i-Pack	4
05565	1 7/8"	10'	1,000 lbs.	3,000 lbs.	Large S	Open, Molded/Retractable	i-Pack	3
05519	1-3/4"	15'	1,666 lbs.	5,000 lbs.	Double J	Open	Clamshell	4
89519	1-3/4"	15'	1,666 lbs.	5,000 lbs.	Double J	Open	Bin Display	4
05522	1-3/4"	15'	1,666 lbs.	5,000 lbs.	Double J	Open	i-Pack	4

COMMERCIAL



04602
22' x 2" Ratchet Tie-Down
1,100 lbs. WLL
3,300 lbs. Break Strength



04616/ 89616
16' x 2" Ratchet Tie-Down
3,333 lbs. WLL
10,000 lbs. Break Strength



04618
16' x 2" Ratchet Tie-Down, 4 pack
3,333 lbs. WLL
10,000 lbs. Break Strength



04629
25' x 2" Ratchet Tie-Down, 4 pack
3,333 lbs. WLL
10,000 lbs. Break Strength



04620
27' x 2" Ratchet Tie-Down, Cow Camo
3,333 lbs. WLL
10,000 lbs. Break Strength



04622
27' x 2" Ratchet Tie-Down
3,333 lbs. WLL
10,000 lbs. Break Strength



04623
27' x 2" Ratchet Tie-Down
3,333 lbs. WLL
10,000 lbs. Break Strength



04650
27' x 2" Ratchet Tie-Down w/Chain Ends & Grab Hook
3,333 lbs. WLL
10,000 lbs. Break Strength



05526
27' x 2" Ratchet Tie-Down
3,333 lbs. WLL
10,000 lbs. Break Strength



04627
30' x 2" Ratchet Tie-Down
3,333 lbs. WLL
10,000 lbs. Break Strength




04630
30' x 2" Ratchet Tie-Down
3,333 lbs. WLL
10,000 lbs. Break Strength




04730
30' x 2" Ratchet Tie-Down, Chrome
3,333 lbs. WLL
10,000 lbs. Break Strength



04624
40' x 2" Ratchet Tie-Down, Hay Baler
3,333 lbs. WLL
10,000 lbs. Break Strength



04637
27' x 3" Ratchet Tie-Down
5,000 lbs. WLL
15,000 lbs. Break Strength



04655
30' x 3" Ratchet Tie-Down w/Chain Ends & Grab Hook
5,000 lbs. WLL
15,000 lbs. Break Strength

TIE-DOWNS



04667
27' x 4" Ratchet Tie-Down w/Flat Hooks
5,000 lbs. WLL
15,000 lbs. Break Strength



04926
30' x 4" Winch Strap
5,000 lbs. WLL
15,000 lbs. Break Strength



04927
40' x 4" Winch Strap
5,000 lbs. WLL
15,000 lbs. Break Strength



04928
Winch, Deep Storage



04935
Winch Bar, 36" Chrome



Part Number	Webbing Width	Webbing Length	Working Load Limit	Break Strength	Hook Type	Ratchet Style	Packaging Type	Case Pack
04602	2"	22'	1,100 lbs.	3,300 lbs.	Double J	Open, Molded	Bulk/Bin Display	10
04616	2"	16'	3,333 lbs.	10,000 lbs.	Double J	Open, Molded	Bulk/Bin Display	10
89616	2"	16'	3,333 lbs.	10,000 lbs.	Double J	Open, Molded	Bulk/Bin Display	4
04618	2"	16'	3,333 lbs.	10,000 lbs.	Double J	Open, Molded	Cardboard Carry Case, 4	2
04629	2"	25'	3,333 lbs.	10,000 lbs.	Double J	Open, Molded	Cardboard Carry Case, 4	2
04620	2"	27'	3,333 lbs.	10,000 lbs.	Double J	Open, Molded	Bulk/Bin Display	10
04622	2"	27'	3,333 lbs.	10,000 lbs.	Double J	Open, Molded	Bulk/Bin Display	10
04623	2"	27'	3,333 lbs.	10,000 lbs.	Flat Hook	Open, Molded	Bulk/Bin Display	10
04650	2"	27'	3,333 lbs.	10,000 lbs.	Grab Hook	Open, Molded	Bulk/Bin Display	4
05526	2"	27'	3,333 lbs.	10,000 lbs.	Double J	Open, Molded	Clamshell	3
04627	2"	30'	3,333 lbs.	10,000 lbs.	Flat Hook	Open, Extra Long	Bulk	3
04630	2"	30'	3,333 lbs.	10,000 lbs.	Double J	Open, Extra Long	Bulk/Bin Display	3
04730	2"	30'	3,333 lbs.	10,000 lbs.	Double J	Open, Molded	Bulk/Bin Display	10
04624	2"	40'	3,333 lbs.	10,000 lbs.	Double J	Open, Extra Long	Shrink Wrap	3
04637	3"	27'	5,000 lbs.	15,000 lbs.	Flat Hook	Open, Extra Long	Bulk	2
04655	3"	30'	5,000 lbs.	15,000 lbs.	Grab Hook	Open, Molded	Bulk/Bin Display	2
04667	4"	27'	5,000 lbs.	15,000 lbs.	Flat Hook	Open, Molded	Bulk/Bin Display	2
04926	4"	30'	5,000 lbs.	15,000 lbs.	Flat		Bulk	3
04927	4"	40'	5,000 lbs.	15,000 lbs.	Flat		Bulk	3
04928							Bulk	4
04935							Bulk	4

CAM BUCKLE

Cam Buckle Tie-Downs are the fastest and easiest way to secure your cargo. Unlike rope and twine, they work without having to tie knots. Cam Buckle Tie-Downs combine security with speed. Small teeth grip webbing tight and a thumb release lever makes using them quick and easy.

GENERAL PURPOSE



85109
10' x 1" Cam Buckle Tie-Down
200 lbs. WLL
600 lbs. Break Strength



05108-V
6' x 1" Cam Buckle Tie-Down, 4 pack
300 lbs. WLL
900 lbs. Break Strength



05105
10' x 1" Cam Buckle Tie-Down, 4 pack
300 lbs. WLL
900 lbs. Break Strength



45112
10' x 1" Cam Buckle Tie-Down 2 pack
300 lbs. WLL
900 lbs. Break Strength



05110
10' x 1" Cam Buckle Tie-Down
400 lbs. WLL
1,200 lbs. Break Strength



05112
10' x 1" Cam Buckle Tie-Down, 2 pack
400 lbs. WLL
1,200 lbs. Break Strength



05115/ 89115
15' x 1" Cam Buckle Tie-Down
400 lbs. WLL
1,200 lbs. Break Strength



85145
16' x 1-1/4" Cam Buckle Tie-Down
400 lbs. WLL
1,200 lbs. Break Strength

Part Number	Webbing Width	Webbing Length	Working Load Limit	Break Strength	Hook Type	Buckle Style	Packaging Type	Case Pack
85109	1"	10'	200 lbs.	600 lbs.	Compact S	Cam Buckle	Clamshell	12
05108-V	1"	6'	300 lbs.	900 lbs.	Compact S	Cam Buckle	Chip board, 4 Pack	6
05105	1"	10'	300 lbs.	900 lbs.	Compact S	Cam Buckle	Chip board, 4 Pack	6
45112	1"	10'	300 lbs.	900 lbs.	Compact S	Cam Buckle	Open Pack, 2 Pack	4
05110	1"	10'	400 lbs.	1,200 lbs.	Large S	Cam Buckle	Clamshell	4
05112	1"	10'	400 lbs.	1,200 lbs.	Large S	Cam Buckle	i-Pack, 2 Pack	4
05115	1"	15'	400 lbs.	1,200 lbs.	Large S	Cam Buckle	Clamshell	4
89115	1"	15'	400 lbs.	1,200 lbs.	Large S	Cam Buckle	Bin Display	8
85145	1-1/4"	16'	400 lbs.	1,200 lbs.	Compact S	Padded Thumb Cam	Clamshell	8

TIE-DOWNS



OUTDOOR



03715
**6' x 1" ATV/Cycle
 Cam Buckle Tie-Down,
 Camo, 2 pack**
400 lbs. WLL
1,200 lbs. Break Strength



85146
**16' x 1" Cam Buckle
 Tie-Down,
 Desert Camo**
400 lbs. WLL
1,200 lbs. Break Strength

Part Number	Webbing Width	Webbing Length	Working Load Limit	Break Strength	Hook Type	Buckle Style	Camo Pattern	Case Pack	Case Pack
03715	1"	6'	400 lbs.	1,200 lbs.	Large S	Cam Buckle	Woodland	Clamshell, 2 Pack	4
85146	1"	16'	400 lbs.	1,200 lbs.	Compact S	Black Cam	Desert	Clamshell	4

POWER SPORTS



05715/ 89715
**6' x 1" Motorcycle
 Tie-Down**
400 lbs. WLL
1,200 lbs. Break Strength



05716
**8' x 1" Soft-Tie
 Cycle Cam Buckle
 Tie-Down, 2 pack**
400 lbs. WLL
1,200 lbs. Break Strength



84714
**8' x 1" Cam Buckle
 Tie-Down**
400 lbs. WLL
1,200 lbs. Break Strength




05106
**8' x 1-1/4" Cam
 Buckle Tie-Down,
 4 pack**
400 lbs. WLL
1,200 lbs. Break Strength

Part Number	Webbing Width	Webbing Length	Working Load Limit	Break Strength	Hook Type	Buckle Style	Packaging Type	Case Pack
05715	1"	6'	400 lbs.	1,200 lbs.	Large S	Cam Buckle	Clamshell, 2 Pack	4
89715	1"	6'	400 lbs.	1,200 lbs.	Large S	Cam Buckle	Bin Display	12
05716	1"	8'	400 lbs.	1,200 lbs.	Large S	Cam Buckle	i-Pack, 2 Pack	4
84714	1"	8'	400 lbs.	1,200 lbs.	Large S	Padded Thumb Cam	Bin Display	6
05106	1-1/4"	8'	400 lbs.	1,200 lbs.	Compact S	Padded Thumb Cam	i-Pack, 4 Pack	4

PRO



05707
**8' x 2" Cam Buckle
 Tie-Down, 2 pack**
800 lbs. WLL
2,400 lbs. Break Strength



Part Number	Webbing Width	Webbing Length	Working Load Limit	Break Strength	Hook Type	Buckle Style	Packaging Type	Case Pack
05707	2"	8'	800 lbs.	2,400 lbs.	Large S w/ Latch	Padded Thumb Cam	i-Pack, 2 Pack	4

SPECIALTY

Specialty Tie-Downs include Lashing Straps, Trunk Tie-Downs, Rope Wrangler®, Excess Webbing bags, Axle Straps, and various Automotive Tie-Downs. Each one will perform a special function to match your particular needs.



05212
12' x 1" Lashing Strap
30 lbs. WLL
90 lbs. Break Strength
Package: Clamshell
Ship Pack 4



45201
10' x 1" Lashing Strap, Blue
200 lbs. WLL
600 lbs. Break Strength
Package: Clamshell
Ship Pack 4



45202
10' x 1" Lashing Strap, Orange
200 lbs. WLL
600 lbs. Break Strength
Package: Clamshell
Ship Pack 4



45203
10' x 1" Lashing Strap, Green
200 lbs. WLL
600 lbs. Break Strength
Package: Clamshell
Ship Pack 4



85207
8' x 1" Lashing Strap, 2 pack
30 lbs. WLL
90 lbs. Break Strength
Package: Clamshell
Ship Pack 12



85213/ 89213
13' x 1" Lashing Strap, 2 pack
200 lbs. WLL
600 lbs. Break Strength
Package: Clamshell/ Bin
Display
Ship Pack 4 / 12



85243
8' x 1" Lashing Strap, 2 pack
200 lbs. WLL
600 lbs. Break Strength
Package: Clamshell
Ship Pack 8



05307
6' x 1" Luggage Strap
30 lbs. WLL
90 lbs. Break Strength
Package: Clamshell
Ship Pack 4



07007
16' x 3/8" Rope Wrangler®
(Fits 1/4" - 3/8" Rope)
250 lbs. WLL
Package: Clamshell
Ship Pack 6



85101
Strap Keeper - Excess webbing bag, 2 pack
Package: Clamshell
Ship Pack 4




85110
3' x 1" Trunk Tie-Down
100 lbs. WLL
300 lbs. Break Strength
Package: Clamshell
Ship Pack 12




TIE-DOWNS



TRUCK & AUTO



04223
24" x 2" Axle Strap w/D-Ring
1,666 lbs. WLL
5,000 lbs. Break Strength
 Package: Clamshell
 Ship Pack 4



04224
24" x 2" Axle Strap w/D-Ring
3,333 lbs. WLL
10,000 lbs. Break Strength
 Package: Cardboard Sleeve
 Ship Pack 6



04226
24" x 2" Axle Strap w/D-Ring, w/ Protective Sleeve
3,333 lbs. WLL
10,000 lbs. Break Strength
 Package: Cardboard Sleeve
 Ship Pack 6



04228
36" x 2" Axle Strap w/D-Ring, Premium, w/Protective Sleeve
3,333 lbs. WLL
10,000 lbs. Break Strength
 Package: Cardboard Sleeve
 Ship Pack 6



04512
5-1/2' x 2" Auto Tie-Down Dollie Strap
2,000 lbs. WLL
6,000 lbs. Break Strength
 Package: Clamshell
 Ship Pack 4



04513
5-1/2' x 2" Over Wheel Tie-Down (Fits 6"-9" tires)
2,000 lbs. WLL
6,000 lbs. Break Strength
 Package: Clamshell
 Ship Pack 3



04105
7' x 2" Auto Ratchet Tie-Down w/Snap Hooks
2,000 lbs. WLL
6000 lbs. Break Strength
 Package: Clamshell
 Ship Pack 3



04106
8' x 2" Auto Ratchet Tie-Down w/Snap Hooks
2,000 lbs. WLL
6000 lbs. Break Strength
 Package: i-Pack
 Ship Pack 4



04110
10' x 2" Ratchet Tie-Down w/Twisted Snap Hooks
2,000 WLL
6,000 lbs. Break Strength
 Package: Clam Shell
 Ship Pack 3



44110
10' x 2" Ratchet Tie-Down w/Twisted Snap Hooks
2,000 WLL
6,000 lbs. Break Strength
 Package: Open Pack
 Ship Pack 4

BUNGEE

For use at home, automotive, recreation, gardening and crafts — thousands of uses. Bungee cords are a very simple way to hold something together, or otherwise keep things under control. Offering a variety of hook styles, cord length and strength, Keeper makes a bungee cord for all of your needs.

Vinyl Coated Hooks



Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06014	13"	Single	Bulk	10	50
06014-50C	13"	Single	Bulk/Bin Display	50	50
06018	18"	2 Pack	Poly Bag w/Header	6	10
06019	18"	Single	Bulk	10	50
06019-50C	18"	Single	Bulk/Bin Display	50	50
06024	24"	2 Pack	Poly Bag w/Header	6	10
06025	24"	Single	Bulk	10	50
06025-50C	24"	Single	Bulk/Bin Display	50	50
06031	30"	Single	Bulk	10	50
06031-50C	30"	Single	Bulk/Bin Display	50	50
06036	36"	2 Pack	Poly Bag w/Header	6	10
06037	36"	Single	Bulk	10	50
06037-40C	36"	Single	Bulk/Bin Display	40	40

Dichromate Hooks — Heavy Duty



Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06192	18"	Single	Bulk	10	50
06192-40C	18"	Single	Bulk/Bin Display	40	40
06180	24"	Single	Bulk	10	50
06180-40C	24"	Single	Bulk/Bin Display	40	40
06182	32"	Single	Bulk	10	50
06182-40C	32"	Single	Bulk/Bin Display	40	40
06185	40"	Single	Bulk	10	50
06185-30C	40"	Single	Bulk/Bin Display	30	30
06188	48"	Single	Bulk	10	50
06188-30C	48"	Single	Bulk/Bin Display	30	30

Zip Hooks®



Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06374	20" (6" to 30")	Single	Bulk	10	50
06377	20" (6" to 30")	2 Pack	Poly Bag w/Header	8	8
06378	30" (6" to 45")	Single	Bulk	10	50
06379	30" (6" to 45")	Single	Cardboard Sleeve	10	50
06381	30" (6" to 45")	2 Pack	Poly Bag w/Header	8	8
06386	40" (6 to 60")	Single	Bulk	10	50
06387	40" (6 to 60")	Single	Cardboard Sleeve	10	50
06389	40" (6 to 60")	2 Pack	Poly Bag w/Header	8	8

Lock-It™



Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06510	18"	Single	Bulk/Bin Display	16	16
06512	24"	Single	Bulk/Bin Display	14	14
06514	30"	Single	Bulk/Bin Display	12	12
06516	36"	Single	Bulk/Bin Display	12	12
06518	48"	Single	Bulk/Bin Display	12	12

Carabiners



Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06152	24"	Single	Clamshell	6	6
06154	36"	Single	Clamshell	6	6
06158	48"	Single	Clamshell	6	6



SST Hooks

Round Cord

Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06023-40C	24"	Single	Bulk/Bin Display	40	40
06039-40C	36"	Single	Bulk/Bin Display	40	40
06048-30C	48"	Single	Bulk/Bin Display	30	30

Narrow Flat Cord

Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06120-40C	24"	Single	Bulk/Bin Display	40	40
06126-40C	36"	Single	Bulk/Bin Display	40	40
06128-30C	48"	Single	Bulk/Bin Display	30	30



Ultra® Hooks

Round Cord

Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06067	18"	Single	Clamshell	6	48
06068	18"	Single	Bulk	10	50
06073	24"	Single	Clamshell	6	48
06074	24"	Single	Bulk	10	50
06076	32"	Single	Clamshell	6	48
06077	32"	Single	Bulk	10	50
06079	40"	Single	Clamshell	6	48
06091	40"	Single	Bulk	10	50
06094	48"	Single	Clamshell	6	48
06095	48"	Single	Bulk	10	50



Flat Cord

Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06102	24"	2 Pack	Clamshell	6	6
06104	48"	2 Pack	Clamshell	6	6
06105	18"	Single	Clamshell	6	48
06107	24"	Single	Clamshell	6	48
06111	32"	Single	Clamshell	6	48
06113	40"	Single	Clamshell	6	48
06117	32"	Single, Camo	Clamshell	6	48
06118	48"	Single	Clamshell	6	48



Twin Anchor® Hooks

Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06270	13"	Single	Bulk	10	10
06271	13"	Single	Clamshell	6	6
06272	18"	Single	Bulk	10	10
06273	18"	Single	Clamshell	6	6
06274	24"	Single	Bulk	10	10
06275	24"	Single	Clamshell	6	6
06276	32"	Single	Bulk	10	10
06277	32"	Single	Clamshell	6	6
06278	40"	Single	Bulk	10	10
06279	40"	Single	Clamshell	6	6
06280	48"	Single	Bulk	10	10
06281	48"	Single	Clamshell	6	6



Multi-Packs

Part No.	Description	Total Pieces	Package Type	Inner Pack	Master Pack
06300	Contains (3) 18", (3) 24", (3) 36", and (3) 48" cords	12	Clamshell	3	3
06301	Contains (6) 10" Minis, (6) 18", (2) 24", (2) 30", (2) 36", (2) 48"	20	Clamshell	3	3
06303	Contains (3) 24" cords	3	Poly Bag w/Header	6	6
06306	Contains (2) 10" Minis, (2) 18", (1) 24", (1) 30"	6	Poly Bag w/Header	6	6
06306-12C	Contains (2) 10" Minis, (2) 18", (1) 24", (1) 30"	6	Bin Display	12	12
06311	Contains (2) 15", (2) 25", (1) 35", (1) 45" Flat Bungee Cords	6	Poly Bag w/Header	4	4
06313	Contains (4) 10" Minis, (4) 18", (2) 24", (1) 30", (1) 36"	12	Poly Bag w/Header	6	6
06317	Contains (4) 10 Minis, (4) 16", (4) 18", (4) 24", (2) 30"	18	Poly Bag w/Header	6	6
06320	Contains (5) 10" Minis, (4) 12", (2) 18", (2) 24", (1) 32", (6) Toggle Balls	20	Jar/Bin Display	12	12
06344	12" Bungee Toggle Ball	10	Poly Bag w/Header	6	6
06345	8" Bungee Toggle Ball	25	Poly Bag w/Header	6	6
06356	Contains (2) 40", (2) 32", (2) 24" Heavy Duty Bungee Cords	6	Poly Bag w/Header	6	6



Reels

Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06170	5/32" x 300' Marine Grade	1	Bulk Reel	1	1
06171	1/4" x 300' Marine Grade	1	Bulk Reel	1	1
06173	5/16" x 300' Marine Grade	1	Bulk Reel	1	1
06175	3/8" x '300' Marine Grade	1	Bulk Reel	1	1
06179	1/2" x 150' Marine Grade	1	Bulk Reel	1	1
06410	5/32" x 300' Mini	1	Bulk Reel	1	1
06413	1/2" x 200' Narrow Flat	1	Bulk Reel	1	1
06415	5/16" x 125' Premium Grade	1	Bulk Reel	1	1
06417	3/8" x 75' Heavy Duty	1	Bulk Reel	1	1



06426
Vinyl Coated Steel Bungee Hook,
(fits 1/4" – 5/16" cord sizes)
 Package: Bulk
 Ship Pack 600



06456
Vinyl Coated Steel Hook, 10 Pack,
(fits 5/16" – 3/8" cord sizes)
 Package: Poly Bag w/Header
 Ship Pack 60



06461
Dichromate Hook, 10 Pack,
(fits 5/32" cord sizes)
 Package: Poly Bag w/Header
 Ship Pack 60



06463
Dichromate Hook, 10 Pack,
(fits 1/4" cord sizes)
 Package: Poly Bag w/Header
 Ship Pack 60

06453
4 Pack
 Package: Poly Bag w/Header
 Ship Pack 10

06457
4 Pack
 Package: Poly Bag w/Header
 Ship Pack 10

06462
4 Pack
 Package: Poly Bag w/Header
 Ship Pack 10

06464
4 Pack
 Package: Poly Bag w/Header
 Ship Pack 10

06452
10 Pack
 Package: Poly Bag w/Header
 Ship Pack 60



06483
Dichromate Hook, 4 Pack,
(fits 1/2" cord sizes)
 Package: Poly Bag w/Header
 Ship Pack 10



06480
Stainless Steel Bungee Hook, 4 Pack
(fits 1/4" – 5/16" cord sizes)
 Package: Poly Bag w/Header
 Ship Pack 10



06482
Stainless Steel Bungee Hook, 4 Pack
(fits 5/16" – 3/8" cord sizes)
 Package: Poly Bag w/Header
 Ship Pack 10



06484
Stainless Steel Bungee Hook, 4 Pack
(fits 1/2" cord sizes)
 Package: Poly Bag w/Header
 Ship Pack 10



06429
Adjustable Zip Hook®
(fits 1/4" – 5/16" cord sizes)
 Package: Bulk
 Ship Pack 600



06470
SST Flat Bungee Cord Hook, 4 Pack
 Package: Poly Bag w/Header
 Ship Pack 10



06472
SST Round Bungee Cord Hook, 4 Pack
 Package: Poly Bag w/Header
 Ship Pack 10




06163
60" Bungee Cord, Black/Yellow Kolossal Karabiner™
 Package: Chipboard
 Ship Pack 4

06479
10 Pack
 Package: Poly Bag w/Header
 Ship Pack 60



06051
10" Mini Bungee Cord, 4 Pack
Package: Poly Bag w/Header
Ship Pack 12



06054
6 Piece Mini Bungee Cords, (2 ea: 6", 8", 10")
Package: Poly Bag w/Header
Ship Pack 12



06100
24" Flat Bungee, Yellow, Support Our Troops
Package: Blister/Cut Case
Ship Pack 6



06101
24" Flat Bungee, Pink, Breast Cancer Awareness
Package: Blister/Clip Strip
Ship Pack 8

06052
8 Pack
Package: Poly Bag w/Header
Ship Pack 12

06053
20 Pack
Package: Jar
Ship Pack 8C



06136
6 Arm Bungee Cord
Package: Poly Bag w/Header
Ship Pack 4




06138
Adjustable 6 Arm Zip Cord®, 50"
Package: Poly Bag w/Header
Ship Pack 10



06119
Adjustable Flat Bungee Cord (Adjusts from 10" to 54")
Package: Clamshell
Ship Pack 6



06098
36" ZipCord®, Ultra®
Package: Bulk
Ship Pack 50




06143
15" x 15" Motorcycle/ATV Cargo Net
Package: Clamshell
Ship Pack 4

06099
Package: Clamshell
Ship Pack 6



06164
24" Bungee Cord, w/ Mega Hook®
Package: Chipboard
Ship Pack 6



06144
15" x 30" ATV/UTV Cargo Net
Package: Clamshell
Ship Pack 4

06168
48" Bungee Cord, w/ Mega Hook®
Package: Chipboard
Ship Pack 6



03141
ZipNet® Adjustable Cargo Net, Camo
Package: Clamshell
Ship Pack 3

06141
ZipNet® Adjustable Cargo Net
Package: Clamshell
Ship Pack 3



EPDM RUBBER

EPDM has been the choice of truckers for many years. It's UV and Ozone resistance has been relied upon for superior performance in the field. These straps come in a variety of lengths depending upon your job, or our adjustable VersaStrap® for greater versatility. We even offer a camouflage version for the outdoor enthusiast. But don't forget, these straps are great for use at home, automotive, recreation, gardening and crafts.

EPDM Rubber Strap



Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06209	10"	Single	Bulk	10	50
06214	13"	Single	Bulk	10	50
06214-40C	13"	Single	Bulk/Bin Display	40	40
06215	13"	2 Pack	Poly Bag w/Header	6	10
06219	19"	Single	Bulk	10	50
06219-40C	19"	Single	Bulk/Bin Display	40	40
06220	19"	2 Pack	Poly Bag w/Header	6	10
06224	24"	Single	Bulk	10	50
06224-30C	24"	Single	Bulk/Bin Display	30	30
06225	24"	2 Pack	Poly Bag w/Header	6	10
06235	35"	Single	Bulk	10	50
06235-20C	35"	Single	Bulk/Bin Display	20	20
06236	35"	2 Pack	Poly Bag w/Header	6	10
06245	45"	Single	Bulk	10	50
06245-20C	45"	Single	Bulk/Bin Display	20	20

VersaStrap®



Part No.	Length	Description	Package Type	Inner Pack	Master Pack
06261	24"	Single	Bulk	10	50
06262	24"	Single	Clamshell	6	48
06263-20C	24" Camo	Single	Bulk/Bin Display	20	20
06265	34"	Single	Bulk	10	50
06266	34"	Single	Clamshell	6	48
06268-20C	36"	Single	Bulk/Bin Display	20	20



06360
EPDM Rubber Strap, Multi-Pack, 10 Pcs.,
(contains 4-14", 2-19", 2-24", 2-35")
 Package: Poly Bag w/Header
 Ship Pack 6



06361
EPDM Rubber Strap, Multi-Pack, 10 Pcs.,
(contains 4-14", 2-19", 2-24", 2-35")
 Package: Jar/Cut Case
 Ship Pack 12




06363
EPDM Rubber Strap, Multi-Pack, 5 Pcs.
(contains 1-14", 2-19", 2-24")
 Package: Jar/Cut Case
 Ship Pack 6



06365
EPDM Rubber Strap, 36" VersaStrap®, 4 Pcs.
 Package: Jar/Cut Case
 Ship Pack 6



06210
S-Hooks for Rubber Straps
 Package: Bulk
 Ship Pack 500



06211
S-Hooks for Rubber Straps, 4 Pack
 Package: Poly Bag w/Header
 Ship Pack 10



06369
EPDM Rubber Strap,
5 Pc. Jar, Camo,
2-14", 2-19", 1-24"
VersaStrap
Package: Jar/Cut Case
Ship Pack 6



09801
6' x 8' Poly Tarp
Package: Shrink Wrap/Cut
Case
Ship Pack 20



09802
8' x 10' Poly Tarp
Package: Shrink Wrap/Cut
Case
Ship Pack 12



09803
10' x 12' Poly Tarp
Package: Shrink Wrap/Cut
Case
Ship Pack 8



09804
12' x 18' Poly Tarp
Package: Shrink Wrap/Cut
Case
Ship Pack 12



09805
18' x 24' Poly Tarp
Package: Shrink Wrap/Cut
Case
Ship Pack 7



09520
EasyKlip®, Tarp
Anchor Point, Blue,
4 Pack
Package: Blister
Ship Pack 10

89520
Package: Bin Display
Ship Pack 25



EMERGENCY / RECOVERY

Tow Straps and Vehicle Recovery Straps are the best options to tow a stuck or disabled vehicle. Hi-Test® abrasion resistant webbing exceeds the needs of demanding applications. Diamond braid ropes absorb towing jerks better than others. Tow Straps and Ropes with Zinc plated, forged hooks attach easily to the vehicle frame. Lighter than chain, Straps won't rust, rot or mildew. Straps store in trunk, job box or behind your truck seat.

TRUCK & AUTO



Tow Ropes (Forged Steel Slip Hook w/Latch)

Part No.	Rope Diameter	Rope Length	Rope Capacity	Max Vehicle Weight	Packaging Type	Case Pack
02855	5/8"	13'	6,800 lbs.	3,500 lbs.	Clamshell	4
02858	3/4"	16'	8,700 lbs.	4,500 lbs.	Clamshell	3
02859	7/8"	18'	12,000 lbs.	6,000 lbs.	Shrink Wrap	3
89859	7/8"	18'	12,000 lbs.	6,000 lbs.	Bin Display	3



Tow Straps (Forged Steel Slip Hook w/Latch)

Part No.	Webbing Width	Webbing Length	Webbing Capacity	Max Vehicle Weight	Description	Packaging Type	Case Pack
02805	2"	20'	3,000 lbs.	1,000 lbs.		Clamshell	4
02807	2"	13'	7,000 lbs.	3,500 lbs.		Clamshell	4
89800	2"	15'	12,000 lbs.	5,000 lbs.	Retractable	Bin Display	3
02815	2"	15'	12,000 lbs.	5,000 lbs.		Clamshell	4
89815	2"	15'	12,000 lbs.	5,000 lbs.		Bin Display	5
89816	2"	15'	12,000 lbs.	5,000 lbs.		Bin Display	4
89819	2"	15'	12,000 lbs.	5,000 lbs.	Blaze Camo	Bin Display	4
02825	2"	25'	12,000 lbs.	5,000 lbs.		Clamshell	4
02825-SC	2"	25'	12,000 lbs.	5,000 lbs.		Storage Case	4
89825	2"	25'	12,000 lbs.	5,000 lbs.		Bin Display	4



Vehicle Recovery Straps

Part No.	Webbing Width	Webbing Length	Webbing Capacity	Max Vehicle Weight	Packaging Type	Case Pack
02922	2"	20'	15,000 lbs.	7,000 lbs.	Clamshell	3
89922	2"	20'	15,000 lbs.	7,000 lbs.	Bin Display	4
89924	2"	20'	15,000 lbs.	7,000 lbs.	Bin Display	3
02923	2"	30'	20,000 lbs.	10,000 lbs.	Shrink Wrap	6
89923	2"	30'	20,000 lbs.	10,000 lbs.	Bin Display	4
02932	3"	20'	22,500 lbs.	11,000 lbs.	Clamshell	3
02932-SC	3"	20'	22,500 lbs.	11,000 lbs.	Storage Case	4
89932	3"	20'	22,500 lbs.	11,000 lbs.	Bin Display	3
02933	3"	30'	30,000 lbs.	15,000 lbs.	Shrink Wrap	4
89933	3"	30'	30,000 lbs.	15,000 lbs.	Bin Display	3
02942	4"	30'	20,000 lbs.	10,000 lbs.	Shrink Wrap	3
02943	4"	30'	40,000 lbs.	20,000 lbs.	Shrink Wrap	3
89943	4"	30'	40,000 lbs.	20,000 lbs.	Bin Display	2
02952	2"	6'	20,000 lbs.	8,000 lbs.	Shrink Wrap	4
02953	3"	6'	30,000 lbs.	10,000 lbs.	Shrink Wrap	5
02963	6"	30'	60,000 lbs.	30,000 lbs.	Shrink Wrap	2
02970	6"	30'	75,000 lbs.	37,500 lbs.	Storage Bag	1
02980	8"	30'	100,000 lbs.	50,000 lbs.	Storage Bag	1
02990	10"	30'	125,000 lbs.	62,500 lbs.	Storage Bag	1

CARGO ACCESSORIES

Cargo Accessories include Key Keeper Key Chains to organize keys. Wrap-It-Ups to wrap gear, and Cargo Bars to secure cargo in SUV's, Pick-up Trucks or Car trunks. Various Anchor Points, Hooks, Cargo Bags, and other miscellaneous items to meet your Cargo Control needs.



05056
Cargo Bar, Telescoping, 45"-70"
 Package: Chip board
 Ship Pack 3



05055
Cargo Bar, Auto Extend, 31"-70"
 Package: Chip board
 Ship Pack 3



05060
Cargo Bar, Ratcheting, 40"-70" with Storage Net
 Package: Chip board
 Ship Pack 3



05059
Cargo Bar, Ratcheting, 40"-70"
 Package: Chip board
 Ship Pack 3



Key Keepers

Part No.	Description	Packaging	Case Pack
05289	Key Keeper Key Chain, Orange w/ Reflective Markers	Bulk/Bin Display	30
05290	Orange	Bulk/Bin Display	30
05291	Gray	Bulk/Bin Display	30
05292	Yellow	Bulk/Bin Display	30
05293	Desert Camo	Bulk/Bin Display	30
05294	Blaze Camo	Bulk/Bin Display	30
05295	Cow Camo	Bulk/Bin Display	30
05296	Pink Camo	Bulk/Bin Display	30
05297	Leopard	Bulk/Bin Display	30
05298	Diamond Plate	Bulk/Bin Display	30
05299	Naval Camo	Bulk/Bin Display	30



Wrap-It-Up™ Carabiner Straps

Part No.	Description	Packaging	Case Pack
05260	Keeper Wrap-It-Up, Cow Camo	Bulk/Bin Display	15
05261	Blaze Camo	Bulk/Bin Display	15
05262	Diamond Plate	Bulk/Bin Display	15
05263	Desert Camo	Bulk/Bin Display	15
05264	Pink Camo	Bulk/Bin Display	15
05265	Leopard	Bulk/Bin Display	15
05266	Naval Camo	Bulk/Bin Display	15
05267	Orange w/Reflective Markers	Bulk/Bin Display	15

TRUCK & AUTO



05602
**Steel Ring Stake
Pocket Anchor Point**
Package: Bulk
Ship Pack 4



05604
**Chrome Ring Stake
Pocket Anchor Point**
Package: Bulk
Ship Pack 4



89606
**Oversized Chrome
Ring Stake Pocket
Anchor Point**
Package: Bin Display
Ship Pack 12



05637
**Movable Anchor
Point, 2 Pack**
Package: i-Pack
Ship Pack 4

89602
Package: Bin Display
Ship Pack 12

05605
2 Pack
Package: Clamshell
Ship Pack 4

89604
Package: Bin Display
Ship Pack 12



05647
**Han-D-Ring® Anchor
Point, 2 Pack**
Package: i-Pack
Ship Pack 4



05648
**Universal, Chrome
Ring Stake Pocket
Anchor Point, 2 Pack**
Package: i-Pack
Ship Pack 4



05652
**Universal, Black
Ring Stake Pocket
Anchor Point, 2 Pack**
Package: i-Pack
Ship Pack 4



05653
**Bull Ring® Anchor
Point, Universal,
Stainless Steel,
2 Pack**
1,000 lbs. break strength
Package: i-Pack
Ship Pack 4



05654
**Bull Ring® Anchor
Point, Universal,
2 Pack**
1,000 lbs. break strength
Package: i-Pack
Ship Pack 4



05658
**Bull Ring® Bullet,
Anchor Point,
Universal, 2 Pack**
1,000 lbs. break strength
Package: i-Pack
Ship Pack 4



05626
Chrome Rope Cleat
Package: Clamshell
Ship Pack 4



05628
**Chrome Fold Away
Cleat, 2 Pack**
Package: Clamshell
Ship Pack 4




05624
Swivel Rope Hook, 2 Pack
 Package: Clamshell
 Ship Pack 6



05611
Tow Hook, Black, Forged Steel, 10,000 lbs. Max Vehicle Wt.
 Package: Bulk
 Ship Pack 40



05618
Tow Hook Kit, Black, Forged Steel, 10,000 lbs. Max. Vehicle Wt. w/hardware
 Package: Clamshell
 Ship Pack 4



05619
Tow Hook Kit, Chrome, Forged Steel, 10,000 lbs. Max. Vehicle Wt. w/hardware
 Package: Clamshell
 Ship Pack 4

05623
Swivel Rope Hook, 4 Pack
 Package: Chip board
 Ship Pack 6



05674
Ramp Kit, Powder Coated Steel
 Package: Retail Carton
 Ship Pack 6



05680
Safety Step®, 4" x 17.5", 2 Pack
 Package: Cardboard Header
 Ship Pack 4



07110
CA Truck Rope, 50' Roll x 3/8"
 Package: Shrink wrap
 Ship Pack 6



07201
Roof Top Cargo Bag, Weather Resistant 11 Cu. Ft.
 Package: Retail Carton
 Ship Pack 2



07203
Roof Top Cargo Bag, Waterproof, 15 Cu. Ft.
 Package: Retail Carton
 Ship Pack 2

05679
 Package: Bulk/Cut Case
 Ship Pack 12



07720
Roof Rack Pad, 2 Pack
 Package: Retail Carton
 Ship Pack 2



07730
Tailgate Pad, with Straps
 Package: Retail Carton
 Ship Pack 2



09811
Quik-Cap® Cargo Cap, Tonneau Cover (Fits all 6-1/2' Truck Beds)
 Package: Retail Carton
 Ship Pack 2

TRAILER HARDWARE

Trailer Hardware items include: various O-Track and E-Track items; D-Rings, Surface Mounts and Anchor Point of all sizes and Working Load Limits; Removable Bed Bolts, Trailer Stake Pockets, Corner Protectors, Clamps and Spring & Quick Links.

TRUCK & AUTO



89300
12" O-Track
1,333 lbs. WLL
4,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 12




89301
12" HD Beveled O-Track
1,333 lbs. WLL
4,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 12



89302
Single Stud Fitting w/ Aluminum Base
(Kit with mounting screws)
1,333 lbs. WLL
4,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 12




89303
O-Track Single Stud Fitting
1,333 lbs. WLL
4,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 12



89304
O-Track Double Stud Fitting
2,000 lbs WLL
6,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 12

89325
4' Length
Package: Bulk
Ship Pack 6


89326
4' Length
Package: Bulk
Ship Pack 6



89305
12" Horizontal E-Track, Green Finish
2,000 lbs. WLL
6,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 12



04304
24" Horizontal E-Track, Gray Finish
2,000 lbs. WLL
6,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 10



04316
7" x 2" E-Track Tie-Off Strap, Stamped D-Ring, 2 Pack
2,000 lbs. WLL
6,000 lbs. Break Strength
Package: Clamshell
Ship Pack 4




89307
Articulated E-Track Fitting w/ 2" O-Ring
2,000 lbs. WLL
6,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 12

89327
4' E-Track
Package: Bulk
Ship Pack 6

89306
Package: Bulk/Cut Case
Ship Pack 12



89308
Snap Loc® E-Track Space Saver Fitting, Black
1,333 lbs. WLL
4,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 12



89309
Snap Loc® E-Track Space Saver Fitting, Chrome
1,333 lbs. WLL
4,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 12



89310
Split Center J-Hook, Vinyl Coated, (Fits 2" Webbing)
1,000 lbs. WLL
3,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 8


Light Duty



04520
1-1/2" Wire Ring Anchor Point, Stainless Steel, 4 Pack
300 lbs. WLL
900 lbs. Break Strength
 Package: Chip board
 Ship Pack 6



04521
1-1/2" D-Ring w/ Bracket, 2 Pack
300 lbs. WLL
900 lbs. Break Strength
 Package: Clamshell
 Ship Pack 6



89311
1" D-ring w/ Bracket
400 lbs. WLL
1,200 lbs. Break Strength
 Package: Bulk/Cut Case
 Ship Pack 18



89312
2-3/4" Oval Plate Anchor, Recessed
250 lbs. WLL
750 lbs. Break Strength
 Package: Bulk/Cut Case
 Ship Pack 12

04522
4 Pack
 Package: Chip board
 Ship Pack 6



89313
4" Diameter Surface Mount w/D-Ring, Black Trim
400 lbs. WLL
1,200 lbs. Break Strength
 Package: Bulk/Cut Case
 Ship Pack 12



04523
3-1/2" Oval Plate Anchor, Recessed
400 lbs. WLL
1,200 lbs. Break Strength
 Package: Chip board
 Ship Pack 4

89523
 Package: Bulk/Cut Case
 Ship Pack 12



Medium Duty



89314
1-1/2" D-Ring w/ Bracket
1,666 lbs. WLL
5,000 lbs. Break Strength
 Package: Bulk/Cut Case
 Ship Pack 12



89316
4" Oval Plate Anchor, Recessed
1,600 lbs. WLL
4,800 lbs. Break Strength
 Package: Bulk/Cut Case
 Ship Pack 8



04519
2" Surface Ring Anchor Point, Stainless Steel
2,000 lbs. WLL
6,000 lbs. Break Strength
 Package: Chip board
 Ship Pack 4



04528
4-7/16" Square Flip Ring Anchor, Recessed
1,666 lbs. WLL
5,000 lbs. Break Strength
 Package: Chip board
 Ship Pack 4




89315
6-1/4" Diameter Rotating D-Ring Anchor, Recessed
1,666 lbs. WLL
5,000 lbs. Break Strength
 Package: Bulk/Cut Case
 Ship Pack 6

89526
 Package: Bulk/Cut Case
 Ship Pack 8

TRUCK & AUTO

Heavy Duty



04529
**3-3/8" D-Ring w/
Bracket, Bolt-On**
3,666 lbs. WLL
11,000 lbs. Break Strength
Package: Chip board
Ship Pack 4



89317
**1/2" Surface Mount
Weld-On D-Ring
Anchor**
4,000 lbs. WLL
12,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 8



89318
**5/8" Surface Mount
Weld-On D-Ring
Anchor**
5,000 lbs. WLL
15,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 8



89319
**3/4" Surface Mount
Weld-On D-Ring
Anchor**
6,666 lbs. WLL
20,000 lbs. Break Strength
Package: Bulk/Cut Case
Ship Pack 8

89527
Package: Bulk/Cut Case
Ship Pack 8

Specialty Hardware



89320
**1/2" Removable
Bed Bolts**
800 lbs. WLL
2,400 lbs. Break Strength
Package: Bulk/Cut
Case
Ship Pack 12



89530
**1/4" Spring
Link**
160 lbs. WLL
Package: Bulk/Cut
Case
Ship Pack 24



89532
**3/8" Spring
Link**
315 lbs. WLL
Package: Bulk/Cut
Case
Ship Pack 24



89534
**5/16" Quick
Link**
1,760 lbs. WLL
Package: Bulk/Cut
Case
Ship Pack 24



89536
3/8" Quick Link
2,650 lbs. WLL
Package: Bulk/Cut
Case
Ship Pack 24



89322
**Trailer Stake
Pocket, Straight**
Package: Bulk/Cut
Case
Ship Pack 10



89323
**Trailer Stake
Pocket, Tapered**
Package: Bulk/Cut
Case
Ship Pack 10




89324
**4" Plastic
Corner
Protectors**
Package: Bulk/Cut
Case
Ship Pack 14




89328
**Large
Aluminum
Clamps (used to
attach truck cap to
truck bed)**
Package: Bulk/Cut
Case
Ship Pack 6





04901
**Safety Flag w/
 Wooden Dowel,
 18" x 18", DOT
 Compliant, PVC**
 Package: Shrink Wrap/Cut
 Case
 Ship Pack 20



04902
**Safety Flag, 18" x
 18", DOT Compliant,
 Mesh PVC w/
 Grommets**
 Package: Shrink Wrap/Cut
 Case
 Ship Pack 20



04903
**Reversible Banner,
 Yellow, "Oversize
 Load/Wide Load",
 18" x 84" w/
 Grommets**
 Package: Shrink Wrap/Cut
 Case
 Ship Pack 4



04905
**Flag-it™, Mesh PVC
 Safety Flag w/
 Bungee**
 Package: Chip board
 Ship Pack 8




04906
Safety Flag Magnet
 Package: Clamshell
 Ship Pack 6



04910
**Folding
 Safety Triangle**
 Package: Bulk/Bin Display
 Ship Pack 4



04940
**Trail Tape, 1"x 150',
 Blaze Orange**
 Package: Chip Board
 Ship Pack 6



04942
**Safety Tape, 1"x 25',
 Red/White**
 Package: Chip Board
 Ship Pack 6



04944
**Safety Tape, 2"x 15',
 Red/White**
 Package: Chip Board
 Ship Pack 6


Lifting Slings

1 Ply Webbing Lifting Slings



Part No.	Description	Vertical Rated Capacity	Choker Rated Capacity	Basket Rated Capacity	Packaging Type	Case Pack
02604	6' x 1" Lift Sling, 1 Ply, Flat Loop	1,600 lbs.	1,280 lbs.	3,200 lbs.	Shrink Wrap/bin Display	8
02606	10' x 2" Lift Sling, 1 Ply, Flat Loop	1,600 lbs.	1,280 lbs.	3,200 lbs.	Shrink Wrap/bin Display	8
02612	6' x 2" Lift Sling, 1 Ply, Flat Loop	3,100 lbs.	2,480 lbs.	9,400 lbs.	Shrink Wrap/bin Display	4
02616	12' x 2" Lift Sling, 1 Ply, Flat Loop	3,100 lbs.	2,480 lbs.	9,400 lbs.	Shrink Wrap/bin Display	4
02618	14' x 2" Lift Sling, 1 Ply, Flat Loop	3,100 lbs.	2,480 lbs.	9,400 lbs.	Shrink Wrap/bin Display	4

2 Ply Webbing Lifting Slings



Part No.	Description	Vertical Rated Capacity	Choker Rated Capacity	Basket Rated Capacity	Packaging Type	Case Pack
02622	6' x 2" Lift Sling, 2 Ply, Flat Loop	6,200 lbs.	4,960 lbs.	12,400 lbs.	Shrink Wrap/bin Display	4
02626	10' x 2" Lift Sling, 2 Ply, Flat Loop	6,200 lbs.	4,960 lbs.	12,400 lbs.	Shrink Wrap/bin Display	4
02628	12' x 2" Lift Sling, 2 Ply, Flat Loop	6,200 lbs.	4,960 lbs.	12,400 lbs.	Shrink Wrap/bin Display	4
02630	16' x 2" Lift Sling, 2 Ply, Flat Loop	6,200 lbs.	4,960 lbs.	12,400 lbs.	Shrink Wrap/bin Display	4
02632	20' x 2" Lift Sling, 2 Ply, Flat Loop	6,200 lbs.	4,960 lbs.	12,400 lbs.	Shrink Wrap/bin Display	4
02634	10' x 3" Lift Sling, 2 Ply, Flat Loop	8,800 lbs.	7,040 lbs.	17,600 lbs.	Shrink Wrap/bin Display	2
02636	12' x 3" Lift Sling, 2 Ply, Flat Loop	8,800 lbs.	7,040 lbs.	17,600 lbs.	Shrink Wrap/bin Display	2
02638	16' x 3" Lift Sling, 2 Ply, Flat Loop	8,800 lbs.	7,040 lbs.	17,600 lbs.	Shrink Wrap/bin Display	2
02642	10' x 4" Lift Sling, 2 Ply, Flat Loop	11,000 lbs.	8,800 lbs.	22,000 lbs.	Shrink Wrap/bin Display	2
02646	16' x 4" Lift Sling, 2 Ply, Flat Loop	11,000 lbs.	8,800 lbs.	22,000 lbs.	Shrink Wrap/bin Display	2

MARINE HARDWARE

Specialty products designed for the extreme marine environment, featuring stainless steel components and application specific products.

MARINE



07501
Bow Safety Strap,
1.25"x4'
400 lbs. WLL
1,200 lbs. Break Strength



07503
3-Point Watercraft
Strap, 6'
750 lbs. WLL
2,250 lbs. Break Strength



07505
Gunwale Tie Down,
2"x14', OCB
500 lbs. WLL
1,500 lbs. Break Strength



07507
Gunwale Tie Down,
Stainless Steel,
2"x14', OCB
500 lbs. WLL
1,500 lbs. Break Strength



07512
12' x 1-1/2" Lashing
Strap w/Protective
Cover, 2 pack
300 lbs. WLL
900 lbs. Break Strength



07515
15' x 1" Lashing
Strap w/Protective
Cover
200 lbs. WLL
600 lbs. Break Strength



07522
Transom Tie Down,
2"x4', OCB, 2 pack
500 lbs. WLL
1,500 lbs. Break Strength



07523
Transom Tie Down,
Stainless Steel,
2"x4', OCB, 2 pack
500 lbs. WLL
1,500 lbs. Break Strength



07541
Retractable Transom
Tie Down, 1-7/8" x 4'
1,000 lbs. WLL
3,000 lbs. Break Strength




Part No.	Description	Package Type	Case Pack
07501	Bow Safety Strap, 1.25"x4', 400 lbs. WLL	Clamshell	4
07503	3-Point Watercraft Strap, 6' Multi-Pt., 750 lbs. WLL	Clamshell	4
07505	Gunwale Tie Down, 2"x14', OCB, 500 lbs. WLL	Clamshell	4
07507	Gunwale Tie Down - Stainless Steel, 2"x14', OCB, 500 lbs. WLL	Clamshell	4
07512	12' x 1-1/2" Lashing Strap w/Protective Cover, 2 pack	Clamshell	4
07515	15' x 1" Lashing Strap w/Protective Cover, 200 lbs. WLL	Clamshell	4
07522	Transom Tie Down, 2"x4', OCB, 500 lbs., 2 PK	Clamshell	4
07523	Transom Tie Down - Stainless Steel, 2"x4', OCB, 500 lbs., 2PK	Clamshell	4
07541	Transom Tie Down - Retractable, 1 7/8" x 4', 1,000 lbs. WLL, 2-Pack	i-Pack	3

TOWING

When on the road, safety and security are top priorities. From our industry first Welded One Piece Ball Mounts to a wide variety of ball mount locks, we have all of your needs locked up.

TOWING



3015-008
Pin & Clip 5/8"
Package: Chip board
Ship Pack 6



3015-012
Pin & Clip 1/2"
Package: Chip board
Ship Pack 6



3015-031
Coupler Pin w/ Chain
Package: Chip board
Ship Pack 6



3015-014
Integrated Pin & Clip, Lockable, 1/2" & 5/8"
Package: Chip board
Ship Pack 6



3015-029
L Handle Push Pin & Clip, 1/2" & 5/8"
Package: Chip board
Ship Pack 5



3020-051
Discus Coupler Lock, Stainless, 3/4" Shackle for Fast Lock couplers
Package: Chip board
Ship Pack 3



3020-052
Coupler Lock Covered Brass, 2-1/4" Shackle
Package: Chip board
Ship Pack 4



3020-054
Coupler Lock, 3/4" Clearance
Package: Chip board
Ship Pack 4



3020-055
Coupler Lock, A-Frame, Fits Most Couplers 3/4" - 2 1/4"
Package: Chip board
Ship Pack 4



3020-066
Coupler Security System Kit for Towing & Storage
Package: Clamshell
Ship Pack 2



3020-068
Universal Coupler Lock, Adjustable, Fits All Couplers
Package: Clamshell
Ship Pack 2



3015-043
Bent Pin Hitch Lock, Covered, 1/2" and 5/8" with Sleeve
Package: Chip board
Ship Pack 2


TOWING




3015-049
L-Handle Hitch Lock, 1/2" and 5/8" with Sleeve
Package: Chip board
Ship Pack 3



3015-051
2-Pin Hitch Lock, 1/2" & 5/8" w/ Swivel Head
Package: Chip board
Ship Pack 4



3015-052
Dogbone Hitch Lock, 5/8"
Package: Chip board
Ship Pack 3



3015-053
Dogbone Hitch Lock, Stainless, 5/8"
Package: Chip board
Ship Pack 3



3015-054
Weatherproof, Non-integrated Hitch Lock, Desert Camo, 5/8" Pin
Package: Chip board
Ship Pack 3



3020-048
L-Handle Hitch Lock, Stainless, 1/2" & 5/8" with Sleeve
Package: Chip board
Ship Pack 3



3020-064
Kit, L-Handle Hitch Lock 1/2" and 5/8" Coupler Lock 3/4", Keyed Alike
Package: Chip board
Ship Pack 3



3020-070
Kit, Universal Coupler Lock and Bent Pin Hitch Lock, 1/2" & 5/8" with Sleeve, Keyed Alike
Package: Retail Carton
Ship Pack 2



3020-045
6' Cable and Integrated Receiver Dogbone, 1/2" & 5/8", with Sleeve
Package: Paddle Card
Ship Pack 2



3020-057
Wheel Lock J-Style for Leaf Spring Suspensions
Package: Clamshell
Ship Pack 2



3020-059
Wheel Immobilizer, Adjustable, For 8" to 14" Wheels
Package: Retail Carton
Ship Pack 1



Welded One-Piece Ball Mounts



Part No.	Description	Class	Capacity	Drop	Ball	Package Type	Inner Pack
3010-081	Tri-Ball, Welded One-Piece Ball Mount™	Class III, IV	Up to 10,000 lbs.	0"	1-7/8", 2", 2-5/16"	Retail Carton	1
3050-076	Welded One-Piece Ball Mount™	Class III	5,000 lbs.	2"	1-7/8"	Bulk/Display Bin	2
3050-080	Welded One-Piece Ball Mount™	Class III	5,000 lbs.	2"	2"	Bulk/Display Bin	2
3050-092	Welded One-Piece Ball Mount™	Class III	5,000 lbs.	0"	1-7/8"	Bulk/Display Bin	2
3050-096	Welded One-Piece Ball Mount™	Class III	5,000 lbs.	0"	2"	Bulk/Display Bin	2
3050-098	Welded One-Piece Ball Mount™	Class III	7,500 lbs.	0"	2-5/16"	Bulk/Display Bin	2
3050-100	Welded One-Piece Ball Mount™	Class III	5,000 lbs.	3-1/4"	1-7/8"	Bulk/Display Bin	2
3050-104	Welded One-Piece Ball Mount™	Class III	5,000 lbs.	3-1/4"	2"	Bulk/Display Bin	2

Standard Ball Mounts



Part No.	Description	Class	Capacity	Drop	Rise	Package Type	Inner Pack
05690	1-1/4" Bar Trailer Hitch Ball Mount	Class II	3,500 lbs.	1-1/4"	3/4"	Bulk/Display Bin	2
05691	1-1/4" Bar Trailer Hitch Ball Mount	Class II	3,500 lbs.	2-1/2"	2"	Bulk/Display Bin	2
05692	2" Trailer Hitch Ball Mount	Class III	5,000 lbs.	2"	3/4"	Bulk	2
05693	2" Trailer Hitch Ball Mount	Class III	5,000 lbs.	3-1/4"	2"	Bulk	2
05694	2" Trailer Hitch Ball Mount	Class III	5,000 lbs.	5-1/4"	4"	Bulk	2
05695	2" Trailer Hitch Ball Mount, Adjustable	Class III	5,000 lbs.	Adjusts from 2" Rise to 12" Drop		Retail Carton	1

Chrome Trailer Balls



Part No.	Description	Ball Size	Shank Diameter	Shank Length	Capacity	Package Type	Ship Pack Quantity
05660	Trailer Ball	1-7/8"	3/4"	2-1/4"	2000 lb.	Clamshell	6
05662	Trailer Ball	1-7/8"	1"	2"	2000 lb.	Clamshell	6
05664	Trailer Ball	2"	3/4"	2-1/4"	3500 lb.	Clamshell	6
05666	Trailer Ball	2"	1"	2"	5000 lb.	Clamshell	6
05667	Trailer Ball	2-5/16"	1"	2"	6000 lb.	Clamshell	4



05671
Coupler,
Fits 1-7/8" Ball,
2-1/2" Channel
Class I 2,000 lbs.
 Package: Retail Carton
 Ship Pack 2



05672
Coupler,
Fits 2" Ball,
2-1/2"- 3" Channel
Class II 3,500 lbs.
 Package: Retail Carton
 Ship Pack 2




TOWING



05675
Sidewinding Trailer Jack
1,000 lb.
Package: Retail Carton
Ship Pack 1



05676
A-Frame Trailer Jack
2,000 lb.
Package: Retail Carton
Ship Pack 1



05677
Hitch Connect Trailer Alignment Guide
Package: Clamshell
Ship Pack 3



05678
Hitch Cover
Package: Chip board
Ship Pack 3



05699
Wheel Chocks, 2 Pack
Package: Bulk
Ship Pack 3



05697
Trailer Hand Winch, Up to 1,500 lbs.
Package: Retail Carton
Ship Pack 1



2099-007
Trailer Wrench, Fits 1-1/8" and 1-1/2" Nut Sizes
Package: Bulk
Ship Pack 5



3015-016
Quick Links, 2 Pack
Up to 5,000 lbs Capacity
5/16" Diameter
Package: Clamshell
Ship Pack 6



3020-033
Cable 15'x3/8" Flexweave
Package: Paddle Card
Ship Pack 2



3020-037
36" Safety Chain, Class 3, Up to 5,000 lbs, 2 Pack with 2 Quick Links
Package: Retail Carton
Ship Pack 2



3020-041
40" Safety Cable with Security Hooks, Class 3, Up to 5,000 lbs, 2 Pack
Package: Retail Carton
Ship Pack 2

WINCHES



- 120 Volt AC
- Power In and Power Out
- Power Cord has 3-prong plug on 8' lead
- Hand Held Remote Switch Pendant on 12' lead with Resettable Circuit Breaker
- Emergency Stop Switch – Resettable
- Mounting Plate with 4-way roller fairlead and cable tension plate
- Full Load Mechanical Brake
- Quick Change Brush Caps
- ETL Certified to meet UL and CSA standards
- Limited Lifetime Warranty

KAC1500 110/120V AC 1,500 lb Winch

SPECIFICATIONS

Rated Line Pull	1,500 lbs/ 660Kg
Line Speed	4.5 FPM
Motor	1 H.P. @ 120Volt AC
Full Load Amps	9.2 Amps @ 120Volt AC
Gearing	3-Stage Planetary Full Metal Gear Train
Gear Ratio	262:1
Braking	Automatic Full Load Mechanical
Wire Rope	42' x 3/16" Galvanized Wire Rope and Hook with Safety Latch



- Power In and Out
- Freespool clutch
- Single stage planetary
- Dynamic Brake
- All metal gear train
- Hand held remote switch
- High efficiency low amp draw motor
- Circuit breaker protected
- 12 Volt DC
- Limited Lifetime Warranty

KT2000 12VDC 2000 lb Winch

SPECIFICATIONS

Rated Line Pull	2,000 lbs/ 907 Kg
Line Speed	24 FPM
Motor	12Volt DC 1.0 hp
Gearing	Single Stage Planetary Full Metal Gear Train
Gear Ratio	153:1
Free-spooling clutch	Pull and Turn
Braking	Dynamic
Wire Rope	50' x 5/32" aircraft grade galvanized wire rope



- Power In and Out
- Freespool clutch
- 3 stage planetary gear box
- All metal gear train
- Handle Bar mounted mini rocker switch that can be used as a handheld remote
- Mechanical and dynamic brake
- High efficiency low amp draw motor
- Roller Fairlead included
- Load Doubling Pulley Block included
- Flat Bed Mounting Plate included
- Limited Lifetime Warranty

KT3000 12VDC 3000 lb Winch

SPECIFICATIONS

Rated Line Pull	3,000 lbs/ 1361 Kg
Line Speed	30 FPM
Motor	12Volt DC 1.45 hp
Gearing	3 Stage Planetary Full Metal Gear Train
Gear Ratio	136:1
Free-spooling clutch	Cam Activated
Braking	Mechanic and Dynamic Full Load Holding
Wire Rope	50' x 3/16" aircraft grade galvanized wire rope



- 55' Synthetic Rope
- Power In and Out
- Freespool clutch
- 3 stage planetary gear box
- All metal gear train
- Handle Bar mounted mini rocker switch that can be used as a handheld remote
- Mechanical and dynamic brake
- High efficiency low amp draw motor
- Aluminum Hawse Fairlead
- Load Doubling Pulley Block included
- Flat Bed Mounting Plate included
- Limited Lifetime Warranty

KT3000S 12VDC 3000 lb Winch w/ Synthetic Rope

SPECIFICATIONS

Rated Line Pull	3,000 lbs/ 1361 Kg
Line Speed	30 FPM
Motor	12Volt DC 1.45 hp
Gearing	3 Stage Planetary Full Metal Gear Train
Gear Ratio	136:1
Free-spooling clutch	Cam Activated
Braking	Mechanic and Dynamic Full Load Holding
Rope	55' x 1/4" Synthetic Rope and Hook with Safety Latch



- Power In and Out
- Freespool clutch
- 3 stage planetary gear box
- All metal gear train
- Handle bar mini rocker switch
- 15' Wired Hand Held Remote with Light
- Mechanical and dynamic brake
- High efficiency low amp draw motor
- Roller Fairlead included
- Load Doubling Pulley Block included
- Flat Bed Mounting Plate included
- Limited Lifetime Warranty

KT4000 12VDC 4000 lb Winch

SPECIFICATIONS

Rated Line Pull	4,000 lbs/ 1814 Kg
Line Speed	20 FPM
Motor	12Volt DC 1.6 hp
Gearing	3 Stage Planetary Full Metal Gear Train
Gear Ratio	136:1
Free-spooling clutch	Cam Activated
Braking	Mechanic and Dynamic Full Load Holding
Wire Rope	55' x 7/32" aircraft grade galvanized wire rope



- 55' Synthetic Rope
- Power In and Out
- Freespool clutch
- 3 stage planetary gear box
- All metal gear train
- Handle bar mini rocker switch
- 15' Wired Hand Held Remote with Light
- Mechanical and dynamic brake
- High efficiency low amp draw motor
- Aluminum Hawse Fairlead
- Load Doubling Pulley Block included
- Flat Bed Mounting Plate included
- Limited Lifetime Warranty

KT4000S 12VDC 4000 lb Winch w/ Synthetic Rope

SPECIFICATIONS

Rated Line Pull	4,000 lbs/ 1814 Kg
Line Speed	20 FPM
Motor	12Volt DC 1.6 hp
Gearing	3 Stage Planetary Full Metal Gear Train
Gear Ratio	136:1
Free-spooling clutch	Cam Activated
Braking	Mechanic and Dynamic Full Load Holding
Rope	55' x 1/4" Synthetic Rope and Hook with Safety Latch

WINCHES



KUP3.5
12V DC 3,500 lb Winch

SPECIFICATIONS

Rated Line Pull	3,500 lbs/ 1588Kg
Line Speed	22 FPM
Motor	12 Volt DC 1.2 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	226:1
Braking	Mechanical Automatic
Wire Rope	60' x 7/32" Galvanized Wire Rope and Hook with Safety Latch

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Heavy duty 4-way roller fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



KUP3.5S
12V DC 3,500 lb Winch w/ Synthetic Rope

SPECIFICATIONS

Rated Line Pull	3,500 lbs/ 1588Kg
Line Speed	22 FPM
Motor	12 Volt DC 1.2 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	226:1
Braking	Mechanical Automatic
Rope	60' x 1/4" Synthetic Rope and Hook with Safety Latch

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Aluminum Hawse fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



KUP4.5
12VDC 4,500 lb Winch

SPECIFICATIONS

Rated Line Pull	4,500 lbs/ 2041Kg
Line Speed	14 FPM
Motor	12 Volt DC 1.5 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	226:1
Braking	Mechanical Automatic
Wire Rope	60' x 7/32" Galvanized Wire Rope and Hook with Safety Latch

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Heavy duty 4-way roller fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



KUP4.5S
12VDC 4,500 lb Winch w/ Synthetic Rope

SPECIFICATIONS

Rated Line Pull	4,500 lbs/ 2041Kg
Line Speed	14 FPM
Motor	12 Volt DC 1.5 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	226:1
Braking	Mechanical Automatic
Rope	60' x 1/4" Synthetic Rope and Hook with Safety Latch

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Aluminum Hawse fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



KUP6.0
12VDC 6,000 lb Winch

SPECIFICATIONS

Rated Line Pull	6,000 lbs/ 2722Kg
Line Speed	15 FPM
Motor	12 Volt DC 1.9 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	226:1
Braking	Mechanical Automatic
Wire Rope	55' x 1/4" Galvanized Wire Rope and Hook with Safety Latch

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Heavy duty 4-way roller fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



KUP6.0S
12VDC 6,000 lb Winch w/ Synthetic Rope

SPECIFICATIONS

Rated Line Pull	6,000 lbs/ 2722Kg
Line Speed	15 FPM
Motor	12 Volt DC 1.9 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	226:1
Braking	Mechanical Automatic
Rope	60' x 1/4" Synthetic Rope and Hook with Safety Latch

- Power "in" and power "out"
- Freespooling clutch - Cam activated
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Aluminum Hawse fairlead
- Circuit breaker protected
- Mounting plate, cable tension plate and mounting hardware included
- Limited Lifetime Warranty



KV8.5
12VDC 8,500 lb Winch

- Power "in" and power "out"
- Sliding ring gear clutch
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Heavy duty 4-way roller fairlead
- Circuit breaker protected
- Limited Lifetime Warranty

SPECIFICATIONS

Rated Line Pull	8,500 lbs/ 3856Kg
Line Speed	24 FPM
Motor	12 Volt DC 5.5 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	218:1
Braking	Mechanical Automatic
Wire Rope	85' x 5/16" Galvanized Wire Rope and Hook with Safety Latch



KV8.5S
12VDC 8,500 lb Winch w/ Synthetic Rope

- Power "in" and power "out"
- Sliding ring gear clutch
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Aluminum Hawse fairlead
- Circuit breaker protected
- Limited Lifetime Warranty

SPECIFICATIONS

Rated Line Pull	8,500 lbs/ 3856Kg
Line Speed	24 FPM
Motor	12 Volt DC 5.5 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	218:1
Braking	Mechanical Automatic
Rope	85' x 3/8" Synthetic Rope and Hook with Safety Latch

**Mounting Plate NOT Included*



KV10.5
12VDC 10,500 lb Winch

- Power "in" and power "out"
- Sliding ring gear clutch
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Heavy duty 4-way roller fairlead
- Circuit breaker protected
- Limited Lifetime Warranty

SPECIFICATIONS

Rated Line Pull	10,500 lbs/ 4763Kg
Line Speed	21 FPM
Motor	12 Volt DC 5.5 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	265:1
Braking	Mechanical Automatic
Wire Rope	85' x 3/8" Galvanized Wire Rope and Hook with Safety Latch



KV10.5S
12VDC 10,500 lb Winch w/ Synthetic Rope

- Power "in" and power "out"
- Sliding ring gear clutch
- Automatic mechanical full load brake
- 3-stage planetary gear box
- Integrated heavy duty sealed solenoid switching
- Hand held pendant switch on 15' lead
- Aluminum Hawse fairlead
- Circuit breaker protected
- Limited Lifetime Warranty

SPECIFICATIONS

Rated Line Pull	10,500 lbs/ 4763Kg
Line Speed	21 FPM
Motor	12 Volt DC 5.5 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	265:1
Braking	Mechanical Automatic
Rope	85' x 3/8" Synthetic Rope and Hook with Safety Latch

**Mounting Plate NOT Included*

Winch Accessories



WINCH STRAPS
02952 - 2" x 6'
02953 - 3" x 6'



KWA14122
for KT4000 and all KW, KV, and KU Winches

KTA14103
for KT2500 and 3000
w/pigtail



WIRE ROPE
KTA14188 — Fits KT2000
KTA14119 — Fits KT2500/KT3000
KTA14120 — Fits KT4000
KTA14520 — Fits KW9.5



KWA14617
3/4" Large Capacity Bow Shackle



KWA14126
Wireless Remote Switch for
KT4000, all KW Winches (not
KW5L), KV and KU Winches



MOUNTING PLATES
KWA14622
Fits all KW's and all KV's



KWA14125
Wireless Remote Switch for
KT2500/KT3000 w/additional socket



LARGE WINCH CRADLE
KWA101
Fits KW9.5, KW13.5 and all
KV Winches



TRAILER WIRING HARNESS
(25' with Quick Connects)

KWA14128
6ga Fits KT and KU Series

KWA14607
2ga Fits KW and KV Series



2" RECEIVER HITCH MOUNT
KTA14131
Fits all KT and KU Winches



KWA14560
2 AWG Quick Connect

KWA14127
6 AWG Quick Connect



PULLEY BLOCKS
KWA14650
36,000 lb; for KW13.5, KW17.5

KWA14550
20,000 lb; for KW7.5, KW9.5

KWA14512
12,000 Lbs

KTA15120
8000 lb; for KT Series

WINCHES

PORTABLE



KWSL2000RM
12VDC 2,000 lb Winch

SPECIFICATIONS

Rated Line Pull	2,000 lbs/ 907Kg
Line Speed	8 FPM
Motor	12 Volt DC
Gearing	Spur Gear
Gear Ratio	265:1
Braking	Mechanical
Wire Rope	30' Wire Rope and Hook with Safety Latch

- RM (rapid mount) ball hitch mount
- Handheld remote control on 10' lead
- 20' power lead with battery clips
- Screw knob freewheel clutch
- Powerful low amp draw gear box
- Power In only
- Emergency hand crank
- Light and portable with built-in carry handle

PORTABLE



KW7.5RM
12VDC 7500 lb Winch

SPECIFICATIONS

Rated Line Pull	7,500 lbs/ 3402Kg
Line Speed	8 FPM
Motor	12 Volt DC 4.5 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	180:1
Braking	Mechanical Automatic
Wire Rope	72' x 5/16" Galvanized Wire Rope and Hook with Safety Latch

- Integrated Heavy Duty Sealed Switching
- Handheld Pendant Switch - 15' Lead with High Density LED Work Light and Wireless Remote Control
- 4.5 HP Series Wound 12V DC Motor
- Automatic Full Load Holding Brake
- Power In and Out
- Wire Rope - 72' x 5/16" with Thimble and Clevis Hook with Latch
- Lift and Turn Free Wheel Clutch Handle
- High Speed - 3 Stage - Planetary Gear Box
- Case Hardened Gears
- Heavy Duty 4-Way Roller Fairlead
- Limited Lifetime Warranty



KW9.5
12VDC 9500 lb Winch

SPECIFICATIONS

Rated Line Pull	9,500 lbs/ 4309Kg
Line Speed	30 FPM
Motor	12 Volt DC 5.5 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	218:1
Braking	Mechanical Automatic
Wire Rope	100' x 21/64" Galvanized Wire Rope and Hook with Safety Latch

- Integrated Heavy Duty Sealed Switching
- Handheld Pendant Switch - 15' Lead with High Density LED Work Light and Wireless Remote Control
- 5.5 HP Series Wound 12V DC Motor
- Automatic Full Load Holding Brake
- Power In and Out
- Wire Rope - 100' x 21/64" with Thimble and Clevis Hook with Latch
- Lift and Turn Free Wheel Clutch Handle
- High Speed - 3 Stage - Planetary Gear Box
- Case Hardened Gears
- Heavy Duty 4-Way Roller Fairlead
- Limited Lifetime Warranty



KW13.5
12VDC 13,500 lb Winch

SPECIFICATIONS

Rated Line Pull	13,500 lbs/ 6124Kg
Line Speed	12 FPM
Motor	12 Volt DC 5.5 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	265:1
Braking	Mechanical Automatic
Wire Rope	92' x 3/8" Galvanized Wire Rope and Hook with Safety Latch

- Integrated Heavy Duty Sealed Switching
- Handheld Pendant Switch - 15' Lead with High Density LED Work Light and Wireless Remote Control
- 5.5 HP Series Wound 12V DC Motor
- Automatic Full Load Holding Brake
- Power In and Out
- Wire Rope - 92' x 3/8" with Thimble and Clevis Hook with Latch
- Lift and Turn Free Wheel Clutch Handle
- High Speed - 3 Stage - Planetary Gear Box
- Case Hardened Gears
- Heavy Duty 4-Way Roller Fairlead
- Limited Lifetime Warranty



KW17.5
12VDC 17,500 lb Winch

SPECIFICATIONS

Rated Line Pull	17,500 lbs/ 7938Kg
Line Speed	16 FPM
Motor	12 Volt DC 6.0 hp
Gearing	High Efficiency 3-Stage Planetary Full Metal Gear Train
Gear Ratio	380:1
Braking	Mechanical Automatic
Wire Rope	92' x 15/32" Galvanized Wire Rope and Hook with Safety Latch

- Integrated Heavy Duty Sealed Switching
- Handheld Pendant Switch - 15' Lead with High Density LED Work Light and Wireless Remote Control
- 6.0 HP Series Wound 12V DC Motor
- Automatic Full Load Holding Brake
- Power In and Out
- Wire Rope - 92' x 15/32" with Thimble and Clevis Hook with Latch
- Lift and Turn Free Wheel Clutch Handle
- High Speed - 3 Stage - Planetary Gear Box
- Case Hardened Gears
- Heavy Duty 4-Way Roller Fairlead
- Limited Lifetime Warranty



PART NUMBER INDEX



KAC1500	39	3050-104	37	05565	13	06179	22	07730	29
KT2000	39	03141	23	05602	28	06180	20	09520	25
KT3000	39	03508-V	7	05604	28	06180-40C	20	09801	25
KT3000S	39	03518	8	05605	28	06182	20	09802	25
KT4000	39	03519	8	05611	29	06182-40C	20	09803	25
KT4000S	39	03521	8	05618	29	06185	20	09804	25
KTA14103	41	03523	8	05619	29	06185-30C	20	09805	25
KTA14119	41	03547	9	05623	29	06188	20	09811	29
KTA14120	41	03548	9	05624	29	06188-30C	20	43509	6
KTA14131	41	03622	9	05626	28	06192	20	43561	8
KTA14188	41	03715	17	05628	28	06192-40C	20	43568	9
KTA14520	41	03720	7	05637	28	06209	24	44110	19
KTA15120	41	04105	19	05647	28	06210	25	45112	16
KU3.5	40	04106	19	05648	28	06211	25	45201	18
KU3.5S	40	04110	19	05652	28	06214	24	45202	18
KU4.5	40	04223	19	05653	28	06214-40C	24	45203	18
KU4.5S	40	04224	19	05654	28	06215	24	45506	6
KU6.0	40	04226	19	05658	28	06219	24	45518	12
KU6.0S	40	04228	19	05660	37	06219-40C	24	45721	10
KV8.5	41	04304	30	05662	37	06220	24	45723	11
KV8.5S	41	04316	30	05664	37	06224	24	45732	11
KV10.5	41	04512	19	05666	37	06224-30C	24	45766	10
KW7.5RM	42	04513	19	05667	37	06225	24	45830	12
KW9.5	42	04519	31	05671	37	06235	24	83000	8
KW13.5	42	04520	31	05672	37	06235-20C	24	83101	8
KW17.5	42	04521	31	05674	29	06236	24	83102	9
KWA101	41	04522	31	05675	38	06245	24	83103	9
KWA14122	41	04523	31	05676	38	06245-20C	24	83616	9
KWA14125	41	04528	31	05677	38	06261	24	84102	7
KWA14126	41	04529	32	05678	38	06262	24	84309	7
KWA14127	41	04602	14	05679	29	06263	24	84518	6
KWA14128	41	04616	14	05680	29	06265	24	84618	9
KWA14512	41	04618	14	05690	37	06266	24	84714	17
KWA14550	41	04620	14	05691	37	06268	24	85101	18
KWA14560	41	04622	14	05692	37	06270	21	85109	16
KWA14607	41	04623	14	05693	37	06271	21	85110	18
KWA14617	41	04624	14	05694	37	06272	21	85145	16
KWA14622	41	04627	14	05695	37	06273	21	85146	17
KWA14650	41	04629	14	05697	38	06274	21	85207	18
KWSL2000RM	42	04630	14	05699	38	06275	21	85213	18
2099-007	38	04637	14	05707	17	06276	21	85243	18
02604	33	04650	14	05715	17	06277	21	85512	6
02606	33	04655	14	05716	17	06278	21	85513	6
02612	33	04667	15	05720	10	06279	21	85542	7
02616	33	04730	14	05721	10	06280	21	85543	7
02618	33	04901	33	05722	10	06281	21	85544	7
02622	33	04902	33	05723	11	06300	21	85546	8
02626	33	04903	33	05729	10	06301	21	89115	16
02628	33	04905	33	05737	10	06303	21	89213	18
02630	33	04906	33	05741	11	06306	21	89300	30
02632	33	04910	33	06014	20	06306-12C	21	89301	30
02634	33	04911	33	06014-50C	20	06311	21	89302	30
02636	33	04926	15	06018	20	06313	21	89304	30
02638	33	04927	15	06019	20	06317	21	89305	30
02642	33	04928	15	06019-50C	20	06320	21	89306	30
02646	33	04935	15	06023	21	06344	21	89307	30
02805	26	04940	33	06024	20	06345	21	89308	30
02807	26	04942	33	06025	20	06356	21	89309	30
02815	26	04944	33	06025-50C	20	06360	24	89310	30
02825	26	05055	27	06031	20	06361	24	89311	31
02825-SC	26	05056	27	06031-50C	20	06363	24	89312	31
02855	26	05059	27	06036	20	06365	24	89313	31
02858	26	05060	27	06037	20	06369	25	89314	31
02859	26	05105	16	06037-40C	20	06374	20	89315	31
02922	26	05106	17	06039	21	06377	20	89316	31
02923	26	05108-V	16	06048	21	06378	20	89317	32
02932	26	05110	16	06051	23	06379	20	89318	32
02932-SC	26	05112	16	06052	23	06381	20	89319	32
02933	26	05115	16	06053	23	06386	20	89320	32
02942	26	05212	18	06054	23	06387	20	89321	32
02943	26	05260	27	06067	21	06389	20	89322	32
02952	26	05261	27	06068	21	06410	22	89324	32
02953	26	05262	27	06073	21	06413	22	89325	30
02963	26	05263	27	06074	21	06415	22	89326	30
02970	26	05264	27	06076	21	06417	22	89327	30
02980	26	05265	27	06077	21	06426	22	89328	32
02990	26	05266	27	06079	21	06429	22	89430	12
3010-081	37	05267	27	06091	21	06452	22	89511	6
3015-008	35	05289	27	06094	21	06453	22	89512	6
3015-012	35	05290	27	06095	21	06456	22	89513	6
3015-014	35	05291	27	06098	23	06457	22	89515	12
3015-016	38	05292	27	06099	23	06461	22	89516	12
3015-029	35	05293	27	06100	23	06462	22	89517	12
3015-031	35	05294	27	06101	23	06463	22	89518	6
3015-043	35	05295	27	06102	21	06464	22	89519	13
3015-049	36	05296	27	06104	21	06470	22	89520	25
3015-051	36	05297	27	06105	21	06472	22	89523	31
3015-052	36	05298	27	06107	21	06479	22	89524	12
3015-053	36	05299	27	06111	21	06480	22	89526	31
3015-054	36	05307	18	06113	21	06482	22	89527	32
3020-033	38	05505	6	06117	21	06483	22	89530	32
3020-037	38	05506	6	06118	21	06484	22	89532	32
3020-041	38	05508-V	6	06119	23	06510	20	89534	32
3020-045	36	05510	12	06120	21	06512	20	89536	32
3020-048	36	05511	6	06126	21	06514	20	89602	28
3020-051	35	05514	6	06128	21	06516	20	89604	28
3020-052	35	05515	12	06136	23	06518	20	89606	28
3020-054	35	05516	12	06138	23	07007	19	89616	14
3020-055	35	05517	12	06141	23	07110	29	89715	17
3020-057	36	05518	12	06143	23	07201	29	89800	26
3020-059	36	05519	13	06144	23	07203	29	89815	26
3020-064	36	05520	13	06152	20	07501	34	89816	26
3020-066	35	05522	13	06154	20	07503	34	89819	26
3020-068	35	05524	12	06158	20	07505	34	89825	26
3020-070	36	05526	14	06163	23	07507	34	89859	26
3050-076	37	05530	12	06164	23	07512	34	89922	26
3050-080	37	05544	12	06168	23	07515	34	89923	26
3050-092	37	05545	12	06170	22	07522	34	89924	26
3050-096	37	05561	10	06171	22	07523	34	89932	26
3050-098	37	05562	10	06173	22	07541	34	89933	26
3050-100	37	05563	10	06175	22	07720	29	89943	26

PACKAGING STYLES



i-Pack



Open Pack



Clamshell



Chipboard



Bulk



Shrink Wrap



Bin Display



Polybag