

Klein Pliers

Klein specializes in the making of the world's finest pliers... pliers that professionals trust completely. Klein pliers feel right and work right. They are job-matched for every kind of work you do; designed and built to exceptional quality standards in a tradition that dates back to 1857.



For Professionals...
Since 1857™

Introduction – Pliers

Klein Quality

Klein pliers are made of the finest U.S. steel alloy. They are forged, precision machined, hardened, and carefully tempered for maximum strength. Klein pliers provide exceptional performance and durability.

All pliers mating surfaces and dimensions are precision machined for faultless performance. Pliers halves are precision machined and hot riveted for uniformly smooth opening and closing action. Cutting knives are manufactured for long-lasting edges and perfect alignment.

The cutting knives on all Klein pliers are designed to meet according to the way each is used. Side-cutting and long-nose pliers with side cutters have knives that meet at

the hinge first and then meet at least one-half of the knife length. Diagonal-cutting pliers meet at the tip first and then meet at least one-half of the knife length.

These precise knife-closing designs increase knife life and facilitate resharpening.

Klein pliers are individually adjusted to meet performance standards far exceeding application requirements – ensuring that nothing less than outstanding quality ever carries the Klein name.

Using Pliers

A professional knows all the rules about using pliers, but a review of the following points may help you recall any you may have forgotten.

- 1. Never use pliers to do another tool's job.** Pliers should not be used as a hammer or pry tool or a wrench. Using pliers instead of the proper tools risks damaging the work, damaging yourself, and losing time.
- 2. Never push pliers beyond their capacity.** Bending stiff wire with light pliers or the tip of needle-nose pliers can spring them or break them. Use a stronger, blunt-nose pliers. When you need greater leverage, use pliers with greater leverage. Don't extend the length of the pliers handles. Bolts should be cut with a bolt cutter, and large cable with a cable cutter.
- 3. Never expose pliers to excessive heat.** Direct flame on metal can ruin the tool. Cutting pliers are especially vulnerable to high, direct heat.
- 4. Never cut hardened wire with ordinary pliers.** Pliers should not be used for cutting hardened wire unless they are specifically recommended for this use.
- 5. Never rock pliers from side to side when cutting wire...and never bend the wire back and forth against the cutting knives.** Either practice can dull or nick the cutting

edges. Cut wire at a right angle only. If it won't cut readily, the knives may need sharpening, or you may need pliers with greater leverage.

6. Never cut any wire or metal unless your eyes are protected. Goggles or other protective devices are an absolute must. Don't take shortcuts. Operate safely...the professional way.

7. Never cut any wire or metal unless your fellow workers' eyes are also protected. The wire that doesn't get you may get someone else. Think about the "other guy" as well as yourself.

8. Never depend on plastic-dipped handles to insulate you from electricity. Plastic-dipped and Journeyman™ handles are intended for comfort and a firmer grip only. They are not intended for protection against electric shock. Never use any pliers or cutting tools on live electrical circuits. Only use insulated tools that are marked with the official international 1000-volt rating symbol if there is any chance that the tool will make contact with an energized source.

Pliers Catalog Number Prefixes/Suffixes

"D" (Prefix) – Indicates the pliers have plastic-dipped handles. Plastic-dipped handles are for comfort, NOT for protection against electrical shock.

"HD" (Prefix) – Indicates the pliers have heavy-duty plastic-dipped handles. Heavy-duty plastic-dipped handles provide an extra level of user comfort and are NOT for protection against electrical shock.

"J" (Prefix) – Indicates the pliers have Journeyman™ handles. State-of-the-art dual material molding that allows for a softer, more comfortable grip on the outer surface and a harder, more durable grip on the inner surface and handle ends.

"C" (Suffix) – Indicates the pliers have a coil spring in the handles for self-opening action.

Pliers Cutting Edges

Knife-edge descriptions refer to the angle of the outside cutting edges of the knives when fully closed.


Standard Cutting Edges

Cuts hard wire. Found on all Klein side cutters, long nose, and on most diagonal-cutting pliers.




Semi-Flush Cutting Edges

Closely cuts medium wire. Found on select Klein diagonal cutting pliers.



Full-Flush Cutting Edges

Close, flat cutting of soft wire only. Found on select diagonal-cutting pliers.






Introduction – Pliers

Pliers Dimensions


All Klein pliers are listed with necessary dimensions in both inches and millimeters. The following drawings of six basic types of pliers are keyed by letter to the dimensions given for each pliers listed. All dimensions are subject to commercial tolerances.

- | | |
|---------------------------|----------------------------|
| A – Overall Length | D – Jaw Thickness |
| B – Jaw Length | E – Knife Length |
| C – Jaw Width | F – Point Thickness |


1. Side-Cutting Pliers




3. End Cutting Pliers




5. Flat-Nose and Duck-Bill Pliers




2. Diagonal-Cutting Pliers



4. Long-Nose Pliers



6. Curved-Nose Pliers



Pliers dimensions shown are accurate within accepted commercial tolerances, which allow slight variations that normally result from forging and grinding operations.

FORGED STEEL

from Klein's US-made, proprietary blend

Side-Cutting Pliers

"Handform" handles for full gripping and cutting power

Plastic-dipped handles† for comfort and ease of identification

Unique handle tempering helps absorb the "snap" when cutting wire

Hot-riveted joint ensures smooth action and no handle wobble

Precision-hardened plier head for on-the-job toughness

Induction hardened cutting knives for long life

Sure-gripping cross-hatched knurled jaws

2000™ series
HEAVY-DUTY CUTTING

pliers available.
Cuts ACSR, screws, nails, and most hardened wire

JOURNEYMAN

†Journeyman™ pliers available. State-of-the-art, dual-material handles provide a better grip without sacrificing tool strength or durability

MADE IN USA

Side-Cutting Pliers

High-Leverage Side-Cutting Pliers - Heavy-Duty Cutting

2000 series

Additional Features:

- Cuts ACSR, screws, nails and most hardened wire
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Streamlined design
- Features combination polished and black-oxide finish
- Cat. No. D2000-9NEGLW feature glow in the dark grips to easily locate your tool in dark or low lit areas



D2000-9NE



Glow in the Dark Grips

D2000-9NEGLW

| Cat. No. | Nose Type | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Finish | Handle Color | Weight |
|--|---------------------|---------------------|--------------------|-------------------|----------------|------------------|---------------------------------------|------------------|--------------------|
| D2000-7 | New England | 7-7/8" (200.0 mm) | 1-9/32" (32.5 mm) | 1-1/32" (26.2 mm) | 1/2" (12.7 mm) | 3/4" (19.1 mm) | Plastic-Dipped | Royal Blue | 10.6 oz. (299 g) |
| D2000-8 | New England | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-7/64" (28.2 mm) | 5/8" (15.9 mm) | 3/4" (19.1 mm) | Plastic-Dipped | Royal Blue | 13.6 oz. (386 g) |
| D2000-9NE | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Royal Blue | 1.1 lbs. (0.50 kg) |
| D20009NEGLW | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Glow | 1.1 lbs. (0.50 kg) |
| HD2000-9NE | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Heavy-Duty, Oversized, Plastic-Dipped | Light Red | 1.2 lbs. (0.54 kg) |
| Journeyman™ 2000 Series – Dual-material handles | | | | | | | | | |
| J20008 | New England Tapered | 8-13/16" (223.8 mm) | 1-7/16" (36.5 mm) | 1-7/64" (28.2 mm) | 5/8" (15.9 mm) | 3/4" (19.1 mm) | Journeyman | Light Blue/Black | 14.9 oz. (422 g) |
| J2000-9NE | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Journeyman | Light Blue/Black | 1.1 lbs. (0.50 kg) |

Refer to the insulated section for insulated pliers.

High-Leverage Side-Cutting Pliers

Additional Features:

- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Streamlined design
- D213-9NETT has split tether ring for use with tether device



D213-9NE

NEW!



D213-9

| Cat. No. | Nose Type | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Finish | Handle Color | Weight |
|---|-------------|---------------------|--------------------|-------------------|----------------|------------------|---------------------------------------|-----------------|--------------------|
| 213-9NE | New England | 9-1/4" (235.0 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plain | — | 1.1 lbs. (0.50 kg) |
| D213-9 | Square | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Dark Blue | 1.1 lbs. (0.50 kg) |
| D213-8NE | New England | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-3/16" (30.2 mm) | 5/8" (15.9 mm) | 23/32" (18.3 mm) | Plastic-Dipped | Dark Blue | 14.4 oz. (408 g) |
| D213-9NE | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic Dipped | Dark Blue | 1.1 lbs. (0.50 kg) |
| D213-9NETT NEW! | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic Dipped | Dark Blue | 1.1 lbs. (0.50 kg) |
| HD213-9NE | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Heavy-Duty, Oversized, Plastic-Dipped | Light Red | 1.2 lbs. (0.54 kg) |
| Journeyman™ Series – Dual-material handles | | | | | | | | | |
| J2138NE | New England | 8-13/16" (223.8 mm) | 1-7/16" (36.5 mm) | 1-3/16" (30.2 mm) | 5/8" (15.9 mm) | 23/32" (18.3 mm) | Journeyman | Dark Blue/Black | 15.5 oz. (439 g) |
| J213-9NE | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Journeyman | Dark Blue/Black | 1.1 lbs. (0.50 kg) |

Refer to the insulated section for insulated pliers.



Side-Cutting Pliers

High-Leverage Side-Cutting Pliers - Fish Tape Pulling

Additional Features:

- Easily pulls 1/8" or 1/4" flat steel fish tape without damaging the tape
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Streamlined design
- Cat. No. J2000-9NECRTP crimps non-insulated connectors, lugs, and terminals



D213-9NETP

| Cat. No. | Nose Type | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Finish | Handle Color | Weight |
|---|-------------|-------------------|--------------------|------------------|----------------|------------------|----------------|------------------|--------------------|
| D213-9NETP | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Dark Blue | 1.1 lbs. (0.50 kg) |
| Journeyman™ Series – Dual-material handles | | | | | | | | | |
| J213-9NETP | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Journeyman | Dark Blue/Black | 1.1 lbs. (0.50 kg) |
| 2000 Series* – Heavy-duty cutting knives | | | | | | | | | |
| D2000-9NETP | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Royal Blue | 1.1 lbs. (0.50 kg) |
| Journeyman™ 2000 Series* – Dual-material handles | | | | | | | | | |
| J2000-9NETP | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Journeyman | Light Blue/Black | 1.1 lbs. (0.50 kg) |
| J2000-9NECRTP | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Journeyman | Blue/Black | 1.1 lbs. (0.50 kg) |

*Cuts ACSR, screws, nails, and most hardened wire. Features combination polished and black-oxide finish.

High-Leverage Side-Cutting Pliers - Lineman's Bolt-Thread Holding

Additional Features:

- Hinge opening holds and cleans 5/8" pole line and hardware bolts or threaded rods
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Streamlined design



D213-9NETH

| Cat. No. | Nose Type | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Finish | Handle Color | Weight |
|---|-------------|-------------------|--------------------|------------------|----------------|------------------|---------------------------------------|--------------|--------------------|
| D213-9NETH | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Dark Blue | 1.1 lbs. (0.50 kg) |
| HD213-9NETH | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Heavy-Duty, Oversized, Plastic-Dipped | Light Red | 1.2 lbs. (0.54 kg) |
| 2000 Series* – Heavy-duty cutting knives | | | | | | | | | |
| D2000-9NETH | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Royal Blue | 1.2 lbs. (0.54 kg) |

*Cuts ACSR, screws, nails, and most hardened wire. Features combination polished and black-oxide finish.

High-Leverage Side-Cutting Pliers - Connector Crimping

Additional Features:

- Crimping die behind hinge for superior leverage crimping non-insulated connectors, lugs and terminals
- Cat. No. J213-9NECRN cleanly strips 10 and 12 solid AWG wire and 12 and 14 stranded wire
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Streamlined design



D213-9NECR

J213-9NECRN

| Cat. No. | Nose Type | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Finish | Handle Color | Weight |
|---|-------------|-------------------|--------------------|------------------|----------------|------------------|----------------|------------------|--------------------|
| D213-9NE-CR | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Yellow | 1.0 lbs. (0.45 kg) |
| Journeyman™ Series – Dual-material handles | | | | | | | | | |
| J213-9NECR | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Journeyman | Yellow/Black | 1.1 lbs. (0.50 kg) |
| J2139NECRN | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Journeyman | Yellow/Black | 1.1 lbs. (0.50 kg) |
| 2000 Series* – Heavy-duty cutting knives | | | | | | | | | |
| D2000-9NECR | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Royal Blue | 1.1 lbs. (0.50 kg) |
| Journeyman™ 2000 Series* – Dual-material handles | | | | | | | | | |
| J2000-9NECR | New England | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Journeyman | Light Blue/Black | 1.1 lbs. (0.50 kg) |

*Cuts ACSR, screws, nails, and most hardened wire. Features combination polished and black-oxide finish. Refer to the insulated section for insulated pliers.

Side-Cutting Pliers

Side-Cutting Pliers

Additional Features:

- Streamlined design



D201-9NE

| Cat. No. | Nose Type | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Finish | Handle Color | Weight |
|---------------------------|-------------|---------------------|--------------------|-------------------|----------------|------------------|----------------|--------------|--------------------|
| Streamlined Design | | | | | | | | | |
| D201-7NE | New England | 7-7/16" (188.9 mm) | 1-9/32" (32.5 mm) | 1-1/16" (27.0 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | Plastic-Dipped | Dark Blue | 8.8 oz. (249 g) |
| D201-8NE | New England | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-3/16" (30.2 mm) | 5/8" (15.9 mm) | 23/32" (18.3 mm) | Plastic-Dipped | Dark Blue | 14.7 oz. (417 g) |
| D201-9NE | New England | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-5/16" (33.3 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Dark Blue | 1.1 lbs. (0.50 kg) |
| Square Nose | | | | | | | | | |
| D201-8 | Square | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-7/32" (31.0 mm) | 5/8" (15.9 mm) | 23/32" (18.3 mm) | Plastic-Dipped | Dark Blue | 14.9 oz. (422 g) |
| D201-9 | Square | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-5/16" (33.3 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic-Dipped | Dark Blue | 1.1 lbs. (0.50 kg) |

High-Leverage Universal Combination Pliers

Additional Features:

- Crimping die behind hinge for superior leverage crimping non-insulated connectors, lugs and terminals
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Toothed pipe-grip for greater gripping power



12098

| Cat. No. | Nose Type | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Finish | Handle Color | Weight |
|---|-----------|-------------------|--------------------|-------------------|------------------|----------------|----------------|-----------------|------------------|
| 12098 | Universal | 8-5/8" (219.1 mm) | 1-25/32" (45.2 mm) | 1-1/32" (26.2 mm) | 17/32" (13.5 mm) | 3/4" (19.1 mm) | Plastic-Dipped | Dark Blue | 11.5 oz. (327 g) |
| Journeyman™ Series – Dual-material handles | | | | | | | | | |
| J12098 | Universal | 8-3/4" (222.3 mm) | 1-25/32" (45.2 mm) | 1-1/32" (26.2 mm) | 17/32" (13.5 mm) | 3/4" (19.1 mm) | Journeyman | Dark Blue/Black | 13.1 oz. (371 g) |

Refer to the insulated section for insulated pliers.

Ironworker's Work Pliers

Additional Features:

- Twists and cuts soft annealed rebar tie wire
- Cat. Nos. 213-9ST, D213-9ST and D20009ST feature high-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Hook bend handle
- Spring-loaded action for self-opening
- Cat. Nos. 213-9ST, D213-9ST and D2000-9ST feature heavy-duty knurled jaws
- D201-7CSTT and D213-9STT has split tether ring for use with tether device



D201-7CST

NEW!



D213-9ST

| Cat. No. | Nose Type | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Finish | Handle Color | Weight |
|---|-----------|-------------------|--------------------|-------------------|----------------|------------------|---------------|--------------|--------------------|
| 201-7CST | Square | 9-1/8" (231.8 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | Plain | — | 10.4 oz. (295 g) |
| D201-7CST | Square | 9-1/4" (235.0 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | Plastic | Blue | 12.0 oz. (340 g) |
| D201-7CSTT NEW! | Square | 9" (228.6 mm) | 1-1/2" (38.1 mm) | 1-1/4" (31.8 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | Plastic | Blue | 10.9 oz (308 g) |
| 213-9ST | Square | 9-1/4" (235.0 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plain | — | 1.0 lbs. (0.45 kg) |
| D213-9ST | Square | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic | Blue | 1.1 lbs. (0.50 kg) |
| D213-9STT NEW! | Square | 9-3/8" (238.1 mm) | 2" (50.8 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic | Blue | 1.1 lbs. (0.50 kg) |
| 2000 Series* – Heavy-duty cutting knives | | | | | | | | | |
| D2000-7CST | Square | 9-1/4" (235.0 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | Plastic | Blue | 11.2 oz. (318 g) |
| D2000-9ST | Square | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Plastic | Blue | 1.1 lbs. (0.50 kg) |

*Cuts ACSR, screws, nails, and most hardened wire. Features combination polished and black-oxide finish.

Pliers



FORGED STEEL

from Klein's US-made, proprietary blend

Diagonal-Cutting Pliers

Plastic-dipped handles† for comfort and ease of identification

Hot-riveted joint ensures smooth action and no handle wobble

Induction-hardened cutting knives for long life

Short jaws and beveled cutting edges permit close cutting of wire



pliers available.

Cuts ACSR, screws, nails, and most hardened wire

JOURNEYMAN

†Journeyman™ pliers available. State-of-the-art, dual-material handles provide a better grip without sacrificing tool strength or durability



High-Leverage Diagonal-Cutting Pliers

Additional Features:

- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting power than other pliers design
- Cat. No. D2000-28GLW and D248-8GLW feature glow in the dark grips to easily locate your tool in dark or low lit areas
- D228-8TT has split tether ring for use with tether device



NEW!



D2000-28



Glow in the Dark Grips

D2000-28GLW



D228-8TT

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|---|--------------------|------------------|-------------------|-----------------|----------------|----------------|------------------|------------------|
| D228-7 | 7-1/8" (181.0 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Plastic Dipped | Red | 8.6 oz. (244 g) |
| D228-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Plastic Dipped | Red | 9.6 oz. (272 g) |
| D228-8TT NEW! | 8" (203.2 mm) | 1" (25.4 mm) | 1-1/4" (31.8 mm) | 1/2" (12.7 mm) | Standard | Plastic Dipped | Red | 10.9 oz. (309 g) |
| Journeyman™ Series – Dual-material handles | | | | | | | | |
| J228-8 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Journeyman | Red/Black | 10.7 oz. (303 g) |
| 2000 Series* – Heavy-duty cutting knives | | | | | | | | |
| D2000-28 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Plastic Dipped | Royal Blue | 9.6 oz. (272 g) |
| D200028GLW | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Plastic Dipped | Glow | 9.6 oz. (272 g) |
| Journeyman™ 2000 Series* – Dual-material handles | | | | | | | | |
| J2000-28 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Journeyman | Light Blue/Black | 10.7 oz. (303 g) |

*Cuts ACSR, screws, nails, and most hardened wire. Features combination polished and black-oxide finish. Refer to the insulated section for insulated pliers.

Diagonal-Cutting Pliers

High-Leverage Diagonal-Cutting Pliers - Angled Head

Additional Features:

- Angled head design for easy work in confined spaces
- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting and gripping power than other plier designs
- Cat. No. D248-8GLW feature glow in the dark grips to easily locate your tool in dark or low lit areas



Angled Head Profile



Glow in the Dark Grips

NEW!



D2000-49



D248-8GLW

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|---|--------------------|------------------|-------------------|-----------------|----------------|----------------|------------------|------------------|
| D248-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Plastic-Dipped | Red | 9.6 oz. (272 g) |
| D248-8-GLW | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Plastic-Dipped | Glow | 9.6 oz. (272 g) |
| D238-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Semi-Flush** | Plastic-Dipped | Red | 9.4 oz. (266 g) |
| Journeyman™ Series – Dual-material handles | | | | | | | | |
| J248-8 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Journeyman | Red/Black | 9.8 oz. (278 g) |
| 2000 Series* – Heavy-duty cutting knives | | | | | | | | |
| D2000-48 | 8" (203.2 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Plastic Dipped | Blue | 9.6 oz. (272 g) |
| D2000-49 NEW! | 9" (228.6 mm) | 13/16" (20.6 mm) | 1-1/4" (31.8 mm) | 7/16" (11.1 mm) | Standard | Plastic Dipped | Blue | 10.3 oz. (292 g) |
| Journeyman™ 2000 Series* – Dual-material handles | | | | | | | | |
| J2000-48 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Journeyman | Light Blue/Black | 9.8 oz. (278 g) |

*Cuts ACSR, screws, nails, and most hardened wire. Features combination polished and black-oxide finish. Refer to the insulated section for insulated pliers.

**Semi-flush cutting knives cut Cherry Burrel rivets. For use on non-ferrous wire only.

High-Leverage Diagonal-Cutting Pliers - Stripping Holes

Additional Features:

- Cleanly strips 12 and 14 solid AWG wire
- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting power than other pliers designs



D243-8

SOLID
12-14 AWG

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|----------|--------------------|------------------|-------------------|-----------------|----------------|----------------|--------------|-----------------|
| D243-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Plastic-Dipped | Red | 9.6 oz. (272 g) |

High-Leverage Diagonal-Cutting Pliers - Ironworker's

Additional Features:

- Angled head design for easy working in confined spaces
- Hooked handle for improved grip
- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting power than other pliers designs
- Cat. No. D248-9STT has split tether ring for use with tether device



Angled Head Profile

NEW!



D248-9STT

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|-----------------------|--------------------|------------------|-------------------|-----------------|----------------|----------------|--------------|------------------|
| D248-9ST | 9-3/16" (233.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 7/16" (11.1 mm) | Standard | Plastic Dipped | Red | 10.9 oz. (309 g) |
| D248-9STT NEW! | 9" (228.6 mm) | 1" (25.4 mm) | 1-1/4" (31.8 mm) | 1/2" (12.7 mm) | Standard | Plastic Dipped | Red | 10.9 oz. (309 g) |



Diagonal-Cutting Pliers

Heavy-Duty Diagonal-Cutting Pliers - Tapered Nose

Additional Features:

- Heavier design for all-purpose use
- Tapered nose for easy working in confined areas



D220-7

D252-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|---|---------------------|------------------|------------------|-----------------|----------------|----------------|--------------|-----------------|
| D220-7 | 7-11/16" (195.3 mm) | 1" (25.4 mm) | 31/32" (24.6 mm) | 1/2" (12.7 mm) | Standard | Plastic-Dipped | Red | 8.6 oz. (244 g) |
| D252-6 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 3/4" (19.1 mm) | 7/16" (11.1 mm) | Standard | Plastic-Dipped | Red | 6.1 oz. (173 g) |
| Bell System Type "W" Notches – Slit insulation cleanly | | | | | | | | |
| D252-6SW | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 3/4" (19.1 mm) | 7/16" (11.1 mm) | Standard | Plastic-Dipped | Red | 5.3 oz. (150 g) |

Standard Diagonal-Cutting Pliers - Tapered Nose

Additional Features:

- Tapered nose for easy working in confined areas and close tip cutting
- Spring-loaded action for self-opening (Cat. No. D245-5C)



D245-5

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|----------|---------------------|-------------------|------------------|-----------------|----------------|----------------|--------------|---------------------|
| D202-6 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 7/16" (11.1 mm) | Standard | Plastic-Dipped | Red | 4.6 oz. (130 g) |
| D202-6C | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 7/16" (11.1 mm) | Standard | Plastic-Dipped | Red | 5.0 oz. (142 g) |
| D245-5 | 5-1/16" (128.6 mm) | 11/16" (17.5 mm) | 9/16" (14.3 mm) | 3/8" (9.5 mm) | Standard | Plastic-Dipped | Red | 3.2 oz. (91 g) |
| D245-5C | 5-1/16" (128.58 mm) | 11/16" (17.46 mm) | 9/16" (14.28 mm) | 3/8" (9.52 mm) | Standard | Plastic-Dipped | Red | 0.20 lbs. (0.09 kg) |

Standard Diagonal-Cutting Pliers - Semi-Flush Cutting

Additional Features:

- Trims plastic or printed circuit boards
- Spring-loaded for self-opening action



D210-6C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|----------|-------------------|------------------|------------------|-----------------|----------------|----------------|--------------|-----------------|
| D210-6C | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 7/16" (11.1 mm) | Semi-Flush | Plastic-Dipped | Red | 4.6 oz. (130 g) |

Standard Diagonal-Cutting Pliers - Stripping Hole

Additional Features:

- Cleanly strips 16 AWG (1.0 mm) solid wire
- Tapered nose for easy working in confined areas

SOLID
16 AWG



D240-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|----------|-------------------|------------------|------------------|-----------------|----------------|----------------|--------------|-----------------|
| D240-6 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 7/16" (11.1 mm) | Standard | Plastic-Dipped | Red | 4.8 oz. (136 g) |

Diagonal-Cutting Electronics Pliers


Midget Diagonal-Cutting Pliers

Additional Features:

- Sharp pointed nose for precise tip cutting
- Tapered nose for easy working in confined areas and close tip cutting (Cat No. D295-4C, D257-4 & D257-4C)
- Spring loaded for self-opening action (Not available on Cat. No. D257-4)
- Narrow jaw and hinge for delicate work in tight areas (Cat. No. D259-4C & D2445C)
- Miniature jaw for close-quarter work with maximum visibility (Cat. No. D295-4C)



D257-4C



D295-4C

D259-4C

D209-5C

D244-5C

| Cat. No. | Nose Type | Jaw Type | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|----------|-----------|--------------|--------------------|------------------|------------------|----------------|----------------|----------------|--------------|----------------|
| D209-4C | Pointed | Standard | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/4" (6.4 mm) | Semi-Flush | Plastic-Dipped | Royal Blue | 2.1 oz. (60 g) |
| D209-5C | Pointed | Standard | 5-1/16" (128.6 mm) | 11/16" (17.5 mm) | 9/16" (14.3 mm) | 3/8" (9.5 mm) | Semi-Flush | Plastic-Dipped | Royal Blue | 3.0 oz. (85 g) |
| D244-5C | Pointed | Narrow | 5-1/16" (128.6 mm) | 11/16" (17.5 mm) | 1/2" (12.7 mm) | 5/16" (7.9 mm) | Flush | Plastic-Dipped | Royal Blue | 2.9 oz. (82 g) |
| D257-4 | Tapered | Standard | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/4" (6.4 mm) | Semi-Flush | Plastic-Dipped | Royal Blue | 1.9 oz. (54 g) |
| D257-4C | Tapered | Standard | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/4" (6.4 mm) | Semi-Flush | Plastic-Dipped | Royal Blue | 1.9 oz. (54 g) |
| D259-4C | Pointed | Extra Narrow | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 13/32" (10.3 mm) | 1/4" (6.4 mm) | Flush | Plastic-Dipped | Royal Blue | 1.9 oz. (54 g) |
| D295-4C | Tapered | Mini | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 3/8" (9.5 mm) | 1/4" (6.4 mm) | Flush | Plastic-Dipped | Royal Blue | 1.8 oz. (51 g) |

Midget Diagonal-Cutting Pliers - Nickel Ribbon Wire Cutters

Additional Features:

- Designed to cut nickel ribbon wire
- Nose tip is only 1/32" (0.8 mm) for precise work in confined areas
- Cutting knife tip is 3/16" (5 mm) long for precise cutting
- Spring-loaded action for self-opening



D230-4C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|----------|-------------------|----------------|-----------------|---------------|----------------|----------------|--------------|----------------|
| D230-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/4" (6.4 mm) | Semi-Flush | Plastic-Dipped | Royal Blue | 1.9 oz. (54 g) |

Lightweight Flush Cutter

- Shears wire up to 18 AWG producing a flat, flush cut
- Shear cutting greatly reduces cutting effort and minimizes fly-off
- Cushioned grips and steel return spring for increased comfort during repetitive cutting
- Ultra slim profile increases access in confined areas
- Heat treated for increased durability



D275-5

| Cat. No. | Overall Length | Cutting Knives | Handle Finish | Handle Color | Weight |
|----------|----------------|----------------|---------------|--------------|----------------|
| D275-5 | 5" (127.0 mm) | Flush | Plastic | Red | 1.8 oz. (51 g) |

Pliers



Long-Nose Pliers

FORGED STEEL

from Klein's US-made, proprietary blend

Plastic-dipped handles†

for comfort and ease of identification

Hot-riveted joint
ensures smooth action
and no handle wobble

Slim head design
for working in
confined areas.

JOURNEYMAN

†Journeyman™ pliers available. State-of-the-art, dual-material handles provide a better grip without sacrificing tool strength or durability

**MADE IN
USA**

All-Purpose Pliers

JOURNEYMAN

Additional Features:

- Cat. No. J206-8C strips 8-16 AWG solid and 10-18 AWG stranded wire
- Cat. No. J207-8CR strips 10-18 AWG solid and 12-20 AWG stranded wire and crimps non-insulated connectors, lugs and terminals
- Induction-hardened cutting knives for increased wire cutting performance, including hard wire
- Long nose for grabbing and looping wire
- 6-32 and 8-32 screw shearing



J206-8C

SOLID
8-16 AWG

STRANDED
10-18 AWG



J207-8CR

SOLID
10-18 AWG

STRANDED
12-20 AWG



| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Point Thickness | Handle Finish | Handle Color | Weight |
|----------|-------------------|-------------------|--------------|----------------|----------------|-----------------|---------------|--------------|-----------------|
| J206-8C | 8-5/8" (219.1 mm) | 2-3/16" (55.6 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/2" (12.7 mm) | 1/8" (3.2 mm) | Journeyman | Yellow/Black | 9.6 oz. (272 g) |
| J207-8CR | 8-5/8" (219.1 mm) | 2-3/16" (55.6 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/2" (12.7 mm) | 1/8" (3.2 mm) | Journeyman | Yellow/Black | 9.6 oz. (272 g) |

Long-Nose Pliers

Heavy-Duty Long-Nose Pliers - Side-Cutting

Additional Features:

- Induction-hardened cutting knives for long life
- Heavier design for greater cutting power
- Extended handles provide added reach and greater leverage
- Cat. No. D203-8GLW features glow in the dark grips to easily locate your tool in dark or low lit areas



Glow in the Dark Pliers

D203-8NCR

D203-8GLW

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Point Thickness | Handle Finish | Handle Color | Weight |
|--|--------------------|-------------------|--------------|----------------|----------------|-----------------|----------------|------------------------------------|------------------|
| D203-8 | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | 1/8" (3.2 mm) | Plastic-Dipped | Yellow | 9.6 oz. (272 g) |
| D203-8-GLW | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | 1/8" (3.2 mm) | Plastic-Dipped | High-Visibility, Glow in. The Dark | 9.6 oz. (272 g) |
| Journeyman™ Series – Dual-material handles | | | | | | | | | |
| J203-8 | 8-9/16" (217.5 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | 1/8" (3.2 mm) | Journeyman | Yellow/Black | 10.1 oz. (286 g) |
| Wire Stripping – Cleanly strips 12 AWG wire | | | | | | | | | |
| D203-8N | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | 1/8" (3.2 mm) | Plastic-Dipped | Yellow | 9.4 oz. (266 g) |
| Journeyman™ Series – Dual-material handles | | | | | | | | | |
| J203-8N | 8-9/16" (217.5 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | 1/8" (3.2 mm) | Journeyman | Yellow/Black | 10.2 oz. (289 g) |
| Wire Stripping & Crimping – Cleanly strips 12 AWG wire; crimps connectors, lugs & terminals | | | | | | | | | |
| D203-8NCR | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 5/8" (15.9 mm) | 1/8" (3.2 mm) | Plastic-Dipped | Yellow | 9.8 oz. (278 g) |

Refer to the insulated section for insulated pliers.

Standard Long-Nose Pliers - Side-Cutting

Additional Features:

- Induction-hardened, long-lasting cutting knives
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control
- Spring-loaded action for self-opening (Cat. Nos. D203-6C, D203-7C)



D203-6C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Point Thickness | Handle Finish | Handle Color | Weight |
|---|--------------------|-------------------|------------------|---------------|----------------|-----------------|----------------|--------------|-----------------|
| D203-6 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | 3/32" (2.4 mm) | Plastic-Dipped | Yellow | 4.3 oz. (122 g) |
| D203-6C | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | 3/32" (2.4 mm) | Plastic-Dipped | Yellow | 4.3 oz. (122 g) |
| D203-7 | 7-3/16" (182.6 mm) | 2-7/16" (61.9 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | 3/32" (2.4 mm) | Plastic-Dipped | Yellow | 4.6 oz. (130 g) |
| D203-7C | 7-3/16" (182.6 mm) | 2-7/16" (61.9 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | 3/32" (2.4 mm) | Plastic-Dipped | Yellow | 4.6 oz. (130 g) |
| Journeyman™ Series – Dual-material handles | | | | | | | | | |
| J203-6 | 6-3/4" (171.5 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | 3/32" (2.4 mm) | Journeyman | Yellow/Black | 4.8 oz. (136 g) |
| J203-7 | 7-5/16" (185.7 mm) | 2-7/16" (61.9 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | 3/32" (2.4 mm) | Journeyman | Yellow/Black | 5.3 oz. (150 g) |
| Switchboard Work – Cleanly strips 19 & 22 AWG wire | | | | | | | | | |
| D203-6H2 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | 3/32" (2.4 mm) | Plastic-Dipped | Yellow | 4.2 oz. (119 g) |

Refer to the insulated section for insulated pliers.



Long-Nose Pliers

Standard Long-Nose Pliers

Additional Features:

- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control
- Spring-loaded action for self-opening (Cat. No. D301-6C)



D301-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Thickness | Handle Finish | Handle Color | Weight |
|----------|-------------------|------------------|------------------|---------------|-----------------|----------------|--------------|-----------------|
| D301-6 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | Plastic-Dipped | Yellow | 4.6 oz. (130 g) |
| D301-6C | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | Plastic-Dipped | Yellow | 4.5 oz. (128 g) |

Slim Long-Nose Pliers

Additional Features:

- Longer nose and handles for deeper reach into work
- Spring-loaded for self-opening action
- Curved handles provide greater tool control



D307-5 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Thickness | Handle Finish | Handle Color | Weight |
|------------|-------------------|--------------------|----------------|----------------|-----------------|----------------|--------------|----------------|
| D307-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 1/2" (12.7 mm) | 5/16" (7.9 mm) | 1/32" (0.8 mm) | Plastic-Dipped | Yellow | 2.4 oz. (68 g) |
| D327-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 1/2" (12.7 mm) | 5/16" (7.9 mm) | 1/16" (1.59 mm) | Plastic-Dipped | Dark Blue | 2.4 oz. (68 g) |

Electronics Long-Nose Pliers

Midget Long-Nose Pliers - Slim-Nose

Additional Features:

- Lightweight, slim-nose pliers for precision subminiature assembly work
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control
- Spring-loaded action for self-opening




D322-4 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Thickness | Handle Finish | Handle Color | Weight |
|--|---------------------|-------------------|-----------------|---------------|------------------------------|----------------|--------------|----------------------|
| D321-41/2C | 4-13/16" (122.2 mm) | 1-1/16" (27.0 mm) | 7/16" (11.1 mm) | 1/4" (6.4 mm) | 1/32" x 1/16" (0.8 x 1.6 mm) | Plastic-Dipped | Royal Blue | 2.1 oz. (60 g) |
| Smooth Inside Jaws – Radiused jaw edges help prevent nicking wire | | | | | | | | |
| D322-41/2C | 4-13/16" (122.2 mm) | 1-1/16" (27.0 mm) | 7/16" (11.1 mm) | 1/4" (6.4 mm) | 1/32" x 1/16" (0.8 x 1.6 mm) | Plastic-Dipped | Royal Blue | 2.1 oz. (60 g) |
| D323-41/2C | 4-13/16" (122 mm) | 1-1/16" (27 mm) | 7/16" (11 mm) | 1/4" (6 mm) | 1/8" x 1/16" (3mm x 2 mm) | Plastic-Dipped | Royal Blue | 0.13 lbs. (0.058 kg) |

Tapered Long-Nose Pliers

Additional Features:

- Larger and sturdier yet tapered design allows access into tight areas
- Knurled jaws for sure wrapping and looping
- Spring-loaded for self-opening action
- Curved handles provide greater tool control



D310-6C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Thickness | Handle Finish | Handle Color | Weight |
|----------|-------------------|------------------|------------------|---------------|-----------------|----------------|--------------|-----------------|
| D310-6C | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/16" (1.59 mm) | Plastic-Dipped | Yellow | 4.3 oz. (122 g) |

Electronics Long-Nose Pliers

Long-Nose Pliers - Chain-Nose

Additional Features:

- Knurled jaws for sure gripping, bending and forming of medium-gauge wire
- Spring-loaded for self-opening action
- Curved handles provide greater tool control



D317-5C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Thickness | Handle Finish | Handle Color | Weight |
|----------|---------------------|-------------------|----------------|-----------------|-----------------|----------------|--------------|----------------------|
| D317-5C | 5-1/16" (128.58 mm) | 1-1/8" (28.57 mm) | 1/2" (12.7 mm) | 5/16" (7.93 mm) | 1/16" (1.58 mm) | Plastic-Dipped | Yellow | 0.14 lbs. (0.064 kg) |

Long Needle-Nose Pliers

Additional Features:

- Designed for accurate work in hard-to-reach areas
- Knurled jaws for sure wrapping and looping
- Spring-loaded for self-opening action
- Curved handles provide greater tool control



D318-5 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Thickness | Handle Finish | Handle Color | Weight |
|------------|-------------------|--------------------|----------------|----------------|-----------------|----------------|--------------|----------------|
| D318-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 1/2" (12.7 mm) | 5/16" (7.9 mm) | 1/16" (1.59 mm) | Plastic-Dipped | Yellow | 2.1 oz. (60 g) |

Long Needle-Nose Pliers - Extra-Slim

Additional Features:

- Long, narrow nose and slim hinge for extremely close quarter work
- Finely knurled jaws grip thin wire without damaging it
- Spring-loaded for self-opening action
- Curved handles provide greater tool control



D335-5 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Thickness | Handle Finish | Handle Color | Weight |
|------------|-------------------|--------------------|------------------|---------------|-----------------|----------------|--------------|----------------|
| D335-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 15/32" (11.9 mm) | 1/4" (6.4 mm) | 1/16" (1.59 mm) | Plastic-Dipped | Royal Blue | 2.1 oz. (60 g) |

Curved Long-Nose Pliers

Additional Features:

- 70° bent nose for maximum work visibility in confined areas
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control



D302-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Thickness | Handle Finish | Handle Color | Weight |
|----------|-------------------|------------------|------------------|---------------|-----------------|----------------|--------------|-----------------|
| D302-6 | 6-3/8" (161.9 mm) | 1-1/2" (38.1 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | Plastic Dipped | Yellow | 4.8 oz. (136 g) |



Electronics Long-Nose Pliers

Midget Curved Chain-Nose Pliers

Additional Features:

- 60° bent nose for maximum work visibility in confined areas
- Easily bends and forms fine wire
- Polished inside jaws and radiused jaw edges prevent nicking wire
- Spring-loaded for self-opening action
- Curved handles provide greater tool control



D320-4 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Thickness | Handle Finish | Handle Color | Weight |
|------------|-------------------|--------------|------------------|---------------|-----------------|----------------|--------------|----------------|
| D320-41/2C | 4-3/4" (120.7 mm) | 1" (25.4 mm) | 13/32" (10.3 mm) | 1/4" (6.4 mm) | 1/16" (1.59 mm) | Plastic-Dipped | Royal Blue | 2.1 oz. (60 g) |

Special Use Pliers

Conduit Locknut and Reaming Pliers

- Tightens 1/2" (13 mm) and 3/4" (19 mm) EMT or 1/2" (13 mm) rigid locknuts
- Fits liquid tight fittings and caps
- Reams and deburrs both inside and outside of conduit
- Knurled jaws at nose tip pull wire or fish tape
- Machined nose fits snugly into locknut wings



D333-8



| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Thickness | Handle Finish | Handle Color | Weight |
|----------|-------------------|------------------|------------------|----------------|-----------------|----------------|--------------|-----------------|
| D333-8 | 7-3/4" (196.9 mm) | 1-5/8" (41.3 mm) | 15/16" (23.8 mm) | 1/2" (12.7 mm) | 3/16" (4.8 mm) | Plastic-Dipped | Yellow | 8.8 oz. (249 g) |

End-Cutting Pliers

- Wide throat clearance for clean, even cutting of wire or nails at close range
- High-leverage design provides greater cutting power at the knives than other plier designs
- Extended handles for longer reach and increased leverage



D232-8

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Finish | Handle Color | Weight |
|----------|-------------------|---------------|-------------------|------------------|-------------------|----------------|--------------|------------------|
| D232-8 | 8-1/2" (215.9 mm) | 3/8" (9.5 mm) | 1-3/16" (30.2 mm) | 19/32" (15.1 mm) | 1-3/16" (30.2 mm) | Plastic-Dipped | Red | 11.4 oz. (323 g) |

Plastic-Cutting Pliers

- Precisely cuts injection mold sprues, gates and other plastic
- Adjustable 1/16" hollow-head screw keeps knife-edges from damaging each other (not designed for use on metal)
- Spring-loaded for self-opening action



D227-7C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Finish | Handle Color | Weight |
|----------|---------------------|--------------|------------------|----------------|----------------|----------------|--------------|-----------------|
| D227-7C | 7-11/16" (195.3 mm) | 1" (25.4 mm) | 31/32" (24.6 mm) | 1/2" (12.7 mm) | Flush | Plastic-Dipped | Red | 8.8 oz. (249 g) |

Slip-Joint Pliers

Slip-Joint Pliers

- Shear-type cutter for precision wire cutting
- Two versatile jaw positions
- Serrated jaws provide sure-gripping power
- Nickel-chrome plated for long life



D511-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Handle Finish | Handle Color | Weight |
|----------|--------------------|-------------------|-------------------|------------------|----------------|--------------|------------------|
| D511-6 | 6-9/16" (166.7 mm) | 1-3/16" (30.2 mm) | 1-3/16" (30.2 mm) | 3/8" (9.5 mm) | Plastic-Dipped | Blue | 6.2 oz. (176 g) |
| D511-8 | 8-1/16" (204.8 mm) | 1-3/8" (34.9 mm) | 1-1/4" (31.8 mm) | 7/16" (11.1 mm) | Plastic-Dipped | Blue | 9.9 oz. (281 g) |
| D511-10 | 9-7/8" (250.8 mm) | 1-3/4" (44.5 mm) | 1-3/8" (34.9 mm) | 15/32" (11.9 mm) | Plastic-Dipped | Blue | 13.3 oz. (377 g) |

Slip-Joint Pliers - Hose Clamp

- Quickly installs and removes spring-tension hose clamps
- Grips with either end or side of jaws for work in confined areas
- Nickel-chrome plated for long life



D514-8

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Handle Finish | Handle Color | Weight |
|----------|--------------------|------------------|------------------|-----------------|----------------|--------------|-----------------|
| D514-8 | 8-1/16" (204.8 mm) | 1-3/8" (34.9 mm) | 1-1/4" (31.8 mm) | 7/16" (11.1 mm) | Plastic-Dipped | Blue | 9.8 oz. (278 g) |

Pump Pliers

Klaw™ Pump Pliers

- Push button and quick ratchet feature allows for fast and easy adjustment to any position. (Cat. Nos. D504-10B, D504-12B)
- Compact, narrow design for easy work in small or hard to reach spaces
- Gripping surfaces with specially hardened teeth for reduced wear and positive gripping
- Extended grips for added comfort
- **Quick-Adjust Pump Pliers:** Push button feature allows for fast and easy adjustment to any position. Cat. Nos. D504-10B, D504-12B)



D504-10



| Cat. No. | Overall Length | Max. Jaw Capacity | Handle Finish | Handle Color | Weight |
|---------------------------------------|--------------------|-------------------|----------------|--------------|--------------------|
| Quick-Adjust Klaw™ Pump Pliers | | | | | |
| D504-10B | 10-1/8" (257.2 mm) | 2-1/8" (54.0 mm) | Plastic-Dipped | Yellow | 12.6 oz. (357 g) |
| D504-12B | 12-1/2" (317.5 mm) | 2-3/4" (69.9 mm) | Plastic-Dipped | Yellow | 1.2 lbs. (0.54 kg) |
| Classic Klaw™ Pump Pliers | | | | | |
| D504-7 | 7-3/8" (187.3 mm) | 1-3/8" (34.9 mm) | Plastic-Dipped | Yellow | 5.4 oz. (153 g) |
| D504-10 | 9-7/8" (250.8 mm) | 2-1/8" (54.0 mm) | Plastic-Dipped | Yellow | 13.0 oz. (369 g) |
| D504-12 | 12" (304.8 mm) | 2-3/4" (69.9 mm) | Plastic-Dipped | Yellow | 1.4 lbs. (0.64 kg) |



Pump Pliers

Pump Pliers

- Secure tongue and groove design for non-slip grip - even with heavy pressure
- Wide range of versatile jaw positions



D502-6

| Cat. No. | Overall Length | Max. Jaw Capacity | Handle Finish | Handle Color | Weight |
|---|--------------------|-------------------|----------------|--------------|--------------------|
| D502-6 | 6-1/2" (165.1 mm) | 7/8" (22.2 mm) | Plastic-Dipped | Yellow | 6.6 oz. (187 g) |
| D502-10 | 10" (254.0 mm) | 1-3/4" (44.5 mm) | Plastic-Dipped | Yellow | 15.5 oz. (439 g) |
| D502-12 | 12-1/4" (311.2 mm) | 2-3/8" (60.3 mm) | Plastic-Dipped | Yellow | 1.4 lbs. (0.64 kg) |
| D502-16 | 16-1/4" (412.8 mm) | 4-1/4" (108.0 mm) | Plastic-Dipped | Yellow | 3.2 lbs. (1.45 kg) |
| Journeyman™ Series – Dual-material handles | | | | | |
| J502-10 | 10-1/4" (260.4 mm) | 1-3/4" (44.5 mm) | Journeyman | Yellow/Black | 1.0 lbs. (0.45 kg) |

Pliers Handles

Replacement Klein-Koat™ Pliers Handles

- Plastic material for slip-resistant grip and comfort

| Cat. No. | Size to Fit Pliers | Color | Weight |
|----------|-----------------------------------|--------|----------------|
| 60 | 6" (152.4 mm) Long | Maroon | 0.8 oz (23 g) |
| 70 | 7" (177.8 mm) Long | Maroon | 1.6 oz. (45 g) |
| 89 | 8" to 9" (203.2 to 228.6 mm) Long | Maroon | 1.6 oz. (45 g) |



70

Replacement Comfort-Grip Pliers Handles

- Klein exclusive slip-reducing pliers handles
- Aerated plastic construction provides firm and resilient cushion

| Cat. No. | Size to Fit Pliers | Color | Weight |
|----------|--------------------------------|-------|----------------|
| 55 | 5" x 6-1/2" (127.0 x 165.1 mm) | Red | 0.8 oz. (23 g) |



55