

"Our Quality is On the Line"


2016

KRC®

Serving the Racing Industry Since 1984



KRC an Original Manufacturer of Racing Components



RIGHT SIDE PARTS SHOWN

- KRC-1011...Inspection Tech Tray
- KRC-1027...Aluminum Water Restrictor
- KRC-1030...Carburetor Cover with 5/16" Speed Nut
- KRC-1033...Speed Nut Assembly for Air Cleaner 1/4-20
- KRC-4418...Holley Dual Fuel Director 8 AN
- KRC-4419...Holley Fuel Director Fittings (set of 2)
- KRC-4150...Fuel Filter Brackets
- KRC-4180...AFCO Remote Shock Canister Bracket (1 1/2" FR)
- KRC-4930...10 AN Long Stainless Steel Fuel Filter
- KRC-6600...Allen Lock Header Stud System



Jake Williams 2014 Lucas Oil Late Model Track Champion

Dirt Late Model/"A" Modified

LEFT SIDE PARTS SHOWN

- KRC-1011...Inspection Tech Tray
- KRC-1030...Carburetor Cover with 5/16" Speed Nut
- KRC-1038...Gas Pedal Stop
- KRC-1040...Quick Disconnect Throttle Rod Kit
- KRC-1048...Carb. Bracket Spring Return Kit for Ford
- KRC-4150...Fuel Filter Brackets
- KRC-4180...AFCO Remote Shock Canister Bracket (1 1/2" FR)
- KRC-4930...10 AN Long Stainless Steel Fuel Filter
- KRC-6600...Allen Lock Header Stud System



Dirt Late Model/"A" Modified



Rex Merrit

ALLEN LOCK STUD HEADER SYSTEM


This kit comes with high tensile studs, heat treated nuts and precision locking washers, everything to keep your headers tight and not leak. Headers that form a leak can lose at least 15 hp per header side.

The kits listed below are easy to install and keep tight. Screw the studs in your head with Allen wrench, hang your gaskets on studs, then install header. The special 12 point (Double Hex) socket has 12 driving points for easier hex key engagement. With this special vibration free nut you are able to tighten your header from approximately 50% more positions than you can with an open end wrench. A stud/nut combination is always better to use than a bolt.

This system can withstand at least 50# of torque. GM OEM recommends header bolts torque to 20#.

WATER RESTRICTOR

Aluminum restrictor reduces water temperature up to 20°. Funnel shape restrictor inserts to the lower radiator hose.



KRC-1027...Aluminum Water Restrictor

RACE READY

- KRC-6600...Qty. 12 Kit includes:
- KRC-6601...Qty. 14 3/8 -16x 1 1/2 " socket studs
- KRC-6602...Qty. 16 12 pt socket 3/8" nuts
- 3/8 precision split lock washer



CARB ACCESSORIES

"Our Quality Is On the Line"
KRC

CARBURETOR COVERS

KRC original aluminum carburetor cover kits quickly and efficiently cover your carburetor. Water proof and vibration proof speed nut is designed to lock onto cover with "O-Ring" seal, eliminating misplaced nuts

RACE READY

ASSEMBLY INCLUDES CARB COVER & SPEED NUT

KRC-1029...Carb. Cover Assembly (1/4-20 speed nut)

KRC-1030...Carb. Cover Assembly (5/16-18 speed nut)

KRC-1037...Dominator Assembly (1/4-20 speed nut)

KRC-1035...Dominator Assembly (5/16-18 speed nut)

COMPONENTS

KRC-1031...5 1/8" Carburetor Cover

KRC-1032...Dominator Carburetor Cover

FOR STANDARD AIR CLEANER

KRC-1033...Speed Nut Assembly Kit (1/4-20 speed nut)


KRC-1034...Speed Nut Assembly Kit (5/16-18 speed nut)



KRC PEDAL STOP

Save your carburetor and throttle linkage from stress and strain. Mounted by pop rivets to the firewall makes it easy for one person to adjust the stop to throttle linkage from outside the car with screwdriver. 2 1/4" adjustment for the slickest safety piece on the market. Patent Pending

NEW LARGE SIZE



KRC-1038...Gas Pedal Stop

KRC-1038L...Gas Pedal Stop nut only

FUEL DIRECTORS

Anodized aluminum fuel directors incorporate a sliding nut for quick installation and removal, 1/8" NPT ports for fuel pressure gauge, and accommodate a 1/2" push lock hose or an -8AN fitting. Dual directors have 3/8" NPT outlet for return.

Great For Sport Mod Series

SINGLE

KRC-4405...Single Pushlock Director

KRC-4408...Single Director -8AN



DUAL

KRC-4415...Dual Pushlock Director

KRC-4418...Holley Dual Fuel Director -8AN

KRC-4428...Demon Dual Fuel Director-8AN



THROTTLE LINKAGE

Quick disconnect throttle linkages include carb bushings for most carburetors. Heavy duty aluminum rods can withstand severe engine vibrations. Linkages can be removed from carburetor in 5 seconds. Pat#6338332

RACE READY

KRC-1040...Quick Disconnect Throttle Rod Kit

KRC-1041...Disconnect Throttle Rod Kit (Sprint Cup)



Pat #6338332

HOT PRODUCT

COMPONENTS

KRC-1042...Throttle Ball Accessory

KRC-1043...Throttle Ball Accessory (Sprint Cup)

KRC-1044...Quick Disconnect Ends (Sprint Cup)

KRC-1045...Carb Bushings

KRC-1049...Gas Pedal Ball

KRC-1051...Linkage Rod 22"

KRC-1051L...Linkage Rod 30"

KRC-7203...Disconnect Ends



Scott Bloomquist



Ken Essary



ADAPTER FITTING

KRC-4419...Holley Fuel Director Fitting (set of 2)

KRC-4421...Demon Adapter Fitting (set of 2)



Reusable .050 Aluminum Crush Washer

THROTTLE RETURNS

Achieve smoother more consistent throttle application with the KRC return kit. Attach spring to intake with mounting plate to eliminate rotating past center of throttle shaft.

KRC-1046...Carb Spring Return Kit

(small block & 90 degree V-8 Chevy, 2 or 4 bolt)


KRC-1048...Carb Bracket Spring Return Kit for Ford

(Fits 1" Carb spacer)



SHIFTERS

Kluhsman Bert/Brinn shifters feature a lightweight aluminum dual handle designed for rough tracks and rough terrain conditions. Levers can be locked in with simple detent so it can't jump out of gear. They include 20" shifter rods, mounting clevis, pins & mounting bracket for complete installation. Brinn shifters come with heim



RACE READY

SINGLE

- KRC-7100**...Powerglide Lockup (Push Start)
- KRC-7200**...Powerglide Shifter

DUAL

- KRC-7400**...Bert Shifter w/ rods, clevis kit & mounting plate
- KRC-7401**...Brinn Shifter w/ rods, heims & mounting plate



THREE SPEED SHIFTER

- KRC-7300**...Dual Lever 3 Speed Shifter w/ rods, Shifter Arm, heims, & mounting plate

COMPONENTS

- KRC-7201**...8"-20" 3/8" Linkage Rod
- KRC-7202**...(18"-30") 3/8"- 24 Linkage Rod
- KRC-7203**...Throttle Linkage/ Shifter Quick Coupler (3/8"-24 Female)
- KRC-7301**...Three Speed Shifter Plate (Fits GM 3 & 4 Speed Tran.)
- KRC-7402**...Bert Clevis Kit Only NO RODS OR PLATE



"Newly Designed Spiral Slot" for easy installation No Pin Required Patent Pending
 2 oval slots for hose clamp spring retention



Slot for easy removal
 Both spring holders 1" tall to hold spring in place
 8 Spanner Wrench holes for quick adjustment

LOWER IMCA ARMS & BUSHINGS

Stock/Modified control arms, with Steel/Delrin bushings, eliminate erratic handling and flexing of stock '68-'72 Chevelle GM A-body control arms. Coined nose for more brake rotor clearance. Only by KRC.

RACE READY

- KRC-8800**...Lower Oval "A" Frame Bushing
- KRC-8801**...Lower Round "A" Frame Bushing Small (1.4")
- KRC-8802**...Lower Round "A" Frame Bushing Large (1.65")
- KRC-8803**...Stock 68-72 Chevelle Lower "A" Arm (Right)
- KRC-8804**...Stock 68-72 Chevelle Lower "A" Arm (Left)
- KRC-8807**...Lower Round "A" Bushing Metric (Small)
- KRC-8808**...Lower Round "A" Bushing Metric (Large)



COMPONENTS

- KRC-8800A**...Delrin Bushing Only
- KRC-8809**..."A" Arm Replacement Metric Kit (Small)
- KRC-8810**..."A" Arm Replacement Metric Kit (Large)

J. BAR ADAPTER

Quickly re-square rear end for diverse track conditions without disassembling chassis. No need to remove heim, left and right handed threads easily lengthen or shorten J Bar.



- KRC-7500**...J Bar Adapter- Threaded Adjustment

5" COIL OVER KITS

Kits are offered for Bilstein, Penske, AFCO, QA1, Pro, and Carrera coil-over shock absorbers. Kits include anodized aluminum components (top, bottom nut, 5" threaded sleeve, and 2" extension sleeve) Steel wrenches, KRC-8840 and KRC-8842, on page 7 are designed for use with KRC coil-over kits.

- Anodized Corrosion Resistant Aluminum
- Individual kits fit every shock perfectly!
- One piece component for stability



High visibility wrench slot to hold sleeve from turning during adjustment

3/4" Hex Wrench



Both spring holders 1" tall to hold spring in place
 8 Spanner Wrench holes for quick adjustment

RACE READY COIL OVER KITS

- KRC-8820**...5" Bilstein
- KRC-8822**...5" AFCO
- KRC-8824**...5" QA1
- KRC-8826**...5" Pro
- KRC-8828**...5" Carrera Dirt
- KRC-8830**...5" Penske
- KRC-8836**...Integra
- KRC-8819**...5" AFCO New 19 series



Spiral Retaining Slot



COMPONENTS

- KRC-8821**...Bilstein Coil Shock Hat
- KRC-8823**...AFCO Coil Shock Hat
- KRC-8825**...QA1 Coil Shock Hat
- KRC-8827**...Pro Coil Shock Hat
- KRC-8832**...5" Sleeve Bilstein-QA1-Penske
- KRC-8833**...5" Sleeve AFCO-Pro
- KRC-8834**...2" Sleeve Extender Bilstein-QA1-Penske
- KRC-8835**...2" Sleeve Extender AFCO-Pro
- KRC-8837**...7" Bilstien/QA1 Penske
- KRC-8838**...7" Sleeve AFCO-Pro
- KRC-8839**...2 1/2" Bilstein Coil Over Kit



Bring aircraft technology to your race car with these In-Line, hard anodized fuel filters. Patented (#5536402) stainless steel filters can be used up to 500PSI, fuel injected engines and work the best for alcohol applications. This filter is approved by the FAA & STC for model 60 through 90 series Beechcraft King Air planes long range fuel systems. This filter is also widely used in many racing series such as Lucas Oil Late Model, IMCA, Wissota, UMP, USMTS, off road racing and many NASCAR series.

RACE READY

FILTER HOUSING (ELEMENT NOT INCLUDED)

- KRC-4505...1/2"NPT Inline Fuel Filter
- KRC-4506...#6 AN Long Inline Fuel Filter
- KRC-4508...#8 AN Long Inline Fuel Filter
- KRC-4510...#10 AN Long Inline Fuel Filter
- KRC-4512...#12 Long Inline Fuel Filter
- KRC-4605...1/2"NPT Short Inline Fuel Filter
- KRC-4606...#6 Short Inline Fuel Filter
- KRC-4608...#8 Short Inline Fuel Filter
- KRC-4610...#10 Short Inline Fuel Filter
- KRC-4612...#12 Short Inline Fuel Filter

When ordering:

Please indicate **BI-Blue, Bk-Black**



RACE READY



STAINLESS STEEL ELEMENT FUEL FILTERS ELEMENT INSTALLED

- KRC-4702...Push lock 3/8" Hose Short Fuel Filter
- KRC-4704...Push lock 1/2" Hose Short Fuel Filter
- KRC-4705...1/2" NPT Short Female Fuel Filter
- KRC-4706...#6 AN Short Fuel Filter
- KRC-4708...#8 AN Short Fuel Filter
- KRC-4710...#10 AN Short Fuel Filter
- KRC-4712...#12 AN Short Fuel Filter
- KRC-4922...Push lock 3/8" Hose Long Fuel Filter
- KRC-4924...Push lock 1/2" Hose Long Fuel Filter
- KRC-4925...1/2"NPT Long Female Fuel Filter
- KRC-4926...#6 AN Long Fuel Filter
- KRC-4928...#8 AN Long Fuel Filter
- KRC-4930...#10 AN Long Fuel Filter
- KRC-4932...#12 AN Long Fuel Filter



COMPONENTS

BODY ONLY

- KRC-4700...Short Body
- KRC-4900... Long Body



ELEMENT ONLY

- KRC-4500...Long Paper Element
- KRC-4901...Spring for Paper Element
- KRC-4600...Short Stainless Steel Element
- KRC-4602...Long Stainless Steel Element



END CAP ONLY

- KRC-4950...1/2" NPT End Cap
- KRC-4951...Paper #6 AN End Cap
- KRC-4952...Paper #8 AN End Cap
- KRC-4953...Paper #10 AN End Cap
- KRC-4954...Paper #12 AN End Cap
- KRC-4955...Stainless Steel #6 AN End Cap
- KRC-4956...Stainless Steel #8 AN End Cap
- KRC-4957...Stainless Steel #10 AN End Cap
- KRC-4958...Stainless Steel #12 AN End Cap
- KRC-4959...Fuel Injected #8 AN End Cap
- KRC-4960...Fuel Injected #10 AN End Cap
- KRC-4961...Fuel Injected #12 AN End Cap



PAPER ELEMENT FUEL FILTERS ELEMENT INSTALLED

- KRC-4902...Push lock 3/8" Hose Long Fuel Filter
- KRC-4904...Push lock 1/2" Hose Long Fuel Filter
- KRC-4905...1/2" NPT Long Female Fuel Filter
- KRC-4906...#6 AN Long Fuel Filter
- KRC-4908...#8 AN Long Fuel Filter
- KRC-4910...#10 AN Long Fuel Filter
- KRC-4912...#12 AN Long Fuel Filter

REMOTE SHOCK CANISTER BRACKET



- KRC-4180...AFCO Remote Shock Canister Bracket
 - KRC-4182...JRI Remote Shock Canister Bracket
 - KRC-4184...Penske/Ohlins Remote Shock Canister Bracket
 - KRC-4186...Integra Remote Shock Canister Bracket
- Brackets fits 1 1/2" Frame Rail


FUEL FILTER BRACKETS

- KRC-4120... 2" Square Fuel Filter Bracket
- KRC-4125...1 1/4" Fuel Filter Bracket
- KRC-4138...1 3/8" Fuel Filter Bracket
- KRC-4150...1 1/2" Fuel Filter Bracket
- KRC-4175...1 3/4" Fuel Filter Bracket
- KRC-4190...1 3/8" Kinsler Monster




***Disclaimer:** KRC shall in no event be liable for death, injuries to persons or property or for incidental, contingent, special or consequential damages arising from the use of KRC products. We reserve the right to make changes and correct errors to products and specifications at any time.


Strongest lug nuts on the market. Lugs are available in 7075 non-corrosive aircraft aluminum, black hard anodized, and 5/8" course thread is rolled, making them lighter and stronger than steel. Hardened steel lug nuts are available in heat treated teflon or zinc plated. Choose from single angle or double angle style, lifetime guarantee on select part numbers. All with the same Kluhsman quality.




KRC-8200
 5/8" NC Aluminum
 (Qty 20)
LIFETIME GUARANTEE



KRC-8201
 Double Angle 5/8"NC
 Aluminum (Qty 20)
LIFETIME GUARANTEE




KRC-8202
 Single 12MM x 1.25
 Aluminum (Qty 16)




KRC-8203
 Single 12MM x 1.50
 Aluminum (Qty 16)



KRC-8204
 Single 5/8" NF Steel
 Reflective Yellow
 (Qty 20)



KRC-8205
 Single 5/8" NF
 Aluminum (Qty 20)
 Reflective Yellow




KRC-8206
 Double 5/8" NF
 Aluminum
LIFETIME GUARANTEE
 (Qty 20)




KRC-8208
 Single 5/8" NF Steel
 Teflon Coating
 (Qty 250)




KRC-8208X
 Single 5/8" NF Steel
 Safety Yellow
 (Qty 250)




KRC-8209
 Single 1/2"-20 NF
 Aluminum (Qty 20)
LIFE TIME GUARANTEE




KRC-8210
 Single 7/16"-20 NF
 Aluminum
 (Qty 20)




KRC-8211
 Single 5/8" NC
 Aluminum (Qty 20)
 Reflective Yellow
LIFE TIME GUARANTEE




KRC-8212
 Double 5/8"-11 NC
 Steel Zinc Plating
 (Qty 20)




KRC-8212T
 Double 5/8"-11 NC
 Steel Teflon Coating
 (Qty 20)



KRC-8213
 Single 5/8"-11 NC
 Steel Zinc Plating
 (Qty 20)



KRC-8213T
 Single 5/8"-11 NC
 Steel Teflon Coating
 (Qty 20)



KRC-8214
 Single 5/8" NC
 Steel Zinc Plating
 Reflective Yellow
 (Qty 20)



KRC-8215
 Double 5/8"-18 NF
 Steel Zinc Plating (Qty
 20)



KRC-8216
 Single 5/8"-18 NF
 Steel/Heat Treat
 Safety Yellow 60°
 (Qty 20)



KRC-8217
 Single 5/8"-11 NC
 Steel/Heat Treat
 Safety Yellow 60°
 (Qty 20)



KRC-8218
 14 mm x 1.5 Spherical
 Safety Yellow
 (Qty 20)



KRC-8202S
 Single 12MM x 1.25
 Steel (Qty 20)

Check Out the tools on page 7 for lug accessories

- KRC-8208CT Clean Up Tap
- KRC-8219 Double 5/8"NC Stud/Thread Chaser
- KRC-8220 Double 5/8" NF Stud/Thread Chaser
- KRC-8221 Emergency Stud Chaser - 5 pack
- KRC-8222 Wheel No/Go QC Gauge
- KRC-8310 Stud Knockout Tool
- KRC-8320 Wheel Brush Adapter



**Brad Mueller 2011, 2013
 Plymouth, WI Champion**



Lexy VanZandt "B" Modified




WHEEL STUDS/PIT PRACTICE




KRC-8310



KRC-8221




KRC-8208X



KRC-8240



KRC-8241



(L1)Part #	L2	L3	(L1)Part #	L2	L3
KRC-1600	2.45	0.500	KRC-2312	3.16	1.212
KRC-1625	2.47	0.525	KRC-2375	3.23	1.175
KRC-1687	2.54	0.587	KRC-2400	3.25	1.200
KRC-1700	2.55	0.600	KRC-2437	3.29	1.237
KRC-1725	2.57	0.625	KRC-2470	3.32	1.270
KRC-1750	2.60	0.650	KRC-2500	3.35	1.400
KRC-1800	2.65	0.700	KRC-2550	3.40	1.350
KRC-1812	2.66	0.712	KRC-2562	3.39	1.362
KRC-1875	2.73	0.650	KRC-2600	3.45	1.500
KRC-1900	2.75	0.675	KRC-2625	3.47	1.525
KRC-1937	2.79	0.712	KRC-2687	3.54	1.587
KRC-2000	2.85	0.900	KRC-2700	3.55	1.600
KRC-2050	2.90	0.825	KRC-2750	3.60	1.550
KRC-2093	2.94	0.993	KRC-2800	3.65	1.700
KRC-2100	2.95	1.000	KRC-2812	3.66	1.712
KRC-2125	2.97	1.025	KRC-2875	3.72	1.775
KRC-2187	3.04	1.087	KRC-2900	3.75	1.800
KRC-2200	3.05	1.100	KRC-3000	3.85	1.900
KRC-2225	3.07	1.125	KRC-3100	3.95	2.000
KRC-2250	3.10	1.150	KRC-3125	3.97	2.025
KRC-2300	3.15	1.200	KRC-3200	4.05	2.100

Pat #D709744 & Pat #8899134

* Other Sizes Available - Please Call

PIT PRACTICE KITS

KRC "Pit Wheel Kit" revolutionized the way pit practice is done. It is no longer necessary to schedule pit practice ahead of time. With the new KRC glueless lug nut retainer you can practice whenever and wherever you choose.

RACE READY



KRC-8223...
Pit Wheel Kit #1
with Practice Wheel

Speedway Garage
KRC-8223
Pit Practice Wheel Kit



COMPONENTS

KRC-8226...Flange Nut 5/8 NF Short (Qty 5)
KRC-8227...Flange Nut 5/8 NF Long (Qty 5)



KRC-8224...
Pit Wheel Kit #2



KRC-8225...
Pit Wheel Kit #3

KRC-8230...Spring (Qty 5)
KRC-8228...Allen Screws (Qty 5)
KRC-8232...Pit Ring

KRC-8240...Balanced Pit Socket
KRC-8241...Tapered Pit Socket



PIT SOCKET

Less vibration than any socket in the industry from balanced and tightened mandrel specifications.

- KRC-8240**...Pit Socket with Spring
- KRC-8241**...Tapered Pit Socket



NEW
Pit Socket

Pat #D709744
 Pat #8899134

STUD KNOCK OUT TOOL

Remove studs without damage. Long enough to protect skilled operator's hand while removing stud at track or shop

- KRC-8310**...Stud Knockout Tool



WHEEL BRUSH ADAPTOR

Easily remove rust or glue from wheels. Fits any wheel when mounted and attached to your brush.


- KRC-8320**...Wheel Brush Adapter



WHEEL NO/GO QC GAUGE

Check stud holes in wheels to ensure safe and operable condition.

- KRC-8222**...Wheel No/Go QC Gauge




STUD CHASERS

The KRC Stud/Thread Chaser has a unique wide air gap. This air gap makes it easier for glue removal saving valuable time and can be glued for emergency

- KRC-8219**...Double 5/8"-11 NC Stud/Thread Chaser (Qty 1)
- KRC-8220**...Double 5/8"-18 NF Stud/Thread Chaser (Qty 1)

- KRC-8221**...Emergency Single 5/8"-18 Nf Stud/Thread Chaser (Qty 5)




REAR STEER CAR LOADING ADAPTOR

Steer your race car from the rear to guide in your hauler easily while loading. Your quick disconnect and 10' x 5/8" tubing is all that's required to complete this set up. (A tee handle works great.)

NEW

- KRC-8260**...Rear Steer Car Loading Adaptor



Not included
 Illustration only

COIL OVER WRENCHES

Easily make chassis adjustments without unloading springs and tearing up your coil over kit. Designed for use with KRC Coil Over Kits page 3.

- KRC-8840**...5" Coil Shock Nut Wrench
- KRC-8842**...5" Coil Shock Body Wrench



OIL FILTER INSPECTOR

Quickly and easily open filter canister to inspect for engine contaminants. Heavy duty 6061 anodized aluminum body razor sharp cutter wheel hardened to 60RC. Aviation adapters available.

RACE READY

- KRC-1201**...Oil Filter Inspection Tool
- KRC-1203**...Aviation Oil Filter Inspection Tool



COMPONENTS

- KRC-1202**...Aviation Adapter Kit
- KRC-1204**...Replacement Cutter Wheel
- KRC-1205**...Wix Racing Adapter



TIRE STAGGER DYNO

This 60 lb Dyno measures the circumference of a tire before it is mounted on the rim. Manually spins to use a stagger tape or gauge to measure the roll out of a tire. Measure tire widths from 8"-18" asphalt or dirt racing tires. Inflate or deflates tire in less than one minute. Used for pressure up to 50 PSI.
 KRC Patent #6681621



RACE READY

- KRC-8400...**13" Tire Stagger Dyno
- KRC-8500...**15" Tire Stagger Dyno
- KRC-8600...**16" Tires Stagger Dyno Drag Racing

COMPONENTS

- KRC-8401...**13" Rim Assembly Only
- KRC-8501...**15" Rim Assembly Only
- KRC-8505...**Foot Pedal & Hose Assembly



POWER BLOCKS

Convenient battery charging and power, mount on rear deck or directly on firewall for timing light. Made from high impact resistant Lexan solid copper contacts. Barrel contacts readily accept all standard wire.

- KRC-1150...**50 Amp Power Block (Qty 2)
- KRC-1151...**175 Amp Power Block (Qty 2)
- KRC-1152...**350 Amp Power Block (Qty 2)



Mel Klusman

Pat Bernal

GEAR FILLER

Lightning Gear Filler will fill a rear end with 4 - 5 quarts, 90W Oil FAST! Lightweight, 7lb. tank can be filled with 60 PSI air pressure and controlled by manual valve. A 100 PSI liquid fill gauge and dipstick in the cap will help you pre-measure oil to speed up the rear end changing process. Fast, convenient, lightweight.

- KRC-1100...**Lightning Gear Filler
- KRC-1104...**Filtered Oil Catch Tray
- KRC-1106...**Hands Free Fill Kit



TECH TRAY

This all aluminum tech tray is great for going thru tech inspection. AN wrench, regular wrench, etc. can be secured to studs in the tray. This tray can be bolted on 1 stud of your hood pins. Tray has ample room to hold your carburetor, gauges, and shocks. It even has a welded spark plug tray for easy checking of cylinder conditions. The tray weighs just 4 lbs. Bolt down or place tools in tray and head to tech! The tray makes thing so easy when working on your motor.(Tools not included) Includes carb and tech tray. This tray can also be used for catching rear end oil or motor oil from your car in a pinch. Pan holds 8 quarts.

KRC-1011...Inspection Tech Tray



Billy Moyer Sr. and Billy Moyer Jr.

PISTON VICE

Hold pistons securely at any angle up to 30°. One set up and remaining pistons are positioned precisely the same. Perfect for re-matching/balancing piston sets and fly cutting for high lift cams. Replaceable Piston Pin Mandrels are keyed to fit exactly the same way.

RACE READY

KRC-1335...Piston Vice with Mandrel



KRC-1327 Included

COMPONENTS

- KRC-1312...**Ford Small Block Mandrel
- KRC-1375...**Ford 351M Mandrel
- KRC-1327...**Chevy Small Block Mandrel
- KRC-1389...**Chevy Big Block Mandrel
- KRC-1384...**Chrysler Small Block Mandrel

CATCH CAN

Eliminate oil blow by with Aluminum Catch Can with Petcock to drain excess oil. 2" O.D. x 5" body with removable ends and reusable washable breather cap for easy cleaning. Mounts to rear or side bumper with **KKP-2108** aluminum bracket.

When ordering Please indicate
 , **Bl-Blue, Blk-Black**

KKP-2106...Aluminum Catch Can



CATCH CAN BRACKET

Bracket clamps onto Catch Can **KKP-2106** with 3/4" seat strut or used for mounting brackets on Lead weight canisters **KKP-1120**

KKP-2108...3/4 x 2" Catch Can Bracket



ENGINE OIL FILL PLUG

Replace stock plastic cap with 7075 Aluminum cap, sure seal rubber O-ring.

When ordering Please indicate
 , **Bl-Blue**

KKP-2100...Engine Oil Fill Plug



FILL BREATHER CAP

Replace stock fill plug with aluminum Animal fuel pump breather to draw vacuum from crank case to fuel pump for optimal engine operation.

KKP-2101...Animal Fuel Pump Breather Kit



STARTER NUTS

Replace pull rope with starter nut, uses 3/4" socket 5hp for Briggs and Animal. Available in metric or standard.

KKP-2102...Metric Briggs Starter Nut

KKP-2103...Clone Starter Nut

KKP-2104...Standard Briggs Starter Nut



TILLOTSON CARB ADJUSTMENT KNOB

Easily adjust air to fuel ratio day or night with knobs instead of T-bars for easier and more precise adjustments.

Daytime: See the color coded knobs with different lengths.

Night: Feel the different lengths and the thumb notch.



KKP-2122...Tillotson Carb Adjusting Knob Kit



Lexy VanZandt



HEADER LOCK SYSTEM

This kit comes w/ High Tensile Studs & Heat Treated 12 Pt Nuts to keep your headers tight and not leak. Special 12 pt drive for easy hex key engagement.

KKP-2600...10mm Kit

KKP-2601...SAE 1/4-20 Kit



CLUTCH BASKET

Outlasts the aluminum basket and run your MDC inexpensively, instead of paying for a new clutch, with the KRC Clutch. Machined for replaceable sprockets such as Tomar, Bully, SMC.

KKP-2500...MDC Clutch Basket for a Replaceable Sprocket

KKP-2501...MDC Clutch Basket 12-20 Sprockets

** Requires MDC Basket Exchange**



FLYWHEEL GUARD

Excellent in keeping heat in your motor. One piece Lexan guard allows you to see your timing marks.


KKP-2150...Clear Flywheel Guard



GAS TANK SUPPORT

Tank support bolts to block and slot grips gas tank to prevent carb/tank fuel leakage

KKP-2112...Gas Tank Support



HEADER BRACKET SUPPORT

Header bracket with support strap is more durable than strap with hose clamp. Bracket should be clamped at 40% of header length.

KKP-2116...Header Bracket with Support Strap



CHAIN GUARD

Polished aluminum guard will protect driver in case of chain failure while still allowing access to oil fill plug and motor.

KKP-2110...Aluminum Polished Chain Guard



ANIMAL VALVE COVER KIT

Keep dirt out of your crank case by filling the empty hole in the valve cover of Briggs Animal engines and run to catch can.

KKP-2123...Animal Valve Cover Kit



KARTING CHASSIS & TOOLS

"Our Quality is On the Line"
KRC[®]

LEAD WEIGHT CANNISTER

Quickly add or move weight with this lead weight canister. Short holds up to 4 lbs. and Long holds 7 lbs. of lead shot. Mount with **KKP-2108** aluminum bracket anywhere on kart.

When ordering please indicate
 , **Bl-Blue, Blk-Black**

KKP-1120...Short Lead Weight Canister
KKP-1122...Long Lead Weight Canister



STUDS & LUG NUTS

Karting studs are easy to start nuts. Similar to NASCAR wheel studs produced by KRC.

KKP-4205...Quick Start wheel Studs with Lug Nuts
KKP-4100...1/4-28 Lug Nuts (Qty 12)
KKP-4102...1/4-28 Lug Nuts (Qty 100)
KKP-4204...1/4-28 x 1 3/4" Quick Start Wheel Studs (Qty 12)



LASER TOE GAUGE

Easily and accurately square your chassis and align your front toe. Place the laser on the right rear hub, to square kart with laser then tape measure to front with marked plates on front hubs. Works great!

KKP-5100...Laser Toe Gauge
KKP-5100B...Laser Toe Gauge Bandelero



NEW!
 High Quality
 Laser w/ Remote

TOP DEAD CENTER INDICATOR

Find top dead center, valve travel and lift for cams, or check crank shaft play. Indicator has 1" full travel with bracket.

KKP-6250...Top Dead Center Indicator



NECK BRACES

Safety is a must! Special wedge design supports helmet from snapping back. Black cordura nylon with soft neck liner and adjustable velcro closure make for a safe and comfortable brace.

KKP-6300...Child neck brace
KKP-6400...Adult neck brace



STEERING BLOCK WITH TOE LOCK

Toe Lock is perfect for locking steering shaft and front end of kart. Nylon bearing included. Works well with **KKP-5100** Laser Toe Gauge Chassis Alignment Tool.

KKP-1104...Steering Block with Toe Lock



STEERING BLOCK

Easily adjust your steering wheel position. 2 Position Steering Block will give 2 3/4" adjustment up/down. 3 Position Steering Block will give 3 3/4" adjustment up/down.

KKP-1106...2 Position Steering Block
KKP-1108...3 Position Steering Block



MASTER CYLINDER PLUG

Anodized cap with "O-Ring" fits most common Go Kart brake cylinders. When ordering Please indicate
 , **Bl-Blue, Blk-Black**

KKP-1112...Master Cylinder Plug



PRECISION WHEEL SPACER

Spacers 15/16x5/8 clear plated front wheel spacers.

KKP-1114...1/8" Spacer
KKP-1116...1/4" Spacer
KKP-1118...1/2" Spacer



2 per package



NEW!
 High Quality
 Laser w/ Remote

SPROCKET ALIGNMENT

This handy sprocket alignment laser will make it easy to line up your sprocket & clutch. This works well with 35, 219, 520 chain sprockets. KRC Original

KKP-5102...Sprocket Alignment Laser 35 Chain
KKP-5103...Sprocket Alignment Laser 219 Chain
KKP-5104...Sprocket Alignment Laser 520 Chain



GO KART TRIPLE STACKER

Rack will support 3 Karts/1,000lbs Use middle bay for tire/oil changes or alignments.

KKP-6500.. GoKart Stacker



ELECTRIC HOIST

Great for the one man shop. Easily hoist up to 450 lbs. to set karts on triple stacker or onto work stations. 12 ft. sliding rail included.

KKP-6510...Electric Hoist System

"Our Quality is On the Line"

CYCLONE THRU-HOLE RATCHET SYSTEM



2003 BMW
ASE BMW Master
Technician, Scott,
Springfield, MO



2001 Lexus RX300
Rear Trailing Arm
ASE Lexus
Master Technician, Bob,
Springfield, MO



Agriculture Equipment



2000 Toyota Tundra
Load Proportioning Valve
ASE Toyota
Master Technician, Jake,
Springfield, MO



Agriculture Equipment



1991 Toyota Engine
Sling, ASE Toyota
Master Technician, Jake
Springfield, MO

Square Drive	Capacity Bolt Size In.	Capacity Bolt Size mm	Free Speed RPM	Max Torque ft.-lb.	Max Torque kas - m	Overall Length in.	Overall Length mm	Air Inlet (PT)	Air Hose (ID)	Avg Air Consumption cfm	Avg Air Consumption m/min	Net Weight lbs.	Net Weight kgs.	Work Air Pressure psi	Work Ai Pressure kg/cm	Suggested Air Comp.
3/8"	3/8"	10	160	85	100	10 5/8"	230	1/4"	3/8"	4	0.11	2.685	1.2	90	6.5	1 HP
1/2"	1/2"	13	180	90	110	10 5/8"	230	1/4"	3/8"	4.2	0.15	2.685	1.2	95	6.5	1 HP

3 Air Ratchets in 1

- The Thru-Hole ratchet can use a 3/8" or 1/2 " adapter to accommodate any standard socket
- Accomplish 100% of the work with 1/3 of the sockets
- Thru-Hole design virtually eliminates the need for deep hole sockets
- More than just a gear head: pawl and gear tooth angles provide highest efficiency torque transfer
- Double pawl positive Lock System that eliminates head slippage
- Ratchet can use all sockets up to a SAE 7/8" (19mm)
- Combo air ratchet with 3/8" & 1/2" drive
- Short stroke ratcheting action for confined areas
- Head socket assembly is 30% smaller than conventional air ratchets and sockets
- Profile is 40% smaller-great for confined spaces
- 85 ft/lbs Bolt busting torque
- One hand operation on forward/reverse and socket release
- Reduce slippage and increase speed with fully captured socket retention system
- Rubber grip for superior comfort



KRC-5000...Professional Cyclone Power Thru-Hole Ratchet (29 piece set)

