





Item	Parts_No.	Parts_Description	Qty
1	682569-2	CORD GUARD 8-85	1
2	664891-9	POWER SUPPLY CORD AWG#18-2-2.5	1
5	650202-4	SWITCH SGEL115CDY-8	1
6	233151-6	COMPRESSION SPRING 4	1
7	216008-6	STEEL BALL 4	1
8	272269-8	LEVER 18	1
9	187163-0	HOUSING SET	1
9	263002-9	RUBBER PIN 4	2
9		INC. 40	0
10	318751-4	HOUSING COVER	1
11	643552-4	BRUSH HOLDER 5-8	2
12	194971-2	CARBON BRUSH CB-75	1
13	265995-6	TAPPING SCREW 4X18	2
14	687123-7	STRAIN RELIEF	1
15	620045-8	CONTROLLER	1
16	213038-8	O RING 5	1
17	313082-6	SLIDER GUIDE	1
18	213038-8	O RING 5	1
19	326092-4	SAFETY WIRE	1
20	232183-0	LEAF SPRING	1
21	346473-6	SLIDER GUIDE PLATE	1
22	268090-1	PIN 4	1
23	310484-7	SLIDER	1
24	961017-7	STOP RING E-3	1
25	253180-3	FLAT WASHER 10	1
26	257804-3	SHOULDER SLEEVE 7	1
27	212965-6	NEEDLE CAGE 407	1
28	141026-4	GEAR COMPLETE	1
29	313216-1	BALANCE PLATE	1
30	961002-0	RETAINING RING S-6	1
31	253715-0	FLAT WASHER 6	1
32	416703-0	DUST SEAL	1
33	346471-0	PUSH PLATE	1
34	141029-8	BEARING CASE COMPLETE	1
35	210005-4	BALL BEARING 608DDW	1
36	240115-3	FAN 55	1
37	515851-3	ARMATURE ASS'Y 115V	1
37		INC. 353638	0
38	210023-2	BALL BEARING 627DDW	1
39	633786-7	FIELD 115V	1
40	187163-0	HOUSING SET	1
40	263002-9	RUBBER PIN 4	2
40		INC. 9	0
41	869972-6	JV0600 NAME PLATE	1

42	141028-0	RETAINER COMPLETE	1
43	256206-0	PIN 4	1
44	343540-8	HOLDER	2
45	317796-9	BASE	1
46	345441-6	BASE PLATE	1
47	912107-9	COUNTERSUNK HEAD SCREW M4X8	4
48	344685-5	CLAMP COMPLETE	1
49	922138-0	H.S.H.BOLT M4X20 WITH WR	1
50	265995-6	TAPPING SCREW 4X18	10
51	922118-6	HEX. SOCKET HEAD BOLT M4X12	1
52	313215-3	SLIDER SUPPORT	1
53	424436-3	POLYURETHANE SPONGE SEAL	1
54	346470-2	SEAL PLATE	1
55	424437-1	DUST COVER	1
56	962063-3	RETAINING RING R-13	1
57	165654-1	ROD	1
58	256528-8	PIN 2	1
59	233314-4	COMPRESSION SPRING 4	1
60	310485-5	LOCK PIN	1
61	233591-8	TORSION SPRING 10	1
62	452850-3	INSERT HOLDER	1
63	135482-8	ROD ASS'Y	1
63		INC. 55-62	0
A01	792529-790/	JIG SAW BLADE B-10 US	1
A02	783201-2	HEX. WRENCH 3	1
A03	824998-5	PLASTIC CARRYING CASE	1
A03	162315-4	LATCH	2
A03	452137-3	HANDLE	1