

Professional Grade Sockets from OTC

# TORX®



RIBE



“L Key”

# OTC now offers the broadest selection of Bit Sockets on the market today. Hex, Ribe and of course TORX drive systems.

**HEX** – offered in both fractional and metric – common sizes. Hex profiles are one of the most common fasteners found in the automotive, industrial, and agricultural markets today. Our Hex Bit Socket Sets give service professionals a tool for application from bumper to bumper on millions of vehicles.

**RIBE** – Ribe profiles, sometimes called polydrive, are appearing everywhere and are becoming more popular everyday, especially where high torque fastening is required. Most common applications are with European vehicles such as Volkswagen, Fiat, Alfa Romeo, as well as others.

**TORX** – TORX, TORX Plus and Tamper Resistant TORX fastener profiles were introduced to improve manufacturing processes. These tools provide maximum engagement to reduce the chance of fastener and tool damage. Authentic TORX fasteners and drivers are manufactured to very critical, proprietary tolerances. Our bit sockets are produced with gauging that is available ONLY to licensed TORX Drive manufacturers. "Look alike" bit

sockets may be produced with inferior materials and may not meet the exacting specifications which can cause substandard engagement, fastener damage, or premature tool wear. Professional technicians trust specialty fastener tools with the TORX trademark, from OTC Tools.

All OTC Bit Sockets are manufactured with premium quality tool grade steel and are manufactured as two-piece construction for even stronger performance. These bit sockets give today's service professionals the ability to have the right tool required for applications using the most common specialty fasteners found in your shop – today.

Our new packaging is clearly labeled with the specific fastener design in order to give service and maintenance professionals the ability to easily identify the correct tool needed for any job. Our small sets have each drive size color coded and the convenient socket rail can be stored in a tool drawer, or hung on a pegboard. Our 52 Piece Master Set is the most comprehensive TORX set on the market today.

## 5900A – 52 Piece, Master TORX® Socket Set in a blow-molded case



5900A

Specially selected to cover hundreds of applications from bumper to bumper on cars and trucks:

- Seat belt bolts
- Interior and exterior trim screws
- Engine component fasteners
- Tail lamp lenses & assemblies
- Bumper bolts
- Headlight bezel screws
- Door strikers & latch fasteners
- Brake rotor bolts
- GM front-wheel drive front wheel bearing bolts
- Truck box bolts



Styles available:

TORX® bit sockets, TORX® PLUS bit sockets, Tamper-Resistant TORX® bit sockets, and External TORX® sockets.

Made from superior S2 steel to meet or exceed torque specifications.

**No. 5900A** – Master TORX® socket set. 52-piece set in blow-molded case. Wt., 7 lbs.

### Master Torx® Socket Set includes:

#### TORX® Bit Sockets T6 to T70 (14 piece)



| No.  | Size | Sq. Drive | No.  | Size | Sq. Drive |
|------|------|-----------|------|------|-----------|
| 5906 | T6   | 1/4"      | 6106 | T30  | 1/4"      |
| 5908 | T8   | 1/4"      | 6107 | T40  | 3/8"      |
| 6101 | T10  | 1/4"      | 6108 | T45  | 3/8"      |
| 6102 | T15  | 1/4"      | 6109 | T47  | 3/8"      |
| 6103 | T20  | 1/4"      | 6110 | T50  | 3/8"      |
| 6104 | T25  | 1/4"      | 6111 | T55  | 3/8"      |
| 6105 | T27  | 1/4"      | 6112 | T60  | 1/2"      |
|      |      |           | 6198 | T70  | 1/2"      |

#### TORX PLUS® Bit Sockets TP8 to TP60 (12 piece)



| No.  | Size | Sq. Drive | No.  | Size | Sq. Drive |
|------|------|-----------|------|------|-----------|
| 5918 | TP8  | 1/4"      | 6186 | TP30 | 1/4"      |
| 6181 | TP10 | 1/4"      | 6187 | TP40 | 3/8"      |
| 6182 | TP15 | 1/4"      | 6188 | TP45 | 3/8"      |
| 6183 | TP20 | 1/4"      | 6191 | TP50 | 3/8"      |
| 6184 | TP25 | 1/4"      | 6192 | TP55 | 3/8"      |
| 6185 | TP27 | 1/4"      | 6193 | TP60 | 1/2"      |

#### TORX® External Sockets E4 to E24 (13 piece)



| No.  | Size | Sq. Drive | No.  | Size | Sq. Drive |
|------|------|-----------|------|------|-----------|
| 5934 | E4   | 1/4"      | 6156 | E14  | 3/8"      |
| 5935 | E5   | 1/4"      | 6157 | E16  | 3/8"      |
| 6151 | E6   | 1/4"      | 5936 | E18  | 1/2"      |
| 6152 | E7   | 1/4"      | 5937 | E20  | 1/2"      |
| 6153 | E8   | 1/4"      | 5938 | E22  | 1/2"      |
| 6154 | E10  | 3/8"      | 5939 | E24  | 1/2"      |
| 6155 | E12  | 3/8"      |      |      |           |

#### TORX® Tamper-Resistant Bit Sockets TT8 to TT60 (12 piece)



| No.  | Size | Hex Insert | No.  | Size | Sq. Drive |
|------|------|------------|------|------|-----------|
| 5919 | TT8  | 1/4"       | 5925 | TT30 | 1/4"      |
| 5920 | TT10 | 1/4"       | 5926 | TT40 | 3/8"      |
| 5921 | TT15 | 1/4"       | 5927 | TT45 | 3/8"      |
| 5922 | TT20 | 1/4"       | 5928 | TT50 | 3/8"      |
| 5923 | TT25 | 1/4"       | 5929 | TT55 | 3/8"      |
| 5924 | TT27 | 1/4"       | 5930 | TT60 | 1/2"      |

**NOTE:** These high quality bit sockets will provide a lifetime of performance when used with hand tools. The warranty is voided if these bit sockets are ever used with impact tools – NO EXCEPTIONS! Determination of damage by impact tools is subject to SPX evaluation and discretion – NO EXCEPTIONS! Replacement bit sockets are available for sale.

**No. 6100  
Standard TORX®  
Socket Set T10 to  
T60 (12 piece)**

| No.  | Size | Sq. Drive |
|------|------|-----------|
| 6101 | T10  | 1/4"      |
| 6102 | T15  | 1/4"      |
| 6103 | T20  | 1/4"      |
| 6104 | T25  | 1/4"      |
| 6105 | T27  | 1/4"      |
| 6106 | T30  | 1/4"      |
| 6107 | T40  | 3/8"      |
| 6108 | T45  | 3/8"      |
| 6109 | T47  | 3/8"      |
| 6110 | T50  | 3/8"      |
| 6111 | T55  | 3/8"      |
| 6112 | T60  | 1/2"      |



**No. 6170  
Metric Hex  
Socket Set (7 piece)**

| No.  | Size  | Sq. Drive |
|------|-------|-----------|
| 6171 | 3 mm  | 3/8"      |
| 6172 | 4 mm  | 3/8"      |
| 6173 | 5 mm  | 3/8"      |
| 6174 | 6 mm  | 3/8"      |
| 6175 | 7 mm  | 3/8"      |
| 6176 | 8 mm  | 3/8"      |
| 6177 | 10 mm | 3/8"      |



**No. 6135  
Universal Brake  
Caliper Socket set  
(9 piece)**

| No.  | Size  | Sq. Drive |
|------|-------|-----------|
| 6107 | T40   | 3/8"      |
| 6108 | T45   | 3/8"      |
| 6110 | T50   | 3/8"      |
| 6112 | T60   | 3/8"      |
| 6165 | 1/4"  | 3/8"      |
| 6167 | 3/8"  | 3/8"      |
| 6175 | 7 mm  | 3/8"      |
| 6176 | 8 mm  | 3/8"      |
| 6177 | 10 mm | 3/8"      |



**No. 6180  
TORX® Plus  
Socket Set (9 piece)**

| No.  | Size | Sq. Drive |
|------|------|-----------|
| 6181 | TP10 | 1/4"      |
| 6182 | TP15 | 1/4"      |
| 6183 | TP20 | 1/4"      |
| 6184 | TP25 | 1/4"      |
| 6185 | TP27 | 1/4"      |
| 6186 | TP30 | 1/4"      |
| 6187 | TP40 | 3/8"      |
| 6188 | TP45 | 3/8"      |
| 6191 | TP50 | 3/8"      |



**No. 6145  
Tamper-Resistant  
TORX® Socket set  
(7 piece)**

| No.  | Size | Sq. Drive |
|------|------|-----------|
| 5920 | TT10 | 1/4"      |
| 5921 | TT15 | 1/4"      |
| 5922 | TT20 | 1/4"      |
| 5923 | TT25 | 1/4"      |
| 5924 | TT27 | 1/4"      |
| 5925 | TT30 | 1/4"      |
| 5926 | TT40 | 3/8"      |



**No. 5904  
Ribe Bit  
Socket Set (12 piece)**

| No.     | Size | Sq. Drive |
|---------|------|-----------|
| 5904-1  | M4   | 1/4"      |
| 5904-2  | M5   | 1/4"      |
| 5904-3  | M6   | 1/4"      |
| 5904-4  | M7   | 3/8"      |
| 5904-5  | M8   | 3/8"      |
| 5904-6  | M9   | 3/8"      |
| 5904-7  | M10  | 3/8"      |
| 5904-8  | M11  | 3/8"      |
| 5904-9  | M12  | 3/8"      |
| 5904-10 | M13  | 1/2"      |
| 5904-11 | M14  | 1/2"      |
| 5904-12 | M15  | 1/2"      |



**No. 6150  
External TORX®  
Socket set  
(7 piece)**

| No.  | Size     | Sq. Drive |
|------|----------|-----------|
| 6151 | E6 x 25  | 1/4"      |
| 6152 | E7 x 25  | 1/4"      |
| 6153 | E8 x 25  | 1/4"      |
| 6154 | E10 x 32 | 3/8"      |
| 6155 | E12 x 32 | 3/8"      |
| 6156 | E14 x 32 | 3/8"      |
| 6157 | E16 x 32 | 3/8"      |



**No. 5905  
Tamper-Resistant  
TORX® Plus Socket  
set (11 piece)**

| No.     | Size  | Sq. Drive |
|---------|-------|-----------|
| 5905-8  | 8IPR  | 1/4"      |
| 5905-10 | 10IPR | 1/4"      |
| 5905-15 | 15IPR | 1/4"      |
| 5905-20 | 20IPR | 1/4"      |
| 5905-25 | 25IPR | 1/4"      |
| 5905-27 | 27IPR | 1/4"      |
| 5905-30 | 30IPR | 1/4"      |
| 5905-40 | 40IPR | 3/8"      |
| 5905-45 | 45IPR | 3/8"      |
| 5905-50 | 50IPR | 3/8"      |
| 5905-55 | 55IPR | 3/8"      |



Tamper Resistant TORX Plus



**No. 6160  
Fraction Hex  
Socket Set (7 piece)**

| No.  | Size  | Sq. Drive |
|------|-------|-----------|
| 6161 | 1/8"  | 3/8"      |
| 6162 | 5/32" | 3/8"      |
| 6163 | 3/16" | 3/8"      |
| 6164 | 7/32" | 3/8"      |
| 6165 | 1/4"  | 3/8"      |
| 6166 | 5/16" | 3/8"      |
| 6167 | 3/8"  | 3/8"      |



# Professional Grade “L Key” Sets from OTC

These specialty fastener L Keys are manufactured with premium grade S2 tool steel - for a long life of repetitive use.

Each wrench is marked with size for quick identification and is finished in Satin Chrome for professional appearance.

Each set carries the OTC Brand and contains 10 pieces of common sizes. We offer Hex, (both metric and fractional) Torx, Torx PLUS and Tamper Resistant Torx. The L Key holder is manufactured from high impact composite material and is designed to slide apart for easy tool access and storage, and displays size marking for easy identification.

The hang tab lets you choose to store these tools conveniently on a pegboard, or in your tool drawer.

## No. 6954 Standard TORX® “L” Keys T8 to T50 (10 piece)

| No.     | Size |
|---------|------|
| 6954-1  | T8   |
| 6954-2  | T10  |
| 6954-3  | T15  |
| 6954-4  | T20  |
| 6954-5  | T25  |
| 6954-6  | T27  |
| 6954-7  | T30  |
| 6954-8  | T40  |
| 6954-9  | T45  |
| 6954-10 | T50  |



## No. 6956 TORX® Plus “L” Keys TP8 to TP50 (10 piece)

| No.     | Size |
|---------|------|
| 6956-1  | TP8  |
| 6956-2  | TP10 |
| 6956-3  | TP15 |
| 6956-4  | TP20 |
| 6956-5  | TP25 |
| 6956-6  | TP27 |
| 6956-7  | TP30 |
| 6956-8  | TP40 |
| 6956-9  | TP45 |
| 6956-10 | TP50 |



## No. 6958 TORX® TAMPER RESISTANT “L” Keys TT8 to TT50 (10 piece)

| No.     | Size |
|---------|------|
| 6958-1  | TT8  |
| 6958-2  | TT10 |
| 6958-3  | TT15 |
| 6958-4  | TT20 |
| 6958-5  | TT25 |
| 6958-6  | TT27 |
| 6958-7  | TT30 |
| 6958-8  | TT40 |
| 6958-9  | TT45 |
| 6958-10 | TT50 |



## No. 6950 SAE Ball Hex “L” Keys 1/16" to 3/8" (10 piece)

| No.     | Size  |
|---------|-------|
| 6950-1  | 1/16" |
| 6950-2  | 5/64" |
| 6950-3  | 3/32" |
| 6950-4  | 1/8"  |
| 6950-5  | 5/32" |
| 6950-6  | 3/16" |
| 6950-7  | 7/32" |
| 6950-8  | 1/4"  |
| 6950-9  | 5/16" |
| 6950-10 | 3/8"  |



## No. 6952 Metric Ball Hex “L” Keys 1.5mm to 10mm (10 piece)

| No.     | Size  |
|---------|-------|
| 6952-1  | 1.5mm |
| 6952-2  | 2mm   |
| 6952-3  | 2.5mm |
| 6952-4  | 3mm   |
| 6952-5  | 4mm   |
| 6952-6  | 5mm   |
| 6952-7  | 6mm   |
| 6952-8  | 7mm   |
| 6952-9  | 8mm   |
| 6952-10 | 10mm  |



08-178 Rev. B ©2009 SPX. All rights reserved. Because of ongoing product improvements, we reserve the right to change design, materials, and specifications without notice. Certain kits may require additional cables or adapters. Product shipped may differ from photo(s) shown.



Learn more about ratchets and sockets we have.