

# **Technical Data Sheet**

# Permatex<sup>®</sup> Black 5 mil Nitrile Disposable Gloves

#### PRODUCT DESCRIPTION

Permatex<sup>®</sup> Black 5 mil Nitrile Disposable Gloves are made from a 100% synthetic rubber that provides superior resistance to a wide range of solvents and hazardous chemicals. Black Nitrile gloves are an alternative for users with latex sensitivity. Permatex<sup>®</sup> Black 5 mil Nitrile Disposable gloves feature textured fingers that provide a secure grip on dirty parts and tools. Powder free, the gloves are easy to put on and take off. When superior chemical resistance is required, Permatex<sup>®</sup> Black 5 mil Nitrile Disposable Gloves provide mechanics with ideal heavy-duty hand protection.

#### **PRODUCT BENEFITS**

- Black color
- Chemical Resistant
- Textured Fingers
- Powder Free
- Fits either hand
- Beaded cuff
- No Natural Rubber Latex Proteins

#### TYPICAL APPLICATIONS

 Permatex Black 5 mil Nitrile Disposable Gloves offer protection from greases, fuels, oils and many other types of solvents and acids.

## PHYSICAL CHARACTERISTICS

#### **Glove Dimensions:**

Part Number	Length, inches (mm) Nominal	Weight/piece (grams)
08184 (Medium)	9.0-9.4 (230-240)	6.2 – 6.4
08185 (Large)	9.8 (250)	6.6 – 6.8
08186 (X-Large)	9.8 (250)	6.9 – 7.1

Weight

#### Thickness, mils (mm) minimum

Finger 6.0 (0.15) Palm 5.1 (0.13) Cuff 4.0 (0.10)

# **Physical Properties**

Tensile Strength, PSI (Mpa), Minimum 2030 (14) Elongation, %, Minimum 500

**Specifications** 

Sterility: Non-Sterile

Intended Use: Automotive, Industrial Basic Material: Nitrile Butadiene Rubber

FDA Status: None

Material Safety Data

Product: Nitrile industrial gloves

IATO/IACO Not Restricted Hazard Rating: Not Restricted D.O.T. Rating: Not Restricted

Fire and Explosion

Stability: Stable

Flash Point: Not applicable

Extinguishing Data: Foam, Carbon Dioxide,

Water

**Normal Precautions** 

Ventilation: Not necessary under normal

conditions.

Equipment: Not necessary Spill/Cleanup: Not applicable Eyes: Not applicable

Storage: No special precautions necessary

#### Nitrile Chemical Resistance Guide

Millio Giloinida Modicianos Galac			
Acetic Acid		Mineral Spirits	G
Acetone	F	Motor Oil	Е
Ammonium Hydroxide	G	Naphtha	F
Butyl Cellosolve	Е	Perchloroethylene	F
Ethyl Alcohol	G	Sodium Hydroxide	Е
Ethylene Glycol	Е	StartingFluid(Ethyl Ether)	F
Gasoline	F	Stoddard Solvent	Е
Hydrochloric Acid (10%)	Е	Sulfuric Acid	Е
Isopropyl Alcohol	G	Synthetic Oil	Е
Kerosene	Е	Toluene	F
Methyl Alcohol	Р	Turpentine	G
Mineral Oil	Е	Xylene	F

E=Excellent G=Good F=Fair P=Poor

#### **GENERAL INFORMATION**

Components used in the making of these gloves may cause allergic reactions in some people. Do not use if you know or suspect that you are sensitive to Nitrile without first consulting a physician. If allergic reactions do occur, discontinue use immediately and consult with a physician. These gloves are not made from natural rubber latex. According to a NIOSH (National Institute for Occupational Safety and Health) Alert, use of non-natural rubber latex gloves (such as Nitrile) is an effective method of preventing allergic reactions to natural rubber latex in the workplace. NIOSH recommends the use of nonlatex gloves (such as Nitrile) for activities such as automotive,

autobody, aircraft service and certain kinds of laboratory work.

This product is not intended to protect against all chemical compounds. The user should determine the proper glove for a given application. Do not use for protection in a chemical emergency, in fire-fighting applications, against cryogenic agents, or in flammable or explosive atmospheres, as these gloves may burn.

### **ORDERING INFORMATION**

Part Number	Size
08184	100-ct. Box - Medium
08185	100-ct. Box - Large
08186	100-ct. Box - X-Large

#### **STORAGE**

Products shall be ideally stored in a cool, dry location in unopened containers at a temperature between 8° and 28°C (46° and 82°F) unless otherwise labeled. Optimal storage is at the lower half of this temperature range.

PERMATEX PRODUCTS AUTO DETAILING