PROVIDING HIGH VALUE SOLUTIONS

Red Devil

Ţ

SEALANTS PATCH & REPAIR TOOLS

AMERICAN FAMILY OWNED BUSINESS BRINGING INNOVATION TO YOU!

OUR HISTORY: Founded as Smith & Hemenway Company, Inc. in 1872 in Hill, New Hampshire, our place in hardware history was established with the production of several types of glass cutters, one of which, the "Woodward Wizard", was patented. This unique tool, with its tiny wheel for scoring glass, was among the first in the industry and could be used as a glass breaker, can opener, corkscrew, knife/scissor sharpener, and tack hammer. Because of the "Woodward Wizard" and other unique and dependable tools, our reputation for quality and reliability grew. During a buying trip to Sweden, the company's founder, Landon P. Smith, heard a blacksmith remark "those little red devils" after sparks from a forge singed his arm. The name stuck in Smith's mind and upon his return to the States he began to label many of the tools he sold with the RED DEVIL® trade name. By the late 19th century, do-it-yourselfers as well as professionals were depending on our top-performing products.







In the early 1900's, the RED DEVIL® name became synonymous with quality tools for professional and DIY projects. In 1932, General Manager George L. Lee, Sr. acquired the Vesco Tool Company's line of wood scrapers - the first of nearly three dozen acquisitions designed to expand and improve the RED DEVIL® line. These acquisitions included complementary lines of painters' tools, including wall scrapers, putty knives, glaziers' diamond points and automatic point drivers. In all, more than 30 different manufacturers' products began carrying the RED DEVIL® brand, further popularizing our name. And the tradition continued. In 1963, under the direction of George L. Lee, Jr., RED DEVIL® acquired the Schalk Chemical Company adding a line of adhesives, cleaners and sealants to its growing family of products. This chemical line would quickly become a major contributor to our business and later helped us to pioneer innovative, new products such as ONETIME® Lightweight Spackling, the first lightweight spackling on the market and LIFETIME® Adhesive Sealant, the first siliconized acrylic sealant guaranteed to last a lifetime.







TODAY, WE BUILD AMERICA'S MOST ASKED FOR TOOLS AND CHEMICAL PRODUCTS: Red Devil[®], Inc. is still a privately-owned family business with state-of-the-art manufacturing facilities in Pryor, Oklahoma. We're the only manufacturer to offer such a broad and diversified line of hand tools and chemical products for professional and home maintenance and improvement - more than 400 different products in all. In addition to producing caulks, sealants and tools under our own brand name, we also manufacture private label products for some of the nation's largest hardware and home center chains. And, just as we did from the start, we're still building on our reputation for quality, dependability and innovation - guaranteeing that America's latest generation of professional contractors and do-it-yourselfers will continue to depend on RED DEVIL[®] products well into the next millennium.



PROVIDING HIGH VALUE SOLUTIONS for building & repair needs in a flexible and accomodating way, while maintaining

EXCELLENT QUALITY





Table of contents: PATCH & REPAIR, ADHESIVES, SEALANTS

1-2

3

4

Patch & Repair

ONETIME[®] • ONETIME[®] 4 Pc. Kit • LIGHTEN UP[™] • Vinyl Spackling • Crack Patch[™] • Concrete Patch • Patch & Prime[™]

Wall Repair Patch

Electrical Patches • ONETIME® Wall Repair Patch • Wall Repair Fabric • Wall Shield • Patch-A-Wall[™] Kit

Tile Products

Tile Grout • Tile Paste Adhesive

Window. Door & Trim / Painter's Caulk 5-8

Window & Door • StormGuard[™]-920 • 100% Silicone • LIFETIME[®] Window, Door & Trim • LIFETIME® Ultra 230 • Painter's Caulk • ColorCure® • Speed Demon[®] • QuickPaint[®] Caulk • CREATE-A-COLOR[®]

Kitchen & Bath

Silicone Shield[™] • Kitchen & Bath Stain Block[™] • Kitchen & Bath Low Odor Silicone • Kitchen & Bath Siliconized Acrylic Caulk • Caulk Strips

Specialty Products

Masonry & Concrete • Blacktop & Roof • Asphalt Crack Filler • Gutter & Foundation • Fireplace & Stove • King Kaulk® • Polyurethane Sealants • Clear Caulk • Glazing Compound • ZIP-A-WAY® • RD3000[™] • House & Home Restore

Industrial / Commercial Products / Foam 15-18

RDI • HVAC/R • Firestop • Construction Adhesives • Duct Sealants • Celulon® Adhesive Sealant • Siliconized Acrylic Caulk • Foam

Cleaning & Maintenance

SAV-A-BRUSH® • TSP 90® • Tack Cloth

9-10

11-14

19

TOOL PRODUCTS

Putty Knives, Wall Scrapers & Taping Knives EZ Grip [™] Professional Series Tools • 6100 Series Tools • 4100 Series Tools • 4200 Series Tools • 4800 Series Tools • 4700 Series Tools • Multi-Tools	21-26	TOOLS
Wood & Paint Scrapers, Wire Brushes Carbide Blade Scrapers • Plastic Scrapers • Replacement Blades • Pole Scrapers • Paint Scrapers • Wire Brushes	27-30	TOOLS
Painter's Tools / Window & Glazier's Tools Caulk Guns • Drop Cloths • Paint Mixers • Caulk Devil® • Graining Tool • Extension Brush Holder • Trim Guards • Pry Bar Glass Cutters • Glazing Points	31-35 s.	TOOLS
Wallcovering Tools Wallcovering Tools	36	TOOLS
Sanding & Finishing Tools Sanding Tools • Pole/Hand Sanders • Steel Wool	37-38	TOOLS
Utility Knives, Razor & Glass Scrapers Tuf-Kut [™] Auto Load Knife • Razor Knife • Box Cutter • Replacement Blades • Mini Glass Scrapers	39-42	TOOLS
Drywall Tools Taping Knives • Keyhole Saw • Mud Pan • Drywall Tape	43-44	TOOLS
Adhesive Spreaders, Trowels & Flooring Tools Adhesive Spreaders • Notch Guide • Trowels • Slamscraper [®] • Heavy-Duty Scrapers • Flooring Knife	45-49	TOOLS



Patch & Repair SQUARE TUBS

The unique square tub is designed and contoured to work with a putty knife for easy use.

ONETIME® LIGHTWEIGHT VINYL SPACKLING COMPOUND **SPACKLING** Pre-mixed formula for fast, professional repairs in Patches holes quickly and easily. Specially just one application. Use to fill cracks, nail holes, and formulated for easy application, paintability, other holes in plaster, wallboard, wood and stucco. and sanding. Use on plaster, wallboard, wood Won't shrink, crack or sag. No sanding required. and stucco. Interior/exterior. Interior/exterior. Water clean up. 0531SQ - 1 Gallon (3.79 liter) 0532SQ - 1/2 Pint (.24 liter) 0541SQ - 1 Gallon (3.79 liter) 0534SQ - 1 Quart (.95 liter) 0542SQ - 1/2 Pint (.24 liter) 0538SQ - 1 Pint (.48 liter) 0544SQ - 1 Quart (.96 liter) 0548SO - 1 Pint (.48 liter) ONETIME[®] PATCH & PRIME[™] LIGHTWEIGHT SPACKLING Spackling and primer in one! This premium, lightweight, pre-mixed spackling saves time with no need to prime before painting. It does not shrink or crack. It fills holes in one easy **ONETIME® LIGHTWEIGHT** application. **SPACKLING 4 PC. KIT** 0540 - 1 Pint (.48 liter) Pre-mixed formula for fast, professional repairs in just one application. Use to fill cracks, nail holes, and other holes in plaster, wallboard, wood and stucco. Won't shrink, crack or sag. Water clean up. The four piece kit comes with spackling and three components contained in the lid; an aluminum wall patch, sand paper and a spreader. Interior/ PRE-MIXED CONCRETE PATCH exterior. Red Devil Concrete Patch is a pre-mixed, 0544KT - 1 Quart (.96 liter) ready-to-use concrete patch for the repair of holes, cracks, breaks and other imperfections in concrete or masonry surfaces. Not recommended for areas subject to vehicular traffic. 0644SQ - 1 Quart (.96 liter)

.

Patch & Repair ROUND TUBS

A quality line of patch and repair products for hundreds of interior and exterior repair jobs. Fill cracks in drywall or plaster, repair nail holes or texturize paint to hide minor flaws.

ONETIME[®] LIGHTWEIGHT Spackling

Pre-mixed formula for fast, professional repairs in just one application. Use to fill cracks, nail holes, and other holes in plaster, wallboard, wood and stucco. Won't shrink, crack or sag. No sanding required. Interior/exterior. Water clean up.

0541 - 1 Gallon (3.79 liter)

0542 - 1/2 Pint (.24 liter)

0544 - 1 Quart (.96 liter)

0545 - 6 Fl. Oz. (178 mL)



ONETIME[®] LIGHTEN UP™ LIGHTWEIGHT SPACKLING

This lightweight, color-changing formula goes on pink, but dries white when it's time to paint. Pre-mixed formula for fast, professional repairs in just one application. Use to fill cracks, nail holes, and other holes in plaster, wallboard, wood and stucco. Won't shrink, crack or flake. No sanding required. Interior/exterior. Water clean up.

0572 - 1/2 Pint (.24 liter)

0574 - 1 Quart (.96 liter)



CRACK PATCH[™] PREMIUM SPACKLING

Crack Patch[™] Spackling provides superior performance for filling dents, holes & cracks in surfaces such as drywall, plaster, wood, stucco, brick and stone. This pre-mixed formula spreads easily for fast, professional repairs to walls and ceilings. It will not crumble or flake when used as directed. Interior/exterior.

0802 - 1/2 Pint (.24 liter)

0804 - 1 Quart (.96 liter) 0805 - 5.5 Fl. Oz. (160 mL) RACK E

PRE-MIXED CONCRETE PATCH

Red Devil Concrete Patch is a pre-mixed, ready-to-use concrete patch for the repair of holes, cracks, breaks and other imperfections in concrete or masonry surfaces. Not recommended for areas subject to vehicular traffic.

0641 - 1 Gallon (3.79 liter) 0644 - 1 Quart (.96 liter) 0645 - 5.5 Fl. Oz. (160 mL)



VINYL SPACKLING COMPOUND

Patches holes quickly and easily. Specially formulated for easy application, paintability, and sanding. Use on plaster, wallboard, wood and stucco. Interior/exterior.

0531 - 1 Gallon (3.79 liter) 0532 - 1/2 Pint (.24 liter) 0534 - 1 Quart (.95 liter) 0538 - 1 Pint (.48 liter) 0615 - 5.5 Fl. Oz. (160 mL)







Wall Repair Patch

2 PACK OF ELECTRICAL PATCHES

ONETIME® Multi-Surface Repair Patch - 2 Pack of 7 inch x 7 inch patches that are ultra thin for easier blending to existing surfaces. These patches are self-adhesive for easy application, and great for angles, corners and curves. Repair damage area up to 6 inches.



1227 - 7" X 7"



ONETIME[®] WALL REPAIR Patch

Make permanent repairs to walls and ceilings. Simply place the patch over the hole and cover the area with ONETIME® Lightweight Spackling. Provides fast, professional results.

1212 - 5 Pack 6" X 6" Metal Patch

1214 - 4" X 4" Metal Patch

1216 - 6" X 6" Metal Patch

1218 - 8" X 8" Metal Patch



ONETIME® WALL REPAIR FABRIC

Repair holes & cracks in drywall or plaster surfaces easily with ONETIME® Wall Repair Fabric. Application is simple; just clean the surface, apply the patch, spackle, and finish. A self-adhesive fiber mesh crack patch that provides reinforcement and is suitable for interior and exterior applications.

1224 - 36" x 75' 1226 - 6" x 75'

1228- 2.5″ x 20′



WALL SHIELD

Self-adhesive shield to protect wall from impact of opening doors.

1222 - Wall Shield

PATCH-A-WALL™ KIT

All-in-one-kit to repair walls.

- Plastic Putty Knife
- 1/2 Pt. ONETIME® Spackling
- Sandpaper
- 6" Self-Adhesive Patch

0549

All-in-one-kit to repair walls.

- Plastic Putty Knife
- 1/2 Pt. ONETIME®
- Lighten Up™ Spackling
- Sandpaper
- 6" Self-Adhesive Patch

0579





Tile Products

PRE-MIXED TILE GROUT, PASTE

Water-resistant compound grouts all ceramic and mosaic tile. Formulated with premium acrylic latex for fast, easy-to-use application.

0422 - 1/2 Pint (.24 liter)

0424 - 1 Quart (.96 liter)

0425 - 5.5 Fl. Oz. (160 mL)

0428 - 1 Pint (.48 liter)





TILE PASTE ADHESIVE

Perfect for installing and repairing mosaic, plastic and ceramic tile, and linoleum. Water clean up.

0497 - 5.5 Fl. Oz. (160 mL)





Window, Door & Trim

35 YR. WINDOW & DOOR Siliconized Acrylic Caulk

Advanced siliconized acrylic formula helps increase energy efficiency by reducing drafts and cold spots. It also provides a barrier to the entry of dirt and insects. It adheres to most surfaces. Interior/exterior use. 35 year limited warranty. Water clean up.

0846 - 10.1 Fl. Oz. (300 mL) - White 084620 - 10.1 Fl. Oz. (300 mL) - Almond 084630 - 10.1 Fl. Oz. (300 mL) - Cedar 084640 - 10.1 Fl. Oz. (300 mL) - Dk. Brown 084650 - 10.1 Fl. Oz. (300 mL) - Gray 084660 - 10.1 Fl. Oz. (300 mL) - Black 0876 - 10.1 Fl. Oz. (300 mL) - Clear

Meets or exceeds ASTM C834 requirements (except Clear).

STORMGUARD[™]-920

StormGuard[™]-920 is a 100% RTV Silicone Window and Door Sealant that exceeds the highest test method for joint expansion. After 30 minutes it can be exposed to rain and form a permanent seal. It offers excellent adhesion, flexibility and durability and can be used on a variety of surfaces indoors and outdoors.

0780 - 10.1 Fl. Oz. (300 mL) - White 078020 - 10.1 Fl. Oz. (300 mL) - Almond 078040 - 10.1 Fl. Oz. (300 mL) - Brown 078050 - 10.1 Fl. Oz. (300 mL) - Gray 078060 - 10.1 Fl. Oz. (300 mL) - Black 0785 - 2.8 Fl. Oz. (83 mL) - White 0787 - 10.1 Fl. Oz. (300 mL) - Clear 0795 - 2.8 Fl. Oz. (83 mL) - Clear





Meets or exceeds ASTM C920 Class 25 requirements.

100% SILICONE SEALANT

Long-lasting formula gives tight, weather-resistant seals to glass, metal, and ceramic surfaces. Will not crack, shrink, or peel. Can be applied at temperatures below freezing. 50 year limited warranty. Interior/exterior use. Solvent clean-up.

- 0810 2.8 Fl. Oz. (83 mL) White
- 0816 9.8 Fl. Oz. (290 mL) White
- 081640 9.8 Fl. Oz. (290 mL) Bronze
- 081650 9.8 Fl. Oz. (290 mL) Gray
- 081660 9.8 Fl. Oz. (290 mL) Black
- 0820 2.8 Fl. Oz. (83 mL) Clear
- 0826 9.8 Fl. Oz. (290 mL) Clear

Meets or exceeds performance requirements of Fed. Spec. TT-S-00230C, TT-S 001543A, ASTM C920. Appropriate for use in federally inspected meat and poultry plants.



LIFETIME[®] WINDOW, DOOR & TRIM Advanced sealant plus silicone

LIFETIME® Window, Door & Trim Advanced Sealant is a high performance, multi-purpose caulk formulated to last for the lifetime of your home. This unique formulation provides the maximum level of adhesion to a variety of substrates indoors or outdoors. It offers excellent paintability and includes HomeShield[™] Antimicrobial Protection to ensure against the worst types of mold and mildew.

0856PR - 10.1 Fl. Oz. (300 mL) - White

0866PR - 10.1 Fl. Oz. (300 mL) - Clear

Meets ASTM C920 Class 12.5 requirements.

LIFETIME[®] ULTRA 230 PREMIUM ACRYLIC SEALANT

LIFETIME® Ultra 230 Premium Acrylic Latex Sealant is a high performance, multi-purpose sealant formulated to last for the lifetime of your home. This unique formulation provides the maximum level of durability on a variety of substrates indoors or outdoors. It offers excellent paintability and includes HomeShield[™] Antimicrobial Protection to ensure against the worst types of mold and mildew.

0705 - 5.5 Fl. Oz. (160 mL) - Clear 0770 - 10.1 Fl. Oz. (300 mL) - White 077010 - 10.1 Fl. Oz. (300 mL) - Cedar Tan 077020 - 10.1 Fl. Oz. (300 mL) - Almond 077040 - 10.1 Fl. Oz. (300 mL) - Brown 077050 - 10.1 Fl. Oz. (300 mL) - Gray 077060 - 10.1 Fl. Oz. (300 mL) - Black 0775 - 5.5 Fl. Oz. (160 mL) - White 0777 - 10.1 Fl. Oz. (300 mL) - Clear

TIME Ultru

TIME Ultru

Meets or exceeds ASTM C920 Class 25 requirements.



TIME Ultra 2

TIME UIL



PAINTER'S CAULK

COLORCURE® PINK 2 WHITE ADVANCED SEALANT

ColorCure[®] Pink 2 White Advanced Acrylic Sealant is a premium, multi-purpose sealant formulated to provide a dry time indicator. This unique sealant is solvent-free, plasticizer-free and low-VOC. The sealant goes on pink but dries white indicating when it is ready to paint. It provides the maximum level of durability on a variety of substrates indoors or outdoors. It offers superior paintability and includes HomeShield[™] Antimicrobial Protection to ensure against the worst types of mold and mildew.

0576 - 9.5 Fl. Oz. (280 mL) - White

Meets or exceeds ASTM C834 requirements.





exterior use. Water clean up.



Goes On Pink, Dries White

When It's Ready to Paint



QUICKPAINT® CAULK

Specially formulated for the paint contractor, Quick Paint is a styrenated, siliconized, acrylic caulk that's paintable in just 30 minutes! Higher solids reduce shrinkage. Adheres to most surfaces. 40 year limited warranty. Interior/exterior use. Water clean up.

0946 - 10.1 Fl. Oz. (300 mL) - White Exceeds the requirements of ASTM C834.

PAINTER'S CAULK

An acrylic latex caulk designed for easy paintability. It provides tight, water-proof seals and can be used on most common construction surfaces. Takes all types of paint when dry. 25 year warranty. Interior/exterior use. Water clean up.

0746 - 10.1 Fl. Oz. (300 mL) - White

Exceeds the requirements of ASTM C834.





CREATE-A-COLOR®

The CREATE-A-COLOR[®] Caulk Coloring System is a simple and easy way to create custom-colored caulk in minutes. This unique system allows on-the-job coloring of a single tube of caulk using ordinary latex paint. Watch the color change right before your eyes – the results are amazing!

A must-have system for painters, decorators, contractors, tile installers, masons, plumbers, wallpaper hangers, and even homeowners. This innovative system allows you to match your

caulk with fixtures, countertops, tile, walls,

wallpaper and more.

CAULK MIXERS

 This unique product tints a single tube of CREATE-A-COLOR® Caulk with ordinary latex paint. Portable and convenient, it is simple to use and cleans easily with soap and water. Includes syringe for extracting paint and easy-to-follow instruction guide.

 4071 - Pro Caulk Mixer* Die-cast Aluminum

 4070 - Standard Caulk Mixer* Sturdy Plastic

 KIT INCLUDES:

 • 2 Tubes of CREATE-A-COLOR® Caulk

 • Syringe

 4074 - CREATE-A-COLOR® Kit



Paint must be purchased separately.

CREATE-A-COLOR® CAULK

Specially formulated to be tinted using a CREATE-A-COLOR® Caulk Mixer, this superior quality sealant offers excellent adhesion to most surfaces. It provides a long-lasting, mildewresistant seal that cures to an ultra-smooth, satin finish. Interior/exterior. Odorless. Water clean-up.

1.4 FL Oz. (278 mL)

0409 - 9.4 Fl. Oz. (278 mL)

SYRINGES

25 replacement syringes for CREATE-A-COLOR® Caulk System.

4072 - Pack of 25

*The CREATE-A-COLOR® Caulk Mixer is designed for use exclusively with CREATE-A-COLOR® Caulk from Red Devil, Inc.



Kitchen & Bath

SILICONE SHIELD™ KITCHEN & BATH SEALANT

Silicone Shield[™] Kitchen & Bath is a premium, quality spec-compliant sealant formulated for kitchen and bath applications that can be exposed to water in 1 hour. Won't crack, shrink or peel, excellent adhesion, permanently flexible, mold and mildew resistant.

0816KB - 9.0 Fl. Oz. (266 mL) - White

0826KB - 9.0 Fl. Oz. (266 mL) - Clear

Meets or exceeds performance requirements of Fed. Spec. TT-S-00230C, TT-S 001543A, ASTM C920.



KITCHEN & BATH STAIN BLOCK™ SEALANT

Red Devil's Kitchen & Bath with Stain Block™ has a high gloss finish and is specially formulated to resist the toughest stains: red wine/grape juice, coffee, mustard, ketchup, soy sauce, etc. This advanced sealant can be painted with latex and oil-based paints, and cleans up with water. Cured bead is mold and mildew resistant.

0750 - 10.1 Fl. Oz. (300 mL) - White 075022 - 10.1 Fl. Oz. (300 mL) - Biscuit 0755 - 5.5 Fl. Oz. (160 mL) - White 075522 - 5.5 Fl. Oz. (160 mL) - Biscuit 0757 - 10.1 Fl. Oz. (300 mL) - Clear 0765 - 5.5 Fl. Oz. (160 mL) - Clear



CAULK STRIPS

Tub & Wall Caulk Strip

0150 - 7/8" x 11' - White

0151 - 1 5/8" x 11' - White

Self-adhesive decorative trim is pre-shaped for fast, easy installation. It provides a long-lasting seal and gives a finished, professional look to kitchen and bath areas. Best of all, the mildew-resistant caulk strip installs in minutes – simply peel and press in place. No tools or messy clean up!

Stri

KITCHEN & BATH LOW-ODOR SILICONE SEALANT

An advanced, low-odor formula that provides long-lasting flexibility and excellent adhesion to ensure a protective barrier against moisture and mildew. It provides a water-tight seal around kitchen and bath fixtures and cures to an ultra smooth, satin finish. Interior use. Solvent clean up.

0836 - 10.1 Fl. Oz. (300 mL) - White 083620 - 10.1 Fl. Oz. (300 mL) - Almond 0883 - 2.8 Fl. Oz. (83 mL) - White 0885 - 2.8 Fl. Oz. (83 mL) - Clear 0887 - 10.1 Fl. Oz. (300 mL) - Clear

Meets or exceeds performance requirements of Fed. Spec. TT-S-00230C, TT-S-001543A, ASTM C920 and FDA Reg. No. 21 CFR 177, 2600 when fully cured. UL Recognized.

KITCHEN & BATH SILICONIZED ACRYLIC CAULK

Odorless, mildew-resistant formula fortified with silicone to provide a long-lasting, water-tight seal around tubs, showers, sinks and fixtures. Interior use. Water clean up.

0405 - 5.5 Fl. Oz. (160 mL) - White 040520 - 5.5 Fl. Oz. (160 mL) - Almond 0406 - 10.1 Fl. Oz. (300 mL) - White 040620 - 10.1 Fl. Oz. (300 mL) - Almond 0408 - 10.1 Fl. Oz. (300 mL) - Clear 0445 - 5.5 Fl. Oz. (160 mL) - Clear



10



Kitchen & Bat



Specialty Products

MASONRY & CONCRETE REPAIR

Ideal for patching cracks in steps and sidewalks or repairing mortar between bricks, stone, and cinder block. Textured finish blends with mortar and provides excellent outdoor durability. Exterior use. Water clean up.

0646 - 10.1 Fl. Oz. (300 mL) - Gray



BLACKTOP & ROOF REPAIR

Asphalt sealant that provides a durable, flexible and weather-resistant seal for cracks and joints in asphalt driveways. Also ideal for waterproofing, repairing and sealing roofs, shingles and flashings around chimneys and skylights. Can be used on wet or dry surfaces. Exterior use. Solvent clean up.

0636 - 10.1 Fl. Oz. (300 mL) - Black



ASPHALT CRACK FILLER

Asphalt Crack Filler sealant that provides a durable, flexible and weather-resistant seal for cracks and joints in asphalt driveways, parking lots and more. It provides excellent adhesion and prevents water and frost damage.

0637- 10.1 Fl. Oz. (300 mL) - Black



GUTTER & FOUNDATION SEALANT

Butyl rubber sealant ideal for outdoor jobs requiring a durable, water-tight seal. Use around concrete foundations, expansion joints, gutters, and in below-grade areas such as basements. Adheres to most construction surfaces and remains flexible. Exterior use. Solvent clean up.

0697 - 10.1 Fl. Oz. (300 mL) - White 0697AG - 10.1 Fl. Oz. (300 mL) - Gray

Meets or exceeds the following specifications: Fed. Spec. TT-S-001657, Type I; Fed. Spec. TT-C-1796A, Type I; TT-C-598C, Type I.

FIREPLACE & STOVE REPAIR

Super-tough, silicate cement sets rock-hard when fired. The black, textured paste adheres well to fire brick, cinder block, metal and mortar. It cures with a warm fire and provides a durable, long-lasting seal that withstands temperatures up to 1000° F. Non-flammable. Interior use. Water clean up.



0466 - 10.1 Fl. Oz. (300 mL) - Black

KING KAULK[®] HYBRID POLYMER

KING KAULK® Hybrid Polymer is an amazing product you're sure to go ape over! It's so powerful that one tube replaces all your caulks, sealants and adhesives making it the one step solution for almost every repair project. One tube replaces silicone sealant, construction adhesive, kitchen & bath sealant and panel adhesive. Won't shrink or crack, UV/weather resistant, excellent paintability, low-VOC.

0956 - 9.0 Fl. Oz. (290 mL) - White



POLYURETHANE **SEALANTS**

PU-970 WHITE - A professional grade, high performance polyurethane sealant, designed specifically for installing or repairing window and door frames. It provides superior adhesion to most building materials and is excellent for sealing out the elements and increasing energy efficiency. Paintable and non-staining. 50 year limited warranty. Interior/exterior use. Solvent clean up.

0970 - 10.1 Fl. Oz. (300 mL) - White

Meets requirements of Fed. Spec. TT-S-00230C and ASTM C920.

PU-970 LIMESTONE - A professional grade, high performance polyurethane sealant, designed to meet the flexibility requirements of dynamically moving joints. Specially textured to simulate concrete, it provides excellent weatherability, adhesion and fast cure time with high bonding strength. Paintable and non-staining. 50 year limited warranty. Interior/exterior use. Solvent clean up.

0972 - 10.1 Fl. Oz. (300 mL) - Limestone

Meets requirements of Fed. Spec. TT-S-00230C and ASTM C920.

PU-970 BLACK - A professional grade, highperformance polyurethane sealant that provides a long-lasting seal with excellent adhesion. Because of its strong resistance to deterioration, it has an extended life expectancy and helps prevent ice and water damage caused by severe weather. 50 year limited warranty. Exterior use. Solvent clean

0971 - 10.1 Fl. Oz. (300 mL) - Black

Meets requirements of Fed. Spec. TT-S-00230C and ASTM C920.

CLEAR CAULK HIGH PERFORMANCE ADHESIVE

A high-performance adhesive sealant that applies and dries ultra clear and offers excellent adhesion to most surfaces. Can be applied in below freezing temperatures and above or below grade. Won't yellow, stain, crack or separate once cured. Remains flexible. Paintable. 50 year limited warranty. Interior/exterior use. Solvent clean up.



GLAZING PRODUCTS

Whether you prefer the classic window glazing putty or the water-based formula, Red Devil® has everything needed for replacing panes of glass.

GLAZING COMPOUND

Forms an air-tight and water-tight seal for the installation of glass into the sash. Provides excellent results. Water-based.

0666 - 10.1 Fl. Oz. (300 mL) - White



Contractor specified oil-based glazing compound formula for installing glass in wood or metal sashes. Forms airtight and watertight seal. Paintable.

PRE-MIXED

0662 - 1/2 Pint (.24 liter) 0664 - 1 Quart (.96 liter)



ZIP-A-WAY® **REMOVABLE SEALANT**

Specially formulated weatherstripping caulk forms a tight, temporary seal that can easily be peeled away when no longer needed. It is easy to apply and provides a water-tight and weatherproof seal that prevents drafts and moisture. Will not mark or destroy most painted surfaces. Interior/exterior.

0606 - 10.1 Fl. Oz. (300 mL) - Clear

0870 - 10.1 Fl. Oz. (300 mL)



RD3000™

RD3000™ ALL PURPOSE SEALANT

An advanced, low-VOC, all-purpose sealant with a specially formulated technology allowing it to be exposed to water after only 2 hours without washing out. Also formulated with advanced MaxFlex Technology[™] – It won't crack or shrink and provides excellent adhesion, flexibility and durability for a water-proof seal. Cured sealant is mold and mildew resistant.



0986 - 9.8 Fl. Oz. (266 mL) - White

Meets or exceeds performance requirements of Fed Spec TT-S-00230C Class A & ASTM C920 Class 25.

An advanced, low-VOC, all-purpose sealant with a specially formulated technology allowing it to be exposed to water after only 2 hours without washing out. Also formulated with advanced MaxFlex Technology[™] – It won't crack or shrink and provides excellent adhesion, flexibility and durability for a water-proof seal. Cured sealant is mold and mildew resistant.

0987 - 9.8 Fl. Oz. (266 mL) - Clear

Meets or exceeds performance requirements of Fed Spec TT-S-00230C Class A & ASTM C920 Class 25.

Red Devil's RD3000[™] Line of Advanced Polymer sealants are specially formulated with MaxFlex[™] Technology for excellent adhesion and flexiblity. They offer a lifetime durability guarantee and are water resistant after 2 hours. These high quality sealants are perfect for any home improvement or professional job.

- Won't Shrink Or Crack
- Paintable
- Mold And Mildew Resistant
- Low-VOC
- 900% Elongation



RD3000™ SELF LEVELING CONCRETE SEALANT

An advanced, low-VOC, self-leveling concrete sealant designed to offer superior adhesion to concrete as well as a wide variety of substrates with a smooth finish, which allows installation without tooling. It contains a specially formulated technology allowing it to be exposed to water after only 2 hours without washing out. Won't crack or shrink and provides flexibility, durability and excellent adhesion for a water-proof seal.

0980 - 9.0 Fl. Oz. (266 mL) - Gray



House & Home Restore

EZ SQUEEZE[®] KITCHEN & BATH CAULK

Made for kitchen and bath areas where a water-resistant, mildew-proof seal is required. This siliconized acrylic sealant provides a tight seal around sinks, showers, bathtubs and countertops and cures to an ultra smooth, satin finish. It is mildew-proof, odorless, dries quickly and cleans up with water. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily down to the last drop.

0838 - 5 Fl. Oz. (150 mL) - White

EZ SQUEEZE® WINDOW & DOOR CAULK

Formulated to provide an extra-tight seal around windows, doors and other areas of your home, this multi-purpose sealant can be used indoors or outdoors. It helps increase energy efficiency by reducing drafts and cold spots. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily down to the last drop. Mildew-resistant, paintable, water clean up.



0848 - 5 Fl. Oz. (150 mL) - White

EZ SQUEEZE® TILE GROUT

Water-resistant compound for repairing loose, cracked or damaged grout in ceramic and mosaic tile. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily down to the last drop.



0438 - 5 FL. Oz. (150 mL) - White

EZ SQUEEZE[®] WALLPAPER SEAM REPAIR

The easiest solution for repairing torn or peeling wallpaper, this premium adhesive provides a strong final bond between surface and wallpaper and prevents peeling in high-humidity areas such as kitchens and baths. Excellent adhesion, odorless, easy water clean up. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily – every time – down to the last drop.

0878 - 5 Fl. Oz. (150 mL) - Clear

PATCH-A-WALL® SPACKLING PASTE

Patches holes quickly and easily. Specially formulated for easy application, paintability, and sanding. Use on plaster, wallboard, wood and stucco. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily – every time – down to the last drop.



0658 - 5 Fl. Oz. (150 mL)

EZ SQUEEZE® TILE ADHESIVE

A premium sealant for installing or replacing loose tile or linoleum. It provides a permanent bond between tile and surface and cleans easily with water. The patented EZ SQUEEZE® Device allows you to wind up the tube as you work, ensuring a steady supply of product that comes out smoothly and easily down to the last drop.

0498 - 5 Fl. Oz. (150 mL)

House & Home Restore



Industrial / Commercial Products

100% SILICONE SEALANT INDUSTRIAL GRADE RTV

High performance sealing and glazing compound that is ideal for use in most OEM and maintenance applications. Forms a strong, durable and weather-resistant seal and provides excellent adhesion to most non-porous surfaces. 50 year warranty. Solvent clean up. NSF listed.

08160I - 10.1 Fl. Oz. (300 mL) - White

08162I - 10.1 Fl. Oz. (300 mL) - Almond

08164I - 10.1 Fl. Oz. (300 mL) - Bronze

08165I - 10.1 Fl. Oz. (300 mL) - Gray

08166I - 10.1 Fl. Oz. (300 mL) - Black

08260I - 10.1 Fl. Oz. (300 mL) - Clear

Meets or exceeds the requirements of TT-S-00230C, TT-S-001543A, C.G.S.B. 19C9-9, Din 18540 Part 2, Mil. Spec 46106A, CEBTP 432.65 140-2, ASTM C920. USDA authorized for use in federally inspected meat and poultry plants.

EXTREME TEMPERATURE HVAC/R SILICONE SEALANT

Made especially for HVAC/R applications, this premium sealant provides a long-lasting, weather-resistant seal and offers excellent adhesion, flexibility and durability. Use on air conditioners, ducts, furnaces, water heaters, refrigerators, vents and more. Adheres well to metal and most other building materials and remains flexible from - 60°F to 400°F.

0896 - 280 mL - White

089650 - 280 mL - Aluminum

0897 - 280 mL - Clear

Meets or exceeds Federal Specifications TT-S-00230C, Class A, TT-S-001543A Class A, ASTM C920.

100% SILICONE SEALANT HEAT RESISTANT RTV

Formulated with iron oxide to resist extreme heat exposure. Withstands temperatures up to 600°F and can be used on industrial ovens, heating elements, boilers, and more. 50 year warranty. Solvent clean up.

08090I - 10.1 Fl. Oz. (300 mL) - Red

08290I - 2.8 Fl. Oz. (83 mL) - Red

Meets or exceeds the requirements of TT-S-00230C, TT-S-001543A, C.G.S.B. 19C9-9, Din 18540 Part 2, Mil. Spec 46106A, CEBTP 432.65 140-2, ASTM C920. USDA authorized for use in federally inspected meat and poultry plants.

SILICONIZED ACRYLIC CAULK **CONSTRUCTION GRADE - 35 YEAR**

Superior sealant fortified with silicone for increased flexibility and extended life. It provides excellent adhesion to most interior and exterior surfaces. Mildew resistant, low-odor and low-VOC. 35 year warranty. Water clean up.

08460I - 10.1 Fl. Oz. (300 mL) - White
08462I - 10.1 Fl. Oz. (300 mL) - Almond
08464I - 10.1 Fl. Oz. (300 mL) - Brown
08465l - 10.1 Fl. Oz. (300 mL) - Gray
08466I - 10.1 Fl. Oz. (300 mL) - Black
08760l - 10.1 Fl. Oz. (300 mL) - Clear
Meets or exceeds the requirements of ASTM C834.

BUTYL RUBBER SEALANT ARCHITECTURAL GRADE

A high-performance, pliable sealant that is ideal for tough outdoor jobs and below-grade applications. Use indoors or outdoors, wherever a durable, flexible and water-tight seal is required. Butyl rubber sealant adheres to most building surfaces and remains rubbery and flexible. Paintable. 10 year warranty.

06970I - 10.1 Fl. Oz. (300 mL) - White

0697GI - 10.1 Fl. Oz. (300 mL) - Gray

Meets or exceeds the requirements of Federal Specifications TT-S-001657, TT-C-00598C, TT-C-1796A.

FIRESTOP LC150RD SEALANT

Intumescent, high-solids firestop compound that effectively seals penetration openings against the spread of fire, smoke, toxic gases and water when applied properly. Endothermic fillers absorb heat and release water and the high solids formula means no shrinkage. Withstands temperatures up to 1000°F and is up to 2 hour fire rated. Sandable and paintable. Water clean up.

LC150RD - 9.0 Fl. Oz. (266 mL) - Red

Meets Fed. Specs. ASTM E-814 (UL 1479) and ASTM E-84 (UL 723) and many UL classifications.



G

۵



G

RDI

NSE

G

RDI

NSF



The Red Devil Industrial line of sealants are high performance, superior sealants specifically designed for the professional contractor. These industrial grade sealants provide excellent adhesion and durability for any professional job.

GENERAL PURPOSE CONSTRUCTION ADHESIVE

General Purpose Construction Adhesive is a professional-strength, VOC-compliant formula that exceeds performance requirements of ASTM-557. It contains no ozone depleting chemicals and is ideal for stone, marble, hardboard, gypsum wallboard, slate, ceramic tile, polyurethane and polystyrene foams.

077606 - 9.0 Fl. Oz. (266 mL) - White 0779 - 28 Fl. Oz. (858 mL) - White

Meets or exceeds the performance requirements of ASTM C-557 and AFG-01.

QUICK GRIP™ CONSTRUCTION ADHESIVE

Powerful premium quality, all-purpose construction adhesive with a quick setting instant grab that holds like an iron grip! Low-VOC, eco-friendly formula with easy water clean up.

0696 - 9.0 Fl. Oz. (266 mL)

Meets or exceeds the performance requirements of ASTM C-557 and AFG-01.





Powerful • Permanent CONSTRUCTION



Red Devil's water-based adhesive line is GREENGUARD® approved! GREENGUARD® certification differentiates products through independent, third-party evaluations.

GEI's standards are rooted in solid science and supported by comprehensive, state of the art laboratory testing and data analysis. In addition, GREENGUARD® Certified products are referenced in, recognized or preferred by sustainable building programs, government agencies, standards, specifications, codes, companies and institutions around the world.

• U.S. Green Building Council's (USGBC) LEED®

Green Building Rating System

- Collaborative for High Performance Schools
- The National Association of Home Builders

ICC700-2008 National Green Building Standard

- Green Globes
- ASHRAE 189.1
- International Green Construction Code (IgCC)





Duct Sealants

WATER BASED DUCT SEALANTS

D-Seal®: A premium grade, smooth, water based duct sealant that is UL181 B-M and has been formulated for indoor/outdoor use on high and low velocity duct systems.

0841DI - 1 Gallon - Gray

0845DI - 28 Fl. Oz. (858 mL) - Gray 0846DI - 10.1 Fl. Oz. (300 mL) - Gray

0847DI - 2 Gallons - Gray

0848DI - 5 Gallons - Gray



F-Seal 181°: A high quality, fiber reinforced duct sealant/ mastic that is UL 181 A-M & B-M and can be used on all types of HVAC ductwork.

0841DW - 1 Gallon - White 0841DX - 1 Gallon - Gray 0845DW - 28 Fl. Oz. (858 mL) - White 0845DX - 28 Fl. Oz. (858 mL) - Gray 0846DW - 10.1 Fl. Oz. (300 mL) - White 0846DX - 10.1 Fl. Oz. (300 mL) - Gray 0847DW - 2 Gallons - White 0847DX - 2 Gallons - Gray 0848DW - 5 Gallons - White 0848DX - 5 Gallons - Gray





CELULON® ADHESIVE SEALANT SPEC 230 FORMULA

A water-resistant adhesive that exhibits strength, durability and adhesive characteristics superior to silicone in most adhesion tests with the added benefits of paintability, ease of application and low-odor. 50 year warranty. Water clean up.

09260l - 10.1 Fl. Oz. (300 mL) - White 09270l - 10.1 Fl. Oz. (300 mL) - Clear

Meets or exceeds the requirements of Federal Specifications TT-S-00230C, ASTM C920, and ASTM C834.



SILICONIZED ACRYLIC CAULK NEW CONSTRUCTION GRADE - 40 YEAR

Durable, multi-purpose caulk for the professional contractor. Provides excellent adhesion, remains flexible and forms a weather-proof seal. Specially formulated to resist paint film cracking, it is vacuumized for smooth and easy application without "afterflow", spurts or pops. Cured bead is mildew resistant. 40 year warranty. Water clean up.

09060I - 10.1 Fl. Oz. (300 mL) - White

Meets or exceeds the requirements of ASTM C834.



LARGE GAPS & CRACKS

Foam & Fill® Large Gaps and Cracks is a triple expanding polyurethane sealant that is quick and easy to use. It expands to fill large holes, cracks, gaps and voids around windows, doors, pipes, outlets, vents and foundations. This insulating foam forms an airtight, water-proof bond and seals out drafts, moisture and pests. Cured foam can be sanded, painted or stained. Indoor/ outdoor.



0908 - 8 Oz. (227 g)

0909 - 12 Oz. (340 g)

0912 - 20 Oz. (568 g)

SMALL GAPS & CRACKS

Foam & Fill [®] Small Gaps & Cracks is a minimal expanding polyurethane sealant . This foam seals, bonds and insulates by filling small holes. Use on ceilings, floorboards, and concrete. Also used around cinder block walls, cables, plumbing, central heating pipes, and around ducts. Indoor/ outdoor.

0913 - 12 Oz. (340 g)

0920 - 20 Oz. (568 g)



WINDOW & DOOR POLYURETHANE FOAM

Window and Door Polyurethane Foam is specifically formulated for filling, insulating and sealing around windows and doors. This innovative, low pressure, low expansion formula eliminates the chance of window bowing and provides a full cavity fill. It takes the shape of all cavities forming a permanent, airtight and water-proof seal on wood, metal, masonry, glass and most plastics. It stops air infiltration and in turn prevents heat loss and drafts. It is environmentally safe, contains no CFCs and HCFCs. It is UL listed and an AAMA Verified Component.

0914 - 12 Oz. (340 g)

FIRE BLOCK POLYURETHANE FOAM

Fire Block is a ready to use polyurethane expanding foam for filling, insulating and sealing gaps, cracks and openings in buildings' interior and exterior. It inhibits the passage of fire through residential utility penetrations and is excellent in sealing against gas, smoke and energy loss.

0915 - 12 Oz. (340 g)

Evaluated Per ICC-ESR-3402 and tested according to ASTM E 814 NFPA 286.











Cleaning & Maintenance

SAV-A-BRUSH® BRUSH RESTORER, POWDER

Paint brush restorer gives new life to old brushes, cleaning paint-hardened brushes right down to the heel.

0103 - 3 Oz. (85 g)



TSP-90® Heavy-duty cleaner

A tri-sodium phosphate substitute that neutralizes and floats away grease, grime, dirt, oil and smoke film. Contains no phosphorous, soap, lye, or abrasives. Packaged in a re-sealable bag.



0261 - 1 Lb. (.45 kg)

0265 - 4 Lb. (1.81 kg)

Note: Gloves recommended. Do not use on glass.



TACK CLOTH

Specially treated cotton fiber cloth is perfect for eliminating dust, lint, and sanded particles on all surfaces. Prepares surface for painting.

0570 - 18" x 36"

TOOLS

1.01



EZ GRIP[™]

PUTTY KNIVES

6203 - 1.5" (3.8 cm) Stiff 6204 - 1.5" (3.8 cm) Flex

WALL SCRAPERS

6209 - 3" (7.6 cm) Stiff 6213 - 4" (10.2 cm) Stiff

SPACKLING KNIVES

6210 - 3" (7.6 cm) Flex 6214 - 4" (10.2 cm) Flex

TAPING KNIVES

6216 - 5" (12.7 cm) Flex 6218 - 6" (15.2 cm) Flex



6251 - 7-in-1 Multi-Purpose Painter's Tool Handy tool with seven uses: scraper, spreader, gouger, putty remover, paint roller cleaner, nail setter and nail puller.



6291 - 11-in-1 Multi-Purpose Decorating Tool

This versatile painter's and decorator's tool can be used for a variety of professional and household applications. Uses include: Scraper, spreader, gouger, hammer, rake, opener, linoleum knife, putty remover, paint roller cleaner, nail setter and nail puller.

副副



High Carbon Steel Blade

4 PC. PUTTY KNIFE SET

4 Piece Putty Knife Set featuring high-carbon, rust-resistant blade for maximun strength and durability, as well as an ergonomic handle for comfort.

6090 Includes:

2" Stiff Putty Knife
3" Stiff Putty Knife
4" Stiff Putty Knife
6-IN-1 Painter's Tool





Professional Series

The EZ GRIP[™] series of putty knives, wall scrapers, and taping knives are specially designed with ergonomically engineered handles to decrease hand fatigue. Extra sturdy, high carbon steel blades resist rust and extend through handles for maximum strength and durability. Durable brass-plated, solid steel, nail setting head can be used for setting nails and other hammering jobs.

Blade Extends

Through Handle

6293 - Folding 14-in1

MULTI-TOOLS

Painter's Tool Extra sturdy high-carbon and rust-resistant 14-in-1 painter's tool. Uses include: Scraper, Spreader, Can Opener, Crack Cleaner, Nail Puller, Roller Cleaner, Convex Scraper, Bottle Opener, Nail Setter, Concave Scraper, Setting Push Points, Caulk Remover, Cutting Blade, Putty Knife.



6294 - 15-in-1 Painter's Tool

Ergonomically Engineered

Grip

Red Devil

This multi-functional tool allows you to have 15 essential tools in one. Uses include: Set Drywall Nail, Scraper, Spreader, Can Opener, Nail Puller, Crack Cleaner, Roller Cleaner, Convex Scraper, Bottle Opener, Concave Scraper, 5 Screwdrivers (Phillips #1 & #2, Slotted 1/4" & 3/16", Star T20).



6295 - 19-in-1 Painter's Tool

Solid Steel Nail Setting Head

> This multi-functional tool allows you to have 19 essential tools in one. Uses include: Set Drywall Nail, Scraper, Spreader, Can Opener, Nail Puller, Crack Cleaner, Roller Cleaner, Convex Scraper, Bottle Opener, Concave Scraper, 5 Screwdrivers (Phillips #1 & #2, Slotted 1/4" & 3/16", Star T20), 4 Wrenches (5/16", 3/8", 11/16", 3/4").

22



Professional quality putty knives, wall scrapers, and taping knives with a nail setting head. Polished wood handle. Precision ground, rust-resistant lacquered steel blade extends through handle for flexibility and long life. The brassplated, solid steel nail setting head can be used for setting drywall nails and other hammering jobs.



SPACKLING KNIVES

4109 - 3" (7.6 cm) Stiff 4110 - 3" (7.6 cm) Flex 4113 - 4" (10.2 cm) Stiff

BURN-OFF SCRAPING KNIVES

4151 - 3" Straight Blade 4153 - 3" Bent Blade



4103 - 1 1/2" (3.8 cm) Stiff 4104 - 1 1/2" (3.8 cm) Flex

4105 - 2" (5.1 cm) Stiff

PUTTY CHISEL

4131 - 1 1/4" (3.2 cm)

4106 - 2" (5.1 cm) Flex

Professional quality putty knives, wall scrapers, and taping knives. Black nylon, solvent-resistant handle is designed for maximum safety and dependability. High-carbon, precision-ground steel blade is lacquered to prevent rust and extends through handle. The brass-plated, solid steel nail setting head can be used for setting drywall nails and other hammering jobs.





Economy putty knives, wall scrapers, and taping knives for the do-it-yourselfer. High-carbon steel blade is rust-resistant and extends through the sturdy solvent-resistant handle for the spreading or scraping strength and long life your customers expect.



PUTTY KNIVES

4823 - 1 1/2" (3.8 cm) Stiff 4824 - 1 1/2" (3.8 cm) Flex

WALL SCRAPER

4829 - 3" (7.6 cm) Stiff

SPACKLING KNIFE

4830 - 3" (7.6 cm) Flex

TAPING KNIVES

4834 - 4" (11.4 cm) Flex

- 4838 6" (15.2 cm) Flex
- 4840 10" (24.8 cm) Flex

PAINTER'S 5-IN-1 TOOL 4861 - Handy tool with five uses: • scraper • spreader • gouger • putty remover • paint roller cleaner

Quality plastic putty knives, scrapers and adhesive scrapers.



PUTTY & SPACKLING KNIVES, METAL

4701 - 1 1⁄4″ (3.8 cm) 4704 - 3″ (7.6 cm)

TAPING KNIVES, PLASTIC

4726 - 6" (10.2 cm) 4728 - 8" (14 cm)



TOOLS



Professional Wood & Paint Scrapers

Tungsten carbide blades are twice as strong as conventional blades, last up to 10 times longer and resist corrosion. Scrape any tough surface without gouging -- wood, metal, fiberglass, plastic or concrete. Fits any standard mop or broom handle or extension pole to scrape high, hard-to-reach surfaces while standing on the ground.

Tungsten Carbide Blade

CARBIDE BLADE WOOD SCRAPER

These die-cast aluminum scrapers feature a soft-grip, ergonomic handle, two-edged carbide blade, pull-knob for better grip, and threaded handle.

3002 - 2" (5.1 cm) Blade Use Replacement Blade No. 3012

CARBIDE BLADES

3012 - 2" (5.1 cm) Double-Edge Blade

SCRAPER, DOUBLE-EDGE

Contoured, non-slip textured handle for comfort and ease of use. Sturdy lightweight black polypropylene handle with 2-edge, high-carbon steel blade.

3110 - 1" (2.5 cm) Blade Use Replacement Blade No. 3166

3140 - 1 1/2" (3.8 cm) Blade Use Replacement Blade No. 3167

3150 - 2 1/2" (6.4 cm) Blade Use Replacement Blade No. 3168

BLADES

3166 - 1" (2.5 cm) 3167 - 1 1/2" (3.8 cm) 3168 - 2 1/2" (6.4 cm)

HEAVY-DUTY SCRAPER, Four-Edge

Contoured handle offers comfort and easy-grip knob enables user to apply two-handed pressure to blade when scraping difficult areas. Heavy-duty black polypropylene handle is extremely durable. Ground 4-edge, high-carbon steel blade lasts through tough jobs.

3160 - 2 1/2" (6.4 cm) Blade Use Replacement Blade No. 3162

3170 - 3" (7.6 cm) Blade Use Replacement Blade No. 3169



BLADES

3162 - 2 1/2" (6.4 cm)

3169 - 3″ (7.6 cm)



TOOLS



Soft Grip

PLASTIC SCRAPER, SINGLE-EDGE

Red Devil® Traditional single-edge steel blade with heavy-duty plastic handle. Use to remove paint or varnish from furniture, molding, cornices, wooden sashes, etc. Heavy-duty plastic handle. Steel blade can be resharpened.

3010 - 1" (2.6 cm) Blade Use Replacement Blade No. 3061

PLASTIC SCRAPER, DOUBLE-EDGE

Red Devil® Traditional double-edge steel blade with heavy-duty plastic handle. Use to remove paint or varnish from furniture, molding, cornices, wooden sashes, etc. Heavy-duty plastic handle. Steel blade can be resharpened.

3040 - 1 1/2" (3.8 cm) Blade Use Replacement Blade No. 3062

3050 - 2 1/2" (6.4 cm) Blade Use Replacement Blade No. 3063

Y

REPLACEMENT BLADES

3061 - 1" (2.6 cm) Single-edge 2 Blades per Package



3062 - 1 1/2" (3.8 cm) Double-edge 2 Blades per Package 3063 - 2 1/2" (6.4 cm) Double-edge

2 Blades per Package

POLE SCRAPERS

Red Devil® All-Purpose Pole Scrapers feature a lightweight, black polypropylene handle and can be used for most surface preparations and for paint removal. High-carbon steel blade. Scrapes high, hard to reach surfaces easily. Fits any standard broom or extension pole. Use on wood siding, boats, floors, and woodwork.

3015 - 3" (7.6 cm) Straight Blade Pole not included. 3016 - 3" (7.6 cm) Bent Blade Pole not included.





TOOLS

Professional Wood & Paint Scrapers



Wire Brushes

Paint scrapers can be used for most surface preparations. Use them to remove paint or varnish from furniture, molding, cornices, wooden sashes, etc.





STAINLESS STEEL WIRE BRUSH, 8"

Red Devil[®] Stainless Steel Wire Brush can be used to remove paint, grime and scale and is most appropriate for work on steel and iron workpieces. It can also be used on wood, aluminum, brass and copper. Easy grip handle is durable for tough jobs and safe for use with solvents.

4160



STAINLESS STEEL WIRE BRUSH, 10"

Red Devil[®] Stainless Steel Wire Brush can be used to remove paint, grime and scale and is most appropriate for work on steel and iron workpieces. It can also be used on wood, aluminum, brass and copper. Easy grip handle is durable for tough jobs and safe for use with solvents. Great for use on masonry and steel surfaces.

4162

6 PC. WIRE BRUSH SET

Red Devil[®] 6 Piece Wire Brush set includes mini brass, mini stainless steel and mini nylon brushes (2 of each). The brushes have bristles set at a 5 degree angle to provide durability and for more force against work surfaces. The brushes include an edge for scraping

and a handle made for a comfortable grip during use.



4170

4173

MINI WIRE BRUSHES WITH SCRAPER

Mini Brass Brush - Ideal for the toughest, most resilient surfaces. 4171 Mini Stainless Steel Brush - Ideal for most surfaces. 4172 Mini Nylon Brush - Ideal for gentle use on surfaces. Red Devil[®] Stainless Steel Wire Brush & Scraper can be used to remove paint, grime and scale and is most appropriate for work on steel and iron workpieces. It can also be used on wood, aluminum, brass and copper. Easy grip handle is durable for tough jobs and safe for use with solvents. Use to

4164

remove rust and corrosion.



STAINLESS STEEL WIRE SCRUB BRUSH, 7"

STAINLESS STEEL WIRE

BRUSH & SCRAPER, 13"

Red Devil[®] Stainless Steel Wire Brush can be used to remove paint, grime and scale and is most appropriate for work on steel and iron workpieces. It can also be used on wood, aluminum, brass and copper. Easy grip handle is durable for tough jobs and safe for use with solvents. Threaded for use with an extension pole or broom handle.

4166



NARROW STRIPPING WIRE BRUSH

Red Devil[®] Narrow Stripping Wire Brush can be used to remove paint, grime and scale. Features comfortable handle grip and safe for cleaning solvents.

4174



TOOLS Wire Brushes



Caulk Guns

Sturdy caulk guns are designed for applying caulks, sealants, adhesives, glazing and other cartridge products.

EXTREME DUTY 9" CAULK GUN

REVOLVING BARREL

for medium to heavy applications.

CAULK GUN

Extreme Duty Caulk Gun has a 26:1 thrust ratio applicator with 950 pounds of force! It is especially useful for high viscosity materials that are hard to extrude, like hybrid adhesives and epoxies. It has an ergonomic rubber trigger and push release for better comfort and grip.

3989



TOOLS

Caulk Guns



SKELETON CAULK GUN

1/10 gallon, heavy-duty uni-rail construction with hex piston rod and quick-release lever. Fits all standard cartridges. Use for light to medium applications.

Revolving, easy-load barrel, with "no drip" feature, alloy handle, smooth piston rod and ladder hook. Heavy-duty construction but lightweight feel. 1/10 gallon barrel holds most standard cartridges. Use

3986

3988



NO-DRIP CAULK GUN

Professional quality skeleton caulking gun with "no drip" feature and ladder hook. Seal puncture tool and built-in spout cutter. 1/10 gallon barrel holds most standard cartridges. Use for medium to heavy applications.

3984



INDUSTRIAL NO-DRIP Caulk gun

Heavy-duty, industrial-quality caulking gun with "no drip" feature, ladder hook, seal puncture tool and ergonomic handle. 1/10 gallon barrel holds most standard cartridges. Use for medium to heavy applications.

3984OI



SKELETON CAULK GUN, 1 QUART SIZE

Extra large, heavy-duty, uni-rail construction with hex piston rod and quick-release lever. Fits quart-sized cartridges. Use for medium to heavy applications.

3987



HALF-BARREL CAULK GUN

1/10 gallon, half-barrel with smooth rod and quick-release mechanism. Holds most standard cartridges. Use for light to medium applications.

3985


Painter's Tools

Use these durable paint mixers with an electric drill to thoroughly mix paint, coatings, wall textures and more.



32

Tools Painter's Too



Painter's Tools

PAINT CAN HOOK Superior construction designed for safety and performance. Easily holds paint cans up to 2 gallon size. **GRAINING TOOL** Narrow curved grainer for tight spaces with a handle that easily snaps into place. Includes a triangle comb for a variety of patterns. 3710 **EXTENSION BRUSH HOLDER** Easy, guick extension for adding length to paint brushes and putty knives. 3711

3930

PLASTIC DROP CLOTHS

Plastic Drop Cloths can be used for many purposes around the home, office, workshop and garden. Protects against paint splatter, water, dust, wind, and dirt. Size: 9' x 12' (2.7 m x 3.6 m)

3961 - 1 mil gauge

3962 - 2 mil gauge

PAINT BRUSH AND ROLLER CLEANER

Durable steel construction with ball bearing mechanism for smooth operation. Cleans paint brushes up to 6" and paint rollers using high-speed centrifugal force. Prolongs the life of paint brushes and rollers and allows for quick color changes.

4058









Versatile and functional, Red Devil[®] Trim Guards make jobs easier for professionals and/or do-it-yourselfers. Trim guards eliminate the need for taping and are great for smoothing all types of vinyl wallcoverings.

MULTI-PURPOSE PAINTER'S TRIM GUARD, 24"



Extra-long stainless steel metal edge reduces painting time

of large areas. Use as trimmer, edger, vinyl wallcovering

4049



MULTI-PURPOSE PAINTER'S TRIM GUARD, 12"

Stainless steel metal edge reduces painting time of large areas. Use as trimmer, edger, vinyl wallcovering smoother and glass cutting guide. Can also be used as straight edge for cutting or scoring.

4053



LIGHTWEIGHT PAINTER'S TRIM GUARD, 9 1/2"

Lightweight, sturdy plastic. Fits tight corners. Reduces clean-up time.

4048



SCRAPE N' PRY BAR

Scrape 'N Pry Bar - 1-3/4" X 9-5/8". For professional and general use. Multi-purpose tool for pulling nails, scraping paint and opening boxes. Chisel edge on both ends. Finest hardened, tempered steel.

4050

CLASSIC PRY BAR

Classic Pry Bar that is storng, durable and won't bend. Ideal for heavy-duty and heavier jobs. Multi-purpose tool for pulling nails, scraping paint and opening boxes. Chisel edge on both ends. Made of the finest hardened, tempered steel.

4050CL



TOOLS Painter's Too

n



Window & Glazier's Tools

Stainless steel blade, tough plastic handle. V-shaped end packs, shapes and trims new putty. Flat end removes putty.

4044



PROFESSIONAL GLASS CUTTER

WINDOW TOOL, DUAL-PURPOSE

Industrial quality, designed for the professional tradesman. For straight cutting on smooth glass. Standard glass - steel wheel/ball end.

102370



Meets Government Specs. GGG-C-751, Type 1, Class 1, Material B/NSN No. 5110-00-222-4400.

DIY GLASS CUTTER

Our most popular model for general cutting, with steel wheel for the do-it-yourself craftsman. Made of zinc die cast. Standard glass - steel wheel/ball end.

106370



PLEXIGLAS® CUTTING TOOL

Fast and easy way to scribe and break acrylic plastic sheets. Molded plastic handle, super-sharp steel blade. For Plexiglas[®], acrylic and plastic.

1170



PLEXIGLAS® is a Registered Trademark of Rohm & Haas.

GLAZING PUSH POINTS

Use to hold glass in picture frames or windows prior to applying putty (Glazing Compound). Zinc coated. Push easily into place with putty knife. Approx. 55 pieces per package.

1710







GLAZING TRIANGLE POINTS

Use to hold glass in place prior to applying putty (Glazing Compound). Zinc coated. Push easily into place with putty knife. Approx. 200 pieces per package.







Wallcovering Tools

3" WALLPAPER STRIPPERS

3" (7.6 cm) single-edge blade set in tubular steel handle with non-slip vinyl grip. Angled head designed to make tough jobs easier.

3241 - Angled Wallpaper Stripper, 3" Blade Use Replacement Blade No. 3273 or 3274



BLADE

3" (7.6 cm) single-edge blade. Fits Wallpaper Stripper No. 3241.

3273 - Box of 100

3274 - 2 Blades per pack



4" WALLPAPER STRIPPERS

4" (10.2 cm) single-edge blade set in tubular steel handle with non-slip vinyl grip. Angled head designed to make tough jobs easier.



BLADE

4" (10.2 cm) single-edge blade. Fits Wallpaper Stripper No. 3243.

3277 - 5 Blades per pack



COMBINATION WALLCOVERING TOOL

Use to apply tape to joint, to apply joint compound, to smooth wallcoverings, to patch plaster, and to keep paint off trim.

4716 - Smoother, Patcher, Trim Guard





Sanding Tools

Red Devil® sanding holders can be used for smoothing drywall and wood surfaces prior to painting.



SANDPAPER HOLDER, STEEL

Steel holder for 4 $1/2'' \times 5''$ sheets. Available with rubber pad for curved surfaces; with metal bottom for flat surfaces.

3319 - With sandpaper. Padded bottom.



HAND SANDER

Helps achieve invisible joints and smooth surfaces before priming and painting. Holds standard 4 1/4" x 11" sandpaper.

2754



POLE SANDER, PROFESSIONAL

Die-cast aluminum back. Makes sanding ceilings and walls from floor easy and safe. 4-way swivel threaded adapter.

2743 - 9 3/8" x 3 1/4" (23.8 cm x 8.3 cm)

Pole not included.



POLE SANDER

Helps sand ceilings and other high surfaces from ground level. Heavy-duty, reinforced polypropylene sanding base with bonded rubber pad. 4-Way swivel threaded adapter. Holds standard 4 1/4" x 11" sandpaper.

2753

Pole not included.

Steel Wool

There are hundreds of uses for steel wool, and with 8 different grades to choose from, you'll always find the right one for your job. Available in a convenient 8 or 16 pack, steel wool pads are ideal for most household chores, hobbies and projects. The super fine grade is for final finishes; the extra fine grade for buffing and polishing furniture; the very fine for metal polishing; the fine grade for smoothing and finishing; the medium grade for general purpose uses; the medium coarse grade for surface preparation; the coarse grade for paint/ varnish removal and the extra coarse grade for heavy-duty jobs.

8 PACK

0320 - 0000 Super Fine

0325 - 2 Medium Coarse

0327 - 4 Extra Coarse

0321 - 000 Extra Fine

0322 - 00 Very Fine

0324 - 1 Medium

0326 - 3 Coarse

0323 - 0 Fine

FEATURES:

- 8 different grades from super fine to extra coarse
- · Handy size is just the right amount for small jobs
- · Ideal for most household chores, hobbies and projects

16 PACK 0310 - 0000 Super Fine 0311 - 000 Extra Fine 0312 - 00 Very Fine 0313 - 0 Fine 0314 - 1 Medium 0315 - 2 Medium Coarse 0316 - 3 Coarse

0317 - 4 Extra Coarse

MULTI-GRADE PACK

- 3332 6 Pack
- 2 Fine Pads
- 2 Medium Pads
- 2 Coarse Pads





TOOLS Steel Woo



Utility Knives

A complete line of utility knives for the professional tradesman and/or the do-it-yourselfer, ranging from pocket-size knives to heavy-duty knives.



UTILITY KNIFE, ADJUSTABLE

Adjustable blade of die-cast metal. For crisp cuts and scores on carpeting, matboard, linoleum, vinyl tiles, etc. Unique "button" locks blade to cut in different positions. Easy access into handle for blade replacement and storage.

3204

Use Replacement Blade No. 3251



TUF-KUT™ UTILITY KNIFE, **AUTO-LOAD**

Combines fast action, safe blade changing with a heavy-duty, ergonomic design. Heavy-duty, die cast body for increased durability, balance and control. Unique Knife Magazine holds 10 standard 2-notch utility blades.

3207

Use Replacement Blade No. 3251



18 mm UTILITY KNIFE,

Blade

HEAVY-DUTY

Heavy-duty knife with automatic lock feature cuts wallcovering, drywall, carpeting, and vinyl. 18 mm breakaway blade locks itself into position for safety.

3212 Use Replacement Blade No. 3255



18 mm UTILITY KNIFE, **BREAKAWAY BLADE**

Cuts wallcovering, drywall, carpeting and vinyl. Positive-lock, pull-back button retains blade safely and tightly in cutting position. Stainless-steel breakaway blade has 8 sharp cutting edges. Blade retracts safely into handle when not in use.

3209

Use Replacement Blade No. 3255





9 mm UTILITY KNIFE, AUTO-LOCK

Perfect for cutting and trimming projects in the workplace and at home. 9 mm breakaway blade locks itself into position for safety.

3211

Use Replacement Blade No. 3254



9 mm UTILITY KNIFE, BREAKAWAY BLADE

Perfect for cutting and trimming projects in the workplace and at home. Positive-lock, pull-back button retains blade tightly in cutting position and allows blade to retract safely into handle when not in use.

3210 Use Replacement Blade No. 3254



RAZOR KNIFE

Heavy-duty, solvent resistant polypropylene handle molded right onto head. Use to trim wallcovering and for hundreds of home cutting projects. Uses a standard single-edge razor blade.

3231 - With 5 Blades Use Replacement Blade No. 3270, 3271, 3272, or 3275



BOX CUTTER

A simple sliding action exposes tip of razor edge for most do-ityourself cutting projects. Cuts corrugated cartons, cardboard, paper, wallcovering, etc. All-metal fabrication. Uses a standard single-edge razor blade.

3220 - Box of 12

40

3221 - Individually Carded Use Replacement Blade No. 3270, 3271, 3272, or 3275

Red Devil

Utility Knives



Glass Scrapers / Replacement Blades

Red Devil® Utility Knife Replacement Blades that fit Red Devil® and most other standard utility knives.

Safety Guard

Glass Scrapers / Replacement Blades

TOOLS

REPLACEMENT BLADE STANDARD UTILITY KNIFE

3251 - With 5 Blades 325102 - Dispenser of 100 Blades Use for Item No. 3204 or 3225



REPLACEMENT BLADE BREAKAWAY

3254 - 9mm, 3 Blades

3255 - 18mm, 3 Blades



Polypropylene Construction

RAZOR BLADE SCRAPERS

Use Red Devil® Razor Blade Scrapers to remove excess paint or stickers from windows and other surfaces, as well as for many other home/workplace scraping jobs.



MINI GLASS SCRAPER

Uses a standard single-edge razor blade and features an easy snap-open feature for blade replacement.

3224 Use Replacement Blade No. 3270, 3271, 3272, or 3275



MINI GLASS SCRAPER WITH 2 BLADE STORAGE

Standard single-edge razor blade with ergonomic grip and an easy snap-open feature for blade replacement.



3228

RAZOR BLADE, SINGLE-EDGE

Sharp-cutting blade fits all standard scrapers. Long-wearing blade provides consistent high quality and longer service life.

3270 - Box of 10 Blades

3271 - Box of 5 Blades

32710C - Box of 5 Blades, Carded

3272 - 100 Blades

3272BB - 100 Blades/Plastic Dispenser Box

3275 - 10 Blades/Safety Dispenser Box



Window Scraper

Solvent-resistant polypropylene construction. Safety guard covers sharp edge when not in use. Uses standard utility knife blades.

3225

Use Replacement Blade No. 3251

Premium Glass Scraper

Premium 4 inch Glass & Tile Scraper with locking blade to prevent blade slippage. Features soft grip handle and non slip push botton.

3226 3276 - 5 of 4" Glass Scraper Blades

Push/Pull Window Scraper

All metal construction with nickel plate brass eyelets. Push/pull action locks blade in place for use, retracts for safe storage. Uses standard razor blades.

3222 - With 5 Blades

3223 - 1 Blade Use Replacement Blade No. 3270, 3271, 3272, or 3275

8

Soft Grip Push/Pull Scraper

Soft grip for easy use. Contains 5 standard single-edge blades.

3219 - With 5 Blades Use Replacement Blade No. 3270, 3271, 3272, or 3275





Drywall Tools

Tempered for Maximum -Strength





Flexible Blue Steel Blade



FIBERGLASS DRYWALL TAPE

Self-adhesive tape means no pre-plastering before taping and patching drywall. No special preparation required. Great for quick professional results. Simply apply finishing compound directly over tape.

2700 - 36 Ft.



HVAC/DRYWALL TAPE

Premo-Tape[®] is a fiberglass mesh tape with adhesive on one side for use with duct sealant on air duct seams.

2701 - 150 Ft.



Drywall Tools

MUD PAN, PLASTIC

Impact and solvent-resistant plastic makes this a durable, long-lasting pan. Features built-in, rust-resistant steel blades angled for wiping excess from taping knives.

2740 - 14"





Adhesive Spreaders

Quality plastic and metal spreaders used for applying all types of adhesives.

V-NOTCH TROWEL

Hard, cold-rolled steel blade V-notch trowels that feature longer wear and chemical resistance.

2091 - 1/4" x 1/4" x 3/4" 2092 - 7/32" x 5/32" 2093 - 3/16" x 1/4" x 1/2"



MULTI-PURPOSE SPREADER, DUAL-NOTCHED, STRAIGHT BLADE

Solidly constructed steel trowel. Uniquely designed with two different notch sizes on each side for multipurpose uses. Comfortable plastic handle. Tough welded mounting.

Size: 4 1/2" x 10" (11.4 cm x 25.4 cm)

2083 - A8, B3 Notch

2084 - A9, C1 Notch

MULTI-PURPOSE SPREADER, DUAL NOTCHED, ANGLED BLADE

Solidly constructed steel trowel. Uniquely designed with two different notch sizes on each side for multi-purpose uses. Comfortable plastic handle. Tough welded mounting. Size: 4 1/2" x 10" (11.4 cm x 25.4 cm)

2089 - A1, A2 Notch

ADHESIVE SPREADER, NOTCHED 2 SIDES

Cold-rolled steel blade with comfortable plastic handle. Size: 3/16" x 5/32" 2082A4 - A4, V-Notch



GENERAL PURPOSE ADHESIVE SPREADER, PLASTIC

Use for installing ceramic tile, vinyl tiles, carpet and more.

2046 - 1/4" V-Notch

2047 - 1⁄8″V-Notch

2048 - 3/32" V-Notch





Durable Steel, Notched Blade





TOOLS

46



Adhesive Spreaders & Trowels

PLASTIC ADHESIVE SPREADER, MULTI-NOTCH

Durable, high impact plastic. Disposable. 2430 - 1/8", 3/16", 1/4" Notches



PLASTIC ADHESIVE SPREADER, V-NOTCH

Economy plastic spreader ideal for one-time jobs. Use to spread mastic, glue, and epoxy. Disposable.

4723 - 1/4" V - Notch



UTILITY PATCHER

Combination scraper, patcher, and trowel for plaster, cement, mortar, and putty. Rust-proof stainless steel. 4045



ALL-PURPOSE FINISHING TROWEL, PLASTIC

Durable plastic straight-edge trowel for repairing and refinishing cement and mortar. Also for multiple taping and spreading applications.

2044



Flooring Tools



Use to quickly and easily remove tile, linoleum, carpet, roofing, and other adhesive coverings. Sturdy impact handle creates "hammer and chisel" effect.

2105 - 5' 3" (160 cm) Use Replacement Blade No. 2106



HEAVY-DUTY SCRAPERS

Short handle heavy-duty scraper with 4" double-edge blade that consists of a blunt edge for easy clean up and a sharp edge for tough jobs.

2107 Use Replacement Blade No. 2109

Long handle heavy-duty scraper with 4" double-edge blade that consists of a blunt edge for easy clean up and a sharp edge for tough jobs.

2108 Use Replacement Blade No. 2109



REPLACEMENT BLADES

2106 - 6" spring steel blade Use For Item No. 2105



2109 - 4" replacement blade Use For Items No. 2107 & 2108



Flooring Tools



Flooring Tools

Tools for installing and removing linoleum, carpet, and tile flooring.

FLOORING KNIFE

Hook knife for flooring, carpeting, vinyl, and drywall. High-carbon steel blade; precision ground angle sharpened for cutting ease. Non-slip comfort grip handle.

4608



TOOL HANDLE WEDGES

Made from solid steel for hammer, axe, hatchet and other handles. Exclusive barbed-edge prevents wedge from working loose from handles even under rough treatment. Won't chip or break.

8002 - #2, Box of 36
8004 - #4, Box of 36
8005 - #5, Box of 36
8010 - #10, Box of 24





SIZING CHART

#2	1/8″ x 5/8″ x 3/8″
#4	5⁄32″ x 13⁄16″ x 7⁄16″
#5	5⁄32″ x 11⁄16″ x 1⁄2″
#10	5⁄32″ x 11⁄16″ x 15⁄16″

