

# RACEWEAR



**SUITS**

**HERO TS-9**

• Size: 46-66



**DIAMOND TS-7**

• Size: 46-66

**NEW**



**CHALLENGE TS-3**

• Size: 46-66



**TI-090**

• Size: S-XXL



**UNDERWEAR**

**UI-500**

• Size: XS-XXL

**NEW**



**UI-100**

• Size: S-XL



**SHOES**

**HERO TB-9**

• Size: 36-48

**NEW**



**RS-402**

• Size: 36-47



**CHALLENGE TB-3**

• Size: 36-48



**GLOVES**

**HERO TG-9**

• Size: 8-12

**NEW**



**DIAMOND TG-7**

• Size: 8-12



**CHALLENGE TG-3**

• Size: 8-12




# *CUSTOMIZE*

*SUITS*

*UNDERWEAR*


*SHOES*

*GLOVES*



## MADE TO MEASURE TEMPLATE - INSTRUCTIONS

- 1 Shoulder breadth (from points of shoulders bones across back)
- 2 Body length from inside shoulder to waist
- 3 Chest circumference
- 4 Waist circumference
- 5 Hip circumference
- 6 Thigh circumference
- 7 Calf circumference
- 8 Outside leg length from waist to malleolus
- 9 Desired length from the crotch to ankle
- 10 Biceps circumference
- 11 Sleeve length from point of shoulder bone to wrist (armi bent)
- 12 Crotch length from front collar bone through top of inside leg to back neck
- 13 Maximum waist circumference
- 14 Length from neck to waist



**AMERICAN FITTING  
AVAILABLE ON DEMAND**

## MADE TO MEASURE TEMPLATE - SHEET

Embroidery on belt:  YES  NO

Thread colour: \_\_\_\_\_

Name: \_\_\_\_\_

Blood group: \_\_\_\_\_

Flag: \_\_\_\_\_

Driver's name: \_\_\_\_\_

Height (inch.): \_\_\_\_\_

Weight (lbs): \_\_\_\_\_

Desired fitting:  close fitting  loose fitting

## MEASURE BOARD

1			
2			
3			
4			
5			
6			
7			

8			
9			
10			
11			
12			
13			
14			

\* the measurements indicated are purely indicative and may vary depending on the fit desired by the end user

## SUITS - STANDARD SIZE CHARTS

HERO, DIAMOND, CHALLENGE						TI-090 TM-100
TAGLIA SIZES	TORACE CHEST	VITA WAIST	BACINO HIPS	PESO WEIGHT	ALTEZZA HEIGHT	
44	82-86	69-73	81-85	43-48	160-163	XS
46	86-90	73-77	85-89	49-54	164-166	S
48	90-94	77-81	89-93	55-60	167-169	
50	94-98	81-85	93-97	61-66	170-172	M
52	98-102	85-89	97-101	67-72	173-175	
54	102-106	89-93	101-105	73-78	176-179	L
56	106-110	93-97	105-109	79-84	180-184	
58	110-114	97-101	109-113	85-90	185-187	XL
60	114-118	101-105	113-117	91-96	188-190	
62	118-122	105-109	117-121	97-102	191-193	XXL
64	122-126	109-113	121-125	103-108	194-196	
66	126-130	113-117	125-129	109-114	197-199	

Sizes listed are in cm and are for body measurements, not for the suit.

## UNDERWEAR - STANDARD SIZE CHARTS

	SIZES				
	XS-S	M-L		XL-XXL	
<b>UI-500</b>					
<b>UI-100</b>	S	M	L	XL	XXL
<b>Torace/Chest</b>	82-90	90-102	102-114	114-122	122-130
<b>Vita/Waist</b>	69-77	77-89	89-101	101-109	109-117
<b>Bacino/Hips</b>	81-89	89-101	101-113	113-121	121-129
<b>Altezza/Height</b>	162-166	167-175	176-187	188-193	194-199
<b>Peso/Weight [kg]</b>	43-54	55-72	73-90	91-102	103-114

Sizes listed are in cm and are for body measurements, not for the underwear.

## SHOES, SOCKS, GLOVES - STANDARD SIZE CHARTS

Foot Length (cm)	SHOES			SOCKS
	Size EU	Size US	Size UK	Size
23	36	4	3,5	S
23,5	37	5	4	
24	38	6	5	
25	39	6,5	5,5	M
25,5	40	7,5	6,5	
26	41	8	7	L
27	42	9	8	
27,5	43	10	9	XL
28	44	10,5	9,5	
29	45	11,5	10,5	
29,5	46	12	11	
30	47	12,5	11,5	



Hand Dimensions (cm)	GLOVES	
	Size	
20-21	8	XS
21-22	9	S
22-23	10	M
23-24	11	L
24-25	12	XL



# SUITS



Sabelt

# HERO TS-9

# HERO TS-9



FIA APPROVED

SIZES 46-66

FIA 8856-2000

MANUFACTURER: SABELT  
MODEL: HERO TS-9  
HOM. NO: RS.300.16  
FIA STANDARD: 8856-2000

PESO SANDWICH / SANDWICH WEIGHT: 295 g/m<sup>2</sup>



RFTITS9RS..

RFTITS9NR..

RFTITS9BI..

RFTITS9BR..

Sabelt

# DIAMOND



# DIAMOND TS-7



FIA APPROVED  
MANUFACTURER: SABELT  
MODEL: DIAMOND TS-7  
HOM. NO: RS.299.16  
FIA STANDARD: 8856-2000

SIZES 46-66  
FIA 8856-2000  
PESO SANDWICH / SANDWICH WEIGHT: 360 g/m<sup>2</sup>



RFTITS7RS.. RFTITS7BL.. RFTITS7BR.. RFTITS7VA.. **NEW** RFTITS7GRS..

Sabelt

# CHALLENGE TS-3

# CHALLENGE TS-3



FIA APPROVED

SIZES 46-66

FIA 8856-2000

MANUFACTURER: SABELT  
MODEL: CHALLENGE TS-3  
HOM. NO: RS.298.16  
FIA STANDARD: 8856-2000

PESO SANDWICH / SANDWICH WEIGHT: 380 g/m<sup>2</sup>



RFTITS3BR..

RFTITS3NG..

RFTITS3NR..

RFTITS3RS..

RFTITS3BL..



# TI-090

# TI-090



**FIA APPROVED**  
MANUFACTURER: SABELT  
MODEL: TI-090  
HOM. NO: RS.269.15  
FIA STANDARD: 8856-2000

SIZES **S-XXL**

FIA 8856-2000

PESO SANDWICH / SANDWICH WEIGHT: 395 g/m<sup>2</sup>



RFTI090NR..

Anti peeling material

Internal elastic band



Twill external layer

395 g/m<sup>2</sup>

Regular fit





**Only the best  
become Abarth**

We choose our partners with the same care that we use to tune every single Abarth. That's why only brands who share our values, passion for competition and determination to outdo themselves in every daily challenge enter our "workshops".



**FIA APPROVED**

MANUFACTURER: SABELT  
MODEL: CHALLENGE TS-3  
HOM. NO: RS.298.16  
FIA STANDARD: 8856-2000

SIZES **46-66**

FIA 8856-2000

RFTITS3RSAB..

**FIA APPROVED**

MANUFACTURER: SABELT  
MODEL: CHALLENGE TS-3  
HOM. NO: RS.298.16  
FIA STANDARD: 8856-2000

SIZES **S-XL**

FIA 8856-2000

Z150UI100TOPAB

**FIA APPROVED**

MANUFACTURER: SABELT  
MODEL: CHALLENGE TS-3  
HOM. NO: RS.298.16  
FIA STANDARD: 8856-2000

SIZES **8-12**

FIA 8856-2000

RFTG03RSAB..

**FIA APPROVED**

MANUFACTURER: SABELT  
MODEL: CHALLENGE TS-3  
HOM. NO: RS.298.16  
FIA STANDARD: 8856-2000

SIZES **36-47**

FIA 8856-2000

RFTB03RSAB..

**Sabelt**

# UNDERWEAR



**Sabelt**

**UI-500**

**NEW**



Aramid/Lenzing  
RF fiber

Slim fit



MANUFACTURER: SABELT  
MODEL: UI-500 SOTTOCASCO  
FIA STANDARD: 8856-2000

SIZES **ONE SIZE**

FIA 8856-2000

Z150UI500BALB

Z150UI500BALN



MANUFACTURER: SABELT  
MODEL: UI-500 TOP  
FIA STANDARD: 8856-2000

SIZES **XS-XXL**

FIA 8856-2000

Z150UI500TOPB

Z150UI500TOPN



MANUFACTURER: SABELT  
MODEL: UI-500 PANT  
FIA STANDARD: 8856-2000

SIZES **XS-XXL**

FIA 8856-2000

Z150UI500PANTB

Z150UI500PANTN

**STRETCH FIT SEAMLESS  
UNDERWEAR**



**UI-100**



New Aramid/Viscosa  
material

Regular fit



MANUFACTURER: SABELT  
MODEL: UI-100 BALACLAVA  
FIA STANDARD: 8856-2000

SIZES **ONE SIZE**

FIA 8856-2000

Z150UI100BALB

Z150UI100BALN



MANUFACTURER: SABELT  
MODEL: UI-100 LONG SLEEVE  
FIA STANDARD: 8856-2000

SIZES **S-XL**

FIA 8856-2000

Z150UI100TOPB

Z150UI100TOPN



MANUFACTURER: SABELT  
MODEL: UI-100 PANTS  
FIA STANDARD: 8856-2000

SIZES **S-XL**

FIA 8856-2000

Z150UI100PANTB

Z150UI100PANTN

100%  
Aramid fiber

Professional  
hand linking



MANUFACTURER: SABELT  
MODEL: UI-100 SOCKS  
FIA STANDARD: 8856-2000

SIZES **S-XL**

FIA 8856-2000

Z150UI100SOCKSBB

# SHOES



Sabelt

# HERO TB-9

**NEW**



# HERO TB-9

FIA APPROVED

SIZES 36-48

FIA 8856-2000

MANUFACTURER: SABELT  
MODEL: HERO TB-9  
FIA STANDARD: 8856-2000



RFTB09BL..



RFTB09NR..



RFTB09RS..



**NEW**

RFTB09BL..



# RS-402



**FIA APPROVED**  
 MANUFACTURER: SABELT  
 MODEL: RS-402  
 FIA STANDARD: 8856-2000

SIZES **36-47**

FIA 8856-2000



RFRS402R..

RFRS402N..

**UNTIL STOCK LAST**

# CHALLENGE TB-3



**FIA APPROVED**  
 MANUFACTURER: SABELT  
 MODEL: CHALLENGE TB-3  
 FIA STANDARD: 8856-2000

SIZES **36-48**

FIA 8856-2000



RFTB03NRG..

RFTB03BL..

RFTB03RS..

RFTB03NRR..

# GLOVES





Sabelt

# HERO TG-9

**NEW**



FIA APPROVED

SIZES 8-12

MANUFACTURER: SABELT  
MODEL: HERO TG-9  
FIA STANDARD: 8856-2000

FIA 8856-2000



**NEW**

RFTG09GFN..

RFTG09NRN..

RFTG09RSN..

RFTG09BIN..

RFTG09BLN..

# HERO TG-9



# DIAMOND TG-7



**FIA APPROVED** SIZES **8-12**  
 MANUFACTURER: SABELT  
 MODEL: DIAMOND TG-7  
 FIA STANDARD: 8856-2000  
**FIA 8856-2000**



RFTG07RS.. RFTG07BL.. RFTG07NR..

# CHALLENGE TG-3



**FIA APPROVED** SIZES **8-12**  
 MANUFACTURER: SABELT  
 MODEL: CHALLENGE TG-3  
 FIA STANDARD: 8856-2000  
**FIA 8856-2000**



RFTG03RS.. RFTG03BL.. RFTG03NR..

# MECHANICS



Sabelt

# MEC SUITS



# MEC SUITS

ON DEMAND

NEW



FIA APPROVED

FIA 8856-2000

AVAILABLE WITH **TS-9 - TS-7 - TS-3** HOMOLOGATION



**A** DOUBLE BELT LOOP



**B** RADIO OR ACCESSORIES LOOP



**C** SHOULDER WIRE CORD



**D** KNEE PADDING



**E** BOOT CUT

**TM-100**

Mechanic suit made of 100% cotton, TI-520 design, floating sleeves, waist stretch band, two pockets.



SIZES **S-XXL**



M14360RSC..

M14360ASC..

M14360NSC..

**CHALLENGE MB-3**

New machanic shoe. Suede vamp. Wide sole, with a new anti-slip geometry to ensure safety and grip. Antistatic, flameproof and antifiammaand oils and hydrocarbons resistant mesh. Soft rear tongue to ensure better comfort. New coordinate image.

RFMB03NR..



Wide sole, with special grip design allowing easy bending.



SIZES **36-46**  
**FIA 8856-2000**



Protective gloves and arm protections against mechanical and thermal risks. Cotton and Kevlar fabric. Protects till 300° C. In compliance with European directives: -89/686 (dexterity 4) EN420:2003, -EN388:2003.  
Cut resistance (5/5).  
Abrasion resistance (2/4).  
Tearing resistance (4/4).  
Flammability resistance (4/4).  
Heat contact resistance (2/4).

< Z120560 Z120760 >  
TAGLIA UNICA - ONE SIZE

