

SCANGRIP®

INNOVATION FROM DENMARK

WORK LIGHTS



LIGHTING SOLUTIONS
FOR HIGH PERFORMANCE

US VERSION 

LIGHTING SOLUTIONS FOR HIGH PERFORMANCE

Work light of the future

The sophisticated SCANGRIP work lights are second-to-none and made for the real professional who needs the best tool he can get for the task. The selected product line-up covers various kinds of work light solutions with superior quality across the entire range. These are lights made for work and built to last.

Latest technologies for best performance

SCANGRIP constantly push back the boundaries of LED lighting and battery technology, creating new cutting-edge work lights. We always reach for that extra brightness, that extra operation time, those little touches that make a real difference when you need the best work light you can get. We guarantee to provide you with only premium products for optimal performance.

Extreme durability and functional design

SCANGRIP work lights are extremely durable and made to last and do the job again and again. The entire product line is sturdy and endures the really demanding working environment which expose both the professional worker and his tools to rough, wet, and dirty conditions. The lights are covered by a high IP protection level to resist even outdoor use in all kinds of weather.



**WORK
LIGHTS
OF THE
FUTURE**

Designed by us. Manufactured by us.

POWERFUL HAND LAMPS WITH FLEXIBLE POSITIONING



INNOVATION FROM DENMARK

Powerful work lights for demanding tasks which require efficient illumination.

Built-in magnets and brackets for easy, flexible positioning.



RECHARGEABLE HAND LAMPS



MINI MAG PRO

Compact work light with spotlight and stepless dimmer

Up to 200 lumen Spot: 80 lumen
Operation time up to 20 h
IP54

Item no. 03.5692




BESTSELLER

MAG PRO

Work light with spotlight and stepless dimmer

Up to 600 lumen Spot: 150 lumen
Operation time up to 15 h
IP54

Item no. 03.5690XX



BESTSELLER

I-VIEW

Powerful headlamp with touchless on/off sensor

Up to 250 lumen
Operation time up to 5 h
IP65

Item no. 03.5026XX

HEADLAMP WITH MAXIMUM FREEDOM TO WORK



WIDE BEAM ANGLE
ILLUMINATING ENTIRE
WORK AREA



ADJUSTABLE HOOKS



STRONG BUILT-IN
MAGNETS



FLEXIBLE POSITIONING

COMPACT WORK LIGHTS FOR YOUR POCKET

RECHARGEABLE PENLIGHTS WITH WORK LIGHT



BESTSELLER

MAG PEN 3

Penlight with work light and adjustable magnet

Up to 150 lumen - Spot: 80 lumen
Operation time up to 20 h
IP20

Item no. 03.5116




WORK PEN 200 R

High performance penlight with work light

Up to 200 lumen Spot: 150 lumen
Operation time up to 10 h
IP30

Item no. 03.5127



SLIM

Ultra-slim 3-in-1 inspection work light

Up to 500 lumen Spot: 100 lumen
Operation time up to 5 h
IP30

Item no. 03.5612XX



NOVA - THE WORLD'S MOST DURABLE WORK LIGHTS

BLUETOOTH light control app with extended functionality

The original NOVA work lights are the best, most powerful and sturdy COB LED work lights on the market at all



NOVA MINI
Extremely compact handheld work light with stepless dimmer and strong built-in magnet

1000 lumen
Operation time up to 15 h
IP65

Item no. 03.6010



pat. pend.
SMART GRIP 4 in 1



BESTSELLER
NOVA R
Portable, handheld rechargeable work light

Up to 2000 lumen
Operation time up to 20 h
IP67

Item no. 03.5456US



USB power bank

New innovative and patented SPS battery system providing unlimited availability to light

SPS7//
SCANGRIP POWER SOLUTION



NOVA 4 SPS
Work light with SPS and BLUETOOTH providing up to 4000 lumen. Incl exchangeable battery and charger

4000 lumen
Operation time up to 15 h
IP67

Item no. 03.6000US

NOVA 10 SPS
Work light with SPS and BLUETOOTH providing up to 10000 lumen. Incl exchangeable battery and charger

10000 lumen
Operation time up to 10 h
IP67

Item no. 03.6002US



USB power bank



Work lights with exchangeable battery and charger



TRIPOD
High stability tripod made of durable and sturdy powder coated steel

Max load 22 lbs
Weight 13 lbs

Item no. 03.5431

NEW GROUND-BREAKING WORK LIGHT RANGE



MAGNET BRACKET

For flexible positioning of NOVA 4 SPS on any magnetic surface

Item no. 03.5390



MAGNET BRACKET - Large

For flexible positioning of NOVA 10 SPS on any magnetic surface

Item no. 03.5391



SPECIALIZED WORK LIGHT SOLUTIONS

Light is an important tool for many tasks. We take that very seriously when developing specialist lights for niche markets -such as lights for the painting and detailing industries.

Lighting solutions for lifts



MADE IN DENMARK

Portable lights for fast UV curing



Work lights for detailing and car paint



INNOVATION FROM DENMARK

All product design and development are carried out in Denmark

As Europe's leading manufacturer of innovative work lights, SCANGRIP provides the strongest and most comprehensive range of lighting solutions on the market.

Latest technology for best performance

The LED and battery technology are constantly evolving and SCANGRIP push the boundaries. Constantly. And takes advantage of these multiple technological opportunities optimizing and improving light output, operation time, and durability.



DUAL SYSTEM 2in1 with exchangeable battery pack – use both rechargeable with battery or with power supply from the battery charger

Integrated 1 h backup battery functionality

BLUETOOTH light control app with extended functionality



GO GREEN – A better choice for the climate

SCANGRIP work lights are a choice in a greener direction where the climate impact is minimized on an everyday basis. All our lighting solutions are developed to be energy-saving and with a long lifetime.

ORIGINAL
SCANGRIP
SINCE 1906

The "ORIGINAL SCANGRIP" symbol is your guarantee that the product is designed, developed and made by SCANGRIP and protected by EU design patent.

MAG series



	MAG PEN 3	MINI MAG PRO	MAG PRO
Product number	03.5116	03.5692	03.5690XX
Light source	COB LED Spot: CREE XP-G2	COB LED Spot: High power LED	COB LED Spot: High power LED
LED performance, lumen/W	180	165	185
Luminous flux, lumen	15-150 Spot: 80	20-200 Spot: 80	60-600 Spot: 150
Illuminance, lux@0.5 m	200 Spot: 2000	35-350 Spot: 700	90-900 Spot: 2000
Adjustable light output	Stepless	Stepless	Stepless
Beam angle	-	-	-
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6500 K	6000 K
Operating time, h	Up to 20	Up to 20	Up to 15
Charging time, h	3.5	3	4
Battery	3.7V / 750 mAh Li-ion	3.7V / 1200 mAh Li-ion	3.7V / 2600 mAh Li-ion
Protection class	IP20	IP54	IP54
Impact protection	IK07	IK07	IK07
Impact resistance	39.37in	39.37in	39.37in
Cable	39.37in USB	39.37in USB	39.37in USB
Operating voltage AC	-	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 1 A	5 V / 1 A
Power consumption	Max 2.5 W	Max 2.5 W	Max 6.5 W
Charger incl.	No	No	No
Temperature	14°F to 104°F	14°F to 104°F	14°F to 104°F
Dimensions	6.85 x 1.22 x 0.83in	7.95 x 1.57 x 1.10in	10.2 x 2.44 x 1.73in
Net weight	0.172lb	0.346lb	0.719lb
Price			

FLASH LIGHT

SLIM

HEADLAMP

	WORK PEN 200 R NEW	SLIM
Product number	03.5127	03.5612XX
Light source	COB LED / CREE	COB LED Spot: High power LED
LED performance, lumen/W	120	155
Luminous flux, lumen	20-200 Spot: 150	250-500 Spot: 100
Illuminance, lux@0.5 m	400 Spot: 3500	400-800 Spot: 4800
Adjustable light output	Stepless	2 levels
Beam angle	105° / 20°	-
Beam distance	40 m	-
CRI	Ra > 80	Ra > 80
CCT	6000 K	6000 K
Operating time, h	Up to 10	Up to 5
Charging time, h	2.5	4.5
Battery	3.7 V / 650 mAh Li-ion	3.8V/2800 mAh Li-ion
Protection class	IP30	IP30
Impact protection	IK07	IK07
Impact resistance	39.37in	39.37in
Cable	39.37in USB	39.37in USB
Operating voltage AC	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 1 A
Power consumption	4 W	Max 4 W
Charger incl.	No	No
Temperature	14°F to 104°F	14°F to 104°F
Dimensions	0.83 x 6.81in	6.50 x 1.73 x 1.10in
Net weight	0.119lb	0.494lb
Price		

	I-VIEW
Product number	03.5026XX
Light source	COB LED
LED performance, lumen/W	180
Luminous flux, lumen	125-250
Illuminance, lux@0.5 m	400-600
Adjustable light output	2 levels
Beam angle	120° / 60°
Beam distance	-
CRI	Ra > 80
CCT	6000 K
Operating time, h	Up to 5
Charging time, h	3
Battery	3.8V / 1600 mAh Li-ion
Protection class	IP65
Impact protection	IK07
Impact resistance	39.37in
Cable	39.37in USB
Operating voltage AC	-
Charging voltage/current DC	5 V / 1 A
Power consumption	Max 3 W
Charger incl.	No
Temperature	14°F to 104°F
Dimensions	4.13 x 2 x 1.69in
Net weight	0.286lb
Price	

NOVA rechargeable series



NOVA SPS



	NOVA MINI	NOVA R	NOVA 4 SPS	NOVA 10 SPS
Product number	03.6010	03.5456US	03.6000US	03.6002US
Light source	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED
LED performance, lumen/W	155	160	175	185
Luminous flux, lumen	100-1000	200-2000	400-4000	1000-10000
Illuminance, lux@0.5 m	150-1500	300-3000	600-6000	1600-16000
Adjustable light output	Stepless	5 levels	5 levels	5 levels
Beam angle	-	-	115°	115°
CRI	Ra > 80	Ra > 80	Ra > 80	Ra > 80
CCT	6000 K	6000 K	6000 K	6000 K
Operating time, h	Up to 15	Up to 20	Up to 15	Up to 10
Charging time, h	5	5	1.5*	1.5*
Battery	3.7V / 4000 mAh	7.3V / 4000 mAh Li-ion	11.1V / 4000 mAh Li-ion	11.1V / 8000 mAh Li-ion
Protection class	IP65	IP67	IP67	IP67
Impact protection	IK07	IK07	IK07	IK07
Impact resistance	39.37in	39.37in	39.37in	39.37in
Cable	39.37in USB	39.37in USB	-	-
Charging voltage/current DC	5 V / 1 A	5 V / 2 A	12.6 V / 2.8 A	12.6 V / 6.8 A
Power consumption	Max 10 W	Max 16 W	Max 30 W	Max 75 W
Battery incl.	-	-	SPS BATTERY 03.6003	SPS BATTERY 03.6004
Charger incl.	No	Yes	SPS CHARGING SYSTEM 35W 03.6006	SPS CHARGING SYSTEM 85W 03.6008
Temperature	14°F to 104°F	14°F to 104°F	14°F to 104°F	14°F to 104°F
Dimensions	4.09 x 1.50 x 3.78in	6.42 x 2.48 x 6.42in	9.45 x 9.05 x 4.09in	12 x 9.45 x 4.92in
Net weight	0.560lb	1.742lb	4.34lb	8lb
Price				

SCANGRIP POWER SOLUTION accessories



	SPS BATTERY 4Ah	SPS BATTERY 8Ah	SPS CHARGING SYSTEM 35W	SPS CHARGING SYSTEM 85W
Product number	03.6003	03.6004	03.6006US	03.6008US
Battery	11.1V / 4000 mAh Li-ion	11.1V / 8000 mAh Li-ion	-	-
Charging voltage/current DC	12.6V / 2.8A	12.6V / 6.8A	12.6V / 2.8A	12.6V / 6.8A
Cable	-	-	UL 16 ft 2C SJTOW 18 AWG	UL 16 ft 2C SJTOW 18 AWG
Charger input voltage	-	-	100-240V AC 50/60Hz	100-240V AC 50/60Hz
Power consumption	-	-	Max 35W	Max 85W
Charging time, h	1.5*	1.5*	-	-
Protection class	IP67 / IK07	IP67 / IK07	IP67 / IK07	IP67 / IK07
Impact resistance	39.37in	39.37in	39.37in	39.37in
Temperature	14°F to 104°F	14°F to 104°F	14°F to 104°F	14°F to 104°F
Dimensions	4.06 x 2.95 x 1.57in	4.06 x 2.95 x 2.44in	5.47 x 2.95 x 1.57in	5.47 x 2.95 x 1.93in
Net weight	0.705lb	1.235lb	1.433lb	1.676lb
Price				

* 80%