

# WORK LIGHTS



LIGHTING SOLUTIONS  
FOR HIGH PERFORMANCE

# LIGHTING SOLUTIONS FOR HIGH PERFORMANCE

## Work light of the future

The sophisticated SCANGRIP work lights are second-to-none and made for the real professional who needs the best tool he can get for the task. The full product line-up covers all kinds of work light solutions with superior quality across the entire range. These are lights made for work and built to last.

## Latest technologies for best performance

SCANGRIP constantly push back the boundaries of LED lighting and battery technology, creating new cutting-edge work lights. We always reach for that extra brightness, that extra operation time, those little touches that make a real difference when you need the best work light you can get. We guarantee to provide you with only premium products for optimal performance.



## Extreme durability and functional design

At SCANGRIP we are dedicated to the design and feel of our products. This, combined with a desire to constantly improve and innovate make a breeding ground for new developments. We want to offer you the best working tool at all.

SCANGRIP work lights are extremely durable and made to last and do the job again and again. The entire product line is sturdy and endures the really demanding working environment which expose both the professional worker and his tools to rough, wet, and dirty conditions. The lights are covered by a high IP protection level to resist even outdoor use in all kinds of weather.

## Extended warranty

Every SCANGRIP work light is manufactured at our own factories and subject to strict quality controls. Our lights meet the highest quality standards and are built to last. They are so good that we offer a warranty extension. All SCANGRIP work lights come with a 3-year warranty. Because we stand by the products we offer.



Designed by us. Manufactured by us.

// The "ORIGINAL SCANGRIP" symbol is your guarantee that the product is designed, developed and made by SCANGRIP and protected by EU design patent.

#### High quality

SCANGRIP products are known for high quality with a price-to-quality ratio considered to be the best on the market. We have comprehensive quality check procedures, and we are ISO 9001 certified.

#### Unique design

SCANGRIP receives strong recognition in the marketplace for unique product design. We are inspired by the concept of Danish design and gather ideas from other industries to create new products that have not been seen before.

#### Europe's leading manufacturer

SCANGRIP provides the strongest and most comprehensive range of durable and functional LED work lights and is Europe's leading and trendsetting manufacturer of work lighting solutions for professionals.

#### First-mover

SCANGRIP is first-mover and is always two steps ahead when it comes to developing new and innovative LED work lights.

#### Since 1906

SCANGRIP has manufactured hand tools of very high quality for the industrial and automotive sectors for more than 110 years.

# SCANGRIP - work lights of the future



MAG series  
06



UNIFORM series  
08



SLIM series  
10



LINE LIGHT hand lamps  
12



LINE LIGHT Bonnet light  
14



Headlamps  
16



Audio light  
20



STAR  
22



NOVA series  
24



STANDS and SUSPENSIONS  
32



FLASH LIGHT series  
34



LINE LIGHT concept  
36



LINE LIGHT for lifts  
38



LINE LIGHT for customized installation  
40



Technical specifications  
42


# MAG - Europe's most bestselling work lights even further improved

---

// The rechargeable handheld work lights everybody knows – and loves! With significantly improved light output, battery upgrade and even more functionality, the popular MAG work lights offer great value in every workshop operation.

The MAG series consists of universal and powerful multipurpose work lights that all professional users must have!

- Significantly improved with higher lumen output
- Integrated work light and flashlight functionality in one
- Strong built-in magnetic holders and retractable hooks for handsfree operation
- New stepless dimmer function



## // Updated and more powerful than ever

Taking advantage of the latest high performance LED technology, the MAG range comprises extremely powerful work lights providing significantly improved light output.

## // Multipurpose with cool design

The characteristic and elegant design of the MAG handlamps provides an ergonomic and user-friendly grip. Place anywhere you want with the strong built-in magnetic holders and retractable suspension hooks to obtain complete flexibility. The lamp head is flexible and tilts up to 180 degrees.

## // Stepless dimmable



The new MAG PRO replaces MAG 3 and is upgraded with a stepless dimmer function in the range of 10% to 100%. Compared to the previous MAG 3 the lumen output is double and protection class has been upgraded to IP54. New design with battery indicator on front.



### MAG

03.5400

Work light with SMD LEDs and spotlight providing 300 lumen

EU DESIGN PATENT  
2954123

**NEW**

Upgraded version 2019



### MAG PRO

03.5690

Work light with COB LEDs and spotlight providing 600 lumen

EU DESIGN PATENT  
2954123

**NEW**



### MINI MAG PRO

03.5692

Work light with COB LEDs and spotlight providing 200 lumen

EU DESIGN PATENT  
3451038

**NEW**



## // Rechargeable inspection penlight

MAG PEN 3 is improved in lumen output and functionality, providing powerful illumination both from the lamp head and precision top light.

The design is compact allowing access in the most inaccessible places. It comes with built-in magnets both in the turnable clips and at the bottom for flexible positioning.



### MAG PEN 3

03.5116

Pencil work light with SMD LEDs and spotlight providing 80 lumen



# UNIFORM - *Extremely durable work lights*

// Upgraded to highest possible performance

SCANGRIP is introducing upgraded and improved versions of the entire UNIFORM work light series.

The COB LED strip lights provide a unique, powerful and completely uniform illumination which is ideal for all demanding work operations.

The entire series has also been upgraded to IP65.

- Rechargeable COB LED work light series
- Completely uniform and powerful illumination
- Extremely durable and sturdy
- Waterproof, IP65
- Rechargeable with USB cable



## UNIFORM

03.5407

Work light with top flashlight providing up to 500 lumen

### Extremely durable work lamp

In this product range UNIFORM is the big brother offering all the functionality you can dream of. Soon it will become your favourite, multifunctional work light. Extremely durable and powerful.

An intelligent battery indicator at the front keeps you informed about the battery level. 2-step operating option:

Step 1 = 100%, step 2 = 50% light output.

EU DESIGN  
PATENT  
2954123

Slim charging  
base for easy wall  
mounting







## UNIPEN

03.5420



Pencil work light providing up to 150 lumen with top flashlight

Small and handy shape, supplied with pocket clip and 2-step operating option

EU DESIGN PATENT 3451038



## MINIFORM

03.5404



ONLY 13mm



Pocket-sized, ultra-slim work light with top flashlight providing up to 200 lumen

With comfortable and ergonomic grip and 2-step operating option

EU DESIGN PATENT 3451038

Flexible lamp head tilts up to 180 degrees. Supplied with a strong built-in magnet and a turn-able sturdy hook designed to fit the work belt.



## SUPERFORM

Sturdy work light with 5 m cable providing 750 lumen

Outperforming traditional fluorescent work lights

EU DESIGN PATENT 2954123



## UV-FORM

EU DESIGN PATENT 2373282

03.5408

Work light with UV-top light (400nm) providing up to 250 lumen



UV-FORM is a rechargeable LED work light with powerful 1.8W UV-light on the top. The most powerful UV-light on the market. Basically you get a universal indispensable work light and UV detection in one, and at the same time it replaces special UV detection lights.

The ultraviolet light is intended for leak detection in air-conditioning systems by means of trace elements. Also useful for leak detection of larger, complex refrigeration/freezing appliances, process cooling systems, heat pump systems etc.



# SLIM - Only 3-in-1 slim light on the market

// The SCANGRIP SLIM light series provides a true three-in-one, flexible and multifunctional work light for all kinds of application areas.

- 3-in-1: inspection light, work light and flashlight in one lamp
- Extremely powerful illumination up to 500 lumen with a powerful flashlight function
- Ultra-slim and compact design
- Strong built-in magnet and hook for flexible positioning
- Choose between 2 light settings (50% or 100%) for maximized operating time
- Rechargeable up to 6h operation time





### // Ultra-slim light for inspection

The ultra-thin, compact design only  $\varnothing 9$  mm allows inspection in even the most inaccessible and narrow work areas. This makes the SLIM lights ideal for very demanding and difficult inspection jobs.



### // Work light in pocketsize

The 2 new SLIM lights are designed with a 100% foldable body. When fully folded the lamp can be used as a traditional handheld work light. In folded position, the SLIM is reduced to pocketsize - compact and portable to take with you everywhere.



### // Flashlight function

The powerful 100 lumen spot light of the SLIM lights provides you with a flashlight function. As a unique feature, never seen before, SLIM can be used as flashlight when the lamp is folded, providing a powerful flashlight with a handy, firm grip.



EU DESIGN  
PATENT  
3451038



#### MINI SLIM

03.5610

Ultra-slim 3-in-1 inspection lamp with spotlight providing up to 200 lumen

#### SLIM

03.5612

Ultra-thin 3-in-1 inspection lamp with spotlight providing up to 500 lumen



# ULTRA SLIM inspection hand lamps

---

// The sophisticated and streamlined LINE LIGHT inspection hand lamps are made in Denmark, and present a golden example of our ability to push back the boundaries of LED lighting creating work lights with optimal performance, extreme durability and lots of bright functionalities.

- Sturdy and waterproof, IP65
- Ultra-slim design (ø25mm) allows inspection in even most inaccessible places
- Flexible positioning with adjustable hook with magnet
- Flexible gooseneck fixtures available as optional accessories

ORIGINAL  
SCANGRIP




SINCE 1906

MADE IN DENMARK



Both lamps are delivered with adjustable hook with clip holder and magnet



LINE LIGHT C+R

03.5243


Inspection work lamp with DUAL SYSTEM and top spotlight providing up to 600 lumen



LINE LIGHT R


03.5244

Rechargeable inspection work lamp with spotlight providing up to 400 lumen



The very slim design with a diameter of only 25 mm makes it possible to illuminate even hard to reach compact areas.

**DUAL 2 in 1 SYSTEM**



# LINE LIGHT *bonnet light*

---

// Superior bonnet light on the market

- Improved light output (1000 lumen)
- Dust and waterproof, IP65
- Most slim and compact bonnet light on the market
- Extremely low weight, less than 1000g
- Choose between 2 light settings (50% or 100%) for maximized operating time

## **DUAL** 2 in 1 **SYSTEM**

DUAL SYSTEM is new intelligent and innovative lighting functionality.

The new BONNET LIGHT is with DUAL SYSTEM which means both rechargeable and with 5 m rubber cable offering unlimited application possibilities and complete freedom. Very easily you change over: it takes only a second to connect the power cable – or disconnect when needed.



ORIGINAL  
SCANGRIP



SINCE 1906

MADE IN DENMARK

## // Illuminates the entire engine bay

The BONNET LIGHT provides you with an extremely bright and powerful illumination of the entire engine bay.

Supplied with an adjustable telescopic holder with soft-padded hook ends providing a firm and scratch-free grip on the vehicle. The holder is compact and takes up less space in storage.



Without cable the bonnet light might also to be used as a large inspection lamp.



### LINE LIGHT BONNET C+R

03.5240

## DUAL 2 in 1 SYSTEM



Inside the cabin the BONNET LIGHT may also be used as work light either mounted by the telescopic holder or mounted onto the windscreen by the flexible arm with suction cup.



## // FLEXIBLE suspensions

A range of accessories are available to position the LINE LIGHT lamps



### GOOSENECK

03.5219


20 cm flexible arm with clip holder and Ø60 mm suction cup



### GOOSENECK

03.5218

20 cm flexible arm with clip holder and Ø60 mm magnet



### HOOK

03.5312

Adjustable hook with clip holder and magnet

# HEADLAMPS *for professionals*

---

// Pursuing the vision of designing innovative work light for the professional end-user

- Illuminates your entire workspace
- Rechargeable
- Long duration time
- Easy to operate
- Sensor function with touchless on/off switch



As opposed to all other headlamps providing a beam of light, the new I-VIEW and ZONE headlamps are designed to provide optimum work light illuminating your entire work area.

Supplied with the newest COB LED technology, both headlamps provide an extremely powerful illumination which spreads the uniform light to the maximum and lightens up your entire field of view.

You avoid turning the head to illuminate your actual workspace from a limited headlamp beam.



## I-VIEW

EU DESIGN  
PATENT  
2635946

03.5026



### // Rechargeable I-VIEW with touchless sensor

I-VIEW is provided with the very newest rechargeable battery technology with extraordinary long duration. When set on sensor mode I-VIEW is switched on/off only by waving a hand in front of the lamp.

The design is ergonomic for a perfect, comfortable fit, and the woven band is strong and adjustable. The robust and sleek I-VIEW is both dust and waterproof (IP65) with a low weight of only 120g. I-VIEW comes in an upgraded version providing as much as 125/250 lumen.

#### 2-step operating option

Step 1 = 50% light output

Step 2 = 100% light output



## ZONE

EU DESIGN  
PATENT  
3451038

03.5426

STANDARD  
HEADLAMP



I-VIEW and  
ZONE HEADLAMPS



### // Rechargeable ZONE headlamp

The ZONE headlamp is designed to provide optimum work light illumination of the entire work area, like the I-VIEW.

ZONE is designed for professional use, it is sturdy and low weight of only 84g. With its very attractive price, ZONE will become another SCANGRIP bestseller. Zone has been upgraded to provide 75/150 lumen.



# NIGHT VIEW - *for work in the dark*

---


// New headlamp that keeps your night vision

- Designed for work in the dark
- Rechargeable with touchless sensor function
- Illuminates your entire work space
- Durable, sturdy and waterproof
- Switch between normal white light and red light

ORIGINAL  
SCANGRIP



SINCE 1906



**NEW**

## // Choose between white and red work light

The red light is intended for work in the dark and provides light without overexposing the retinas while at the same time keeping the eyes adjusted to the dark.

The red-light functionality is mostly known from the military to read maps on maneuvers at night, but is also needed in civilian professions for work at night, for instance on ships and offshore. On ships it is particularly useful on the bridge at night, because it preserves your night vision so you can work at the control panel. Headlamps with red-light mode are also well suited for security guards that work at night in dark surroundings.

## // Newest lighting technology

The NIGHT VIEW provides extremely powerful illumination which spreads the uniform light to the maximum and lightens up your entire field of view. You avoid turning the head to illuminate your actual workspace from a limited headlamp beam.


NIGHT VIEW is provided with the very newest rechargeable battery technology with extraordinary long duration, and sets new standards for professional work light. When set on sensor mode NIGHT VIEW is turned on/off only by waving a hand in front of the lamp. Thus, the light can easily be switched on/off, even when wearing thick gloves.



**Keep your night vision**

### NIGHT VIEW

03.5438



STANDARD HEADLAMP



NIGHT VIEW HEADLAMP



EU DESIGN PATENT  
2635946



# SOUND LED S - Audio work light

// Small and compact work light with integrated speaker

- Wireless sound control
- Handy and compact design
- Dust and waterproof, IP65
- Flexible positioning with built-in magnetic function



WIRELESS 



ORIGINAL  
SCANGRIP



SINCE 1906

**NEW**


## // Rechargeable audio LED work light

Featuring the latest and unique COB LED technology, SOUND LED S provides high light output up to 600 lumen, with a uniform and even illumination. It is a handy and sturdy work light, easy to carry and always near at hand - ideal for the workplace.

With the integrated wireless function, you can easily control the music from your mobile device.

The flexible bracket supplied with a strong magnet enables you to position the lamp anywhere you want in the desired lighting angle.

It is dust and waterproof, IP65, and can be used for both indoor and outdoor work.



Bracket with built-in magnetic function



SOUND LED S

03.5900

# STAR - Work light and floodlight in one

---

// STAR is the missing link between a work light and a floodlight. It is a new multifunction work light that does it all!

- Extremely powerful illumination, up to 1000 lumen
- Rechargeable up to 5h operation time
- Waterproof IP65
- Ergonomic design for a comfortable, firm hand grip
- Flexible handle for multifunctional positioning and application
- Sturdy handle with built-in magnet
- Direct mounting on the SCANGRIP TRIPOD
- Durable housing made of shock-resistant plastic material
- Built-in power bank



ORIGINAL  
SCANGRIP



SINCE 1906

## // Multifunctional work light

STAR is designed to be the work light that does it all. The lamp is ergonomically designed to be used as a hand-held work light. Extending the position of the handle, the lamp transforms itself to be a searchlight.

## // Handy floodlight

Due to the extremely powerful light output, STAR is also applicable for illumination of a larger working area, in spite of its small size compared to other floodlights. The handle is designed for direct mounting on the SCANGRIP TRIPOD.

## // Flexible positioning

Due to the flexible handle the STAR can stand in different positions to obtain the optimal lighting angle for a specific work task. The handle is also clickable in fixed position to serve as a hook for suspension. Using the powerful built-in magnet in the handle the STAR can be placed in flexible positions on any metalized surface.



EU DESIGN  
PATENT  
3451038



## // Power bank

Built-in power bank with USB outlet to charge mobile devices.



Flexible positioning



STAR

03.5620



Position the light directly on the SCANGRIP TRIPOD up to 3 m

Hand-held work light



# NOVA range – world's best work lights for the professional user

---

// SCANGRIPs range of NOVA work lights are the best, most powerful and sturdy COB LED work lights on the market at all. Made to last and do the job again and again. Even coming with an extended 3-year warranty like all our WORK LIGHTS for high performance.

- Most sturdy and durable work lights made for ROUGH SERVICE USE
- Extremely powerful illumination, up to 10,000 lumen
- Light dimmable in 5 steps
- Waterproof (IP67) for all kinds of outdoor weather conditions
- Stands and suspensions for flexible lighting positioning

ORIGINAL  
SCANGRIP



SINCE 1906

L 2 in 1  
SYSTEM

SCANGRIP®

BPS711

SCANGRIP®

SCANGRIP®



## // NOVA work lights for every working situation


The NOVA range provides the widest range of durable work lights in the world. So, you just choose your favourite NOVA model between the various models. And choose if your NOVA should be portable, rechargeable, with exchangeable batteries or with cable.

## // Extreme durability

All NOVAs are made of die casted aluminium which makes them extremely sturdy and shockproof. Also, the NOVAs are designed to endure the rough, wet and dirty conditions of the professional working environment, and withstand even outdoor work in all kinds of weather conditions, as they are completely waterproof (IP67).

## // Designed for efficient workshop use

The COB (chip on board) LED provides a uniform and completely even illumination with colour temperature close to daylight which is particularly effective as work lighting. The light dimmer function makes it possible to adjust the light into five different levels.



Flexible stand



Slim design

## // Various NOVA models

Rechargeable and portable



1500 lumen

Rechargeable with DUAL SYSTEM



3000 / 5000 lumen

**DUAL 2 in 1 SYSTEM**

With cable



3000 / 5000 / 10000 lumen

Rechargeable with DUAL SYSTEM and SCANGRIP POWER SOLUTION exchangeable batteries



4000 / 6000 / 10000 lumen

**SPS7//**  
SCANGRIP POWER SOLUTION

**DUAL 2 in 1 SYSTEM**

Durable work lights designed for ROUGH SERVICE USE

# NOVA R - Portable, handheld rechargeable work light

---

// The hand-held and rechargeable, dimmable NOVA R with USB power bank and integrated magnetic bracket providing up to 1500 lumen

- Rechargeable COB LED work light with maximum light output, up to 1500 lumen
- Ultra-slim and compact design
- Durable for ROUGH SERVICE USE
- Flexible positioning
- Bracket with built-in magnetic function
- Hand carry handle
- Built-in power bank

ORIGINAL  
SCANGRIP



SINCE 1906



## // Portable work light



NOVA R is a universal all-round work light designed for the professional user.

The lamp is remarkably slim, handy and compact with a maximum light output, which can be adjusted accordingly. The light dimmer function makes it possible to adjust the light into five different steps.

The lamp is easy to carry and is ergonomically designed for a good grip on the handle, which is also equipped with powerful integrated magnets for flexible mounting.

Due to the flexible handle the NOVA R can be placed in different positions to obtain the desired lighting angle. The handle is designed for direct mounting on the TRIPOD or the SCAFFOLDING BRACKET.

Featuring the latest and unique COB LED technology, the NOVA R provides extremely high light output, with a uniform and even illumination.

The durable construction approves NOVA R to ROUGH SERVICE USE which makes it perfect for the demanding, rough working environment.



As an extra feature, NOVA R has a built-in power bank with USB outlet to charge mobile devices.



### NOVA R

03.5439

Hand-held and rechargeable, dimmable NOVA with USB power bank and integrated magnetic bracket providing up to 1500 lumen

# NOVA – *The world's most durable work lights*

---

// The original NOVA work lights are the best, most powerful and sturdy COB LED work lights on the market at all. These are universal work lights for the most challenging lighting operations in every rough and demanding working environment.

- Rechargeable versions with advanced DUAL SYSTEM
- Display for battery capacity and remaining operating time
- Integrated carrying handle
- BLUETOOTH light control app for NOVA 10K



// Designed for efficient workshop use



The light dimmer function makes it possible to adjust the light into five different levels. With the integrated carrying handle, it is convenient to hand carry the lamp. The flexible stand can be used as a hanger and to position the lamp in the desired lighting angle. The stand is designed for direct mounting on the SCANGRIP TRIPOD.

EU DESIGN  
PATENT  
2954123



// Rechargeable NOVA's

The NOVA's with the unique DUAL SYSTEM are both rechargeable and with cable providing you unlimited application possibilities. The DUAL SYSTEM connection is improved for easier and faster mounting and disconnecting the cable. The rechargeable versions are also supplied with a user-friendly display showing both battery capacity and the remaining operating time.



**NOVA 3K C+R**

03.5441

Work light with DUAL SYSTEM providing up to 3000 lumen

**DUAL 2 in 1 SYSTEM**



**NOVA 5K C+R**

03.5443

Work light with DUAL SYSTEM providing up to 5000 lumen

**DUAL 2 in 1 SYSTEM**



// NOVA's with cable

The NOVA range offers 3 cable models, all providing extremely powerful illumination. With a light output of up to 10000 lumen, NOVA 10K is the most powerful SCANGRIP lamp designed for the most challenging lighting operations.

With the integrated BLUETOOTH light control feature you can easily control up to four work lights. The light control also makes it possible to turn on/off the lamp and adjust the light output to suit the work task in question. The BLUETOOTH application is perfect when working with one or more hard-to-reach lamps, for example positioned on the SCANGRIP TRIPOD.



**NOVA 3K**

03.5440

Work light with 5 m cable providing up to 3000 lumen



**NOVA 5K**

03.5442

Work light with 5 m cable providing up to 5000 lumen



**NOVA 10K**

03.5444



Work light with wireless light control and 5 m cable providing up to 10000 lumen

**LIGHT CONTROL**



**Bluetooth®**

On/off dimmer control

# NOVA SPS - *New ground-breaking work light range*

// SCANGRIP is proud to present the world's most powerful and sturdy work lights with the new innovative SPS battery system providing unlimited availability to light with new, patented SCANGRIP POWER SOLUTION

- DUAL SYSTEM 2in1 with exchangeable battery pack - use both rechargeable with battery or with power supply from the battery charger
- Integrated backup battery functionality - up to 1h use with 1000 lumen without battery or cable
- Display for battery capacity and remaining operating time
- BLUETOOTH light control app with extended functionality



EU DESIGN  
PATENT  
5597010



Built-in power bank



Always light. Never left in the dark.



Use battery charger directly on the lamp as power supply



Change battery



Charging exchangeable battery

## // SCANGRIP POWER SOLUTION

SCANGRIP has taken advantage of new, high performance battery technologies and invented an innovative concept of flexible and reliable power supply. The unique, patented concept is called: SCANGRIP POWER SOLUTION and provides you with unlimited availability to light.

Easily you can insert a new, fully charged battery and continue the work while another battery is charging. Or you can simply add the charger directly to the lamp to get power supply. The integrated battery backup function prevents you from being without light at any time.

## // Always light. Never left in the dark

With the new, innovative SPS system you will never experience being completely without light and left in total darkness. No matter how limited your access is to power supply the SPS ensures that you always have the necessary light to carry out your job. SPS provides complete freedom, flexibility and maximum work efficiency.



### BLUETOOTH - Light control app

- Dimmer light output into 5 levels 10%-100%
- Switch on/off
- Renaming individual lamps
- Assign pin code
- Check battery level
- Control up to 4 lamps

Compliant with iPhone 5 or higher / Android 5.0 or higher.

**NEW**



### NOVA 4 SPS

03.6000



Work light with SPS and BLUETOOTH providing up to 4000 lumen. Incl exchangeable battery and charger

### NOVA 6 SPS

03.6001



Work light with SPS and BLUETOOTH providing up to 6000 lumen. Incl exchangeable battery and charger

### NOVA 10 SPS

03.6002



Work light with SPS and BLUETOOTH providing up to 10000 lumen. Incl exchangeable battery and charger

# STANDS and SUSPENSIONS

// Designed for direct mounting of the NOVA work lights and STAR without bracket. Made of durable and sturdy powder coated steel for both indoor and outdoor use





## // High stability tripod

The SCANGRIP TRIPOD is indispensable for stationary positioning of the work light for illumination in a specific working area. The SCANGRIP TRIPOD is extendable from only 1.35 m up to 3 m which gives you complete flexibility to position the light in the requested height.

The stable construction of the SCANGRIP TRIPOD makes it safe even when fully extended. To increase safety when in use the cable of the lamp can be fixed in the safety clips placed on each separate leg.

## // Wheel stand for mobile positioning

The SCANGRIP WHEEL STAND is developed for mobile positioning of the work light typically in the workshop. It makes it easy to move the light to where you need it, and at the same time you avoid uncomfortable and heavy lifting from one workplace to the other. When the job is done the stand can easily and fast be put aside.

The SCANGRIP WHEEL STAND is extendable from only 0.7 m up to 1.9 m which gives you complete flexibility to position the light in the requested height. The 3 wheels are sturdy and of high quality and roll easily even on uneven surfaces. 2 of the wheels are lockable to secure a safe and fixed position.



**NEW**

### MAGNET BRACKET

03.5390



For flexible positioning of the work light on any magnetic surface

### MAGNET BRACKET - Large

03.5391



For flexible positioning of the large NOVA 10K, NOVA 6 SPS, and NOVA 10 SPS on any magnetic surface



### WHEEL STAND

03.5433

### SCAFFOLDING BRACKET


03.5341



For flexible positioning on scaffoldings or any round object ø40-50 mm

### DUAL BRACKET

03.5308



Dual bracket for positioning of two lamps available for NOVA work lights and STAR

# FLASH series

// Sturdy and powerful flashlights with Alkaline batteries

With focus function for concentrated and focused light beam ranging from 10° to 70°. FLASH 100, 200 and 300 include wrist strap and a practical nylon belt pouch



## FLASH 200

03.5106  
Flashlight  
providing  
200 lumen



## FLASH 300

03.5107  
Flashlight  
providing  
300 lumen



## FLASH PEN

03.5110  
Pencil flashlight  
providing 100 lumen



## FLASH MINI

03.5102  
Small pocket-sized flashlight  
providing 50 lumen in 12 pcs  
sales display



## FLASH 100

03.5105  
Flashlight  
providing  
130 lumen



ORIGINAL  
SCANGRIP

SINCE 1906

# FLASH R series

// Rechargeable, sturdy and powerful flashlights of extraordinary high quality

- Rechargeable with USB cable
- Sturdy and durable aluminium housing
- Focus function ranging beam angle from 10°-70°
- FLASH 200 R and 400 R include silicone wrist strap and practical nylon belt pouch
- Easy exchange of rechargeable battery

EU DESIGN  
PATENT  
2704684



## FLASH 400 R

03.5128  
Rechargeable  
flashlight  
providing  
400 lumen

## FLASH PEN R

03.5120  
Rechargeable pencil  
flashlight providing  
100 lumen

## FLASH 200 R

03.5126  
Rechargeable  
flashlight  
providing  
200 lumen




## FLASH 12V

03.5124  
Rechargeable  
flashlight  
providing  
130 lumen



### Rechargeable flashlight

The pocket sized FLASH 12V is designed to easily charging directly from the cigarette lighter socket in your car - no need of charger device, cable, or batteries!



FLASH 12V will be supplied with a handle for a more firm grip. The handle can easily be dismantled when charging



# LINE LIGHT - *Unique lighting concept*

---

// LINE LIGHT is a flexible lighting solution for universal application designed for use anywhere where strong, efficient and concentrated light in a specific working area is needed

- “Unbreakable” - extremely sturdy and shockproof
- Waterproof to resist wet and dirty workshop environment
- Low voltage 24V DC
- Technical lifetime of LEDs 100,000 hours
- Made in Denmark



ORIGINAL  
SCANGRIP



SINCE 1906

MADE IN DENMARK

PATENT PROTECTED

## // Bright illumination exactly where you need it

By means of a built-in prism, LINE LIGHT concentrates the light in a 75° beam angle providing an extremely bright and powerful illumination of the specific working area. Blinding during work is avoided, and the lamp itself can be turned to provide the optimum lighting angle.

EU DESIGN  
PATENT  
1882523

## // Innovative LED technology

The LINE LIGHT series is based on the newest state-of-the-art LED technology. LINE LIGHT provides almost double illumination compared to the traditional 36W fluorescent tubes which are commonly used within the industry. The quality of the light is extremely powerful, like daylight which is optimum for precise recognition of colours, shades and other product details. The uniform, flicker free illumination without strobe effects also minimizes the risk of accidents.

## // Extreme durability

LINE LIGHT is constructed by a closed "unbreakable" extruded acrylic profile which makes it extremely sturdy and shockproof to endure even strong strokes, shocks and vibrations from industrial machinery. LINE LIGHT endures the rough, wet and dirty conditions of the professional working environment within the industry and is resistant to both oil and chemicals. The IP67 classification means that it is resistant to both dust and water. LINE LIGHT is completely maintenance free.

## // Reduced power consumption

Compared to traditional fluorescent tube lighting LINE LIGHT only consumes half the amount of electricity which presents serious cost savings on electricity.

## // Dimmer



With the new dimmer function it is possible to adjust the light intensity stepless from 1-100% to meet individual working conditions. LINE LIGHT 2-POST and LINE LIGHT 4 is delivered incl. dimmer, and can also be bought separately and retrofitted on all existing LINE LIGHT installations.

BEAM  
ANGLE  
75°



IP67

ULTRA  
SLIM  
DESIGN  
Ø25mm

1:1



# FLEXIBLE lighting solution for 2-post lifts and mobile column lifts

ORIGINAL  
SCANGRIP



SINCE 1906


MADE IN DENMARK

LINE LIGHT 2-POST is a universal all-in-one solution always available at hand and ready to use when needed.

The lighting unit can be positioned everywhere underneath the car with magnets and can be moved under the car to the actual repair work.

Due to the 5 m spiral cable, the lamp can easily be used for illumination around the entire car, or as a dedicated lamp for engine bay or wheel arch illumination.

- Fits all 2-post lifts and mobile column lifts regardless of type
- Designed to be mounted on existing lifts
- Integrated part of lift
- Easy and uncomplicated to mount
- No drilling in the lift construction
- Incl. DIMMER function



## LINE LIGHT 2-POST

03.5225



FLEXIBLE MAGNETIC SUSPENSION



# COMPLETE lighting solution for automotive lifts


- Extremely powerful illumination of working area
- Improves work efficiency and working conditions
- Avoid blinding the mechanic during work
- Adjustable lighting angle

## // Compact design

LINE LIGHT provides an extremely bright and powerful illumination of the entire undercarriage - almost double illumination compared to traditional 36W fluorescent tubes. The slim and compact design leaves space for the center jack to pass.

## // Easy DIY installation

As LINE LIGHT is a low operating voltage (24V DC) system, you can easily do the installation yourself. All basic fittings are supplied with each kit together with power supply and cable. The pre-defined LINE LIGHT kits are considered universal and will fit the majority of all automotive 4-post lifts, regardless of the manufacturer or brand.



## 4-POST LIFTS

BEAM  
ANGLE  
75°



Blinding of the mechanic during work is avoided, and the lamp itself can be turned to provide the optimum lighting angle during work.



Example of LINE LIGHT 6 solution mounted in a truck mechanic's pit

### LINE LIGHT 1

03.5203

1 complete lighting unit 1630mm incl 25W power supply, cable and suspension providing 1400 lumen

### LINE LIGHT 2

03.5202

2 complete lighting units 1234mm each providing 1000 lumen, incl 80W power supply, cable and suspension

### LINE LIGHT 4

03.5201

4 complete lighting units 1630mm each providing 1400 lumen, incl 80W power supply, cable, suspension and DIMMER function

### LINE LIGHT 6



03.5200

6 complete lighting units 1630mm each providing 1400 lumen, incl 2 pcs 80W power supply, cable and suspension

# FLEXIBLE lighting units for customized installations

The LINE LIGHT lighting units are available in different lengths which can either be used alone or connected in a string to fit all kinds of application.

The lighting units can be combined exactly the way you want offering a flexible lighting solution.



## // Flexibility that meets your specific needs

Combine lighting units with power supply, cable and suitable suspensions. A range of flexible suspensions makes it possible to position the lighting units exactly where you need it.

# DESIGN YOURSELF

			
<u>LINE LIGHT 75</u>	<u>LINE LIGHT 120</u>	<u>LINE LIGHT 160</u>	<u>LINE LIGHT 200</u>
03.5221	03.5222	03.5223	03.5224
Lighting unit 838mm providing 550 lumen	Lighting unit 1234mm providing 900 lumen	Lighting unit 1630mm providing 1300 lumen	Lighting unit 2027mm providing 1600 lumen







## MAG series



	MAG PEN 3	MINI MAG PRO <b>NEW</b>	MAG <b>Upgraded 2019</b>	MAG PRO <b>NEW</b>
Product number	03.5116	03.5692	03.5400	03.5690
Light source	7 SMD LED Spot: 1x CREE XP-G2 R5	COB LED Spot: High power LED	10 SMD LEDs Spot: High power LED	COB LED Spot: High power LED
Luminous flux, lumen	80 Spot: 60	20-200 Spot: 80	150-300 Spot: 80	60-600 Spot: 150
Illuminance, lux@0.5 m	110 Spot: 1500	35-350 Spot: 700	250-500 Spot: 850	90-900 Spot: 2000
Adjustable light output	No	Stepless	2 levels	Stepless
CRI	Ra > 80	Ra > 80	Ra > 80	Ra > 80
CCT	6000K	6500K	6000K	6000K
Operating time, h	Up to 2	Up to 20	Up to 5	Up to 15
Charging time, h	1.5	3	4	4
Battery	3.7V / 750 mAh Li-ion	3.7V / 1200 mAh Li-ion	3.7V / 2200 mAh Li-ion	3.7V / 2600 mAh Li-ion
Protection class	IP20	IP54	IP20	IP54
Impact resistance	1 m	1 m	-	1m
Cable	1.8 m USB	1 m USB	1 m USB	1 m USB
Operating voltage AC	-	-	-	-
Charging voltage/current DC	5V / 1A	5V / 1A	5V / 1A	5V / 1A
Power consumption	Max 2W	Max 2.5W	Max 3.5W	Max 6.5W
Charger incl.	No	No	Country depended	Country depended
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	174 x 31 x 21 mm	202 x 40 x 28 mm	260 x 61 x 43 mm	260 x 62 x 44 mm
Net weight	98 g	157 g	252 g	326 g

## UNIFORM series



	UNIPEN	MINIFORM	UNIFORM	SUPERFORM	UV-FORM
Product number	03.5420	03.5404	03.5407	03.5406	03.5408
Light source	COB LED Spot: High power LED	COB LED Spot: High power LED	COB LED Spot: High power LED	COB LED	COB LED Spot: High power UV-light
Luminous flux, lumen	75-150 Spot: 75	100-200 Spot: 75	250-500 Spot: 175	750	125-250 Spot: UV
Illuminance, lux@0.5 m	125-250 Spot: 900	100-200 Spot: 800	475-950 Spot: 6000	1000	200-400 Spot: UV
Adjustable light output	2 levels	2 levels	2 levels	No	2 levels
Beam angle	-	110°	-	-	-
CRI	Ra > 80	Ra > 80	Ra > 80	Ra > 80	Ra > 80
CCT	6000K	6000K	6000K	6000K	6000K
Operating time, h	Up to 4	Up to 6	Up to 4.5	-	Up to 5
Charging time, h	2.5	3	5	-	3
Battery	3.7V / 750 mAh Li-ion	3.7V / 1600 mAh Li-ion	3.8V / 3000 mAh Li-ion	-	3.7V / 1600 mAh Li-ion
Protection class	IP65	IP65	IP65	IP54 / IK08	IP20
Impact resistance	-	1 m	-	-	-
Cable	1 m USB	1 m USB	1 m USB	5 m H05RN-F 2x1 mm	1 m USB
Operating voltage AC	-	-	-	100-240V	-
Charging voltage/current DC	5V / 1A	5V / 1A	5V / 1A	-	5V / 1A
Power consumption	Max 1.5W	Max 1.5W	Max 6W	Max 8W	Max 3W
Charger incl.	No	Country depended	Country depended	-	Country depended
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	155 x 27 x 21 mm	121 x 59 x 27 mm	190 x 60 x 32 mm	270 x 49 x 31mm	157 x 59 x 31 mm
Net weight	92 g	138 g	263 g	710 g	180 g

## SLIM series



	MINI SLIM	SLIM
Product number	03.5610	03.5612
Light source	COB LED Spot: High power LED	COB LED Spot: High power LED
Luminous flux, lumen	100-200 Spot: 100	250-500 Spot: 100
Illuminance, lux@0.5 m	150-400 Spot: 5200	400-800 Spot: 4800
Adjustable light output	2 levels	2 levels
CRI	Ra > 80	Ra > 80
CCT	6000K	6000K
Operating time, h	Up to 5	Up to 5
Charging time, h	3	4.5
Battery	3.7V/1200 mAh Li-ion	3.8V/2800 mAh Li-ion
Protection class	IP30	IP30
Impact resistance	1 m	1 m
Cable	1 m USB	1 m USB
Operating voltage AC	-	-
Charging voltage/current DC	5V / 1A	5V / 1A
Power consumption	Max 2W	Max 4W
Charger incl.	Country depended	Country depended
Temperature	-10° to +40°C	-10° to +40°C
Dimensions	132 x 41 x 30 mm	165 x 44 x 28 mm
Net weight	101 g	224 g

## LINE LIGHT inspection



	LINE LIGHT C+R	LINE LIGHT R
Product number	03.5243	03.5244
Light source	24 SMD LED Spot: CREE XP-G2	16 SMD LED Spot: CREE XP-G2
Luminous flux, lumen	600 Spot: 150	400 Spot: 150
Illuminance, lux@0.5 m	1300 Spot: 1500	900 Spot: 1500
Adjustable light output	No	No
Beam angle	75° Spot: 50°	75° Spot: 50°
CRI	Ra > 80	Ra > 80
CCT	6000K	6000K
Operating time, h	Up to 2.5 Spot: 8	Up to 1.5 Spot: 4
Charging time, h	4	6
Battery	3.7V / 5200 mAh Li-ion	3.7V / 2600 mAh Li-ion
Protection class	IP65 / IK07	IP65 / IK07
Impact resistance	-	-
Cable	5 m / 2x1 mm <sup>2</sup> H05RN-F	1 m USB
Operating voltage AC	-	-
Charging voltage/current DC	4.2V / 3.5A	5V / 1A
Power consumption	Max 8W	Max 5.5W
Charger incl.	Yes	Country depended
Temperature	-10° to +40°C	-10° to +40°C
Dimensions	ø25 x 461 mm	ø25 x 357 mm
Net weight	300 g	220 g

## LINE LIGHT bonnet

LINE LIGHT BONNET C+R
03.5240
48 SMD LED
500-1000
1000-2000
2 levels
75°
Ra > 80
6000K
Up to 3
4
3.7V / 5200 mAh Li-ion
IP65 / IK07
-
5 m / 2x1.0 mm <sup>2</sup> H05RN-F
-
4.2V / 3.5A
Max 13W
Yes
-10° to +40°C
ø25 x 1017 mm
470 g (980 g incl. rack)

## Headlamps



	ZONE	I-VIEW	NIGHT VIEW <b>NEW</b>
Product number	03.5426	03.5026	03.5438
Light source	COB LED	COB LED	Ultra high CRI + COB LED
Luminous flux, lumen	75-150	125-250	80-160
Illuminance, lux@0.5 m	200-400	400-600	250-500
Adjustable light output	2 levels	2 levels	2 levels
Beam angle	120° / 60°	120° / 60°	120° / 60°
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000K	6000K	6500K RED 632nm
Operating time, h	Up to 4	Up to 5	Up to 5
Charging time, h	3	3	4
Battery	3.7V/800 mAh Li-on	3.8V / 1600 mAh Li-poly	3.8V / 1600 mAh Li-poly
Protection class	IP30	IP65 / IK07	IP65 / IK07
Impact resistance	1 m	1 m	1 m
Cable	1 m USB	1 m USB	1 m USB
Operating voltage AC	-	-	-
Charging voltage/current DC	5V / 1A	5V / 1A	5V / 1A
Power consumption	Max 2W	Max 3W	Max 3W
Charger incl.	No	Country depended	Country depended
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	95 x 34 x 35 mm	105 x 52 x 43 mm	105 x 52 x 43 mm
Net weight	66 g	260 g	260 g

## STAR





	STAR
Product number	03.5620
Light source	COB LED
Luminous flux, lumen	500-1000
Illuminance, lux@0.5 m	800-1600
Adjustable light output	2 levels
Beam angle	-
CRI	Ra > 80
CCT	6000K
Operating time, h	Up to 5
Charging time, h	6
Battery	3.7V/5200 mAh Li-ion
Protection class	IP65
Impact resistance	-
Cable	1 m USB
Operating voltage AC	-
Charging voltage/current DC	5V / 1A
Power consumption	Max 8.5W
Charger incl.	Country depended
Temperature	-10° to +40°C
Dimensions	156 x 103 x 98 mm
Net weight	710 g

## SOUND LED S



	SOUND LED S <b>NEW</b>
Product number	03.5900
Light source	COB LED
Luminous flux, lumen	300-600
Illuminance, lux@0.5 m	1000-2000
Adjustable light output	2 levels
Beam angle	-
CRI	Ra > 80
CCT	6000K
Operating time, h	Up to 6
Charging time, h	5
Battery	3.7V / 5200 mAh Li-ion
Protection class	IP65 / IK07
Impact resistance	-
Cable	1 m USB
Operating voltage AC	100-240V AC
Charging voltage/current DC	5V DC / 2A
Power consumption	Max 7W
Charger incl.	Yes
Temperature	-10° to +40° C
Dimensions	92 x 86 x 74 mm
Net weight	430 g



## NOVA rechargeable series



	NOVA R	NOVA 3K C+R	NOVA 5K C+R
Product number	03.5439	03.5441	03.5443
Light source	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED
Luminous flux, lumen	150-1500	300-3000	500-5000
Illuminance, lux@0.5 m	200-2000	500-5000	8000
Adjustable light output	5 levels	5 levels	5 levels
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000K	6000K	6000K
Operating time, h	Up to 10	Up to 14	Up to 12
Charging time, h	3.5	2	2
Battery	3.7V / 5400 mAh Li-ion	11.1V / 4400 mAh Li-ion	11.1V / 5200 mAh Li-ion
Protection class	IP67 / IK07	IP67 / IK07	IP67 / IK07
Impact resistance	1 m	-	-
Cable	1 m USB	5 m / 2x0,75 mm <sup>2</sup> H05RN-F	5 m / 2x0,75 mm <sup>2</sup> H05RN-F
Operating voltage AC	-	-	-
Charging voltage/current DC	5V / 2A	12.6V / 2.4A	12.6V / 4.3A
Power consumption	Max 16.5W	Max 26W	Max 42W
Charger incl.	Yes	Yes	Yes
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	163 x 63 x 163 mm	235 x 88 x 233 mm	267 x 87 x 262 mm
Net weight	705 g	1.72 kg	2.12 kg

## NOVA cable series



	NOVA 3K	NOVA 5K	NOVA 10K
Product number	03.5440	03.5442	03.5444
Light source	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED
Luminous flux, lumen	300-3000	500-5000	1000-10000
Illuminance, lux@0.5 m	500-5000	800-8000	16000
Adjustable light output	5 levels	5 levels	5 levels
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000K	6000K	6000K
Operating time, h	-	-	-
Charging time, h	-	-	-
Battery	-	-	-
Protection class	IP67 / IK07	IP67 / IK07	IP67 / IK07
Impact resistance	-	-	-
Cable	5 m / 3x1 mm <sup>2</sup> H05RN-F	5 m / 3x1 mm <sup>2</sup> H05RN-F	5 m / 3x1 mm <sup>2</sup> H05RN-F
Operating voltage AC	100-240V	100-240V	100-240V
Charging voltage/current DC	-	-	-
Power consumption	Max 26W	Max 42W	Max 84W
Charger incl.	-	-	-
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	235 x 88 x 233 mm	267 x 87 x 262 mm	302 x 102 x 298 mm
Net weight	2.15 kg	2.66 kg	4 kg

## NOVA SPS series



	NOVA 4 SPS <b>NEW</b>	NOVA 6 SPS <b>NEW</b>	NOVA 10 SPS <b>NEW</b>
Product number	03.6000	03.6001	03.6002
Light source	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED
Luminous flux, lumen	400-4000	600-6000	1000-10000
Illuminance, lux@0.5 m	600-6000	900-9000	1600-16000
Adjustable light output	5 levels	5 levels	5 levels
Beam angle	115°	115°	115°
CRI	Ra > 80	Ra > 80	Ra > 80
CCT	6000K	6000K	6000K
Operating time, h	Up to 15	Up to 20	Up to 10
Charging time, h	1.5*	2*	1.5*
Battery	11.1V / 4000 mAh Li-ion	11.1V / 8000 mAh Li-ion	11.1V / 8000 mAh Li-ion
Protection class	IP67 / IK07	IP67 / IK07	IP67 / IK07
Impact resistance	1 m	1 m	1 m
Charging voltage/current DC	12.6V / 2.8A	12.6V / 4A	12.6V / 6.8A
Power consumption	Max 30W	Max 45W	Max 75W
Battery incl.	SPS BATTERY 03.6003	SPS BATTERY 03.6004	SPS BATTERY 03.6004
Charger incl.	SPS CHARGING SYSTEM 35W 03.6006	SPS CHARGING SYSTEM 50W 03.6007	SPS CHARGING SYSTEM 85W 03.6008
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	240 x 230 x 104 mm	270 x 260 x 120 mm	305 x 290 x 125 mm
Net weight	1.97 kg	2.69 kg	3.6 kg

## SCANGRIP POWER SOLUTION accessories



	SPS BATTERY 4Ah	SPS BATTERY 8Ah	SPS CHARGING SYSTEM 35W	SPS CHARGING SYSTEM 50W	SPS CHARGING SYSTEM 85W
Product number	03.6003	03.6004	03.6006	03.6007	03.6008
Battery	11.1V / 4000 mAh Li-ion	11.1V / 8000 mAh Li-ion	-	-	-
Charging voltage, current DC	12.6V / 2.8A	12.6V / 6.8A	12.6V / 2.8A	12.6V / 4A	12.6V / 6.8A
Cable	-	-	5 m / 2x0,75 mm <sup>2</sup> H05RN-F	5 m / 2x0,75 mm <sup>2</sup> H05RN-F	5 m / 2x0,75 mm <sup>2</sup> H05RN-F
Charger input voltage	-	-	100-240V AC 50/60Hz	100-240V AC 50/60Hz	100-240V AC 50/60Hz
Power consumption	-	-	Max 35W	Max 50W	Max 85W
Charging time, h	1.5*	1.5*	-	-	-
Protection class	IP67 / IK07	IP67 / IK07	IP67 / IK07	IP67 / IK07	IP67 / IK07
Impact resistance	1 m	1 m	1 m	1 m	1 m
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	103 x 75 x 40 mm	103 x 75 x 62 mm	139 x 75 x 40 mm	139 x 75 x 49 mm	139 x 75 x 49 mm
Net weight	320 g	560 g	650 g	700 g	760 g

\* 80%

Designed by us. Manufactured by us.



## FLASH series

	FLASH PEN	FLASH 100	FLASH 200	FLASH 300	FLASH MINI
Product number	03.5110	03.5105	03.5106	03.5107	03.5102
Light source	CREE XP-G	CREE XP-G	CREE XP-G	CREE XP-G	High power LED
Luminous flux, lumen	100	130	200	300	50
Illuminance, lux@0.5 m	300-4000	800-12000	800-22000	1200-35000	2000
Adjustable light output	No	No	No	No	No
Beam angle	10°-70°	10°-70°	10°-70°	10°-70°	10°
Beam distance	Up to 75 m	Up to 125 m	Up to 180 m	Up to 210 m	Up to 50 m
CRI	Ra > 70	Ra > 70	Ra > 70	Ra > 70	Ra > 65
CCT	6000K	6000K	6000K	6000K	-
Operating time, h	Up to 6	Up to 7	Up to 3	Up to 9	Up to 10
Charging time, h	-	-	-	-	-
Battery	2xAAA / 1.5V Alkaline	3xAAA / 1.5V Alkaline	2xC / 1.5V Alkaline	3xC / 1.5V Alkaline	3xAAA / 1.5V Alkaline
Protection class	IP54	IP54	IP54	IP54	IP54
Impact resistance	1 m	1 m	1 m	1 m	1 m
Cable	-	-	-	-	-
Operating voltage AC	-	-	-	-	-
Charging voltage/current DC	-	-	-	-	-
Power consumption	Max 2.5W	Max 2.5W	Max 4W	Max 5W	Max 1W
Charger incl.	-	-	-	-	-
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	148 x 20 x 16 mm	ø32 x 111 mm	ø40 x 165 mm	ø42 x 216 mm	ø28 x 102 mm
Net weight	60 g	130 g	238 g	550 g	84 g



## FLASH R series

	FLASH 12V	FLASH PEN R	FLASH 200 R	FLASH 400 R
Product number	03.5124	03.5120	03.5126	03.5128
Light source	LED light	CREE XP-G2	CREE XP-G2	CREE XM-L2
Luminous flux, lumen	> 130	100	200	400
Illuminance, lux@0.5 m	> 900-8000	500-800	1000-15000	1500-25000
Adjustable light output	No	No	No	No
Beam angle	10°-70°	10°-70°	10°-70°	10°-70°
Beam distance	Up to 100 m	Up to 90 m	Up to 200 m	Up to 280 m
CRI	> 70	> 70	> 70	> 65
CCT	6000K	6000K	6000K	6000K
Operating time, h	Up to 1	Up to 2	Up to 2	Up to 2
Charging time, h	2	4	6	6
Battery	3.7V 550 mAh Li-ion	3.7V / 1100 mAh Li-ion	3.7V / 2600 mAh Li-ion	3.7V / 2600 mAh Li-ion
Protection class	IP30	IP30	IP30	IP30
Impact resistance	1 m	1 m	1 m	1 m
Cable	Cigarette Plug Connector	1 m USB	1 m USB	1 m USB
Operating voltage AC	-	-	-	-
Charging voltage/current DC	10-28V	5V / 1A	5V / 1A	5V / 1A
Power consumption	-	-	-	-
Charger incl.	-	Country depended	Country depended	Country depended
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	ø30 x 105 mm	ø18.8 x 160 mm	ø38 x 160 mm	ø42 x 179 mm
Net weight	106 g (118 g with cover)	85 g	230 g	420 g

## LINE LIGHT series



	LINE LIGHT 2-POST	LINE LIGHT 1	LINE LIGHT 2	LINE LIGHT 4	LINE LIGHT 6
Product number	03.5225	03.5203	03.5202	03.5201	03.5200
Light source	2 x 96 SMD LED	216 SMD LED	2 x 156 SMD LED	4 x 216 SMD LED	6 x 216 SMD LED
Luminous flux, lumen	2 x 600	1400	2 x 1000	4 x 1400	6 x 1400
Illuminance, lux@0.5 m	2 x 1300	1600	2 x 1600	4 x 1600	6 x 1600
Adjustable light output	Stepless	No	No	Stepless	No
Beam angle	75°	75°	75°	75°	75°
CRI	Ra > 80	Ra > 80	Ra > 80	Ra > 80	Ra > 80
CCT	6000K	6000K	6000K	6000K	6000K
Operating time, h	-	-	-	-	-
Charging time, h	-	-	-	-	-
Battery	-	-	-	-	-
Protection class	IP67 / IK07	IP67 / IK07	IP67 / IK07	IP67 / IK07	IP67 / IK07
Impact resistance	-	-	-	-	-
Cable	8 m / H03VV-F 2x0.5 mm <sup>2</sup>	8 m / H03VV-F 2x0.5 mm <sup>2</sup>	8 m / H03VV-F 2x0.5 mm <sup>2</sup>	8 m / H03VV-F 2x0.5 mm <sup>2</sup>	8 m / H03VV-F 2x0.5 mm <sup>2</sup>
Operating voltage AC	-	-	-	-	-
Charging voltage/current DC	24V	24V	24V	24V	24V
Power consumption	Max 2x9W	Max 20W	Max 2x15W	Max 4x20W	Max 6x20W
Charger incl.	-	-	-	-	-
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	2 x ø25 x 770 mm	ø25 x 1630 mm	2 x ø25 x 1234 mm	4 x ø25 x 1630 mm	6 x ø25 x 1630 mm
Net weight	2.9 kg	1.4 kg	2.1 kg	4.5 kg	8 kg

## LINE LIGHT series




	LINE LIGHT 75	LINE LIGHT 120	LINE LIGHT 160	LINE LIGHT 200
Product number	03.5221	03.5222	03.5223	03.5224
Light source	96 SMD LED	156 SMD LED	216 SMD LED	276 SMD LED
Luminous flux, lumen	600	1000	1400	1800
Illuminance, lux@0.5 m	1300	1600	1600	1600
Adjustable light output	No	No	No	No
Beam angle	75°	75°	75°	75°
CRI	Ra > 80	Ra > 80	Ra > 80	Ra > 80
CCT	6000K	6000K	6000K	6000K
Operating time, h	-	-	-	-
Charging time, h	-	-	-	-
Battery	-	-	-	-
Protection class	IP67 / IK07	IP67 / IK07	IP67 / IK07	IP67 / IK07
Impact resistance	-	-	-	-
Cable	-	-	-	-
Operating voltage AC	-	-	-	-
Charging voltage/current DC	24V	24V	24V	24V
Power consumption	Max 9W	Max 15W	Max 20W	Max 26W
Charger incl.	-	-	-	-
Temperature	-10° to +40°C	-10° to +40°C	-10° to +40°C	-10° to +40°C
Dimensions	ø25 x 838 mm	ø25 x 1234 mm	ø25 x 1630 mm	ø25 x 2027 mm
Net weight	500 g	600 g	700 g	800 g

Combine LINE LIGHT lighting units with power supply, cable and suitable suspensions. A range of flexible suspensions makes it possible to position the lighting units exactly where you need it. Go to our website to see all accessories available.



## // Certified and strictly approved

SCANGRIP's expert staff make sure that our lights meet all standards and regulations. Our work lights are manufactured at our own factories and subject to strict quality controls in full compliance with local regulations. Our lights meet the highest standards and are certified according to EU's regulations, directives, and harmonized standards. We are ISO9001 certified by Bureau Veritas.



## // Chargers for all countries

Electrical plugs and voltages differ from country to country around the world. SCANGRIP offers chargers to all country variants worldwide. Go to our website for a complete list of chargers for our rechargeable work lights and all other accessories available.



All Alkaline products are tested according to the ANSI/NEMA FL-1 standard



Designed by us. Manufactured by us.

# SPECIALIZED WORK LIGHT SOLUTIONS

Light is an important tool for many tasks. We take that very seriously when developing specialist lights for niche markets – such as lights for explosive working areas or lights for the painting and detailing industries.



EXPLOSION PROOF



DETAILING AND COLOUR MATCH



**NEW**



UV CURING



Designed by us. Manufactured by us.

// SCANGRIP is Europe's leading manufacturer of work lights for professionals providing the strongest and most comprehensive ranges of work lights with the latest LED lighting technology available on the market.

SCANGRIP is innovation from Denmark: All products are designed and developed by SCANGRIP in Denmark and manufactured at our own factories.

SCANGRIP receives strong recognition in the marketplace for its product design, and the products are known for their high quality.

SCANGRIP strives for perfection, and is continuously optimizing and improving light output, battery capacity, design and ergonomics, durability, user-friendliness and functionality. The aim is to set new standards for professional work lights.

SCANGRIP was established in 1906 and has been manufacturing high quality hand tools for the industrial and automotive sectors for more than 110 years.