

WORK LIGHTS



LIGHTING SOLUTIONS
FOR HIGH PERFORMANCE

LIGHTING SOLUTIONS FOR HIGH PERFORMANCE

Work light of the future

The sophisticated SCANGRIP work lights are second-to-none and made for the real professional who needs the best tool he can get for the task. The full product line-up covers all kinds of work light solutions with superior quality across the entire range. These are lights made for work and built to last.

Latest technologies for best performance

SCANGRIP constantly push back the boundaries of LED lighting and battery technology, creating new cutting-edge work lights. We always reach for that extra brightness, that extra operation time, those little touches that make a real difference when you need the best work light you can get. We guarantee to provide you with only premium products for optimal performance.



Extreme durability and functional design

At SCANGRIP we are dedicated to the design and feel of our products. This, combined with a desire to constantly improve and innovate make a breeding ground for new developments. We want to offer you the best working tool at all.

SCANGRIP work lights are extremely durable and made to last and do the job again and again. The entire product line is sturdy and endures the really demanding working environment which expose both the professional worker and his tools to rough, wet, and dirty conditions. The lights are covered by a high IP protection level to resist even outdoor use in all kinds of weather.

Extended warranty

Every SCANGRIP work light is manufactured at our own factories and subject to strict quality controls. Our lights meet the highest quality standards and are built to last. They are so good that we offer a warranty extension. All SCANGRIP work lights come with a 3-year warranty. Because we stand by the products we offer.



Designed by us. Manufactured by us.

// The "ORIGINAL SCANGRIP" symbol is your guarantee that the product is designed, developed and made by SCANGRIP and protected by EU design patent.

High quality

SCANGRIP products are known for high quality with a price-to-quality ratio considered to be the best on the market. We have comprehensive quality check procedures, and we are ISO 9001 certified.

Unique design

SCANGRIP receives strong recognition in the marketplace for unique product design. We are inspired by the concept of Danish design and gather ideas from other industries to create new products that have not been seen before.

Europe's leading manufacturer

SCANGRIP provides the strongest and most comprehensive range of durable and functional LED work lights and is Europe's leading and trendsetting manufacturer of work lighting solutions for professionals.

First-mover

SCANGRIP is first-mover and is always two steps ahead when it comes to developing new and innovative LED work lights.

Since 1906

SCANGRIP has manufactured hand tools of very high quality for the industrial and automotive sectors for more than 110 years.

SCANGRIP - work lights of the future



MAG series
06



UNIFORM series
08



SLIM series
10



LINE LIGHT hand lamps
12



LINE LIGHT Bonnet light
14



Headlamps
16



Audio light
20



STAR
22



NOVA series
24



STANDS and SUSPENSIONS
32



FLASH LIGHT series
34



LINE LIGHT concept
36



LINE LIGHT for lifts
38



LINE LIGHT for customized installation
40




Technical specifications
42

MAG - Europe's most bestselling work lights even further improved

// The rechargeable handheld work lights everybody knows – and loves! With significantly improved light output, battery upgrade and even more functionality, the popular MAG work lights offer great value in every workshop operation.

The MAG series consists of universal and powerful multipurpose work lights that all professional users must have!

- Significantly improved with higher lumen output
- Integrated work light and flashlight functionality in one
- Strong built-in magnetic holders and retractable hooks for handsfree operation
- New stepless dimmer function



// Updated and more powerful than ever

Taking advantage of the latest high performance LED technology, the MAG range comprises extremely powerful work lights providing significantly improved light output.

// Multipurpose with cool design

The characteristic and elegant design of the MAG handlamps provides an ergonomic and user-friendly grip. Place anywhere you want with the strong built-in magnetic holders and retractable suspension hooks to obtain complete flexibility. The lamp head is flexible and tilts up to 180 degrees.

// Stepless dimmable



The new MAG PRO replaces MAG 3 and is upgraded with a stepless dimmer function in the range of 10% to 100%. Compared to the previous MAG 3 the lumen output is double and protection class has been upgraded to IP54. New design with battery indicator on front.



MAG

03.5400

Work light with SMD LEDs and spotlight providing 300 lumen

EU DESIGN PATENT
2954123

NEW

Upgraded version 2019



MAG PRO

03.5690

Work light with COB LEDs and spotlight providing 600 lumen

EU DESIGN PATENT
2954123

NEW



MINI MAG PRO

03.5692

Work light with COB LEDs and spotlight providing 200 lumen

EU DESIGN PATENT
3451038

NEW



// Rechargeable inspection penlight

MAG PEN 3 is improved in lumen output and functionality, providing powerful illumination both from the lamp head and precision top light.

The design is compact allowing access in the most inaccessible places. It comes with built-in magnets both in the turnable clips and at the bottom for flexible positioning.



MAG PEN 3

03.5116

Pencil work light with SMD LEDs and spotlight providing 80 lumen



UNIFORM - *Extremely durable work lights*

// Upgraded to highest possible performance

SCANGRIP is introducing upgraded and improved versions of the entire UNIFORM work light series.

The COB LED strip lights provide a unique, powerful and completely uniform illumination which is ideal for all demanding work operations.

The entire series has also been upgraded to IP65.

- Rechargeable COB LED work light series
- Completely uniform and powerful illumination
- Extremely durable and sturdy
- Waterproof, IP65
- Rechargeable with USB cable



UNIFORM

03.5407

Work light with top flashlight providing up to 500 lumen

Extremely durable work lamp

In this product range UNIFORM is the big brother offering all the functionality you can dream of. Soon it will become your favourite, multifunctional work light. Extremely durable and powerful.

An intelligent battery indicator at the front keeps you informed about the battery level. 2-step operating option:

Step 1 = 100%, step 2 = 50% light output.

EU DESIGN
PATENT
2954123

Slim charging
base for easy wall
mounting





UNIPEN


03.5420



Pencil work light providing up to 150 lumen with top flashlight

Small and handy shape, supplied with pocket clip and 2-step operating option

EU DESIGN PATENT 3451038



180°

ONLY 13mm



MINIFORM

03.5404



Pocket-sized, ultra-slim work light with top flashlight providing up to 200 lumen

With comfortable and ergonomic grip and 2-step operating option

EU DESIGN PATENT 3451038

Flexible lamp head tilts up to 180 degrees. Supplied with a strong built-in magnet and a turn-able sturdy hook designed to fit the work belt.



SUPERFORM

Sturdy work light with 5 m cable providing 750 lumen

Outperforming traditional fluorescent work lights

EU DESIGN PATENT 2954123



UV-FORM

EU DESIGN PATENT 2373282

03.5408

Work light with UV-top light (400nm) providing up to 250 lumen



UV-FORM is a rechargeable LED work light with powerful 1.8W UV-light on the top. The most powerful UV-light on the market. Basically you get a universal indispensable work light and UV detection in one, and at the same time it replaces special UV detection lights.

The ultraviolet light is intended for leak detection in air-conditioning systems by means of trace elements. Also useful for leak detection of larger, complex refrigeration/freezing appliances, process cooling systems, heat pump systems etc.



SLIM - Only 3-in-1 slim light on the market

// The SCANGRIP SLIM light series provides a true three-in-one, flexible and multifunctional work light for all kinds of application areas.

- 3-in-1: inspection light, work light and flashlight in one lamp
- Extremely powerful illumination up to 500 lumen with a powerful flashlight function
- Ultra-slim and compact design
- Strong built-in magnet and hook for flexible positioning
- Choose between 2 light settings (50% or 100%) for maximized operating time
- Rechargeable up to 6h operation time



ORIGINAL
SCANGRIP



SINCE 1906




// Ultra-slim light for inspection

The ultra-thin, compact design only $\varnothing 9$ mm allows inspection in even the most inaccessible and narrow work areas. This makes the SLIM lights ideal for very demanding and difficult inspection jobs.



// Work light in pocketsize

The 2 new SLIM lights are designed with a 100% foldable body. When fully folded the lamp can be used as a traditional handheld work light. In folded position, the SLIM is reduced to pocketsize - compact and portable to take with you everywhere.



// Flashlight function

The powerful 100 lumen spot light of the SLIM lights provides you with a flashlight function. As a unique feature, never seen before, SLIM can be used as flashlight when the lamp is folded, providing a powerful flashlight with a handy, firm grip.



EU DESIGN
PATENT
3451038



MINI SLIM

03.5610

Ultra-slim 3-in-1 inspection lamp with spotlight providing up to 200 lumen

SLIM

03.5612

Ultra-thin 3-in-1 inspection lamp with spotlight providing up to 500 lumen



ULTRA SLIM inspection hand lamps

// The sophisticated and streamlined LINE LIGHT inspection hand lamps are made in Denmark, and present a golden example of our ability to push back the boundaries of LED lighting creating work lights with optimal performance, extreme durability and lots of bright functionalities.

- Sturdy and waterproof, IP65
- Ultra-slim design (ø25mm) allows inspection in even most inaccessible places
- Flexible positioning with adjustable hook with magnet
- Flexible gooseneck fixtures available as optional accessories

ORIGINAL
SCANGRIP




SINCE 1906

MADE IN DENMARK



Both lamps are delivered with adjustable hook with clip holder and magnet



LINE LIGHT C+R

03.5243


Inspection work lamp with DUAL SYSTEM and top spotlight providing up to 600 lumen



LINE LIGHT R


03.5244

Rechargeable inspection work lamp with spotlight providing up to 400 lumen



The very slim design with a diameter of only 25 mm makes it possible to illuminate even hard to reach compact areas.

DUAL 2 in 1 SYSTEM



LINE LIGHT *bonnet light*

// Superior bonnet light on the market

- Improved light output (1000 lumen)
- Dust and waterproof, IP65
- Most slim and compact bonnet light on the market
- Extremely low weight, less than 1000g
- Choose between 2 light settings (50% or 100%) for maximized operating time

DUAL 2 in 1 **SYSTEM**

DUAL SYSTEM is new intelligent and innovative lighting functionality.

The new BONNET LIGHT is with DUAL SYSTEM which means both rechargeable and with 5 m rubber cable offering unlimited application possibilities and complete freedom. Very easily you change over: it takes only a second to connect the power cable – or disconnect when needed.



ORIGINAL
SCANGRIP



SINCE 1906

MADE IN DENMARK

// Illuminates the entire engine bay

The BONNET LIGHT provides you with an extremely bright and powerful illumination of the entire engine bay.

Supplied with an adjustable telescopic holder with soft-padded hook ends providing a firm and scratch-free grip on the vehicle. The holder is compact and takes up less space in storage.



Without cable the bonnet light might also to be used as a large inspection lamp.



LINE LIGHT BONNET C+R

03.5240

DUAL 2 in 1 SYSTEM



Inside the cabin the BONNET LIGHT may also be used as work light either mounted by the telescopic holder or mounted onto the windscreen by the flexible arm with suction cup.



// FLEXIBLE suspensions

A range of accessories are available to position the LINE LIGHT lamps



GOOSENECK

03.5219


20 cm flexible arm with clip holder and Ø60 mm suction cup



GOOSENECK

03.5218

20 cm flexible arm with clip holder and Ø60 mm magnet



HOOK

03.5312

Adjustable hook with clip holder and magnet

HEADLAMPS *for professionals*

// Pursuing the vision of designing innovative work light for the professional end-user

- Illuminates your entire workspace
- Rechargeable
- Long duration time
- Easy to operate
- Sensor function with touchless on/off switch



As opposed to all other headlamps providing a beam of light, the new I-VIEW and ZONE headlamps are designed to provide optimum work light illuminating your entire work area.

Supplied with the newest COB LED technology, both headlamps provide an extremely powerful illumination which spreads the uniform light to the maximum and lightens up your entire field of view.

You avoid turning the head to illuminate your actual workspace from a limited headlamp beam.

I-VIEW

EU DESIGN
PATENT
2635946

03.5026



// Rechargeable I-VIEW with touchless sensor

I-VIEW is provided with the very newest rechargeable battery technology with extraordinary long duration. When set on sensor mode I-VIEW is switched on/off only by waving a hand in front of the lamp.

The design is ergonomic for a perfect, comfortable fit, and the woven band is strong and adjustable. The robust and sleek I-VIEW is both dust and waterproof (IP65) with a low weight of only 120g. I-VIEW comes in an upgraded version providing as much as 125/250 lumen.

2-step operating option

Step 1 = 50% light output

Step 2 = 100% light output



ZONE

EU DESIGN
PATENT
3451038

03.5426

STANDARD
HEADLAMP



I-VIEW and
ZONE HEADLAMPS



// Rechargeable ZONE headlamp

The ZONE headlamp is designed to provide optimum work light illumination of the entire work area, like the I-VIEW.

ZONE is designed for professional use, it is sturdy and low weight of only 84g. With its very attractive price, ZONE will become another SCANGRIP bestseller. Zone has been upgraded to provide 75/150 lumen.



NIGHT VIEW - *for work in the dark*


// New headlamp that keeps your night vision

- Designed for work in the dark
- Rechargeable with touchless sensor function
- Illuminates your entire work space
- Durable, sturdy and waterproof
- Switch between normal white light and red light

ORIGINAL
SCANGRIP



SINCE 1906



NEW

// Choose between white and red work light

The red light is intended for work in the dark and provides light without overexposing the retinas while at the same time keeping the eyes adjusted to the dark.

The red-light functionality is mostly known from the military to read maps on maneuvers at night, but is also needed in civilian professions for work at night, for instance on ships and offshore. On ships it is particularly useful on the bridge at night, because it preserves your night vision so you can work at the control panel. Headlamps with red-light mode are also well suited for security guards that work at night in dark surroundings.

// Newest lighting technology

The NIGHT VIEW provides extremely powerful illumination which spreads the uniform light to the maximum and lightens up your entire field of view. You avoid turning the head to illuminate your actual workspace from a limited headlamp beam.


NIGHT VIEW is provided with the very newest rechargeable battery technology with extraordinary long duration, and sets new standards for professional work light. When set on sensor mode NIGHT VIEW is turned on/off only by waving a hand in front of the lamp. Thus, the light can easily be switched on/off, even when wearing thick gloves.



Keep your night vision

NIGHT VIEW

03.5438



STANDARD HEADLAMP



NIGHT VIEW HEADLAMP



EU DESIGN PATENT
2635946



SOUND LED S - Audio work light

// Small and compact work light with integrated speaker

- Wireless sound control
- Handy and compact design
- Dust and waterproof, IP65
- Flexible positioning with built-in magnetic function



WIRELESS 



ORIGINAL
SCANGRIP



SINCE 1906

NEW


// Rechargeable audio LED work light

Featuring the latest and unique COB LED technology, SOUND LED S provides high light output up to 600 lumen, with a uniform and even illumination. It is a handy and sturdy work light, easy to carry and always near at hand - ideal for the workplace.

With the integrated wireless function, you can easily control the music from your mobile device.

The flexible bracket supplied with a strong magnet enables you to position the lamp anywhere you want in the desired lighting angle.

It is dust and waterproof, IP65, and can be used for both indoor and outdoor work.



Bracket with built-in magnetic function



SOUND LED S

03.5900

STAR - Work light and floodlight in one

// STAR is the missing link between a work light and a floodlight. It is a new multifunction work light that does it all!

- Extremely powerful illumination, up to 1000 lumen
- Rechargeable up to 5h operation time
- Waterproof IP65
- Ergonomic design for a comfortable, firm hand grip
- Flexible handle for multifunctional positioning and application
- Sturdy handle with built-in magnet
- Direct mounting on the SCANGRIP TRIPOD
- Durable housing made of shock-resistant plastic material
- Built-in power bank



ORIGINAL
SCANGRIP



SINCE 1906

// Multifunctional work light

STAR is designed to be the work light that does it all. The lamp is ergonomically designed to be used as a hand-held work light. Extending the position of the handle, the lamp transforms itself to be a searchlight.

// Handy floodlight

Due to the extremely powerful light output, STAR is also applicable for illumination of a larger working area, in spite of its small size compared to other floodlights. The handle is designed for direct mounting on the SCANGRIP TRIPOD.

// Flexible positioning

Due to the flexible handle the STAR can stand in different positions to obtain the optimal lighting angle for a specific work task. The handle is also clickable in fixed position to serve as a hook for suspension. Using the powerful built-in magnet in the handle the STAR can be placed in flexible positions on any metalized surface.



EU DESIGN
PATENT
3451038



// Power bank

Built-in power bank with USB outlet to charge mobile devices.



Flexible positioning



STAR

03.5620



Position the light directly on the SCANGRIP TRIPOD up to 3 m

Hand-held work light



NOVA range – world's best work lights for the professional user

// SCANGRIPs range of NOVA work lights are the best, most powerful and sturdy COB LED work lights on the market at all. Made to last and do the job again and again. Even coming with an extended 3-year warranty like all our WORK LIGHTS for high performance.

- Most sturdy and durable work lights made for ROUGH SERVICE USE
- Extremely powerful illumination, up to 10,000 lumen
- Light dimmable in 5 steps
- Waterproof (IP67) for all kinds of outdoor weather conditions
- Stands and suspensions for flexible lighting positioning

ORIGINAL
SCANGRIP



SINCE 1906



// NOVA work lights for every working situation

The NOVA range provides the widest range of durable work lights in the world. So, you just choose your favourite NOVA model between the various models. And choose if your NOVA should be portable, rechargeable, with exchangeable batteries or with cable.

// Extreme durability

All NOVA's are made of die casted aluminium which makes them extremely sturdy and shockproof. Also, the NOVA's are designed to endure the rough, wet and dirty conditions of the professional working environment, and withstand even outdoor work in all kinds of weather conditions, as they are completely waterproof (IP67).

// Designed for efficient workshop use

The COB (chip on board) LED provides a uniform and completely even illumination with colour temperature close to daylight which is particularly effective as work lighting. The light dimmer function makes it possible to adjust the light into five different levels.

// Various NOVA models

Rechargeable and portable

Rechargeable with DUAL SYSTEM

With cable

Rechargeable with DUAL SYSTEM and SCANGRIP POWER SOLUTION exchangeable batteries



1500 lumen



3000 / 5000 lumen



3000 / 5000 / 10000 lumen




4000 / 6000 / 10000 lumen

DUAL 2 in 1 SYSTEM

SPS7//
SCANGRIP POWER SOLUTION

DUAL 2 in 1 SYSTEM



Flexible stand



Slim design

Durable work lights designed for ROUGH SERVICE USE

NOVA R - *Portable, handheld rechargeable work light*

// The hand-held and rechargeable, dimmable NOVA R with USB power bank and integrated magnetic bracket providing up to 1500 lumen

- Rechargeable COB LED work light with maximum light output, up to 1500 lumen
- Ultra-slim and compact design
- Durable for ROUGH SERVICE USE
- Flexible positioning
- Bracket with built-in magnetic function
- Hand carry handle
- Built-in power bank



ORIGINAL
SCANGRIP



SINCE 1906

// Portable work light



NOVA R is a universal all-round work light designed for the professional user.

The lamp is remarkably slim, handy and compact with a maximum light output, which can be adjusted accordingly. The light dimmer function makes it possible to adjust the light into five different steps.

The lamp is easy to carry and is ergonomically designed for a good grip on the handle, which is also equipped with powerful integrated magnets for flexible mounting.

Due to the flexible handle the NOVA R can be placed in different positions to obtain the desired lighting angle. The handle is designed for direct mounting on the TRIPOD or the SCAFFOLDING BRACKET.

Featuring the latest and unique COB LED technology, the NOVA R provides extremely high light output, with a uniform and even illumination.

The durable construction approves NOVA R to ROUGH SERVICE USE which makes it perfect for the demanding, rough working environment.



As an extra feature, NOVA R has a built-in power bank with USB outlet to charge mobile devices.



NOVA R

03.5439

Hand-held and rechargeable, dimmable NOVA with USB power bank and integrated magnetic bracket providing up to 1500 lumen

NOVA – *The world's most durable work lights*

// The original NOVA work lights are the best, most powerful and sturdy COB LED work lights on the market at all. These are universal work lights for the most challenging lighting operations in every rough and demanding working environment.

- Rechargeable versions with advanced DUAL SYSTEM
- Display for battery capacity and remaining operating time
- Integrated carrying handle
- BLUETOOTH light control app for NOVA 10K



// Designed for efficient workshop use



The light dimmer function makes it possible to adjust the light into five different levels. With the integrated carrying handle, it is convenient to hand carry the lamp. The flexible stand can be used as a hanger and to position the lamp in the desired lighting angle. The stand is designed for direct mounting on the SCANGRIP TRIPOD.

EU DESIGN
PATENT
2954123



// Rechargeable NOVA's

The NOVA's with the unique DUAL SYSTEM are both rechargeable and with cable providing you unlimited application possibilities. The DUAL SYSTEM connection is improved for easier and faster mounting and disconnecting the cable. The rechargeable versions are also supplied with a user-friendly display showing both battery capacity and the remaining operating time.



NOVA 3K C+R

03.5441

Work light with DUAL SYSTEM providing up to 3000 lumen

DUAL 2 in 1 SYSTEM



NOVA 5K C+R

03.5443

Work light with DUAL SYSTEM providing up to 5000 lumen

DUAL 2 in 1 SYSTEM



// NOVA's with cable

The NOVA range offers 3 cable models, all providing extremely powerful illumination. With a light output of up to 10000 lumen, NOVA 10K is the most powerful SCANGRIP lamp designed for the most challenging lighting operations.

With the integrated BLUETOOTH light control feature you can easily control up to four work lights. The light control also makes it possible to turn on/off the lamp and adjust the light output to suit the work task in question. The BLUETOOTH application is perfect when working with one or more hard-to-reach lamps, for example positioned on the SCANGRIP TRIPOD.



NOVA 3K

03.5440

Work light with 5 m cable providing up to 3000 lumen



NOVA 5K

03.5442

Work light with 5 m cable providing up to 5000 lumen



NOVA 10K

03.5444



Work light with wireless light control and 5 m cable providing up to 10000 lumen

LIGHT CONTROL



Bluetooth®

On/off dimmer control

NOVA SPS - *New ground-breaking work light range*

// SCANGRIP is proud to present the world's most powerful and sturdy work lights with the new innovative SPS battery system providing unlimited availability to light with new, patented SCANGRIP POWER SOLUTION

- DUAL SYSTEM 2in1 with exchangeable battery pack - use both rechargeable with battery or with power supply from the battery charger
- Integrated backup battery functionality - up to 1h use with 1000 lumen without battery or cable
- Display for battery capacity and remaining operating time
- BLUETOOTH light control app with extended functionality

EU DESIGN
PATENT
5597010



Built-in power bank



Always light. Never left in the dark.



Use battery charger directly on the lamp as power supply



Change battery



Charging exchangeable battery

// SCANGRIP POWER SOLUTION

SCANGRIP has taken advantage of new, high performance battery technologies and invented an innovative concept of flexible and reliable power supply. The unique, patented concept is called: SCANGRIP POWER SOLUTION and provides you with unlimited availability to light.

Easily you can insert a new, fully charged battery and continue the work while another battery is charging. Or you can simply add the charger directly to the lamp to get power supply. The integrated battery backup function prevents you from being without light at any time.

// Always light. Never left in the dark

With the new, innovative SPS system you will never experience being completely without light and left in total darkness. No matter how limited your access is to power supply the SPS ensures that you always have the necessary light to carry out your job. SPS provides complete freedom, flexibility and maximum work efficiency.



BLUETOOTH - Light control app

- Dimmer light output into 5 levels 10%-100%
- Switch on/off
- Renaming individual lamps
- Assign pin code
- Check battery level
- Control up to 4 lamps

Compliant with iPhone 5 or higher / Android 5.0 or higher.

NEW



NOVA 4 SPS

03.6000



Work light with SPS and BLUETOOTH providing up to 4000 lumen. Incl exchangeable battery and charger

NOVA 6 SPS

03.6001



Work light with SPS and BLUETOOTH providing up to 6000 lumen. Incl exchangeable battery and charger

NOVA 10 SPS

03.6002



Work light with SPS and BLUETOOTH providing up to 10000 lumen. Incl exchangeable battery and charger

STANDS and SUSPENSIONS

// Designed for direct mounting of the NOVA work lights and STAR without bracket. Made of durable and sturdy powder coated steel for both indoor and outdoor use



// High stability tripod

The SCANGRIP TRIPOD is indispensable for stationary positioning of the work light for illumination in a specific working area. The SCANGRIP TRIPOD is extendable from only 1.35 m up to 3 m which gives you complete flexibility to position the light in the requested height.

The stable construction of the SCANGRIP TRIPOD makes it safe even when fully extended. To increase safety when in use the cable of the lamp can be fixed in the safety clips placed on each separate leg.

// Wheel stand for mobile positioning

The SCANGRIP WHEEL STAND is developed for mobile positioning of the work light typically in the workshop. It makes it easy to move the light to where you need it, and at the same time you avoid uncomfortable and heavy lifting from one workplace to the other. When the job is done the stand can easily and fast be put aside.

The SCANGRIP WHEEL STAND is extendable from only 0.7 m up to 1.9 m which gives you complete flexibility to position the light in the requested height. The 3 wheels are sturdy and of high quality and roll easily even on uneven surfaces. 2 of the wheels are lockable to secure a safe and fixed position.



NEW

MAGNET BRACKET

03.5390



For flexible positioning of the work light on any magnetic surface

MAGNET BRACKET - Large

03.5391



For flexible positioning of the large NOVA 10K, NOVA 6 SPS, and NOVA 10 SPS on any magnetic surface



WHEEL STAND

03.5433

SCAFFOLDING BRACKET


03.5341



For flexible positioning on scaffoldings or any round object ø40-50 mm

DUAL BRACKET

03.5308



Dual bracket for positioning of two lamps available for NOVA work lights and STAR

FLASH series

// Sturdy and powerful flashlights with Alkaline batteries

With focus function for concentrated and focused light beam ranging from 10° to 70°. FLASH 100, 200 and 300 include wrist strap and a practical nylon belt pouch



FLASH 200

03.5106
Flashlight
providing
200 lumen



FLASH 300

03.5107
Flashlight
providing
300 lumen



FLASH PEN

03.5110
Pencil flashlight
providing 100 lumen



FLASH MINI

03.5102
Small pocket sized flashlight
providing 50 lumen in 12 pcs
sales display



FLASH 100

03.5105
Flashlight
providing
130 lumen



ORIGINAL
SCANGRIP



SINCE 1906

FLASH R series

// Rechargeable, sturdy and powerful flashlights of extraordinary high quality

- Rechargeable with USB cable
- Sturdy and durable aluminium housing
- Focus function ranging beam angle from 10°-70°
- FLASH 200 R and 400 R include silicone wrist strap and practical nylon belt pouch
- Easy exchange of rechargeable battery

EU DESIGN
PATENT
2704684



FLASH 400 R

03.5128
Rechargeable
flashlight
providing
400 lumen

FLASH PEN R

03.5120
Rechargeable pencil
flashlight providing
100 lumen

FLASH 200 R

03.5126
Rechargeable
flashlight
providing
200 lumen




FLASH 12V

03.5124
Rechargeable
flashlight
providing
130 lumen



Rechargeable flashlight

The pocket sized FLASH 12V is designed to easily charging directly from the cigarette lighter socket in your car - no need of charger device, cable, or batteries!



FLASH 12V will be supplied with a handle for a more firm grip. The handle can easily be dismantled when charging



LINE LIGHT - *Unique lighting concept*

// LINE LIGHT is a flexible lighting solution for universal application designed for use anywhere where strong, efficient and concentrated light in a specific working area is needed

- “Unbreakable” - extremely sturdy and shockproof
- Waterproof to resist wet and dirty workshop environment
- Low voltage 24V DC
- Technical lifetime of LEDs 100,000 hours
- Made in Denmark



ORIGINAL
SCANGRIP



SINCE 1906

MADE IN DENMARK

PATENT PROTECTED

// Bright illumination exactly where you need it

By means of a built-in prism, LINE LIGHT concentrates the light in a 75° beam angle providing an extremely bright and powerful illumination of the specific working area. Blinding during work is avoided, and the lamp itself can be turned to provide the optimum lighting angle.

EU DESIGN
PATENT
1882523

// Innovative LED technology

The LINE LIGHT series is based on the newest state-of-the-art LED technology. LINE LIGHT provides almost double illumination compared to the traditional 36W fluorescent tubes which are commonly used within the industry. The quality of the light is extremely powerful, like daylight which is optimum for precise recognition of colours, shades and other product details. The uniform, flicker free illumination without strobe effects also minimizes the risk of accidents.

// Extreme durability

LINE LIGHT is constructed by a closed "unbreakable" extruded acrylic profile which makes it extremely sturdy and shockproof to endure even strong strokes, shocks and vibrations from industrial machinery. LINE LIGHT endures the rough, wet and dirty conditions of the professional working environment within the industry and is resistant to both oil and chemicals. The IP67 classification means that it is resistant to both dust and water. LINE LIGHT is completely maintenance free.

// Reduced power consumption

Compared to traditional fluorescent tube lighting LINE LIGHT only consumes half the amount of electricity which presents serious cost savings on electricity.

// Dimmer



With the new dimmer function it is possible to adjust the light intensity stepless from 1-100% to meet individual working conditions. LINE LIGHT 2-POST and LINE LIGHT 4 is delivered incl. dimmer, and can also be bought separately and retrofitted on all existing LINE LIGHT installations.

BEAM
ANGLE
75°



IP67

ULTRA
SLIM
DESIGN
Ø25mm

1:1



FLEXIBLE lighting solution for 2-post lifts and mobile column lifts

ORIGINAL
SCANGRIP



SINCE 1906


MADE IN DENMARK

LINE LIGHT 2-POST is a universal all-in-one solution always available at hand and ready to use when needed.

The lighting unit can be positioned everywhere underneath the car with magnets and can be moved under the car to the actual repair work.

Due to the 5 m spiral cable, the lamp can easily be used for illumination around the entire car, or as a dedicated lamp for engine bay or wheel arch illumination.

- Fits all 2-post lifts and mobile column lifts regardless of type
- Designed to be mounted on existing lifts
- Integrated part of lift
- Easy and uncomplicated to mount
- No drilling in the lift construction
- Incl. DIMMER function



LINE LIGHT 2-POST

03.5225



FLEXIBLE MAGNETIC SUSPENSION



COMPLETE lighting solution for automotive lifts


- Extremely powerful illumination of working area
- Improves work efficiency and working conditions
- Avoid blinding the mechanic during work
- Adjustable lighting angle

// Compact design

LINE LIGHT provides an extremely bright and powerful illumination of the entire undercarriage - almost double illumination compared to traditional 36W fluorescent tubes. The slim and compact design leaves space for the center jack to pass.

// Easy DIY installation

As LINE LIGHT is a low operating voltage (24V DC) system, you can easily do the installation yourself. All basic fittings are supplied with each kit together with power supply and cable. The pre-defined LINE LIGHT kits are considered universal and will fit the majority of all automotive 4-post lifts, regardless of the manufacturer or brand.



BEAM
ANGLE
75°



Blinding of the mechanic during work is avoided, and the lamp itself can be turned to provide the optimum lighting angle during work.



Example of LINE LIGHT 6 solution mounted in a truck mechanic's pit

LINE LIGHT 1

03.5203

1 complete lighting unit 1630mm incl 25W power supply, cable and suspension providing 1400 lumen

LINE LIGHT 2

03.5202

2 complete lighting units 1234mm each providing 1000 lumen, incl 80W power supply, cable and suspension

LINE LIGHT 4

03.5201

4 complete lighting units 1630mm each providing 1400 lumen, incl 80W power supply, cable, suspension and DIMMER function

LINE LIGHT 6



03.5200

6 complete lighting units 1630mm each providing 1400 lumen, incl 2 pcs 80W power supply, cable and suspension

FLEXIBLE lighting units for customized installations

The LINE LIGHT lighting units are available in different lengths which can either be used alone or connected in a string to fit all kinds of application.

The lighting units can be combined exactly the way you want offering a flexible lighting solution.



// Flexibility that meets your specific needs

Combine lighting units with power supply, cable and suitable suspensions. A range of flexible suspensions makes it possible to position the lighting units exactly where you need it.

DESIGN YOURSELF

| | | | |
|---|---|---|---|
|  |  |  |  |
| <u>LINE LIGHT 75</u> | <u>LINE LIGHT 120</u> | <u>LINE LIGHT 160</u> | <u>LINE LIGHT 200</u> |
| 03.5221 | 03.5222 | 03.5223 | 03.5224 |
| Lighting unit 838mm providing 550 lumen | Lighting unit 1234mm providing 900 lumen | Lighting unit 1630mm providing 1300 lumen | Lighting unit 2027mm providing 1600 lumen |

ORIGINAL
SCANGRIP



SINCE 1906

MADE IN DENMARK



MAG series



| | MAG PEN 3 | MINI MAG PRO NEW | MAG ^{Upgraded 2019} | MAG PRO NEW |
|-----------------------------|-------------------------------------|---------------------------------|-------------------------------------|---------------------------------|
| Product number | 03.5116 | 03.5692 | 03.5400 | 03.5690 |
| Light source | 7 SMD LED Spot: 1x CREE XP-G2 R5 | COB LED Spot: High power LED | 10 SMD LEDs Spot: High power LED | COB LED Spot: High power LED |
| Luminous flux, lumen | 80 Spot: 60 | 20-200 Spot: 80 | 150-300 Spot: 80 | 60-600 Spot: 150 |
| Illuminance, lux@0.5 m | 110 Spot: 1500 | 35-350 Spot: 700 | 250-500 Spot: 850 | 90-900 Spot: 2000 |
| Adjustable light output | No | Stepless | 2 levels | Stepless |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 | Ra > 80 |
| CCT | 6000K | 6500K | 6000K | 6000K |
| Operating time, h | Up to 2 | Up to 20 | Up to 5 | Up to 15 |
| Charging time, h | 1.5 | 3 | 4 | 4 |
| Battery | 3.7V / 750 mAh Li-ion | 3.7V / 1200 mAh Li-ion | 3.7V / 2200 mAh Li-ion | 3.7V / 2600 mAh Li-ion |
| Protection class | IP20 | IP54 | IP20 | IP54 |
| Impact resistance | 1 m | 1 m | - | 1m |
| Cable | 1.8 m USB | 1 m USB | 1 m USB | 1 m USB |
| Operating voltage AC | - | - | - | - |
| Charging voltage/current DC | 5V / 1A | 5V / 1A | 5V / 1A | 5V / 1A |
| Power consumption | Max 2W | Max 2.5W | Max 3.5W | Max 6.5W |
| Charger incl. | No | No | Country depended | Country depended |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 174 x 31 x 21 mm | 202 x 40 x 28 mm | 260 x 61 x 43 mm | 260 x 62 x 44 mm |
| Net weight | 98 g | 157 g | 252 g | 326 g |

UNIFORM series



| | UNIPEN | MINIFORM | UNIFORM | SUPERFORM | UV-FORM |
|-----------------------------|---------------------------------|---------------------------------|---------------------------------|--------------------|-----------------------------------|
| Product number | 03.5420 | 03.5404 | 03.5407 | 03.5406 | 03.5408 |
| Light source | COB LED Spot: High power LED | COB LED Spot: High power LED | COB LED Spot: High power LED | COB LED | COB LED Spot: High power UV-light |
| Luminous flux, lumen | 75-150 Spot: 75 | 100-200 Spot: 75 | 250-500 Spot: 175 | 750 | 125-250 Spot: UV |
| Illuminance, lux@0.5 m | 125-250 Spot: 900 | 100-200 Spot: 800 | 475-950 Spot: 6000 | 1000 | 200-400 Spot: UV |
| Adjustable light output | 2 levels | 2 levels | 2 levels | No | 2 levels |
| Beam angle | - | 110° | - | - | - |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 | Ra > 80 | Ra > 80 |
| CCT | 6000K | 6000K | 6000K | 6000K | 6000K |
| Operating time, h | Up to 4 | Up to 6 | Up to 4.5 | - | Up to 5 |
| Charging time, h | 2.5 | 3 | 5 | - | 3 |
| Battery | 3.7V / 750 mAh Li-ion | 3.7V / 1600 mAh Li-ion | 3.8V / 3000 mAh Li-ion | - | 3.7V / 1600 mAh Li-ion |
| Protection class | IP65 | IP65 | IP65 | IP54 / IK08 | IP20 |
| Impact resistance | - | 1 m | - | - | - |
| Cable | 1 m USB | 1 m USB | 1 m USB | 5 m H05RN-F 2x1 mm | 1 m USB |
| Operating voltage AC | - | - | - | 100-240V | - |
| Charging voltage/current DC | 5V / 1A | 5V / 1A | 5V / 1A | - | 5V / 1A |
| Power consumption | Max 1.5W | Max 1.5W | Max 6W | Max 8W | Max 3W |
| Charger incl. | No | Country depended | Country depended | - | Country depended |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 155 x 27 x 21 mm | 121 x 59 x 27 mm | 190 x 60 x 32 mm | 270 x 49 x 31mm | 157 x 59 x 31 mm |
| Net weight | 92 g | 138 g | 263 g | 710 g | 180 g |

SLIM series



| | MINI SLIM | SLIM |
|-----------------------------|---------------------------------|---------------------------------|
| Product number | 03.5610 | 03.5612 |
| Light source | COB LED Spot: High power LED | COB LED Spot: High power LED |
| Luminous flux, lumen | 100-200 Spot: 100 | 250-500 Spot: 100 |
| Illuminance, lux@0.5 m | 150-400 Spot: 5200 | 400-800 Spot: 4800 |
| Adjustable light output | 2 levels | 2 levels |
| CRI | Ra > 80 | Ra > 80 |
| CCT | 6000K | 6000K |
| Operating time, h | Up to 5 | Up to 5 |
| Charging time, h | 3 | 4.5 |
| Battery | 3.7V/1200 mAh Li-ion | 3.8V/2800 mAh Li-ion |
| Protection class | IP30 | IP30 |
| Impact resistance | 1 m | 1 m |
| Cable | 1 m USB | 1 m USB |
| Operating voltage AC | - | - |
| Charging voltage/current DC | 5V / 1A | 5V / 1A |
| Power consumption | Max 2W | Max 4W |
| Charger incl. | Country depended | Country depended |
| Temperature | -10° to +40°C | -10° to +40°C |
| Dimensions | 132 x 41 x 30 mm | 165 x 44 x 28 mm |
| Net weight | 101 g | 224 g |

LINE LIGHT inspection



| | LINE LIGHT C+R | LINE LIGHT R |
|-----------------------------|-----------------------------------|--------------------------------|
| Product number | 03.5243 | 03.5244 |
| Light source | 24 SMD LED Spot: CREE XP-G2 | 16 SMD LED Spot: CREE XP-G2 |
| Luminous flux, lumen | 600 Spot: 150 | 400 Spot: 150 |
| Illuminance, lux@0.5 m | 1300 Spot: 1500 | 900 Spot: 1500 |
| Adjustable light output | No | No |
| Beam angle | 75° Spot: 50° | 75° Spot: 50° |
| CRI | Ra > 80 | Ra > 80 |
| CCT | 6000K | 6000K |
| Operating time, h | Up to 2.5 Spot: 8 | Up to 1.5 Spot: 4 |
| Charging time, h | 4 | 6 |
| Battery | 3.7V / 5200 mAh Li-ion | 3.7V / 2600 mAh Li-ion |
| Protection class | IP65 / IK07 | IP65 / IK07 |
| Impact resistance | - | - |
| Cable | 5 m / 2x1 mm ² H05RN-F | 1 m USB |
| Operating voltage AC | - | - |
| Charging voltage/current DC | 4.2V / 3.5A | 5V / 1A |
| Power consumption | Max 8W | Max 5.5W |
| Charger incl. | Yes | Country depended |
| Temperature | -10° to +40°C | -10° to +40°C |
| Dimensions | ø25 x 461 mm | ø25 x 357 mm |
| Net weight | 300 g | 220 g |

LINE LIGHT bonnet

| LINE LIGHT BONNET C+R |
|-------------------------------------|
| 03.5240 |
| 48 SMD LED |
| 500-1000 |
| 1000-2000 |
| 2 levels |
| 75° |
| Ra > 80 |
| 6000K |
| Up to 3 |
| 4 |
| 3.7V / 5200 mAh Li-ion |
| IP65 / IK07 |
| - |
| 5 m / 2x1.0 mm ² H05RN-F |
| - |
| 4.2V / 3.5A |
| Max 13W |
| Yes |
| -10° to +40°C |
| ø25 x 1017 mm |
| 470 g (980 g incl. rack) |

Headlamps



| | ZONE | I-VIEW | NIGHT VIEW NEW |
|-----------------------------|--------------------|-------------------------|--------------------------|
| Product number | 03.5426 | 03.5026 | 03.5438 |
| Light source | COB LED | COB LED | Ultra high CRI + COB LED |
| Luminous flux, lumen | 75-150 | 125-250 | 80-160 |
| Illuminance, lux@0.5 m | 200-400 | 400-600 | 250-500 |
| Adjustable light output | 2 levels | 2 levels | 2 levels |
| Beam angle | 120° / 60° | 120° / 60° | 120° / 60° |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 |
| CCT | 6000K | 6000K | 6500K RED 632nm |
| Operating time, h | Up to 4 | Up to 5 | Up to 5 |
| Charging time, h | 3 | 3 | 4 |
| Battery | 3.7V/800 mAh Li-on | 3.8V / 1600 mAh Li-poly | 3.8V / 1600 mAh Li-poly |
| Protection class | IP30 | IP65 / IK07 | IP65 / IK07 |
| Impact resistance | 1 m | 1 m | 1 m |
| Cable | 1 m USB | 1 m USB | 1 m USB |
| Operating voltage AC | - | - | - |
| Charging voltage/current DC | 5V / 1A | 5V / 1A | 5V / 1A |
| Power consumption | Max 2W | Max 3W | Max 3W |
| Charger incl. | No | Country depended | Country depended |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 95 x 34 x 35 mm | 105 x 52 x 43 mm | 105 x 52 x 43 mm |
| Net weight | 66 g | 260 g | 260 g |

STAR





| | STAR |
|-----------------------------|----------------------|
| Product number | 03.5620 |
| Light source | COB LED |
| Luminous flux, lumen | 500-1000 |
| Illuminance, lux@0.5 m | 800-1600 |
| Adjustable light output | 2 levels |
| Beam angle | - |
| CRI | Ra > 80 |
| CCT | 6000K |
| Operating time, h | Up to 5 |
| Charging time, h | 6 |
| Battery | 3.7V/5200 mAh Li-ion |
| Protection class | IP65 |
| Impact resistance | - |
| Cable | 1 m USB |
| Operating voltage AC | - |
| Charging voltage/current DC | 5V / 1A |
| Power consumption | Max 8.5W |
| Charger incl. | Country depended |
| Temperature | -10° to +40°C |
| Dimensions | 156 x 103 x 98 mm |
| Net weight | 710 g |

SOUND LED S



| | SOUND LED S NEW |
|-----------------------------|------------------------|
| Product number | 03.5900 |
| Light source | COB LED |
| Luminous flux, lumen | 300-600 |
| Illuminance, lux@0.5 m | 1000-2000 |
| Adjustable light output | 2 levels |
| Beam angle | - |
| CRI | Ra > 80 |
| CCT | 6000K |
| Operating time, h | Up to 6 |
| Charging time, h | 5 |
| Battery | 3.7V / 5200 mAh Li-ion |
| Protection class | IP65 / IK07 |
| Impact resistance | - |
| Cable | 1 m USB |
| Operating voltage AC | 100-240V AC |
| Charging voltage/current DC | 5V DC / 2A |
| Power consumption | Max 7W |
| Charger incl. | Yes |
| Temperature | -10° to +40° C |
| Dimensions | 92 x 86 x 74 mm |
| Net weight | 430 g |



NOVA rechargeable series



| | NOVA R | NOVA 3K C+R | NOVA 5K C+R |
|-----------------------------|-------------------------|--------------------------------------|--------------------------------------|
| Product number | 03.5439 | 03.5441 | 03.5443 |
| Light source | High efficiency COB LED | High efficiency COB LED | High efficiency COB LED |
| Luminous flux, lumen | 150-1500 | 300-3000 | 500-5000 |
| Illuminance, lux@0.5 m | 200-2000 | 500-5000 | 8000 |
| Adjustable light output | 5 levels | 5 levels | 5 levels |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 |
| CCT | 6000K | 6000K | 6000K |
| Operating time, h | Up to 10 | Up to 14 | Up to 12 |
| Charging time, h | 3.5 | 2 | 2 |
| Battery | 3.7V / 5400 mAh Li-ion | 11.1V / 4400 mAh Li-ion | 11.1V / 5200 mAh Li-ion |
| Protection class | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 |
| Impact resistance | 1 m | - | - |
| Cable | 1 m USB | 5 m / 2x0,75 mm ² H05RN-F | 5 m / 2x0,75 mm ² H05RN-F |
| Operating voltage AC | - | - | - |
| Charging voltage/current DC | 5V / 2A | 12.6V / 2.4A | 12.6V / 4.3A |
| Power consumption | Max 16.5W | Max 26W | Max 42W |
| Charger incl. | Yes | Yes | Yes |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 163 x 63 x 163 mm | 235 x 88 x 233 mm | 267 x 87 x 262 mm |
| Net weight | 705 g | 1.72 kg | 2.12 kg |

NOVA cable series



| | NOVA 3K | NOVA 5K | NOVA 10K |
|-----------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Product number | 03.5440 | 03.5442 | 03.5444 |
| Light source | High efficiency COB LED | High efficiency COB LED | High efficiency COB LED |
| Luminous flux, lumen | 300-3000 | 500-5000 | 1000-10000 |
| Illuminance, lux@0.5 m | 500-5000 | 800-8000 | 16000 |
| Adjustable light output | 5 levels | 5 levels | 5 levels |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 |
| CCT | 6000K | 6000K | 6000K |
| Operating time, h | - | - | - |
| Charging time, h | - | - | - |
| Battery | - | - | - |
| Protection class | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 |
| Impact resistance | - | - | - |
| Cable | 5 m / 3x1 mm ² H05RN-F | 5 m / 3x1 mm ² H05RN-F | 5 m / 3x1 mm ² H05RN-F |
| Operating voltage AC | 100-240V | 100-240V | 100-240V |
| Charging voltage/current DC | - | - | - |
| Power consumption | Max 26W | Max 42W | Max 84W |
| Charger incl. | - | - | - |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 235 x 88 x 233 mm | 267 x 87 x 262 mm | 302 x 102 x 298 mm |
| Net weight | 2.15 kg | 2.66 kg | 4 kg |

NOVA SPS series



| | NOVA 4 SPS NEW | NOVA 6 SPS NEW | NOVA 10 SPS NEW |
|-----------------------------|------------------------------------|------------------------------------|------------------------------------|
| Product number | 03.6000 | 03.6001 | 03.6002 |
| Light source | High efficiency COB LED | High efficiency COB LED | High efficiency COB LED |
| Luminous flux, lumen | 400-4000 | 600-6000 | 1000-10000 |
| Illuminance, lux@0.5 m | 600-6000 | 900-9000 | 1600-16000 |
| Adjustable light output | 5 levels | 5 levels | 5 levels |
| Beam angle | 115° | 115° | 115° |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 |
| CCT | 6000K | 6000K | 6000K |
| Operating time, h | Up to 15 | Up to 20 | Up to 10 |
| Charging time, h | 1.5* | 2* | 1.5* |
| Battery | 11.1V / 4000 mAh Li-ion | 11.1V / 8000 mAh Li-ion | 11.1V / 8000 mAh Li-ion |
| Protection class | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 |
| Impact resistance | 1 m | 1 m | 1 m |
| Charging voltage/current DC | 12.6V / 2.8A | 12.6V / 4A | 12.6V / 6.8A |
| Power consumption | Max 30W | Max 45W | Max 75W |
| Battery incl. | SPS BATTERY 03.6003 | SPS BATTERY 03.6004 | SPS BATTERY 03.6004 |
| Charger incl. | SPS CHARGING SYSTEM 35W 03.6006 | SPS CHARGING SYSTEM 50W 03.6007 | SPS CHARGING SYSTEM 85W 03.6008 |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 240 x 230 x 104 mm | 270 x 260 x 120 mm | 305 x 290 x 125 mm |
| Net weight | 1.97 kg | 2.69 kg | 3.6 kg |

SCANGRIP POWER SOLUTION accessories



| | SPS BATTERY 4Ah | SPS BATTERY 8Ah | SPS CHARGING SYSTEM 35W | SPS CHARGING SYSTEM 50W | SPS CHARGING SYSTEM 85W |
|------------------------------|-------------------------|-------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Product number | 03.6003 | 03.6004 | 03.6006 | 03.6007 | 03.6008 |
| Battery | 11.1V / 4000 mAh Li-ion | 11.1V / 8000 mAh Li-ion | - | - | - |
| Charging voltage, current DC | 12.6V / 2.8A | 12.6V / 6.8A | 12.6V / 2.8A | 12.6V / 4A | 12.6V / 6.8A |
| Cable | - | - | 5 m / 2x0,75 mm ² H05RN-F | 5 m / 2x0,75 mm ² H05RN-F | 5 m / 2x0,75 mm ² H05RN-F |
| Charger input voltage | - | - | 100-240V AC 50/60Hz | 100-240V AC 50/60Hz | 100-240V AC 50/60Hz |
| Power consumption | - | - | Max 35W | Max 50W | Max 85W |
| Charging time, h | 1.5* | 1.5* | - | - | - |
| Protection class | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 |
| Impact resistance | 1 m | 1 m | 1 m | 1 m | 1 m |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 103 x 75 x 40 mm | 103 x 75 x 62 mm | 139 x 75 x 40 mm | 139 x 75 x 49 mm | 139 x 75 x 49 mm |
| Net weight | 320 g | 560 g | 650 g | 700 g | 760 g |

* 80%

Designed by us. Manufactured by us.



FLASH series

| | FLASH PEN | FLASH 100 | FLASH 200 | FLASH 300 | FLASH MINI |
|-----------------------------|-----------------------|-----------------------|---------------------|---------------------|-----------------------|
| Product number | 03.5110 | 03.5105 | 03.5106 | 03.5107 | 03.5102 |
| Light source | CREE XP-G | CREE XP-G | CREE XP-G | CREE XP-G | High power LED |
| Luminous flux, lumen | 100 | 130 | 200 | 300 | 50 |
| Illuminance, lux@0.5 m | 300-4000 | 800-12000 | 800-22000 | 1200-35000 | 2000 |
| Adjustable light output | No | No | No | No | No |
| Beam angle | 10°-70° | 10°-70° | 10°-70° | 10°-70° | 10° |
| Beam distance | Up to 75 m | Up to 125 m | Up to 180 m | Up to 210 m | Up to 50 m |
| CRI | Ra > 70 | Ra > 70 | Ra > 70 | Ra > 70 | Ra > 65 |
| CCT | 6000K | 6000K | 6000K | 6000K | - |
| Operating time, h | Up to 6 | Up to 7 | Up to 3 | Up to 9 | Up to 10 |
| Charging time, h | - | - | - | - | - |
| Battery | 2xAAA / 1.5V Alkaline | 3xAAA / 1.5V Alkaline | 2xC / 1.5V Alkaline | 3xC / 1.5V Alkaline | 3xAAA / 1.5V Alkaline |
| Protection class | IP54 | IP54 | IP54 | IP54 | IP54 |
| Impact resistance | 1 m | 1 m | 1 m | 1 m | 1 m |
| Cable | - | - | - | - | - |
| Operating voltage AC | - | - | - | - | - |
| Charging voltage/current DC | - | - | - | - | - |
| Power consumption | Max 2.5W | Max 2.5W | Max 4W | Max 5W | Max 1W |
| Charger incl. | - | - | - | - | - |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 148 x 20 x 16 mm | ø32 x 111 mm | ø40 x 165 mm | ø42 x 216 mm | ø28 x 102 mm |
| Net weight | 60 g | 130 g | 238 g | 550 g | 84 g |



FLASH R series

| | FLASH 12V | FLASH PEN R | FLASH 200 R | FLASH 400 R |
|-----------------------------|--------------------------|------------------------|------------------------|------------------------|
| Product number | 03.5124 | 03.5120 | 03.5126 | 03.5128 |
| Light source | LED light | CREE XP-G2 | CREE XP-G2 | CREE XM-L2 |
| Luminous flux, lumen | > 130 | 100 | 200 | 400 |
| Illuminance, lux@0.5 m | > 900-8000 | 500-800 | 1000-15000 | 1500-25000 |
| Adjustable light output | No | No | No | No |
| Beam angle | 10°-70° | 10°-70° | 10°-70° | 10°-70° |
| Beam distance | Up to 100 m | Up to 90 m | Up to 200 m | Up to 280 m |
| CRI | > 70 | > 70 | > 70 | > 65 |
| CCT | 6000K | 6000K | 6000K | 6000K |
| Operating time, h | Up to 1 | Up to 2 | Up to 2 | Up to 2 |
| Charging time, h | 2 | 4 | 6 | 6 |
| Battery | 3.7V 550 mAh Li-ion | 3.7V / 1100 mAh Li-ion | 3.7V / 2600 mAh Li-ion | 3.7V / 2600 mAh Li-ion |
| Protection class | IP30 | IP30 | IP30 | IP30 |
| Impact resistance | 1 m | 1 m | 1 m | 1 m |
| Cable | Cigarette Plug Connector | 1 m USB | 1 m USB | 1 m USB |
| Operating voltage AC | - | - | - | - |
| Charging voltage/current DC | 10-28V | 5V / 1A | 5V / 1A | 5V / 1A |
| Power consumption | - | - | - | - |
| Charger incl. | - | Country depended | Country depended | Country depended |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | ø30 x 105 mm | ø18.8 x 160 mm | ø38 x 160 mm | ø42 x 179 mm |
| Net weight | 106 g (118 g with cover) | 85 g | 230 g | 420 g |

LINE LIGHT series



| | LINE LIGHT 2-POST | LINE LIGHT 1 | LINE LIGHT 2 | LINE LIGHT 4 | LINE LIGHT 6 |
|-----------------------------|--|--|--|--|--|
| Product number | 03.5225 | 03.5203 | 03.5202 | 03.5201 | 03.5200 |
| Light source | 2 x 96 SMD LED | 216 SMD LED | 2 x 156 SMD LED | 4 x 216 SMD LED | 6 x 216 SMD LED |
| Luminous flux, lumen | 2 x 600 | 1400 | 2 x 1000 | 4 x 1400 | 6 x 1400 |
| Illuminance, lux@0.5 m | 2 x 1300 | 1600 | 2 x 1600 | 4 x 1600 | 6 x 1600 |
| Adjustable light output | Stepless | No | No | Stepless | No |
| Beam angle | 75° | 75° | 75° | 75° | 75° |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 | Ra > 80 | Ra > 80 |
| CCT | 6000K | 6000K | 6000K | 6000K | 6000K |
| Operating time, h | - | - | - | - | - |
| Charging time, h | - | - | - | - | - |
| Battery | - | - | - | - | - |
| Protection class | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 |
| Impact resistance | - | - | - | - | - |
| Cable | 8 m / H03VV-F 2x0.5 mm ² | 8 m / H03VV-F 2x0.5 mm ² | 8 m / H03VV-F 2x0.5 mm ² | 8 m / H03VV-F 2x0.5 mm ² | 8 m / H03VV-F 2x0.5 mm ² |
| Operating voltage AC | - | - | - | - | - |
| Charging voltage/current DC | 24V | 24V | 24V | 24V | 24V |
| Power consumption | Max 2x9W | Max 20W | Max 2x15W | Max 4x20W | Max 6x20W |
| Charger incl. | - | - | - | - | - |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | 2 x ø25 x 770 mm | ø25 x 1630 mm | 2 x ø25 x 1234 mm | 4 x ø25 x 1630 mm | 6 x ø25 x 1630 mm |
| Net weight | 2.9 kg | 1.4 kg | 2.1 kg | 4.5 kg | 8 kg |

LINE LIGHT series































| | LINE LIGHT 75 | LINE LIGHT 120 | LINE LIGHT 160 | LINE LIGHT 200 |
|-----------------------------|---------------|----------------|----------------|----------------|
| Product number | 03.5221 | 03.5222 | 03.5223 | 03.5224 |
| Light source | 96 SMD LED | 156 SMD LED | 216 SMD LED | 276 SMD LED |
| Luminous flux, lumen | 600 | 1000 | 1400 | 1800 |
| Illuminance, lux@0.5 m | 1300 | 1600 | 1600 | 1600 |
| Adjustable light output | No | No | No | No |
| Beam angle | 75° | 75° | 75° | 75° |
| CRI | Ra > 80 | Ra > 80 | Ra > 80 | Ra > 80 |
| CCT | 6000K | 6000K | 6000K | 6000K |
| Operating time, h | - | - | - | - |
| Charging time, h | - | - | - | - |
| Battery | - | - | - | - |
| Protection class | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 | IP67 / IK07 |
| Impact resistance | - | - | - | - |
| Cable | - | - | - | - |
| Operating voltage AC | - | - | - | - |
| Charging voltage/current DC | 24V | 24V | 24V | 24V |
| Power consumption | Max 9W | Max 15W | Max 20W | Max 26W |
| Charger incl. | - | - | - | - |
| Temperature | -10° to +40°C | -10° to +40°C | -10° to +40°C | -10° to +40°C |
| Dimensions | ø25 x 838 mm | ø25 x 1234 mm | ø25 x 1630 mm | ø25 x 2027 mm |
| Net weight | 500 g | 600 g | 700 g | 800 g |

Combine LINE LIGHT lighting units with power supply, cable and suitable suspensions. A range of flexible suspensions makes it possible to position the lighting units exactly where you need it. Go to our website to see all accessories available.

// Certified and strictly approved

SCANGRIP's expert staff make sure that our lights meet all standards and regulations. Our work lights are manufactured at our own factories and subject to strict quality controls in full compliance with local regulations. Our lights meet the highest standards and are certified according to EU's regulations, directives, and harmonized standards. We are ISO9001 certified by Bureau Veritas.

| | | | | |
|--|--|---|--|--|
|  Light source |  Lumen & Lux |  Beam angle |  CRI |  CCT Kelvin |
|  Operating time |  Charging time |  Battery |  IP |  IK |
|  Impact resistance |  Cable |  Operation voltage AC |  Charging voltage/ current DC |  Power consumption |
|  Temperature |  Dimensions |  Net weight | | |

// Chargers for all countries

Electrical plugs and voltages differ from country to country around the world. SCANGRIP offers chargers to all country variants worldwide. Go to our website for a complete list of chargers for our rechargeable work lights and all other accessories available.



All Alkaline products are tested according to the ANSI/NEMA FL-1 standard



Designed by us. Manufactured by us.

SPECIALIZED WORK LIGHT SOLUTIONS

Light is an important tool for many tasks. We take that very seriously when developing specialist lights for niche markets – such as lights for explosive working areas or lights for the painting and detailing industries.



EXPLOSION PROOF



DETAILING AND COLOUR MATCH



NEW



UV CURING



Designed by us. Manufactured by us.



// SCANGRIP is Europe's leading manufacturer of work lights for professionals providing the strongest and most comprehensive ranges of work lights with the latest LED lighting technology available on the market.

SCANGRIP is innovation from Denmark: All products are designed and developed by SCANGRIP in Denmark and manufactured at our own factories.

SCANGRIP receives strong recognition in the marketplace for its product design, and the products are known for their high quality.

SCANGRIP strives for perfection, and is continuously optimizing and improving light output, battery capacity, design and ergonomics, durability, user-friendliness and functionality. The aim is to set new standards for professional work lights.

SCANGRIP was established in 1906 and has been manufacturing high quality hand tools for the industrial and automotive sectors for more than 110 years.

LARGE MAGNETIC BRACKET

Strong magnetic mounting bracket

Extremely powerful magnetic bracket designed for flexible mounting and positioning of the large NOVA work lights on any magnetic surface.

The bracket has 2 extremely powerful magnets with a holding force of more than 20 kg each, providing altogether a holding force equivalent to 400N. The magnets are rubber-coated to protect and avoid scratching the surface. To obtain maximum flexibility the magnets are turnable and can be rotated to any desirable position. So, even where the magnetic surface available is limited the flexible mounting bracket can be used.

The simple and one-hand-operated mounting bracket ensures fast and secure installation, and the lamp can be tilted to any position required in the daily work. A built-in stop mechanism avoids the pin from falling out of the bracket and disappear. By force the pin can, however, be taken out if needed.

For the minor NOVAs we recommend to use the small MAGNETIC BRACKET item no. 03.5390 with half the holding force.

Replaces the previous universal magnetic mounting bracket no. 03.5340 which is withdrawn.

The bracket is designed for:

- 03.5444 NOVA 10K
- 03.6002 NOVA 10 SPS
- 03.5654 MULTIMATCH 8

But can also be used for:

- 03.5440 NOVA 3K
- 03.5441 NOVA 3K C+R
- 03.5442 NOVA 5K
- 03.5443 NOVA 5K C+R
- 03.6000 NOVA 4 SPS
- 03.6001 NOVA 6 SPS
- 03.5653 MULTIMATCH 3

SPECIFICATIONS

260 x 40 x 55.6 mm



700 g

Holding force for 2 magnets 43 kg
Equivalent to 420N



LARGE MAGNETIC BRACKET

Item no. 03.5391



DESIGNED BY
SCANGRIP
IN DENMARK