Safety Data Sheet acc. to OSHA HCS



Printing date 06/28/2017

Reviewed on 06/20/2017

### **1** Identification

- · Product identifier
- · Trade name: 39304 39308 Rust Seal
- · Article number: 39304. 39308
- · Application of the substance / the mixture Coating

# 2 Hazard(s) identification

- · Classification of the substance or mixture According to GHS, the product is not classified.
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0	Health = 0
	Fire = 1
REACTIVITY 0	Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

# 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description:

Mixture: consisting of the following components.

Weight percentages

# · Dangerous components:

57-55-6 Methyl glycol

1.5 - 5% (Contd. on page 2)

USA

Safety Data Sheet acc. to OSHA HCS

Printing date 06/28/2017

Reviewed on 06/20/2017

(Contd. of page 1)

1.5 - 5%

Trade name: 39304 39308 Rust Seal

107-21-1 ethanediol

## 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### · Protective Action Criteria for Chemicals

• PAC-1:		
57-55-6	Methyl glycol	30 mg/m3
107-21-1	ethanediol	30 ppm
64-18-6	formic acid	3 ppm
126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol	30 mg/m3
9003-11-6	Polyoxypropylene-polyoxyethylene Block Copolymer	6.9 mg/m3
· PAC-2:		
57-55-6	Methyl glycol	1,300 mg/m3
107-21-1	ethanediol	150 ppm
64-18-6	formic acid	25 ppm
126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol	330 mg/m3
9003-11-6	Polyoxypropylene-polyoxyethylene Block Copolymer	76 mg/m3
		(Contd. on page 3)

Reviewed on 06/20/2017

#### Trade name: 39304 39308 Rust Seal

		(Contd. of page 2)
· PAC-3:		
57-55-6	5 Methyl glycol	7,900 mg/m3
107-21-1	ethanediol	900 ppm
64-18-6	5 formic acid	250 ppm
126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol	2,000 mg/m3
9003-11-6	6 Polyoxypropylene-polyoxyethylene Block Copolymer	460 mg/m3

#### \*

## 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

57-55-6 Methyl glycol

WEEL Long-term value: 10 mg/m<sup>3</sup>

#### 107-21-1 ethanediol

TLV Short-term value: 10\*\* mg/m<sup>3</sup>, 50\* ppm Long-term value: 25\* ppm \*vapor fraction:\*\*inh. fraction, aerosol only

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.



Reviewed on 06/20/2017

(Contd. of page 3)

Trade name: 39304 39308 Rust Seal

### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

# 9 Physical and chemical properties

Information on basic physical and General Information	r · r · · · ·	
Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C	
Flash point:	110 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.06217 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	2.7 %	
Water:	35.2 %	
VOC content:	2.7 %	
	45.5 g/l / 0.38 lb/gl	



Reviewed on 06/20/2017

Trade name: 39304 39308 Rust Seal

(Contd. of page 4)

Solids content: • Other information 58.6 % No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.



. . . . . . . . . . . .

Reviewed on 06/20/2017

Trade name: 39304 39308 Rust Seal

(Contd. of page 5)

Page 6/8

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.
· UN "Model Regulation":	Void

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 3.	55 (extremely hazardous substances):
None of th	he ingredient is listed.
· Section 3	13 (Specific toxic chemical listings):
	Acrylic Resin
	ethanediol
64-18-6	formic acid
· TSCA (Te	oxic Substances Control Act):
57-55	-6 Methyl glycol
	(Contd. on page 7)

- USA



Reviewed on 06/20/2017

Page 7/8

Trade name: 39304 39308 Rust Seal

	(Contd. of pag	ge 6)
107-21-1	ethanediol	
64-18-6	formic acid	
	3,4,5-trihydroxybenzoic acid	
126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol	
11138-66-2	Xanthan gum	
	Polyoxypropylene-polyoxyethylene Block Copolymer	
7732-18-5	water	
· Proposition		
	nown to cause cancer:	
107-21-1 е		
9003-11-6 H	Polyoxypropylene-polyoxyethylene Block Copolymer	
	nown to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
· Chemicals k	nown to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
· Chemicals k	nown to cause developmental toxicity:	-
107-21-1 et		
· Cancerogen		
	onmental Protection Agency)	
None of the	ingredients is listed.	
· TLV (Thres	hold Limit Value established by ACGIH)	
107-21-1 et	hanediol A	A4
· NIOSH-Ca	(National Institute for Occupational Safety and Health)	
	ingredients is listed.	
· GHS label e · Hazard picto · Signal word · Hazard state · Chemical sa	ograms Void Void	

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Date of preparation / last revision 06/28/2017 / 7

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists



Reviewed on 06/20/2017

#### Trade name: 39304 39308 Rust Seal

(Contd. of page 7)

USA

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit • \* Data compared to the previous version altered.