



# Technician's Parts & Accessories



# INTRODUCTION

## SHARK INDUSTRIES LTD.

### HISTORY

Shark Industries Ltd. has been selling to the Automotive Aftermarket for over 37 years. We have been manufacturing and selling abrasives into the Aftermarket for much of that time, as well as supplying Welding Accessories and Supplies to Distributors across the US, Canada and overseas. Shark purchased their first press to make 3" and 4" cut-off wheels in 1996 and today has over 15 pieces of equipment making not only Cut-off Wheels, but Flap Discs, Surface Prep Discs, Mini Grinding Discs and larger diameter cut-off wheels.

### Carbide Inserts for Brake Lathes

Shark was one of the first companies to supply carbide inserts that were compatible with FMC, Accu-Turn, Kwik-way and many other brake lathe manufacturers besides Ammco bits. We are known for quality in their carbide inserts that is second to none; complementing that product line with silencer bands that are manufactured in their plant in the US.

### Wheel Balancer and Tire Changer Accessories

Our line of Wheel Balancer and Tire Changer accessories is ever growing as you will notice in this catalogue. We are happy to say that we guarantee these products will compare with OEM standards and offer you a satisfaction guarantee or your money back!

### Clip-It-In Light Bulbs, Cable Ties, Fuses and Drain Plugs with Gaskets

These items were formally in a separate catalogue and have now been incorporated into this catalogue as they are items used daily by mechanics of all types. **You will find them at the end of the catalogue and again your satisfaction is guaranteed with these items; as with all of our quality products.**

### Clip-It-In

This expanded line is a convenient source for the most popular auto body clips and fasteners for license plates, etc. Please ask to be sent this catalogue if you have interest in the products! **This catalogue does feature our most popular Skid Plate Assortment on page 100 so that you will have the ability to return the skid plate to OEM standards after doing an oil change procedure!**

**We always welcome any critiques of our products or service and aim to make customer satisfaction our primary focus!**

### California Proposition 65:

Proposition 65 is a regulatory notice requirement that entitles California consumers to special warnings for any one of the over 900-listed chemicals that California regulators have deemed to expose consumers to cancer or reproductive harm if consumers are exposed to those chemicals above certain threshold levels. The required warnings are as follows:



**WARNING:** Certain products in this catalog can expose you to chemicals which are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).



**WARNING:** Certain products in this catalog can expose you to chemicals which are known to the State of California to cause cancer. For more information go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov)

**SHARK, SHARK WELDING, and CLIP-IT-IN** are registered trademarks of Shark Industries Ltd. Any use of the name without express written permission is prohibited. Any reproduction of this catalogue without the permission of Shark is prohibited. Shark is a manufacturer/repackager of its own products. Any mention of other manufacturers' in this catalogue is only for reference purposes of part numbers. Shark does not sell any other companies' products that are mentioned except for Haweka® or where otherwise noted.

A special thank you to West Hennepin Auto & Tire for the use of their new beautiful shop for taking pictures and Hanson Auto Service for testing products & tools.

# Table of Contents

## Brake Lathe Accessories

Carbide Bits for Brake Lathes	2-13
Brake Lathe Tool Holders for Carbide Bits and Brazed Solid Tools	14-19
Clamping Silencers and Silencer Assembly	20
Silencer Bands / Disc and Drum	21-23
Non-Directional Finishing Pads and Tools	24
Vacuum Brake Bleeders	25
Brake Soap & Lubricants	26-27
Twin Cutter Assembly and Parts	28
Cross Feed Extender, Shields & Lights	29
Ammco Style Parts and Boots	30-34
Accu-Turn Way Cover	30
Flyweel Grinding Wheels & Honing Stones	35
Ammco Style Adapter Parts and Kits	36-40
Brake Lathe Arbors and Nuts	41
Adapt-All Adapters	42-43
Adapt-Rite Adapters	44-45
Quick-Chuck Adapters	46-47
Hub Cleaning Tools and Tool Kits	48-49

## Tire Changer Accessories

Tire Changer Parts and Tools	50-54
T-Rekx Wheel Weight Pliers	51
Beadkeeper/Tire Spreaders and Tools	52
Lug Nut Removing/Brushes & Valve Tools	53
Tire Repair Burs and Mounted Points	54
Air Line Accessories and Gauges	55
Mount/Demount Heads	56-60
Protectors for Steel Heads and Jaws	61-62
Coats Jaw Clamps and Protectors	63

## Tire Changer Accessories - Cont.

Pedal Switch and Tire Changer Pads	64
Haweka® Wheel Balancer Adapters & Kits	65
Wheel Calipers and Hub Nuts	67
Wheel Balancer Adapters	68-69

## Mechanic's Choice Abrasives

Cut-off Wheels & Surface Prep Discs	70
-------------------------------------	----

## Lift & Hoist Parts

Lift Pads	71-73
-----------	-------

## Clip-It-In USA

Hose Clamps	74
Cable Ties, Warranty Seal & Plastic Boxes	75
Light Bulbs	76-81
Fuse Assortments	82-83
Fuses	84-85
Drain Plugs	86-91
Drain Plug Gaskets/Specialty	92
Drain Plug Gaskets/Aluminum & Copper	93
Drain Plug Gaskets/Copper, Steel & Green Synthetic	94
Drain Plug Gaskets/Fiber & Nylon	95
Drain Plug & Gasket Assortments	96-99
Skid Plate Assortment	100

## Index










101-104
---------

Part# Z2021



## Brake Lathe Accessories

### CARBIDE BITS FOR BENCH & ON-THE-CAR LATHES

ACCU-TURN/ BOSCH	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	<b>060-6</b>	6-pk	433796	<ul style="list-style-type: none"> <li>Accu-Turn/Bosch Style Positive Rake Bits have the unique capability to cut hard spots on rotors, drums, and flywheels</li> </ul>	7700, 8920, 8922, 8944, 8989, 8990, 8991, 8993, 8995 and 8997 lathes. 3 cutting edges.
	<b>060-10</b>	10-pk	433796		
	<b>068-6</b>	6-pk	878051	<ul style="list-style-type: none"> <li>Accu-Turn Style Negative Rake On-the-Car Bits, 1/8" Thick</li> </ul>	8700, 8750 and 8800 On-the-Car lathes. 6 cutting edges.
	<b>068-10</b>	10-pk	878051		
	<b>408-6</b>	6-pk	N/A	<ul style="list-style-type: none"> <li>Accu-Turn Style Positive Rake Bits with larger radius for more aggressive action-longer life for Disc/Drum Lathes</li> </ul>	8911, 8922, 8944, 8989, 8991 or 8993. 3 cutting edges.
	<b>408-10</b>	10-pk	N/A		
	<b>409-6</b>	6-pk	N/A	<ul style="list-style-type: none"> <li>Accu-Turn Style Positive Rake Bit with .048 Radius and TiALN coating for aggressive action-longer life</li> </ul>	8911, 8922, 8944, 8989, 8991 or 8993. 3 cutting edges.
	<b>409-10</b>	10-pk	N/A		
				Tool Holders: 422, 423 (421 Set)	
ALL TOOL	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	<b>064-6</b>	6-pk	3330	<ul style="list-style-type: none"> <li>All Tool Style Negative Rake Bits for Disc/Drum Lathes</li> </ul>	Model 747. 6 cutting edges.
	<b>064-10</b>	10-pk	3331		
	<b>065-6</b>	6-pk	6731	<ul style="list-style-type: none"> <li>All Tool Style Positive Rake Bits for Disc/Drum Lathes</li> </ul>	Model 747. 6 cutting edges.
	<b>065-10</b>	10-pk	6731		
AMMCO	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	<b>062-6</b>	6-pk	6914-6	<ul style="list-style-type: none"> <li>Most Popular - Ammco Style Negative Rake Bits for Disc/Drum Lathes. Use in place of all 6914 bits.</li> </ul>	1000, 1001, 3000, 4000, 4100, 7000, 7700. On-the-Car brake lathe models 700, 705 & 710. Drum Side on 3850 lathes. 6 cutting edges.
	<b>062-10</b>	10-pk	6914-10		
	<b>062C-6</b>	6-pk	6914-6	<ul style="list-style-type: none"> <li>Coated Ammco Style Negative Rake Bits. Use in place of all 6914 bits. Use on all 062 applications.</li> </ul>	1000, 1001, 3000, 4000, 4100, 7000, 7700. On-the-Car brake lathe models 700, 705 & 710. Drum Side on 3850 lathes. 6 cutting edges.
	<b>062C-10</b>	10-pk	6914-10		
	<b>062S-6</b>	6-pk	6914-6	<ul style="list-style-type: none"> <li>Extra Life - Super Ammco Style Negative Rake Bits. Precision ground all over. Use in place of all 6914 bits. Use on all 062 applications.</li> </ul>	1000, 1001, 3000, 4000, 4100, 7000, 7700. On-the-Car brake lathe models 700, 705 & 710. Drum Side on 3850 lathes. 6 cutting edges.
	<b>062S-10</b>	10-pk	6914-10		

# Shark is the Leader in Automotive Brake Lathe Bits.

Being one of the first Aftermarket Companies to sell bits for all brands of brake lathes in the market, Shark has offered bits for various lathe manufacturers since 1987.


All Shark bits are guaranteed to perform as well as any OEM bits. Most bits come with one, two and three dots in the corners for easy identification of the used corner on your bit.

All bits come with screws unless noted.

# Top Selling Bits!


Guaranteed to perform as well as OEM Bits.

## Positive vs. Negative




### Positive Rake Bit & Holder

- Positive Rake bit "cuts" the rotor
- Provides faster cutting and smoother surface finish, as well as more effective on hard spots
- Features 3 cutting edges



### Negative Rake Bit & Holder

- Negative Rake bit "cuts" the rotor
- More durable and longer life
- Features 6 cutting edges
- Reduces chatter




Ammco Style Negative Rake Bits.

062



Pro-Cut Style Positive Rake Bits with Grooves.

069



Accu-Turn Style Positive Rake Bits. Solid Carbide.

060



FMC/John Bean/Barrett/Snap-On/Perfect Equipment/Hofmann Style Positive Rake Bits.



407






Continued on next page














## Brake Lathe Accessories

### CARBIDE BITS FOR BENCH & ON-THE-CAR LATHES

AMMCO	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	<b>063-10</b>	10-pk	6914-10	• Economy Ammco Style Negative Rake Bits. Use in place of all 6914 bits.	1000, 1001, 3000, 4000, 4100, 7000, 7700. On-the-Car brake lathe models 700, 705 & 710. Drum Side on 3850 lathes. 6 cutting edges.
	<b>068-6</b>	6-pk	6914-6	• Thicker - 1/8" Ammco Style Negative Rake Bits. Use in place of all 6914 bits.	1000, 1001, 3000, 4000, 4100, 7000, 7700. On-the-Car brake lathe models 700, 705 & 710. Drum Side on 3850 lathes. 6 cutting edges.
	<b>068-10</b>	10-pk	6914-10		

AMMCO	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	<b>066-6</b>	6-pk	940610	• Ammco Style Round Positive Rake Bits for Disc/Drum Lathes Tool Holders: 426, 427 (428 Set)	3850, 4000, 7000, 7500. Cutting Edges: 15-20.
	<b>066-10</b>	10-pk	940610		
	<b>103-6</b>	6-pk	7681-6	• Most Popular - Ammco Style Positive Rake Bits for Disc/Drum Lathes Tool Holders: 968, 969	Twin Cutter & 9381 Facing Set. 3 cutting edges.
	<b>103-10</b>	10-pk	7681-10		
	<b>104-6</b>	6-pk	6918-6	• Ammco Style Positive Rake Bits. Use in place of 6918 Ammco bits. Tool Holder: 390	Twin Cutter & 9381 Facing Set. 3 cutting edges.
	<b>104-10</b>	10-pk	6918-10		
	<b>408-6</b>	6-pk	N/A	• Shark Style Positive Rake Bits for Ammco Disc/Drum Lathes .048 Radius Tool Holders: 422, 423 (421 Set)	3850, 4000, 7000, 7500. 3 cutting edges.
	<b>408-10</b>	10-pk	N/A		
	<b>A5677-2</b>	2-pk	5677-2	• Heavy Duty Ammco Style Positive Rake Bits Tool Holder: 9695 (not sold by Shark)	Use on Drum Models. 3 cutting edges.

BEAR	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	<b>383-6</b>	6-pk	722-83-4	• Bear Style Negative Rake Bits for Disc/Drum Lathes	478 Disc or 1410, 1467, 1468, 1469 Drum Lathes. 6 cutting edges.
	<b>383-10</b>	10-pk	722-83-4		

<b>FMC</b>	<b>PART#</b>	<b>QTY</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>USE ON MODELS</b>
	<b>062-6</b>	6-pk	90817	<ul style="list-style-type: none"> <li>On-the-Car Lathes FMC/John Bean/Barrett/Snap-On Style Negative Rake Bits</li> </ul>	500 Series On-the-Car RTI Style lathes using negative rake bits. 6 cutting edges.
	<b>062-10</b>	10-pk	90817		
	<b>103-6</b>	6-pk	7681-6	<ul style="list-style-type: none"> <li>On-the-Car Lathes FMC/John Bean/Barrett/Snap-On Style Positive Rake Bits</li> </ul>	500 Series On-the-Car RTI Style lathes using positive rake bits. 3 cutting edges.
	<b>103-10</b>	10-pk	7681-10		
	<b>407-6</b>	6-pk	90488	<ul style="list-style-type: none"> <li>Most Popular - FMC/John Bean/Barrett/Snap-On Style Positive Rake Bits for Disc/Drum Lathes .020 Radius. Tool Holders: 190, 404, 405, (421 Set), 422, 423, 464, 465</li> </ul>	67BSD, 67DLX, 67GSA, 69DLX, 701 ECF, 601PF. FMC/Barrett 400, 500, 600 or 700 Lathes. 3 cutting edges.
	<b>407-10</b>	10-pk	90488		
	<b>408-6</b>	6-pk	N/A	<ul style="list-style-type: none"> <li>Extra Life - Superior Grade .048 Radius FMC/John Bean/Barrett/Snap-On Style Positive Rake Bits for Disc/Drum Lathes Tool Holders: 190, 404, 405, (421 Set), 422, 423, 464, 465</li> </ul>	67BSD, 67DLX, 67GSA, 69DLX, 701 ECF, 601PF. FMC/Barrett 400, 500, 600 or 700 Lathes. 3 cutting edges.
	<b>408-10</b>	10-pk	N/A		
	<b>409-6</b>	6-pk	N/A	<ul style="list-style-type: none"> <li>Extra Life - Superior Grade TiaLN Coated .048 Radius FMC/John Bean/Barrett/Snap-On Style Positive Rake Bits for Disc/Drum Lathes Tool Holders: 190, 404, 405, (421 Set), 422, 423, 464, 465</li> </ul>	67BSD, 67DLX, 67GSA, 69DLX, 701 ECF, 601PF. FMC/Barrett 400, 500, 600 or 700 Lathes. 3 cutting edges.
	<b>409-10</b>	10-pk	N/A		
<b>HOFMAN/ RJ WEST</b>	<b>PART#</b>	<b>QTY</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>USE ON MODELS</b>
	<b>062-6</b>	6-pk	221-580-2	<ul style="list-style-type: none"> <li>Hofmann Style Negative Rake Bits for Disc/Drum Lathes Tool Holders: 191, 192 (193 Set)</li> </ul>	660 Lathes. 6 cutting edges.
	<b>062-10</b>	10-pk	221-617-2(24)		
	<b>407-6</b>	6-pk	000-90488-000	<ul style="list-style-type: none"> <li>Most Popular - Hofmann 400/401/201 True Cut/RJ West Style Positive Rake Bits for Disc Rotor Lathes Tool Holders: 404, 405</li> </ul>	400/401/201 True Cut/RJ West Rotor & Drum Lathes 1115HD, 1215S. 3 cutting edges.
	<b>407-10</b>	10-pk	W139		
	<b>409-6</b>	6-pk	N/A	<ul style="list-style-type: none"> <li>Shark TiaLN Coated .048 Radius Long-Life Positive Rake Bits for Hofmann 400/401 True Cut/RJ West Style Bits for Disc/Rotor Lathes Tool Holders: 404, 405</li> </ul>	400/401/201 True Cut/RJ West Rotor & Drum Lathes 1115HD, 1215S. 3 cutting edges.
	<b>409-10</b>	10-pk	N/A		
	<b>502-6</b>	6-pk	DRL90	<ul style="list-style-type: none"> <li>Hofmann/RJ West Style Negative Rake Bits for Disc Cutting</li> </ul>	715 and RJ West 1115HD. 6 cutting edges.
	<b>502-10</b>	10-pk	DRL90		
	<b>503-6</b>	6-pk	W136-1	<ul style="list-style-type: none"> <li>Hofmann/RJ West Style Negative Rake Bits for Drum Cutting Tool Holder: 782</li> </ul>	715 Lathes. 6 cutting edges.
	<b>503-10</b>	10-pk	W136-1		








**CARBIDE BITS FOR BENCH & ON-THE-CAR LATHES**

HUNTER	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	<b>064-6</b>	6-pk	221-580-2	<ul style="list-style-type: none"> <li>Hunter Style Negative Rake Bits for Drums Tool Holders: 191, 192, 784 (193 Set)</li> </ul>	BL500, 501 & 505 Combination Lathes. 6 cutting edges.
	<b>064-10</b>	10-pk	221-617-2		
	<b>065-6</b>	6-pk	221-639-3	<ul style="list-style-type: none"> <li>Hunter Style Positive Rake Bits .015 Radius Tool Holders: 968, 969</li> </ul>	BL500, 501 & 505 Hunter Lathes. 3 cutting edges.
	<b>065-10</b>	10-pk	221-640-3		
	<b>067-6</b>	6-pk	221-651-2	<ul style="list-style-type: none"> <li>Hunter Style Positive Rake Bits Tool Holders: RP8-8568, RP8-8569, 221-615-2, 221-616-2 (not sold by Shark), 404, 405, 464, 465, 190 (466 Set)</li> </ul>	BL500, BL501 & BL505 Combo Lathes in Foreign Car Angled Tool Holders. 3 cutting edges.
	<b>067-10</b>	10-pk	221-651-2		
	<b>103-6</b>	6-pk	221-538-3	<ul style="list-style-type: none"> <li>Hunter Style Positive Rake Bits Tool Holders: 25-499-2, 57-500-2 (not sold by Shark)</li> </ul>	OCL400, OCL360, BL505 & BL501. 3 cutting edges.
	<b>103-10</b>	10-pk	221-640-3		
	<b>409-6</b>	6-pk	221-678-3	<ul style="list-style-type: none"> <li>Shark Style Positive Rake Bits for Hunter TiAlN Coated .060 Radius Tool Holders: 422, 423 (421 Set)</li> </ul>	BL500 BL505 & BL501 Rotor Lathes. 3 cutting edges.
	<b>409-10</b>	10-pk	221-678-3		
	<b>702-6</b>	6-pk	V302-07-167	<ul style="list-style-type: none"> <li>Hunter Style Negative Rake Bits for Disc Rotors</li> </ul>	201, 205 Disc Lathes. 6 cutting edges.
	<b>702-10</b>	10-pk	V302-07-167		
	<b>703-6</b>	6-pk	221-580-2	<ul style="list-style-type: none"> <li>Hunter Style On-the-Car Negative Rake Bits .030 Radius</li> </ul>	BL300. 6 cutting edges.
	<b>703-10</b>	10-pk	221-617-2		
	<b>709-6</b>	6-pk	221-626-3	<ul style="list-style-type: none"> <li>Hunter Style Positive Rake Micro-Round Inserts Tool Holders: 80337, 80338 Screws sold separately (709S)</li> </ul>	OCL360, OCL-400, BL505 & BL501 Lathes.
	<b>709-10</b>	10-pk	221-626-3		
	<b>709S</b>	1-pk	75-556-2		



**CARBIDE BITS FOR BENCH & ON-THE-CAR LATHES**

<b>KWIK-WAY/ SNAP-ON</b>	<b>PART#</b>	<b>QTY</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>USE ON MODELS</b>
	<b>802-6</b>	6-pk	109-1092-23, 109-1092-45	<ul style="list-style-type: none"> <li>• Kwik-Way/Snap-On Style Positive Rake Bits for Disc Rotors Tool Holders: 806, 807</li> </ul>	SDL, DL, 850 Disc Lathes, ROTUNDA, Snap-On On-the-Car YA180, YA281 Bench Lathes. Kwik-Way NCL, BDL, CBL108 & Kwik-Lathe. On-the-Car 108-005-04 w/000-0171-91 Screws. 3 cutting edges.
	<b>802-10</b>	10-pk	109-1092-23, 109-1092-45, BTK10A		
	<b>803-10</b>	10-pk	109-1092-32	<ul style="list-style-type: none"> <li>• Kwik-Way Style Formula I Type Positive Rake Bits for Lightning Lathe .032 Radius Tool Holders: 804, 805</li> </ul>	Model 104. 3 cutting edges.
	<b>809-10</b>	10-pk	109-1092-45	<ul style="list-style-type: none"> <li>• Kwik-Way Style Formula I Type Positive Rake Bits for Lightning Lathe .045 Radius Tool Holders: 404, 405</li> </ul>	Model 104. 3 cutting edges.




<b>PRO-CUT</b>	<b>PART#</b>	<b>QTY</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>USE ON MODELS</b>
	<b>061-6</b>	6-pk	50-701	<ul style="list-style-type: none"> <li>• Pro-Cut Style Positive Rake Bits Tool Holder: 29005 (not sold by Shark)</li> </ul>	610 Pro-Cut On-the-Car Lathes. 3 cutting edges.
	<b>061-10</b>	10-pk	50-701		
	<b>069-6</b>	6-pk	50-741	<ul style="list-style-type: none"> <li>• Pro-Cut Style Positive Rake Bits for Ford Lathes Tool Holder: 29005 (not sold by Shark)</li> </ul>	610 Pro-Cut On-the-Car Lathes, RJ West PFM 9.2 and FM900, PFM9.2DRO Warthog, 9.2DRO. 3 cutting edges.
	<b>069-10</b>	10-pk	50-742		


<b>PERFECT EQUIPMENT</b>	<b>PART#</b>	<b>QTY</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>USE ON MODELS</b>
	<b>407-6</b>	6-pk	D139	<ul style="list-style-type: none"> <li>• Hofmann/RJ West Style Positive Rake Bits for Twin Turn 400/P450 Lathes Tool Holders: 190, 404, 405, 464, 465 (466 Set)</li> </ul>	400/401 True-Cut, 400 & P450 Twin Turn Combination Lathes. 3 cutting edges.
	<b>407-10</b>	10-pk	D139		
	<b>502-6</b>	6-pk	DR L90	<ul style="list-style-type: none"> <li>• Perfect Hofmann Equipment/RJ West Style Negative Rake Bits for Rotor Cutting</li> </ul>	P300 Disc, P350 Combination & P450 Twin Turn Lathes, RJ West 1115 H.D. 6 cutting edges.
	<b>502-10</b>	10-pk	DR L90		
	<b>503-6</b>	6-pk	W136	<ul style="list-style-type: none"> <li>• Perfect Hofmann Equipment Style Negative Bits for Disc/Drum Cutting Tool Holders: 191, 192, 782 (193 Set)</li> </ul>	P300 Disc, P350 Combination & P450 Twin Turn Lathes, 660. 6 cutting edges.
	<b>503-10</b>	10-pk	W136		







## Brake Lathe Accessories

### CARBIDE BITS FOR BENCH & ON-THE-CAR LATHES



PERFORMANCE	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	<b>064-6</b>	6-pk	3336	<ul style="list-style-type: none"> <li>Most Popular - Performance Style Negative Rake Bits for Drum &amp; Rotor Lathes</li> <li>Tool Holders: 191, 192, 782 (193 Set)</li> </ul>	6600, 7100, 7200 & 7600 lathes. 6 cutting edges.
	<b>064-10</b>	10-pk	3340		
	<b>065-6</b>	6-pk	8711	<ul style="list-style-type: none"> <li>Most Popular - Performance Style Positive Rake Bits for Drum &amp; Rotor Lathes</li> <li>Tool Holders: 968, 969</li> </ul>	6600, 7100, 7200 & 7600 lathes. 3 cutting edges.
	<b>065-10</b>	10-pk	8711		
	<b>067-6</b>	6-pk	8712	<ul style="list-style-type: none"> <li>Most Popular - Performance Style Positive Rake Bits for Foreign Car Rotor Cutting</li> <li>Tool Holders: 190, 404, 405, 464, 465 (466 Set)</li> </ul>	3 cutting edges.
	<b>067-10</b>	10-pk	8712		



RANGER	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	<b>408-6</b>	6-pk	45016	<ul style="list-style-type: none"> <li>Ranger Style Positive Rake Bits for Disc and Drum Cutting</li> <li>Tool Holders: 422, 423 (421 Set)</li> </ul>	RL8500 & RL8500 XLT. 3 cutting edges.
	<b>408-10</b>	10-pk	45016		
	<b>409-6</b>	6-pk	45021	<ul style="list-style-type: none"> <li>Ranger Style .048 Radius TialN Coated Positive Rake Bits for Rotor Cutting</li> <li>Tool Holders: 422, 423 (421 Set)</li> </ul>	RL8500 & RL8500 XLT. 3 cutting edges.
	<b>409-10</b>	10-pk	45021		

RELS/ VAN NORMAN	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	<b>062-6</b>	6-pk	45001	<ul style="list-style-type: none"> <li>RELS Style Negative Rake Rotor Cutting Bits</li> <li>Tool Holders: 191, 192, 782 (193 Set)</li> </ul>	2000 Disc/Drum Lathes. 6 cutting edges.
	<b>062-10</b>	10-pk	45001		
	<b>408-6</b>	6-pk	45016	<ul style="list-style-type: none"> <li>RELS Style .048 Radius Positive Rake Rotor Cutting Bits</li> <li>Tool Holders: 422, 423 (421 Set)</li> </ul>	2000 Disc/Drum Lathes. 3 cutting edges.
	<b>408-10</b>	10-pk	45016		
	<b>409-6</b>	6-pk	45021	<ul style="list-style-type: none"> <li>RELS Style .048 Radius TialN Coated Positive Rake Rotor Cutting Bits</li> <li>Tool Holders: 422, 423 (421 Set)</li> </ul>	2000 Disc/Drum Lathes. 3 cutting edges.
	<b>409-10</b>	10-pk	45021		
	<b>505-4</b>	4-pk	29005	<ul style="list-style-type: none"> <li>RELS/Van Norman Style Negative Rake Flywheel Cutting Bits</li> <li>Tool Holders: 40822 (not sold by Shark)</li> </ul>	30473802 Flywheel Cutter. 6 cutting edges.
	<b>505-6</b>	6-pk	29005		
	<b>505-10</b>	10-pk	29005		

**CARBIDE BITS FOR BENCH & ON-THE-CAR LATHES**

<b>RELS/ VAN NORMAN</b>	<b>PART#</b>	<b>QTY</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>USE ON MODELS</b>
	<b>802-6</b>	6-pk	RELS	<ul style="list-style-type: none"> <li>• Swing-Arm RELS Style Positive 15 degree Bits for Drum &amp; Rotor Lathes</li> <li>Tool Holders: 804, 805, 806, 807</li> </ul>	SW504. 3 cutting edges.
	<b>802-10</b>	10-pk	RELS		
	<b>902L-6</b>	6-pk	302167	<ul style="list-style-type: none"> <li>• RELS/Van Norman Style Parallelgram Left Hand Positive Rake Bits for 204 Lathes</li> </ul>	Flywheel/Drum Cutting 204S Old Style, 205DR, 301, 303, 304, 305, 310, 404/405. 2 cutting edges (4 by cross-indexing).
	<b>902L-10</b>	10-pk	302167		
	<b>902R-6</b>	6-pk	977572	<ul style="list-style-type: none"> <li>• RELS/Van Norman Style Parallelgram Right Hand Positive Rake Bits for 204 Lathes</li> </ul>	Flywheel/Drum Cutting 204 New Style, 204C, 204S, 205DR, 300, 302 Lathes & Flywheel Machines. 2 cutting edges (4 by cross-indexing).
	<b>902R-10</b>	10-pk	129005		
	<b>903-6</b>	6-pk	866561	<ul style="list-style-type: none"> <li>• RELS/Van Norman Style Positive Rake Bits for Rotor Cutting</li> </ul>	204C, 204D, 204S, 205DC & 415 Disc Cutting Lathes. Van Norman 243XV new Drum/Rotor Lathes & some Snap-On. 3 cutting edges.
	<b>903-10</b>	10-pk	866561		


<b>RTI</b>	<b>PART#</b>	<b>QTY</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>USE ON MODELS</b>
	<b>068-6</b>	6-pk	080-80000-68	<ul style="list-style-type: none"> <li>• RTI Style On-the-Car Negative Rake Bits</li> <li>Tool Holder: 480-8001-00 (Black Color, not sold by Shark)</li> </ul>	BRC35 On-the-Car Lathes. 6 cutting edges.
	<b>068-10</b>	10-pk	91212		
	<b>103-6</b>	6-pk	080-80102-00	<ul style="list-style-type: none"> <li>• RTI Style Positive Rake Bits for On-the-Car or Bench Lathes</li> <li>Tool Holders: 450-80001-00 or 450-80002s-00 (Silver Color, not sold by Shark)</li> </ul>	BTC500, BRC550 Bench Lathes and BRC35 On-the-Car lathes. 3 cutting edges.
	<b>103-10</b>	10-pk	080-80102-00		

<b>SHARK</b>	<b>PART#</b>	<b>QTY</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>USE ON MODELS</b>
	<b>066-6</b>	6-pk	409	<ul style="list-style-type: none"> <li>• Shark Style Round Positive Rake Bits</li> <li>Tool Holders: 426, 427 (428 Set)</li> </ul>	Ammco lathes where 6914 tips are used. Also used with Snap-On Brake Lathes, All Tool, RELS and Performance. Cutting Edges: 15-20.
	<b>066-10</b>	10-pk	409		
	<b>409-6</b>	6-pk	066	<ul style="list-style-type: none"> <li>• Extra Life - Shark Style .048 Radius TialN Coated Positive Rake Bits</li> <li>Tool Holder: 422, 423 (421 Set)</li> </ul>	Ammco where 062's are used, FMC in place of 407, Accu-Turn in place of 060 RELS 2000 and Performance/All Tool Lathes. 3 cutting edges.
	<b>409-10</b>	10-pk	066		



## Brake Lathe Accessories

### CARBIDE BITS FOR BENCH & ON-THE-CAR LATHES

STAR	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	808-6	6-pk	CD60	<ul style="list-style-type: none"> <li>Star Style Negative Rake Bits for Drum &amp; Rotor Lathes</li> </ul>	1776 Disc lathes. 6 cutting edges.
	808-10	10-pk	CD60		

SUN ELECTRIC	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	061-6	6-pk	PC50701	<ul style="list-style-type: none"> <li>Sun Style Positive Rake Bits for Rotor Lathes</li> </ul>	EEBR105A Deluxe On-the-Car Pro-Cut Rotor Cutting System. 3 cutting edges.
	061-10	10-pk	PC50701		

VBG	PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
	908-6	6-pk	PC50701	<ul style="list-style-type: none"> <li>VBG Style Positive Rake Bits for Rotor Lathes</li> </ul>	600 & 610 On-the-Car Lathes. 3 cutting edges.
	908-10	10-pk	PC50701		



## OEM Numeric Crossovers

OEM#	Brand	Shark#	OEM#	Brand	Shark#
<b>000-90488-00</b>	Hofmann/RJ West	407-6	<b>6914-10</b>	Economy Ammco	063-10
<b>080-80000-68</b>	RTI	068-6	<b>6914-10</b>	Super Ammco	062S-10
<b>080-80102-00</b>	RTI	103-6/10	<b>6914-10</b>	Coated Ammco	062C-10
<b>109-1092-23</b>	Kwik-Way/JB	802-10	<b>6914-10</b>	Ammco	068-10
<b>109-1092-32</b>	Kwik-Way/Snap-On/JB	803-10	<b>6914-6</b>	Ammco	062-6
<b>109-1092-45</b>	Kwik-Way/Snap-On/JB	802-10	<b>6914-6</b>	Super Ammco	062S-6
<b>109-1092-45</b>	Kwik-Way/Snap-On/JB	809-10	<b>6914-6</b>	Coated Ammco	062C-6
<b>129005</b>	RELS/Van Norman	902R-10	<b>6914-6</b>	Ammco	068-6
<b>221-538-3</b>	Hofmann/Hunter	703-6/062-6	<b>6918-10</b>	Coated Ammco	104-10
<b>221-538-3</b>	Hunter	103-6	<b>6918-6</b>	Coated Ammco	104-6
<b>221-580-2</b>	Hofmann/Hunter	062-6	<b>722-83-4</b>	Bear	383-6
<b>221-580-2</b>	Hunter	703-10	<b>75-556-2</b>	Hunter	709S
<b>221-617-2 (24)</b>	Hofmann/RJ West/Hunter	062/10/062S-10	<b>7681-10</b>	Ammco	103-10
<b>221-626-3</b>	Hunter	709-6	<b>7681-6</b>	Ammco	103-6
<b>221-639-3</b>	Hunter	065-6	<b>808406</b>	RELS/Van Norman	904-6
<b>221-640-3</b>	Hunter	065-10	<b>866561</b>	RELS/Van Norman	903-6
<b>221-651-2</b>	Hunter	067-6	<b>866562</b>	RELS/Van Norman	902R-6
<b>221-678-3</b>	Hunter	409-6	<b>8711</b>	Performance	065-6 or 10
<b>29005</b>	RELS/Van Norman	505-5 or 10	<b>8712</b>	Performance	067-6 or 10
<b>3330</b>	All Tool	064-6	<b>8731</b>	All Tool	065-6
<b>3331</b>	All Tool	064-10	<b>878051</b>	Accu-Turn	068-6
<b>3334</b>	All Tool	064-6	<b>878052</b>	Accu-Turn	068-10
<b>3336</b>	Performance	064-6	<b>90488</b>	FMC	407-10
<b>3340</b>	Performance	064-10	<b>90817</b>	FMC	062-10
<b>3354</b>	Performance	064-10	<b>91212</b>	RTI	068-10
<b>302167</b>	RELS/Van Norman	902L-6	<b>940610</b>	Ammco	066-10
<b>40435</b>	Accu-Turn/Bosch	060-10	<b>977572</b>	RELS/Van Norman	902R-6
<b>433796</b>	Accu-Turn/Bosch	060-10	<b>A5677-2</b>	Ammco	5677-2
<b>45001</b>	RELS/Van Norman	062-6	<b>BTK10A</b>	Snap-On	802-10
<b>45002</b>	RELS/Van Norman	103-6/10	<b>CD60</b>	Star	808-6
<b>45016</b>	RELS/Van Norman	408-6	<b>D139</b>	Perfect Equipment	407-6
<b>45021</b>	Ranger/RELS/Van Norman	409-6	<b>DRL90</b>	Hofmann/RJ West/PE	502-6
<b>50-701</b>	Pro-Cut/VGB	061-10/908-6	<b>PC50701</b>	Sun Electric	061-6
<b>50-741</b>	Pro-Cut	069-6	<b>V302-07-167</b>	Hunter	702-6
<b>50-742</b>	VGB	908-6	<b>W136-1</b>	Hofmann/RJ West	503-6
<b>50-742</b>	Pro-Cut/VGB	069-10	<b>W139</b>	Hofmann/RJ West	407-6
<b>5677-2</b>	Ammco	A5677-2			
<b>06406-10</b>	Ammco	066-10			
<b>6914-10</b>	Ammco	062-10			

Continued on next page



**CARBIDE BITS FOR BENCH & ON-THE-CAR LATHES**

**Quick Reference Chart of Bits and Manufacturers**

SHARK Part #'s	060	061	062	062C	062S	063	064	065	066	067	068	069	103	104
Accu-Turn/Bosch														
All Tool														
Ammco - Negative Rake														
Ammco - Positive Rake														
Bear														
FMC														
Hofmann/RJ West														
Hunter														
Kwik-Way/Snap-On														
Perfect Equipment														
Performance														
Pro-Cut														
Ranger														
RELS/Van Norman														
RTI														
Shark														
Star														
Sun Electric														
VGB														



Bits shown actual size

**CARBIDE BITS FOR BENCH & ON-THE-CAR LATHES**

383	407	408	409	502	503	505	702	703	709	802	803	808	809	902L	902R	903	908	A5677-2



Bits shown actual size

**CARBIDE TOOL HOLDERS FOR BENCH & ON-THE-CAR LATHES**



Shown with Bit 060

**ACCU-TURN / FMC**

190

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
190	1-pk	Accu 434286, FMC 8027134	<ul style="list-style-type: none"> <li>Positive Rake Zero Angle Tool Holder</li> <li>Bits: 407, 408, 409 or 060</li> </ul>	Use on brake lathes when cutting rotors with hubs that prevent standard tool holders from reaching into the squared shoulders.

**ACCU-TURN / FMC / HOFMANN-RJ WEST**



405



404



Shown with Bit 407

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
404	1-pk	Accu 433763, FMC 90494, FMC 90490	<ul style="list-style-type: none"> <li>Positive Rake Right Hand Tool Holder</li> <li>Bits: 407, 408, 409 or 060</li> </ul>	Rotors, Flywheels & Heavy Duty Drum 8910, 8911, 8922, 8944, 8989 Combination Disc & Drum Lathes.
405	1-pk	Accu 433764, FMC 90494, FMC 90490, Hofmann/RJ West W140	<ul style="list-style-type: none"> <li>Positive Rake Left Hand Tool Holder</li> <li>Bits: 407, 408, 409 or 060</li> </ul>	Rotors and Flywheels 8910, 8911, 8922, 8944, 8989 Combination Disc & Drum Lathes.


**ACCU-TURN / FMC**



445

446 Set

444



Shown with Bit 066

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
444	1-pk	Accu 433763, FMC 90494, FMC 90490	<ul style="list-style-type: none"> <li>Positive Rake Round Right Hand Tool Holder</li> <li>Bit: 066</li> </ul>	Rotors, Flywheels & Heavy Duty Drum 8910, 8911, 8922, 8944, 8989 Combination Disc & Drum Lathes.
445	1-pk	Accu 433764, FMC 90494, FMC 90490	<ul style="list-style-type: none"> <li>Positive Rake Round Left Hand Tool Holder</li> <li>Bit: 066</li> </ul>	Rotors and Flywheels 8911, 8922, 8944, 8989 Combination Disc & Drum Lathes.
446	Set	Accu, FMC	<ul style="list-style-type: none"> <li>Positive Rake Round Right &amp; Left Hand Tool Holder Set (444 &amp; 445)</li> <li>Bit: 066</li> </ul>	Rotors, Flywheels & Heavy Duty Drum 8910, 8911, 8922, 8944, 8989 Combination Disc & Drum Lathes.





**CARBIDE TOOL HOLDERS FOR BENCH & ON-THE-CAR LATHES**



**ACCU-TURN  
FMC / HUNTER  
HOFMANN-RJ WEST**

465

466 Set

464




PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
464	1-pk	Accu 434056, FMC 8027164, Hunter RP8-8568, Hofmann/RJ West W208	<ul style="list-style-type: none"> <li>Positive Rake Right Hand Offset Tool Holder</li> <li>Bits: 407, 408, 409 or 060</li> </ul>	Rotors with mounting flanges such as Trooper, Isuzu, Toyota Tercel & Mazda Pick-ups.
465	1-pk	Accu 434057, FMC 8027165, Hunter RP8-8568, Hofmann/RJ West W209	<ul style="list-style-type: none"> <li>Positive Rake Right Hand Offset Tool Holder</li> <li>Bits: 407, 408, 409 or 060</li> </ul>	Rotors with mounting flanges such as Trooper, Isuzu, Toyota Tercel & Mazda Pick-ups.
466	Set	Accu 90489	<ul style="list-style-type: none"> <li>Positive Rake Right &amp; Left Hand Offset Tool Holder Set</li> <li>Bits: 407, 408, 409 or 060</li> </ul>	Rotors with mounting flanges such as Trooper, Isuzu, Toyota Tercel & Mazda Pick-ups.

**ALL TOOL  
PERFORMANCE  
HUNTER**



180



PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
180	1-pk	All Tool 8710, Performance 8710, Hunter 221-643-3	<ul style="list-style-type: none"> <li>Positive Rake Stubby Tool Holder</li> <li>Bit: 802</li> </ul>	Use on disc cutting brake lathes and combination lathes when cutting rotors.


**ALL TOOL  
PERFORMANCE  
HUNTER / AMMCO  
RELS**



192

193 Set

191



PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
191	1-pk	All Tool 8588, Performance 8688, Hunter RP8 8588, Ammco 10701, RELS 45005	<ul style="list-style-type: none"> <li>Negative Rake Right Hand Tool Holder</li> <li>Bits: 062 or 064</li> </ul>	Use on disc cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3000, 4000, 4100 & 7000 Lathes. RELS 2000.
192	1-pk	All Tool 8586, Performance 8586, Hunter RP8 8586, Ammco 10702, RELS 45006	<ul style="list-style-type: none"> <li>Negative Rake Left Hand Tool Holder</li> <li>Bits: 062 or 064</li> </ul>	Use on disc cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3000, 4000, 4100 & 7000 Lathes. RELS 2000.
193	Set	All Tool 8586, Performance 8586, Hunter RP8 8586, Ammco 6999, RELS 45701, All Tool 8708	<ul style="list-style-type: none"> <li>Negative Rake Right &amp; Left Hand Tool Holder Set</li> <li>Bits: 062 or 064</li> </ul>	Use on disc cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3000, 4000, 4100 & 7000 Lathes. RELS 2000.



## Brake Lathe Accessories

# CARBIDE TOOL HOLDERS FOR BENCH & ON-THE-CAR LATHES




### ALL TOOL PERFORMANCE AMMCO RELS



969

968



PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
968	1-pk	Performance 8708, Hunter 221-642-3, (RP8-8708 OLD#), Ammco 25968, RELS 45012	<ul style="list-style-type: none"> <li>Positive Rake Right Hand Tool Holder</li> <li>Bits: 065 or 103</li> </ul>	Use on disc cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3850, 4000 & 7000 Lathes.
969	1-pk	All Tool 8709, Performance 8709, Hunter 221-641-3, (RP8-8709 OLD#) Ammco 25969, RELS 45013	<ul style="list-style-type: none"> <li>Positive Rake Left Hand Tool Holder</li> <li>Bits: 065 or 103</li> </ul>	Use on disc cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3850, 4000 & 7000 Lathes. RELS Swing-Arm.



390




### AMMCO

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
390	1-pk	Ammco 5390	<ul style="list-style-type: none"> <li>Positive Rake Right Hand Tool Holder</li> <li>Bit: 104</li> </ul>	Use on disc cutting Ammco Model 3850 rotor cutting lathes.



392B




### AMMCO

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
392B	1-pk	Ammco 5392	<ul style="list-style-type: none"> <li>Positive Rake Right Hand Small Drum Tool Holder</li> <li>Bit: 103</li> </ul>	Use on Ammco Models 3000, 4000, 41000 & 7700 drum cutting lathes.



782




### AMMCO RELS

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
782	1-pk	Ammco 9872, RELS 45007	<ul style="list-style-type: none"> <li>Negative Rake Tool Holder</li> <li>Bit: 062</li> </ul>	Use on drum cutting brake lathes and combination lathes when cutting rotors. Use with Ammco Models 3000, 4000 & 7000 Lathes.




**CARBIDE TOOL HOLDERS FOR BENCH & ON-THE-CAR LATHES**



**RELS**

423      421 Set      422


PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
421	Set	RELS/Ammco 45700	• Positive Rake Right & Left Hand Tool Holder Set Bits: 408 or 409	Use on RELS 2000, Ammco Model 3000, 4000.
422	1-pk	RELS/Ammco 45015	• Positive Rake Right Hand Tool Holder Bits: 408 or 409	Use on RELS 2000, Ammco Model 3000, 4000.
423	1-pk	RELS/Ammco 45014	• Positive Rake Left Hand Tool Holder Bits: 408 or 409	Use on RELS 2000, Ammco Model 3000, 4000.



**HUNTER**

80337      80338

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
80337	1-pk	Hunter 337L	• Positive Rake Left Hand Round Tool Holder Bit: 709	OCL360, OCL400 Series, QCL.
80338	1-pk	Hunter 337R	• Positive Rake Right Hand Round Tool Holder Bit: 709	OCL360, OCL400 Series, QCL.



**AMMCO HUNTER RELS**


427      428 Set      426

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
426	1-pk	Ammco 40608, RELS 45009	• Positive Rake Right Hand Round Tool Holder (Rotors Only) Bit: 066	Use on RELS 2000, Ammco Model 3000, 4000, 4100 & 7000, Accu 8911, 8922 (Rotors Only).
427	1-pk	Ammco 40609, RELS 45008, Hunter	• Positive Rake Left Hand Round Tool Holder (Rotors Only) Bit: 066	Use on RELS 2000, Ammco Model 3000, 4000, 4100 & 7000, Accu 8911, 8922 (Rotors Only).
428	Set	Ammco 40630, RELS 48010, Hunter	• Positive Rake Right & Left Hand Round Tool Holder Set Bit: 066	Use on RELS 2000, Ammco Model 3000, 4000, 4100 & 7000, Accu 8911, 8922 (Rotors Only).



## Brake Lathe Accessories


# CARBIDE TOOL HOLDERS FOR BENCH & ON-THE-CAR LATHES



### RELS

783

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
783	1-pk	RELS 45035	<ul style="list-style-type: none"> <li>Positive Rake Drum Tool Holder Bit: 408</li> </ul>	Use on RELS 2000 Drum Side.




### ALL TOOL PERFORMANCE HUNTER

784

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
784	1-pk	All Tool 8584, Performance 8584, Hunter 221-603-2	<ul style="list-style-type: none"> <li>Negative Rake Drum Tool Holder Bit: 062</li> </ul>	Use on drum cutting brake lathes and combination lathes when cutting rotors.

### FMC / BEAR



425B



424B



PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
424B	1-pk	N/A	<ul style="list-style-type: none"> <li>Negative Rake Right Hand Tool Holder Bit: 062</li> </ul>	For all FMC/Bear to convert to Negative Rake Bits.
425B	1-pk	N/A	<ul style="list-style-type: none"> <li>Negative Rake Left Hand Tool Holder Bit: 062</li> </ul>	For all FMC/Bear to convert to Negative Rake Bits.

### KWIK-WAY / SNAP-ON



805



804



PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
804	1-pk	Kwik-Way, Snap-On 109-1090-02	<ul style="list-style-type: none"> <li>Positive Rake Right Hand Tool Holder Bit: 802</li> </ul>	SDL, DL, 850 Disc Kwik-Way and Snap-On Models YA277, YA279, YA281 Disc Lathes. 3/8" Square.
805	1-pk	Kwik-Way, Snap-On 109-1091-00	<ul style="list-style-type: none"> <li>Positive Rake Left Hand Tool Holder Bit: 802</li> </ul>	SDL, DL, 850 Disc Kwik-Way and Snap-On Models YA277, YA279, YA281 Disc Lathes. 3/8" Square.


**KWIK-WAY  
SNAP-ON**



807



806



Shown with  
Bit 802

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
806	1-pk	Kwik-Way, Snap-On 109-1009-15	<ul style="list-style-type: none"> <li>Positive Rake Right Hand Stubby Tool Holder</li> <li>Bit: 802</li> </ul>	Kwik-Lathe On-the-Car Lathes, Snap-On On-the-Car YA180 Models. 3/8" Square.
807	1-pk	Kwik-Way, Snap-On 109-1009-16	<ul style="list-style-type: none"> <li>Positive Rake Left Hand Stubby Tool Holder</li> <li>Bit: 802</li> </ul>	Kwik-Lathe On-the-Car Lathes, Snap-On On-the-Car YA180 Models. 3/8" Square.

**AMMCO  
RELS  
VAN NORMAN**



720

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
720	1-pk	Ammco 5725, RELS 45027, Van Norman	<ul style="list-style-type: none"> <li>Positive Rake Right or Left Brazed Tool Holder</li> </ul>	Ammco Model 5000 & 6000 Drum Lathes, Van Norman 310, 404 & 405 Models. 5/8" Square.

**VAN NORMAN**



K42



K41

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
K41	1-pk	Van Norman 2042	<ul style="list-style-type: none"> <li>Positive Rake Right Hand Brazed Tool Holder</li> </ul>	Van Norman/RELS DBR204, 204H, 205, 300, 302, 302H, 303, 333, 333H Drum Lathes. 3/8" x 1/2" Shank.
K42	1-pk	Van Norman 2043	<ul style="list-style-type: none"> <li>Positive Rake Left Hand Brazed Tool Holder</li> </ul>	Van Norman/RELS DBR204, 204H, 205, 300, 302, 302H, 303, 333, 333H Drum Lathes. 3/8" x 1/2" Shank.

**ACCU-TURN  
FMC  
JOHN BEAN  
BEAR**



42B



41B

PART#	QTY	OEM	DESCRIPTION	USE ON MODELS
41B	1-pk	Accu 434763, FMC	<ul style="list-style-type: none"> <li>Positive Rake Right Hand Brazed Tool Holder</li> </ul>	Accu-Turn, FMC, John Bean, Bear Disc Lathes. FMC, Barrett B-400 Rotor Drum, Flywheel & Heavy Duty Disc/Drum Lathes. 3/8" Square Shank.
42B	1-pk	Accu 434764, FMC	<ul style="list-style-type: none"> <li>Positive Rake Left Hand Brazed Tool Holder</li> </ul>	Accu-Turn, FMC, John Bean, Bear Disc Lathes. FMC, Barrett B-400 Rotor Drum, Flywheel & Heavy Duty Disc/Drum Lathes. 3/8" Square Shank.



CLAMPING SILENCERS



70B

PART#	OEM	DESCRIPTION
70B	Andrews M-3, Accu-Turn 434296, FMC 90198, Performance 8572	<ul style="list-style-type: none"> <li>• Universal Chip Deflecting, Clamping Silencer</li> </ul>

FEATURES

Chatter depressing, chip deflecting clamping silencer for Accu-Turn, FMC and many other brake lathes. Used on bench or on-the-car brake lathes of all types, the silencer rides behind the tool bit to meet the vibration and noise where it starts; at the tool itself. Long-life pad material will give you lasting performance. **Do not use on Pro-Cut Brake Lathes.**



73B

PART#	OEM	DESCRIPTION
73B	Andrews M-3, Accu-Turn 434296, FMC 90198, Performance 8572	<ul style="list-style-type: none"> <li>• Universal Extra-Thick Silencer Chip Deflector with Strap</li> </ul>

FEATURES

Improved heavy duty clamping silencer with strap. Use with all On-the-Car or bench brake lathes. **Do not use on Pro-Cut Brake Lathes.**



71B

PART#	OEM	DESCRIPTION
71B	Pro-Cut 50-754	<ul style="list-style-type: none"> <li>• Clip-on Silencer for Pro-Cut On-the-Car Lathes</li> </ul>


FEATURES

Chatter depressing, chip deflecting clamping silencer for Pro-Cut brake lathes. Used on on-the-car brake lathes, the silencer rides behind the tool bit to meet the vibration and noise where it starts; at the tool itself. Long-life pad material will give you lasting performance.



83B

PART#	QTY	DESCRIPTION
83B	2-pk	<ul style="list-style-type: none"> <li>• Ammco Style Silencer Pads</li> </ul>
83B-2	4-pk	
FEATURES		
Used on Ammco 7075 Silencer Assembly. OEM Ammco 9183.		




63A Kit

PART#	QTY	DESCRIPTION
63A	Kit	<ul style="list-style-type: none"> <li>• Complete Kit, Ammco 7075.</li> </ul>
REPLACEMENT PARTS		
63B-1	1-pk	<ul style="list-style-type: none"> <li>• Round Steel Pad Holders</li> </ul>
63B-2	1-pk	<ul style="list-style-type: none"> <li>• Aluminum Castings/3 Ways</li> </ul>
63B-3	1-pk	<ul style="list-style-type: none"> <li>• Steel Arm</li> </ul>
63B-5	1-pk	<ul style="list-style-type: none"> <li>• Round Steel Shaft</li> </ul>
63B-6	1-pk	<ul style="list-style-type: none"> <li>• Ball &amp; Shaft</li> </ul>
63B-7	1-pk	<ul style="list-style-type: none"> <li>• Metal Stamping</li> </ul>
63B-8	1-pk	<ul style="list-style-type: none"> <li>• Screw for Lock Plate</li> </ul>
63B-9	1-pk	<ul style="list-style-type: none"> <li>• Snap Ring (not pictured)</li> </ul>
63B-10	1-pk	<ul style="list-style-type: none"> <li>• Arm Lock Pin</li> </ul>
63B-11	1-pk	<ul style="list-style-type: none"> <li>• Aluminum Casting with Arm</li> </ul>
63B-12	1-pk	<ul style="list-style-type: none"> <li>• Square Headed Screw</li> </ul>
63B-14	1-pk	<ul style="list-style-type: none"> <li>• Wrench</li> </ul>
63B-15	1-pk	<ul style="list-style-type: none"> <li>• Small Hex Head Socket Screw</li> </ul>
83B	2-pk	<ul style="list-style-type: none"> <li>• Silencer Pads</li> </ul>



**DISC ROTOR SILENCER BANDS**



PART#	QTY	OEM	DESCRIPTION	DIMENSIONS
94	1-pk	Ammco 6922, RELS 41003, Accu-Turn 434061, FMC 90194, Performance 6922	<ul style="list-style-type: none"> <li>• Large Neoprene Rubber Gasket Silencer Band</li> </ul>	9" Diameter, 5/16" Width, 3/16" Thick
94-2	2-pk			
96	1-pk	Ammco 6921, RELS 11482, Accu-Turn 433789, FMC 90196, Performance 6921	<ul style="list-style-type: none"> <li>• Small Neoprene Rubber Gasket Silencer Band</li> </ul>	6 1/2" Diameter, 5/16" Width, 3/16" Thick
96-2	2-pk			

**FEATURES**

For Solid Foreign & American Car Rotors. Not made in USA.



PART#	OEM	DESCRIPTION	DIMENSIONS
95	FMC 90195	<ul style="list-style-type: none"> <li>• FMC Style Large Latex Silencer Band</li> </ul>	9" Diameter, 1/2" Dia. Tube
95S	N/A	<ul style="list-style-type: none"> <li>• FMC Style Small Latex Silencer Band</li> </ul>	7" Diameter, 1/2" Dia. Tube

**FEATURES**


For Ventilated Rotors. Steel tubes surround the rubber for maximum vibration dampening.



PART#	OEM	DESCRIPTION	DIMENSIONS
935	Accu-Turn 433785	<ul style="list-style-type: none"> <li>• Large Latex Tubing Silencer Band With Lead Weights</li> </ul>	9" Diameter, 5/8" Dia. Tube
936	Accu-Turn 434470	<ul style="list-style-type: none"> <li>• Small Latex Tubing Silencer Band With Lead Weights</li> </ul>	7" Diameter, 5/8" Dia. Tube

**FEATURES**

For Ventilated Rotors. Latex tubing with internal weights for effective vibration dampening.



PART#	OEM	DESCRIPTION	DIMENSIONS
980	Ammco 9800	<ul style="list-style-type: none"> <li>• Ammco Type Spring Silencer</li> </ul>	9" Diameter, 5/8" Diameter Spring
980S	N/A	<ul style="list-style-type: none"> <li>• Ammco Type Spring Silencer</li> </ul>	9" Diameter, 1/2" Diameter Spring

**FEATURES**

For Ventilated Rotors. Rubber inserts in a long-life spring for excellent vibration and noise reduction.





68B

PART#	OEM	DESCRIPTION	DIMENSIONS
68B	Ammco 6920, FMC 90984	• Disc Style Black Neoprene Silencer Band With Zinc Weights	9" Diameter, 32" L x 1/2" W

**FEATURES**

For small and large rotors. Adjustable band is neoprene rubber for longer life and additional durability. Use with all vented rotors.



69

PART#	OEM	DESCRIPTION	DIMENSIONS
69	Ammco 6920, FMC 90984, Van Norman 11485, RELS 11488	• Disc Style Natural Rubber Silencer Band With Zinc Weights	9" Diameter, 32" L x 1/2" W

**FEATURES**

For small and large rotors. Adjustable band has material finish on natural rubber for gripping power. Use with all vented rotors.



930

PART#	OEM	DESCRIPTION	DIMENSIONS
930	Ammco 6930	• Disc Style Wider Natural Rubber Silencer Band With Zinc Weights	14" Diameter, 50" L x 1 1/4" W

**FEATURES**

Steel weights for larger, wider rotors.



69

Disc Style Natural Rubber Silencer Band





**80B**

<b>PART#</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>DIMENSIONS</b>
<b>80B</b>	Ammco 5280, FMC 90988, Performance 8574, Van Norman 866542	<ul style="list-style-type: none"> <li>• Drum Silencer Band for Passenger Cars and Light Trucks</li> </ul>	6' L x 1 3/4" H x 1/8" W
<b>FEATURES</b>			
Universal drum silencer band for use when cutting drums on your brake lathes. Used for noise reduction, this natural rubber drum band features a heavy buckle riveted to the band for long life.			



**A5290**

<b>PART#</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>DIMENSIONS</b>
<b>A5290</b>	Ammco 5290	<ul style="list-style-type: none"> <li>• Large Drum Silencer Band</li> </ul>	7' L x 2 3/4" H x 1/8" W
<b>FEATURES</b>			
Made of natural rubber, this is our largest band; for use on large truck drums.			

**81B**



**82B**


<b>PART#</b>	<b>OEM</b>	<b>DESCRIPTION</b>	<b>DIMENSIONS</b>
<b>81B</b>	Accu-Turn 433782, FMC 90988, RELS 11486, Performance 8575	<ul style="list-style-type: none"> <li>• Drum Silencer Band for Large Truck Drums</li> </ul>	5' L x 2 3/4" H x 1/8" W
<b>82B</b>	Accu-Turn 434650, FMC 90983	<ul style="list-style-type: none"> <li>• Drum Silencer Band for Large Truck Drums</li> </ul>	6' L x 2 3/4" H x 1/8" W
<b>FEATURES</b>			
For Large Drums. Natural rubber band features pressed in buckle for extra strength.			



NON-DIRECTIONAL FINISHING



3" Dia.



9989 Kit

PART#	QTY	OEM	DESCRIPTION
9989	Kit	01410	<ul style="list-style-type: none"> <li>Abrasive Pad Non-Directional Grinder Kit. 10 Pieces. Includes: (1) 13013 Backing Pad and (9) 3" Grinding Discs 120 Grit.</li> </ul>
9989-12	12-pk	01411	<ul style="list-style-type: none"> <li>3" Grinding Discs 120 Grit</li> </ul>
9989-20	20-pk	N/A	
13013	1-pk	N/A	<ul style="list-style-type: none"> <li>3" Twist-to-lock Backing Pad with Mandrel</li> </ul>



R60Z

R120Z

R240Z

PART#	OEM	DESCRIPTION
R60Z	RMFH60Z25	<ul style="list-style-type: none"> <li>Flex-Hone for Rotors - 60 Grit/Coarse</li> </ul>
R120Z	RMFH120Z25	<ul style="list-style-type: none"> <li>Flex-Hone for Rotors - 120 Grit/Medium</li> </ul>
R240Z	RMFH240Z25	<ul style="list-style-type: none"> <li>Flex-Hone for Rotors - 240 Grit/Fine</li> </ul>

FEATURES

Produces an ideal surface finish on disc brake rotors and flywheels. More rotors per hone, lasts much longer than pad style products. Ideal on new or resurfaced rotors and flywheels. Produces a non-directional pattern on surface. Lowers harmonic vibrations.  
**Do not use over 1000 RPM.**



4" Dia.

999 Kit

PART#	QTY	OEM	DESCRIPTION
998	Kit	908740	<ul style="list-style-type: none"> <li>Swirl Tool Kit with 4" PSA Backed Discs. 9 Pieces. Includes: (1) 999H, (1) 999S, (1) 989P, (6) 989.</li> </ul>
999	Kit	N/A	<ul style="list-style-type: none"> <li>Swirl Tool Kit with 4" hook and loop fastener Backed Discs. 9 Pieces. Includes: (1) 999H, (1) 999S, (1) 999P, (3) 999F, (3) 999C.</li> </ul>
PART#	QTY	OEM	DESCRIPTION
989	6-pk	87566	<ul style="list-style-type: none"> <li>80 Grit Ammco Style PSA Discs</li> </ul>
989-10	10-pk	8756	
989-20	20-pk	875620	
989-50	50-pk	N/A	
989-100	100-pk	N/A	
989C-20	20-pk	N/A	<ul style="list-style-type: none"> <li>36 Grit Ammco Style PSA Discs</li> </ul>
989F	6-pk	N/A	<ul style="list-style-type: none"> <li>120 Grit Ammco Style PSA Discs</li> </ul>
989F-20	20-pk	N/A	
989P	1-pk	N/A	<ul style="list-style-type: none"> <li>Backing Pad, PSA</li> </ul>
999C	10-pk	N/A	<ul style="list-style-type: none"> <li>60 Grit/Coarse Discs, hook and loop fastener Backed</li> </ul>
999C-20	20-pk	N/A	
999F	10-pk	N/A	<ul style="list-style-type: none"> <li>80 Grit/Fine Discs, hook and loop fastener Backed</li> </ul>
999F-20	20-pk	N/A	
999H	1-pk	N/A	<ul style="list-style-type: none"> <li>Handle</li> </ul>
999P	1-pk	N/A	<ul style="list-style-type: none"> <li>Backing Pad, hook and loop fastener</li> </ul>
999S	1-pk	N/A	<ul style="list-style-type: none"> <li>Connecting Shaft</li> </ul>

**VACUUM BRAKE BLEEDER**

PART#	DESCRIPTION
S0061AP	• Pro Grade Vacuum Brake Bleeder Complete Kit
S0061M	• Vacuum Brake Bleeder With Refiller Kit
S0051A	• Vacuum Brake Bleeder No Refiller Kit
<b>REPLACEMENT PARTS</b>	
86008	• Air Valve O-Ring
86016	• EPDM-70 O-Ring #016
86019	• Venturi O-Ring
86106	• Air Valve Top O-Ring
86113	• O-Ring for Drain Plug on S0051A/S0061A Brake Bleeders
86204	• O-Ring for Bleeder Trigger Assembly
86262	• Lid O-Ring for S0061A
BB11200B	• 5' Clear Hose for S0051A/S0061A
BB12100A	• Vacuum Bleeder Bowl for S0051A/S0061A
BB12100B	• Lid for Brake Bleeder - No Handle
BB12100C	• Handle Housing for Brake Bleeder
BB12100D	• Handle for Brake Bleeder
BB12100E	• Trigger for Brake Bleeder
BB12100N	• 3/8" NPT Plug for Brake Bleeder
BB12100-O	• Muffler for Brake Bleeder
BB12100R	• Drain Plug for S0051A/S0061A
BB12100T	• Wire Bail for Brake Bleeder
BB12100-U	• Small Bleeder Adaptor #1
BB12100V	• Bleeder Adaptor #2
BB12100W	• Rubber Bleeder Adaptor #3
BB12100X	• Brass Bulk Head Fitting for Brake Bleeder
BB12150	• O-Ring Repair Assortment - 7 Pieces
BB12156	• Red Tee Knob 1 1/4" Dia. (Pro Grade)
BB12300	• Refiller System - Contains Bottle, Round and Square Adaptors
BB12300O	• Black Bungee Cord for Bleeder (old style)
BB12300CC	• Refiller Bottle Assembly for Brake Bleeder
BBA-18	• 18" Brake Hose Assembly
S0052	• Brake Bleeder Automatic Refiller

**2 Quart Vacuum Brake Bleeder for ABS and NON-ABS Brake Bleeding.**

- Gravity feed refiller system
- Simple air operated system for ease of use
- No spilling of corrosive brake fluid
- Large stable base so it won't tip easily
- Makes bleeding a one person job
- Requires no special adapters
- Will not damage seals
- Easy drain plug



S0061M Kit



S0052

PART#	DESCRIPTION
S0052	• Brake Bleeder Automatic Refiller
<b>FEATURES</b>	
Automatically fills brake fluid reservoir during bleeding. 20.3 fluid oz. container capacity.	





90890



90888



90891



90894

PART#	QTY	WT.	DESCRIPTION	FEATURES
90894	1 Pouch	Sample		
90895	1 Jar	7 oz.	<ul style="list-style-type: none"> <li>Ceramlub 2800 Extreme Temperature Lubricant</li> </ul>	Extreme high pressure "proprietary (35% ceramic boundary solids) formula". Superior noise dampening and lubrication compared to silicone, Teflon or moly based lubricants. Includes brush.
90888	6-pk	2.6 lbs.		
90889	72-pk	31.2 lbs.		
90890	1 Jar	3.2 lbs.	<ul style="list-style-type: none"> <li>Brake Soap</li> </ul>	Biodegradable, nontoxic formula was created specifically for washing metal parts such as brake rotors and drums. Scrubbing demagnetizes the rotors so metal particles can be washed away easily.
90891	1 Can	9 oz.	<ul style="list-style-type: none"> <li>Brake Silencer Aerosol Spray</li> </ul>	Revolutionary OEM spray-on metalizing treatment designed to prevent brake noise at the source: the rotor. It slows the burnish period so the pad never gets as hard.
90892	6-pk	4.1 lbs.	<ul style="list-style-type: none"> <li>Pastelub 2400</li> </ul>	High pressure resistant, dry-film, boundary lubricant. Protection against dirt and corrosion. No petroleum or silicone to weaken the carrier base.
90893	72-pk	51.2 lbs.		

# Ceramlub 2800

**OEM Approved Extreme Temperature Lubricant  
Guaranteed to Stop Brake Noise!**

This proprietary high solids ceramic formula eliminates costly brake noise comebacks. It properly lubricates all moving and mating parts for the entire life of the pads.

Approved by the biggest OEM brake parts manufacturers, Ceramlub 2800 is a brake job's *best friend*.

Most importantly, it contains no Petroleums or Silicones which break down or get contaminated with dirt and water.

- **Eliminates brake squeal associated with 3/4 ton trucks when used on economy brake rotor pads.**
- **Ends costly comebacks!**



90895

### Suggested Uses



Back of Brake Pads along with the Ears



Caliper Piston Face



Caliper Pins & Metal Clips

# Featured Product!



## Ceramlub 2800

### Why It's #1 for Brakes

- Extreme high pressure "proprietary (35% ceramic boundary solids) formula"
- Superior noise dampening and lubrication compared to silicone, Teflon or moly based lubricants
- Not affected by salt, water, dirt, weather, brake fluid or extreme heat
  - Exclusive "high solids ceramic" content provides unequaled temperature range (-70°F to well over 2500°F)
- Safe for elastomers, rubber and plastic system components
- Durable...Lasts the entire life of the brake pads and shoes



## Brake Lathe Accessories

# TWIN CUTTER ASSEMBLY & REPLACEMENT PARTS

For use on Ammco Models 3850, 4000, 7000 or as upgrade for Model 3000\* as alternative to Ammco twin cutters. It features inch/millimeter micrometers to set the depth-of-cut for resurfacing inner and outer rotor surfaces simultaneously.  
 \*(Requires other Items to upgrade a 3000 lathe.)




**A6950**  
Assembly



**193** Set



**A-10650**



**A-10651**



**A9249**



**A6854**



**A6905**



**A11227**



**A8584**



**7-03142**



**A6977**



**A6901**



**A6923**



**A6907**



**A9879**



**A6908**




**A6906**



**A6929**

PART#	QTY	OEM	DESCRIPTION
<b>A6950</b>	1	Ammco 906950	• Ammco Style Twin Cutter Assembly
<b>REPLACEMENT PARTS</b>			
<b>193</b>	Set	6999	• Negative Rake Right & Left Hand Tool Holder Set with 062 Bits
<b>A-10650</b>	1-pk	910650GP	• Ammco Style Barrel Tool Holder (Left Hand)
<b>A-10651</b>	1-pk	910651GP	• Ammco Style Barrel Tool Holder (Right Hand)
<b>A9249</b>	1-pk	N/A	• Set Screw for Tool Holders A10650/A10651
<b>A6854</b>	1-pk	906854	• Locking Red Knob
<b>A6854-2</b>	2-pk	906854	
<b>A6905</b>	1-pk	906905	• Spring for Twin Cutter
<b>A6905-10</b>	10-pk	906905	
<b>A11227</b>	1-pk	9011227	• Locking Nut Assembly
<b>A8584</b>	1-pk	28584	• Brass Tool Holder Pressure Protector
<b>7-03142-25</b>	25-pk	9-03142	• Brass Plugs (fatter plugs) .281" x .25"
<b>7-03142-50</b>	50-pk	9-03142	
<b>A6977</b>	1-pk	906977	• Plug for Twin Cutter
<b>A6901</b>	1-pk	906901	• Ammco Style Dial Assembly
<b>A6923</b>	1-pk	906923	• Dial Knob for Twin Cutter
<b>A6907</b>	1-pk	906907	• Dial Assembly Knurled Knob
<b>A9879</b>	1-pk	909879	• Locating Set Screw for Twin Cutter
<b>A6908</b>	1-pk	906908	• Ammco Style Dial Rod
<b>A6906</b>	1-pk	906906	• Threaded Plug
<b>A6929</b>	5-pk	906929	• Spring Washer/Twin Cutter
<b>A6929-10</b>	10-pk	906929	

**EXTENDA-FEED ADAPTOR, SHIELDS & LIGHTS**



PART#	DESCRIPTION
<b>A6936</b>	• Cross Feed Extender Plate Kit. 6 Pieces.
<b>A25270</b>	• Flat Head Screw 1/2" x 1" Hex Socket (not sold sep.)
<b>A25271</b>	• Flat Head Screw 1/2" x 2" Hex Socket (not sold sep.)
<b>A11227</b>	• Locking Nut Assembly
<b>A1447</b>	• Allen Wrench (not sold sep.)
<b>A11222</b>	• Stud
<b>A11220</b>	• Plate
FEATURES	
OEM 906936. This easy-to-use adaptor will increase the Cross Feed capacity. Works on Ammco brake lathe models 4000, 4100 & 7500 equipped with twin cutter A6950.	



**A-11154**

PART#	QTY	OEM	DESCRIPTION
<b>A-11154</b>	1-pk	Accu-Turn 436056, Performance 8865	• Universal Chip Shield for Brake Lathes
FEATURES			
Replacement Shield slips easily over light cover to prevent chips from entering eyes while cutting rotors or drums. Made of clear, durable plastic, it universally works on FMC, Ammco, Accu-Turn, Performance, All Tool, Kwik-Way and RELS lathes.			



PART#	OEM	DESCRIPTION
<b>A9481</b>	9481	• Complete Chip Shield Kit. 5 Pieces.
<b>A9481-1</b>	9481-1	• Replacement Shield (not pictured)
<b>A3084</b>	3084	• Knurled Locking Knob
<b>A11150</b>	11150	• Screw, Machine for Safety Shield
<b>A11166</b>	11166	• Shield Flange Hex Nut, Safety Shield
<b>A29254</b>	29254	• Shield Bracket

**FEATURES**

Chip Shield with Brackets and Screws. Includes bracket, bolt and screws to use on Ammco Twin Cutter 6900 and 7900. Easily bolts, adding protection for eyes from flying metal chips. Made of clear, durable plastic.



PART#	OEM	DESCRIPTION
<b>A-07963</b>	07963	• Ammco Style (Models 3000 & 4000)
<b>A22763</b>	22763	• Lamp Switch for Ammco Style Lathes (not pictured)
<b>A22764</b>	22764	• Lamp Switch Rubber Boot
<b>F101</b>	N/A	• FMC Style Light
<b>H101</b>	N/A	• Hofmann Style Light (not pictured)
<b>R101</b>	N/A	• RELS 2000 Style Light (not pictured)
<b>V101</b>	N/A	• Van Norman Style Light (not pictured)




## Brake Lathe Accessories


### BOOTS, WAY COVER & AMMCO STYLE PARTS



PART#	OEM	DESCRIPTION
<b>A3085</b>	903085	• Ammco Style Plastic Boot - Long
<b>FEATURES</b>		
Replaces Front and Rear Ammco style Plastic Spindle Boot. For Models 3000, 4000, 4100 and 7700 lathes.		
<b>A3086</b>	903086	• Small Cloth Protective Boot for Feed Screw
<b>FEATURES</b>		
For Model 3000, 4000 and 7000 lathes. 1" Diameter small boot.		
<b>A3087</b>	903087	• Large Cloth Protective Boot for Feed Screw
<b>FEATURES</b>		
Replaces Ammco style Cloth Boot for Model 3000, 4000, 4100, 7000 & 7700 lathes. 3" Diameter large boot.		



PART#	OEM	DESCRIPTION
<b>87B</b>	23682	• Bronze Spindle Ring for use with Ammco Style 3085 Boot
<b>A2045</b>	902045	• Wire Boot Ring for 3085 Boot
<b>A3034R</b>	903034	• Steel Ring for use with old style Ammco Rubber Boot
<b>A3159</b>	903159	• Spindle Boot Snap Ring
<b>A3595</b>	903595	• Small Spring for Ammco Rubber Boot
<b>A4435</b>	904435	• Large Spring for Ammco Rubber Boot
<b>FEATURES</b>		
Ammco style replacement rings are made of high quality materials and guaranteed to perform as well as the OEM products. Shark Rings are used to secure the boots onto Ammco lathes.		



PART#	QTY	OEM	DESCRIPTION
<b>43373</b>	1-pk	433735	• Way Cover with Wiper for Rotors & Drums for Accu-Turn
<b>43363</b>	3-pk	433635	• Wiper Kit Replacement



PART#	OEM	DESCRIPTION
<b>A3393</b>	903393	• Drive Shaft Bearing
<b>A6871</b>	906871	• Thrust Bearing, Rotor Feed
<b>A6874</b>	906874	• Thrust Washer, Rotor Feed
<b>A6872</b>	906872	• Thrust Washer, Cross Feed (not pictured)



PART#	QTY	OEM	DESCRIPTION
<b>7-09836-25</b>	25-pk	9-09836	• Brass Plugs (thinner plugs)
<b>7-09836-50</b>	50-pk	9-09836	
<b>A3141</b>	10-pk	9-03141	• Brass Plugs (.125x.25) (not pictured)



PART#	OEM	DESCRIPTION
<b>A3223</b>	903223	• Bushing-Motor Shaft





PART#	OEM	DESCRIPTION
<b>A3016</b>	903016	• Lower Boring Bar Base Clamp
<b>A3017</b>	390017	• Upper Boring Bar Clamp




PART#	OEM	DESCRIPTION
<b>A3042</b>	903042	• Clutch Handle Shaft Assembly for Drum Feed



PART#	OEM	DESCRIPTION
<b>A7209</b>	907209	• Replacement Cord




PART#	OEM	DESCRIPTION
<b>A7757</b>	907757	• Coupling Assembly Rotor Feed
<b>A7775</b>	907775	• Rotor Feed Trap
<b>A7775-A</b>	907775	• Rotor Feed Trap, Made in USA (not pictured)



PART#	OEM	DESCRIPTION
<b>A9611</b>	909611	• Dial Spring for Cross Feed Handle



PART#	OEM	DESCRIPTION
<b>A3148</b>	903148	• Dip Stick




PART#	OEM	DESCRIPTION
<b>A7005</b>	907005	• Draw Bar with Nut



PART#	OEM	DESCRIPTION
<b>A7774</b>	907774	• Rotor Feed Drive Rod



PART#	OEM	DESCRIPTION
<b>A3394</b>	903394	• Driveshaft Race



PART#	OEM	DESCRIPTION
<b>A5843</b>	905843	• Drum Bar for Drum Tools



PART#	OEM	DESCRIPTION
<b>A9443</b>	909443	• Drum Feed Lock Nut
<b>A9444</b>	909444	• Drum Feed Washer

# Brake Lathe Accessories

## AMMCO STYLE PARTS



A3077



A3078



A3081

PART#	OEM	DESCRIPTION
A3077	903077	• Drum Feed Clutch
A3078	903078	• Drum Feed Sliding Friction Disc
A3081	903081	• Drum Feed Friction Disc Assembly



A3166

PART#	OEM	DESCRIPTION
A3166	903166	• Freeze Type Plug



A22006

PART#	OEM	DESCRIPTION
A22006	9022006	• New Style Grease Fitting



A9837

PART#	OEM	DESCRIPTION
A9837	909837	• Guide Bar



A2309



A3026



A3214




A6839

PART#	OEM	DESCRIPTION
A2309	902309	• Handwheel Handle for Cross Feed Drum Feed
A3026	903026	• Handwheel Nut
A3214	903214	• Handwheel Washer
A6839	906839	• Thumb Screw for Hand Wheel



7-07747

PART#	QTY	OEM	DESCRIPTION
7-07747	5-pk	9-07747	• Index Plate



97

A4670

7-032111

PART#	OEM	DESCRIPTION
97	N/A	• Extended Lead Screw Bushing for Extra Travel
A4670	904670	• Lead Screw Nut/Drum Feed
A10868	906871	• Lead Screw Bushing (not pictured)
7-032111	906874	• Lead Screw Assembly/ Cross Feed



A2165



A3009



A3023

PART#	OEM	DESCRIPTION
A2165	902165	• 1 HP Motor Mount
A2561	902561	• Combination A2165/A3009. Motor and Mount for Ammco 4000 and 4100 Lathes. (not pictured)
A3009	903009	• Mount for Motor A2165
A3023	903023	• Motor Mount Shaft



A3089



A3163



A3164


PART#	OEM	DESCRIPTION
A3089	903089	• Oil Seal Adaptor Ring
A3163	903163	• Oil Seal - Small
A3164	903164	• Oil Seal - Large



PART#	OEM	DESCRIPTION
<b>7-3024</b>	9-03024	• Pulley Drive - Small
<b>7-3024U</b>	9-03024	• Pulley Drive - Small (USA)
<b>7-077841</b>	9-07841	• Pulley Drive - Large
<b>7-077841U</b>	9-07841	• Pulley Drive - Large (USA)
<b>A3161</b>	903161	• V Belt - Small
FEATURES		
Models 3000 & 4000.		



PART#	OEM	DESCRIPTION
<b>6000</b>	940175	• Pulley Kit. 4 Pieces.
<b>6001</b>	40142	• Serpentine Pulley - Large with Pin
<b>6002</b>	40146	• Serpentine Pulley - Small
<b>6003</b>	40141	• Poly V-Belt/Serpentine Belt
<b>6004</b>	N/A	• Pin for Large Pulley
FEATURES		
Models 3000, 4000, 4100, 7000, 7700.		



PART#	OEM	DESCRIPTION
<b>A6825</b>	906825	• Socket Head Cap Screw
<b>A9645</b>	906945	• Locking Rod for Model 4000
<b>A9592</b>	909592	• Spindle Lock Front Clamp



PART#	OEM	DESCRIPTION
<b>A9815</b>	909815	• Right Angle Drive
FEATURES		
Replaces the Ammco 909815/9815 on Models 3000, 4000, 4100.		
<b>A9821</b>	909821	• Coupling
<b>A9822</b>	909822	• Coupling Assembly



PART#	OEM	DESCRIPTION
<b>93</b>	907996	• Shear Gear & C-Clip
FEATURES		
Models 3000, 4000, 4100, 7500.		



PART#	OEM	DESCRIPTION
<b>A7742</b>	907742	• Shift Lever Assembly
<b>7-07744</b>	907744	• Shifter Lever Body
<b>A320</b>	N/A	• Shifter Lever Knob
<b>A7748</b>	907748	• Shift Shaft/Rotor Feed



PART#	OEM	DESCRIPTION
<b>A6893</b>	906893	• Main Toggle Switch

\*Ammco is a registered trademark of Wheel Service Industries. Shark has no affiliation with Hennessy or Wheel Service Industries.



# Brake Lathe Accessories

## AMMCO STYLE PARTS



A3033

PART#	OEM	DESCRIPTION
A3033	903033	• Spindle Thrust Washer



A11227



A3029



7-3031/1

PART#	OEM	DESCRIPTION
A11227	9011227	• Locking Nut Assembly
A3029	903029	• Old Style Clamp Nut, Hex
7-3031/1	7-3031/1	• Oversize Stud - 5 1/2"
7-03031	703031	• Stud-Clip, Bar Boring (not pictured)
7-03031S	10347	• Stud Clip for Ammco 7000 (not pictured)



A9847

PART#	OEM	DESCRIPTION
A9847	909847	• Drive Shaft Worm Gear
<b>FEATURES</b>		
Models 3000, 4000, 4100, 7000, 7500, 7700.		

PHOTO	PART#	OEM	DESCRIPTION
	A213	N/A	Set Screw for Ammco 1/4"-20 x 1/4" Lock Rod
	A220	90220	Socket Head Set Screw, 5/16"-18 x 3/8" Pulley
	A1680	901680	Set Screw for Guide Bar
	A2064	902064	Cross Feed Spring
	A3015	903015	Belt Tensioner Level
	A3022	903022	Large Wrench - 1 1/4" x 1 1/16"
	A3032	903032	Paper Shim for Rear Flange

	A3036	903036	Drum Feed Rotor
	A3039	903039	Drum Feed Stop Collar
	A3082	903082	Sliding Friction Discs Assembly
	A3088	903088	Handle Belt Release
	A3092	903092	Drum Feed Pin
	A3176	903176	Woodruff Key
	A3180	903180	Set Screw, Belt Release
	A3218	903218	Small Wrench - 5/16" x 3/8"
	A3224	903224	Spindle Set Screw
NO PHOTO	A3319	903319	Screw, Socket Head Cap (not pictured)
	A3372	903372	Oil Drain Pipe Plug
	A3528	903528	Hex Nut/Jam Twin Cutter
NO PHOTO	A5042	N/A	Spacer - 3" x 1 7/8" ID (not pictured)
	A5689	905689	Square Head Screw for Drum Bar
NO PHOTO	A6058	N/A	Cord Grip Electrical Panel for Ammco (not pictured)
NO PHOTO	A6106	906106	Roll Pin 1/8" x 5/8" (not pictured)
	A6109	906109	Socket Set Screw
	A6155	906155	Ammco Style Wave Washer
	A6446	N/A	Cover for Angle Drive
	A6934	906934	Square Head Set Screw/Twin Cutter
	A6974/ A6974-10	906974	Red Cap for Ammco Gear Box
NO PHOTO	A7757P	N/A	Trap Assembly for Ammco - Hex Style (not pictured)
NO PHOTO	A7767	907767	Shaft for Intermediate Gear (not pictured)
NO PHOTO	A7783	907783	Tube for Cross Feed Gear Box (not pictured)

**FLYWHEEL GRINDING WHEELS & HONING STONES**



57

PART#	QTY	OEM	DESCRIPTION	FEATURES
57	1-pk	Goodson FGW-57, Winona/DMC 57	• 6" Flywheel Grinding Wheel	For general purpose 6" x 4/5" x 2 5/8". 1 1/4" center hole, requires little or no dressing in most instances. 6" diameter.

**AMMCO 3800 HONE**

38400




PART#	QTY	AMMCO	FINISH	GRIT	DIMS.	DESCRIPTION	FITS ENGINE CYLINDER HONE
38100	3-pk	3810	Fine	280	4" x 5/8"	• Replacement Honing Stones	Model 3800 - Range 2" to 7"
38330	3-pk	3833	Finishing	400	4" x 5/8"	• Replacement Honing Stones	Model 3800 - Range 2" to 7"
38400	3-pk	3840	Medium	180	4" x 5/8"	• Replacement Honing Stones	Model 3800 - Range 2" to 7"
40400	3-pk	4040	Standard	100	4" x 5/8"	• Replacement Honing Stones	Model 3800 - Range 2" to 7"

**AMMCO 3950 HONE**

39510



PART#	QTY	AMMCO	FINISH	GRIT	DIMS.	DESCRIPTION	FITS ENGINE CYLINDER HONE
39510	4-pk	3951	Roughing	60	3 1/2" x 1/2"	• 2 Honing Stones & 2 Wipers	Model 3950 - Range 1 7/8" to 2 3/4"
39520	4-pk	3952	Finishing	220	3 1/2" x 1/2"	• 2 Honing Stones & 2 Wipers	Model 3950 - Range 1 7/8" to 2 3/4"
39530	4-pk	3953	Roughing	60	3 1/2" x 1/2"	• 2 Honing Stones & 2 Wipers	Model 3950 - Range 2 3/4" to 3 5/8"
39540	4-pk	3954	Finishing	220	3 1/2" x 1/2"	• 2 Honing Stones & 2 Wipers	Model 3950 - Range 2 3/4" to 3 5/8"
39550	4-pk	3955	Aluminum	320	3 1/2" x 1/2"	• 2 Honing Stones & 2 Wipers	Model 3950 - Range 1 7/8" to 2 3/4"
39560	4-pk	3956	Aluminum	320	3 1/2" x 1/2"	• 2 Honing Stones & 2 Wipers	Model 3950 - Range 2 3/4" to 3 5/8"



PART#	QTY	OEM	LENGTH	DESCRIPTION	FITS BRAKE HONE
100	6-pk	Cal-Van Hone 360-#362, K-D Hone 265, Lisle Hone 10000, Snap-On Brake Hones, Ammco 9576	1"	• Brake Hone Replacement Stones	Model 2 Stones - Range 1 1/2" to 3 1/2"
113	3-pk	Ammco 3833	3/4"	• Brake Hone Replacement Stones	Model 3 Stones
17410	6-pk	Ammco 1741	1"	• Brake Hone Replacement Stones	Model 1650 (3 Stones) - Range 3/4" to 1 1/2"
37600	8-pk	Ammco 3760	1"	• Brake Hone Replacement Stones	Model 3760 (2 Stones) - Range 9/16" to 2 1/4"



**AMMCO STYLE ADAPTER PARTS**



**A3577**

**A3578**

<b>PART#</b>	<b>AMMCO</b>	<b>DESCRIPTION</b>	<b>SIZE - INCHES</b>	<b>SIZE - mm</b>	<b>WEIGHT</b>
<b>A3577</b>	3577	• Bell Clamp/Alignment Cup-Small	6.25" O.D. x 1" Bore	158.75 OD	6.20 lbs.
<b>A3578</b>	3578	• Bell Clamp/Alignment Cup	7.25" O.D. x 1" Bore	184.15 OD	8.90 lbs.



**A3106**

**A3107**

**A3108**

**A3178**

**A3902**

**A3903**

**A3904**

**A4732**

**A4778**

**A4779**

**A4790**

<b>PART#</b>	<b>QTY</b>	<b>AMMCO</b>	<b>DESCRIPTION</b>	<b>SIZE - INCHES</b>	<b>SIZE - mm</b>	<b>WEIGHT</b>
<b>A3106</b>	1-pk	903106	• Centering Cone	3.421" x 4.031"	86.89 x 102.39	2.12 lbs.
<b>A3107</b>	1-pk	903107	• Centering Cone	2.89" x 3.5"	73.41 x 88.90	1.72 lbs.
<b>A3108</b>	1-pk	903108	• Centering Cone	2.328" x 2.968"	59.13 x 75.39	1.35 lbs.
<b>A3178</b>	1-pk	903178	• Centering Cone	2.65" x 3.224"	67.31 x 81.89	1.56 lbs.
<b>A3902</b>	1-pk	903902	• Centering Cone	1.25" x 1.75"	31.75 x 44.45	0.36 lbs.
<b>A3903</b>	1-pk	903903	• Centering Cone	1.187" x 2.25"	30.16 x 57.15	0.81 lbs.
<b>A3904</b>	1-pk	903904	• Centering Cone	1.703" x 2.750"	43.26 x 69.85	1.48 lbs.
<b>A4732</b>	1-pk	904732	• Centering Cone	4.875" x 5.500"	123.82 x 139.70	3.27 lbs.
<b>A4778</b>	1-pk	N/A	• Centering Cone	3.875" x 4.438"	98.42 x 112.72	N/A
<b>A4779</b>	1-pk	N/A	• Centering Cone	4.124" x 4.969"	104.74 x 126.21	N/A
<b>A4790</b>	3-pk	Ammco 904790, Accu 434472	• Step-Down Reducing Bushings. Takes 1 7/8" Bore down to 1" Bore	1.875" O.D. 1" I.D.	47.62 OD 25.4 ID	N/A

**AMMCO STYLE ADAPTER PARTS**



PART#	OEM	DESCRIPTION	RANGE - IN.	RANGE - mm	WEIGHT
A9192	909192	• Double Ended Adapter 1" Bore	1.711" - 2.073"	43.46 - 52.65	1 lbs. 3oz. (.539kg.)
A9193	909193	• Double Ended Adapter 1" Bore	2.074" - 2.440"	52.68 - 61.98	1 lbs. 15oz. (.879kg.)
A9194	909194	• Double Ended Adapter 1" Bore	2.441" - 2.89"	62.00 - 73.58	2 lbs. 13oz. (1.286kg.)
A9195	909195	• Double Ended Adapter 1" Bore	2.828" - 3.185"	71.83 - 80.90	3 lbs. 11oz.
A9196	909196	• Double Ended Adapter 1" Bore	3.203" - 3.560"	81.36 - 90.42	4 lbs. 12oz.
A9198	909198	• Double End Adapter 1 7/8" Bore	2.828" - 3.185"	71.83 - 80.89	3 lbs. 11oz. (1.687kg.)
A9203	909203	• Double End Adapter 1 7/8" Bore	3.203" - 3.560"	81.35 - 90.42	3 lbs. 11oz. (1.687kg.)
A9921	909921	• Double Ended Adapter 1" Bore	1.322" - 1.670"	33.58 - 42.42	10oz. (.283kg.)
A9922	909922	• Double Ended Adapter 1" Bore	1.362" - 1.710"	34.59 - 43.43	11oz. (.312kg.)



PART#	AMMCO	DESCRIPTION	SIZE - INCHES	SIZE - mm	WEIGHT
A3123	903123	• Hubless Drum Adapter	5.75"	146.05 OD	1 lb. 6oz. (.615kg.)
A9489	909489	• Hubless Adapter	3.625" OD	92.08	4 lbs.
A9490	909490	• Hubless Adapter	4.5"	114.30	3 lbs. 7oz. (1.65kg.)




PART#	AMMCO	DESCRIPTION	SIZE - INCHES	SIZE - mm	WEIGHT
A3112	903120	• 1" Spacer for 1" Arbor	1"	25.4	.12oz.
A3113	44104	• 1 1/2" Spacer for 1" Arbor	1.5"	N/A	N/A
A3114	44102	• 2" Spacer for 1" Arbor	2"	N/A	N/A
A3125	903125	• 1/2" Spacer	.5"	12.70	.01oz.
A3165	903165	• Self Aligning Washer Kit	N/A	N/A	N/A
A9492	909492	• Self Aligning Spacer	1.625" x 1.625"	N/A	11oz. (.312kg.)
A3110	903110	• Spring (Long)	4" x 1.875"	N/A	4oz.
A3590	903590	• Spring	2.5" Dia. x 4.125"	N/A	N/A

\*Ammco is a registered trademark of Wheel Service Industries. Shark has no affiliation with Hennessy or Wheel Service Industries.




**AMMCO STYLE ADAPTER KITS**



A9921    A9922    A9192    A9193    A9194

**A9232 Kit**

PART#	QTY	DESCRIPTION
<b>A9232</b>	Kit	• 1" Arbor Double Taper Truck Kit. 5 Pieces.
<b>FEATURES</b>		
For Mounting Hubbed Drums & Rotors on 1" Arbors. Covers Passenger Cars & Light Trucks. Double Ended Adapter 1" Bore Range 1.32" - 2.89". OEM/Ammco: 9232.		
<b>A9921</b>	• Double Ended Adapter	1.332" - 1.670"
<b>A9922</b>	• Double Ended Adapter	1.362" - 1.710"
<b>A9192</b>	• Double Ended Adapter	1.711" - 2.073"
<b>A9193</b>	• Double Ended Adapter	2.074" - 2.440"
<b>A9194</b>	• Double Ended Adapter	2.441" - 2.89"



A9195    A9196

**A9233 Kit**

PART#	QTY	DESCRIPTION
<b>A9233</b>	Kit	• Double Ended Adapter 1" Bore Range: 2.828 - 3.560 Truck Kit. 2 Pieces.
<b>FEATURES</b>		
For Mounting Hubbed Drums & Rotors on 1" Arbors. Range: 2.828" - 3.560". Fits Ammco, Hunter, Accu-Turn, Ranger, and any other brake lathe with a 1" arbor. OEM/Aftermarket Interchanges: 9233, 909233, 9195, 909195, 9196, 909196.		
<b>A9195</b>	• Double Taper Adapter	2.828" - 3.185"
<b>A9196</b>	• Double Taper Adapter	3.203" - 3.560"



**A9199 Kit**

PART#	QTY	DESCRIPTION	
<b>A9199</b>	Kit	• Light Truck Adapter Kit. 6 Pieces.	
<b>FEATURES</b>			
Applications for 3/4 Ton & 1 Ton Trucks, GMC, Chevrolet, Jeep, IH Scout & Ford Trucks.			
<b>A3577</b>	2-pk	• Bell Clamp/Alignment Cup-Small	6.25" x 1"
<b>A3578</b>	1-pk	• Bell Clamp/Alignment Cup	7.25" x 1"
<b>A3590</b>	1-pk	• Spring	2.5" Dia. x 4.125"
<b>A4732</b>	1-pk	• Centering Cone	4.875" x 5.50"
<b>A4778</b>	1-pk	• Centering Cone	3.875" x 4.438"



**A9299 Kit**

PART#	QTY	DESCRIPTION	
<b>A9299</b>	Kit	• Combination Light Truck Adapter Kit. 7 Pieces.	
<b>FEATURES</b>			
Applications for 3/4 Ton & 1 Ton Trucks, GMC, Chevrolet, Jeep, IH Scout & Ford Trucks.			
<b>A3577</b>	2-pk	• Bell Clamp/Alignment Cup-Small	6.25" x 1"
<b>A3578</b>	1-pk	• Bell Clamp/Alignment Cup	7.25" x 1"
<b>A3590</b>	1-pk	• Spring	2.5" Dia. x 4.125"
<b>A4732</b>	1-pk	• Centering Cone	4.875" x 5.50"
<b>A4778</b>	1-pk	• Centering Cone	3.875" x 4.438"
<b>A4779</b>	1-pk	• Centering Cone	4.124" x 4.969"



AMMCO STYLE ADAPTER KITS



A9399 Kit

PART#	QTY	DESCRIPTION	
A9399	Kit	• Light Truck Adapter Kit. 4 Pieces.	
FEATURES			
For Turning Ford Only Light Drums on 1" Arbor. Fits Ford 3/4 Ton & 1 Ton Trucks. Also for Large Center Hole Hubless Drums.			
A3578	2-pk	• Bell Clamp/Alignment Cup	7.25" x 1"
A3590	1-pk	• Spring	2.5" Dia. x 4.125"
A4732	1-pk	• Centering Cone	4.875" x 5.50"

A9499 Kit



PART#	QTY	DESCRIPTION	
A9499	Kit	• Light Truck Adapter Kit. 5 Pieces.	
FEATURES			
For Turning Most Light Drums on 1" Arbor. Applications for 3/4 Ton & 1 Ton Trucks, Ford, GMC, Chevrolet, Jeep & IH Scouts with up to 4.968 Rotor Holes. Also for Large Center Hole Hubless Drums.			
A3577	2-pk	• Bell Clamp/Alignment Cup-Small	6.25" x 1"
A3590	1-pk	• Spring	2.5" Dia. x 4.125"
A4778	1-pk	• Centering Cone	3.875" x 4.438"
A4779	1-pk	• Centering Cone	4.124" x 4.969"



A5069-D Kit

PART#	QTY	DESCRIPTION	
A5069-D	Kit	• 3/4 & 1 1/2 Ton Truck Adapter Kit. 7 Pieces.	
FEATURES			
For Turning Hubbed/Hubless Rotor & Drums/Light to Medium 3/4 to 1 1/2 Ton Trucks. Covers Most Light Truck Drums on 1". Economical Kit Made of Heavy Cast Iron - for use on Chevrolet, Jeep, IH Scout & Ford Trucks.			
A3577	2-pk	• Bell Clamp/Alignment Cup-Small	6.25" x 1"
A3590	1-pk	• Spring	2.5" Dia. x 4.125"
A4732	1-pk	• Centering Cone	4.875" x 5.50"
A4779	1-pk	• Centering Cone	4.124" x 4.969"
A9195	1-pk	• Double Ended Adapter	2.828" - 3.185"
A9196	1-pk	• Double Ended Adapter	3.203" - 3.560"



A5532

PART#	QTY	DESCRIPTION	
A5532	Kit	• Adapter for F150 2WD Front Rotor. 2 Pieces.	

\*Ammco is a registered trademark of Wheel Service Industries. Shark has no affiliation with Hennessy or Wheel Service Industries.




**AMMCO STYLE ADAPTER KITS**




PART#	QTY	DESCRIPTION	
<b>A4347</b>	Kit	• Complete Basic Adapter Kit with Arbor & Nut. 26 Pieces.	
<b>A4347N</b>	Kit	• Complete Basic Adapter Kit without Arbor & Nut. 24 Pieces.	
<b>FEATURES</b>			
Total Adapter Kit required for mounting Drums & Rotors on 1" Arbors.			
<b>A3101A</b>	1-pk	• Standard Arbor	1"
<b>A3102A</b>	1-pk	• Arbor Nut	1"
<b>A3106</b>	1-pk	• Centering Cone	3.421" x 4.031"
<b>A3107</b>	1-pk	• Centering Cone	2.89" x 3.5"
<b>A3108</b>	1-pk	• Centering Cone	2.328" x 2.968"
<b>A3110</b>	1-pk	• Spring	4" x 1.875"
<b>A3123</b>	2-pk	• Hubless Drum Adapter	5.75"
<b>A3125</b>	1-pk	• Spacer	.5"
<b>A3178</b>	1-pk	• Centering Cone	2.65" x 3.224"
<b>A3902</b>	1-pk	• Centering Cone	1.25" x 1.75"
<b>A3903</b>	1-pk	• Centering Cone	1.187" x 2.25"
<b>A3904</b>	1-pk	• Centering Cone	1.703" x 2.750"
<b>A9192</b>	1-pk	• Double Taper Adapter	1.711" x 2.073"
<b>A9193</b>	1-pk	• Double Taper Adapter	2.074" x 2.440"
<b>A9194</b>	1-pk	• Double Taper Adapter	2.441" x 2.89"
<b>A9489</b>	1-pk	• Hubless Adapter	3.625" OD
<b>A9490</b>	2-pk	• Hubless Adapter	4.5"
<b>A9492</b>	1-pk	• Self Aligning Spacer	1.625" x 1.625"
<b>A9921</b>	1-pk	• Double Taper Adapter	1.322" x 1.670"
<b>A9922</b>	1-pk	• Double Taper Adapter	1.362" x 1.710"

**ARBORS & NUTS**




PART#	OEM	DESCRIPTION
<b>A3101A</b>	903101	• Ammco 1" Standard Arbor
<b>A3102A</b>	903102	• Ammco 1" Arbor Nut
FEATURES		
Models 2002, 3000, 4000, 4100, 7000, 7500, 7700.		



PART#	OEM	DESCRIPTION
<b>40080</b>	N/A	• RELS 2000 1" Arbor
FEATURES		
Fits models 2000 & 2000XL. Also fits Ranger Models RL-8500 & RL-8500XLT.		



PART#	OEM	DESCRIPTION
<b>8544</b>	All Tool 5542, Performance 8542, Hunter RP8-9019	• Hunter, Performance and All Tool 1" Arbor



PART#	OEM	DESCRIPTION
<b>85490</b>	Accu-Turn 433701	• Accu-Turn 1" Arbor
<b>20442</b>	N/A	• VN, Accu-Turn, FMC Arbor Nut
FEATURES		
Models: 7700, 8910, 8911, 8920, 8922, 8944, 8989, 8990, 8991, 8993, 8985 and 8997.		



PART#	OEM	DESCRIPTION
<b>8545</b>	90043	• FMC/John Bean 600, 700, 1" Arbor



PART#	OEM	DESCRIPTION
<b>8546</b>	N/A	• Hofmann and RJ West 1" Arbor
FEATURES		
Hofmann: 201 Standard, 300, 350, 400, True Cut 401, RJ West: 1115 Heavy Duty. Total Length: 10.5".		




PART#	OEM	DESCRIPTION
<b>A3118</b>	903118	• Ammco Arbor Cone 11/16" Bore
FEATURES		
Range: 0.750" - 1.375". Arbor For Models 2002, 3000, 4000, 4100, 7000, 7700.		

**ADAPT-ALL ADAPTERS**

This design eliminates the locator and can be used on any 1" Arbor - Works on ALL Brand Brake Lathes. More economical than the Adaptek or 91 C Adapter Kits.




33001



33002



33003



33004




33005




33006



33007




33009




33014



33015




33016



33019



35052



35053



35054



A3112



A3114



A9492

PART#	DESCRIPTION
33001	• Backing Plate 5.25"
33002	• Front Cup With Spring 5.25"
33003	• Cone 1.187" - 2.25"
33004	• Cone 2.032" - 3.975"
33005	• Backing Plate 7"
33006	• Front Cup with Spring 7"
33007	• Backing Plate 7.55"
33009	• Front Cup with Spring 4"
33014	• Cone 5 7/8" - 7"
33015	• Backing Plate 8 3/4"
33016	• Cone 6 7/8" - 8 1/8"
33019	• Backing Plate 4"
35052	• Cone 4 1/2" - 5 1/2"
35053	• Cone 3 5/8" - 5 1/8"
35054	• Cone 5" - 6 1/8"
A3112	• 1" Spacer for 1" Arbor
A3114	• 2" Spacer for 1" Arbor
A9492	• Self Aligning Spacer



30000 Kit

PART#	QTY	DESCRIPTION
30000	Kit	• Adapt-All Composite Rotor and Drum Adapter Kit for 1" Arbor. 7 Pieces.
<b>FEATURES</b>		
Center Holes from 1 1/8" up to 3.975". Includes: 33001 5 1/4" Backing Plate, 33002 5 1/4" Front Cup w/Spring, 33003 Cone 1.187"-2.250", 33004 Cone 2.032"-3.975", A9492 Self Aligning Spacer, A3112 1" Spacer, A3114 2" Spacer.		



**30020 Kit**

PART#	QTY	DESCRIPTION
30020	Kit	• Adapt-All Truck Rotor and Drum Kit for 1" Arbor Hole. 7 Pieces.
<b>FEATURES</b>		
Covering 1/2 thru 2 Ton Trucks with Center Holes over 4". Includes: 33005 7" Backing Plate, 33006 7" Front Cup w/Spring, 33007 7.55" Backing Plate, 35052 4 1/2" - 5 1/2" Cone, 35053 3-5/8" - 5 1/8" Cone, 35054 5" - 6 1/8" Cone, A3114 2" Spacer.		



**30022 Kit**

PART#	QTY	DESCRIPTION
30022	Kit	• Adapt-All Truck Kit. 4 Pieces.
<b>FEATURES</b>		
For 1 Ton Composite Rotors. Add 35052 for 1/2 Ton Trucks. Includes: 33005 7" Backing Plate, 33006 7" Front Cup w/Spring, 33007 7.55" Backing Plate, 35052 4 1/2" - 5 1/2" Cone.		



**30023 Kit**

PART#	QTY	DESCRIPTION
30023	Kit	• Adapt-All Heavy Duty Truck Kit. 3 Pieces.
<b>FEATURES</b>		
Includes: 33014 5 7/8" - 7" Cone, 33015 8 3/4" Backing Plate, 33016 6 7/8" - 8 1/8" Cone.		



**30024 Kit**

PART#	QTY	DESCRIPTION
30024	Kit	• Adapt-All Small Foreign Cars & Flywheels Adapter Kit. 2 Pieces.
<b>FEATURES</b>		
Includes: 33009 4" Front Cup w/Spring, 33019 4" Backing Plate.		



## Brake Lathe Accessories

### ADAPT-RITE ADAPTERS

#### Similar to Ammco Style Adaptek System

- Heavy Fabrication reduces Chatter
- Works on most 1" Arbor Lathes
- Easy, Quick and Efficient



PART#	AMMCO	DESCRIPTION	SIZE - INCHES	SIZE - mm
40601	929572	• Hubless Rotor Base	4.80"	121.9
40602	929573	• Double Sided Centering Cone (not pictured)	2.05" - 3.99"	52.07 x 101.34
40603	929574	• Arbor Spacer	2.00" Long	50.08
40605	929575	• Passenger Car Composite Flange Plate (not pictured)	5.03"	127.76
40606	929576	• Large Light Truck Composite Flange Plate	7.250"	184.15
40607	929577	• Large Light Truck Composite Flange Plate	6.45"	165.10
40608	929578	• Light Truck Composite Flange Plate	6.625"	168.27
40610	929579	• Passenger Car Centering Cone (not pictured)	1.84" - 2.20"	46.74 - 55.88
40611	929580	• Passenger Car Centering Cone	2.12" - 2.48"	53.85 - 62.99
40612	929581	• Passenger Car Centering Cone	2.38" - 2.75"	60.45 - 69.85
40613	929582	• Passenger Car Centering Cone (not pictured)	2.65" - 3.03"	67.31 - 76.96
40614	929583	• Passenger Car Centering Cone (not pictured)	2.93" - 3.30"	74.42 - 83.82
40615	929584	• Light Truck Centering Cone	3.20" - 3.58"	81.28 - 90.93
40616	929585	• Light Truck Centering Cone (not pictured)	3.48" - 3.85"	88.39 - 97.79
40617	929586	• Large Light Truck Centering Cone (not pictured)	3.75" - 4.13"	95.25 - 104.90
40618	929587	• Large Light Truck Centering Cone	4.03" - 4.40"	102.36 - 111.76
40619	929588	• Large Light Truck Centering Cone (not pictured)	4.30" - 4.68"	109.22 - 118.72
40620	929589	• Large Light Truck Centering Cone (not pictured)	4.58" - 4.95"	116.33 - 125.73
40621	929590	• Large Light Truck Centering Cone	4.85" - 5.23"	123.19 - 132.84
40622	929727	• Large Light Truck Centering Cone	5.125" - 5.50"	130.18 - 139.70
40630	929591	• Centering Cone Spring	1.875" x 1.125"	47.62 x 28.57

## Adapt-Rite Adapter Kits

PART#	OEM	DESCRIPTION
40310	9310	• Combination Passenger & Truck Kit 1.84" - 3.85" Range, Weight - 62 lbs.
40311	9311	• Passenger Car Kit 1.84" - 3.30" Range, Weight - 36 lbs.
40312	9312	• Light Truck Kit 3.20" - 3.85" Range
40313	9313	• Light Truck Kit 3.75" - 5.23" Range
40314	9314	• Odd Configuration Rotor Kit 2.05" - 3.98" Range



PART#	OEM	DESCRIPTION
40310	9310	• Adapt-Rite Combo Passenger Car and Truck Kit. 14 Pieces.
<b>FEATURES</b>		
Range 1.84" - 3.85". OEM 9310/9312. Includes: 40601 Hubless Rotor Base, 40602 Double Sided Centering Cone, 40603 Arbor Spacer (2), 40605 Passenger Car Composite Flange Plate, 40608 Light Truck Composite Flange Plate, 40610 Passenger Car Centering Cone, 40611 Passenger Car Centering Cone, 40612 Passenger Car Centering Cone, 40613 Passenger Car Centering Cone, 40614 Passenger Car Centering Cone, 40615 Light Truck Centering Cone, 40616 Light Truck Centering Cone, 40630 Centering Cone Spring.		

PART#	OEM	DESCRIPTION
40311	9311	• Adapt-Rite Passenger Car Kit. 11 Pieces. (not pictured)
<b>FEATURES</b>		
Range 1.84" - 3.30". OEM 9311. Includes: 40601 Hubless Rotor Base, 40602 Double Sided Centering Cone, 40603 Arbor Spacers (2), 40605 Passenger Car Composite Flange Plate, 40610 Passenger Car Centering Cone, 40611 Passenger Car Centering Cone, 40612 Passenger Car Centering Cone, 40613 Passenger Car Centering Cone, 40614 Passenger Car Centering Cone, 40630 Centering Cone Spring.		

## Brake Lathe Accessories

### ADAPT-RITE ADAPTERS

PART#	OEM	DESCRIPTION
40312	9312	• Adapt-Rite Light Truck Kit. 14 Pieces. (not pictured)
<b>FEATURES</b>		
Range 3.20" - 3.85". Includes: 40601 Hubless Rotor Base, 40602 Double Sided Centering Cone, 40603 Arbor Spacers (2), 40605 Passenger Car Composite Flange Plate, 40608 Light Truck Composite Flange Plate, 40610 Passenger Car Centering Cone, 40611 Passenger Car Centering Cone, 40612 Passenger Car Centering Cone, 40613 Passenger Car Centering Cone, 40614 Passenger Car Centering Cone, 40615 Light Truck Centering Cone, 40616 Light Truck Centering Cone, 40630 Centering Cone Spring.		

PART#	OEM	DESCRIPTION
40313	9313	• Adapt-Rite Light Truck Kit. 9 Pieces. (not pictured)
<b>FEATURES</b>		
Range 3.75" - 5.23". OEM 9313. Includes: 40607 Large Light Truck Composite Flange Plate, 40606 Large Light Truck Composite Flange Plate, 40617 Large Light Truck Centering Cone, 40618 Large Light Truck Centering Cone, 40619 Large Light Truck Centering Cone, 40620 Large Light Truck Centering Cone, 40621 Large Light Truck Centering Cone, 40622 Large Light Truck Centering Cone, 40630 Centering Cone Spring.		



PART#	OEM	DESCRIPTION
40314	9314	• Adapt-Rite Odd Configuration Rotor Kit. 5 Pieces.
<b>FEATURES</b>		
Range 2.05" - 3.98". OEM 9314. Includes: 40603 Arbor Spacers (3), 40606 Large Light Truck Composite Flange Plate, 40607 Large Light Truck Composite Flange Plate.		





**The Quick-Chuck Adapter system is simple and fast on Composite Rotors, Hubless Rotors and Drums!**

- Works on ANY 1" Arbor
- Works with any standard arbor, spacers or nuts
- Mounts almost all foreign and domestic hubless rotors, drums and flywheels
- Versatile, simple and easy to use



PART#	DESCRIPTION
85702	• Standard Jaws (not pictured)
85703	• Standard Backing Plate - 5"
85704	• Large Truck Backing Plate - 7 1/4"
85705	• Small Backing Plate - 4 3/4"
85706	• Toyota Backing Plate - 6 1/8"
85707	• Wrench for Quick Chuck
85711	• Quick Chuck w/ Standard Truck Jaws & Wrench
85714	• Medium Duty Truck Plate - 9.625" Dia.
85715	• Large Quick Chuck Heavy Duty Adapter with 1 7/8" Hole
85716	• Standard Truck Jaws
85718	• Extra Large Truck Jaws
85721	• Heavy Duty Truck Plate 12" Diameter with 1 7/8" Hole



Quick-Chuck with Truck Jaws Mounted Rotor



Inside Rotor



Large Quick-Chuck Heavy Duty Adapter Mounted on Brake Drum



Inside Brake Drum



85701 Kit

PART#	QTY	DESCRIPTION
85701	Kit	• Twin Quick Chuck Kit. 8 Pieces.
<b>FEATURES</b>		
No jaws to change and optimal for shops with 2 or more brake lathes.		
N/A	1-pk	• Quick Chuck 3 Jaw Chuck - 5" Dia.
N/A	1-pk	• Quick Chuck 3 Jaw Chuck - 5" Dia. with Truck Jaws
85703	1-pk	• Standard Backing Plate - 5"
85704	1-pk	• Large Truck Backing Plate - 7 1/4"
85705	1-pk	• Small Backing Plate - 4 3/4"
85706	1-pk	• Toyota Backing Plate - 6 1/8"
85707	2-pk	• Wrenches





## Brake Lathe Accessories QUICK-CHUCK ADAPTERS



85708 Kit

PART#	QTY	DESCRIPTION
85708	Kit	• Quick Chuck Adapter with Standard Backing Plate Kit. 3 Pieces.
<b>FEATURES</b>		
Fits drums and rotors with holes from 2 1/8" - 3 3/4".		
N/A	1-pk	• Quick Chuck 3 Jaw Chuck - 5" Dia.
85703	1-pk	• Standard Backing Plate - 5"
85707	1-pk	• Wrench



85709 Kit

PART#	QTY	DESCRIPTION
85709	Kit	• Car & Truck Adapter Kit. 5 Pieces.
N/A	1-pk	• Quick Chuck 3 Jaw Chuck - 5" Dia.
85703	1-pk	• Standard Backing Plate - 5"
85704	1-pk	• Large Truck Backing Plate - 7 1/4"
85707	1-pk	• Wrench
85716	1-pk	• Standard Truck Jaws



85710 Kit

PART#	QTY	DESCRIPTION
85710	Kit	• Quick Chuck Truck Adapter with Backing Plate Kit. 3 Pieces.
N/A	1-pk	• Quick Chuck 3 Jaw Chuck - 5" Dia. with Truck Jaws
85704	1-pk	• Large Truck Backing Plate - 7 1/4"
85707	1-pk	• Wrench



85712 Kit


PART#	QTY	DESCRIPTION
85712	Kit	• Quick Chuck Medium Duty Truck Adapter with Backing Plate Kit. 1" Arbor Hole. 3 Pieces.
N/A	1-pk	• Quick Chuck 3 Jaw Chuck with XL Jaws - 9.625"
85714	1-pk	• Medium Duty Truck Plate - 9.625" Dia. x 1 7/8" Arbor Hole
85707	1-pk	• Wrench



85713 Kit

PART#	QTY	DESCRIPTION
85713	Kit	• Quick Chuck Medium Duty Truck Adapter Upgrade Kit. 4 Pieces.
<b>FEATURES</b>		
Works with any 1" Quick Chuck Adapter. 1" Arbor Hole.		
85714	1-pk	• Medium Duty Truck Plate - 9.625" Dia. x 1" Arbor Hole
85718	1-pk	• Extra Large Truck Jaws

1 7/8"  
Arbor  
Hole




85719 Kit


PART#	QTY	DESCRIPTION
85719	Kit	• Quick Chuck Heavy Duty Truck Adapter Upgrade Kit. 2 Pieces.
85715	1-pk	• Large Quick Chuck Heavy Duty Adapter with 1 7/8" Hole
85721	1-pk	• Heavy Duty Truck Plate 12" Diameter with 1 7/8" Hole



**HUB CLEANING TOOLS**



77002



77200

PART#	QTY	DESCRIPTION	FEATURES
77002	Kit	<ul style="list-style-type: none"> <li>• Rotor &amp; Hub Cleaning Tool for Brake &amp; Rotor Work. 2" Dia.</li> </ul>	A necessary tool for brake and rotor installation. Uses electric drill to clean hubs for flush mounting area. Easily removes clamp marks. 77002 comes with 10 abrasive pads.
77200	10-pk	<ul style="list-style-type: none"> <li>• Replacement Pads w/hook and loop Pad</li> </ul>	

*Prototype - Actual Product May Vary*

**NEW!**



77300



77303

PART#	QTY	DESCRIPTION	FEATURES
77300	Kit	<ul style="list-style-type: none"> <li>• Stumpy Hub &amp; Stud Cleaner Complete Kit</li> </ul>	Kit Includes: 1 Tool with Pad Attachment, 1 Extra Pad, 1 Wire Brush Insert for Passenger Cars (7/16" - 1/2"), 1 Wire Insert for Light Duty Trucks (9/16" x 5/8") & Storage Case. 6 Pieces
77301	Kit	<ul style="list-style-type: none"> <li>• Stumpy Hub &amp; Stud Cleaner Kit</li> </ul>	Kit Includes: 1 Tool with 1 Pad and Wire Brush Insert for Passenger Cars (7/16" - 1/2"). 3 Pieces
77302	8-pk	<ul style="list-style-type: none"> <li>• Stumpy Hub &amp; Stud Cleaner Replacement Pads/Wire Brushes for Light Duty Trucks</li> </ul>	4 Replacement Pads and Wire Brush Inserts for Light Duty Trucks (9/16" - 5/8"). 8 Pieces
77303	8-pk	<ul style="list-style-type: none"> <li>• Stumpy Hub &amp; Stud Cleaner Replacement Pads/Wire Brushes for Passenger Cars</li> </ul>	4 Replacement Pads and Wire Brush Inserts for Passenger Cars (7/16" - 1/2"). 8 Pieces
77306	1-pk	<ul style="list-style-type: none"> <li>• Stumpy Hub &amp; Stud Cleaner Wire Brush Insert for Passenger Cars (7/16" - 1/2")</li> </ul>	1 Wire Brush Insert (7/16" - 1/2"). 1 Piece
77307	1-pk	<ul style="list-style-type: none"> <li>• Stumpy Hub &amp; Stud Cleaner Wire Brush Insert for Light Duty Trucks (9/16" x 5/8")</li> </ul>	1 Wire Brush Insert (9/16" x 5/8"). 1 Piece
77308	4-pk	<ul style="list-style-type: none"> <li>• Stumpy Hub &amp; Stud Cleaner Replacement Pads</li> </ul>	4 Replacement Pads (No Wire Brush Inserts). 4 Pieces



# Make Your Brake Job Go Faster!

The Shark Tool offers the Mechanic the ability to do Light Trucks and Car Studs as well as Hub Cleaning - with the same tool!

This all new tool is the answer to quick stud clean-up and hub cleaning. The pad screws easily onto the tool for ease of replacement. The interior wire brush portion is ALSO replaceable! When wire and pads wear out, just replace them which saves you a lot of money!

- Made of Tough, Hard Coated Anodized Aluminum Heavy Duty, Long Life Nylon Strip-Brite Material for Cleaning the Surface of the Hub.
- For Use with a 1/2" Impact Gun. 10,000 RPM.
- Works on both Light Trucks and Cars! Internal Replaceable Wire Brush Inserts in 2 Sizes - For Passenger Cars (7/16" - 1/2") and Light Trucks (9/16" - 5/8").
- 77300 Stumpy Hub & Stud Cleaner Kit Includes: Tool with Pad Attachment, 1 Extra Pad, 1 Wire Brush Insert for Passenger Cars (7/16" - 1/2"), 1 Wire Insert for Light Duty Trucks (9/16" x 5/8") & Storage Case. Items also sold separately.




Prototype -  
Actual Product  
May Vary

77300



Shark Strip-Brite Pads  
with Wire Brush Insert



Convenient  
Storage Case

# New!

## Stumpy Hub & Stud Cleaner

**Cleans Both  
The Hub & Stud!**

Special Wire Brush  
Inside the Pad

**Replaceable Purple  
Star-Brite Pads**

Simple Set Screw  
Attachment

**Hard Coated  
Anodized Aluminum**

**Easy To Use**

Designed for Use with  
1/2" Impact Gun



TIRE REPAIR TOOLS



C106259



C106572



C106576

PART#	OEM	DESCRIPTION
C106259	8106259	• Coats Rim Clamp Style Straight Lube Bucket RC15, RC20, 5060, 5070
C106572	8106572	• Coats 4040 Tire Changer Angled Lube Bucket 4040, 4040SA, 4050
C106576	0014466, 66006, 116-35-2	• Straight Bucket - Accu-Turn, FMC/John Bean & Hunter



C000491



C120366

PART#	QTY	OEM	DESCRIPTION
C000491	1-pk	491	• Short Tire Swab - 11 1/2"
C000491P	25-pk	491	
C120366	1-pk	120366	• Long Tire Swab - 14 1/2"
C120366P	25-pk	120366	

FEATURES

Used for lubricating tire beads when removing or mounting tires on rims.



**NEW!** 15218 15219 15221

PART#	OEM	DESCRIPTION
15218	T11506	• Angled Applicator Brush
15219	14-712	• Small Angled Applicator Brush - 1 1/2" Diameter
15221	14-713	• Large Angled Applicator Brush - 2" Diameter

FEATURES

This brush is angled to allow easy access to the "toe area" of the bead most commonly damaged during mounting.



1471C 80764 22986

PART#	QTY	DESCRIPTION
1471C	1-pk	• Wheel Weight Tool
1471C-10	10-pk	

FEATURES

Easy to use wheel weight removal tool. Cast steel tool with plastic capped hammer.

80764	1-pk	• Heavy Duty Weight Plier Hammer
80763	1-pk	• Replacement Head for 80764

FEATURES

Plastic soft head will not mar alloy wheels.

22986	1-pk	• Wheel Weight Scraper Tool
-------	------	-----------------------------

FEATURES

For scraping sticky weights off aluminum rims. Durable hard plastic tool.

### T-REKX Wheel Weight Pliers

This USA Made Wheel Weight Remover and Installing Pliers Does It All.

#### AND WE MEAN ALL.

One of the only wheel weight tools that actually works to remove and install all wheel weights - especially the OEM installed factory weights!

From the factory installed wheel weights that are so hard to remove to all other wheel weights, it makes the job fast and simple without scratching wheels or pinching fingers.

The best part is this American made tool has totally replaceable parts! From the jaws to the plastic hammer (which is substantially thicker than all others) you can just continue to replace the parts so that you never have to buy another one again!



15120



15121



PART#	QTY	DESCRIPTION
15120	1-pk	• T-Rekx Wheel Weight Pliers - With Hammer
15121	1-pk	• T-Rekx Wheel Weight Pliers - No Hammer
<b>REPLACEMENT PARTS</b>		
15122	Kit	• Replacement Kit for 15120. Includes: 1 Cap, 1 Boot & 1 Hook
15123	1-pk	• Replacement Kit for 15121. Includes: 1 Boot & 1 Hook
15124	1-pk	• Hook
15125	4-pk	• Caps
15126	2-pk	• Boots
15127	1-pk	• Grip

# New!



### Leverage Tool

Absolutely no force is ever required to remove weights

### Will Not Scratch Wheels

Almost an impossible task for all other wheel weight tools

### Won't Pinch Fingers

All other tools can't make this statement

### Long Lasting Replacement Parts

Allowing you to rebuild the whole tool

### 2 Options

Buy with or without the hammer

### Heavy Duty

And USA Made



## Tire Changer Accessories

### TIRE REPAIR TOOLS



PART#	DESCRIPTION
51675	• Beadkeeper - Drop Forged Steel
51676	• Beadkeeper - Rubber Head to Protect Aluminum Wheels
51677	• Beadkeeper - Drop Forged Steel Pair connected by nylon rope
FEATURES	
Beadkeepers lock on to the flange of the wheel and hold the tire bead in place.	



PART#	DESCRIPTION
33700	• Bead Depressing Tool
FEATURES	
OEM TMR TC435685, Accu-Turn SM103261, Coats 8435685, Corghi 435685A, Hofmann 6410190, Hunter RP6-70210E, Kwik-Way 580008413, Snap-On EAA0247G70A, Sice 2018505.	



PART#	OEM	DESCRIPTION
C108028	108028	• Adjustable Tire Spreader
C108029	8181329	• Tire Spreader Stand 7 3/4" Height, U & L Case
FEATURES		
For use on Coats Model 4040; 40 FMC 600; 8800.		
51678	TC630	• Portable Tire Spreader



PART#	QTY	DESCRIPTION
80769	1-pk	• Bead Lift "Wave" Tool Bar
FEATURES		
19 1/2" long, this Heavy Tool facilitates Bead Breaking on Large Truck Tires. TMR TC2505.		
80767	1-pk	• Bead Lifting Tool for Tire Changers
FEATURES		
Ammco 0001418, Coats 8181354, Corghi 444238, FMC/John Bean 87111, Hunter RP6-0322, Kwik-Way 580-2991-11, Hunter RP6-0322, Sice 3009516 and Snap-On EAA0247G02A.		
80765	4-pk	• Long Sock for 80767 Bead Lifting Tool
FEATURES		
Corghi 246241, Hunter RP11-8-11400098, Sice 2201655.		
80766	10-pk	• Short Sock for 80767 Bead Lifting Tool
FEATURES		
Coats 8183605, Hunter RP6-0326.		



PART#	DESCRIPTION
80768	• Mount/Demount Combo Tool
FEATURES	
Specifically designed to mount and demount tires. Coats 8000768, Hunter RP6-1828, TMR CT768.	
C108397	• Short Mount/Demount Bootie
C108398	• Long Mount/Demount Bootie



PART#	QTY	DESCRIPTION
16501	12-pk	• Paint Pen - White
16505	12-pk	• Paint Pen - Yellow
FEATURES		
Specifically formulated to write through oil and water. Marks won't chip, peel, fade or rub off. Precision valve accurately meters flow.		



PART#	DESCRIPTION
72	• Lug Nut Cap Removing Tool
FEATURES	
Our Lug Nut tool is designed to safely remove chrome lug nuts. It safely fits all sizes of chrome lug nut covers from motor homes to over-the-road trucks.	



**NEW!**

PART#	TMR	DESCRIPTION
22987	MI160	• Inner Liner Scraper Hoe Style Tool
FEATURES		
High Impact ABS Handle with sturdy metal blade. Hoe Style Blade for easy scraping of the inner liner.		




**NEW!**

PART#	TMR	DESCRIPTION
22988	TI69	• Ball Bearing Stitcher
FEATURES		
Steel 1 1/2" stitcher with comfort wooden handle. Used when applying tire patches to force air out so as not to compromise the integrity of the seal.		



PART#	TMR	DESCRIPTION
22985	TI65	• Ergonomic Stem Removing Tool
FEATURES		
The comfort screwdriver handle on tool offers a way to insert and remove valve cores.		
22993	TI60	• Dual Headed Core Remover Combination Tool
FEATURES		
Fits both truck and car cores with the double end feature.		



**NEW!**

PART#	TMR	DESCRIPTION
22989	TI45	• Chrome Valve Puller
22990	TI5	• 8" Tire Valve Cable Fishing Tool
22991	TI1	• 24" Tire Valve Cable Fishing Tool
22992	TI25	• 4-Way Tire Valve Core Tool

TIRE REPAIR TOOLS



BT9



BT10



BT15



BT30



BT34



BT34S

PART#	DESCRIPTION	TECH.#	FLUTE	DIA.	INJURY SIZE	CUT	SHANK	LENGTH
BT9	• Carbide Bur - Tree Pointed	280	5/8"	1/8"	1/8" - 3mm	Notched	Round	1 1/2" - 38mm
BT10	• Carbide Bur - Tree Pointed	282	5/8"	1/4"	1/4" - 6mm	Notched	Round	2" - 50mm
BT15	• Carbide Bur - Cylinder	284	1"	1/4"	1/4" - 6mm	Diamond	Round	2" - 50mm
BT30	• Carbide Bur	271	2"	5/16"	1/4" - 6mm	Notched	3 Flats	4" - 100mm
BT34	• Carbide Bur	271P	2"	1/4"	1/4" - 6mm	Notched	Round	3" - 75mm
BT34S	• Carbide Bur	N/A	2"	3/16"	3/16" - 8mm	Notched	Round	3" - 75mm



A1W



A4W



A12W



A15W



A15LW



A36W



A37W

PART#	DESCRIPTION	DIMENSIONS	GRIT	MATERIAL	SHANK
A1W	• Tire Repair Mounted Point	3/4" x 2 1/2"	60	White Aluminum Oxide	1/4" x 1 1/2"
A4W	• Tire Repair Mounted Point	1 1/4" x 1 1/4"	60	White Aluminum Oxide	1/4" x 1 1/2"
A12W	• Pointed Mounted Point	11/16" x 1 1/4"	60	White Aluminum Oxide	1/4" x 1 1/2"
A15W	• Pencil Mounted Point	1/4" x 1 1/16"	60	White Aluminum Oxide	1/4" x 1 1/2"
A15LW	• Extended Pencil Mounted Point	1/4" x 1 1/16"	60	White Aluminum Oxide	1/4" x 3"
A36W	• Large Mushroom Mounted Point	1 5/8" x 3/8"	60	White Aluminum Oxide	1/4" x 1 1/2"
A37W	• Small Mushroom Mounted Point	1 1/4" x 1/4"	60	White Aluminum Oxide	1/4" x 1 1/2"



14033



14060



14175

PART#	DESCRIPTION
14033	• Cup Brush 3" with Hex Mandrel .016 Brass Coated Wire
14060	• 4" Knotted Wire Wheel Brush
14175	• 4" Heavy Duty Twist Knotted Wire Wheel Brush



## Tire Changer Accessories

### AIR LINE ACCESSORIES



PART#	TMR	DESCRIPTION
SLP4	TI3468	• Straight Tire Chuck
SLP7	TI6996	• Tire Inflator with Gauge
22994	TI2400	• Tire Pressure Gauge



PART#	OEM	DESCRIPTION
90588	AG107518	• Ammco Old Style, Bolt on Back Air Gauge for Coats 1010, 2020, 2020a
90589	AG107985	• 4040 Newer Style Flange Mounting 4040, 4040a, 4040SA & 4040A
90590	AG66170	• FMC Air Gauge for Tire Changers
C107517	LC107517	• Lens Cover for Air Gauge (not pictured)



PART#	OEM	DESCRIPTION
C410418	Hunter CH-360	• Hunter Style Female Closed Euro Coupling for Tire Changers
C410419	Coats 8410419, Hunter 145-341-2, Snap-On ST006993	• Coats Style Open End Euro Chuck for Tire Changers
C410420	Hunter 145-341-2	• Female - Open End Type Euro Coupling for Tire Changers



PART#	OEM	DESCRIPTION
C106871	Coats 106871, TMR HA106871	• Coats Inflator Air Hose With Euro Chuck - 60" Length
C71410	Corghi 714100, Hofmann 2407055, TMR HA714100	• Tire Changer Hose for Corghi & Hofmann
C71411	Corghi 200132, TMR HA200132	• Tire Changer Hose/Extra Long for Corghi & Hofmann
C67715	FMC/ John Bean 67715, TMR HA67715	• FMC Style Air Hose for Tire Changer 54" x 1/4" Female
C24083	Hofmann 2408318, TMR HA2408318	• Hofmann Style Tire Change Hose 60" x 1/4" Metric PT x Euro End
C13786	Hunter 137-86-2, TMR HA137862	• Hunter Style Tire Changer Hose Euro Style 60" x 1/4"-1/4 MPT



**MOUNT/DEMOUNT HEADS**



PART#	QTY	DESCRIPTION
<b>35038</b>	Kit	<ul style="list-style-type: none"> <li>Grey Nylon Mount/Demount w/Hardware Kit. 5 Pieces.</li> </ul>
FEATURES		
For Low Profile Tires. Use on wheels with a larger lip. Also use on Tapered Shaft.		
OEM	USE ON MODELS	
Coats 8184432, 8184426	5030, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7660, 7665, 70xeh1, 70xeh2, 70xeh3, Baseline 200, Baseline 500.	
TMR TC184432. Same As Above.		

PART#	QTY	DESCRIPTION
<b>38307</b>	1-pk	<ul style="list-style-type: none"> <li>Black Nylon Mount/Demount Tapered Hole, Head Only</li> </ul>
<b>38306</b>	Kit	<ul style="list-style-type: none"> <li>Black Nylon Mount/Demount Tapered Hole Head w/Hardware Kit. 4 Pieces.</li> </ul>
FEATURES		
For use on Tapered Shaft 182767/182812.		
OEM	USE ON MODELS	
Coats 8183061	5030, 5040, 5045, 5050, 5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7660, 7665, 70xeh1, 70xeh2, 70xeh3, Baseline 200, Baseline 500.	
TMR TC183061. Same As Above.		

PART#	QTY	DESCRIPTION
<b>33431</b>	6-pk	<ul style="list-style-type: none"> <li>Nylon Mount/Demount for Accu-Turn/Hunter</li> </ul>
OEM	USE ON MODELS	
Accu-Turn SM102529	220A (other models require a 102765 Adaptor).	
Hunter RP6 0343B	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000 & TC3100 Series (requires adaptor,) most models except R980A (some require adaptors).	
Ranger 5150523	R-980XR, R-980NXT, R-30XLT (requires mounting flange 5150524).	
Sicam SM102529	326, 520, 526, 530, 720, 726 Grifeon 516 and Colibri 512, Falco 3009.	
Bosch SM102529	220S, 4225, 4230, 4335, 4465, 4540, 5210, 5320, Direct fit on 220A (other models require 102765 adaptor).	
TMR TC0343-6. Same As Above.		

## Tire Changer Accessories

# MOUNT/DEMOUNT HEADS



**NEW!**

**35029**



New "Wing" Design

Bottom

PART#	QTY	DESCRIPTION
<b>35029</b>	1-pk	• Hunter TCX Wing Plastic Mount Head
FEATURES		
New design mounting head for easier installation of the tire. The plastic wing directs the bead down to the bottom of the mounting head during install.		
OEM	USE ON MODELS	
Hunter RP11-8-11400327	TCX50, TCX51, TCX53, TCX56.	
	TMR TC400327. Same As Above.	



**35034**



Back

Bottom

PART#	QTY	DESCRIPTION
<b>35034</b>	1-pk	• Red Nylon Mount/Demount Head
FEATURES		
Most Popular. Larger channel for difficult wheels, specifically designed for low profile tires.		
OEM	USE ON MODELS	
Hunter 221-675-2, 221-675-B	TC250, TC300, TC325, TC350, TC2000, TC3250, TC3500, TC3000, and TC3100 Series (requires adapter).	
	TMR TCR343. Same As Above.	



**35042**



Back

PART#	QTY	DESCRIPTION
<b>35042</b>	1-pk	• Hunter Mounting Head
OEM	USE ON MODELS	
Hunter RP6-710014120	Auto 34 and Auto 36. Use on serial numbers 664 and above.	
	TMR TC14120. Same As Above.	



**MOUNT/DEMOUNT HEADS**

**Mount/Demount Head with Hardware**



35030 Kit



**Mount/Demount Head Only**



35031



Back

Bottom

**Premium Material Mount/Demount Head**



35041



Back

Bottom

PART#	QTY	DESCRIPTION
35030	Kit	• Black Nylon Mount/Demount with Rounded Hole Kit. Washers & Bracket Included. 10 Pieces.
35031	1-pk	• Black Nylon Mount/Demount with Rounded Hole - No Hardware
35041	1-pk	• Yellow Nylon Mount/Demount with Rounded Hole - No Hardware
FEATURES		
Use on many model tire changers with a non tapered shaft.		
OEM	USE ON MODELS	
All Tools 2008402	All Models.	
Coats 83008402, 83008403	EARLY 5060, EARLY 5060a, EARLY 5060e, EARLY 5060ax, EARLY 5060ex, 9010a, 9010e, 9024 e-pax, 9024e pax, 9024a, 9024e, SOME apx80, apx80a, apx80e, apx90, apx90a, apx90e, RC-1, RC1, RC-5A, RC5A, RC-15A, RC15A, RC-15AA, RC15AA, RC-20A, RC20A, RC-20AA, RC20AA.	
Corgi 250309, 450310	Fits all Corgi tire changers that have traditional style mount heads, including: A9820, A9212TI, A2000, A9218, A2019, A2024, A2010.	
Cemb 3008403, 2008402	All Models.	
Hofmann 8314813	12se, 22se, 1510, 1610, S410. NOT FOR USE on Hofmann 1550, 1620, 1625.	
Hunter RP11- 8314813	TCX500, TCX505, TCX515, TCX550, TCX 575, TCX56, TCX57, TCX53, TCX51, TCX50 and others. TCX550 & TCX557 requires RP11-S-400-100 adapter.	
Giuliano G3008402, G3008403	326, 520, 526, 530, 720, 726, Grifeon 516, Colibri 512, Falco 3009.	
SICE	M39, S40, S41, S43, S45, S408MAXI, S435, S436, S436TOP.	
	TMR TC450310. Same As Above.	

**Mount/Demount Head with Hardware**



**Mount/Demount Head Only**



**Premium Material Mount/Demount Head**



PART#	QTY	DESCRIPTION
35032	Kit	• Black Nylon Mount/Demount Kit Hardware Included. 2 Pieces.
35035	Kit	• Hardware for 35033/35039. 7 Pieces.
35033	1-pk	• Black Nylon Mount/Demount - No Hardware
35039	1-pk	• Yellow Nylon Mount/Demount - No Hardware
OEM		USE ON MODELS
Accu-Turn 2002433, 14024784		3602, 3602HP, 4260, 4560MR, 4602, 5602, 5602HP.
Hofmann 4024784, ST0024335		1520, 1550, 1565, 1620, 1625, 1625EM, 3300, 3300EM.
John Bean 24335, EAA 0247G20A		EHP System: IVE, IV, III, IIE.
Snap-On 24335, EAA 0247G20A		Fits All Models.
Monty		1270, 2300, 3000, 3000GP.
		TMR TC20024335, TC14024784. Same As Above.



**STEEL MOUNT/DEMOUNT HEADS**



35036



Back



Bottom



33788



Back



Tapered Hole

Bottom



38305



Back



Round Hole

Bottom

PART#	QTY	DESCRIPTION
35036	1-pk	• Stainless Steel Mount/Demount for Accu-Turn, FMC/John Bean EHP II (System) & Snap-On
<b>OEM</b>		<b>USE ON MODELS</b>
Accu-Turn 4011066		3402, 3600, 3602, 3602HP, 4260, 4400, 4560MR, 4602, 5602, 5602HP, 5400, 5402.
FMC 87083, 0011065, 11065, EAA0329G95A		8500, 8600, 8700, 8800.
John Bean ST4026251, ST0011065		8800, 8931, 8950, 8960, 8990, EHP System IVE, EHP System IV, EHP System III, EHP System IIE.
Snap-On ST4026251		EEWH302A, EEWH303, EEWH305, EEWH306 & All Other Models w/Steel Head.

PART#	QTY	DESCRIPTION
33788	1-pk	• Stainless Steel Mount/Demount for Coats Tapered Hole Head Cover
<b>OEM</b>		<b>USE ON MODELS</b>
Coats 8182788, 8182753, 182788, 182753		5030, 5040, 5050, 5060, 5065, 6050, 6060, 6065, 7050, 7055, 7060, 7065, 7655, 7660, 7665 not for use with 9010 & 9024.
		TMR TC182788. Same As Above.

PART#	QTY	DESCRIPTION
38305	1-pk	• Stainless Steel Mount/Demount for Coats/Corgi Round Hole Head Cover
<b>OEM</b>		<b>USE ON MODELS</b>
Coats 8183429, 183429, 183152		RC 1, RC 5, RC 10, RC 15, RC 20, RC-1, RC1, RC-5A, RC5A, RC-15A, RC15A, RC-15AA, RC15AA, RC-20A, RC20A, RC-20AA, RC20AA & EARLY 5060.
Corgi 258458, 226477, 245706		This head fits machines with NON TAPERED SHAFTS that are 28mm diameter (aprx 1 1/8" diameter).
		TMR TC183429. Same As Above.

**PLASTIC PROTECTORS FOR STEEL HEADS**

Shown with #35036 Stainless Steel Head (sold separately)



PART#	QTY	DESCRIPTION
<b>51648</b>	10-pk	<ul style="list-style-type: none"> <li>Plastic Long Insert Rim Protector for Metal Mount/Demount Head</li> </ul>
FEATURES		
Protects rims from contacting metal head. Replaces metal roller. Simply unbolt the steel roller and bolt in the plastic insert. Use with Shark's #35036 Stainless Steel Head (sold separately).		
OEM	USE ON MODELS	
Hofmann ST4024181	All Models.	
Snap-On EAA0247G15A	All Models.	

Shown with #38305 Stainless Steel Head (sold separately)



PART#	QTY	DESCRIPTION
<b>51640</b>	10-pk	<ul style="list-style-type: none"> <li>Plastic Insert Rim Protector for Coats/Corghi w/wrench</li> </ul>
FEATURES		
Protects rims from contacting metal head. Replaces metal roller. Use with Shark's #38305 Stainless Steel Head (sold separately).		
OEM	USE ON MODELS	
Coats 89209611	RC1, RC5, RC10, RC20, 9010, & 9024.	
Corghi 254341A	A9824, A9820, A9419, A9220, A9218, A9212, A2024, A2002, A2001, A2000 A2010, A2019, A9212TI, A9820TI.	

Shown with #33788 Stainless Steel Head (sold separately)



PART#	QTY	DESCRIPTION
<b>A18277</b>	2-pk	<ul style="list-style-type: none"> <li>Clip On Plastic Rim Protectors for Coats</li> </ul>
<b>A18278</b>	12-pk	
FEATURES		
These inserts clip over the roller to protect wheels. Use with Shark's #33788 Stainless Steel Head (sold separately).		
OEM	USE ON MODELS	
Coats 8182961, 8182963	All Models.	



PART#	QTY	DESCRIPTION
<b>51646</b>	1-pk	<ul style="list-style-type: none"> <li>Plastic Insert Rim Protectors for Accu-Turn w/pin</li> </ul>
<b>51645</b>	4-pk	
<b>51647</b>	10-pk	
OEM	USE ON MODELS	
Accu-Turn 24016079, 20011064	3402, 3450, 3602, 4602, 5802HP, 5850HP, 5602.	

## Tire Changer Accessories

### PLASTIC PROTECTORS FOR STEEL HEADS & JAWS



35051



35055

PART#	QTY	OEM	DESCRIPTION
35051	1-pk	Accu-Turn 102725, Sicam 169510725	• Black Rear Large Mount/Demount Head Cover for MB/Sicam/Bosch/Accu-Turn
35055	5-pk	Accu-Turn Bosch, Sicam SM101608	• Plastic Inserts for MB/Sicam/Bosch/Accu-Turn

#### USE ON MODELS

For use on SM102647 Sicam, Bosch Mounting Head. Accu-Turn: 320S, 326S, 526T, 626T, 732PRO, 752PRO. Bosch: TC 320S, TC 326S, TC 326SFA, TC 526T, TC 526THP, TC 626THP, TCE 4275E, TCE 4275EH, TCE 4275EHC, TCE 4295EHC, TCE 4475EHC. Sicam.



35049



35050

PART#	QTY	OEM	DESCRIPTION
35049	6-pk	801254341	• Front Yellow Roller Protector for Corgi Metal Mounting Heads
35050	6-pk	801258898	• Rear Yellow Insert for Corgi Metal Mounting Heads

#### USE ON MODELS

For use on 258458 Corgi Metal Mounting Head. A2000, A2010, A2019, A20241, A9212, A9220, A9419, A9820TI.



35047



35048

PART#	QTY	OEM	DESCRIPTION
35047	10-pk	20-2684-3	• Yellow Hunter Style TCX Replacement Plastic Insert-Right Side w/2 screws
35048	10-pk	20-2685-3	• Yellow Hunter Style TCX Replacement Plastic Insert-Left Side w/2 screws

#### USE ON MODELS

For use on RP11-8-11400293 Hunter Tire Changer Head. TCX575, TCX535EL, TCX550, TCX515, TCX500.



35044



35045

35046 Kit

PART#	QTY	OEM	DESCRIPTION
35046	Kit	RP11-8-11400096	• White Plastic Inserts for Hunter Steel Mount Heads Kit. Includes 10 front & 10 rear inserts. 20 Pieces.
35044	10-pk	RP11 811100303S	• White Plastic Front Inserts for Hunter Steel Mount Heads
35045	10-pk	RP11 811100303S	• White Plastic Rear Inserts for Hunter Steel Mount Heads

#### FEATURES/MODELS

For use with Steel Mount/Demount Heads to protect the wheel during tire changer wheel service. Head inserts clip on to the roller pin. For use with old style Hunter steel head #RP11-5-400439. All Hunter TCX Series Models.



51650



51651

PART#	QTY	OEM	DESCRIPTION
51650	4-pk	EAA-0304G21A	• John Bean & Snap-On Tire Changer Clamping Jaw Covers
51651	10-pk	EAC-0087G48A	• John Bean & Snap-On Nylon Inserts for Tire Machine Rim Clamps

#### USE ON MODELS

John Bean: EHP System IVE, IV, III, IIE. Snap-On: EEWH302A, EEWH303, EEWH305, EEWH306.



51652

PART#	QTY	OEM	DESCRIPTION
51652	8-pk	RP11-76-40	• Hunter Style TCX High Grip Jaw Protectors

#### FEATURES/MODELS

Nylon Cover for Hunter Table Top Rim Clamp Machines. All TCX Models (TCX505, TCX515, TCX535, TCX565, TCX575, TCX51, TCX53).



**COATS JAW CLAMPS**



51637 Kit

PART#	QTY	OEM	DESCRIPTION
51637	Kit	Coats 8184327	• Coats Jaws Clamping Kit. Includes 4 Jaws, 4 Push Buttons & 10 Jaw Protectors. 18 Pieces.
<b>FEATURES/MODELS</b>			
Extended length, external clamping jaws allow it to fit any rim size from 13" to 24". 50X, 60X, 70X.			



51638

PART#	QTY	OEM	DESCRIPTION
51638	4-pk	Coats 8182250	• Push Button for Adjustable Clamping Jaws
<b>FEATURES/MODELS</b>			
Buttons lock the jaws in place when adjusting from the different holes for larger or smaller wheels on the tire changer. 50X, 60X, 70X.			



51639

PART#	QTY	OEM	DESCRIPTION
51639	10-pk	Coats 8183604	• Plastic Jaw Cover Rim Protectors for Coats Tire Changer Clamps
<b>USE ON MODELS</b>			
Fits all Coats Tire Changers except 9010 & 9024E.			



51641

PART#	QTY	OEM	DESCRIPTION
51641	4-pk	Coats 8184958	• Coats 2 Position X-Tended 28" Extension Jaws
<b>FEATURES/MODELS</b>			
Jaws externally clamp up to and including 28" wheels (16"-28"). 50X, 60X, 70X.			



51644

PART#	QTY	OEM	DESCRIPTION
51644	4-pk	Coats 8184926	• Coats Adjustable 3 Position Rim Clamp Jaw (6"-22")
<b>FEATURES/MODELS</b>			
Externally clamps the larger diameter wheels up to and including 22" without damage. Works with ATV wheels down to 6". 50X, 60X, 70X.			



51642 Kit

PART#	QTY	OEM	DESCRIPTION
51642	Kit	Coats 8113125C	• Coats Adjustable 3 Position Rim Clamp Jaw (6"-22") Kit. Includes 4 Clamps & 4 Push Buttons. 8 Pieces.
<b>USE ON MODELS</b>			
50X, 60X, 70X.			

**PEDAL SWITCH & PADS**

C109873



PART#	OEM	DESCRIPTION
C109873	Coats 8182958, 182958	• Motor Forward/Reverse Switch for Coats Tire Changer

**FEATURES**

Turntable motor switch fits Coats Tire Changer models with electric turntables.

**USE ON MODELS**

9010, 9010e, 9024 e-pax, 9024e pax, 9024, 9024e, RC-1, RC1, RC-5A, RC5A, RC-15A, RC15A, RC-15AA, RC15AA, RC-20A, RC20A, RC-20AA, RC20AA.



51654

PART#	OEM	DESCRIPTION
51654	Coats 8181065, TMR T1181065	• Center Rubber Pad for Coats Tire Changers. Dimensions: 5 1/4" x 5" x 1 1/2"

**USE ON MODELS**

RC5,15, 20, 5030.



51655

PART#	OEM	DESCRIPTION
51655	Coats 8181855, TMR T1181855	• Large Center Rubber Pad for Coats Tire Changers

**FEATURES**

Durable rectangle pad that sits in a channel on the tire changer machine. Pad Dimensions: 6 1/2" x 5 3/8" x 1 1/2".

**USE ON MODELS**

5000, 6000, 7000 Series.



51657

PART#	OEM	DESCRIPTION
51657	Coats 8181173, TMR T1181173	• Small Bead Loosener Nylon Front Pad for Coats. Dimensions: 5" x 1 3/4" x 1"

**USE ON MODELS**

RC5,15, 20, 5030.



51658

PART#	OEM	DESCRIPTION
51658	Coats 8181851, TMR T1181851	• Large Bead Loosener Nylon Front Pad for Coats

**FEATURES**

Square pad with 4 bolt holes. Requires 2 pads. Pad Dimensions: 5 1/4" x 5" x 1 1/2"

**USE ON MODELS**

5000, 6000, 7000 Series.



51656

PART#	OEM	DESCRIPTION
51656	Hunter RP60066, TMR TC0066	• Hunter Rubber Pads for Tire Changers

**FEATURES**

Pad mounts at the end of the arms that clamp the rim to prevent damage to wheels while providing grip to rotate the rim. Each machine uses 4 pads. Dimensions: 2 3/8" x 1 3/8" x 1 5/8"

**USE ON MODELS**

TC3500, TC3250, TC300, TC350, & any other tulip style machines.

**WHEEL BALANCER ADAPTERS**



**ProGrip  
15160  
Assembly**



**NEW!**

PART#	OEM	DESCRIPTION
15160	HW124 937 003	• 28mm/3mm Pitch Haweka ProGrip Quick Nut with Handles Assembly. 4 Pieces.
<b>FEATURES</b>		
Shaft Upgrade Kit. Includes Quick Nut with Handles, Pressure Cup, Pressure Ring & Haweka Style Shaft.		
<b>USE ON MODELS</b>		
Coats: 700, 800, 825, 850, 925, 1000, 1025, 1050, 1055, 1250, 1255.		



PART#	OEM	DESCRIPTION
15151	HW143 283 003	• 28mm/3mm Pitch Haweka ProGrip Quick Nut. All Coats and Snap-On models upgraded to 28mm shaft.
15152	HW143 363 003	• 36mm/3mm Pitch Haweka ProGrip Quick Nut. Accu-Turn 6100, 6600, 6700, 6800, CEMB pre1995, Coseng C301, 311, 322, 366, Ranger All, Launch Models 402, 412.
15153	HW143 383 003	• 38mm/3mm Pitch Haweka ProGrip Quick Nut. Corgi all models Pre 2007.
15156	HW190 008 002	• 5" Standard Pressure Cup. Series HW140, HW143, HW124 Only.
15157	HW190 008 027	• Pressure Ring. Series HW140, HW143, HW124 Nuts.
15162	HW170 937 001	• 8.5" Threaded Shaft, Long 28 x 3mm Coats.

**Soft Grip  
15161  
Assembly**



**NEW!**

PART#	OEM	DESCRIPTION
15161	HW125 404 000, FMC 61072	• 40mm/4mm Pitch Haweka Soft Grip Nut Assembly. 3 Pieces.
<b>FEATURES</b>		
Includes Quick Nut, Pressure Ring & Pressure Cup. Ergonomic design with soft-touch handle. Improved quick-action mechanism. Upgraded threaded jaws with bigger bearing surface allows a higher torque and prevents opening under load.		
<b>USE ON MODELS</b>		
Accu-Turn: 1200, 1220, 1250, 1400, 1420, 1450, 1500, 1520, 1550, 1650, 1820. Bosch: All models with a 40mm diameter shaft. Cemb: All models with a 40mm diameter shaft. Coats: 775, 875, 1175, XR Series. FMC: All. Hofmann: All models with a 40mm diameter shaft. John Bean (JBC): All.		



**NEW!**

PART#	OEM	DESCRIPTION
15154	HW125 403 000	• 40mm/3mm Pitch Haweka Soft Grip Nut (not pictured)
15155	HW125 404 000	• 40mm/4mm Pitch Haweka Soft Grip Quick Nut
15158	HW190 008 005	• 5" Rubber Cover for Standard and Soft Grip Pressure Cups. All Series.
15163	HW190 008 065	• 5" Pressure Cup for New Soft Grip Quick Nut. Series HW125, HW144 Only.





13080 Kit

PART#	DESCRIPTION
13080	• Converts Coats 28mm to 40mm Complete Kit. 8 Pieces.
15150	• 40mm/8mm Pitch Coats Style Manual Hub Nut
15201	• 40mm Pressure Cup
18071	• Wheel Balancer Cone 40mm Bore - Range 1.175" - 2.58"
18072	• Wheel Balancer Cone 40mm Bore - Range 2.44" - 3.06"
18073	• Wheel Balancer Cone 40mm Bore - Range 2.95" - 3.63"
18074	• Wheel Balancer Cone 40mm Bore - Range 3.375" - 5.25"
18078	• Conversion Shaft with Coupler
18080	• Cone Spring 36 or 38 or 40mm



13081 Kit

PART#	QTY	DESCRIPTION
13081	Kit	• Converts Coats, Shaft, Coupler and Hub Nut Kit. 3 Pieces.

**FEATURES**

Includes: 18078 Conversion Shaft with Coupler, 15150 40mm/8mm Pitch Manual Hub Nut, 15201 40mm Pressure Cup.



**Individual Parts / Wheel Balancer Springs & Shafts**

PART#	DESCRIPTION
10542	• 8mm Small Pressure Cup for Manual Hub Nut 5 1/4"
15201	• 40mm Pressure Cup
15211	• 4.5" Pressure Cup for Hunter Quick Release Nuts
15212	• 4.5" Rubber Ring for Hunter Quick Release Nuts
15213	• 6" Pressure Cup for Hunter Quick Release Nuts
15214	• 6" Rubber Ring for Hunter Quick Release Nuts
15215	• Spacer for Hunter Pressure Cup
18050	• Wheel Balancer Shaft for 28mm with Coupler (not pictured)
18078	• Conversion Shaft with Coupler. 2 Pieces.
18079	• Spring for 28mm and 36mm Balancer Shafts (not pictured)
18080	• Cone Spring for 36 or 38 or 40mm
18082	• Shaft for 38mm Balancers (not pictured)
18083	• Shaft for 40mm Balancers (not pictured)
18084	• Shaft for 40mm Hunter Balancers with Different Thread Pitch (not pictured)

**WHEEL BALANCER ADAPTERS**



PART#	OEM	DESCRIPTION
15144	Coats 8110543	• 28mm/8mm Pitch Coats Style Manual Hub Nut
15145	Corgi 245053	• 38mm/3mm Pitch older Corgi Style Manual Hub Nut
15146	Hunter 408117	• 40mm/8mm Pitch Hunter Style Manual Hub Nut (not pictured)
15149	FMC 61072	• 40mm/4mm Pitch FMC, John Bean, Hofmann Style Manual Hub Nut
15150	Coats 8112103	• 40mm/8mm Pitch Coats Style Manual Hub Nut (not pictured)



PART#	DESCRIPTION
15147	• Passenger Car Wheel Caliper
15148	• Truck Wheel Caliper



15128 Kit

PART#	DESCRIPTION
15128	• 28mm Bore Cone and Plate Kit. 2 Pieces.
FEATURES	
Fits Coats Tire Balancers.	
15129	• 28mm Cup 8.5"
15130	• 28mm Cone 5.03" x 6.88"

PART#	DESCRIPTION
15136	• 36mm Bore Cone and Plate Kit. 2 Pieces. (not pictured)
FEATURES	
Fits RELS, CHEM, All Tool, Accu-Turn Tire Balancers.	
15137	• 36mm Cup 8.5"
15138	• 36mm Cone 5.03" x 6.88"

PART#	DESCRIPTION
15140	• 40mm Bore Cone and Plate Kit. 2 Pieces. (not pictured)
FEATURES	
Fits Hunter, FMC, JBC, Hofmann, Accu-Turn Tire Balancers.	
15131	• 40mm Cup 8.5"
15132	• 40mm Cone 5.03" x 6.88"

**WHEEL BALANCER ADAPTERS**

**28mm Wheel Balancer Cones & Backing Plate**

Accu-Turn, Coats, Mondolfo Ferro, Norton, Snap-On & Sun.

PART#	DESCRIPTION	RANGE	SIZE
18040	• Wheel Balancer Cone	1.70" – 2.25"	28mm
18041	• Wheel Balancer Cone	1.75" – 2.58"	28mm
18042	• Wheel Balancer Cone	2.25" – 2.62"	28mm
18043	• Wheel Balancer Cone	2.44" – 3.06"	28mm
18044	• Wheel Balancer Cone	2.62" – 3.00"	28mm
18046	• Wheel Balancer Cone	2.95" – 3.63"	28mm
18047	• Wheel Balancer Cone	3.375" – 5.25"	28mm
18048	• Wheel Balancer Cone	3.375" – 5.88"	28mm
18049	• Wheel Balancer Cone	5.03" – 6.88"	28mm
18051	• Wheel Balancer Cone	5.875" – 7.315"	28mm
18052	• Wheel Balancer Spacer/Backing Plate	N/A	28mm

**OEM**

Accu-Turn 5223 5500 5100 & 5600 Series #51-0001 thru 51-0622. Coats All Models (Excluding 6401). Mondolfo Ferro All Models Except Trucks. Norton All Models. Snap-On All Models. Sun 1742, 1762.

**36mm Wheel Balancer Cones & Backing Plate**

Accu-Turn, Ammco, CEMB, Focus, Phoenix, RAV & Werther.

PART#	DESCRIPTION	RANGE	SIZE
18053	• Wheel Balancer Cone	1.75" – 2.58"	36mm
18054	• Wheel Balancer Cone	2.44" – 3.06"	36mm
18055	• Wheel Balancer Cone	2.95" – 3.63"	36mm
18056	• Wheel Balancer Cone	3.375" – 5.25"	36mm
18057	• Wheel Balancer Cone	3.375" – 5.88"	36mm
18058	• Wheel Balancer Cone	5.03" – 6.88"	36mm
18059	• Wheel Balancer Cone	5.875" – 7.315"	36mm
18063	• Wheel Balancer Spacer/Backing Plate	N/A	36mm

**OEM**

Accu-Turn 1060, 6100, 6600, 6700, 6800. Ammco 1030. CEMB All Models Except Trucks. Focus All Models Except Trucks. Phoenix CB-114. RAV All Models. Werther All Models Except Trucks.

**38mm Wheel Balancer Cones & Backing Plate**

Corgi & Faip.

PART#	DESCRIPTION	RANGE	SIZE
18064	• Wheel Balancer Cone	1.70" – 2.58"	38mm
18065	• Wheel Balancer Cone	2.44" – 3.06"	38mm
18066	• Wheel Balancer Cone	2.95" – 3.63"	38mm
18067	• Wheel Balancer Cone	3.375" – 5.25"	38mm
18068	• Wheel Balancer Cone	3.375" – 5.88"	38mm
18069	• Wheel Balancer Cone	5.03" – 6.88"	38mm
18070	• Wheel Balancer Spacer/Backing Plate	N/A	38mm

**OEM**

Corgi All Models Except Trucks. Faip All Models Except Trucks.



18073



18074



18077

**40mm Wheel Balancer Cones & Backing Plate**

Accu-Turn, Bear, Beissbarth, CEMB, Coats, RAV, FMC, Hofmann, Hunter, John Bean, Kwik-Way, Performance & Phoenix.

PART#	DESCRIPTION	RANGE	SIZE
18071	• Wheel Balancer Cone	1.75" – 2.58"	40mm
18072	• Wheel Balancer Cone	2.44" – 3.06"	40mm
18073	• Wheel Balancer Cone	2.95" – 3.63"	40mm
18074	• Wheel Balancer Cone	3.375" – 5.25"	40mm
18075	• Wheel Balancer Cone	5.03" – 6.88"	40mm
18076	• Wheel Balancer Cone	5.875" – 7.315"	40mm
18077	• Wheel Balancer Spacer/Backing Plate	N/A	40mm

**OEM**

Balancer Shaft Accu-Turn 1200, 1250, 1400, 1500, 1550, 1650, 1850, 5100, 5600 (Serial#51-0623-51-1457). Bear 80-100, 80-303. Beissbarth All Models. CEMB Truck Balancers Since June 2000. Coats With Optional 40mm Shaft. RAV All Models, FMC, Hofmann, Hunter, John Bean, Kwik-Way, Performance, Phoenix CB-113.

**Hunter Style Wheel Balancer Low Profile Cone Sets**



51630

51631

51632

51633

51634

51635

51636

51626 Kit

PART#	OEM	DESCRIPTION	SIZE - INCHES	SIZE - mm	WEIGHT
51626	20-1626-1	• 40mm Hunter Style Wheel Balancer Low Profile Cone Kit. 7 Pieces.	1.69" - 5.18"	43mm - 132mm	28 lbs.
51630	192-51-2	• Low Profile Cone	1.69" - 2.23"	43mm - 57mm	1.1 lbs.
51631	192-52-2	• Low Profile Cone	2.15" - 2.58"	55mm - 66mm	1.8 lbs.
51632	192-53-2	• Low Profile Cone	2.50" - 2.94"	64mm - 75mm	2.6 lbs.
51633	192-54-2	• Low Profile Cone	2.85" - 3.2"	72mm - 83mm	3.4 lbs.
51634	192-55-2	• Low Profile Cone	3.20" - 3.63"	81mm - 92mm	4.3 lbs.
51635	192-56-2	• Low Profile Cone	3.45" - 4.36"	88mm - 111mm	5.2 lbs.
51636	192-57-2	• Low Profile Cone	4.24" - 5.18"	108mm - 132mm	8.5 lbs.





**Platinum Zirconia Cut-Off Wheels**

3-Inch USA made Zirconia cut-off wheels. Four times the life of regular aluminum oxide wheels, these wheels will compare to other leading brand Zirconia wheels life for a lot less money.



12757

12758


PART#	QTY	3M	DESCRIPTION
12757	6-pk	01990	• 3" x 1/16" x 3/8" Zirconia Cut-Off Wheels
25SL-10	10-pk	N/A	
13217	50-pk	N/A	
12758	6-pk	01989	• 3" x 1/32" x 3/8" Zirconia Cut-Off Wheels
26SL-10	10-pk	N/A	
13218	50-pk	N/A	
12431	1-pk	N/A	• Mandrel with 3/8" Shoulder Screw
12935	1-pk	N/A	• Mandrel with 1/4" & 3/8" Shoulder Screw

**Purple Strip-Brite Discs**

These discs are typically used for paint or coating removal and feature the quick and easy "R" Type attachment system, compatible with many other brands.

- 3D Open-web Construction Impregnated with Silicon Carbide Grains
- Aggressive and Long-lasting Performance
- Extremely Durable

pictured with 3" adapter



16207

PART#	QTY	3M	DESCRIPTION
16206	5-pk	21538	• 2" Purple Strip-Brite Discs
16210	10-pk	N/A	
16207	5-pk	61500303328	• 3" Purple Strip-Brite Discs
16211	10-pk	N/A	

**Surface Conditioning Discs**

Features the quick and easy "R" Type backing. For general grinding, rust removal, clean-up and paint removal. Use with right angle or die grinders.

pictured with 2" adapter



13012

13062

13018

624TB

PART#	QTY	3M	DESCRIPTION
13062	25-pk	07480	• 2" Coarse Brown Roloc Disc
13003	50-pk	N/A	
13219	100-pk	N/A	
13018	25-pk	07481	• 2" Medium Burgundy Roloc Disc
13004	50-pk	N/A	
13220	100-pk	N/A	
624TB	25-pk	07515	• 2" Fine Blue Roloc Disc
13005	50-pk	N/A	
13221	100-pk	N/A	
13019	25-pk	07485	• 3" Coarse Brown Roloc Disc
13222	50-pk	N/A	
13223	100-pk	N/A	
13020	25-pk	07486	• 3" Medium Burgundy Roloc Disc
13224	50-pk	N/A	
13225	100-pk	N/A	
634TB	25-pk	N/A	• 3" Fine Blue Roloc Disc
634TB-50	50-pk	N/A	
634TBC	100-pk	N/A	
13012	1-pk	N/A	• 2" Roloc Backing Pad
13013	1-pk	N/A	• 3" Roloc Backing Pad





51660

PART#	OEM	DESCRIPTION
51660	82365, 91559, LP600, BH-7101-00	• Molded Rubber Arm Pads
<b>FEATURES</b>		
Ammco/Ben Pearson/Challenger/Weaver. 3 7/8" x 4 7/8" x 7/8". 3 1/4" Between Bolt Hole Centers. Includes: 4 pads & hardware.		
<b>MODELS</b>		
AF-9, AL-7, AO-9, LMO-7, LMO-9, LMP-7, LMP-9, NDL-5, NDL-7, NDO-7, NDO-9, 9000AI, 9000SA, 9000SI, 10000SA, 10000SI.		



51661

PART#	OEM	DESCRIPTION
51661	JOK01D, LP602	• Car Lift Rubber Pads
<b>FEATURES</b>		
Challenger. 5 1/2" x 5 1/2" x 1/4". 3" Between Bolt Hole Centers. Includes: 4 pads & hardware.		
<b>MODELS</b>		
20000, 21000, 26000, 27000, 28000, 30000, 31000, 33000, 35000, 36000, 37000, 39000.		



51662


PART#	OEM	DESCRIPTION
51662	205175, SP710002, 100533 HD, LP601	• Molded Rubber Arm Pads
<b>FEATURES</b>		
Benwil/Bishamon. 3 1/2" x 4 1/2" x 3/4". Includes: 4 pads & hardware.		
<b>MODELS</b>		
T-PRO-7, 7W, 7L, 7WL, BWO-7, 7W 7L, GP0A-8, GPOA9, GPOA10, TP-7, TPO7, TP55, TPO-55, SP7 NP7, SA7, NA7, NL7, SP7.		



51663

PART#	OEM	DESCRIPTION
51663	994105, 991234, 991222, LP603	• Rough Heavy Die Cut Material Lift Pads
<b>FEATURES</b>		
Forward/Eagle/Gemini/Worth/American. 5" x 5" x 1/4". 3 3/4" Between Bolt Hole Centers. Includes: 4 pads & hardware.		
<b>MODELS</b>		
Forward models I-DP9, DPO9A2, DPO9A, DPO7A, DP97A, DP7A, Eagle, and other Texas Style 2 post lifts.		

LIFT PADS



51664

PART#	OEM	DESCRIPTION
51664	JOK03M, LP605	• Round Rubber Arm Pads
<b>FEATURES</b>		
Nussbaum/Hydra/Force (earlier). 5" x 1" x 3 7/16" Between Bolt Hole Centers. Includes: 4 pads & hardware.		
<b>MODELS</b>		
HEL7000, STL7000, SPL8000, NPL8000.		



51665

PART#	OEM	DESCRIPTION
51665	S-350, BH-7750-02, LP607	• Slip-on Molded Rubber Arm Pads
<b>FEATURES</b>		
Western/Worth/Grand. 4 1/2" x 4" x 1". Includes: 4 pads.		
<b>MODELS</b>		
WL9, WL7, WLO-9, WLO-7, WL-92, WL-70, WL-72, WLO-90, WLO-90A, WLO-70, W09, W07 and others.		



51666

PART#	OEM	DESCRIPTION
51666	5715-365, LP608	• Slip-on Molded Rubber Arm Pads
<b>FEATURES</b>		
BendPak. 5 1/2" x 5 1/2" x 1 1/16". Includes: 4 pads.		
<b>MODELS</b>		
MX10AC, MXACX, MX10CX, MX10C, XPR-9S, XPR-9S-LP, XPR-9DS, XPR-10S, XPR-10S-LP, XPR-10S-168, XPR-10AS, XPR-10AS-LP, XPR-10AS-168, XPR-12FDL, XPR-12CL, XPR-15CL, XPR-18CL, XPR-12CL-192, XPR-15CL-192, XPR-18CL-192, RJ6, RJ6000, RJ4500.		



51667

PART#	OEM	DESCRIPTION
51667	FJ6213, BH-7536-92P, BH7542-73, LP609	• Rubber Arm Pads
<b>FEATURES</b>		
Rotary. 4 1/8" x 3 1/4" x 1/4". Includes: 4 pads & hardware.		
<b>MODELS</b>		
SPO9, SPOA9, SPO10, SPOA10, SPO12, SL29, SL19, SL210.		



51669

PART#	OEM	DESCRIPTION
51669	3-0872, BH-7805-168, LP610	• Square Molded Rubber Arm Pads
<b>FEATURES</b>		
Snap-On/Ammco/Wheeltronics. 5 1/4" x 4 1/4" x 7/8". Includes: 4 pads & hardware.		
<b>MODELS</b>		
T10, T9, 8144 V, Space Saver 12000 (rolling jacks), S21NSR1, S21NXPR1, S21NSB3, S21NSR3, S21NRM1.		



51670

PART#	OEM	DESCRIPTION
51670	LP612	• Globe Style Heavy Duty Lift Pads
<b>FEATURES</b>		
Globe. 4 1/2" x 1/2". Includes: 4 pads.		
<b>MODELS</b>		
Generic Chinese lifts, Older Globe/Ford Smith models.		



51671

PART#	OEM	DESCRIPTION
51671	JORB-3, LP613	• Solid Molded Rubber Block Pads.
<b>FEATURES</b>		
6 1/4" x 4 3/4" x 3". Includes: 4 Pads.		
<b>MODELS</b>		
Any low rise pad lift with flat surface.		



51672

PART#	OEM	DESCRIPTION
51672	JORB-1, LP615	• Solid Molded Rubber Block Pads.
<b>FEATURES</b>		
6 1/4" x 4 3/4" x 1". Includes: 4 Pads.		
<b>MODELS</b>		
Any low rise pad lift with flat surface.		



51673


PART#	OEM	DESCRIPTION
51673	104130315, B2208	• Rubber Arm Pads
<b>FEATURES</b>		
Challenger & Quality Lifts. 5 7/16" Dia. x 3/4" Thick. Slip on over existing steel adapter top. Includes: 4 pads.		
<b>MODELS</b>		
Challenger VS10, CL10, E10 & Quality Lifts, Launch Lifts TLT210, TLT210-AS, TLT211, TLT211-AS, Ammco ACD210S, and others.		



51674

PART#	OEM	DESCRIPTION
51674	A1140Hx	• Urethane Snap In Arm Pads
<b>FEATURES</b>		
Challenger Lifts. 4 11/32" x 4 1/16" x 2/5" Thick. Octagon shape snaps into the adapter base. Includes: 4 pads.		
<b>MODELS</b>		
Challenger CL10, E10, S10, EV1020.		

**HOSE CLAMPS**



**16151  
Hose Clamp Rack and Hose Clamp Assortment**

PART#	DESCRIPTION
16151	• Hose Clamp Rack with Clamps Assortment 221 Pieces. 23"W x 16"H
<b>ASSORTMENT INCLUDES:</b>	
Rack (1 piece)	#16 (20 pieces) 16139
#4 Mini (30 pieces) 16135	#20 (20 pieces) 16140
#6 Mini (30 pieces) 16136	#28 (10 pieces) 16142
#6 (20 pieces) 16145	#32 (10 pieces) 16143
#10 (40 pieces) 16137	#36 (10 pieces) 16144
#12 (30 pieces) 16138	



**Fuel Injector Clamps**  
5/16" Band, Zinc Plated Packaged 10 per box

PART#	HOSE SIZE	CLAMPING RANGE	DESCRIPTION
16147	1/4" (6.3mm)	0.43"- 0.5" (11-13mm)	• #4 1/4" Fuel Injector Clamp
16148	5/16" (8mm)	0.51"- 0.59" (13-15mm)	• #6 5/16" Fuel Injector Clamp
16149	3/8" (9.5mm)	0.55"-0.63" (14-16mm)	• #8 3/8" Fuel Injector Clamp



**16150  
15 Piece Fuel Injector Hose Clamp Assortment**  
Zinc Plated  
1 Compartment

PART#	QTY	ASSORTMENT INCLUDES:
16147	5-pk	• #4 1/4" Fuel Injector Clamp
16148	5-pk	• #6 5/16" Fuel Injector Clamp
16149	5-pk	• #8 3/8" Fuel Injector Clamp



**Mini Hose Clamps**  
Ventilated, Stainless Steel Band/Zinc Plated Housing  
5/16" Band Packaged 10 per box

PART#	MIN DIA.	MAX DIA.	DESCRIPTION
16135	7/32" (6mm)	5/8" (16mm)	• #4 Mini Hose Clamp
16136	7/16" (11mm)	25/32" (20mm)	• #6 25/32" Mini Hose Clamp



**Standard Hose Clamps**  
Ventilated Stainless Steel Band/  
Zinc Plated Housing and Screw  
1/2" Band Packaged 10 per box

PART#	MIN DIA.	MAX DIA.	DESCRIPTION
16145	7/16" (11mm)	25/32" (20mm)	• #6 Standard Hose Clamp
16146	1/2" (13mm)	29/32" (23mm)	• #8 Standard Hose Clamp
16137	9/16" (14mm)	1 1/16" (27mm)	• #10 Standard Hose Clamp
16138	11/16" (17mm)	1 1/4" (32mm)	• #12 Standard Hose Clamp
16139	13/16" (21mm)	1 1/2" (38mm)	• #16 Standard Hose Clamp
16140	13/16" (21mm)	1 3/4" (44mm)	• #20 Standard Hose Clamp
16141	1 1/16" (27mm)	2" (51mm)	• #24 Standard Hose Clamp
16142	1 5/16" (33mm)	2 1/4" (57mm)	• #28 Standard Hose Clamp
16143	1 9/16" (40mm)	2 1/2" (64mm)	• #32 Standard Hose Clamp
16144	1 13/16" (46mm)	2 3/4" (70mm)	• #36 Standard Hose Clamp

**WARRANTY SEAL, PLASTIC BOXES & CABLE TIES**



**D10      D15      D20      D25**

PART#	OEM	DESCRIPTION
D10	12848	• Warranty Seal Yellow
D15	12886	• Warranty Seal Red
D20	12855	• Warranty Seal Blue
D25	12978	• Warranty Seal White
<b>FEATURES</b>		
Quick drying colorful seals visually detect any movement or tampering once a component has been marked. RoHS compliant and high temperature resistant. Adheres to all metal and other surfaces and is effective for pan marking.		



**Plastic Boxes**

PART#	UOM	TMR	DESCRIPTION
16109	Each	PB1	• 1 Compartment 3 1/4" x 3 1/8" x 1 3/8"
16110	Each	PB5	• 2 Compartment 6 5/8" x 3 1/8" x 1 3/8"
16111	Each	PB10	• 6 Compartment 6 5/8" x 3 1/8" x 1 3/8"
16112	Each	PB45	• 12 Compartment 10 3/4" x 6 1/4" x 1 3/4"
16113	Each	PB18	• 18 Compartment 10 5/8" x 6 1/4" x 1 1/2"
16114	Each	PB24	• 24 Compartment 12 3/4" x 8 1/2" x 2 1/8"



**Black Cable Ties**

PART#	UOM	DESCRIPTION
16115	100 (per bag)	• 4" Black Cable Tie - 18 lb. Width 0.10" (2.4mm)
16116	100 (per bag)	• 6" Black Cable Tie - 40 lb. Width 0.14" (3.6mm)
16117	100 (per bag)	• 8" Black Cable Tie - 50 lb. Width 0.19"
16118	100 (per bag)	• 11" Black Cable Tie - 50 lb. Width 0.19"
16119	100 (per bag)	• 14" Black Cable Tie - 50 lb. Width 0.19"
16121	100 (per bag)	• 14" Wide Black Cable Tie 120 lb. - Width 0.30" (7.6mm)
16122	100 (per bag)	• 17" Wide Black Cable Tie 175 lb. - Width 0.35"
16123	50 (per bag)	• 24" Black Cable Tie - 175 lb. Width 0.35"
16124	50 (per bag)	• 36" Black Cable Tie - 175 lb. Width 0.35"
16125	50 (per bag)	• 48" Black Cable Tie - 175 lb. Width 0.35"



**Natural Cable Ties**

PART#	UOM	DESCRIPTION
16126	100 (per bag)	• 4" Natural Cable Tie - 18 lb. Width 0.10" (2.4mm)
16127	100 (per bag)	• 6" Natural Cable Tie - 40 lb. Width 0.14" (3.6mm)
16128	100 (per bag)	• 8" Natural Cable Tie - 50 lb. Width 0.19"
16129	100 (per bag)	• 11" Natural Cable Tie - 50 lb. Width 0.19"
16130	100 (per bag)	• 14" Natural Cable Tie - 50 lb. Width 0.19"
16131	100 (per bag)	• 14" Wide Natural Cable Tie 120 lb. - Width 0.30"
16132	100 (per bag)	• 17" Wide Natural Cable Tie 175 lb. - Width 0.35"
16133	50 (per bag)	• 24" Natural Cable Tie - 175 lb. - Width 0.35"
16134	50 (per bag)	• 36" Natural Cable Tie 175 lb. - Width 0.35"



Plastic Wedge Base Mini Bulbs

Packaged 10 per box



B3047K

PART#	OEM	DESCRIPTION	COLOR	APPLICATION
B3047K	3047K	• 12V/21/2CP Wedge Base. Krypton. Made in USA	Clear	Tail, Brake, Turn Signal, Backup



B3057



B3057NA

PART#	OEM	DESCRIPTION	COLOR	APPLICATION
B3057	3057	• 12V/32/2CP Wedge Base. Wagner. Made in USA	Clear	Tail, Brake, Turn Signal, Backup, Side Marker, Parking, Cornering, Center High Mount
B3057I	3057	• 12V/32/2CP Wedge Base. Made in China		



B3057I



B3057NAI

B3057NA	3057NA	• 12V/32/2CP Wedge Base. Wagner. Made in USA	Amber	Turn Signal, Parking
B3057NAI	3057NA	• 12V/32/2CP Wedge Base. Made in China		



B3156I



B3156NAI

PART#	OEM	DESCRIPTION	COLOR	APPLICATION
B3156I	MP3156	• 12V/32CP Wedge Base. Made in China	Clear	Brake, Turn Signal, Backup, Parking, Cornering, Center High Mount
B3156NAI	3156NA	• 12V/32CP Wedge Base. Made in China	Amber	Turn Signal, Parking



B3157



B3157NA

PART#	OEM	DESCRIPTION	COLOR	APPLICATION
B3157	3157	• 12V/32/3CP Wedge Base. Wagner. Made in USA	Clear	Daytime Running, Tail, Brake, Turn Signal, Backup, Side Marker, Parking, Cornering, Center High Mount
B3157I	MP3157	• 12V/32/3CP Wedge Base. Made in China		



B3157I



B3157NAI

B3157NA	3157NA	• 12V/32/3CP Wedge Base. Wagner. Made in USA	Amber	Daytime Running, Turn Signal, Side Marker, Parking, Cornering
B3157NAI	3157NA	• 12V/32/3CP Wedge Base. Made in China		

**Plastic Wedge Base Mini Bulbs**

*Packaged 10 per box*



**B3457I**



**B3457NAI**

PART#	OEM	DESCRIPTION	COLOR	APPLICATION
<b>B3457I</b>	MP3457	• 12V/40/3CP Wedge Base. Made in China	Clear	Brake, Turn Signal, Back-up, Parking, Side Marker, Tail, Daytime Running
<b>B3457NAI</b>	3457NA	• 12V/40/3CP Wedge Base. Made in China	Amber	Turn Signal, Parking, Side Marker, Daytime Running



**B3757NAI**

PART#	OEM	DESCRIPTION	COLOR	APPLICATION
<b>B3757NAI</b>	3757NA	• 12.8V/24/2.2 Wedge Base. Made in China	Amber	Turn Signal, Parking, Side Marker



**B4057K**

PART#	OEM	DESCRIPTION	COLOR	APPLICATION
<b>B4057K</b>	4057K	• 12V/32/3CP Wedge Base. Krypton. Made in USA	Clear	Backup, Brake, Side Marker, Tail, Turn Signal



**B4114K**

PART#	OEM	DESCRIPTION	COLOR	APPLICATION
<b>B4114K</b>	4114K	• 12V/32/3CP Wedge Base. Krypton. Made in USA	Clear	Daytime Running



**B4157K**



**B4157NAK**

PART#	OEM	DESCRIPTION	COLOR	APPLICATION
<b>B4157I</b>	MP4157	• 12V/32/3CP Wedge Base (not pictured). Made in China	Clear	Daytime Running, Tail, Brake, Turn Signal, Side Marker, Parking
<b>B4157K</b>	4157K	• 12V/32/3CP Wedge Base. Krypton. Made in USA		
<b>B4157NAK</b>	4157NA	• 12V/32/3CP Wedge Base. Krypton. Made in USA	Amber	Daytime Running, Parking, Turn Signal, Side Marker

Note; country of origin is subject to change.



**LIGHT BULBS**



**Wedge Base** *Packaged 10 per box*

PART#	OEM	DESCRIPTION
<b>B168</b>	168	• 12V/5CP License Plate, Side Marker & Clock. Made in China
<b>B194</b>	194	• 12V/2CP Instrument. Made in China
<b>B194NA</b>	194NA	• 12V/2CP Instrument. Made in China
<b>B24</b>	24	• 12V/2CP Side Marker, License Plate & Map. Made in China
<b>B24NA</b>	24NA	• 12V/2CP Side Marker, Parking & Turn Signal. Made in China
<b>B2825</b>	2825	• 12V/5W Side Marker, Parking & Dome
<b>B37</b>	37	• 12V/0.5CP Radio. Made in China
<b>B74</b>	74	• 12V/0.7CP Indicator & Radio. Made in China
<b>B7440</b>	7440	• 12V/21W Turn Signal, Brake & Fog Light. Made in China
<b>B7440NA</b>	7440NA	• 12V/21W Turn Signal. Made in China
<b>B7443</b>	7443	• 12V/21/5W Brake, Tail, Side Marker, Turn Signal & Parking. Made in China
<b>B7443NA</b>	7443NA	• 12V/21/5W Tail. Made in China
<b>B904</b>	904	• Auto Wedge Base (not pictured). Made in China
<b>B906</b>	906	• 12V/6CP Courtesy, Trunk & Reading. Made in China
<b>B912</b>	912	• 12V/12CP Third Light Made in China
<b>B916</b>	916	• 12V/2CP Side Marker & Parking (not pictured). Made in China


Note; country of origin is subject to change.

**Wedge Base** *Packaged 10 per box*



PART#	OEM	DESCRIPTION
<b>B916NA</b>	916NA	• 12V/2CP Side Marker & Parking. Made in China
<b>B921</b>	921	• 12V/21CP Back Up, Brake, Turn Signal. Made in China
<b>B922</b>	922	• 12V/14W Rear Center & High Mounted Stop. Made in China
<b>B17037</b>	17037	• 12V/12W Wedge Base Indicator 17037/2721. Made in Germany
<b>B17097</b>	17097	• 12V/3W Wedge Base Indicator 17097/2821. Made in Germany
<b>B17177</b>	17177	• 12V/5W Wedge Base Front Marker, Front Parking 17177/2825. Made in Germany

**Festoon** *Packaged 10 per box*



PART#	OEM	DESCRIPTION
<b>B211-2</b>	211-2	• 12V/12CP Dbl Ended Festoon Dome, Courtesy, Map, Trunk & Reading. Made in China
<b>B17125</b>	17125	• 12V/5W Dbl Ended Festoon Dome, Glove Box & License Tag. Made in China
<b>B17314</b>	17314	• 12V/10W Dbl Ended Festoon Dome, Glove Box & License Tag. Made in China
<b>B3175</b>	DE3175	• 12V/10W Dbl Ended Festoon Dome, Map. Made in China
<b>B6418</b>	6418	• 12V/5W Dbl Ended Festoon Dome, Glove Box & License Plate (not pictured)

**Mini Flange** *Packaged 10 per box*


















PART#	OEM	DESCRIPTION
<b>B17035</b>	17035	• 12V/1.2W Mini Flange 17035/2721MF/BAX10D. Made in Germany



### Bayonet Base

Packaged 10 per box






	PART#	OEM	DESCRIPTION
 B1003	B1003	1003	• 12V/15CP Ford Dome. Made in China
 B1004	B1004	1004	• 12V/15CP Ford Courtesy. Made in China
 B1141	B1141	1141	• Rear Turn (not pictured). Made in China
 B1142	B1142	1076	• 12V/32CP Ford Backup. Made in China
 B1156	B1156	1156	• 12V/32CP Universal. Made in China
 B1156NA	B1156NA	1156NA	• 12V/32CP Chevy/Pontiac Turn Signal. Made in China
 B1157	B1157	1157	• 12V/32/3CP Universal. Made in China
 B1157NA	B1157NA	1157NA	• 12V/32/3CP Turn Signal, Parking & Side Marker. Made in China
 B1816	B1816	1816	• 12V/3CP Fog. Made in China
 B1891	B1891	1891	• 12V/2CP Glove Box, Radio Display & Clock. Made in China
 B1893	B1893	1893	• Radio (not pictured). Made in China
 B1895	B1895	1895	• 12V/2CP Glove Box, Radio Display & Clock. Made in China
 B2057	B2057	2057	• 12V/32/2CP Brake, Turn Signal & Backup. Made in China
 B2057NA	B2057NA	2057NA	• 12V/32/2CP Parking & Turn Signal. Made in China
 B2357	B2357	2357	• 12V/40/3CP Tail, Brake & Turn Signal. Made in China
B2357NA	B2357NA	2357NA	• 12V/40/3CP Turn Signal, Parking & Side Marker. Made in China
B3496	B3496	3496	• Stop & Directional Honda 92-Up (not pictured). Made in China

### Clip-It-In USA

## LIGHT BULBS

### Bayonet Base

Packaged 10 per box

	PART#	OEM	DESCRIPTION
 B3497	B3497	3497	• Stop & Directional (not pictured). Made in China
 B57	B57	57	• 12V/2CP Instrument. Made in China
 B67	B67	67	• 12V/4CP Parking. Made in China
 B7225	B7225	7225	• 12V/21/4W Tail, Brake, Side Marker & Fog
 B7506	B7506	7506	• 12V/21W Tail, Brake, Turn Signal & Fog
 B7528	B7528	7528	• 12V/21/5W Tail, Brake, Turn Signal & Parking
 B89	B89	89	• 12V/6CP Jeep Courtesy. Made in China
 B97	B97	97	• 12V License Plate, Side Marker, Parking (not pictured). Made in China
 B17131	B17131	17131	• 12V/4W Front Marker, Front Parking 17131/3893. Made in China
 B17171	B17171	17171	• 12V/5W Front Marker, Front Parking 17171/5007. Made in China
 B17311	B17311	17311	• 12V/10W Rear Tail 17311/5008. Made in China
 B17635	B17635	17635	• 12V/21W Turn Signal, Backup, Brake, Tail. Euro Newer Models. Made in China
 B17638	B17638	17638	• 12V/21W Front & Rear Turn Signal. Euro Newer Models. Made in China
 B17881	B17881	17881	• 12V/21/4W Tail, Brake & Turn. Euro Newer Models (7225). Made in China
B17916	B17916	17916	• 12V/21/5W Brake, Tail. Most Popular Euro Model. Made in China



Halogen Bulbs

Packaged 1 per box



B9003



B9004



B9005



B9006



B9007



BH1



BH3



BH4-60



BH7



BH8



BH9



BH10



BH11



BH11B

PART#	OEM	DESCRIPTION	APPLICATION
B9003	9003	• 12V/60/55W (H4) P43t Base. Made in Korea	Headlight High/Low Beam Light Connector, Daytime Running
B9004	9004	• 12V/65/55W (HB1) P29t Base. Made in Mexico	Headlight High/Low Beam Light Connector
B9005	9005	• 12V/65W (HB3) P20d Base. Made in China	Headlight High/Low Beam Light Connector, Daytime Running
B9006	9006	• 12V/55W (HB4) P22d Base. Made in China	Headlight, Fog, Daytime Running
B9007	9007	• 12V/65/55W (HB5) PX29t Base. Made in China	Headlight High/Low Beam Light Connector, Daytime Running
BH1	H1	• 12V/55W (H1) P14.5s Base. Made in China	Headlight, Fog, Daytime Running Light
BH3	H3	• 12V/55W (H3) PK22S Base. Made in China	Fog
BH4-100	H4-100	• 12V/100/80 Watt (not pictured). Made in China	Headlight
BH4-60	H4-60	• 12V/60/55W. Made in Korea	
BH7	H7	• 12V/55W (H7) PX26d Base. Made in China	Headlight High/Low Beam Connector, Fog, Daytime Running, Cornering
BH8	H8	• 12V/35W (H8). Made in Germany	Headlight, Fog, Daytime Running, Cornering
BH9	H9	• 12V/65W (H9) PGJ19-5 Base. Made in Germany	Headlight High/Low Beam Light Connector
BH10	H10	• 12V/42W (9145) PY20d Base. Made in Hungary	Fog
BH11	H11	• 12V/55W (H11). Made in Germany	Headlight, Fog, Daytime Running, Cornering
BH11B	H11B	• 12V/55W (11B) PGJY19 - 2 Base. Made in Germany	Headlight

**Halogen Bulbs - Cont.**



PART#	OEM	DESCRIPTION	APPLICATION
BH12	H12	• 12V/55W (9055) (not pictured). Made in China	Fog
BH13	H13	• 12V/60/55W (H13) P26.4t Base. Made in USA	Headlight High/Low Beam Light Connector, Daytime Running

**Mini Halogen Bulbs**

*Packaged 1 per box*



B880



B881



B885



B889



B890



B891

PART#	OEM	DESCRIPTION	APPLICATION
B880	880	• 12V/27W PG13 T3.25. Made in China	Headlight, Fog, Cornering
B881	881	• 12V/27W PGJ13 T3.25. Made in China	Fog, Cornering, Daytime Running
B885	885	• 12V/50W PG13 T3.25. Made in Korea	Headlight, Fog
B889	889	• 12V/27W. Made in Korea	Center High Mount Brake, Turn Signal, Backup, Fog, Parking, Cornering
B890	890	• 12.8V/27W PG13 T3.25. Made in Germany	Center High Mount Brake, Turn Signal, Backup, Fog, Parking, Cornering
B891	891	• 12V/8W. Made in China	Center High Mount Brake
B893	893	• 12V/37.5W PG13 T3.25 (not pictured). Made in China	Headlight, Fog



Note; country of origin is subject to change.



FUSE ASSORTMENTS



**16313 12 Piece Low Profile JCase Fuse Assortment in 1 Compartment TMR OPK435**

PART#	QTY	TMR	ASSORTMENT INCLUDES:
16307	2-pk	FUMJC20	• 20 Amp JCase Low Profile Mini Fuse - 58V
16308	2-pk	FUMJC25	• 25 Amp JCase Low Profile Mini Fuse - 58V
16309	2-pk	FUMJC30	• 30 Amp JCase Low Profile Mini Fuse - 58V
16310	2-pk	FUMJC40	• 40 Amp JCase Low Profile Mini Fuse - 58V
16311	2-pk	FUMJC50	• 50 Amp JCase Low Profile Mini Fuse - 58V
16312	2-pk	FUMJC60	• 60 Amp JCase Low Profile Mini Fuse - 58V



**16315 100 Piece ATC/ATO Blade Fuse Assortment in 1 Compartment TMR OPK102**

PART#	QTY	TMR	ASSORTMENT INCLUDES:
16244	10-pk	FUATC7.5	• 7.5 Amp ATC Blade Fuse
16245	10-pk	FUATC10	• 10 Amp ATC Blade Fuse
16246	15-pk	FUATC15	• 15 Amp ATC Blade Fuse
16247	35-pk	FUATC20	• 20 Amp ATC Blade Fuse
16248	15-pk	FUATC25	• 25 Amp ATC Blade Fuse
16249	15-pk	FUATC30	• 30 Amp ATC Blade Fuse



**16314 218 Piece Large Combination Fuse Assortment in 12 Compartments TMR OPK400**

PART#	QTY	TMR	ASSORTMENT INCLUDES:
16243	20-pk	FUATC5	• 5 Amp ATC Blade Fuse
16244	20-pk	FUATC7.5	• 7.5 Amp ATC Blade Fuse
16245	20-pk	FUATC10	• 10 Amp ATC Blade Fuse
16246	20-pk	FUATC15	• 15 Amp ATC Blade Fuse
16247	20-pk	FUATC20	• 20 Amp ATC Blade Fuse
16248	20-pk	FUATC25	• 25 Amp ATC Blade Fuse
16249	20-pk	FUATC30	• 30 Amp ATC Blade Fuse
16254	10-pk	FUATM5	• 5 Amp Mini Fuse
16255	10-pk	FUATM7.5	• 7.5 Amp Mini Fuse
16256	10-pk	FUATM10	• 10 Amp Mini Fuse
16257	10-pk	FUATM15	• 15 Amp Mini Fuse
16258	10-pk	FUATM20	• 20 Amp Mini Fuse
16259	10-pk	FUATM25	• 25 Amp Mini Fuse
16260	10-pk	FUATM30	• 30 Amp Mini Fuse
16282	2-pk	FUMATC20	• 20 Amp Maxi Fuse
16283	2-pk	FUMATC30	• 30 Amp Maxi Fuse
16284	2-pk	FUMATC40	• 40 Amp Maxi Fuse
16285	2-pk	FUMATC50	• 50 Amp Maxi Fuse

FUSE ASSORTMENTS

**16316 50 Piece Mini Fuse Assortment in 1 Compartment TMR OPK20**



PART#	QTY	TMR	ASSORTMENT INCLUDES:
16256	10-pk	FUATM10	• 10 Amp Mini Fuse
16257	10-pk	FUATM15	• 15 Amp Mini Fuse
16258	10-pk	FUATM20	• 20 Amp Mini Fuse
16259	10-pk	FUATM25	• 25 Amp Mini Fuse
16260	10-pk	FUATM30	• 30 Amp Mini Fuse

**16317 10 Piece Maxi Fuse Assortment in 1 Compartment TMR OPK17**



PART#	QTY	TMR	ASSORTMENT INCLUDES:
16282	2-pk	FUMATC20	• 20 Amp Maxi Fuse
16283	2-pk	FUMATC30	• 30 Amp Maxi Fuse
16284	2-pk	FUMATC40	• 40 Amp Maxi Fuse
16285	2-pk	FUMATC50	• 50 Amp Maxi Fuse
16286	2-pk	FUMATC60	• 60 Amp Maxi Fuse

**16318 55 Piece Micro 2 and Micro 3 Fuse Assortment in 1 Compartment TMR OPK476**



PART#	QTY	TMR	ASSORTMENT INCLUDES:
16214	5-pk	FU2MC5	• 2 Leg Micro Fuse - 5 Amp Brown
16215	5-pk	FU2MC7.5	• 2 Leg Micro Fuse - 7.5 Amp Amber
16216	5-pk	FU2MC10	• 2 Leg Micro Fuse - 10 Amp Red
16217	5-pk	FU2MC15	• 2 Leg Micro Fuse - 15 Amp Blue
16218	5-pk	FU2MC20	• 2 Leg Micro Fuse - 20 Amp Yellow
16219	5-pk	FU2MC25	• 2 Leg Micro Fuse - 25 Amp Clear
16220	5-pk	FU2MC30	• 2 Leg Micro Fuse - 30 Amp Green
16237	5-pk	FU5MC3	• 3 Leg Micro Fuse - 5 Amp Tan
16238	5-pk	FU7.5MC3	• 3 Leg Micro Fuse - 7.5 Amp Brown
16239	5-pk	FU10MC3	• 3 Leg Micro Fuse - 10 Amp Red
16240	5-pk	FU15MC3	• 3 Leg Micro Fuse - 15 Amp Blue



Fuses are Packaged as Each Unless Noted



16216

2 Leg Micro Fuse

PART#	TMR	DESCRIPTION
16214	FU2MC5	• 2 Leg Micro Fuse - 5 Amp - Brown
16215	FU2MC7.5	• 2 Leg Micro Fuse - 7.5 Amp - Amber
16216	FU2MC10	• 2 Leg Micro Fuse - 10 Amp - Red
16217	FU2MC15	• 2 Leg Micro Fuse - 15 Amp - Blue
16218	FU2MC20	• 2 Leg Micro Fuse - 20 Amp - Yellow
16219	FU2MC25	• 2 Leg Micro Fuse - 25 Amp - Clear
16220	FU2MC30	• 2 Leg Micro Fuse - 30 Amp - Green



16230

ATC/ATO Blade Fuse

PART#	UOM	TMR	DESCRIPTION
16241	100/bag	FUATC3	• ATC/ATO Blade Fuse - 3 Amp - Violet
16242	100/bag)	FUATC4	• ATC/ATO Blade Fuse - 4 Amp - Pink
16243	100/bag	FUATC5	• ATC/ATO Blade Fuse - 5 Amp - Tan
16244	100/bag	FUATC7.5	• ATC/ATO Blade Fuse - 7.5 Amp - Brown
16245	100/bag	FUATC10	• ATC/ATO Blade Fuse - 10 Amp - Red
16246	100/bag	FUATC15	• ATC/ATO Blade Fuse - 15 Amp - Blue
16247	100/bag	FUATC20	• ATC/ATO Blade Fuse - 20 Amp - Yellow
16248	100/bag	FUATC25	• ATC/ATO Blade Fuse - 25 Amp - Clear
16249	100/bag	FUATC30	• ATC/ATO Blade Fuse - 30 Amp - Green
16250	100/bag	FUATC40	• ATC/ATO Blade Fuse - 40 Amp - Orange



16237

3 Leg Micro Fuse

PART#	TMR	DESCRIPTION
16237	FU5MC3	• 3 Leg Micro Fuse - 5 Amp - Tan
16238	FU7.5MC3	• 3 Leg Micro Fuse - 7.5 Amp - Brown
16239	FU10MC3	• 3 Leg Micro Fuse - 10 Amp - Red
16240	FU15MC3	• 3 Leg Micro Fuse - 15 Amp - Blue



16260

Mini Amp Fuse

PART#	UOM	TMR	DESCRIPTION
16251	100/bag	FUATM2	• Mini Fuse - 2 Amp - Gray
16252	100/bag	FUATM3	• Mini Fuse - 3 Amp - Purple
16253	100/bag	FUATM4	• Mini Fuse - 4 Amp - Pink
16254	100/bag	FUATM5	• Mini Fuse - 5 Amp Light Brown
16255	100/bag	FUATM7.5	• Mini Fuse - 7.5 Amp Brown
16256	100/bag	FUATM10	• Mini Fuse - 10 Amp - Red
16257	100/bag	FUATM15	• Mini Fuse - 15 Amp - Blue
16258	100/bag	FUATM20	• Mini Fuse - 20 Amp - Yellow
16259	100/bag	FUATM25	• Mini Fuse - 25 Amp Natural
16260	100/bag	FUATM30	• Mini Fuse - 30 Amp - Green



16263

Bent Leg Bolt Fuse

PART#	TMR	DESCRIPTION
16261	FUFLB30	• Bent Leg Bolt On Style Pal Fuse - 30 Amp - Pink
16262	FUFLB40	• Bent Leg Bolt On Style Pal Fuse - 40 Amp - Green
16263	FUFLB50	• Bent Leg Bolt On Style Pal Fuse - 50 Amp - Red
16264	FUFLB60	• Bent Leg Bolt On Style Pal Fuse - 60 Amp - Yellow
16265	FUFLB80	• Bent Leg Bolt On Style Pal Fuse - 80 Amp - Black
16266	FUFLB100	• Bent Leg Bolt On Style Pal Fuse - 100 Amp - Blue



16270

Female Pal Fuse

PART#	TMR	DESCRIPTION
16267	FUFLF20	• Female Pal Fuse - 20 Amp - White
16268	FUFLF30	• Female Pal Fuse - 30 Amp - Pink
16269	FUFLF40	• Female Pal Fuse - 40 Amp - Green
16270	FUFLF50	• Female Pal Fuse - 50 Amp - Red
16271	FUFLF60	• Female Pal Fuse - 60 Amp - Yellow
16272	FUFLF80	• Female Pal Fuse - 80 Amp - Black
16273	FUFLF100	• Female Pal Fuse - 100 Amp - Blue

Fuses are Packaged as Each Unless Noted



16280

Male Pal Fuse

PART#	TMR	DESCRIPTION
16274	FUFLM20	• Male Pal Fuse - 20 Amp - White
16275	FUFLM30	• Male Pal Fuse - 30 Amp - Pink
16276	FUFLM40	• Male Pal Fuse - 40 Amp - Green
16277	FUFLM50	• Male Pal Fuse - 50 Amp - Red
16278	FUFLM60	• Male Pal Fuse - 60 Amp - Yellow
16279	FUFLM80	• Male Pal Fuse - 80 Amp - Black
16280	FUFLM100	• Male Pal Fuse - 100 Amp - Blue
16281	FUFLM120	• Male Pal Fuse - 120 Amp - Gray



16292

JCase Fuse


PART#	TMR	DESCRIPTION
16289	FUJCASE20	• JCase Fuse - 20 Amp - 32V - Blue
16290	FUJCASE30	• JCase Fuse - 30 Amp - 32V - Pink
16291	FUJCASE40	• JCase Fuse - 40 Amp - 32V - Green
16292	FUJCASE50	• JCase Fuse - 50 Amp - 32V - Red



16294

Low Profile Mini Fuse

PART#	TMR	DESCRIPTION
16293	FULP5BX	• Low Profile Mini Fuse - 5 Amp - Tan
16294	FULP7.5BX	• Low Profile Mini Fuse - 7.5 Amp - Brown
16295	FULP10BX	• Low Profile Mini Fuse - 10 Amp - Red
16296	FULP15BX	• Low Profile Mini Fuse - 15 Amp - Blue
16297	FULP20BX	• Low Profile Mini Fuse - 20 Amp - Yellow
16298	FULP25BX	• Low Profile Mini Fuse - 25 Amp - Natural
16299	FULP30BX	• Low Profile Mini Fuse - 30 Amp - Green



16286

Maxi Fuse

PART#	TMR	DESCRIPTION
16282	FUMATC20	• Maxi Fuse - 20 Amp - Yellow
16283	FUMATC30	• Maxi Fuse - 30 Amp - Light Green
16284	FUMATC40	• Maxi Fuse - 40 Amp - Orange
16285	FUMATC50	• Maxi Fuse - 50 Amp - Red
16286	FUMATC60	• Maxi Fuse - 60 Amp - Blue
16287	FUMATC70	• Maxi Fuse - 70 Amp - Tan
16288	FUMATC80	• Maxi Fuse - 80 Amp - Natural



16304

Mini Pal Fuse

PART#	TMR	DESCRIPTION
16300	FUMIN20	• Mini Pal Fuse - 20 Amp - Blue
16301	FUMIN30	• Mini Pal Fuse - 30 Amp - Pink
16302	FUMIN40	• Mini Pal Fuse - 40 Amp - Green
16303	FUMIN50	• Mini Pal Fuse - 50 Amp - Red
16304	FUMIN60	• Mini Pal Fuse - 60 Amp - Yellow
16305	FUMIN70	• Mini Pal Fuse - 70 Amp - Brown
16306	FUMIN80	• Mini Pal Fuse - 80 Amp - Black



16309



JCase Mini Fuse

PART#	TMR	DESCRIPTION
16307	FUMJC20	• JCase Mini Fuse (Low Profile) - 20 Amp - 58V
16308	FUMJC25	• JCase Mini Fuse (Low Profile) - 25 Amp - 58V
16309	FUMJC30	• JCase Mini Fuse (Low Profile) - 30 Amp - 58V
16310	FUMJC40	• JCase Mini Fuse (Low Profile) - 40 Amp - 58V
16311	FUMJC50	• JCase Mini Fuse (Low Profile) - 50 Amp - 58V
16312	FUMJC60	• JCase Mini Fuse (Low Profile) - 60 Amp - 58V



## DRAIN PLUGS









All Drain Plugs are Packaged as Each



14mm-1.25	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7805</b>	78-05	• 14mm-1.25 Regular Point	19mm	13mm	Zinc Plate	Volkswagen
	<b>D7855</b>	78-55	• 14mm-1.25 Jeep Dog Point	13mm	16mm	Zinc Plate	Jeep, Eagle Premier 83501425

14mm-1.50	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7703</b>	77-03	• 14mm-1.50 Short Body	16mm	12mm	Zinc Plate	Ford, Honda, Mazda, Opel
	<b>D7801</b>	78-01	• 14mm-1.50 Regular Point #4 Top Seller	13mm	16mm	Zinc Plate	AMC, Chrysler, Ford, Mazda, Opel
	<b>D7802</b>	78-02	• 14mm-1.50 Dog Point	16mm	22mm	Zinc Plate	AMC, Chrysler, Ford, Mazda, Opel
	<b>D7846</b>	78-46	• 14mm-1.50 Short Body #2 Top Seller	17mm	11mm	Yellow	Acura, Chrysler, Dodge, Honda, Mitsubishi, Suzuki, Toyota, Geo Metro 90009- PH1-000
	<b>D7848</b>	78-48	• 14mm-1.50 VW. Now Includes Gasket G7201. #3 Top Seller	19mm	14mm	Black	Volkswagen N90288901
	<b>D7853</b>	78-53	• 14mm-1.50 Long. Now Includes Gasket G7253	13mm	24mm	Yellow	Mercedes 6019970230
	<b>D7866</b>	78-66	• 14mm-1.50 Molded Gasket Chrysler 6503433	17mm	19mm	Black	Dodge, Mitsubishi 6503433
	<b>D8006</b>	80-06	• 14mm-1.50 Ford 4.0L. Includes Gasket G7413	13mm	21mm	Black	Ford F6TZ-6730-BA
	<b>D8007</b>	80-07	• 14mm-1.50 Ford 6.8L. Includes Gasket G7414	16mm	21mm	Black	Ford F75Z-6730-BA







All Drain Plugs are Packaged as Each


14mm-1.50	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D8008K</b>	80-08K	<ul style="list-style-type: none"> <li>14mm-1.50 Inset Head. Torx T-45. Includes Gasket</li> </ul>	Torx	10mm	Zinc Plate	Cadillac Catera, Saturn 90502556
	<b>D8009</b>	80-09	<ul style="list-style-type: none"> <li>14mm-1.50</li> </ul>	15mm	16mm	Yellow	Mazda, Ford B6S7-10-404A
	<b>D8019</b>	80-19	<ul style="list-style-type: none"> <li>14mm-1.50 Molded Gasket OE Chrysler. New!</li> </ul>	13mm	19mm	Black	Dodge, Chrysler, Mitsubishi 6506214AA
	<b>D8022</b>	80-22	<ul style="list-style-type: none"> <li>14mm-1.50 Long. #1 Top Seller</li> </ul>	17mm	15mm	Yellow	Acura, Honda 90009-PY3-000
	<b>D8026</b>	80-26	<ul style="list-style-type: none"> <li>14mm-1.50 Inset Head Chrysler. Includes Gasket G7416</li> </ul>	13mm	21mm	Zinc Plate	Chrysler 6507741AA
	<b>D8027</b>	80-27	<ul style="list-style-type: none"> <li>14mm-1.50 w/Sems. Includes Gasket. #5 Top Seller</li> </ul>	19mm	22mm	Zinc Plate	Audi, Volkswagen N90813201
	<b>D8037</b>	80-37	<ul style="list-style-type: none"> <li>14mm-1.50 Hyundai &amp; Kia</li> </ul>	17mm	17mm	Zinc Plate	Hyundai, Kia 21512-23001
	<b>D8040</b>	80-40	<ul style="list-style-type: none"> <li>14mm-1.50 Inset Head. Chevy Cruz &amp; Volt. Includes Gasket</li> </ul>	10mm	16mm	Zinc Plate	Chevy Cruz, Volt, Sonic 55568037


14mm-1.50 OVERSIZE	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7870</b>	78-70	<ul style="list-style-type: none"> <li>14mm-1.50 Oversized Headed</li> </ul>	19mm	17mm	Zinc Plate	Oversize Tapping Thread
	<b>D7880K</b>	78-80	<ul style="list-style-type: none"> <li>14mm-1.50 Oversized Piggy-Back. Includes Gasket</li> </ul>	19mm	14mm	Yellow	Oversize Tapping Thread










16mm-1.50	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7739X</b>	77-39X	• 16mm-1.50 Regular Point	19mm	13mm	Zinc Plate	Nissan (Datsun), Chevy Corvette 5.7(J)
	<b>D8038</b>	80-38	• 16mm-1.50 Subaru & Scion	14mm	10mm	Zinc Plate	Subaru 807016160, Scion SU003-02194



18mm-1.50	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7742</b>	77-42	• 18mm-1.50 Regular Point. #8 Top Seller	19mm	12mm	Zinc Plate	BMW, Chrysler Import, Peugeot Diesel, Renault, Toyota
	<b>D8036</b>	80-36	• 18mm-1.50 Regular Point	17mm	18mm	Black	Volvo 982547-0


20mm-1.50	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7740</b>	77-40	• 20mm-1.50 Regular Point	17mm	15mm	Zinc Plate	Honda, Subaru, Luv Truck


22mm-1.50	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D8003</b>	80-03	• 22mm-1.50 Dodge 5.9L Diesel	20mm	10mm	Zinc Plate	Dodge 5.9L Diesel, Cummins 4778578


1/2"-20	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7716</b>	77-16	• 1/2"-20 Regular Point	3/4"	1/2"	Zinc Plate	AMC, Chrysler, Ford
	<b>D7717</b>	77-17	• 1/2"-20 Regular Point	7/8"	0.53"	Phos & Oil	AMC, Chrysler, Ford
	<b>D7815</b>	78-15	• 1/2"-20 Dog Point. #10 Top Seller	9/16"	0.84"	Zinc Plate	AMC, Chrysler, GMC
	<b>D7817</b>	78-17	• 1/2"-20 Dog Point	7/8"	0.84"	Zinc Plate	AMC, Cadillac, Chrysler
	<b>D7862</b>	78-62	• 1/2"-20 Molded Gasket OE Style	5/8"	0.82"	Black	Jeep 6034376




1/2"-20 1X OVERSIZE	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D8033K</b>	80-33	<ul style="list-style-type: none"> <li>1/2"-20 Single Oversize Head. Includes Gasket</li> </ul>	3/4"	0.6"	Zinc Plate	Oversize Tapping Thread
	<b>D7826K</b>	78-26	<ul style="list-style-type: none"> <li>1/2"-20 Single Oversize Piggy-Back. Includes Gasket</li> </ul>	3/4"	0.53"	Zinc Plate	Oversize Tapping Thread

1/2"-20 2X OVERSIZE	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D8034K</b>	80-34	<ul style="list-style-type: none"> <li>1/2"-20 Double Oversize Head. Includes Gasket</li> </ul>	3/4"	0.56"	Yellow	2X Oversize Tapping Thread
	<b>D7827K</b>	78-27	<ul style="list-style-type: none"> <li>1/2"-20 Double Oversize Piggy-Back. Includes Gasket</li> </ul>	3/4"	0.53"	Yellow	2X Oversize Tapping Thread

1/2"-20 3X OVERSIZE	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D8035K</b>	80-35	<ul style="list-style-type: none"> <li>1/2"-20 Triple Oversize Head. Includes Gasket</li> </ul>	3/4"	0.56"	Black	3X Oversize Tapping Thread

5/8"-18	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7857</b>	78-57	<ul style="list-style-type: none"> <li>5/8"-18 Chrysler Regular Point</li> </ul>	13mm	1/2"	Zinc Plate	AMC, Chrysler



3/4"-16	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7854</b>	78-57	<ul style="list-style-type: none"> <li>3/4"-16 Volvo 948187-0 Regular Point</li> </ul>	1"	0.45"	Yellow	Volvo 948187-0



12mm-1.25	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7838</b>	78-38	<ul style="list-style-type: none"> <li>12mm-1.25 Dog Point</li> </ul>	14mm	17mm	Zinc Plate	Nissan (Datsun), Toyota, Geo Prizm 1.8
	<b>D7738X</b>	77-38X	<ul style="list-style-type: none"> <li>12mm-1.25 Regular Point</li> </ul>	14mm	12mm	Zinc Plate	Nissan (Datsun), Toyota
	<b>D7847</b>	78-47	<ul style="list-style-type: none"> <li>12mm-1.25 11128-01M05 Regular Point</li> </ul>	14mm	12mm	Yellow	Nissan (Datsun) 11128-01M05, Toyota, Mercury Villager 3.0









**DRAIN PLUGS**



All Drain Plugs are Packaged as Each



12mm-1.25 OVERSIZE	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7872</b>	78-72	• 12mm-1.25 Oversized Tapping Head	19mm	18mm	Zinc Plate	Override Tapping Thread
	<b>D7882K</b>	78-82	• 12mm-1.25 Oversized Piggy-Back. Includes Gasket	19mm	14mm	Zinc Plate	Override Tapping Thread


12mm-1.50	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7845KA</b>	78-45	• 12mm-1.50 Regular Point. Includes Gasket G7145. #6 Top Seller	13mm	12mm	Yellow	BMW, Mercedes
	<b>D7894KA</b>	78-94	• 12mm-1.50 Hollow Point. Includes Gasket G7145. #7 Top Seller	11/16"	18mm	Yellow	BMW 11-131-250-089


12mm-1.75	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7825</b>	78-25	• 12mm-1.75 Dog Point	15mm	25mm	Zinc Plate	AMC, GMC
	<b>D7860</b>	78-60	• 12mm-1.75 Inset Head OE Saturn. Includes Gasket	14mm	20mm	Zinc Plate	Saturn 21006725
	<b>D7864</b>	78-64	• 12mm-1.75 Molded Gasket OE Ford	15mm	21mm	Zinc Plate	Ford F5RZ-6730-B
	<b>D7868</b>	78-68	• 12mm-1.75 OE GM. Includes Gasket	15mm	25mm	Zinc Plate	GMC 3536964
	<b>D7869</b>	78-69	• 12mm-1.75 Inset Head OE GM. Includes Gasket	15mm	25mm	Zinc Plate	Cadillac 3538469
	<b>D8018</b>	80-18	• 12mm-1.75 Inset Head OE Ford. Includes Gasket G7415	13mm	25mm	Zinc Plate	Ford YS4Z-6730-AA


All Drain Plugs are Packaged as Each

12mm-1.75	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D8024</b>	80-24	<ul style="list-style-type: none"> <li>12mm-1.75 Molded Gasket OE Ford</li> </ul>	15mm	28mm	Zinc Plate	Ford XW4Z-6730-BA
	<b>D8031</b>	80-31	<ul style="list-style-type: none"> <li>12mm-1.75 Inset Head OE GM. Includes Gasket G7417. #9 Top Seller</li> </ul>	15mm	25mm	Zinc Plate	Ford, GM 11562588, Isuzu, SAAB

12mm-1.75 OVERSIZE	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D7871</b>	78-71	<ul style="list-style-type: none"> <li>12mm-1.75 Oversize Tapping Head</li> </ul>	19mm	18mm	Zinc Plate	Oversize Tapping Thread
	<b>D7881K</b>	78-81	<ul style="list-style-type: none"> <li>12mm-1.75 Oversize Piggy-Back. Includes Gasket</li> </ul>	19mm	14mm	Yellow	Oversize Tapping Thread

26mm-1.50	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D8020</b>	80-20	<ul style="list-style-type: none"> <li>26mm-1.50 VW</li> </ul>	17mm	16mm	Yellow	Volkswagen 059103193

CAM LOCKING	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D8039</b>	80-39	<ul style="list-style-type: none"> <li>Cam Locking Plug Ford 6.7L</li> </ul>	3/8" Drive		Yellow	2011 6.7L Ford BC3Z-6730-A

UNIVERSAL WINGED	PART#	OEM	THREAD SIZE	HEX	LEN	PLATING	APPLICATION
	<b>D8017</b>	80-17	<ul style="list-style-type: none"> <li>Universal Winged Plug NOT FOR USE ON HONDA &amp; VW</li> </ul>				



**DRAIN PLUG GASKETS**



**Specialty Oil Drain Plug Gaskets**

50 per package

PART#	OEM	DESCRIPTION	APPLICATION
<b>G6980</b>	69-80	• 12mm Foldover Copper Gasket	Nissan 11026-01M02, Suzuki 11517-50Z00, Ford F4XY-6734-AA
<b>G6992</b>	69-92	• 16mm Foldover Steel Gasket	Subaru 11026-61000
<b>G7401</b>	74-01	• 12mm OE Style Gasket	GM 24571185, 14090908
<b>G7403</b>	74-03	• 22mm OE Style Gasket (not pictured)	Chrysler 4882049, Cummins 3923, 5.9L Diesel, 22mm OE Style
<b>G7405</b>	74-05	• Rubber Replacement Gasket	GM 90528145, use with D8008, D8040
<b>G7406</b>	74-06	• Rubber Replacement Gasket	GM 21007240, use with Saturn D7860
<b>G7407</b>	74-07	• 12mm Rubber Gasket	GM 3536966, use with D7868, D7869
<b>G7408</b>	74-08	• 12mm OE Style Gasket (GM)	GM 3536966, Aftermarket Style
<b>G7409</b>	74-09	• 14mm OE Style Gasket (Ford)	Ford F3DZ-6734-A, Aftermarket Style
<b>G7410</b>	74-10	• 12mm Graphite Laminated Gasket	Toyota 9043-12031
<b>G7413</b>	74-13	• Rubber Replacement Gasket	Ford F5TZ-6734-A, use with D8006
<b>G7414</b>	74-14	• Rubber Replacement Gasket	Ford F75Z-6734-AA, use with D8007
<b>G7415</b>	74-15	• Rubber Replacement Gasket	Ford, use with D8018
<b>G7416</b>	74-16	• Rubber Replacement Gasket	Chrysler, use with D8026
<b>G7417</b>	74-17	• Rubber Replacement Gasket	GM 12616850, use with D8031
<b>G7418</b>	74-18	• Special Replacement Gasket (not pictured)	GM 10038854, Oil Filter Cap Gasket use with D7428
<b>G7424</b>	74-24	• Special Replacement Gasket	Ford, Gasket for D8039
<b>G7425</b>	74-25	• 12mm Gasket (Toyota)	Toyota



**Aluminum Oil Drain Plug Gaskets**

PART#	QTY	OEM	DESCRIPTION	I.D.	O.D.	THICKNESS
G7101S	100-pk	71-01S	• 14mm Aluminum Dead Soft Gasket	13.9mm	23.9mm	1.5mm
G7115	100-pk	71-15	• 1/2" Aluminum Gasket	.5"	.87"	.05"
G7125	100-pk	71-25	• 12mm Aluminum Gasket	11.9mm	22.2mm	1.6mm
G7140S	50-pk	71-40S	• 20mm Aluminum Dead Soft Gasket	20.2mm	28.6mm	1.6mm
G7143	50-pk	71-43	• 18mm Aluminum Gasket	18.3mm	23.8mm	1.4mm
G7144	50-pk	71-44	• 22mm Aluminum Gasket	22mm	25.4mm	1.6mm
G7145	100-pk	71-45	• 12mm Aluminum Gasket	12.4mm	15.5mm	1.3mm
G7146	50-pk	71-46	• 20mm Aluminum Gasket	20.4mm	27.8mm	2.3mm
G7147	50-pk.	71-47	• 18mm Aluminum Gasket	18mm	26mm	1.9mm
G7148	50-pk	71-48	• 24mm Aluminum Gasket (M24)	24mm		
G7161S	100-pk	71-61S	• 14mm Aluminum Dead Soft Gasket	14mm	22mm	2mm
G7167	100-pk	71-67	• 14mm Aluminum Gasket (Hyundai)	14mm	20mm	1.5mm



**Copper Oil Drain Plug Gaskets**

50 per package

PART#	OEM	DESCRIPTION	I.D.	O.D.	THICKNESS
G7201	72-01	• 14mm Copper Gasket	13.9mm	22.2mm	1.6mm
G7215	72-15	• 1/2" Copper Gasket	.5"	.87"	.05"
G7225	72-25	• 12mm Copper Gasket	12mm	22.2mm	1.6mm
G7253	72-53	• 14mm Copper Gasket	13.9mm	20mm	1.6mm



**DRAIN PLUG GASKETS**



**Copper Crushable & Foldover Drain Plug Gaskets**

50 per package

PART#	OEM	DESCRIPTION	I.D.	O.D.	THICKNESS
G6901	69-01	• 14mm Crushable Copper Gasket	14.3mm	19.8mm	2.2mm
G6925	69-25	• 12mm Crushable Copper Gasket	12.4mm	17.5mm	2.2mm
G6939X	69-39X	• 16mm Crushable Copper Gasket	16.2mm	21.8mm	2.2mm
G6940	69-40	• 20mm Crushable Copper Gasket	20.2mm	25.5mm	2.5mm
G6942	69-42	• 18mm Crushable Copper Gasket	18.3mm	23.7mm	2.1mm
G6943	69-43	• 10mm Crushable Copper Gasket	10.5mm	15.9mm	1.6mm
G6944	69-44	• 22mm Crushable Copper Gasket	22.4mm	26.8mm	2mm
G6980	69-80	• 12mm Foldover Copper Gasket	11.1mm	17.8mm	3.2mm



**Steel Foldover Drain Plug Gaskets**

50 per package

PART#	OEM	DESCRIPTION	I.D.	O.D.	THICKNESS
G6992	69-92	• 16mm Foldover Steel Gasket	N/A	N/A	N/A
G6994	69-94	• 18mm Foldover Steel Gasket	18mm	24mm	2.8mm
G6996	69-96	• 14mm Foldover Steel Gasket	14mm	19.3mm	2.4mm
G6997	69-97	• 20mm Foldover Steel Gasket	20.1mm	26mm	2.1mm
G6998	69-98	• 12mm Foldover Steel Gasket	12.8mm	17.1mm	2.5mm



**Green Synthetic Oil Drain Plug Gaskets**

50 per package

PART#	OEM	DESCRIPTION	I.D.	O.D.	THICKNESS
G7501G	75-01G	• 14mm Green Synthetic Gasket	14mm	24mm	1.6mm
G7515G	75-15G	• 1/2" Green Synthetic Gasket	.5"	1"	0.06"
G7525G	75-25G	• 12mm Green Synthetic Gasket	12mm	22mm	1.6mm





## Fiber Oil Drain Plug Gaskets

PART#	QTY	OEM	DESCRIPTION	I.D.	O.D.	THICKNESS
G7501	100-pk	75-01	• 14mm Fiber Gasket	14mm	24mm	2mm
G7515	100-pk	75-15	• 1/2" Fiber Gasket	.5"	1	0.1
G7525	100-pk	75-25	• 12mm Fiber Gasket	12.1mm	22.3mm	2mm
G7525S	50-pk	75-25S	• 12mm Double Thick Fiber Gasket	12mm	22mm	2.5mm
G7526	50-pk	71-43	• 1/2" Single Oversized Fiber Gasket	0.5mm	0.8mm	0.1mm
G7527	50-pk	75-27	• 1/2" Fiber Gasket	0.6mm	0.8mm	0.1mm
G7539X	100-pk	75-39X	• 16mm Fiber Gasket	16.1mm	27mm	2mm
G7540	50-pk	75-40	• 20mm Fiber Gasket	20mm	27.9mm	2mm
G7542	50-pk.	75-42	• 18mm Fiber Gasket	18.3mm	28.7mm	2mm
G7542S	50-pk	75-42S	• 18mm Double Thick Fiber Gasket	18mm	29mm	2.5mm



## Molded Nylon Drain Plug Gaskets

50 per package

PART#	OEM	DESCRIPTION	I.D.	O.D.	THICKNESS
G7001	70-01	• 14mm Molded Nylon Gasket	14.1mm	24mm	1.6mm
G7001S	70-01S	• 14mm Double Thick Molded Nylon Gasket	14.4mm	25.6mm	3.2mm
G7015	70-15	• 1/2" Molded Nylon Gasket	.51"	0.9	0.1
G7015S	70-15S	• 1/2" Double Thick Molded Nylon Gasket	.5"	0.9	0.1
G7025	70-25	• 12mm Molded Nylon Gasket	12.3mm	22.4mm	1.6mm
G7025S	70-25S	• 12mm Double Thick Molded Nylon Gasket	12.1mm	21mm	2.4mm
G7039	70-39	• 16mm Molded Nylon Gasket	16.6mm	27mm	1.6mm
G7040	70-40	• 20mm Molded Nylon Gasket	20.4mm	31.7mm	1.5mm
G7042	70-42	• 18mm Molded Nylon Gasket	18.5mm	25.3mm	1.6mm



**DRAIN PLUG & GASKET ASSORTMENTS**

**NEW!**

**91900**  
**111 Pieces**  
**Newest Drain Plug & Gasket Assortment**  
**"For US & Foreign Car Applications"**  
**12 Compartments**



**Drain Plugs**

PART#	QTY	ASSORTMENT INCLUDES:
D7742	2-pk	• 18mm-1.50 Regular Point Drain Plug
D7801	2-pk	• 14mm-1.50 Regular Point Drain Plug
D7815	3-pk	• 1/2"-20 Dog Point Drain Plug
D7845KA	2-pk	• 12mm-1.50 Regular Point Drain Plug
D7846	3-pk	• 14mm-1.50 Short Body Drain Plug
D7848	2-pk	• 14mm-1.50 VW N90288901 Drain Plug
D7894KA	2-pk	• 12mm-1.50 Hollow Point Drain Plug
D8019	3-pk	• 14mm-1.50 Molded Gasket OE Chrysler
D8022	3-pk	• 14mm-1.50 Long Body Drain Plug
D8026	3-pk	• 14mm-1.50 Inset Head Chrysler Drain Plug
D8027	3-pk	• 14mm-1.50 w/Sems Drain Plug
D8031	3-pk	• 12mm-1.75 Inset Head OE GM Drain Plug

**Gaskets**

PART#	QTY	ASSORTMENT INCLUDES:
G6901	10-pk	• 14mm Crushable Copper Gasket
G7143	5-pk	• 18mm Aluminum Gasket
G7145	20-pk	• 12mm Aluminum Gasket
G7161S	20-pk	• 14mm Aluminum Dead Soft Gasket
G7201	10-pk	• 14mm Copper Gasket
G7401	5-pk	• 12mm OE Style Gasket
G7416	5-pk	• Rubber Replacement Gasket
G7417	5-pk	• Rubber Replacement Gasket

## DRAIN PLUG &amp; GASKET ASSORTMENTS

**NEW!**

**91901**  
**149 Pieces**  
**Large Newest Drain Plug & Gasket Assortment "For US & Foreign Car Applications"**  
**18 Compartments**

**Drain Plugs**

PART#	QTY	ASSORTMENT INCLUDES:
D7742	2-pk	• 18mm-1.50 Regular Point Drain Plug
D7801	2-pk	• 14mm-1.50 Regular Point Drain Plug
D7805	2-pk	• 14mm-1.25 Regular Point
D7815	3-pk	• 1/2"-20 Dog Point Drain Plug
D7845KA	2-pk	• 12mm-1.50 Regular Point Drain Plug
D7846	3-pk	• 14mm-1.50 Short Body Drain Plug
D7848	2-pk	• 14mm-1.50 VW N90288901 Drain Plug
D7853	3-pk	• 14mm-1.50 Long Drain Plug
D7862	3-pk	• 1/2"-20 Molded Gasket OE Style
D7894KA	2-pk	• 12mm-1.50 Hollow Point Drain Plug
D8006	2-pk	• 14mm-1.50 Ford 4.0L Drain Plug
D8007	2-pk	• 14mm-1.50 Ford 6.8L Drain Plug
D8018	2-pk	• 12mm-1.75 Inset Head OE Ford Drain Plug
D8019	3-pk	• 14mm-1.50 Molded Gasket OE Chrysler
D8022	3-pk	• 14mm-1.50 Long Body Drain Plug
D8026	3-pk	• 14mm-1.50 Inset Head Chrysler Drain Plug
D8027	3-pk	• 14mm-1.50 w/Sems Drain Plug
D8031	3-pk	• 12mm-1.75 Inset Head OE GM Drain Plug

**Gaskets**

PART#	QTY	ASSORTMENT INCLUDES:
G6901	10-pk	• 14mm Crushable Copper Gasket
G7143	5-pk	• 18mm Aluminum Gasket
G7145	20-pk	• 12mm Aluminum Gasket
G71615	20-pk	• 14mm Aluminum Dead Soft Gasket
G7201	10-pk	• 14mm Copper Gasket
G7253	9-pk	• 14mm Copper Gasket
G7401	5-pk	• 12mm OE Style Gasket
G7413	5-pk	• Rubber Replacement Gasket
G7414	5-pk	• Rubber Replacement Gasket
G7415	5-pk	• Rubber Replacement Gasket
G7416	5-pk	• Rubber Replacement Gasket
G7417	5-pk	• Rubber Replacement Gasket



**DRAIN PLUG & GASKET ASSORTMENTS**



**90994**  
**32 Piece Large O.E. Style Drain Plug Assortment**  
**12 Compartments**

PART#	QTY	ASSORTMENT INCLUDES:
D7802	2-pk	• 14mm-1.50 Dog Point Drain Plug
D7846	2-pk	• 14mm-1.50 Short Body Drain Plug
D7855	2-pk	• 14mm-1.25 Jeep Dog Point Drain Plug
D7860	2-pk	• 12mm-1.75 Inset Head OE Saturn Drain Plug
D7862	2-pk	• 1/2"-20 Molded Gasket OE Style Drain Plug
D8006	2-pk	• 14mm-1.50 Ford 4.0L Drain Plug
D8007	2-pk	• 14mm-1.50 Ford 6.8L Drain Plug
D8026	2-pk	• 14mm-1.50 Inset Head Chrysler Drain Plug
D8031	4-pk	• 12mm-1.75 Inset Head OE GM Drain Plug
G7406	4-pk	• Rubber Replacement Gasket
G7407	8-pk	• 12mm Rubber Gasket

**NEW!**



**91902**  
**20 Pieces Top 10 Drain Plug Assortment**  
**2 Compartments**

PART#	QTY	ASSORTMENT INCLUDES:
D8022	2-pk	• 14mm-1.50 Long
D7846	2-pk	• 14mm-1.50 Short Body
D7848	2-pk	• 14mm-1.50 VW N90288901
D7801	2-pk	• 14mm-1.50 Regular Point
D8027	2-pk	• 14mm-1.50 w/Sems
D7845KA	2-pk	• 12mm-1.50 Regular Point
D7894KA	2-pk	• 12mm-1.50 Hollow Point
D7742	2-pk	• 18mm-1.50 Regular Point
D8031	2-pk	• 12mm-1.75 Inset Head OE GM
D7815	2-pk	• 1/2"-20 Dog Point

**DRAIN PLUG GASKET ASSORTMENTS**



**90996**  
**115 Piece Metric Drain Plug Gasket Assortment 12 Compartments**

PART#	QTY	ASSORTMENT INCLUDES:
G6925	5-pk	• 12mm Crushable Copper Gasket
G6901	5-pk	• 14mm Crushable Copper Gasket
G7101S	10-pk	• 14mm Aluminum Dead Soft Gasket
G7125	5-pk	• 12mm Aluminum Gasket
G7201	5-pk	• 14mm Copper Gasket
G7406	5-pk	• Rubber Replacement Gasket
G7225	5-pk	• 12mm Copper Gasket
G7407	2-pk	• 12mm Rubber Gasket
G7161S	10-pk	• 14mm Aluminum Dead Soft Gasket
G7408	15-pk	• 12mm OE Style Gasket (GM)
G7409	15-pk	• 14mm OE Style Gasket (Ford)
G7501	10-pk	• 14mm Fiber Gasket
G7525	10-pk	• 12mm Fiber Gasket
G7501G	5-pk	• 14mm Green Synthetic Gasket
G7525S	5-pk	• 18mm Double Thick Fiber Gasket



**90997**  
**50 Piece Crushable Copper Drain Plug Gasket Assortment 1 Compartment**

PART#	QTY	ASSORTMENT INCLUDES:
G6925	25-pk	• 12mm Crushable Copper Gasket
G6901	25-pk	• 14mm Crushable Copper Gasket



**91000**  
**122 Piece Crushable Copper Gasket Assortment 6 Compartments**

PART#	QTY	ASSORTMENT INCLUDES:
G6925	40-pk	• 12mm Crushable Copper Gasket
G6901	40-pk	• 14mm Crushable Copper Gasket
G6939X	15-pk	• 16mm Crushable Copper Gasket
G6940	10-pk	• 20mm Crushable Copper Gasket
G6942	10-pk	• 18mm Crushable Copper Gasket
G6943	5-pk	• 10mm Crushable Copper Gasket
G6944	2-pk	• 22mm Crushable Copper Gasket



**91003**  
**55 Piece Rubber Inset Gasket Assortment 6 Compartments**

PART#	QTY	ASSORTMENT INCLUDES:
G7406	5-pk	• Rubber Replacement Gasket
G7407	10-pk	• 12mm Rubber Gasket
G7413	5-pk	• Rubber Replacement Gasket
G7414	10-pk	• Rubber Replacement Gasket
G7415	5-pk	• Rubber Replacement Gasket
G7416	10-pk	• Rubber Replacement Gasket
G7417	10-pk	• Rubber Replacement Gasket



**SKID PLATE ASSORTMENT**

**NEW!**

**91028**  
**290 Pieces**  
**Skid Plate Assortment**  
**18 Compartments**

23 Different Clip Styles for Securing Skid Plates after Oil Service or Other Services that Require Dropping the Skid Plate!



PART#	QTY	OEM	ASSORTMENT INCLUDES:
90187	20-pk	Chrysler 6501948	• Black Nylon Shield Retainer
90976	20-pk	Chrysler 6030441, Ford 388577S, GM 1605396	• Black Nylon Fender & Bumper Shield Retainer
90832	20-pk	Chrysler 6501301, GM 21094146	• Black Nylon Trim Panel Retainer
90850	20-pk	GM 1619321	• Black Nylon Radiator Apron Panel Retainer
90509	5-pk	GM 88970767, Toyota 90467-10183	• Black Nylon Front Fender Liner Push Type Retainer
90971	10-pk	Honda 91512-SX0-003	• Black Nylon Push Type Retainer
90550	20-pk	Toyota 90467-07201	• Black Nylon Push Type Retainer
90569	20-pk	Nissan 01553-09321	• Black Nylon Push Type Retainer
90974	20-pk	Honda 91503-SZ3-003	• Black Nylon Front Bumper Push Type Retainer
90570	20-pk	Nissan 01553-09241	• Black Nylon Push Type Retainer
91021	5-pk	VW, Audi, SEAT & Skoda	• Black Finish Phillips Drive Cowl Fastener
91019	5-pk	VW, Audi, SEAT & Skoda	• Zinc Finish Skid Plate "U" Nut
90039	10-pk	Audi/VW 4A0-805-121-A	• Black Nylon Slotted Skid Plate Screw
90667	10-pk	Audi/VW 4A0805163, 8A0863821Q	• Black Nylon Skid Shield Grommets
91022	10-pk	VW, Audi, SEAT & Skoda VW 8D0-805-121B	• Black Finish Steel Slotted Drive Cowl
91023	10-pk	N/A	• Bright Zinc Finish Metric Flat Washer
91024	5-pk	N/A	• Zinc Finish Skid Plate "U" Nut
91027	10-pk	Nissan 08146-6162H	• Black Finish Dog Point Engine Splash Shield Bolt
91026	10-pk	Toyota 90080-11547	• Zinc Finish Engine Splash Shield Bolt
90004	5-pk	Toyota 90119-08763	• Black Finish Type F Bolt
90711	10-pk	VW N90892001, N90775001	• T25 Black Finish Torx Truss Head Screw
91025	5-pk	N/A	• Zinc Finish Splash Shield Retaining Nut
90022	20-pk	Audi/VW N90-796-501, N90-796-502	• Zinc Finish Splash Shield Retainer

<b>PART#</b>	<b>PAGE</b>	<b>PART#</b>	<b>PAGE</b>	<b>PART#</b>	<b>PAGE</b>	<b>PART#</b>	<b>PAGE</b>
060-10	2, 3, 11, 12, 14	955	21	809-10	7, 11, 13	14033	54
060-6	2, 3, 11, 12, 14	96	21	902L-10	9, 13	14060	54
061-10	7, 10, 11	96-2	21	902L-6	9, 13	14175	54
061-6	7, 10, 11	97	32	902R-10	9, 11, 13	15120	51
062-10	2,3,5,11,12,15,16,18	100	35	902R-6	9, 11, 13	15121	51
062-6	2,3,5,11,12,15,16,18	103-10	4,5,6,9,11,12,16	903-10	9, 11, 13	15122	51
062C-10	2, 11, 12	103-6	4,5,6,9,11,12,16	903-6	9, 11, 13	15123	51
062C-6	2, 11, 12	104-10	4, 11, 12, 16	908-10	10, 11, 13	15124	51
062S-10	2, 11, 12	104-6	4, 11, 12, 16	908-6	10, 11, 13	15125	51
062S-6	2, 11, 12	113	35	930	22	15126	51
063-10	4, 11, 12	180	15	935	21	15127	51
064-10	2, 6, 8, 11, 12	190	14	936	21	15128	67
064-6	2, 6, 8, 11, 12	191	15	968	16	15129	67
065-10	2, 6, 8, 11, 12	192	15	969	16	15130	67
065-6	2, 6, 8, 11, 12	193	15, 28	980	21	15131	67
066-10	4, 9, 11, 12, 14, 17	383-10	4, 11, 12	980-S	21	15132	67
066-6	4, 9, 11, 12, 14, 17	383-6	4, 11, 12	989	24	15136	67
067-10	6, 8, 11, 12	390	16	998	24	15137	67
067-6	6, 8, 11, 12	392B	16	989-10	24	15138	67
068-10	2, 4, 9, 11, 12	404	14	989-100	24	15140	67
068-6	2, 4, 9, 11, 12	405	14	989-20	24	15144	67
069-10	3, 7, 11, 12	407-10	3, 5, 7, 11, 12, 14, 15	989-50	24	15145	67
069-6	3, 7, 11, 12	407-6	3, 5, 7, 11, 12, 14, 15	989C-20	24	15146	67
7-03031	34	408-10	2, 4, 5, 8, 11, 12, 18	989F	24	15147	67
7-03031S	34	408-6	2, 4, 5, 8, 11, 12, 18	989F-20	24	15148	67
7-03142-25	28	409-10	2, 5, 6, 8, 9, 11, 13, 17	989P	24	15149	67
7-03142-50	28	409-6	2, 5, 6, 8, 9, 11, 13, 17	999	24	15150	66, 67
7-032111	32	421	17	999C	24	15151	65
7-07744	33	422	17	999C-20	24	15152	65
7-07747	32	423	17	999F	24	15153	65
7-077841	33	424B	18	999F-20	24	15154	65
7-077841U	33	425B	18	999H	24	15155	65
7-09836-25	30	426	17	999P	24	15156	65
7-09836-50	30	427	17	999S	24	15157	65
7-3024	33	428	17	1471C	50	15158	65
7-3024U	33	444	14	1471C-10	50	15160	65
7-3031/1	34	445	14	6000	33	15161	65
25SL-10	70	446	14	6001	33	15162	65
26SL-10	70	464	15	6002	33	15163	65
41B	19	465	15	6003	33	15201	66
42B	19	466	15	6004	33	15211	66
57	35	502-10	5, 7, 11, 13	8544	41	15212	66
63A	20	502-6	5, 7, 11, 13	8545	41	15213	66
63B-1	20	503-10	5, 7, 11, 13	8546	41	15214	66
63B-10	20	503-6	5, 7, 11, 13	9989	24	15215	66
63B-11	20	505-10	8, 11, 13	9989-12	24	15218	50
63B-12	20	505-4	8, 11, 13	9989-20	24	15219	50
63B-14	20	505-6	8, 11, 13	10542	66	15221	50
63B-15	20	624TB	70	12431	70	16109	75
63B-2	20	634TB	70	12757	70	16110	75
63B-3	20	634TB-50	70	12758	70	16111	75
63B-5	20	634TBC	70	12935	70	16112	75
63B-6	20	702-10	6, 11, 13	13003	70	16113	75
63B-7	20	702-6	6, 11, 13	13004	70	16114	75
63B-8	20	703-10	6, 11, 13	13005	70	16115	75
63B-9	20	703-6	6, 11, 13	13012	70	16116	75
68B	22	709-10	6, 11, 13, 17	13013	24, 70	16117	75
69	22	709-6	6, 11, 13, 17	13018	70	16118	75
70B	20	709S	6	13019	70	16119	75
71B	20	720	19	13020	70	16121	75
72	53	782	16	13062	70	16122	75
73B	20	783	18	13080	66	16123	75
80B	23	784	18	13081	66	16124	75
81B	23	802-10	7,9,11,13,15,18,19	13217	70	16125	75
82B	23	802-6	7,9,11,13,15,18,19	13218	70	16126	75
83B	20	803-10	7, 11, 13	13219	70	16127	75
83B-2	20	804	18	13220	70	16128	75
87B	30	805	18	13221	70	16129	75
93	33	806	19	13222	70	16130	75
94	21	807	19	13223	70	16131	75
94-2	21	808-10	10, 11, 13	13224	70	16132	75
95	21	808-6	10, 11, 13	13225	70	16133	75



# INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE
16134	75	16281	85	18076	68	39540	35
16135	74	16282	82, 83, 85	18077	68	39550	35
16136	74	16283	82, 83, 85	18078	66	39560	35
16137	74	16284	82, 83, 85	18079	66	40080	41
16138	74	16285	82, 83, 85	18080	66	40310	45
16139	74	16286	83, 85	18082	66	40311	45
16140	74	16287	85	18083	66	40312	45
16141	74	16288	85	18084	66	40313	45
16142	74	16289	85	20442	41	40314	45
16143	74	16290	85	22985	53	40400	35
16144	74	16291	85	22986	50	40601	44, 45
16145	74	16292	85	22987	53	40602	44, 45
16146	74	16293	85	22988	53	40603	44, 45
16147	74	16294	85	22989	53	40605	44, 45
16148	74	16295	85	22990	53	40606	44, 45
16149	74	16296	85	22991	53	40607	44, 45
16150	74	16297	85	22992	53	40608	44, 45
16151	74	16298	85	22993	53	40610	44, 45
16206	70	16299	85	22994	55	40611	44, 45
16207	70	16300	85	30000	42	40612	44, 45
16210	70	16301	85	30020	43	40613	44, 45
16211	70	16302	85	30022	43	40614	44, 45
16214	83, 84	16303	85	30023	43	40615	44, 45
16215	83, 84	16304	85	30024	43	40616	44, 45
16216	83, 84	16305	85	33001	42	40617	44, 45
16217	83, 84	16306	85	33002	42	40618	44, 45
16218	83, 84	16307	82, 85	33003	42	40619	44, 45
16219	83, 84	16308	82, 85	33004	42	40620	44, 45
16220	83, 84	16309	82, 85	33005	42, 43	40621	44, 45
16237	83, 84	16310	82, 85	33006	42, 43	40622	44, 45
16238	83, 84	16311	82, 85	33007	42, 43	40630	44, 45
16239	83, 84	16312	82, 85	33009	42, 43	43363	30
16240	83, 84	16313	82	33014	42, 43	43373	30
16241	84	16314	82	33015	42, 43	51626	69
16242	84	16315	82	33016	42, 43	51630	69
16243	82, 84	16316	83	33019	42, 43	51631	69
16244	82, 84	16317	83	33431	56	51632	69
16245	82, 84	16318	83	33700	52	51633	69
16246	82, 84	16501	50	33788	60	51634	69
16247	82, 84	16505	50	35029	57	51635	69
16248	82, 84	17410	35	35030	58	51636	69
16249	82, 84	18040	68	35031	58	51637	63
16250	84	18041	68	35032	59	51638	63
16251	84	18042	68	35033	59	51639	63
16252	84	18043	68	35034	57	51640	61
16253	84	18044	68	35035	59	51641	63
16254	82, 84	18046	68	35036	60	51642	63
16255	82, 84	18047	68	35038	56	51644	63
16256	82, 83, 84	18048	68	35039	59	51645	61
16257	82, 83, 84	18049	68	35041	58	51646	61
16258	82, 83, 84	18050	66	35042	57	51647	61
16259	82, 83, 84	18051	68	35044	62	51648	61
16260	82, 83, 84	18052	68	35045	62	51650	62
16261	84	18053	68	35046	62	51651	62
16262	84	18054	68	35047	62	51652	62
16263	84	18055	68	35048	62	51654	64
16264	84	18056	68	35049	62	51655	64
16265	84	18057	68	35050	62	51656	64
16266	84	18058	68	35051	62	51657	64
16267	84	18059	68	35052	42, 43	51658	64
16268	84	18063	68	35053	42, 43	51660	71
16269	84	18064	68	35054	42, 43	51661	71
16270	84	18065	68	35055	62	51662	71
16271	84	18066	68	37600	35	51663	71
16272	84	18067	68	38100	35	51664	72
16273	84	18068	68	38305	60	51665	72
16274	85	18069	68	38306	56	51666	72
16275	85	18070	68	38307	56	51667	72
16276	85	18071	66, 68	38330	35	51669	73
16277	85	18072	66, 68	38400	35	51670	73
16278	85	18073	66, 68	39510	35	51671	73
16279	85	18074	66, 68	39520	35	51672	73
16280	85	18075	68	39530	35	51673	73



PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE
51674	73	90974	100	A3114	37, 42, 43	A6977	28
51675	52	90976	100	A3118	41	A7005	31
51676	52	90994	98	A3123	37, 40	A7209	31
51677	52	90996	99	A3125	37, 40	A7742	33
51678	52	90997	99	A3141	30	A7748	33
77002	48	91000	99	A3148	31	A7757	31
77200	48	91003	99	A3159	30	A7757P	34
77300	48	91019	100	A3161	33	A7767	34
77301	48, 49	91021	100	A3163	32	A7774	31
77302	48	91022	100	A3164	32	A7775	31
77303	48	91023	100	A3165	37	A7775-A	31
77306	48	91024	100	A3166	32	A7783	34
77307	48	91026	100	A3176	34	A8584	28
77308	48	91027	100	A3178	36, 40	A9192	37, 38, 40
80337	17	91900	96	A3180	34	A9193	37, 38, 40
80338	17	91901	97	A3214	32	A9194	37, 38, 40
80763	50	91902	98	A3218	34	A9195	37, 38, 39
80764	50	90570	100	A3223	30	A9196	37, 38, 39
80765	52	91025	100	A3224	34	A9198	37
80766	52	A-07963	29	A3319	34	A9199	38
80767	52	A-10650	28	A3372	34	A9203	37
80768	52	A-10651	28	A3393	30	A9232	38
80769	52	A-11154	29	A3394	31	A9233	38
85490	41	A1W	54	A3528	34	A9249	28
85701	46	A4W	54	A3577	36, 38, 39	A9299	38
85702	46	A12W	54	A3578	36, 38, 39	A9399	39
85703	46, 47	A15W	54	A3590	37, 38, 39	A9443	31
85704	46, 47	A15LW	54	A3595	30	A9444	31
85705	46	A36W	54	A3902	36, 40	A9481	29
85706	46	A37W	54	A3903	36, 40	A9481-1	29
85707	46, 47	A213	34	A3904	36, 40	A9489	37, 40
85708	47	A220	34	A4347	40	A9490	37, 40
85709	47	A320	33	A4347N	40	A9492	37, 40, 42
85710	47	A1447	29	A4435	30	A9499	39
85711	46	A1680	34	A4670	32	A9592	33
85712	47	A2045	30	A4732	36, 38, 39	A9611	31
85713	47	A2064	34	A4778	36, 38, 39	A9645	33
85714	46, 47	A2165	32	A4779	36, 38, 39	A9815	33
85715	46	A2309	32	A4790	36	A9821	33
85716	46, 47	A2561	32	A5042	34	A9822	33
85718	46, 47	A3009	32	A5069-D	39	A9837	32
85719	47	A3015	34	A5290	23	A9847	34
85721	46	A3016	31	A5532	39	A9879	28
86008	25	A3017	31	A5677-2	4, 11, 13	A9921	37, 38, 40
86016	25	A3022	34	A5689	34	A9922	37, 38, 40
86019	25	A3023	32	A5843	31	A10868	32
86106	25	A3026	32	A6058	34	A11150	29
86113	25	A3029	34	A6106	34	A11166	29
86204	25	A3032	34	A6109	34	A11220	29
86262	25	A3033	34	A6155	34	A11222	29
90004	100	A3034R	30	A6446	34	A11227	28, 29, 34
90022	100	A3036	34	A6825	33	A18277	61
90039	100	A3039	34	A6839	32	A18278	61
90187	100	A3042	31	A6854	28	A22006	32
90509	100	A3077	32	A6854-2	28	A22763	29
90550	100	A3078	32	A6871	30	A22764	29
90569	100	A3081	32	A6872	30	A25270	29
90588	55	A3082	34	A6874	30	A25271	29
90589	55	A3084	29	A6893	33	A29254	29
90590	55	A3085	30	A6901	28	B24	78
90667	100	A3086	30	A6905	28	B24NA	78
90711	100	A3087	30	A6905-10	28	B37	78
90832	100	A3088	34	A6906	28	B57	79
90850	100	A3089	32	A6907	28	B67	79
90888	26	A3092	34	A6908	28	B74	78
90889	26	A3101A	40, 41	A6923	28	B89	79
90890	26	A3102A	40, 41	A6929	28	B97	79
90891	26	A3106	36, 40	A6929-10	28	B168	78
90892	26	A3107	36, 40	A6934	34	B194	78
90893	26	A3108	36, 40	A6936	29	B194NA	78
90894	26	A3110	37, 40	A6950	28	B211-2	78
90895	26, 27	A3112	37, 42	A6974	34	B880	81
90971	100	A3113	37	A6974-10	34	B881	81



# INDEX

PART#	PAGE	PART#	PAGE	PART#	PAGE	PART#	PAGE
B885	81	B17314	78	D7738X	89	G7015	95
B889	81	B17635	79	D7739X	88	G7015S	95
B890	81	B17638	79	D7740	88	G7025	95
B891	81	B17881	79	D7742	88, 96, 97, 98	G7025S	95
B893	81	B17916	79	D7801	86, 96, 97, 98	G7039	95
B904	78	BB11200B	25	D7802	86, 98,	G7040	95
B906	78	BB12100-O	25	D7805	86, 97,	G7042	95
B912	78	BB12100-U	25	D7815	88, 96, 97, 98	G7101S	93, 99
B916	78	BB12100A	25	D7817	88	G7115	93
B916NA	78	BB12100B	25	D7825	90	G7125	93, 99
B921	78	BB12100C	25	D7826K	89	G7140S	93
B922	78	BB12100D	25	D7827K	89	G7143	93, 96, 97
B1003	79	BB12100E	25	D7838	89	G7144	93
B1004	79	BB12100N	25	D7845KA	90, 96, 97, 98	G7145	93, 96, 97
B1141	79	BB12100R	25	D7846	86, 96, 97, 98	G7146	93
B1142	79	BB12100T	25	D7847	89	G7147	93
B1156	79	BB12100V	25	D7848	86, 96, 97, 98	G7148	93
B1156NA	79	BB12100W	25	D7853	86, 97	G7161S	93, 96, 97, 99,
B1157	79	BB12100X	25	D7854	89	G7167	93
B1157NA	79	BB12150	25	D7855	86, 98	G7201	93, 96, 97, 99
B1816	79	BB12156	25	D7857	89	G7215	93
B1891	79	BB12300	25	D7860	90, 98	G7225	93, 99
B1893	79	BB12300CC	25	D7862	88, 97, 98	G7253	93, 97
B1895	79	BB12300O	25	D7864	90	G7401	92, 96, 97
B2057	79	BBA-18	25	D7866	86	G7403	92
B2057NA	79	BH1	80	D7868	90	G7405	92
B2357	79	BH3	80	D7869	90	G7406	92, 98, 99
B2357NA	79	BH4-60	80	D7870	87	G7407	92, 98, 99
B2825	78	BH4-100	80	D7871	91	G7408	92, 99
B3047K	76	BH7	80	D7872	90	G7409	92, 99
B3057	76	BH8	80	D7880K	87	G7410	92
B3057I	76	BH9	80	D7881K	91	G7413	92, 97, 99
B3057NA	76	BH10	80	D7882K	90	G7414	92, 97, 99
B3057NAI	76	BH11	80	D7894KA	90, 96, 97, 98	G7415	92, 97, 99
B3156I	76	BH11B	80	D8003	88	G7416	92, 96, 97, 99
B3156NAI	76	BH12	81	D8006	86, 97, 98	G7417	92, 96, 97, 99
B3157	76	BH13	81	D8007	86, 97, 98	G7418	92
B3157I	76	BT9	54	D8008K	87	G7424	92
B3157NA	76	BT10	54	D8009	87	G7425	92
B3157NAI	76	BT15	54	D8017	91	G7501	95, 99
B3175	78	BT30	54	D8018	90, 97	G7501G	94, 99
B3457I	77	BT34	54	D8019	87, 96, 97,	G7515	95
B3457NAI	77	BT34S	54	D8020	91	G7515G	94
B3496	79	C13786	55	D8022	87, 96, 97, 98	G7525	95, 99
B3497	79	C24083	55	D8024	91	G7525G	94
B3757NAI	77	C67715	55	D8026	87, 96, 97, 98	G7525S	95, 99
B4057K	77	C71410	55	D8027	87, 96, 97, 98	G7526	95
B4114K	77	C71411	55	D8031	91, 96, 97, 98	G7527	95
B4157I	77	C000491	50	D8033K	89	G7539X	95
B4157K	77	C000491P	50	D8034K	89	G7540	95
B4157NA	77	C106259	50	D8035K	89	G7542	95
B6418	78	C106572	50	D8036	88	G7542S	95
B7225	79	C106576	50	D8037	87	H101	29
B7440	78	C106871	55	D8038	88	K41	19
B7440NA	78	C107517	55	D8039	91	K42	19
B7443	78	C108028	52	D8040	87	R60Z	24
B7443NA	78	C108029	52	F101	29	R101	29
B7506	79	C108397	52	G6901	94, 96, 97, 99	R120Z	24
B7528	79	C108398	52	G6925	94, 99	R240Z	24
B9003	80	C109873	64	G6939X	94, 99	SLP4	55
B9004	80	C120366	50	G6940	94, 99	SLP7	55
B9005	80	C120366P	50	G6942	94, 99	S0051A	25
B9006	80	C410418	55	G6943	94, 99	S0052	25
B9007	80	C410419	55	G6944	94, 99	S0061AP	25
B17035	78	C410420	55	G6980	92, 94	S0061M	25
B17037	78	D10	75	G6992	92, 94	V101	29
B17097	78	D15	75	G6994	94	SLP4	55
B17125	78	D20	75	G6996	94	SLP7	55
B17131	79	D25	75	G6997	94	V101	29
B17171	79	D7703	86	G6998	94		
B17177	78	D7716	88	G7001	95		
B17311	79	D7717	88	G7001S	95		