



SPECIFICATIONS



COMPATIBLE **LIQUIDS**

Our solid fuel transfer pump allows you to transfer 3.2 Gallons Per Minute.

Transfers a variety of liquids. Including Gasoline, Kerosene, Diesel, Potable Water.







Features

- Includes 1 (One) Racing Can or Jerry Can adapter that are compatible with most North American cans
- Portable, light weight, and heavy duty material
- Built in Clip, Keeps discharge hose firmly attached to receiving tank / container
- Easily empty container
- Flexible Suction Tube: Adjusts to Fit containers of various heights
- Backed by a 1-Year Manufacturers Warranty





- 1. Straighten Intake Hose
- 2. Fasten Big adapter to your supply tank
- 3. Inset Intake hose (non-flexible) and fasten tightly with joint nut
- 4. Insert Discharge hose (flexible) and fasten tightly with joing nut
- 5. Tighten Air vent cap by turning in clockwise
- 6. Move Operating bellows up and down to start flow. Siphon action wil continue as long as liquid level in sending container is higher than the Discharge hose end
- 7. In order to stop liquid flow, loosen Air vent cap by turning it counter-clockwise, and gently lift Discharge hose to allow any remaining liquid to drain
- 8. After use, keep the Discharge hose end in the Hose holder

Gas Can Fit

Manual Drum Pump for North American Racing Gas Cans

Compatible Liquids

Light oils, gasoline, kerosene, diesel, non-potable water, chemical insecticides, soaps, detergents, deodorants, mild acids, antifreeze & liquid waxes

NOT Compatible

Acetone, drinking water, benzene, cresol, ethyl, phenol, methyl ethyl, concentrated caustic soda liquid, nitric acid, hydrochloric acid, sulfuric acid, thinner or solvents