

Kraftform Kompakt Zyklus Speed, 26 pieces

The Zyklus Speed Ratchet, 1/4"



EAN:	4013288155313	Size:	195x130x55 mm
Part number:	05051045001	Weight:	731 g
Article number:	Kraftform Kompakt Zyklus	Country of origin:	CZ
		Customs tariff number:	82041200



- Combines five different types of a ratchet in one
- Flywheel design and easy-to-grip free-turning sleeve for very high working speeds
- Can also be used as a screwdriver
- Fine-toothing for small return angle
- Pouch for belt attachment

Kraftform Kompakt Zyklus Speed, 26 pieces



The Zyklus Speed Ratchet, 1/4"

Ratchet and screws in a Kraftform Kompakt format; including a Zyklus ratchet for incredibly high screwdriving speeds. Combines five different types of ratchet in one. Flywheel design and easy-to-grip, free-turning sleeve for fast working. Freely pivoting ratchet head; predefined locking at 0° and 90° to the left and right as well as 15° from 90° inwards; can be used as a conventional screwdriver in its 0° position. Simple push button release; left/right switchover, fine-toothing, small return angle of 5°. Multi-component Kraftform handle for low-fatigue working. 26-piece, in a pouch for belt attachment: 1 Zyklus ratchet with 1/4" drive, 7 Zyklus sockets (metric), 1 Zyklus extension (long) with free-turning sleeve, 1 adaptor, 16 bits in a length of 50 mm.

Kraftform Kompakt Zyklop Speed, 26 pieces

The Zyklop Speed Ratchet, 1/4"



Set contents:



8000 A
05003500001 1 x 1/4" x 152 mm



8794 LA
05003526001 1 x 1/4" x 150 mm



855/4 TZ PZ
05060005001 1 x PZ 1 x 50 mm
05060010001 1 x PZ 2 x 50 mm



800/4 Z
05059330001 1 x 1 x 5.5 x 50 mm



8790 HMA
05003504001 1 x 5.5 x 23 mm
05003505001 1 x 6 x 23 mm
05003506001 1 x 7 x 23 mm
05003507001 1 x 8 x 23 mm
05003509001 1 x 10 x 23 mm
05003511001 1 x 12 x 23 mm
05003512001 1 x 13 x 23 mm



8784 A1
05003529001 1 x 1/4" x 1/4" x 37 mm



851/4 TZ PH
05059805001 1 x PH 1 x 50 mm
05059810001 1 x PH 2 x 50 mm
05059815001 1 x PH 3 x 50 mm



867/4 Z TORX®
05060132001 1 x TX 10 x 50 mm
05060133001 1 x TX 15 x 50 mm
05060134001 1 x TX 20 x 50 mm
05060135001 1 x TX 25 x 50 mm
05060136001 1 x TX 27 x 50 mm
05060137001 1 x TX 30 x 50 mm



840/4 Z Hex-Plus
05059605001 1 x 3 x 50 mm
05059610001 1 x 4 x 50 mm
05059615001 1 x 5 x 50 mm
05059620001 1 x 6 x 50 mm

Zyklop "6 in 1"



1. Fine-tooth ratchet 2. Flex-head ratchet 3. Angle ratchet 4. Quick-release ratchet 5. Power ratchet 6. Screwdriver

Pivots freely



The ratchet head pivots freely and can be locked into any defined position by using the slide switch that is positioned on either side. It is even possible to work in very confined and difficult-to-access areas with enhanced hand clearance. The predefined locking at 0°, 15° and 90°, both to the right and left, ensure safe working without any slipping of the ratchet head.

Fast movers



The Zyklop Speed ratchets are really fast movers. The gyrating mass design means that screwdriving is accelerated. The rotation-symmetric structure of the Kraftform handle and the free-turning sleeve reinforce this rapid twisting process, particularly when the ratchet does not engage due to too little resistance in the thread.

Simple direction change



All Zyklop Speed ratchets feature a thumbwheel that can be used to quickly and easily switch between clockwise and anticlockwise rotation, at any position. No complicated handling, no loss of time!

Low return angle



The reversible ratchet with 72 fine-pitched teeth has a low return angle of only 5°. This short stroke allows fast and precise work in all types of installation.

Screwdriver



The ratchet can be used as a conventional screwdriver in the 0° position by attaching a bitholding adaptor and a bit.

Take it easy tool finder system



Take it easy tool finder system - with profile and size colour-coding for quick and easy tool selection. Colour-coded system for hexagon drive screws (L-Keys, Zyklop bit sockets), external hex drive screws and nuts (Joker wrenches, Zyklop sockets and Zyklop bit sockets with holding function), and TORX® drive screws (L-Keys, Zyklop bit sockets).