

Protective Apparel Disposable Coveralls

PRO1000 SMS Breathable Model

The PRO1000 coverall is fabricated out of breathable SMS material. This material provides a substantial comfort level for the wearer in hot climates, however because of the breathability of the material it should not be used in an environment with airborne particulates or fiberglass fibers.

- 60 Gm material weight
- Full hood, cuffs and ankles with elastic
- Breast and rear pockets
- Two (2) way zipper-makes pit stops easy
- Storm flap on two (2) way zipper
- Ankle zippers-makes boot entry easy and quick
- Elastic waist for more flexibility

MODEL	DESCRIPTION	CASE
41021	PRO1000 Breathable Size LG	25 pcs
41022	PRO1000 Breathable Size XL	25 pcs
41023	PRO1000 Breathable Size XXL	25 pcs
41024	PRO1000 Breathable Size XXXL	25 pcs
41025	PRO1000 Breathable Size XXXXL	25 pcs

PRO1000
Breathable Model



PRO3000 Full Barrier Microporous Model

The PRO3000 coverall is a full barrier model fabricated out of microporous material. This model will protect against airborne particulates as well as fiberglass fibers. This unique material does offer some outward breathability due to its unique material composition. 60 Gm material weight, full hood, elastic cuffs and ankles, breast and rear pockets, two (2) way zipper makes pit stops easy, storm flap on two (2) way zipper, ankle zippers make boot entry easy and quick and an elastic waist for more flexibility.

- 60 Gm material weight
- Full hood, cuffs and ankles with elastic
- Breast and rear pockets
- Two (2) way zipper-makes pit stops easy
- Storm flap on two (2) way zipper
- Ankle zippers-makes boot entry easy and quick
- Elastic waist for more flexibility

MODEL	DESCRIPTION	CASE
43000	PRO3000 Full Barrier SIZE LG	25 pcs
43001	PRO3000 Full Barrier SIZE XL	25 pcs
43002	PRO3000 Full Barrier SIZE XXL	25 pcs
43003	PRO3000 Full Barrier SIZE XXXL	25 pcs
43004	PRO3000 Full Barrier SIZE XXXXL	25 pcs

PRO3000
Full Barrier Model



Four (4) Color
Retail Package

Protective Apparel



Spray Socks

MODEL	DESCRIPTION	CASE PACK
40040	Std Spray Sock Retail Pack 175gm	144 Pcs

The model 40040 spray sock offers a full four way stretch for maximum comfort and protection. The extra long neck insures security for the wearer. Finished edges and the soft hand of the material makes the model 40040 the first choice of the work force. The four (4) color retail hang bag insures quality sales at the retail level.

Boot Covers

MODEL	DESCRIPTION	CASE PACK
40035	Heavy duty 60gm fabric with large elastic opening. Four (4) color retail package. 2 Pair per package	75 Pks of 2 Pr

Constructed out of 60gm pp/pe coated fabric. Extra large entry opening for workman's boots. Secure elastic upper with a mid point elastic to provide additional security. Four (4) color retail package.



Shoe Covers

MODEL	DESCRIPTION	CASE PACK
40036	Size large. Elastic top 60 gram mp packed 2 pair per 4 color hang bag	75 Pks of 2 Pr

Model 40036 is 60gm heavy duty with secure elastic upper. Available in four (4) color retail package. Two (2) pair per retail package.



Protective Sleeves

MODEL	DESCRIPTION	CASE PACK
40033	18" PP/PE Coated w/Elastic Ends	150 Pr

18" Pp/pe coated fabric with secure elastic ends. Four (4) color retail pack



Pro Painter Apparel Kit

MODEL	DESCRIPTION	CASE PACK
40075	Pro Painter Kit Contains: 1 LG Coverall-1 Spray Sock 2 Pair Gloves-1 Pair Shoe Covers	24 Pcs

The pro painter kit is a perfect solution for those Weekend bottom jobs. It contains a protective Coverall, spray sock, 2 pair of gloves and a pair of Protective shoe covers. Just add paint and your ready to go.



Custom Print Coveralls

Put Your Coop Dollars to Work Using Custom Print Coveralls

The custom print program takes advantage of your coop dollars. Have your significant vendors fund it. You get quality exposure and so does your vendor. We provide a turn key program. You select the image you want for your company and the vendor that is to coop on the program. We do the rest. These quality coveralls end up costing a fraction of their original cost to your company. You get quality exposure of your companies name and your vendors receives promotion activity on each coverall. Multi vendors are ok.



- Minimum quantity 2000 pcs.
- Mixed sizes and styles OK
- Customer to provide artwork
- Full freight allowed.
- 50% deposit required with order placement



N-95 Dust Masks

NIOSH Approved Half Face Respirators

N-95 DUST MASKS

MODEL	DESCRIPTION	PACK
50050	3 Ply Mask N95 Approved Bulk Pack 20 Masks per Carton	20 Pcs Carton
50052	3 Ply Mask N95 Approved Retail Hang Card-3 Masks per Card	12 Cards Carton

These quality NIOSH approved masks feature state of the art quality and construction. They feature protective three (3) layer pp non-woven construction with meltblown filtration. Two (2) elastic bands and an adjustable nose piece provide additional security. When comparing masks, make sure you compare three (3) ply construction for maximum security. Model 50050 is offered in a carton of 20 pieces and model 50052 is available in a retail hang card with three (3) masks per card 12 cards per carton.



NIOSH APPROVED HALF FACE RESPIRATORS

Baianda respirators set the standard for safety, quality and comfort. Food grade silicone rubber construction insures total comfort to the user for extended periods of time with no skin irritation. The low breathing resistance design provides extended use with low fatigue levels. The convenient multi use replacement cartridge eliminates the need for high levels of cartridge inventory. One (1) cartridge addresses multi uses.

MODEL	DESCRIPTION	PACK
48000	Baianda Half Face Respirator Med	1 EA
48002	Baianda Half Face Respirator Lg	1 EA
48010*	Baianda Multi Purpose Organic Vapor Two (2) Cartridge Pack	2 Pack
48020	Baianda Cartridge Prefilters Two (2) Prefilters	2 Pack
48030	Baianda Prefilter Retainers Two (2) Retainers	2 Pack

The 48010 organic vapor cartridge covers a wide range of organic vapors including paints, organic solvents, welding gases and pesticide applications. One cartridge does it all.



Model 48020



Model 48010

Safety Glasses

Safety Glasses, Goggles ANSI 87-1-1-1979

MODEL	DESCRIPTION	PACK
52015	Anti Fog Chemical Splash Goggle Ansi Approved	12 pr
52020	Safety Glasses With Adj Temples Clear Lense Ansi Approved	12 pr
52025	Fashion Safety Sunglasses Dark	12 pr
52030	Fashion Safety glasses Clear Lense Ansi Approved	12 pr



Model 52015



Model 52020



Model 52030



Model 52025

Gloves

Ten (10) Glove Retail Bag Vinyl - Nitrile - Latex

MODEL	DESCRIPTION	CASE PACK
61005	Ten (10) Disposable Vinyl Gloves in retail bag. Large, Light Powder	72 Packs
61007	Ten (10) Disposable Nitrile Gloves in retail bag. Large, Light Powder	72 Packs
61009	Ten (10) Disposable Latex Gloves in retail bag. Large, Light Powder	72 Packs



Disposable Latex Glove

100 gloves per box, 10 boxes per case. Light powder.

MODEL	DESCRIPTION	CASE PACK
60001	5 mil Latex Glove - MED	10 boxes of 100
60002	5 mil Latex Glove - LG	10 boxes of 100
60003	5 mil Latex Glove - XLG	10 boxes of 100



Disposable Vinyl Gloves

5 mil disposable vinyl gloves offer a comfort fit with the light powder for users requiring an alternative to disposable latex.

MODEL	DESCRIPTION	CASE PACK
60060	5 mil disposable vinyl glove LG	10 bxs of 100
60061	5 mil disposable vinyl glove XLG	10 bxs of 100



Gloves

Heavy Duty Nitrile (Chemical) Glove

8 mil nitrile with textured fingers & palm-long wrist cuff, for maximum protection. Textured surface for maximum dexterity. Made from butadiene acrylonitrile rubber latex. Protects against organic and inorganic chemicals. 50 gloves per box, 10 boxes per case. Light powder.

MODEL	DESCRIPTION	CASE PACK
60030	8 mil Nitrile Glove – LG	10 bxs of 50 glvs
60031	8 mil Nitrile Glove – XLG	10 bxs of 50 glvs

Sold in case packs only

Disposable Nitrile Gloves

5 mil disposable nitrile chemical glove.
Textured fingers and thumb. Powder free.

MODEL	DESCRIPTION	CASE PACK
60032	5 mil Disposable Nitrile Glv – LG	10 boxes of 100
60033	5 mil Disposable Nitrile Glv – XLG	10 boxes of 100

Sold in case packs only

Surefit Work Glove

Custom texture fingers and palm for secure handling.
Breathable mesh back for maximum comfort.

MODEL	DESCRIPTION	CASE PACK
60151	Size: LG	72 pr
60152	Size: XLG	72 pr

Sold in case packs only

Double Thick PVC Fishing Glove

Patented form fit for secure loading and handling. Extra long 12" wrist cuff for additional protection. Textured fingers and palm for maximum sensitivity.

MODEL	DESCRIPTION	CASE PACK
60036	Size: LG	72 pr
60037	Size: XLG	72 pr

Boatyard Flexible Nitrile Work Glove

This new boatyard work glove is a combination of a Strong nylon backing with a protective nitrile coatings. The result is total flexibility with the protection of nitrile.

MODEL	DESCRIPTION	CASE PACK
60200	Boatyard Nitrile LG	72 pr
60202	Boatyard Nitrile XLG	72 pr



Paint Accessories

Plastic Resin Spreaders

MODEL	DESCRIPTION	CASE PACK
31014	Plastic Resin Spreader 4" x 3"	100 pcs
31016	Plastic Resin Spreader 5" x 3.2"	100 pcs
31018	Plastic Resin Spreader 6" x 3.5"	100 pcs



Stainless Steel Wool Pads

Say goodbye to standard steel wool pads that leave rust spots. Replace that steel wool with stainless steel wool pads. They are available in Fine and Medium grade. Now you can carry one stainless steel pad that covers your customer's maintenance needs at an economical price. Packed 3 pads per package.

MODEL	DESCRIPTION	CASE PACK
35015	Stainless Steel Wool Pads - 3 per pack Fine Grade	24 pks
35020	Stainless Steel Wool Pads - 3 per pack Medium Grade	24 pks

**Stainless Steel Pads
That will not rust!**



Bronze Wool Pads

MODEL	DESCRIPTION	CASE PACK
35000	3 Pad Pack - FINE	24 pks
35005	3 Pad Pack - MEDIUM	24 pks
35010	3 Pad Pack - COURSE	24 pks



Stainless Steel Scrub Pad

MODEL	DESCRIPTION	CASE PACK
35050	Heavy Duty Stainless Steel Pad 1 Pad Per Poly Bag	72 pks



Paint Accessories

Plastic Tray Liners

MODEL	DESCRIPTION	CASE PACK
30062	Solvent Resistant Plastic Tray Liners, 11"	144 ea.



Metal Paint Tray

MODEL	DESCRIPTION	CASE PACK
30065	9" Metal paint tray 30062 tray liner fits this tray	24 Pcs



100 Single Edge Razor Blades

The commercial plastic carton of 100 single edge razor blades provides the economy of scale to make these blades a serious value. The non rusting plastic carton is the perfect storage unit for these blades. All blades have a safety wrap around the blade edge. Order model 30048.

MODEL	DESCRIPTION	CASE PACK
30048	1 plastic carton of 100 blades	10 each cartons of 100 blades.




Single Edge Razor Blades

MODEL	DESCRIPTION	CASE PACK
30044	40 5 Blade Packs, No Display Jar. Each blade is individually wrapped.	40 5 Blade Packs

Tack Cloth Medium/Light

MODEL	DESCRIPTION	CASE PACK
31040	High Quality Medical Grade Tack Cloth Medium/Light Tack 18" x 36"	144 Pcs



Mini Brushes with Wood Handles

Mini brushes with wood handles are the perfect solution to those hard to reach areas that require a polished finish or smooth out a rough area. They come in Stainless and Brass. The wood handle is durable and can be used in welding applications. Similar brushes with plastic handles don't fare well in the welding environment.

MODEL	DESCRIPTION	CASE PACK
30071	Mini Brush Stainless	24 Pcs
30072	Mini Brush Brass	24 Pcs



Paint Accessories

Mesh Strainer Bags

New elastic top strainer bags, fashioned from quality mesh. Available in bulk pack for one (1) and five (5) gallon pails.

MODEL	DESCRIPTION	CASE PACK
30051	1 Gal. Mesh Strainer Bag	50 ea.
30052	5 Gal. Mesh Strainer Bag	25 ea.



Cone Strainers

MODEL	DESCRIPTION	CASE PACK
35054	Cone Strainer Medium mesh Heavy Duty Paper and Solvent Resistant Adhesive, with UPC bar code. MEDIUM MESH	4 Sleeves of 250 Cone Strainers Medium Mesh
35056	Cone Strainer Fine mesh Heavy Duty Paper and Solvent Resistant Adhesive, with UPC bar code. FINE MESH	4 Sleeves of 250 Cone Strainers Fine Mesh
35058	Cone Strainer XFine mesh Heavy Duty Paper and Solvent Resistant Adhesive, with UPC bar code. XFINE MESH	4 Sleeves of 250 Cone Strainers XFine Mesh



Gasket Sheeting

Red Rubber Sheeting (Gasket) Red Epdm Sheeting - Silicone Free

MODEL	DESCRIPTION	CASE PACK
22000	1/16" x 3' x 25' Sheeting	1 roll
22005	1/8" x 3' x 12.5' Sheeting	1 roll

EPDM Red Rubber Sheeting

This quality EPDM red rubber sheeting is silicone free and very durable. It is an ideal material for water tank sealing and related vessels. Easy to cut and shape. Rolls are 1/16" and 1/8" thick. Roll width is three feet. 1/16" Roll is 25 feet long and 1/8" roll is 12.5 Feet long.



Stainless Steel Putty Knives & Tools with *Sure Grip* Cushion Handles

Putty Knives

High quality stainless steel blades with *Sure Grip* cushion handle. Each piece has UPC bar code and description.

MODEL	DESCRIPTION	CASE PACK
32001	Stainless 1" Putty Knife - Stiff	6 ea.
32002	Stainless 1" Putty Knife - Flex	6 ea.
32003	Stainless 1½" Putty Knife - Stiff	6 ea.
32004	Stainless 1½" Putty Knife - Flex	6 ea.
32005	Stainless 2" Putty Knife - Stiff	6 ea.
32006	Stainless 2" Putty Knife - Flex	6 ea.
32010	Stainless 2½" Putty Knife - Flex	6 ea.
32014	Stainless 3" Putty Knife - Flex	6 ea.
32018	Stainless 4" Putty Knife - Flex	6 ea.
32020	Stainless 5" Putty Knife - Flex	6 ea.
32022	Stainless 6" Putty Knife - Flex	6 ea.



Painter Tool Cutters & Scrapers

MODEL	DESCRIPTION	CASE PACK
32040	3" Angle Blade Scraper	12 ea.
32060	Window Scraper Poly Carbon case-single edge blade	24 ea.
32065	4 place steel utility knife	24 ea.
32050	Bulk 100 blade utility knife blades	12 ea.
32070	5 pack utility knife blades	24 ea.
32075	3½" Stainless steel 5 in 1 ProPainter tool with cushion handle	12 ea.



208 762-7550

Muffler/Manifold Wrap

Hotshield Minis 25' Rolls MOT 750F – 900F

E-Glass Fiberglass Thermal Tape

MODEL	DESCRIPTION	PACK
20015	1/8" x 2" x 25' Temp Limit 750F	6 Rolls
20017	1/16" x 3" x 25' Temp Limit 750F	6 Rolls
20020	1/16" x 4" x 25' Temp Limit 750F	6 Rolls
20022	1/8" x 4" x 25' Temp Limit 750F	6 Rolls
20026*FB	1/16" x 3" x 25' Foil Back - Temp Limit 900F	6 Rolls
20028	1/8" x 3" x 25' Temp Limit 750F	6 Rolls
20029*FB	1/8" x 3" x 25' Foil Back - Temp Limit 900F	6 Rolls



20015 – 20029FB
20001 – 20010FB



25002 – 25016

Hotshield Colored Minis 25' Rolls MOT 750F NEW

E-Glass Fiberglass Thermal Tape

MODEL	DESCRIPTION	PACK
25002	1/8" x 2" x 25' Black Temp Limit 750F	6 Rolls
25004	1/8" x 3" x 25' Black Temp Limit 750F	6 Rolls
25006	1/8" x 4" x 25' Black Temp Limit 750F	6 Rolls
25012	1/8" x 2" x 25' Blue Temp Limit 750F	6 Rolls
25014	1/8" x 3" x 25' Blue Temp Limit 750F	6 Rolls
25016	1/8" x 4" x 25' Blue Temp Limit 750F	6 Rolls

Hotshield Commercial 100' Rolls MOT 750F – 900F

E-Glass Fiberglass Thermal Tape

MODEL	DESCRIPTION	PACK
20001	1/8" x 2" x 100' Temp Limit 750F	6 Rolls
20002	1/16" x 3" x 100' Temp Limit 750F	6 Rolls
20003	1/8" x 3" x 100' Temp Limit 750F	6 Rolls
20004	1/16" x 4" x 100' Temp Limit 750F	4 Rolls
20005	1/8" x 4" x 100' Temp Limit 750F	4 Rolls
20006	1/16" x 6" x 100' Temp Limit 750F	4 Rolls
20007	1/8" x 6" x 100' Temp Limit 750F	4 Rolls
20009*FB	1/8" x 2" x 100' Foil Back -Temp Limit 900F	6 Rolls
20010*FB	1/16" x 3" x 100' Foil Back - Temp Limit 900F	6 Rolls

Vermiculite Coated MOT 1200F

E-Glass Fiberglass Thermal Tape

Vermiculite coated e-glass is an economical solution to high thermal control problems. This quality e-glass fiberglass tape is impregnated with vermiculite minerals. The vermiculite minerals impregnated in the e-glass expand when heated creating a heat barrier or heat shield that protects against excessive heat. MOT 1200F.



MODEL	DESCRIPTION	PACK
25060	1/16" x 2" x 25' Vermiculite Coated Temp Limit 1200F	6 Rolls
25062	1/16" x 3" x 25' Vermiculite Coated Temp Limit 1200F	6 Rolls
25064	1/16" x 4" x 25' Vermiculite Coated Temp Limit 1200F	6 Rolls

Muffler/Manifold Wrap

Hotshield Self Adhesive 25' Rolls MOT 750F NEW E-Glass Fiberglass Thermal Tape

Installing thermal control tape just took a giant leap with the new self adhesive e-glass Now offered by Western Pacific Trading. Simply Layout your tape, peel off the protective backing and apply. The fiberglass tape has an MOT of 750F, However the adhesive is rated at 250F, so it will be necessary to secure the ends of the tape. We suggest a stainless steel cable tie. A slight odor may be present during the break in period, this is normal.

MODEL	DESCRIPTION	PACK
25030	1/8" x 1" x 25' SA Temp Limit 750F	6 Rolls
25032	1/8" x 2" x 25' SA Temp Limit 750F	6 Rolls
25034	1/8" x 3" x 25' SA Temp Limit 750F	6 Rolls



Detail

Colored Hotshield Self Adhesive Tape 25' Rolls MOT 750F NEW E-Glass Fiberglass Thermal Tape

Western Pacific Trading now brings the convenience of self adhesive e-glass fiberglass tape in decorative colors. This self adhesive colored e-glass produces the ultimate professional look, while providing the thermal protection you need.

MODEL	DESCRIPTION	PACK
25040	1/8" x 2" x 25' Self Adhesive Black	6 Rolls
25042	1/8" x 3" x 25' Self Adhesive Black	6 Rolls
25044	1/8" x 4" x 25' Self Adhesive Black	6 Rolls



Detail

Basalt Thermal Wrap 25' Rolls

MAXIMUM OPERATING TEMP	SUSTAINED OPERATING TEMP
850C 5 MINUTE / 1500F 5 MINUTES	700C /1300F

Basalt thermal wrap is a unique product that started out as a lava rock compound that has been converted to fiber capable of sustaining temperatures of 1500F. Reliable protection at an affordable cost.

MODEL	DESCRIPTION	PACK
26002	1/8" X 2" X 25' MOT 1500F	6 Rolls
26004	1/8" X 3" X 25' MOT 1500F	6 Rolls
26006	1/8" X 4" X 25' MOT 1500F	6 Rolls



Ceramic Thermal Wrap 25' Rolls

MAXIMUM OPERATING TEMP	SUSTAINED OPERATING TEMP
1200C 5 MINUTES / 2300F 5 MINUTES	1000C/1850F

Ceramic thermal wrap is a quality level of protection in a static environment. This wrap is not appropriate for operations that involve potential friction or abrasive action.

MODEL	DESCRIPTION	PACK
26010	1/8" X 2" X 25' MOT 2300F	6 Rolls
26012	1/8" X 3" X 25' MOT 2300F	6 Rolls
26014	1/8" X 4" X 25' MOT 2300F	6 Rolls



CERAMIC FIBERS INGESTED HAVE BEEN KNOWN TO CAUSE VARIOUS CANCERS IN HUMANS. THIS PRODUCT CONTAINS THOSE TYPES OF CERAMIC FIBERS. NOT AVAILABLE OR SOLD IN CALIFORNIA



High Silica Thermal Wrap 25' Rolls MOT 2000F

High silica wrap is based on a high content of SiO₂. This substance is instrumental in the wrap's ability to withstand high temperature on an ongoing basis. High silica can maintain 2000f on an ongoing basis with intermittent use at 3000F

MAXIMUM OPERATING TEMP.	SUSTAINED OPERATING TEMP.
1600C/2900F 5 MINUTES	1000C/1850F

Black Thunder Carbon Fiber Wrap 25' Rolls MOT 4000F

MODEL	DESCRIPTION	PACK
26020	1/8" X 2" X 25' MOT 2000F	4 rolls
26022	1/8" X 3" X 25' MOT 2000F	4 rolls
26024	1/8" X 4" X 25' MOT 2000F	4 rolls

When the job demands the ultimate in thermal protection demand black thunder carbon fiber wrap. Black Thunder is the ultimate thermal protection when it comes to serious thermal levels. Bring on the heat, Black Thunder is ready.

MAXIMUM OPERATING TEMP.	SUSTAINED OPERATING TEMP.
3500C/6300F 5 MINUTES IN INERT GAS ENVIRONMENT	2200C/4000F



MODEL	DESCRIPTION	PACK
26030	1/16" X 2" X 25' MOT 4000F	1 rolls
26032	1/16" X 3" X 25' MOT 4000F	1 rolls
26034	1/16" X 4" X 25' MOT 4000F	1 rolls

BLACK THUNDER CARBON FIBER WRAP .01" X 100' ROLLS



MODEL	DESCRIPTION	CASE PACK
26040	.01" X 2" X 100' MOT 6300F*	1 ROLLS
26042	.01" X 3" X 100' MOT 6300F*	1 ROLLS
26044	.01" X 4" X 100' MOT 6300F*	1 ROLLS

Black thunder lightweight carbon fiber Wrap is an excellent medium for repair and reinforcement of multi items. The overall strength and high temperature protection of this material makes it an ideal material for pipe repair, aerospace applications and numerous applications that require high tensile strength, chemical resistance and extreme temperature protection.

BLACK THUNDER CARBON FIBER WRAP .01" X 200' ROLLS

MODEL	DESCRIPTION	CASE PACK
26050	.01" X 2" X 200' MOT 6300F*	1 ROLL
26052	.01" X 3" X 200' MOT 6300F*	1 ROLL
26054	.01" X 4" X 200' MOT 6300F*	1 ROLL



*6300F MAXIMUM OPERATING TEMPERATURE FOR FIVE (5) MINUTES. SUSTAINED OPERATING TEMPERATURE IS 4500F

Sentinal Carbonized Matting

Sentinal carbonized matting is a unique thermal and sound barrier matting. Carbon Fibers are processed in such a way as to alter their physical personality. The change to these fibers gives them the unique ability to limit and alter thermal and sound levels in an enclosed environment. The finished matting is soft and pliable, making installation quick and easy. Simply measure the area to cover, cut to fit and install. Sentinal matting is available with peel and stick adhesive backing as well as non peel and stick backing. Western Pacific Trading Inc. Offers a commercial adhesive for the installation of the non peel and stick models. Sentinal adhesive is the economical solution to large area installations. Simply fit and cut, apply the adhesive and your done.

- Chemical resistant
- Easy to cut and install
- Available with peel and stick adhesive
- Numerous thicknesses and widths
- Used in fabrication of welding blankets
- Sound & thermal limiting features
- Used in manufacturing of fire resistant apparel

TEMPERATURE LIMITATIONS

-80C/800C -114F/1472F

CARBONIZED MATTING NON PEEL & STICK

MODEL	DESCRIPTION	CASE PK
28600	1/8" X 20" X 40" roll	1 ea
28602	1/8" X 40" X 40" roll	1 ea
28604	1/8" X 40" X 60" roll	1 ea
28606	1/8" X 40" X 120" roll	1 ea
28608	1/8" X 40" X 100' roll	1 ea
28620	1/4" X 20" X 40" roll	1 ea
28622	1/4" X 40" X 40" roll	1 ea
28624	1/4" X 40" X 60" roll	1 ea
28626	1/4" X 40" X 120" roll	1 ea
28628	1/4" X 40" X 100' roll	1 ea
28640	3/8" X 20" X 40" roll	1 ea
28642	3/8" X 40" X 40" roll	1 ea
28644	3/8" X 40" X 60" roll	1 ea
28646	3/8" X 40" X 120" roll	1 ea
28648	3/8" X 40" X 100' roll	1 ea

CARBONIZED MATTING PEEL & STICK ADHESIVE BACKING

MODEL	DESCRIPTION	CASE PK
28660	1/8" X 20" X 40" roll	1 ea
28662	1/8" X 40" X 40" roll	1 ea
28664	1/8" X 40" X 60" roll	1 ea
28666	1/8" X 40" X 120" roll	1 ea
28668	1/8" X 40" X 100' roll	1 ea
28670	1/4" X 20" X 40" roll	1 ea
28672	1/4" X 40" X 40" roll	1 ea
28674	1/4" X 40" X 60" roll	1 ea
28676	1/4" X 40" X 120" roll	1 ea
28678	1/4" X 40" X 100' roll	1 ea
28680	3/8" X 20" X 40" roll	1 ea
28682	3/8" X 40" X 40" roll	1 ea
28684	3/8" X 40" X 60" roll	1 ea
28686	3/8" X 40" X 120" roll	1 ea
28688	3/8" X 40" X 100' roll	1 ea



208 762-7550

Silicon Coated Fiber Glass Sleeves

Here is the perfect answer to protecting those vital lines that carry various fluids in your vehicle. Be it a high performance rig, a boat with tons of ponies or a two (2) wheel rocket, hot shield silicon sleeves are up to the challenge. Simple measure the length and diameter you need and cut that from the roll. Slit the sleeve and cover the necessary tubing. Apply the silicon tape to close the sleeve.



MAXIMUM OPERATING TEMP		SUSTAINED OPERATING TEMP	
800C 30 MINUTES		-75C TO 350C	
MODEL	DESCRIPTION	PACK	STOCK/SO
28100	¼" X 25' COLOR RED BRICK	6 ROLL	STOCK
28102	¼" X 25' COLOR ROYAL BLUE	6 ROLL	STOCK
28104	¼" X 25' COLOR MIDNIGHT BLACK	6 ROLL	STOCK
28110	5/16" X 25' COLOR RED BRICK	6 ROLL	SO
28112	5/16" X 25' COLOR ROYAL BLUE	6 ROLL	SO
28114	5/16" X 25' COLOR MIDNIGHT BLACK	6 ROLL	SO
28120	3/8" X 25' COLOR RED BRICK	6 ROLL	STOCK
28122	3/8" X 25' COLOR ROYAL BLUE	6 ROLL	STOCK
28124	3/8" X 25' COLOR MIDNIGHT BLACK	6 ROLL	STOCK
28130	7/16" X 25' COLOR RED BRICK	6 ROLL	SO
28132	7/16" X 25' COLOR ROYAL BLUE	6 ROLL	SO
28134	7/16" X 25' COLOR MIDNIGHT BLACK	6 ROLL	SO
28140	½" X 25' COLOR RED BRICK	6 ROLL	STOCK
28142	½" X 25' COLOR ROYAL BLUE	6 ROLL	STOCK
28144	½" X 25' COLOR MIDNIGHT BLACK	6 ROLL	STOCK
28150	5/8" X 25' COLOR ROYAL BLUE	6 ROLL	STOCK
28154	5/8" X 25' COLOR MIDNIGHT BLACK	6 ROLL	STOCK
28160	7/8" X 25' COLOR RED BRICK	6 ROLL	SO
28162	7/8" X 25' COLOR MIDNIGHT BLACK	6 ROLL	SO
28170	1" X 25' COLOR RED BRICK	6 ROLL	STOCK
28172	1" X 25' COLOR ROYAL BLUE	6 ROLL	STOCK
28174	1" X 25' COLOR MIDNIGHT BLACK	6 ROLL	STOCK
28180	1 1/8" X 25' COLOR RED BRICK	6 ROLL	SO
28182	1 1/8" X 25' COLOR ROYAL BLUE	6 ROLL	SO
28184	1 1/8" X 25' COLOR MIDNIGHT BLACK	6 ROLL	SO
28190	1 ¼" X 25' COLOR RED BRICK	6 ROLL	SO
28192	1 ¼" X 25' COLOR ROYAL BLUE	6 ROLL	SO
28200	1 ¼" X 25' COLOR MIDNIGHT BLACK	6 ROLL	SO

Silicon Coated Fiber Glass Sleeves



**MAXIMUM
OPERATING TEMP
800C 30 MINUTES**

**SUSTAINED OPERATING TEMP
-75C TO 350C**

MODEL	DESCRIPTION	PACK	STOCK/SO
28202	1 1/2" X 25' COLOR RED BRICK	6 ROLL	STOCK
28204	1 1/2" X 25' COLOR ROYAL BLUE	6 ROLL	STOCK
28210	1 1/2" X 25' COLOR MIDNIGHT BLACK	6 ROLL	STOCK
28212	2" X 25' COLOR RED BRICK	6 ROLL	STOCK
28214	2" X 25' COLOR ROYAL BLUE	6 ROLL	STOCK
28220	2" X 25' COLOR MIDNIGHT BLACK	6 ROLL	STOCK
28222	2 3/4" X 25' COLOR RED BRICK	6 ROLL	SO
28230	2 3/4" X 25' COLOR MIDNIGHT BLACK	6 ROLL	SO
28232	3" X 25' COLOR RED BRICK	6 ROLL	STOCK
28234	3" X 25' COLOR ROYAL BLUE	6 ROLL	STOCK
28240	3" X 25' COLOR MIDNIGHT BLACK	6 ROLL	STOCK
28242	4" X 25' COLOR RED BRICK	6 ROLL	STOCK
28244	4" X 25' COLOR ROYAL BLUE	6 ROLL	STOCK
28246	4" X 25' COLOR MIDNIGHT BLACK	6 ROLL	STOCK
MODEL	DESCRIPTION	CASE PK	
28300	1/50" x 1" x 10' ROLL SILICONE TAPE RED BRICK	6 ROLL	STOCK
28306	1/50" x 1" x 10' ROLL SILICONE TAPE ROYAL BLUE	6 ROLL	STOCK
28312	1/50" x 1" x 10' ROLL SILICONE TAPE BLACK	6 ROLL	STOCK

Stainless Steel Locking Wire

ONE (1) POUND CANISTER.

The new one (1) pound plastic canisters are a convenient way to always maintain an adequate supply of stainless locking wire. .020, .032 and .041 are all available in the new plastic feeder canister. The new plastic canister eliminate rusting and damage to the contents.

.020 Canister has 920 ft.
.032 Canister has 340 ft.
.041 Canister has 225 ft.



STAINLESS LOCKING WIRE 302-304

MODEL	DESCRIPTION	PACK
30087	1 lb plastic canister .032, 340 ft	6 EA
30088	1 lb plastic canister .041, 225 ft	6 EA
30089	1 lb plastic canister .020, 920 ft	6 EA

Sold in case packs only

Stainless Steel Locking Wire

10' COILS IN RETAIL PACKAGE.

This stainless steel locking wire is available in ten (10) foot coils and packaged in an EZ sell retail packages. Three (3) sizes are available, .020, .032 and .041.



STAINLESS LOCKING WIRE 302-304

MODEL	DESCRIPTION	PACK
30084	10' Coil locking wire-.020	12 EA
30085	10' Coil locking wire-.032	12 EA
30086	10' Coil locking wire-.041	12 EA

Stainless Steel Cable Ties 304 Stainless Hang Package 12 Ties



These quality stainless steel cable ties are the perfect solution to securing manifold/muffler thermal control tape in place. They are not only strong and durable but also present a professional appearance to the completed Job. They are quality 304 stainless steel with tensil strength of 250 lb. they are the answer to other bundle needs that exceed vinyl capabilities. Available in retail hang bag of 12 cable ties or the commercial bulk pack of 50 ties.

MODEL	DESCRIPTION	PACK
30404	SS Cable Tie .30" x 8" (12 ties per pack) TS 250 lbs	12 Packs
30408	SS Cable Tie .30" x 14" (12 ties per pack) TS 250 lbs	12 Packs
30412	SS Cable Tie .30" x 20" (12 ties per pack) TS 250 lbs	12 Packs
30416	SS Cable Tie .30" x 26" (12 ties per pack) TS 250 lbs	12 Packs

Stainless Steel Cable Ties 304 Stainless Commercial Bulk Pack 50 Ties



MODEL	DESCRIPTION	PACK
30420	SS Cable Tie .30" x 8" (50 ties per pack) TS 250 lbs	1 Pack
30422	SS Cable Tie .30" x 14" (50 ties per pack) TS 250 lbs	1 Pack
30424	SS Cable Tie .30" x 20" (50 ties per pack) TS 250 lbs	1 Pack
30426	SS Cable Tie .30" x 26" (50 ties per pack) TS 250 lbs	1 Pack



Stainless Steel & Wire Shuttle

Stainless Steel Wire Shuttle

The model 33000 wire shuttle is a handy way to complete minor repairs on the boat, crab traps or rigging. The sturdy shuttle frame is made out of 304/306 stainless steel. It holds a full pound of .041 stainless steel wire (225 feet). The wire is soft enough to work with, yet offers secure repairs.



MODEL	DESCRIPTION	CASE PACK
33000	Stainless Steel Wire Shuttle .041 Wire	12 each

Packing Extractor Tools

NEW PACKING EXTRACTOR TOOLS

Western Pacific Trading offers four (4) page 22 Packing extractor tools. All tools are manufactured with quality steel. Each shaft is flexible spiral wound steel to provide maximum flexibility in the removal of old packing. The hook tips are heat treated for maximum strength. Should a tip break, we offer replacement screw on tips. Each tool has a retail hang card with UPC bar code.



NEW REPLACEMENT TIPS

MODEL	DESCRIPTION	PACK
10164	Replacement tip for 10159	6 pcs
10165	Replacement tip for 10160	6 pcs
10166	Replacement tip for 10161	6 pcs
10167	Replacement tip for 10162	6 pcs

PACKING EXTRACTOR TOOLS

MODEL	DESCRIPTION	PACK
10159	Model 0 Shaft-Length 9". Hook Size 1/4".	12 pcs
10160	Model 0 Shaft-Length 13". Hook Size 5/16".	12 pcs
10161	Model 0 Shaft-Length 9". Hook Size 7/16".	12 pcs
10162	Model 0 Shaft-Length 9". Hook Size 1/2".	12 pcs

Shaft Packing Retail Package

GRAPHTEX ULTRA – GTU

MODEL	SIZE	CASE PACK
10240	1/8"	6 ea
10241	3/16"	6 ea
10242	1/4"	6 ea
10243	5/16"	6 ea
10244	3/8"	6 ea
10245	7/16"	6 ea
10246	1/2"	6 ea
10247	5/8"	6 ea

TEFPACK SYNTHETIC

MODEL	SIZE	CASE PACK
10030	1/8"	6 ea
10031	3/16"	6 ea
10032	1/4"	6 ea
10033	5/16"	6 ea
10034	3/8"	6 ea
10035	7/16"	6 ea
10036	1/2"	6 ea
10037	5/8"	6 ea

TEFLON PTFE FLAX

MODEL	SIZE	CASE PACK
10015	1/8"	6 ea
10016	3/16"	6 ea
10017	1/4"	6 ea
10018	5/16"	6 ea
10019	3/8"	6 ea
10020	7/16"	6 ea
10021	1/2"	6 ea
10022	5/8"	6 ea

FLAX PACKING

MODEL	SIZE	CASE PACK
10001	1/8"	12 ea
10002	3/16"	12 ea
10003	1/4"	12 ea
10004	5/16"	12 ea
10005	3/8"	12 ea
10006	7/16"	12 ea
10007	1/2"	12 ea
10008	5/8"	12 ea

EZ SELL RETAIL PACKAGES

Graphtex Ultra (GTU) shaft packing is future technology that is available now. GTU packing is a unique blend of graphite fibers that have been impregnated with PTFE. This combination of fibers produces a packing that is THERMAL CONDUCTIVE, strong and very durable. The THERMAL CONDUCTIVE feature dissipates heat away from the stuffing box allowing it to run cooler and more efficient.



Sold in case packs only
Enough shaft packing to re-pack (1) standard shaft.

Tefpack shaft packing is constructed from strong synthetic yarn that is impregnated with TEFLON (PTFE). This blend delivers a packing that is not only very strong and durable, but is not subject to the mildew/rot cycle found in natural fibers.



Sold in case packs only
Enough shaft packing to re-pack (1) standard shaft.

PTFE Flax packing is braided from quality flax rovings which are then impregnated with TEFLON (PTFE). The result is a quality packing that offers high performance and extended packing life.



Sold in case packs only
Enough shaft packing to re-pack (1) standard shaft.

This flax packing is braided to specific tolerances out of quality rovings that are impregnated with natural lubricants. This traditional packing is reliability at affordable pricing.



Sold in case packs only
Enough shaft packing to re-pack (1) standard shaft.

Bulk GTU Shaft Packing

GTU-GRAPHTEX ULTRA

NEW LOW COST COMMERCIAL PACKING

This quality packing represents the ultimate leader when it comes to utility and longevity. The combination of PTFE and graphite produce a packing that is total bulletproof. You can Pay more for the national brand if you wish or you can take a ride on the GTU express and pocket the savings.

GTU-GRAPHTEX ULTRA 1 POUND SPOOLS

TEMPERATURE LIMITATIONS	
-150C/280C	-238F/536F

MODEL	DESCRIPTION	YIELD
10250	1lb GTU 1/8"	118'
10251	1lb GTU 3/16"	42.5'
10252	1lb GTU 1/4"	29.5'
10253	1lb GTU 5/16"	16.6'
10254	1lb GTU 3/8"	10.6'
10255	1lb GTU 7/16"	8.8'
10256	1lb GTU 1/2"	7.4'
10257	1lb GTU 5/8"	4.3'



GTU-GRAPHTEX ULTRA FIVE POUND SPOOLS



MODEL	DESCRIPTION	YIELD
10260	5lb GTU 5/16"	83.1'
10261	5lb GTU 3/8"	53.2
10262	5lb GTU 7/16"	43.9'
10263	5lb GTU 1/2"	36.9'
10264	5lb GTU 5/8"	21.5'
10265	5lb GTU 3/4"	12.8'



GTU-GRAPHTEX ULTRA TEN POUND SPOOLS

MODEL	DESCRIPTION	YIELD
10270	10lb GTU 7/16"	87.9'
10271	10lb GTU 1/2"	73.9'
10272	10lb GTU 5/8"	43.1'
10273	10lb GTU 3/4"	27.6'
10274	10lb GTU 7/8"	22.8'
10275	10lb GTU 1"	17.6'
10276	10lb GTU 1 1/8"	14.1'
10277	10lb GTU 1 1/4"	10.8'



Shaft Packing

BULK SHAFT PACKING (SPOOLS):

PTFE FLAX PACKING


This PTFE flax packing is a combination of a quality braided flax that is impregnated with PTFE. The result is a strong, durable shaft packing available at an economic price point.

TEMPERATURE LIMITATIONS

-70C/150C -94F/266F

PTFE FLAX 1lb SPOOLS


MODEL	DESCRIPTION	YIELD
10100	1lb PTFE Flax 1/8"	122.6'
10101	1lb PTFE Flax 3/16"	44.1'
10102	1lb PTFE Flax 1/4"	30.6'
10103	1lb PTFE Flax 5/16"	17.2'
10104	1lb PTFE Flax 3/8"	11'
10105	1lb PTFE Flax 7/16"	9.1'
10106	1lb PTFE Flax 1/2"	7.7'
10107	1lb PTFE Flax 5/8"	4.5'



PTFE FLAX 5lb SPOOLS NEW



MODEL	DESCRIPTION	YIELD
10110	5 LB PTFE Flax 5/16"	86.2'
10111	5 LB PTFE Flax 3/8"	55.1'
10112	5 LB PTFE Flax 7/16"	45.6'
10113	5 LB PTFE Flax 1/2"	38.3'
10114	5 LB PTFE Flax 5/8"	22.4'
10115	5 LB PTFE Flax 3/4"	13.2'



PTFE FLAX 10lb SPOOLS

MODEL	DESCRIPTION	PACK
10315	10lb PTFE Flax 1/2"	73.9'
10316	10lb PTFE Flax 5/8"	43.1'
10317	10lb PTFE Flax 3/4"	27.6'
10318	10lb PTFE Flax 7/8"	22.8'
10319	10lb PTFE Flax 1"	17.6'
10320	10lb PTFE Flax 1 1/8"	14.1'
10321	10lb PTFE Flax 1 1/4"	10.8'
10322	10lb PTFE Flax 1 1/2"	7.6'



Shaft Packing

This flax packing is braided from quality rovings that provide a tight packing with square shoulders to provide a good fit thus insuring a quality seal in the stuffing box. Natural lubricants are impregnated in this packing to provide lubrication. Not recommended for high speed shafts or high temperature stuffing boxes

TEMPERATURE LIMITATIONS

-50C/130C -58F/266F


FLAX PACKING One Pound Spools

MODEL	SIZE	YIELD
10050	1lb Flax 1/8"	103.4'
10051	1lb Flax 3/16"	37.2'
10052	1lb Flax 1/4"	25.9'
10053	1lb Flax 5/16"	14.5'
10054	1lb Flax 3/8"	9.3'
10055	1lb Flax 7/16"	7.7'
10056	1lb Flax 1/2"	6.5'
10057	1lb Flax 5/8"	3.6'
10058	1lb Flax 3/4"	2.3'



FLAX PACKING Five Pound Spools

MODEL	SIZE	YIELD
10070	5lb Flax 1/4"	129.3'
10071	5lb Flax 5/16"	72.7'
10072	5lb Flax 3/8"	46.5'
10073	5lb Flax 7/16"	38.5'
10074	5lb Flax 1/2"	32.3'
10075	5lb Flax 5/8"	18.2'
10076	5lb Flax 3/4"	11.6'



FLAX PACKING Ten Pound Spools

MODEL	SIZE	YIELD
10080	10lb Flax 3/8"	93'
10081	10lb Flax 7/16"	77'
10082	10lb Flax 1/2"	64.6'
10083	10lb Flax 5/8"	36.4'
10084	10lb Flax 3/4"	23.2'
10085	10lb Flax 7/8"	19.2'
10086	10lb Flax 1"	14.9'
10087	10lb Flax 1 1/8"	11.9'
10088	10lb Flax 1 1/4"	9.1'
10089	10lb Flax 1 1/2"	6.4'
10090	9/16"	47.5'



Specialty Shaft Packings



DRIPLESS Moldable Packing Kits

MODEL	DESCRIPTION	PACK
10146	Starter Kit-will pack up to 1 1/2" shaft	6 EA
10147	Medium Kit-will pack up to a 3" shaft	6 EA

This DRIP LESS kit requires two (2) rings of standard shaft packing to act as a retainer for the DRIP LESS MOLDABLE packing. This standard shaft packing is not included in the kit.

Drip Less Moldable Packing Kits

Drip Less moldable packing kits are the economical answer to leaking stuffing boxes as well as leaking rudder stuffing boxes. The Drip Less moldable kit is a combination of TEFLON (PTFE) moldable packing and TEFLON (PTFE) paste. This combination of materials forms a perfect self lubricating seal within the stuffing box keeping water out. Standard shaft packing is used as a retainer to hold the moldable packing in place in the stuffing box and is not included in the kit. Some high speed shafts may exceed the performance limits of the Drip Less kits, so it is important to compute the performance formula shown, to be sure the kit will perform for each specific application.



Sold in case packs only

SYNTEF Shaft Packing Lubricant

MODEL	DESCRIPTION	PACK
10150	Syntef Shaft Packing Lubricant	12 EA

Syntef Shaft Packing Lubricant

The new Syntef shaft packing lubricant is now available in a new plastic squeeze tube for easy application. Remember all Western Pacific Trading shaft packing packages emphasize the use of syntef shaft packing lubricant on all new installations. Make sure your getting your share of this easy secondary sale of Syntef.

DRIP LESS KIT FORMULA

Shaft size x 3 x maximum shaft rotation speed (not engine, but shaft rotation) divided by twelve (12). If the answer is less then 900 the boat is within the kit's performance limits. If more then 900 the boat is not within the kits limits and should not be used. **DRIP LESS® IS A REGISTERED TRADEMARK OF WESTERN PACIFIC TRADING, INC.**



BULK MOLDABLE Dripless Packing Coils

MODEL	DESCRIPTION	PACK
10185	33' x 3/4" Bulk Coil Perfect for boatyard installations.	1 EA

Specialty Packing

TEFFPACK One Pound Spools

Tefpack packing is braided with a synthetic yarn that is very strong and durable. This strong braid is then impregnated with TEFLON (PTFE) and Graphite to produce a high quality packing that will out perform other natural fiber packings. The synthetic yarn is not subject to the mildew rot cycle found in most natural fiber packings. Longer packing life, better performance.

MODEL	SIZE	CASE PACK
10120	1/8"	94.5 ft
10121	3/16"	34 ft
10122	1/4"	23.6 ft
10123	5/16"	13.3 ft
10124	3/8"	8.5 ft
10125	7/16"	7 ft
10126	1/2"	5.9 ft
10127	5/8"	3.4 ft

TEMPERATURE LIMITATIONS

-150C/280C -258F/536F



FDA Approved Pure PTFE 1lb

MODEL	DESC	YIELD
10430	1lb Pure PTFE 1/8"	118.2'
10431	1lb Pure PTFE 3/16"	42.5'
10432	1lb Pure PTFE 1/4"	29.5'
10433	1lb Pure PTFE 5/16"	16.6'
10434	1lb Pure PTFE 3/8"	10.6'
10435	1lb Pure PTFE 7/16"	8.8'
10436	1lb Pure PTFE 1/2"	7.4'
10437	1lb Pure PTFE 5/8"	4.3'

TEMPERATURE LIMITATIONS

-150C/260C -238F/500F



FDA Approved Pure PTFE 5lb

MODEL	DESC	YIELD
10440	5lb Pure PTFE 5/16"	83'
10441	5lb Pure PTFE 3/8"	53'
10442	5lb Pure PTFE 7/16"	44'
10443	5lb Pure PTFE 1/2"	37'
10444	5lb Pure PTFE 5/8"	21.5'
10445	5lb Pure PTFE 3/4"	14'

FDA Approved Pure PTFE

- FDA Approved For Water Treatment/ Food Processing
- Resistant to Most Chemicals*
- No Pollution or Contamination to Medium
- Excellent Sealing for High Speed Shafts
- Quality Sealing of High Linear Velocity Valve/Pump

*PTFE packing is not resistant to molten alkali metals

Specialty Packing PTFE Joint Sealant

This PTFE joint sealant has outstanding hydro-sealing ability. It is resistant to most chemicals and a wide range of temperature and pressures; from full vacuum to medium level. It has a wide range of applications that include aero, marine, refinery, petrochemical, power generation, pharmaceuticals and foods. This product is well established for all type of general sealing.

PTFE Expanded Joint Sealant Tape

MODEL	DESC	SIZE
10500	Expanded PTFE tape	1/8" x 1/16" x 100'
10502	Expanded PTFE tape	3/16" x 1/12" x 65'
10504	Expanded PTFE tape	5/15" x 1/10" x 50'
10506	Expanded PTFE tape	3/8" x 1/8" x 25'
10508	Expanded PTFE tape	1/2" x 3/16" x 15'
10510	Expanded PTFE tape	5/8" x 1/4" x 15'
10512	Expanded PTFE tape	3/4" x 1/4" x 15'
10514	Expanded PTFE tape	1" x 1/4" x 15'

PTFE Circular Joint Sealant Tape

MODEL	DESC	SIZE
10520	Circular 1/8" 5 lb	1/8" x 1317'
10522	Circular 1/8" 10 lb	1/8" x 2634'
10524	Circular 3/16" 5 lb	3/16" x 474'
10526	Circular 3/16" 10 lb	3/16" x 948'
10528	Circular 5/16" 5 lb	5/16" x 185'
10530	Circular 5/16" 10 lb	5/16" x 370'
10532	Circular 3/8" 5 lb	3/8" x 118'
10534	Circular 3/8" 10 lb	3/8" x 236'
10536	Circular 1/2" 5 lb	1/2" x 82'
10538	Circular 1/2" 10 lb	1/2" x 164'
10540	Circular 5/8" 5 lb	5/8" x 46'
10542	Circular 5/8" 10 lb	5/8" x 92'
10544	Circular 3/4" 5 lb	3/4" x 29'
10546	Circular 3/4" 10 lb	3/4" x 58'
10548	Circular 1" 5 lb	1" x 19'
10550	Circular 1" 10 lb	1" x 38'



2000/2001 Expand PTFE Tape/Bar

Unitex Style 2000/2001 is made from 100% pure PTFE. It has outstanding hydro-sealing ability. It is resistant to most chemicals at a wide range of temperature and pressures from full vacuum to medium level. It is widely applied for aero, marine, refinery, petrochemical, metallurgy, power generation, paper, pharmaceutical, foods, machine industries. Suitable for all type of general sealing.

ITEMS	UNIT	PROPERTY VALUE
Density	g/cm ³	43 - 53
Tensile Strength	psi	≥1160
Hardness	HA	30 - 70
Creep Relaxation	%	≤40
Applicable Temperature	°F	≤550
Applicable Pressure	psi	gas 232
		Liquid 928
PH RANGE	psi	0 - 14