

INDUSTRIAL TOOLS

WILLIAMS A SNAP-ON BRAND



QUICK REFERENCE



MASTER SETS

TOOL STORAGE

WRENCHES

SOCKETS & DRIVE TOOLS

SCREWDRIVERS

PLIERS, CLAMPS & PIPE TOOLS

HAMMERS, PUNCHES, CHISELS & PRYBARS

TOOLS FOR THE TRADES





TACKLE INCREASINGLY COMPLEX MAINTENANCE TASKS
WITH OUR MASTER TOOL SETS

• A FULL COMPLEMENT OF WRENCHES • SELECTION OF KEY HAND TOOLS • TOOL STORAGE INCLUDED

WHATEVER THE INDUSTRY, OUR MASTER TOOL SETS WILL HELP YOU KEEP YOUR EQUIPMENT AND ASSETS WORKING. GET YOUR WORK DONE FASTER, EASIER AND SAFER.



DEPENDING ON YOUR APPLICATION, SETS IN VARIOUS FORMATS AND SIZES AVAILABLE TO MEET YOUR SPECIFIC NEEDS COMPLETE MONSTER SET WITH TOOL BOXES - WSMSC-595TB MONSTER TOOL SET ONLY - WSMSC-595

WE CONTINUE TO INNOVATE TO DELIVER SAFETY AND PRODUCTIVITY TO OUR CUSTOMERS

2	V 8		40						
Master Sets with Tools Only Product Code	WSC-1390	WSC-1390MM	WSC-1390SAE	WSC-960	WSC-960MM	WSC-960SAE	WSC-680	WSC-680MM	
Description	Mammoth Tool Set Only	Mammoth Tool Set with Metric Wrenches and sockets Only	Mammoth tool Set with Fractional Wrenches and Sockets Only	Mega tool set Only	Mega Tool Set with Metric Wrenches and Sockets Only	Mega Tool Set with Fractional Wrenches and Socket Sets	Maxxum Tool Set Only	Maxxum Tool Set with Metric Wrenches and Sockets Only	
# of Pieces	1384	811	991	956	557	804	677	410	
Master Sets with Tool Box	WSC-1390TB			WSC-960TB			WSC-680TB		
Product Code									
	W40TC4			W55TC10	-		W55TC10		_
	W40RC7			W55RC11			W55RC11		
Tool Boxes for Master Sets	W55TC10			50721	-		50721		
	W55RC11			50855					
	50721				-				_
	50855								
SAE/METRIC	Both	Matria	SAE	Dails	Matria	SAE	Dath	Metric	
		Metric	-	Both	Metric	-	Both		
Chisels & Punches	27	27	27	27	27	27	27	27	
Clamps	2	2	2	2	2	2	2	2	
Electric Crimping Pliers	5	5	5	3	3	3	3	3	
Electrical Specialty Tools	-								
Extractors									
Feeler Gauge	-				,				
Files	12	12	12	12	12	12	11	11	
Gear Pullers	41	41	41	25	25	25			
Hacksaw									
Hammers	16	16	16	16	16	16	15	15	
Hand Sockets	417	198	219	281	85	196	192	57	
Hex keys	85	85	85	59	69	69	51	51	
Holesaw Sets	17	17	17						
Impact Drive Tools	24	24	24	9	9	9	12	12	
Impact Sockets	187	78	109	135	36	99	87	29	
Knives	2	2	2	3	3	3	2	2	
Miscellaneous Tools	23	23	23	24	24	24	23	23	
Nutdrivers									
Pick up Tool/Mirror									
Pipe Specialty Tools									
Pipe Wrenches									
Pliers	63	63	63	67	67	67	45	45	
Pliers- Electrical									
Pliers - Insulated									
Pry Bars	6	6	6	4	4	4	6	6	
Ratchets, Drive Tools, and Accessories	58	58	58	58	58	58	46	46	
Saws and Saw Blades	36	36	36	26	26	26	13	13	
Scrapers	7	7	7	6	6	6	2	2	
Screwdrivers	36	36	36	38	38	38	29	29	
Screwdrivers - Insulated	-	5.0		5.0	30				
Snips	5	5	5	3	3	3	3	3	
Tape Measure	•						•		
T- Handles							Dr		
Tools@Height ethers, Lanyards & Specialities									
Torque Wrenches	3	3	3	2	2	2	2	2	
Utility Tools									
Wrenches	312	117	195	156	53	103	106	39	
0	2/,								









WSC-680SAE	WSC-595	WSC-352	WSC-317	WSC-277	WMSC-344	WSC-281	WSC-238	WSC-231	WSC-173
Maxxum Tool set wih Fractional Wrenches and Sockets Only	Monster Tool Set	Master Maintenance Service Set	Intermediate Technician's Tool Set	Advanced Maintenance Service Set Tools Only	Petroleum Oilfield Service Set	Oilfield Tool Set	General Maintenance Set	Maintenance Tools Only	Intermediate Maintenance Service Tools Only
538	595	350	306	275	274	263	236	218	171
	WSC-595TB	WSC-352TB	WSC-317TB	WSC-277TB	WMSC-344TB	WSC-281TB	WSC-238TB	WSC-231TB	WSC-173TB
	W55TC10	W40TC4	W40RC7	W40TC4	W40RC7	W40TC4	W26RC7	50871	W26TC4
	W55RC11	W40RC7	W40TC4	W40RC7	W40TC4	W40RC7	1120107	50901	W26RC7
	Wooliett	Wildlie	1110101	William	William	Widner		50501	11201107
							H:		
SAE	Both	SAE	Both	SAE	Both	Both	Both	SAE	SAE
27	19	19	9	17	8	15	16	9	12
2		2				2		2	
3									
			9						
=======================================			1						
11		6	4	6				6	6
		•		-			1-1		
	2							1	
15	10	7	4	3	2	4	2	1	. 1
126	290	116	133	100	179	94	97	89	66
51	44		22			22	17		
12		4		2					
51		38		16					
2	1	_							
23	30	3		8		10		-	6
	19					7		7	
			-			3	-		
					1	, , , , , , , , , , , , , , , , , , ,	=		4
45	14	15	11	12	15	14	10	6	5
							=		
6	2				3	2			
46	20	28	28	24	15	22	18	27	16
13	20	8	20	8	10	22	10	21	1
2		1			1	1	14	2	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
29	21	18	8	18	8	8	21	21	15
							-		
3	3	4				2		3	
	1		1				9		5
2			2			2			
	i;		4		8	4	4	6	
67	119	81	74	61	32	55	55	44	43

Master Sets with Tools Only Product Code	WSC-172	WSC-167	WMSC-142	WSC-137	WSC-130	WSC-102	MSOS-102	WSC-95	
Description	Heavy Maintenance Service Tools Only	Electrical Maintenance Service Set Tools Only	Petroleum Oilfield Service Set	Industrial Plumbing & Pipefitting Tool Set	Maintenance Tools Only	Basic Macine Repair Set Tools Only	Oilfield Service Set	Basic Electric Repair Set	
# of Pieces	170	166	141	136	129	101	101	94	
Master Sets with Tool Box									
Product Code	WSC-172TB	WSC-167TB	WMSC-142TB	WSC-137TB	WSC-130TB	WSC-102TB	MSOS-102TB	WSC-95TB	
	W40RC7	W40RC7	W40RC7	W40RC7	50721	W26RC7	W26RC7	50721	
Tool Boxes for Master Sets									
TOOL DOXES TO IMaster Dets									
,									
<u>, </u>									
SAE/METRIC	SAE	SAE	Both	SAE	SAE	SAE	Both	SAE	
Chisels & Punches	17			12	1	7	8		
Clamps	2			1					
Electric Crimping Pliers							E.		
Electrical Specialty Tools		2							
Extractors					1				
Feeler Gauge	1					1			
Files	l '				1				
Gear Pullers									
Hacksaw	i i				1				
Hammers	6	3		3	2	4	1	1	
Hand Sockets	55	28	65		41	38	34	22	
Hex keys					13		13	17	
Holesaw Sets							14		
Impact Drive Tools							17	17	
Impact Sockets							10		
Knives							17		
Miscellaneous Tools		9		12					
Nutdrivers							11		
Pick up Tool/Mirror			2				18		
Pipe Specialty Tools				19			er .	17	
Pipe Wrenches				4					
Pliers	8	8	10	8	10	6	5	5	
Pliers- Electrical		12						4	
Pliers - Insulated		5					17	4	
Pry Bars							16		
Ratchets, Drive Tools, and)						11		
Accessories	17	7	11		21	5	9	7	
Saws and Saw Blades		32		32					
Scrapers									
Screwdrivers	10	14	12	9	21	5	8	13	
Screwdrivers - Insulated		11						10	
Snips									
Tape Measure									
T- Handles			10						
Tools@Height ethers, Lanyards & Specialities									
Torque Wrenches									
Utility Tools							4		
Wrenches	54	35	31	36	20	35	19	28	









					,			
WSC-88	WSC-80	WSC-41	MSC-225	MSC-118				
General Industrial Repair Set	General Service Set	Basic Service Set	Metric Maintenance Service Set	Metric Heavy Equipment Service Set	8			
87	79	40	224	117				-
	,							
WSC-88TB	WSC-80TB	WSC-41TB	MSC-225TB	MSC-118TB	*			
W26RC7	50721	50721	W40RC7	W40RC7				
		,						
				4.				
				100	8			
SAE	SAE	SAE	Metric	Metric				
	8	3	18	7			Λ	
1								
		ĺ						
1	1				1			
					,			
		7				0		1 2
	1	1	6	3				
34	24	1 14	120	42				
J T	27	17	120	72	,			1
				l-			***	1
					·			
				C.				-
		· ·			7			
				C.				
					,			
				(-		7		1
4	6	3	10	4	,			
4	0	3	10	4				1
					,		-	
				H				
7	16	5	8	12		7		
					2			
8	6	3	15	10	*	1		3
Ö	0	3	15	10				
								1
				-)			
			1					
20	47	44	40	20				
32	17	11	46	39				



WSC-1390TB









MASTER SETS MAMMOTH TOOL SET



Professional industrial cabinets W40RC7-W40TC4 are also included in WSC-1390TB



1,390 PIECE MAMMOTH TOOL SET

The largest tool set in the industry. Contains the following tools:

Product Category	Number of Pieces
Chisel and Punches	27
Clamps	2
Electrical Crimping Pliers	5
Files	12
Gear Pullers	41
Hammers	16
Hand Sockets	417
Hex Keys	85
Holesaw Set	17
Impact Drive Tools	24
Impact Sockets	187
Knives	2
Miscellaneous Tools	23
Pliers	63
Pry Bars	6
Ratchets, Drive Tools, and Accessories	58
Saws and Saw Blades	36
Scrapers	7
Screwdrivers	36
Snips	5
Tool Boxes	6 3
Torque Wrenches	3
Wrenches	312

Note: Complete set contents are listed in Appendix A Set Configurations Available

oot oomigarat	ions Avanabio
Product Code	Description
WSC-1390TB	Complete Mammoth Tool Set with Tool Boxes (1390 Pieces Total)
WSC-1390	Mammoth Tool Set Only (1384 Pieces)
WSC-1390SAE	Mammoth Tool Set with Fractional Wrenches and Sockets Only Tools Only - 991 Pieces (Not Pictured)
WSC-1390MM	Mammoth Tool Set with Metric Wrenches and Sockets Only Tools Only - 811 Pieces (Not Pictured)

Tool Boxes Included

W40TC4	40" Wide x 20" Deep 4-Drawer Top Chest
W40RC7	40" Wide x 20" Deep 7-Drawer Roll Cabinet
W55TC10	55" Wide x 20" Deep 10-Drawer Top Chest
W55RC11	55" Wide x 20" Deep 11-Drawer Roll Cabinet
50721	3-Drawer Service Cart with Lid
50855	37" 1 Shelf Heavy Duty Tall Side Cabinet

- It's better to have it and not need it than need it and not have it and with this tool set, you're almost certain to have what you need. This set contains the tools to handle almost any job your shop is likely to see, in both fractional and metric sizes. It includes a comprehensive assortment of sockets, ratchets, and accessories in 1/4", 3/8", 1/2", and 3/4" drive, for both hand and impact use. A full complement of wrenches in a number of styles helps you tackle increasingly complex maintenance tasks. A comprehensive assortment of screwdrivers, pliers, hammers, punches and chisels, is there when you need them, and specialty items such as gear pullers, saws, scrapers, and other tools for industrial maintenance mechanics and tradesmen round out this truly Mammoth tool set.
- You'll want to keep your tools safe and secure, and our industry-leading Mammoth Tool Set
 includes the storage cabinets necessary to do that. Two top-chest / roll-cabinet combinations are included, as well as a side cabinet and rolling three-drawer tool cart. A total of 35
 drawers and over 75,000 cubic inches of storage capacity will help you organize your tools
 effectively. And the mobile tool cart helps bring your tools to the job, where you need them.
- Whatever the industry, this set will help you keep your equipment and assets working, helping you compete more effectively. Get your work done faster, easier, and safer with the Mammoth Tool Set from Williams. All other tool sets are simply ordinary.











MASTER SETS MEGA TOOL SET



960 PIECE MEGA TOOL SET

A comprehensive assortment. Contains the following tools:

Product Category	Number of Pieces
Chisel and Punches	27
Clamps	2
Electrical Crimping Pliers	3
Files	12
Gear Pullers	25
Hammers	16
Hand Sockets	281
Hex Keys	59
Impact Sockets	135
Impact Drive Tools	9
Knives	3
Miscellaneous Tools	24
Pliers	67
Pry Bars	4
Ratchets, Drive Tools, and Accessories	58
Saws and Saw Blades	26
Scrapers	6
Screwdrivers	38
Snips	3
Tool Boxes	4
Torque Wrenches	2
Wrenches	156

Note: Complete set contents are listed in Appendix A Set Configurations Available

Product Code	Description
WSC-960TB	Complete Mega Tool Set with Tool Boxes (960 Pieces Total)
WSC-960	Mega Tool Set Only (956 Pieces)
WSC-960SAE	Mega Tool Set with Fractional Wrenches and Sockets Only Tools Only - 804 Pieces (Not Pictured)
WSC-960MM	Mega Tool Set with Metric Wrenches and Sockets Only Tools Only - 557 Pieces (Not Pictured)

Tool Boxes Included

W55TC10	55" Wide x 20" Deep 10-Drawer Top Chest
W55RC11	55" Wide x 20" Deep 11-Drawer Roll Cabinet
50721	3-Drawer Service Cart with Lid
50855	37" 1 Shelf Heavy Duty Tall Side Cabinet

- The Mega Set contains a comprehensive assortment of tools, in both fractional and metric sizes. Includes an extensive assortment of sockets, ratchets, and accessories in 1/4", 3/8", 1/2", and 3/4" drive, for both hand and impact use. A full complement of wrenches in a number of styles helps you tackle increasingly complex maintenance tasks. Over 150 screwdrivers, pliers, hammers, punches and chisels, are included, and specialty items such as gear pullers, saws, scrapers, and other tools for industrial maintenance mechanics and tradesmen round out the Mega Set from Williams.
- Mega Set includes the tool storage cabinets necessary to organize your tools.
 A top-chest / roll-cabinet combination is included, as well as a side cabinet and rolling
 three-drawer tool cart. A total of 26 drawers and over 45,000 cubic inches of storage
 capacity will help you store your tools effectively. The mobile tool cart helps bring your
 tools to the job, where you need them.
- Get your work done faster, easier, and safer with the Mega Tool Set from Williams. All other tool sets are simply ordinary.











MASTER SETS MAXXUM TOOL SET



680 PIECE MAXXUM TOOL SET

Contains the following tools:	
Product Catagory	Number of Pieces
Chisel and Punches	27
Clamps	2
Electrical Crimping Pliers	3
Files	11
Hammers	15
Hand Sockets	192
Hex Keys	51
Impact Sockets	87
Impact Drive Tools	12
Knives	2
Miscellaneous Tools	23
Pliers	45
Pry Bars	6
Ratchets, Drive Tools, and Accessories	46
Saws and Saw Blades	13
Scrapers	2
Screwdrivers	29
Snips	3
Tool Boxes	3 3
Torque Wrenches	2
Wrenches	106


Note: Complete set contents are listed in Appendix A Set Configurations Available

Product Code	Description
WSC-680TB	Complete Maxxum Tool Set with Tool Boxes (680 Pieces Total)
WSC-680	Maxxum Tool Set Only (677 Pieces)
WSC-680SAE	Maxxum Tool Set with Fractional Wrenches and Sockets Only Tools Only - 538 Pieces (Not Pictured)
WSC-680MM	Maxxum Tool Set with Metric Wrenches and Sockets Only Tools Only - 410 Pieces (Not Pictured)

Tool Boxes Included

W55TC10	55" Wide x 20" Deep 10-Drawer Top Chest
W55RC11	55" Wide x 20" Deep 11-Drawer Roll Cabinet
50721	3-Drawer Service Cart with Lid

- The Maxxum Set contains a full complement of tools, in both fractional and metric sizes. It includes an assortment of sockets, ratchets, and accessories in 1/4", 3/8", and 1/2" drive, for both hand and impact use. Hand wrenches in a number of styles helps you tackle increasingly complex maintenance tasks. Over 100 screwdrivers, pliers, hammers, punches and chisels, are included, and specialty items such as saws, scrapers, and other tools for industrial maintenance mechanics and tradesmen round out the Maxxum Set from Williams.
- Maxxum includes the tool storage cabinets necessary to organize your tools. A top-chest /
 roll-cabinet combination is included, as well as a rolling three-drawer tool cart. A total of 26
 drawers and over 35,000 cubic inches of storage capacity will help you store your tools
 effectively. The mobile tool cart helps bring your tools to the job, where you need them.
- Get your work done faster, easier, and safer with the Maxxum Tool Set from Williams. All other tool sets are simply ordinary.









MASTER SETS MONSTER TOOL SET



595 PIECE MONSTER TOOL SET

Contains the following tools:	
Product Catagory	Number of Pieces
Crowfoot Wrenches	65
Hacksaw Frame	2
Hammer	10
Hex Key	44
knives	1
Miscellaneous Tools	30
Nut drive	19
Pliers	14
Pry Bars	2
Punch & Chisels	19
Screwdriver	21
Snips	3
Sockets, Ratchets, Drive Tools and Accessories	310
Tape Measure	1
Wrenches	54

Note: Complete set contents are listed in Appendix A Set Configurations Available

Product Code	Description	
WSMSC-595TB	Complete Master Tool Set with Tool Boxes (597 Piece Total)	
WSMSC-595	Master Tool Set Only (595 Pieces)	
Tool Boxes Incl	uded	
W55TC10	55" Wide x 20" Deep 10 Drawer Top Chest	
W55RC11	55" Wide x 20" Deep 11 Drawer Tool Cabinet	

- The Monster Set contains a full complement of tools, in both fractional and metric sizes. It
 includes an assortment of sockets, ratchets, and accessories in 1/4", 3/8", and 1/2" drive.
- Hand wrenches in a number of styles helps you tackle increasingly complex
 maintenance tasks. Also included are screwdrivers, pliers, hammers, punches and
 chisels, are included, and specialty items such as hacksaws, tape measure, and other
 tools for industrial maintenance mechanics and tradesmen round out this Master set
 from Williams.
- Includes the tool storage cabinets necessary to organize your tools. A top-chest /roll-cabinet combination is included.
- Get your work done faster, easier, and safer with this Master Tool Set from
- Williams. All other tool sets are simply ordinary.



352 PIECE MASTER MAINTENANCE SERVICE SET

Contains the following tools:

Product Category	Number of Pieces
Chisel and Punches	19
Clamps	2
Files	6
Hammers	7
Hand Sockets	116
Impact Drive Tools	4
Impact Sockets	38
Miscellaneous Tools	3
Pliers	15
Ratchets, Drive Tools, and Accessories	28
Saws and Saw Blades	8
Scrapers	1
Screwdrivers	18
Snips	4
Tool Boxes	2
Wrenches	81

Note: Complete set contents are listed in Appendix A Set Configurations Available

Product Code	Description	
WSC-352TB	352 Piece Master Maintenance Service Set with Tool Boxes	
WSC-352	Tool Set Only (350 Pieces)	
Tool Boxes Included		
W40TC4	40" Wide x 20" Deep 4-Drawer Top Chest	


W40RC7 Features

This set provides the tools necessary for most general service and repair applications.
 Included are a wide variety of fractional wrenches, hand and impact sockets, and popular 1/4",
 3/8" and 1/2" drive ratchets and accessories. An assortment of professional industrial tools such
 as pliers, screwdrivers, hammers, punches, chisels, and other tools round out the offering.

40" Wide x 20" Deep 7-Drawer Roll Cabinet



W40TC4











MASTER SETS INTERMEDIATE TECHNICIAN'S TOOL SET





308 PIECE INTERMEDIATE TECHNICIAN'S TOOL SET

Contains the following tools:


Product Catagory	Number of Pieces
Chisel and Punches	9
Extractor	9
Feeler Gauge	1
Files	4
Hammers	4
Hex Keys	22
Pliers	11
Ratchets, Drive Tools, and Accessories	28
Screwdrivers	8
Hand Sockets	133
Tape Measure	1
Torque Wrenches	2
Wrenches	74

Note: Complete set contents are listed in appendix A Set Configurations Available

Product Code	Description	
WSC-317TB 308 Piece Tool Set with Tool Boxes		
WSC-317	Tool Set Only (306 Pieces)	
Tool Boxes Included		
W40RC7	40" 4 Drawer Professional Top Chest	
W40TC4	C4 40" 7 Drawer Professional Roll Cabinet	

Features

This set provides the tools necessary for many general service and repair applications.
Included are a variety of fractional wrenches, hand and impact sockets, and 1/4", 3/8" and
1/2" drive ratchets and accessories. An assortment of professional industrial tools such as
pliers, screwdrivers, hammers, punches, chisels, and other tools round out the offering.





277 PIECE ADVANCED MAINTENANCE SERVICE SET

Contains the following tools:

Product Category	Number of Pieces
Chisel and Punches	17
Files	6
Hammers	3
Hand Sockets	100
Impact Drive Tools	2
Impact Sockets	16
Miscellaneous Tools	8
Pliers	12
Ratchets, Drive Tools, and Accessories	24
Saws and Saw Blades	8
Screwdrivers	18
Tool Boxes	2
Wrenches	61

Note: Complete set contents are listed in Appendix A Set Configurations Available

Product Code	Description	
WSC-277TB	277 Piece Advanced Maintenance Service Set with Tool Boxes	
WSC-277	Tool Set Only (275 Pieces)	
Tool Boxes Included		
W40TC4	40" Wide x 20" Deep 4-Drawer Top Chest	
W40RC7	40" Wide x 20" Deep 7-Drawer Roll Cabinet	

Features

This set provides the tools necessary for many general service and repair applications. Included
are a variety of fractional wrenches, hand and impact sockets, and 1/4", 3/8" and
1/2" drive ratchets and accessories. An assortment of professional industrial tools such as
pliers, screwdrivers, hammers, punches, chisels, and other tools round out the offering.

















274 PIECE PETROLEUM OIL FIELD SERVICE SET

Contains the following tools:	
Product Category	Number of Pieces
Chisels & Punch	8
Haer	2
Pipe Wrenches	1
Pliers	15
Prybar	3
Ratchets, Drive Tools & Accessories	15

 Pliers
 15

 Prybar
 3

 Ratchets, Drive Tools & Accessories
 15

 Scraper
 1

 Screwdrivers
 8

 Sockets
 103

 Utility Tools
 8

 Wrenches
 32

Note: Complete set contents are listed in Appendix A Set Configurations Available

Product Code	Description
WMSC-344TB	274 Piece Petroleum Oilfield Service Set
WMSC-344	Tool Set Only (272 Pieces)

Tool Boxes Included

W40RC7	40" 4 Drawer Professional Top Chest
W40TC4	40" 7 Drawer Professional Roll Cabinet

Features

 The set provides the tools necessary for Petroleum Oil field general service and repair applications. Included are a wide variety of chisels, punches, haers, pliers, adjustable wrenches, pipe wrenches, 3/8" and 1/2" drive sockets, ratchets and accessories. Also includes is professional utility tools and scrapers.





265 PIECE OIL FIELD TOOL SET

Contains the following tools:

Product Category	Number of Pieces
C-Clamp	2
Chain Wrench	1
Hammer	4
Hex Key	22
Miscellaneous	9
Nut Drivers	7
Pipe Wrench	2
Pliers	14
Pry Bar	2
Puller	1
Punch & Chisels	15
Ratchets, Drive Tools and Accessories	22
Scraper	1
Screwdrivers	8
Snips	2
Sockets	94
Torque Wrench	2
Wrenches	55

Note: Complete set contents are listed in Appendix A **Set Configurations Available**

Product Code WSC-281TB	Description	
	Complete Oilfield Tool Set with Tool Boxes (265 Piece Total)	
WSC-281 Oilfield Tool set only (263 Pieces) Tool Boxes Included		

W40TC4	40" Wide x 20" Deep 4 Drawer Top Chest
W40RC7	40" Wide x 20" Deep 7 Drawer Tool Cabinet

Features

The set provides the tools necessary for Oilfield general service and repair applications. Included are a wide variety of pliers, box wrenches, combination wrenches, flare wrenches, 1/4", 3/8" and 1/2" drive sockets, ratchets and accessories. Also includes is c-clamps, chain wrench and other tools.













GENERAL MAINTENANCE SET



WILLIAMS

238 PIECE GENERAL MAINTENANCE SET

Contains the following tools:


Product Category	Number of Pieces
Hammer	2
Hex Key	17
Pliers	10
Punch & Chisels	16
Ratchet, Drive Tools and Accessories	18
Screwdriver	21
Sockets	97
Wrenches	55

Note: Complete set contents are listed in Appendix A Set Configurations Available

Product Code	Description	
WSC-238TB	Complete General Mainteance with Tool Boxes (238 Piece Total)	
WSC-238	General Mainteance Tool set only (236 Pieces)	
Tool Boxes Included		
W26TC4	26" Wide x 20" Deep 4 Drawer Top Chest	
W26RC7	26" Wide x 20" Deep 7 Drawer Tool Cabinet	

Features

 The set provides the tools necessary for many general service and repair applications. Included are a wide variety of pliers, box wrenches, hex keys, flare wrenches, 1/4", 3/8" and 1/2" drive sockets, ratchets and accessories. Also includes is punch, chisels, hammers and other tools.



MAINTENANCE TOOL SET



220 PIECE MAINTENANCE TOOL SET

Contains the following tools:

Product Category	Number of Pieces
C-Clamps	2
Chisels & Punches	9
Hammers	1
Files	6
Hacksaws	1
Nutdrivers	7
Pliers	6
Ratchet, Drive Tools & Accessories	27
Scrapers	2
Screwdrivers & Bits	21
Snips	3
Sockets	91
Wrenches	44

Note: Complete set contents are listed in appendix A Set Configurations Available

Product Code	Description	
WSC-231TB	220 Piece Maintenace Tool Set	
WSC-231	Tool Set Only (218 Pieces)	

Tool Boxes Included

50871	27" 10 Drawer Heavy Duty Roller Bearing Top Chest
50901	27" 8 Drawer Heavy Duty Roller Bearing Roll Cabinet

Features

 This set provides the tools necessary for most general service and repair applications. Included are a wide variety of adjustable wrenches, locking pliers, screwdrivers, hammers and 1/4" 3/8" and 1/2" drive ratchets and accessories. An assortment of professional industrial tools such as punches, chisels and pliers are also included.











INTERMEDIATE MAINTENANCE SET



WILLIAMS

173 PIECE INTERMEDIATE MAINTENANCE SET

Contains the following tools:

Product Category	Number of Pieces
Chisel and Punches	12
Files	6
Hammers	1
Hand Sockets	66
Miscellaneous Tools	6
Pliers	5
Ratchets, Drive Tools, and Accessories	16
Saws and Saw Blades	1
Screwdrivers	15
Tool Boxes	2
Wrenches	43

Note: Complete set contents are listed in Appendix A **Set Configurations Available**

Product Code	Description	
WSC-173TB	173 Piece Intermediate Maintenance Service Set with Tool Boxes	
WSC-173	Tool Set Only (171 Pieces)	
Tool Boxes Included		

W26TC4	26" Wide x 20" Deep 4-Drawer Top Chest
W26RC7	26" Wide x 20" Deep 7-Drawer Roll Cabinet

Features

. This set provides the tools necessary for many general service and repair applications. Included are a variety of fractional wrenches, hand sockets, and 1/4", 3/8" and 1/2" drive ratchets and accessories. An assortment of professional industrial tools such as punches, chisels, and pliers is also included.



MASTER SETS HEAVY MAINTENANCE SERVICE SET



171 PIECE HEAVY MAINTENANCE SERVICE SET

Contains the following tools:

Product Category	Number of Pieces
Chisel and Punches	17
Clamps	2
Feeler Gauge Set	1
Hammers	6
Hand Sockets	55
Pliers	8
Ratchets, Drive Tools, and Accessories	17
Screwdrivers	10
Tool Box	1
Wrenches	54

Note: Complete set contents are listed in Appendix A Set Configurations Available

Product Code	Description	
WSC-172TB	171 Piece Heavy Maintenance Service Set with Tool Box	
WSC-172	Tool Set Only (170 Pieces)	


Tool Box Included

W40RC7 40" Wide x 20" Deep 7-Drawer Roll Cabinet



Designed for the shop that performs maintenance on heavy equipment, this
set emphasizes larger tools, including combination wrenches up to 2" and
sockets up to 1-3/4". Ratchets, drive tools, and fractional sockets in 3/8", 1/2",
and 3/4" drive are included, as well as a complement of screwdrivers, pliers,
chisels, punches, hammers, and other common tools. If you need a basic
assortment of beefy tools, this is the set for you.













MASTER SETS ELECTRICAL MAINTENANCE SERVICE SET











Description	
167 Piece Electrical Maintenance Service Set with Tool Box	
Tool Set Only (166 Pieces)	
i	
40" Wide x 20" Deep 7-Drawer Roll Cabinet	

Features

W40RC7

- . Designed to satisfy electrical maintenance tool requirements, this set has both the standard hand tools and special tools needed to accomplish a wide variety of electrical maintenance and installation. Start with 1/4" and 3/8" drive sockets and accessories, hammers, and hand wrenches, and add the special items needed for electrical work:
- Insulated and non-insulated pliers and screwdrivers.
- A electrician's holesaw set and a 10-pack of assorted recip blades.
- A comprehensive assortment of electrical strippers / crimpers / cutters.
- Drywall, hacksaw, and toolbox saws.
- And a full-size roll cabinet to organize, store, and move your tool set. Unique in the industry, this set will help you get those critical electrical maintenance tasks done quickly, efficiently, professionally, and safely.





142 PIECE PETROLEUM OIL FIELD SERVICE SET

Contains the following tools:

Product Category	Number of Pieces	Product Category	Number of Pieces
Pick up Tool/Mirror	2	Screwdrivers	12
Pliers	10	Sockets	68
Ratchet, Drive Tools		T-Handles	10
& Accessories	11	Wrenches	31

Note: Complete set contents are listed in Appendix A Set Configurations Available

Product Code	Description	
WMSC-142TB	142 Piece Petroleum Oilfield Service Set	
WMSC-142	Tool Set Only (141 Pieces)	

Tool Boxes Included

W40RC7 40" Wide x 20" Deep 7 Drawer Roll Cabinet

Features

The set provides the tools necessary for Petroleum Oilfield general service and repair
applications. Included are a wide variety of pliers, adjustable wrenches, combination
wrenches, ratcheting combination wrenches, 1/4" and 3/8" drive sockets, ratchets
and accessories. Also includes is professional pick up tools and mirror.



137 PIECE INDUSTRIAL PLUMBING & PIPEFITTING TOOL SET

Contains the following tools:

Product Category	Number of Pieces
Chisel and Punches	12
Clamps	1
Hammers	3
Miscellaneous Tools	12
Pipe Specialty Tools	19
Pliers	8
Screwdrivers	9
Tool Box	1
Wrenches	36
Pipe Wrenches	4
Saws and Blades	32

Note: Complete set contents are listed in Appendix A Set Configurations Available

WSC-137TB 137 Piece Industrial Plumbing and Pipefitting Tool Set with Tool B WSC-137 Tool Set Only (136 Pieces)

Tool Box Included

W40RC7 40" Wide x 20" Deep 7-Drawer Roll Cabinet

- This set is geared specifically for industrial plumbers and pipefitters. It includes an assortment of basic hand tools such as wrenches, pliers, hammers, and screwdrivers. What really makes this set special is the assortment of everyday and specialized plumbing and pipefitting tools included:
- 4 pipe wrenches from 12" through 42" length handle pipe sizes through 5" OD.
- A pair of Williams' famous FJ-20 flange jacks.
- 3 sets of our unique, professional pipe nipple removal/inserting tools covering 1/8" NPT through 1-1/4" NPT pipe sizes.
- Tube cutters and flaring tools.
- Ratcheting valve and flare nut wrenches.
- A toolbox saw, drywall saw, and hacksaw and blades.
- · 2 utility knives and a pack of blades.
- A plumber's holesaw set and a 10-pack of assorted recip blades.
- And a full-size roll cabinet to organize, store, and move your tool set. Unique in the industry, this set will help
 you get those critical pipefitting and plumbing tasks done quickly, efficiently, professionally, and safely.





WMSC-142





WSC-137







MASTER SETSSPECIALTY TOOL SETS



WILLIAMS

130 PIECE MAINTENANCE TOOL SET

Contains the following tools:

Product Category	Number of Pieces
Chisels & Punches	1
Hammers	2
Hex Key Set	13
Pliers	10
Ratchet, Drive Tools & Accessories	21
Screwdrivers & Bits	21
Sockets	40
Wrenches	20

Note: Complete set contents are listed in appendix A Set Configurations Available

WSC-130	Tool Set Only (129 Pieces)	
WSC-130TB	130 Piece Maintenace Tool Set	
Product Code	Description	

Tool Boxes Included

50721 3 Drawer Service Cart with Lid

Features

 This set provides the tools necessary for most general service and repair applications. Included are a wide variety of adjustable wrenches, locking pliers, screwdrivers, hammers and 1/4" 3/8" and 1/2" drive ratchets and accessories. An assortment of professional industrial tools such as punches, chisels and pliers are also included.





102 PIECE OILFIELD SERVICE SET

Contains the following tools:

Product Category	Number of Pieces
Chisels & Punch	8
Haer	1
Hex Keys	13
Pliers	5
Ratchets, Drive Tools & Accessories	9
Screwdrivers	8
Sockets	35
Utility Tools	4
Wrenches	19

Note: Complete set contents are listed in Appendix A **Set Configurations Available**

Product Code	Description
MSOS-102TB	102 Piece Oilfield Service Set
MSOS-102	Tool Set Only (101 Pieces)

Tool Boxes Included

Features

• The set provides the tools necessary for Oilfield general service and repair applications. Included are a wide variety of chisels, punches, haers, pliers, wrenches 3/8" and 1/2" drive sockets, ratchets and accessories. Also includes is professional utility tools.





MSOS-102TB

WILLIAMS

102 PIECE BASIC MACHINE REPAIR SET

Contains the following tools:

Product Category	Number of Pieces
Chisel and Punches	7
Feeler Gauge Set	1
Hammers	4
Hand Sockets	38
Pliers	6
Ratchets, Drive Tools, and Accessories	5
Screwdrivers	5
Tool Box	1
Wrenches	35

Note: Complete set contents are listed in Appendix A **Set Configurations Available**

Product Code	Description
WSC-102TB	102 Piece Basic Machine Repair Set with Tool Box
WSC-102	Tool Set Only (101 Pieces)
Tool Box Included	
W26RC7	26" Wide x 20" Deep 7-Drawer Roll Cabinet

Features

• Designed for the shop that requires a basic tool set for machine repair, this set includes the popular sizes in 1/4" and 1/2" drive sockets, an assortment of wrenches, and the most commonly used pliers, screwdrivers, and hammers.















GENERAL SERVICE SETS





WSC-95





WILLIAMS

95 PIECE BASIC ELECTRICAL REPAIR SET

Contains the following tools:

Product Category	Number of Pieces
Hammers	1
Hand Sockets	22
Pliers	5
Pliers - Electrical	4
Pliers - Insulated	4
Ratchets, Drive Tools, and Accessories	7
Screwdrivers	13
Screwdrivers - Insulated	10
Tool Box	1
Wrenches	28

Note: Complete set contents are listed in appendix A Set Configurations Available

Product Code	Description	
WSC-95TB WSC-95	95 Piece Electrical Repair Set with Tool Box Tool Set Only (94 Pieces)	
To all Dani la alcada d	•	

Tool Box Included

Features

- Designed to satisfy electrical maintenance tool requirements, this set has both the standard hand tools and special tools needed to accomplish a wide variety of electrical maintenance and installation. Start with 1/4" and 3/6" drive sockets and accessories.
- · Insulated and non-insulated pliers and screwdrivers.
- · A electrician's holesaw set and a 10-pack of assorted recip blades.
- $\bullet \ \ \mbox{A comprehensive assortment of electrical strippers / crimpers / cutters.}$
- Drywall, hacksaw, and toolbox saws.
- And a 3-drawer roll cart helps organize, store, and move your tool set. Unique in the
 industry, this set will help you get those critical electrical maintenance tasks done
 quickly, efficiently, professionally, and safely.

WILLIAMS

88 PIECE GENERAL INDUSTRIAL REPAIR SET

Contains the following tools:

Product Category	Number of Pieces
Clamp	1
Feeler Gauge Set	1
Hand Sockets	28
Pliers	4
Ratchets, Drive Tools, and Accessories	7
Screwdrivers	8
Tool Box	1
Wrenches	32

Note: Complete set contents are listed in appendix A Set Configurations Available

Product Code	Description
WSC-88TB	88 Piece General Industrial Repair Set with Tool Box
WSC-88	Tool Set Only (87 Pieces)

Tool Box Included

W26RC7 26" Wide x 20" Deep 7-Drawer Roll Cabinet

Features

 Designed for the shop that requires a basic industrial tool set, this set includes the popular sizes in 3/6" and 1/2" drive sockets, an assortment of wrenches, and the most commonly used pliers and screwdrivers.



80 PIECE GENERAL SERVICE SET

Contains the following tools:

Product Category	Number of Pieces
Chisel and Punches	8
Feeler Gauge Set	1
Hammer	1
Hand Sockets	24
Pliers	6
Ratchets, Drive Tools, and Accessories	16
Screwdrivers	6
Tool Box	1
Wrenches	17

Note: Complete set contents are listed in appendix A **Set Configurations Available**

Product Code	Description	
WSC-80TB	80 Piece General Service Set with Tool Box	
WSC-80	Tool Set Only (79 Pieces)	
Tool Box Included		
50721	3-Drawer Service Cart with Lid	

Features

. Designed for the shop that requires a general service set. This set includes 3/8" and 1/2" drive sockets, assortments of pliers and screwdrivers







41 PIECE BASIC SERVICE SET

Contains the following tools:

•	
Product Category	Number of Pieces
Chisel and Punches	3
Hammer	1
Hand Sockets	14
Pliers	3
Ratchets, Drive Tools, and Accessories	5
Screwdrivers	3
Tool Box	1
Wrenches	11

Note: Complete set contents are listed in appendix A **Set Configurations Available**

Product Code	Description
WSC-41TB	41 Piece Basic Service Set with Tool Box
WSC-41 Tool Set Only (40 Pieces)	
Tool Box Included	
50721	3-Drawer Service Cart with Lid

Features

. Designed for the shop that requires a basic industrial tool set, this set includes the popular sizes in 3/8" drive sockets, an assortment of wrenches, and commonly used pliers and screwdrivers.











MASTER SETSMETRIC SERVICE SETS





225 PIECE METRIC MAINTENANCE SERVICE SET

Contains the following tools:

Product Category	Number of Pieces
Chisel and Punches	18
Hammers	6
Hand Sockets	120
Pliers	10
Ratchets, Drive Tools, and Accessories	8
Screwdrivers	15
Tool Box	1
Torque Wrench	1
Wrenches	46

Note: Complete set contents are listed in Appendix A

Set Configurations Available

W40RC7	40" Wide x 20" Deep 7-Drawer Roll Cabinet	
Tool Box Included		
MSC-225	Tool Set Only (224 Pieces)	
MSC-225TB	225 Piece Heavy Maintenance Service Set with Tool Box	
Product Code	Description	

Features

Designed for the shop that requires metric tools for maintenance. 1/4", 3/8", and 1/2" drive tools are included, as well as a full assortment of wrenches, pliers, screwdrivers, and other commonly used hand tools.





118 PIECE METRIC HEAVY EQUIPMENT SERVICE SET

Contains the following tools:

Product Category	Number of Pieces
Chisel, Punches, and Prybars	7
Hammers	3
Hand Sockets	42
Pliers	4
Ratchets, Drive Tools, and Accessories	12
Screwdrivers	10
Tool Box	1
Wrenches	39

Note: Complete set contents are listed in Appendix A Set Configurations Available

Product Code	Description			
MSC-118TB	118 Piece Metric Heavy Equipment Service Set with Tool Box			
MSC-118	Tool Set Only (117 Pieces)			
Tool Box Included				
W40RC7	40" Wide x 20" Deep 7-Drawer Roll Cabinet			

Features

Designed for the shop that requires metric tools for maintenance of heavy equipment.
 3/8", 1/2", and 3/4" drive tools are included, as well as a basic assortment of wrenches, pliers, screwdrivers, and other commonly used hand tools.















TOOL STORAGE

OUR TOOL STORAGE COMES IN MULTIPLE CONFIGURATIONS AND LEVELS TO MEET YOUR NEEDS:

• PROFESSIONAL • HEAVY INDUSTRIAL • COMMERCIAL • SUPER VALUE

KEY FEATURES:

• DOUBLE WALL CONSTRUCTION • DRAWER LINERS • HIGH GLOSS POWDER-COAT PAINT • BALL BEARING DRAWER SLIDES



WE CONTINUE TO INNOVATE TO DELIVER SAFETY AND PRODUCTIVITY TO OUR CUSTOMERS



TOOL STORAGE

Series		Professional			Heavy-Industrial			
Nominal Size (In		55	55 Bulk Storage	40	26	73	54	
Ddt	Chest	W55TC10		W40TC4	W26TC4			
Product	Roll Cabinet Locker	W55RC11	W55RC5BS	W40RC7	W26TRC7	50990	50885	
Codes	Locker Side Cabinet							
	Top Chest	21,283		9,746	6,180			
Capacity	Roll Cabinet	25,000	25,000	15,253	9,374	29,477	25,304]
(cu. in.)	Locker							
	Side Cabinet							
Top Chest	Overall Width, Inches	55		40	26		53	
Dimensions	Depth, Inches	24		19	19		24	ļ
	Height, Inches	28		19	19		27	1
Roll Cabinet	Overall Width, Inches	55	55	40	26	80	53	ļ
Dimensions	Depth, Inches	24	24	19	19	24	24	
	Height, Inches	39	39	37	37	43	43	
Number of	Top Chest	10		4	4			
Drawers	Roll Cabinet	11	5	7	7	21	12	
	Red	•	•	•	•	•	•	
Colours	Black	•		•	•	•	•	
Available	Blue	•		•	•	•	•	
Available	Orange							
	Yellow	•						
Hardwood Top	Roll Cabinet						•	
Heavy Duty	Rigid					50938	50938	
Casters	Swivel					50939	50939]
Medium Duty	Rigid							1
Casters	Swivel							
Replacement	Top Chest	50974 - Key Only						
Locks and Keys	Roll Cabinet	50975 - Lock Only			50969	50962		

AT-A-GLANCE

Heavy-Industrial Cont.			Commercial						
42	35	27	75	54	54	42	42	27	27
50860	50881	50880		50861		50865	50778	50872	50873
50890	50887	50888	50992	50891	50866	50895	50748	50902	50903
	50855	50855			50855	50855, 50851		50855	50855
13,798 21,051	9,041 14,230	7,217 9,177	38,598	20,988 41,328	20,484	9,205 14,623 8,200, 3,921	15,675 20,321	5,980 10,354	6,571 10,354
41	35	26		FO		42	41	27	27
24	18	18		53 18		18	23	18	18
22	22	42		22		19	20	18	19
41 24 42	35 18 42	27 18 42	75 24 44	56 41 18	53 18 42	44 18 43	41 24 43	29 18 36	29 18 36
4	5	5		9		6	8	4	5
5	4	6	17	13		14	10	5	7
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
50936	50936	50936				50834	50834	50834	50834
50937	50937	50937				50935	50935	50935	50935
1									
50976	50976	50976		50962		50962	50962	50962	50962
50976 50964	50976 50964	50976 50964	50969	50962 50965	50962	50962 50963	50962 50962	50962 50972	50962 50972



WILLIAMS TOOL STORAGE AT-A-GLANCE CONTINUED

Series					Super	Value				
Nominal Size (In	ches)	75	56	42	42	42 (One-Piece)	27	27	26	
	Chest		50740	50741	50744	50730	50742	50743	TB-6024RA	
1	Roll Cabinet	50764	50765	50766	50769		50767	50768		
Product	Keyless Entry									
Codes	Cart/Metal Peg Board									
Coues	Locker		50790	50791, 50792						
	Side Cabinet			50855	50855		50855	50855		
	Cage									
	Top Chest		12,763	6,387	6,387		3,050	4,806	3,073	
Capacity	Roll Cabinet	26,505	21,866	8,606	8,606	8,503	5,193	8,223		
(cu. in.)	Locker		35,640							
	Side Cabinet									
Top Chest	Overall Width, Inches	75	55	40	42	41	26	26	26	
Dimensions	Depth, Inches	24	24	16	18	18	12	17	12	
Dimensions	Height, Inches	39	10	10	18	61	14	18	14	
Roll Cabinet	Overall Width, Inches		56	41	43		27	27		
Dimensions	Depth, Inches		24	18	18		18	18		
Dimensions	Height, Inches		39	39	38		31	35		
Number of	Top Chest		6	10	4		4	6	6	
Drawers	Roll Cabinet	15	10	11	5	20	5	7		
	Red	•	•	•	•		•	•	•	
	Black	•	•	•	•		•	•		
Colours	Blue	•	•	•	•		•	•		
Available	Orange		•	•						
	Yellow									
Hardwood Top	Roll Cabinet	•	•	•						
Heavy Duty	Rigid									
Casters	Swivel									
	Rigid	50932	50932	50932	50932	50932	50932	50932	50932	
Medium Duty Casters	Swivel	50933	50933	50933	50933	50933	50933	50933	50933	
										<u> </u>
Replacement	Top Chest		50962	50968	50962	50730	50960	50960	50961	
Locks and Keys	Roll Cabinet	50969	50962	50963	50972		50963	50963		

•	Servi	ce C	arts			Jobsi	ite Bo	oxes		Heavy Road	/ Duty I Box	На	nd Ca	rry To	ol Box	es
				Manage						T T						
					32	42	48	48	48	26	34	21 Flat Top	21 Four Tray Cantilver	20 Hip Roof	19 Flat Top	16 Flat Top
50721	50722	50723	50724	50726	50950	50951	50952	50953	50954	50946	50947B	TB-6123	TB-6218A	TB-6220A	TB-6119A	TB-6116
										26	34	21	21	20	19	16
										17 22	17 23	8 12	8 12	7 8	6	6
45	30	30	41	30	32	42	48	48	48							
16 36	17 36	17 36	17 36	20 40	19	20	24 27	30 33	24 28							
30	30	30	30	40	17	23	21	33	28							
										5	5					
•	•	•	•							•	•					
									•	•						
				•	•	•	•	•								
					50949	50949	50949	50949	50949							
										50967	50967					



WILLIAMS TOOL STORAGE FEATURES:

- Ball bearing drawer slides
- Drawer liners
- Double wall construction
- High gloss powder-coat paint

PROFESSIONAL SERIES



55" PROFESSIONAL SERIES TOOL CABINETS

Designed for industrial use

Product Code	Description
W55TC10	55" Wide x 24" Deep 10-Drawer Tool Chest
W55RC11	55" Wide x 24" Deep 11-Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #W55TC10 in Blue, specify product code W55TC10BL

W55TC10 Top Chest Overall Dimensions

Capacity (cu.in.)	Width (Inches)	Depth (Inches)	Height (Inches)
21283	55	24	28.5

Top Chest Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
2	14 5/8	21 5/8	1 3/4
3	14 ⁵ ⁄8	21 %	4
2	30 1/2	21 %	1 3/4
3	30 1/2	21 5/8	4

W55RC11 Roll Cabinet Overall Dimensions

Capacity (cu.in.)	Width (Inches)	Depth (Inches)	Height (Inches)
25000	55	24	39

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
1	14 5/8	21 1/8	1 3/4
2	14 5/8	21 1/8	4
1	14 5/8	21 ⁷ / ₈	10 %16
3	30 %16	21 ⁷ / ₈	1 3/4
2	30 %16	21 ¾	4
1	30 %16	21 ⁷ / ₈	6 3/16
1	49 1/4	21 ⁷ / ₈	3 3/16

Features

- Made of High-Quality Class I steel to enhance strength and finish.
- Double wall construction provides strength.
- Reinforcement corner gussets add strength and reduce racking.
- 2" mounting centers provide flexibility in arranging drawers to individual needs
- Drawers equipped with positive latching drawer retention to prevent unwanted drawer opening.
- All drawers equipped with 75 pound full extension ball bearing slides with quick disconnect.
- All 4" and deeper drawers provide for adding additional slides to double drawer capacity.
- Rolled hem on all drawers provide superior strength, rigidity and safety.
- Casters absorb vibrations transmitted to frame while moving on uneven surfaces.
- Casters equipped with pedal brake and ball bearings for easy operation.
- High luster paint protects against scratches, pealing, blistering and corrosion.
- Paint pretreatment process both sprays and ierses boxes for added corrosion protected.
- Drawer liners included at no extra charge.
- Gas struts in lid of chest make lid easy to open and close.
- Two point locking design adds extra security on all chests.

Colour Options



W55TC10















TOOL STORAGE PROFESSIONAL SERIES





WILLIAMS

55" PROFESSIONAL SERIES ROLL CABINET

Designed for industrial use

Product Code	Description
W55RC5BS	55" Wide x 24" Deep 5-Drawer Roll Cabinet with Bulk Storage

W55RC5BS Roll Cabinet Overall Dimensions

Capacity (cu.in.)	Width (Inches)	Depth (Inches)	Height (Inches)
25,000	55	24	39

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
4	30 %16	21 1/8	5
1	30 %16	21 1/8	7
Bulk	23	21 1/8	33

- Wide Drawer to hold long tools such as pry bars and extensions.
- . Bulk section with adjustable shelf perfect for storing large, bulky tools
- Made of High-Quality Class I steel to enhance strength and finish.
- · Double wall construction provides strength.
- · Reinforcement corner gussets add strength and reduce racking.
- 2" mounting centers provide flexibility in arranging drawers to individual needs
- Drawers equipped with positive latching drawer retention to prevent unwanted drawer opening.
- All drawers equipped with 75 pound full extension ball bearing slides with quick disconnect.
- All 4" and deeper drawers provide for adding additional slides to double drawer capacity.
- Rolled hem on all drawers provide superior strength, rigidity and safety.
- Casters absorb vibrations transmitted to frame while moving onuneven surfaces.
- Casters equipped with pedal brake and ball bearings for easy operation.
- High luster paint protects against scratches, pealing, blistering and corrosion.
- Paint pretreatment process both sprays and ierses boxes for added corrosion protected.
- · Drawer liners included at no extra charge.
- Gas struts in lid of chest make lid easy to open and close.
- Two point locking design adds extra security on all chests.



40" PROFESSIONAL SERIES TOOL CABINETS

Designed for industrial use

Product Code	Description
W40TC4 W40RC7	40" Wide x 20" Deep 4-Drawer Top Chest 40" Wide x 20" Deep 7-Drawer Roll Cabinet
WHUNCI	40 Wide x 20 Deep 7-Drawer non Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #W40TC4 in Blue, specify product code W40TC4BL

W40TC4 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
9746	40 ¹ / ₃₂	19 ¹¾16	19 7/16
Top Chest Dra	awer Sizes		
Number	Width	Depth	Height
Top Compartment	39 ²⁹ / ₃₂	18 ²³ / ₃₂	4 23/32
2	34 ¹¹ / ₁₆	17 ¹⁷ / ₃₂	1 13/32
2	34 11/16	17 17/32	3 19/32

W40RC7 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
15253	40	19 13/16	37 1/8

Roll Cabinet Drawer Sizes

Number	Width	Depth	Height
2	34 ¹¹ / ₁₆	17 ¹⁷ / ₃₂	1 13/32
4	34 ¹¹ / ₁₆	17 ¹⁷ / ₃₂	3 19/32
1	34 ¹¹ / ₁₆	17 ¹⁷ / ₃₂	7 21/32

Features

- Made of High-Quality Class I steel to enhance strength and finish.
- Double wall construction provides strength.
- · Reinforcement corner gussets add strength and reduce racking.
- 2" mounting centers provide flexibility in arranging drawers to individual needs.
- Drawers equipped with positive latching drawer retention to prevent unwanted drawer opening.
- All drawers equipped with 75 pound full extension ball bearing slides with quick disconnect.
- All 4" and deeper drawers provide for adding additional slides to double drawer capacity.
- Rolled hem on all drawers provide superior strength, rigidity and safety.
- Casters absorb vibrations transmitted to frame while moving on uneven surfaces.
- · Casters equipped with pedal brake and ball bearings for easy operation.
- High luster paint protects against scratches, pealing, blistering and corrosion.
- Paint pretreatment process both sprays and immerses boxes for added corrosion protected.
- · Drawer liners included at no extra charge.
- · Gas struts in lid of chest make lid easy to open and close.
- Two point locking design adds extra security on all chests
- W40X50RV Side Handles

Colour Options

Red: Standard
Black: B
Blue: BL















TOOL STORAGE PROFESSIONAL SERIES

Colour Options





WILLIAMS

26" PROFESSIONAL SERIES TOOL CABINET

Designed for industrial use

Product Code	Description
W26TC4	26" Wide x 20" Deep 4-Drawer Top Chest
W26RC7	26" Wide x 20" Deep 7-Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #W26TC4 in Blue, specify product code W26TC4BL

W26TC4 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
6180	26 ²³ / ₃₂	19 ¹³ / ₁₆	19 13/32

Top Chest Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
Top Compartment	26 19/32	18 ²³ / ₃₂	4 23/32
2	21 %	17 17/32	1 13/32
2	21 %	17 ¹⁷ / ₃₂	3 19/32

W26RC7 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
9374	26	19 13/16	37 %

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
2	21 ¾	17 11/32	1 15/32
4	21 %	17 11/32	3 ¹⁹ / ₃₂
1	21 %	17 11/32	7 ²¹ / ₃₂

- Made of High-Quality Class I steel to enhance strength and finish.
- Double wall construction provides strength.
- · Reinforcement corner gussets add strength and reduce racking.
- 2" mounting centers provide flexibility in arranging drawers to individual needs.
- Drawers equipped with positive latching drawer retention to prevent unwanted drawer opening.
- All drawers equipped with 75 pound full extension ball bearing slides with quick disconnect.
- All 4" and deeper drawers provide for adding additional slides to double drawer capacity.
- · Rolled hem on all drawers provide superior strength, rigidity and safety.
- Casters absorb vibrations transmitted to frame while moving on uneven surfaces.
- Casters equipped with pedal brake and ball bearings for easy operation.
- High luster paint protects against scratches, pealing, blistering and corrosion.
- Paint pretreatment process both sprays and immerses boxes for added corrosion protected.
- Drawer liners included at no extra charge.
- Two point locking design adds extra security on all chests.



HEAVY-INDUSTRIAL 73" ROLL CABINET

Heavy-Industrial roll cabinet designed for the toughest work environments

Product Code	Description
50990	73" Wide 21 Drawer Roll Cabinet
Colour Options	Standard colour is red. To order in an optional colour.

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50990 in Blue, specify product code 50990BL

50990 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
29,477	80 7/32	24 %16	43 ½16

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
Left side:			
1	50	22	4 1/4
1	23	22	2
2	23	22	3 1/8
2	23	22	4 1/4
1	23	22	6 1/16
Center:			
1	23	22	2
2	23	22	3 1/8
1	23	22	4 1/4
1	23	22	10 13/16
Right side:			
4	16 %16	22	2
2	16 %16	22	3 1/8
3	16 %16	22	4 1/4

Features

- High gloss powder coat paint is scratch & chemical resistant
- · Stainless steel work surface
- Heavy gauge metal for a lifetime of use
- Double wall construction for greater strength and durability
- Heavy duty 5" x 2" casters on cabinets
- · Aluminum corner trim
- Handles on both side of cabinet
- Two pairs of 120 pounds rated ball bearing slides on all drawers over 3" deep.
- Anti-skid drawer liners included
- Overal width with handles is 801/4"

Colour Options





















TOOL STORAGE

HEAVY-INDUSTRIAL

Colour Options

Colour Options with Hardwood Top

	остои ористо пин пин и пост
Red: Standard	Red with Hardwood Top: W
Black: B	Black with Hardwood Top: BW
Blue: BL	Blue with Hardwood Top: BLW

Colour Options with Hardwood Top: To order in an optional colour with a hardwood top simply add the appropriate colour and hardwood top code to the end of the product code. Example: To order #50885 in Blue with a Hardwood top, specify product code 50885BLW





HEAVY-INDUSTRIAL 54" ROLL CABINET WITH OPTIONAL HARDWOOD TOP

Heavy-Industrial roll cabinet designed for the toughest work environments

Product Code	Description	
50885	54" Wide x 24 1/2" Deep 12 Drawer Roll Cabinet	
50111	Hardwood Top Only	

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50885 in Blue, specify product code 50885BL

50885 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
25,304	53 ½	24 1/2	43

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
1	50	22	4 1/4
2	23	22	2
4	23	22	3
3	23	22	4 1/4
1	23	22	6 ½6
1	23	22	10 ½

- Frame is reinforced using 14 gauge plates on the front of cabinet
- Rigidity of frame is significantly increased with full height & width triple channel wall
- Three layers of metal guard the corners with interlock corner design
- Two pairs of 120 lb. rated ball bearing drawer slides on all drawers except 2" drawers
- 6"x2" precision ball bearing casters made of high tech thermoplastic rubber.
- Casters absorb vibrations transmitted to frame while moving on uneven surface
- Casters equipped with pedal brake and ball bearings for easy operation
- All drawers equipped with safe-lock system & made of 18 gauge heavy duty steel
- Extruded aluminum drawer handle trim
- · Red high gloss powder coat paint is scratch resistant
- Drawer liners included at no extra charge
- Gas struts in lid of chest make lid easy to open and close



HEAVY-INDUSTRIAL SERIES 42" TOOL CABINETS

Heavy-Industrial-grade tool cabinets with ball bearing drawer slides for rugged service in the toughest work environments

Product Code	Description
50860	42" Wide x 24" Deep 4-Drawer Top Chest
50890	42" Wide x 24" Deep 5-Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50860 in Blue, specify product code 50860BL

50860 Top Chest Overall Dimensions

Capacity	Width	Depth (inches)	Height
(cu. in.)	(inches)		(inches)
13798	41 1/2	24 1/2	22 3/4

Top Chest Drawer Sizes

	Width (inches)	Depth (inches)	Height (inches)
Number			
2	38	22	2
1	38	22	4 1/4
1	38	22	6 7/16

50890 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
21051	41 1/2	24 1/2	42 1/8

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
3	38	22	4 1/4
1	38	22	6 7/16
1	38	22	8 1/2

Features

- Frame is reinforced using 14 gauge plates on the front of cabinet.
- Rigidity of frame is significantly increased with full height & width triple channel wall.
- Three layers of metal guard the corners with interlock corner design.
- TWO pairs of 120 lb. rated ball bearing drawer slides on all drawers except 2" drawers.
- $\bullet \ \ 6\text{"x2"}$ precision ball bearing casters made of high tech thermoplastic rubber.
- Casters absorb vibrations transmitted to frame while moving on uneven surfaces.
- Casters equipped with pedal brake and ball bearings for easy operation.
- · All drawers equipped with safe-lock system & made of 18 gauge heavy duty steel.
- Extruded aluminum drawer handle trim.
- · Red high gloss powder coat paint is scratch resistant.
- Drawer liners included at no extra charge.
- . Gas struts in lid of chest make lid easy to open and close.

Colour Options

















TOOL STORAGE

HEAVY-INDUSTRIAL

Height (inches)



Colour Options



WILLIAMS

HEAVY-INDUSTRIAL SERIES 35" TOOL CABINETS

Heavy-Industrial roll cabinet designed for the toughest work environments

Product Code	Description
50881	35" Wide x 18" Deep 5 Drawer Top Chest
50887	35" Wide x 18" Deep 6 Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50881 in Blue, specify product code

50881 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
9,041	35	18 ¾	22 3/4
Top Chest Dra	wer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
2	31	16	2
2	31	16	3
1	31	16	4 1/4
B !! A			

50887 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
14,230	35	18 ¾	42

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
1	31	16	2
2	31	16	3
1	31	16	4 1/4
1	31	16	6 7/16
1	31	16	8 1/2

Colour Options



HEAVY-INDUSTRIAL SERIES 27" TOOL CABINETS

Heavy-Industrial roll cabinet designed for the toughest work environments

toughoot from our commonto			
Product Code	Description		
50880	27" Wide x 18" Deep 5 Drawer Top Chest		
50888	27" Wide v 18" Deen 6 Drawer Roll Cahinet		

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50880 in Blue, specify product code 50880BL

Depth (inches)

50880 Top Chest Overall Dimensions

Width (inches)

7,217	26 ½	18 %	22 3/4
Top Chest I	Drawer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
2	23	16	2
2	23	16	3
1	23	16	4 1/4

50888 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
9,177	27	18 3/4	42
•			

Roll Cabinet Drawer Sizes

Capacity (cu. in.)

Number	Width (inches)	Depth (inches)	Height (inches)
1	23	16	2
2	23	16	3
1	23	16	4 1/4
1	23	16	6 1/16
1	23	16	8 1/2

- Frame is reinforced using 14 gauge plates on the front of cabinet
 Rigidity of frame is significantly increased with full height & width triple channel wall
 Three layers of metal guard the corners with interlock corner design
 TWO pairs of 120 lb. rated ball bearing drawer slides on all drawers except 2" drawers
 6"x2" precision ball bearing casters made of high tech thermoplastic rubber.
 Casters absorb vibrations transmitted to frame while moving on uneven surfaces
- Casters equipped with pedal brake and ball bearings for easy operation All drawers equipped with safe-lock system & made of 18 gauge heavy duty steel
- Extruded aluminum drawer handle trim
- Red high gloss powder coat paint is scratch resistant
- Drawer liners included at no extra charge
- Gas struts in lid of chest make lid easy to open and close



TOOL STORAGE

COMMERCIAL SERIES



Canacity (cu. in.)

75" COMMERCIAL SERIES TOOL CABINET

Designed for use in commercial applications. Equipped with ball bearing slides

Product Code	Description
50992	75" Wide x 24-1/2" Deep 17-Drawer Tool Chest

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50992 in Blue, specify product code 50992BL

50992 Roll Cabinet Overall Dimensions

Width (inches)

oupdoity tour iiii	TTIGUT WITOTIOO	Dopan anonos	rioignit anionoo
38598	75 1/4	24 1/2	44 1/8
Top Chest Dra	wer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
Long Drawer	9.5		
1	51 ⁵ / ₈	22	1 1/8
1	51 ⁵ ⁄8	22	3 3/4
Left Bank	***		
1	32 5/8	22	1 5/8
3	32 5/8	22	3 1/8
1	32 5/8	22	8 1/8
Center Bank			
1	15 3/4	22	1 5/8
2	15 3/4	22	3 1/8
1	15 3/4	22	12 5/8
Right Bank	- 65	•	
1	15 ¾	22	1 ⁵ ⁄8
1	15 3/4	22	3 1/8
1	15 3/4	22	1 5/8
2	15 3/4	22	3 1/8
	- 101	· -	

Depth (inches)

Height (inches)

12 5/8



· Heavy duty double wall construction, built to last

15 3/4

- Ball bearing slides on all drawers
- Double ball bearing slide on all 4" and 6" drawers
- · Full extension slides for easy reach inside
- · Reinforced bottom channels
- Full length extruded aluminum drawer pulls
- Integrated latch security systems on all drawer
- · Aluminum protective corners
- Aluminum recessed side handle on top chest
- Heavy duty gas struts on top lid for smooth and easy opening
- · Oversized elliptical chromed side handle for comfort and easy maneuvering
- · 4 heavy duty casters with double layer ball bearing and chromed hub caps
- · High security locks
- High quality anti skid drawer liners in all drawers and top lid area
- . Easy access to top compartment area

















Colour Options







WILLIAMS

54 " COMMERCIAL SERIES TOOL CABINET

Designed for use in commercial applications. Equipped with ball bearing slides

Product Code	Description
50861	54" Wide x 18" Deep 9-Drawer Top Chest
50891	54" Wide x 18" Deep 13-Drawer Roll Cabinet
50866	54" Wide x 18" Deep 12-Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50861 in Blue, specify product code 50861BL

50861 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)		
20988	53 %	18 %2	22 1/4		
Ton Chest Drawer Sizes					

Number	Width (inches)	Depth (inches)	Height (inches)
1	50 ½	17 11/16	3 %2
3	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	1 3/8
2	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	3 %16
2	22 ²⁹ / ₃₂	16 11/32	3 ½
1	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	3 %16
1	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	5 ¾

50891 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
41328	53 ¹⁷ / ₃₂	18 3/4	42 ¾

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
1	22 ²⁹ / ₃₂	16 11/32	1 %
4	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	3 %16
1	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	7 15/16
1	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	1 %
2	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	2 ¹⁵ / ₃₂
3	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	3 %16
1	22 29/22	16 11/22	5 3/4

50866 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
20484	53 %	18 3/4	42 1/2

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
Long Drawer		-	-
1	49 %	16 1/4	1 %
1	49 %	16 1/4	3 1/8
Left Bank			
2	23	16 ½	2 ³ / ₄
2	23	16 1/4	3 1/8
1	23	16 1/4	8 1/4
Right Bank			
2	23	16 1/4	2 3/4
2	23	16 1/4	3 7/8
1	23	16 ½	8 1/4

- · Heavy duty double wall construction, built to last
- Ball bearing slides on all drawers
- Double ball bearing slide on all 4" and 6" drawers
- Full extension slides for easy reach inside
- Reinforced bottom channels
- Full length extruded aluminum drawer pulls
- Integrated latch security systems on all drawer
- Aluminum protective corners
- Aluminum recessed side handle on top chest
- Heavy duty gas struts on top lid for smooth and easy opening
- Oversized elliptical chromed side handle for comfort and easy maneuvering
- 4 heavy duty casters with double layer ball bearing and chromed hub caps
- High security locks
- · High quality anti skid drawer liners in all drawers and top lid area
- Easy access to top compartment area

WILLIAMS

42" COMMERCIAL SERIES TOOL CABINETS

Designed for use in commercial applications. Equipped with ball bearing slides

 Product Code
 Description

 50778
 42" Wide x 23" Deep 8-Drawer Top Chest

 50748
 42" Wide x 24" Deep 13-Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50778 in Blue, specify product code 50778BL

50778 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
15675	41 ½	23 %	20
•			

Top Chest Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)	Number	Width (inches)	Depth (inches)	Height (inches)
1 Shelf	38 1/2	23 ¾	3 1/4	1	11	22	1 %
1	23	22	1 5/8	2	11	22	2 ¾
2	23	22	2 3/4	1	11	22	3 1/8
1	23	22	3 7/2				

50748 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
20321	41 ½	24 ½	43 %

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)	Number	Width (inches)	Depth (inches)	Height (inches)
1	37 ¾	22	1 5/8	1	23	22	6 1/8
1	37 ¾	22	3 1/8	1	11	22	1 %
1	23	22	1 5/8	2	11	22	2 3/4
2	23	22	2 ¾	1	11	22	3 %
2	23	22	3 1/8	1	11	22	10 3/8

Red: Standard Black: B Blue: BL

WILLIAMS

42" COMMERCIAL SERIES TOOL CABINETS

Designed for use in commercial applications. Equipped with ball bearing slides

Product Code	Description
50865	42" Wide x 18" Deep 6-Drawer Top Chest
50895	42" Wide x 18" Deep 14-Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50778 in Blue, specify product code 50865BL

50865 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)	
9205	42	18 %32	19 ¹5⁄₁6	

Top Chest Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)	Number	Width (inches)	Depth (inches)	Height (inches)
1	37 5/16	16 11/32	1 %	1	22 ²⁹ / ₃₂	16 11/32	3 ½
1	37 5/16	16 ¹¹ / ₃₂	3 ½	1	10 ²⁹ / ₃₂	16 ¹¹ / ₃₂	1 %
1	22 29/22	16 11/22	1 3/6	1	10 29/32	16 11/32	3 1/2

50895 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)	
14623	44	18 ²⁷ / ₃₂	43 1/4	

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)	Number	Width (inches)	Depth (inches)	Height (inches)
1	37 %6	16 11/32	1 3/8	1	22 ²⁹ / ₃₂	16 11/32	5 ¾
1	37 5/16	16 ¹¹ / ₃₂	3 1/2	1	10 ²⁹ / ₃₂	16 ¹¹ / ₃₂	1 %
1	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	1 ¾	2	10 ²⁹ / ₃₂	16 ¹¹ / ₃₂	2 ¹⁵ / ₃₂
2	22 29/32	16 11/32	2 15/32	2	10 ²⁹ / ₃₂	16 11/32	3 1/2
2	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	3 1/2	1	10 ²⁹ / ₃₂	16 ¹¹ / ₃₂	5 ¾

- Frame is reinforced using 14 gauge plates on the front of cabinet
- Rigidity of frame is significantly increased with full height & width triple channel wall
- Three layers of metal guard the corners with interlock corner design
- TWO pairs of 120 lb. rated ball bearing drawer slides on all drawers except 2" drawers
- 6"x2" precision ball bearing casters made of high tech thermoplastic rubber.
- Casters absorb vibrations transmitted to frame while moving on uneven surfaces



- Casters equipped with pedal brake and ball bearings for easy operation
- All drawers equipped with safe-lock system & made of 18 gauge heavy duty steel
- Extruded aluminum drawer handle trim
- · Red high gloss powder coat paint is scratch resistant
- Drawer liners included at no extra charge
- Gas struts in lid of chest make lid easy to open and close













Colour Options





WILLIAMS

27" COMMERCIAL SERIES TOOL CABINETS

Designed for use in commercial applications. Equipped with ball bearing slides

Product Code	Description
50872	27" Wide x 18" Deep 4-Drawer Top Chest
50902	27" Wide x 18" Deep 5-Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50872 in Blue, specify product code 50872BL

50872 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
5980	27	18	18 1/8
Top Chest Dra	wer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
2	22 29/32	16 11/32	1 3/8
1	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	2 ¹⁵ / ₃₂
1	22 ²⁹ / ₃₂	16 ¹ 1/ ₃₂	3 1/16

50902 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
10354	29 ²⁵ / ₃₂	18	36 %
Roll Cabinet D	Prawer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
1	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	1 3/8
3	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	3 1/16
1	22 29/	16 11/	7 15/

- · Heavy duty double wall construction, built to last
- . Ball bearing slides on all drawers
- Double ball bearing slide on all 4" and 6" drawers
- · Full extension slides for easy reach inside
- · Reinforced bottom channels
- Full length extruded aluminum drawer pulls
- Integrated latch security systems on all drawer
- Aluminum protective corners
- · Aluminum recessed side handle on top chest
- Heavy duty gas struts on top lid for smooth and easy opening
- Oversized elliptical chromed side handle for comfort and easy maneuvering
- 4 heavy duty casters with double layer ball bearing and chromed hub caps
- · High security locks
- High quality anti skid drawer liners in all drawers and top lid area
- · Easy access to top compartment area
- · Casters 6" Height



27" COMMERCIAL SERIES TOOL CABINETS

Designed for use in commercial applications. Equipped with ball bearing slides

Product Code	Description
50873	27" Wide x 18" Deep 5-Drawer Top Chest
50903	27" Wide x 18" Deep 7-Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50873 in Blue, specify product code 50873BL

50873 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)	
6571	27	18	19 ¹⁵ /16	
Top Chest Dra	wer Sizes			
Number	Width (inches)	Depth (inches)	Height (inches)	
4	22 ²⁹ / ₃₂	16 11/32	1 %	
1	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	3 %16	
50903 Roll Ca	binet Overall D	imensions		
Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)	
10.354	29 25/32	18	36 5/8	

Rol	I Ca	binet	Drawer	Si	zes	
			147: 1-1			

Number	Width (inches)	Depth (inches)	Height (inches)
1	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	1 %
2	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	2 15/32
3	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	3 %16
1	22 ²⁹ / ₃₂	16 ¹¹ / ₃₂	7 15/16

Features

- · Frame is reinforced using 14 gauge plates on the front of cabinet
- · Rigidity of frame is significantly increased with full height & width triple channel wall
- Three layers of metal guard the corners with interlock corner design
- TWO pairs of 120 lb. rated ball bearing drawer slides on all drawers except 2" drawers
- $\bullet \;\;$ 6"x2" precision ball bearing casters made of high tech thermoplastic rubber .
- Casters absorb vibrations transmitted to frame while moving on uneven surfaces
- Casters equipped with pedal brake and ball bearings for easy operation
- All drawers equipped with safe-lock system & made of 18 gauge heavy duty steel
- Extruded aluminum drawer handle trim
- Red high gloss powder coat paint is scratch resistant
- Drawer liners included at no extra charge
- Gas struts in lid of chest make lid easy to open and close

Colour Options





50873













TOOL STORAGE SUPER VALUE SERIES

Colour Options

Red: Standard
Black: B
Blue: BL

Colour Options with Hardwood Top

Red with Hardwood Top: W
Black with Hardwood Top: BW
Blue with Hardwood Top: BLW





WILLIAMS

SUPER VALUE SERIES 75" ROLL CABINET WITH OPTIONAL HARDWOOD TOP

Designed for use in commercial applications. Equipped with ball bearing slides

Product Code	Description
50764	75" Wide 15 Drawer Roll Cabinet
50103	Hardwood Top Only
0 1 0 11 0	

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50764 in Blue, specify product code 50764BL

Colour Options with Hardwood Top: To order in an optional colour with a hardwood top simply add the appropriate colour and hardwood top code to the end of the product code. Example: To order #50764 in Blue with a Hardwood top, specify product code 50764BLW

50764 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
26,505	75 1/4	24 1/2	39 %
Roll Cabinet D	rawer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
1	52 ³ / ₄	22	4 3/16
2	33 ½	22	3 ³ / ₃₂
1	33 ½	22	4 3/16
1	33 ½	22	8
2	16 ⁵ %	22	3 3/32
1	16 %	22	4 3/16
1	16 %	22	8
4	16 ⁵ / ₈	22	2
1	16 ⁵ / ₈	22	4 3/16
1	16 %	22	12

- Ball bearings slides on all drawers
- Double slides on all 8" drawers (on 53" side only)
- · High gloss powder coat scratch resistant paint
- Six 6"x2" casters with load rating of 900 lbs. each
- · Four swivel and two rigid casters
- · Heavy duty 14 gauge caster channel
- · Chrome plated handles on both sides of cabinet
- Full width aluminum drawer pulls
- 3/8" Rubber top mat working surface
- Pre-cut anti-skid drawer liners



SUPER VALUE SERIES 56" TOOL CABINETS WITH OPTIONAL HARDWOORD TOP

Super Value units equipped with ball bearing slides designed for professional use at a value price.

Product Code	Description
50740	56" Wide x 24" Deep 6 Drawer Top Chest
50765	56" Wide x 24" Deep 10 Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50740 in Blue, specify product code 50740BL

Colour Options with Hardwood Top: To order in an optional colour with a hardwood top simply add the appropriate colour and hardwood top code to the end of the product code. Example: To order #50764 in Blue with a Hardwood top, specify product code 50764BLW

Denth (inches)

Height (inches)

3 1/2

50740 Top Chest Overall Dimensions Width (inches)

12,763	55 ½	24	10 1/10
Top Chest D	Prawer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
2	33 %	22	1 11/32
2	33 %	22	3 1/2

50765 Roll Cabinet Overall Dimensions

16 1/2

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
53, 562	56 ½	24	39 ½

Roll Cabinet Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
1	51 %	22	4 3/16
2	33 %	22	3 3/32
3	33 %	22	4 3/16
3	16 ½	22	2
1	16 1/2	22	12

Features

Capacity (cu. in.)

- Ball bearing slides on all drawers
- Double wall steel construction
- High gloss power coat scratch resistant paint Extruded aluminum drawer handle trim
- Comes with pre-cut drawer liners
- Gas struts in the lid for ease in opening and closing the lid



SUPER VALUE SERIES ONE PIECE UNIT

Super Value units equipped with ball bearing slides designed for professional use at a value price.

-	•	•
Product Code	Desc	ription
50730	42" V	Vide x 18 ³ / ₄ " Deep 20 Drawer One Piece Unit

Depth (inches)

50730 One Piece Unit Overall Dimensions Width (inches)

8,503	41 ½	18 ¾	61 ⁵ ⁄₁6
Top Ches	t Drawer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
1	38	16	4 3/16
5	23	16	2
3	23	16	3 3/32
2	23	16	4 3/16
5	11	16	2
3	11	16	3 3/32
1	11	16	8 %

Features

Capacity (cu. in.)

- . The Unit includes 20 drawers with a pull out work surface
- 9-1/2" canopy in top for holding large tools & other materials Canopy has electrical knockouts so cordless tool charger's can be kept secure
- Gas struts help to easily open the lid
- Ball bearing slides
- 5" x 2" Heavy duty casters
- Includes pre-cut drawer liners
- Red only











Height (inches)



Colour Options



Colour Options with Hardwood Top







TOOL STORAGE SUPER VALUE SERIES



SUPER VALUE SERIES 42" TOOL CABINETS WITH OPTIONAL HARDWOOD TOP

Super Value units equipped with ball bearing slides designed for professional use at a value price.

Product Code	Description	
50741	42" Wide x 18" Deep 10 Drawer Top Chest	
50766	35" Wide x 18" Deep 11 Drawer Roll Cabinet	

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50741 in Blue, specify product code 50741BL

Colour Options with Hardwood Top: To order in an optional colour with a hardwood top simply add the appropriate colour and hardwood top code to the end of the product code Example: To order #50766 in Blue with a Hardwood top, specify product code 50766BLW

50741 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
6,387	42	18	10 1/4
Top Chest D	rawer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
3	23	16	2
2	23	16	3
3	11	16	2
2	11	16	3


50766 Roll Cabinet Overall Dimensions Width (inches)

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
8,606	42	24 ½	38 ¾
Roll Cabine	t Drawer Size	es	
Number	Width	Depth	Height
1	38	16 1/4	4 3/16
1	23	16 1/4	2
4	23	16 1/4	3 1/8
1	23	16 1/4	4 3/16
2	11	16 1/4	3 1/8
1	11	16 1/4	4 3/16
1	11	16 1/4	8 1/8

Colour Options



Colour Options with Hardwood Top







WILLIAMS

SUPER VALUE SERIES 42" TOOL CABINETS

Super Value units equipped with ball bearing slides designed for professional use at a value price.

Product Code	Description
50744	42" Wide x 18" Deep 4-Drawer Top Chest
50769	44" Wide x 18" Deep 5-Drawer Roll Cabinet

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50744 in Blue, specify product code 50744BL

50744 Top Chest Overall Dimensions Width (inches)

13608	42	18 %2	18 ³ / ₁₆
Top Chest	Drawer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
2	38	16	2
2	38	16	6

Depth (inches)

Depth (inches)

Height (inches)

Height (inches)

50769 Roll Cabinet Overall Dimensions Width (inches)

29412	42	18 %	38 %
Roll Cabin	et Drawer Size	es	
Number	Width	Depth	Height
3	38	4 3/16	16
2	38	6 ¾	16

Features

Capacity (cu. in.)

Capacity (cu. in.)

- Ball bearing slides on all drawers
- Double wall steel construction
- High gloss power coat scratch resistant paint
- Extruded aluminum drawer handle trim.
- Comes with pre-cut drawer liners
- Gas struts in the lid of the 42" wide chest for ease in opening and closing the lid

Colour Options





TOOL STORAGE SUPER VALUE SERIES



SUPER VALUE SERIES 27" TOOL CABINETS

Super Value units equipped with ball bearing slides designed for professional use at a value price.

Product Code	Description		
50742	27" Wide x 12" Deep 4 Drawer Top Chest		
50767	27" Wide x 18" Deep 5 Drawer Roll Cabinet		

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50742 in Blue, specify product code 50742BL

50742 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
3050	26	12	14 1/2
Top Chest D	rawer Sizes		
Number	Width (inches)	Depth (inches)	Height (inches)
3	23	10 1/2	2
1	23	10 1/2	2 1/2

50767 Roll Cabinet Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
5,193	27	18 3/4	31 ½
Roll Cabine	t Drawer Size	es	
Number	Width	Depth	Height
1	23	16	2
4	23	16	4 1/4

Features

- Ball bearing slides on all drawers
- · Double wall steel construction
- · High gloss power coat scratch resistant paint
- Extruded aluminum drawer handle trim.
- Comes with pre-cut drawer liners
- Gas struts in the lid of the 42" wide chest for ease in opening and closing the lid



SUPER VALUE SERIES 27" TOOL CABINETS

Super Value units equipped with ball bearing slides designed for professional use at a value price.

Product Code	Description	
50743	27" Wide x 18" Deep 6 Drawer Top Chest	
50768	27" Wide x 18" Deep 7 Drawer Roll Cabinet	

Colour Options: Standard colour is red. To order in an optional colour, simply add the appropriate colour code to the end of the product code. Example: To order #50743 in Blue, specify product code 50743BL

50743 Top Chest Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
4806	26	1 7 %	18 ¹⁵ / ₁₆
50743 Top	Chest Drawe	r Sizes	
Number	Width (inches)		Height (inches)
6	23	16	2
		all Dimensions	
Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
8,223	27	18 ¾	35 1/2

Poll Cobinet Drawer Sizes

Holl Cabinet Drawer Sizes				
Number	Width (inches)	Depth (inches)	Height (inches)	
4	23	16	2	
2	23	16	4 1/4	
1	23	16	6 7/16	

- Ball bearing slides on all drawers
- Double wall steel construction
- · High gloss power coat scratch resistant paint
- Extruded aluminum drawer handle trim.
- Comes with pre-cut drawer liners
- Gas struts in the lid of the 42" wide chest for ease in opening and closing the lid





















TOOL STORAGE

SERVICE CARTS





HEAVY DUTY SERVICE CARTS

Heavy Duty Industrial Cart			
Product Code	Description		
50726	4 Drawer Heavy Duty Industrial Cart		

Service Carts Overall Dimensions

Product Code	Width (Inches)	Depth (Inches)	Height (Inches)
50726	30	20 1/2	40 1/2

Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
2	11	19 ¹/ ₈	3
1	25	16 ¹ / ₄	3
1	25	16 ¹ / ₄	6 ⁵ /8

Features

- · Heavy duty steel construction
- High gloss power coat scratch resistant paint
- Quality swivel casters on all units
- Drawer units have 45 mm "secure latch" ball bearing slides





50722



SERVICE CARTS

Easy and convenient access to tools when and where you need them.

Product Code	Description
50721	2 Drawer with Lockable Lid & Tray, Black
50722	2 Shelves, Red
50723	2 Shelves with Locking Drawer, Red
50724	4 Drawers with Lid, Rack and Shelf, Red

Service Cart Overall Dimensions

Product Code	Width (inches)	Depth (inches)	Height (inches)
50721	45 1/2 with a lid	16 ½	36
50722	30	17	36 7/32
50723	30	17	36 ⁷ / ₃₂
50724	41	17	36 ⁷ / ₃₂

- High gloss powder coat paint is scratch & chemical resistant
- Storage drawers for frequently used tools
 Heavy duty undercarriage to help support bottom tray load
- 18 gauge heavy duty steel
- 4" x 1" swivel casters

TOOL STORAGEJOB SITE BOXES



JOB SITE BOXES

Designed for the toughest outdoor work environments

Product Code	50950	50951	50952	50953
		Overall (Inches)		
Width	32	42	48	48
Depth	19	20	24	30
Height	17 ¹ / ₂	23 1/2	27 ¹ / ₂	33 ¹ / ₂
		Inside of body (Inch	es)	
Width	17 ⁷ /8	41 ⁷ /8	47 ⁷ /8	47 ⁷ /8
Depth	18 ⁷ /8	19 ⁷ /8	23 7/8	29 7/8
Height	11 ¹ /8	17	21 ¹ / ₈	27 ¹ /8
	l	nside of top Lid (Inc	hes)	
Width	31 ⁷ / ₈	41 ⁷ /8	47 ⁷ /8	47 ⁷ /8
Depth	18 ⁷ /8	19 ⁷ /8	23 7/8	29 ⁷ /8
Height	2 ⁵ / ₈	2 ⁵ /8	2 ⁵ /8	2 ⁵ /8

Features

- Casters weight capacity is 3500 lbs
- Tough industrial powder coating finish
- Heavy 16 gauge steel construction with 12 gauge feet
- Recessed and concealed locking area protects padlock for ultimate security against drills and bolt cutter
- · Fully welded seams provide maximum strength
- · Recessed side handles for easy transportation
- · Reinforced overlapping lid provides protection from weather and forced entry
- · Heavy duty industrial lid stays prevents accidental closure
- . Tread plate design for rugged durability







JOB SITE BOXES

Designed for the toughest outdoor work environments

Product Code	Width (inches)	Depth (inches)	Height (inches)
50954	48	24	28 ¾
50949	6" x 2" Swivel Caster Set		

- Tough industrial powder coating finish
- Super heavy gauge steel construction
- · Recessed locking area protects contents.
- Fully welded seams provide maximum strength
- . Reinforced overlapping lid provides protection from weather and forced entry
- . Heavy duty industrial lid stays open prevents accidental closure
- 4 way entry skid for easy handling.
- 16 guage steel construction with 12 guage feet.















TOOL STORAGE

ROAD BOX WORK BENCH





HEAVY-DUTY ROAD BOXES - 26" AND 34"

Designed with extra heavy-duty features for mobile use in the factory or on the road in service trucks.

Product Code	Description
50947B	34" 5-Drawer Heavy Duty Road Box / Top Chest - Black
50946B	26" 5-Drawer Heavy Duty Road Box / Top Chest - Black
50946RED	26" 5-Drawer Heavy Duty Road Box / Top Chest - Red

50947B Road Box Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
8882	34	17 ⁷ / ₈	23

50947B Road Box Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
3	31	16	2
2	31	16	4 1/2

50946B and 50946RED Road Box Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
6749	26	17 ⁷ / ₈	22

50946B and 50946RED Road Box Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
2	23	16	4 1/4
3	23	16	2

Features

- Drop front panel has neoprene water & dust resistant seal.
- Shielded hinges for long life in harsh environments.
- Cushion feet pads attached to bottom for protection.
- Extra heavy duty metal with 75 lb load rating per drawer.
- · Secure key internal locking system.
- 50946RED includes a padlock eye with slotted hasp provides security



WORK BENCH

Наэм	, duty	ctaal	constr	uction
HEAV	, uuty	3 LCC	COHSU	uctivii

Product Code	Width (inches)	Depth (inches)	Height (inches)
50921	71 ¾	25 ¾	34 ¹³ / ₁₆
50920	71 ¾	26 ¹¹ / ₁₆	58 %
50922	57 ¹ / ₄	25 ¾	34 %
50923	45 1/4	25 ¾	34 %
50924	36	25 ¾	34 %

Features

- 50920 includes pegboard
- Heavy duty steel construction
- High gloss powder coat scratch resistant paint
- Back and side roll-off panel prevents tools and hardware from rolling off the bench



50946RED

TOOL STORAGE HAND CARRY



SUPER VALUE SERIES 26" CHEST

Product Code	Description
TB-6024RA	26" 6-Drawer Top Chest with Drop Front

TB-6024RA Top Chest, Overall Dimensions

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
3.073	26	12	14 1/2

Top Chests, Drawer Sizes

Number	Width (inches)	Depth (inches)	Height (inches)
3	23	10 ½	2
3	7	10 ½	2

Features

- · Heavy bottom support rails.
- High gloss powder coat paint is scratch & chemical resistant.
- Heavy gauge metal for a lifetime of use.
- Double wall construction for greater strength.
- Standard compound friction slides.
- TB-6024A pictured with optional tote tray.
- TTR-6024RA tote tray



Pictured with optional tote tray TTR-6024RA



26" FLAT TOP TOOLBOX

Product Code	Width (Inches)	Depth (Inches)	Height (Inches)	Cubic Inch Capacity
TB-6124A	26	8 3/4	9	1980

- Ruggedly constructed hand tool box.
- Extra long tools up to 25" fit neatly inside.
- Three compartment tray with socket divider to keep small tools better organized and close at hand.
- Double drawbolts keep the lid tightly closed.
- Padlock eye with slotted hasp provides security.





21" FLAT TOP TOOLBOX

Product Code	Width (Inches)	Depth (Inches)	Height (Inches)	Cubic Inch Capacity
TB-6121	21 1/4	8 3/4	12	1613

- . Ruggedly constructed hand lool box
- Three compartment tray with socket divider to keep small tools better organized and close al hand.
- Double drawbolts keep the lid lightly closed.
- Padlock eye with slotted hasp provides security















TOOL STORAGE HAND CARRY





21" FLAT TOP TOOLBOX

Product Code	Width	Depth	Height	Cubic Inch
	(Inches)	(Inches)	(Inches)	Capacity
TB-6123	21	8 3/4	12	1606

- · Ideal lor general use
- Steel tote tray keeps smaller Items handy
- . Combination drawbolt and padlock eye provide security





21" FOUR TRAY CANTILEVER TOOLBOX

Product Code	Width (Inches)	Depth (Inches)	Height (Inches)	Cubic Inch Capacity
TB-6218A	21 1/4	8 3/4	12	1971

- Four trays cantilever outward when box is open providing access to the exceptionally deep box.
- Two of the trays feature movable dividers and another has a protective cover to prevent small tools or parts from spilling into the box.
- Formed feet in the box bottom add to strength and keep the box away from wet, dirty surfaces.





20" HIP ROOF TOOLBOX

Product Code	Width (Inches)	Depth (Inches)	Height (Inches)	Cubic Inch Capacity
TB-6220A	20	7	8	959

- Hip roof design for fitting bulky tools.
- Ideal for tradesman who carries bulky drills or 3/4 inch drive sets.
- Extra large tote tray with deeper space between handle and tray bottom.
- Combination drawbolt and padlock eye provide security.

TOOL STORAGEHAND CARRY / TOOL CABINETS



19" FLAT TOP TOOLBOX

Product Code	Width (Inches)	Depth (Inches)	Height (Inches)	Cubic Inch Capacity
TB-6119A	19	6	6 1/2	741

- · Ideal lor general use.
- . Steel tote tray keeps smaller Items handy.
- Combination drawbolt and padlock eye provide security.





16" FLAT TOP TOOLBOX WITH TRAY

Product Code	Width (Inches)	Depth (Inches)	Height (Inches)	Cubic Inch Capacity
TB-6116	16	6	6 1/2	574

- · Ruggedly constructed hand lool box
- Three compartment tray with socket divider to keep small tools better organized and close al hand.
- Double drawbolts keep the lid lightly closed.
- · Padlock eye with slotted hasp provides security





42" COMMERCIAL SERIES TOOL CABINETS

50855 Side	Cabinet Overall	Dimensions
Capacity	Width	Depth

Capacity (cu. in.)	Width (inches)	Depth (inches)	Height (inches)
8200	15	18 ¾	37 ½16

50851 Side Cabinet Overall Dimensions

Capacity	Width (inches)	Depth	Height
(cu. in.)		(inches)	(inches)
3,921	15	18 ¾	30 1/2

- High gloss powder coat paint is scratch & chemical resistant.
- Heavy gauge metal for a lifetime of use.
- Adjustable shelf for versatile tool storage options.
- Can be used on all Williams Commercial Series roll cabinets.
- 50851 7-Drawer side cabinet red only
- 50855 Side cabinet with 1 shelf

















TOOL STORAGE HARDWOOD WORK SURFACE



WILLIAMS

HARDWOOD WORK SURFACE

Product Code	Width (Inches)	Depth (Inches)	Height (Inches)	Fits Roll Cabinet	Roll Cabinet Description
50111	53 ³ / ₄	24	1 1/2	50885	Heavy Duty 54"
50103	74 ³ / ₄	24	3/4	50764	Super Value 75"
50102	55	24	3/4	50765	Super Value 56"
50101	40	18	3/4	50766	Super Value 42"

- Laminated maple, hardwood work surface 1-1/2" for the Heavy Duty Series
 Hardwood surface 3/4" used on the Super Value Series





TOOL STORAGE TOTES/RAILS AND CLIPS

WILLIAMS

TOOL TOTE BAGS

Product Code	Length	Width	Height
	(Inches)	(Inches)	(Inches)
JHW TOTE BAGA	14	11	10

Features

- Constructed from heavy Cordura® for maximum durability.
 Ideal for storing and toting tools, parts, and supplies.
 Heavy duty zippers for extra long life.



WILLIAMS

METAL SOCKET SET TOOLBOXES

Rugged storage for Williams' premium socket sets					
Product Code	Width (Inches)	Depth (Inches)	Height (Inches)	Gauge	
TB-101	10	7	1 1/2	22	
TB-102	13	9	1 3/4	22	
TB-103	18	8	2	22	
TB-104	25	9	2	20	
TB-12	30 1/4	11 ½	4 3/4	18	
TB-35	14 1/2	5 ½	1 3/4	22	
TR-49	24 ⁷ / ₈	8 1/8	3 7/8	18	

Features

- Ruggedly constructed for long life.
 Ideal for storing socket sets, other tools, and small parts.
 Made from cold-rolled steel.



WILLIAMS

METAL SOCKET RAILS AND CLIPS

WEIAE O	JUILL HAIL	O AILD OLI	. •
Product Code	Description	Material	Length (Inches)
R-9	Socket Rail	Metal	9
R-13R	Socket Rail	Metal	13
R-17	Socket Rail	Metal	17
Product Code	Description	Material	Drive Size (Inches)
RC-25	Socket Clip	Metal	1/4
RC-37	Socket Clip	Metal	3/8
RC-50	Socket Clip	Metal	1/2
RC-75	Socket Clip	Metal	3/4

^{*} Socket clips sold individually















^{*} All rails hold any size clips

TOOL STORAGERAILS AND CLIPS POUCHES











PLASTIC SOCKET RAILS AND CLIPS

Product Code	Description	Material	Length (Inches)
R-8BLUE	Socket Rail - Blue	Plastic	8
R-8RED	Socket Rail - Red	Plastic	8
R-13BLUE	Socket Rail - Blue	Plastic	13
R-13RED	Socket Rail - Red	Plastic	13
R-18BLUE	Socket Rail - Blue	Plastic	18
R-18RED	Socket Rail - Red	Plastic	18
Product Code	Description	Package Quantity	Drive Size (Inches)
RC-25-15P	Socket Clip	15 Pack	1/4
RC-37-15P	Socket Clip	15 Pack	3/8
RC-50-15P	Socket Clip	15 Pack	1/2

^{*} Socket clips sold individually

WILLIAMS

ROLL POUCHES

Customize Y	our Own Tool Se	ets	
Product Code	Number of Pockets	Width (Inches)	Height (Inches)
R-1A	5	6	7 ½
R-2A	5	8	12
R-3A	5	11 ½	15 ½
R-4A	5 5 5 5	12 1/2	18 ½
R-5A		16	25
R-8A	15	17 1/4	10 ½
R-10A	10	19 ¾	17 1/4
R-11A	10	26 1/2	25
R-13A	10	34 ½	32
R-14A	14	20 1/4	9 3/4
R-15A	8	15 1/4	16 ¾
R-20A	14	14 ½	8
R-23A	8 4	23 1/4	26
R-24A		8 3/4	11
<u>R-27A</u>	17	23 1/4	17 ³ / ₄
R-28A	26	19 ½	27
R-29A	8	11	12 ¾
R-30A	9	14 %	13
R-30XA	8 9 9 6	14 ¾	8 ½
R-31A	6	13 1/4	16
R-36A	9	9 1/4	10 ½
R-37A	15	37	26 ½
R-38A	7	13	16 ¾
R-41A	11	24	20
R-42A	7	12 ³ ⁄ ₄	16
R-43A	7	13	16 ½
R-47A	7 3	12 ¾	14 ½
R-48A	3	15 1/4	9 1/4
R-49A	12	25 %	29

Features

- Heavy construction for long life.
- Ideal for storing a variety of tools such as wrenches, extensions, and ratchets.

WILLIAMS

VINYL POUCHES

Customize Your Own Tool Sets						
Product Code	Width (Inches)	Height (Inches)				
50001A	4 1/2	12 ½				
50003A	6	15				
50005A	7 ½	19				
50007A	9 ½	19				
097411A	6	3/8				
099965A	9 ½	1/8				

- Extra heavy construction with snap fastening
- Clear plastic front panels allows full visibility to tools
- . Metal grommets allow pouch to be hung on pegboard

^{*} All rails hold any size clips

TOOL STORAGE ACCESSORIES



REPLACEMENT CASTERS

Haava	Duty	Casters
пеачч	Dutv	Casters

Product Code	Туре	Size	Series	Tool Storage Part #	Max Load
50938	Rigid	6 x 2	Heavy Industrial,	50885, 50990	900
50939	Swivel	6 x 2	54",&73"	50885, 50990	900
50936	Rigid	6 x 2	Heavy Industrial,	50887, 50888, 50890	600
50937	Swivel	6 x 2	27", 36", 41"	50887, 50888, 50890	600
50934	Rigid	5 x 2	Heavy Industrial &	50891, 50895, 50897, 50901, 50902, 50903	412
50935	Swivel	5 x 2	Commercial 27" & 42"	50891, 50895, 50897 50901, 50902, 50903	412



Product Code	Туре	Size	Series	Tool Storage Part #	Max Load
50932	Rigid	5 x 2	Super Value & Utility	50730, 50731, 50765, 50766, 50767, 50768, 50831, 50837	400
50933	Swivel	5 x 2		50730, 50731, 50765, 50766, 50767, 50768, 50831, 50837	400
50930	Rigid	5 x 1 ¹ / ₄	Helia.	50833, 50835	150
50931	Swivel	5 x 1 ¹ / ₄	Utility	50833, 50835	150



• Caster - 6" in height







REPLACEMENT LOCK AND KEYS

Product Code	Tool Storage Product Code
50960	50742, 50743
50961	TB-6024RA, 50792, 50855
50962	50740, 50744, 50748, 50765, 50778, 50861, 50865, 50866, 50872, 50873, 50885, 50969
50963	50766, 50767, 50768, 50831, 50833, 50837, 50851, 50895, 50897, 50901
50964	50885, 50887, 50888, 50890
50965	50891
50966	50805, 50807, 50867, 50871
50967	50790, 50791, 50883, 50884, 50946
50968	50741, 50801
50969	50990, 50992
50970	50850
50971	50830
50972	50769, 50898, 50903, 50902, 50764
50963	50868
50976	50860, 50881, 50880
50974	Key Only - Professional Series
50975	Lock Only - Professional Series













WRENCHES

VARIETY IN STYLES AND SIZES TO ADDRESS MOST APPLICATIONS

- \bullet SUPERCOMBO® WRENCHES \bullet UNIQUE TUBULAR HANDLE WRENCHES
- ADJUSTABLE WRENCHES RATCHETING COMBINATION WRENCHES

UNIQUE DESIGN FEATURES FOR EXTRA STRENGTH, EASY ACCESS AND COMFORT

- SPECIALLY DESIGNED GROOVES IN THE SUPERCOMBO® OPEN ENDS DIRECT FORCE AWAY FROM CORNERS
 - SUPERTORQUE® BOX OPENING DESIGN ALLOWS HIGHER TORQUE

WITHOUT ROUNDING OR DEFORMING FASTENER CORNERS

- ROUND EDGE PROFILES PROVIDE A MORE COMFORTABLE GRIP TO APPLY MORE FORCE
- SATIN CHROME TEXTURED FINISH PROVIDES GREAT FEEL AND EXTRA GRIPPING POWER



WE CONTINUE TO INNOVATE TO DELIVER SAFETY AND PRODUCTIVITY TO OUR CUSTOMERS



Supercombo® Wrenches

- Open End: SUPERCOMBO® open end has specially designed grooves that contact fasteners on the flats and direct force away from corners, eliminating corner rounding. A 45° chamfer on the jaw tips allow for easy fastener insertion.
- Handle: Round edge profiles eliminate sharp edges, providing a more comfortable grip to apply more force. Large stamp size in the handle allows for quick and easy identification.
- Box End: SUPERTORQUE® lobular box design prevents rounding of the nuts and bolt heads by providing "no contact" clearance of the corners while applying all of the wrenching force (torque) on the flat surfaces behind the corner points. Box end chamfer is designed for quick, positive placement on the fastener.

Unique Tubular Handle Wrenches

- Wrenches may be used without the handle to quickly run down nuts. The handle can then be slipped on for final tightening or to reach otherwise inaccessible nuts.
- A "stop" on the wrench shaft helps to align locking button with handle hole.
- Offset box design provides turning clearance for hands above work surface.
- Continuous arc design distributes stress over the entire wrench opening radius for greater strength.
- Available in 3 styles offset box, straight box and open end.
- Interchangeable handle lengths − 13", 24" and 36".
- Large size ranges from 3/4" to 3 1/8" (depending upon style).









Adjustable Wrenches

- Snap-on Industrial Brands offers the largest variety of adjustable wrenches in the industry: ergonomically designed, Big Mouth, combination adjustable pipe wrench, construction; chrome and black finish, comfort grip and standard handles.
- All models thru 18" feature measurement scale on head that conveniently shows fastener size.

Ratcheting Combination Wrenches

- High-polished chrome finish cleans easily.
- Ratchet lever is easily accessible for quick direction changes.
- SUPERTORQUE® corners on box ends provide extra turning power.
- Available in Standard, Flex-Head and Stubby styles to suit every need.
- Fine tooth design with dual-pawl mechanism for extra strength.
- Flex-Head models feature 90 degree pivot in either direction.
- Stubby models feature extra short handles for access in tight areas.







SUPERCOMBO® COMBINATION WRENCHES

High Polish Chrome and Satin Chrome Finish, 12 Point, SAE

		Α	В	С	D	E
		Overall	Open End	Open End	Box End	Box End
		Length	Width	Thickness	Diameter	Thickness
Product Code	Size (Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
1208SC +	1/4	4 1/4	9/16	1/8	13/32	3/16
1210SC +	5/16	5 ¾	11/16	5/32	1/2	7/32
1211SC +	11/32	6 1/4	3/4	3/16	9/16	1/4
1212SC ++	3/8	6 1/2	13/16	3/16	9/16	1/4
1214SC ++	7/16	7 1/4	15/16	7/32	11/16	9/32
1216SC ++	1/2	8	1 1/16	1/4	3/4	11/32
1218SC ++	9/16	8 3/4	1 1/4	1/4	7/8	3/8
1220SC ++	5/8	9 1/2	1 3/8	9/32	¹⁵ / ₁₆	13/32
1222SC ++	11/16	10 1/4	1 1/2	5/16	1 1/32	7/16
1224SC ++	3/4	11	1 5/8	5/16	1 1/8	1/2
1226SC ++	13/16	11 3/4	1 3/4	3/8	1 7/32	17/32
1228SC ++	7/8	12 1/2	1 7/8	13/32	1 5/16	9/16
1230SC ++	15/16	13 1/4	2	7/16	1 3/8	19/32
1232SC ++	1	14	2 ½	15/32	1 15/32	5/8
1234SC ++	1 1/16	14 ¾	2 1/4	1/2	1 %16	21/32
1236SC ++	1 1/8	15 ½	2 13/32	17/32	1 21/32	11/16
1238SC ++	1 3/16	16 1/4	2 17/32	17/32	1 23/32	3/4
1240SC ++	1 1/4	17	2 21/32	9/16	1 13/16	3/4
1242 **	1 5/16	17 3/4	2 13/16	19/32	1 29/32	3/4
1244 **	1 3/8	18 ½	2 ¹⁵ / ₁₆	5/8	2	3/4
1246 **	1 7/16	19 1/4	3 1/16	5/8	2 2 ³ / ₃₂	7/8
1248 **	1 1/2	20 1/32	3 3/16	11/16	2 ³ / ₁₆	7/8
1178A **	1 %16	20 25/32	3 3/16	21/32	2 1/4	7/8
1180 **	1 %	21 ½	3 5/16	11/16	2 11/32	7/8
1182 **	1 11/16	22 %32	3 7/16	23/32	2 7/16	7/8
1184 **	1 3/4	22 7/8	3 %16	23/32	2 ¹⁷ / ₃₂	1 1/32
1186 **	1 13/16	23 ¹⁵ / ₃₂	3 ¹¹ / ₁₆	3/4	2 5/8	1 1/32
1188 **	1 1/8	24 1/32	3 ¹³ / ₁₆	25/32	2 ²³ / ₃₂	1 1/32
1190 **	2	25 1/4	4 1/16	27/32	2 1/8	1 1/32
1191 **	2 1/16	25 ¹³ / ₁₆	4 3/16	27/32	2 31/32	1 5/32
1192 **	2 1/8	26 %	4 5/16	7/8	3 1/16	1 5/32
1193 **	2 ³ / ₁₆	26 ³¹ / ₃₂	4 7/16	29/32	3 5/32	1 5/32
1194 **	2 1/4	27 % 27 %	4 %16	15/ ₁₆	3 ⁷ /32	1 5/32
1195 **	2 3/8	28 ³ / ₄	4 ¹³ / ₁₆	31/32	3 ¹³ / ₃₂	1 %2
1197 **	2 1/2	29 ²⁹ / ₃₂	5 ½16	1 1/32	3 ¹⁹ / ₃₂	1 %2
1198 *	2 %	32	6 %	1 7/32	4 1/8	1 %
1198A *	2 3/4	32	6 %	1 7/32	4 1/8	1 %
1198B *	2 7/8	32	6 %	1 7/32	4 7/8	1 %
1198C *	2 15/16	32	6 %	1 7/32	4 1/8	1 5/8
1199 *	3	32	6 %	1 7/32	4 7/8	1 5%
1199A *	3 ½	32	6 %	1 7/32	4 /8 4 ⁷ /8	1 %
1199B *	3 %	31 %	6 %	1 7/32	4 /8 4 ⁷ /8	1 %
1199C *	3 ½ 3 ½	31 ²⁹ / ₃₂	6 %	1 7/32	4 7/8 4 7/8	1 5/8
11330	J //	J1 /32	U 78	1 /32	7 /8	1 78



⁺⁺ High Polish Chrome Finish with SUPERCOMBO® Open End and SUPERTORQUE® Box End.

Fed. Spec.: ANSI B107.6; SAE AS 954

Features

- SUPERCOMBO® open end has specially designed grooves that direct wrench force away from
- SUPERTORQUE® box opening design allows application of higher torque without rounding or deforming hex fastener points. No contact is made at the corners. Instead, wrenching forces are placed on the flat surfaces behind the points.
- . Meets or exceeds aerospace specification AS 954 for 12 point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application.
- May be used on all common hex (6 point) fasteners with considerable advantage over conventional box end wrenches to increase both hand tool flexibility and economy.
- · Box and open end openings are identical.










surfaces rather than the points.



^{**} Satin Chrome Finish with SUPERTORQUE® Box End and Standard Open End.

^{*} Satin Chrome Finish with Standard Open and Box Ends.

WRENCHES COMBINATION













SUPERCOMBO® WRENCH SETS

High Polish Chrome and Satin Chrome Finish, 12 Point, SAE Set Contents:

		WS-1170SCA	WS-1171SCA	WS-1172SCA	WS-1190SCA	WS-1174TA	WS-1175	WS-1176*	WS-1191SC*
Product	Size	7-Piece Set	11-Piece Set	15-Piece Set	26-Piece	10-Piece	6-Piece	16-Piece	32-Piece
Code	(Inches)	in Pouch	in Pouch	in Pouch	Set	Set	Set	Set	Set
1208SC	1/4				Х				Х
1210SC	5/16			Х	X				X
1212SC	3/8	Х	Х	Х	Х				Х
1214SC	7/16	Χ	Х	Х	Х				Х
1216SC	1/2	Χ	Χ	Χ	Х				Х
1218SC	9/16	Χ	Χ	X	Х				Х
1220SC	5/8	Χ	Χ	Х	X				χ
1222SC	11/16	Х	Χ	X	Χ				Х
1224SC	3/4	Χ	Χ	Х	Х				χ
1226SC	13/16		Χ	Χ	Х				Х
1228SC	7/8		Х	Х	Х				X
1230SC	15/16		Х	Χ	Χ				Х
1232SC	1		Х	Х	Х				X
1234SC	1 1/16			Χ	X				Х
1236SC	1 1/8			Х	Х				X
1240SC	1 1/4			X	Х				Х
1242	1 5/16				Х	Χ		Χ	χ
1244	1 3/8				Х	X		Х	X
1246	1 7/16				Х	χ		χ	χ
1248	1 1/2				Х	X		X	Х
1180	1 %				Х	Х		χ	χ
1182	1 11/16				X	X		Х	Х
1184	1 3/4				Х	X		X	X
1186	1 13/16				X	X		X	X
1188	1 1/8				Х	Х		Х	X
1190	2				Х	X		X	X
1191	2 1/16						X	Х	X
1192	2 1/8						X	X	X
1193	2 3/16						X	Х	X
1194	2 1/4						X	X	X
1195	2 %						X	X	X
1197	2 1/2						X	Х	Х

*NOT PICTURED







WS-1190SCA

WRENCHES COMBINATION







SUPERCOMBO® COMBINATION WRENCHES

Black Industrial Finish, 12 Point, SAE

		Α	В	С	D	E
		Overall	Open End	Open End	Box End	Box End
		Length	Width	Thickness	Diameter	Thickness
Product Code	Size (Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
1210BSC +	5/16	5 ¾	11/16	5/32	1/2	7/32
1212BSC ++	3/8	6 ½	¹³ / ₁₆	3/16	9/16	1/4
1214BSC ++	7/16	7 1/4	¹⁵ / ₁₆	7/32	11/16	9/32
1216BSC ++	1/2	8	1 1/16	1/4	3/4	11/32
1218BSC ++	9/16	8 3/4	1 1/4	1/4	7/8	3/8
1220BSC ++	5/8	9 1/2	1 3/8	9/32	15/16	13/32
1222BSC ++	11/16	10 1/4	1 1/2	5/16	1 1/32	7/16
1224BSC ++	3/4	11	1 5/8	5/16	1 1/8	1/2
1226BSC ++	¹³ / ₁₆	11 ¾	1 3/4	3/8	1 7/32	17/32
1228BSC ++	7/8	12 ½	1 1/8	13/32	1 5/16	9/16
1230BSC ++	15/16	13 1/4	2	7/16	1 3/8	19/32
1232BSC ++	1	14	2 1/8	15/32	1 ¹⁵ / ₃₂	5/8
1234BSC ++	1 1/16	14 ¾	2 ½	1/2	1 %16	21/32
1236BSC ++	1 1/8	15 ½	2 ¹³ / ₃₂	17/32	1 ²¹ / ₃₂	11/16
1240BSC ++	1 1/4	17	2 ²¹ / ₃₂	9/16	1 13/16	3/4
1242B **	1 5/16	17 ¾	2 ¹³ / ₁₆	19/32	1 29/32	3/4
1244B **	1 %	18 ½	2 ¹⁵ / ₁₆	5/8	2	3/4
1246B **	1 7/16	19 1/4	3 1/16	5/8	2 3/32	7/8
1248B **	1 1/2	20 1/32	3 ³ ⁄ ₁₆	11/16	2 3/16	7/8
1178AB **	1 %16	20 ²⁵ / ₃₂	3 ³ ⁄ ₁₆	21/32	2 1/4	7/8
1180B **	1 %	21 ½	3 5⁄16	11/16	2 11/32	7/8
1182B **	1 11/16	22 %2	3 ⁷ ⁄16	23/32	2 7/16	7/8
1184B **	1 3/4	22 1/8	3 %16	23/32	2 17/32	1 1/32
1186B **	1 13/16	23 15/32	3 ¹¹ / ₁₆	3/4	2 ⁵ /8	1 1/32
1188B **	1 1/8	24 1/32	3 ¹³ / ₁₆	25/32	2 ²³ / ₃₂	1 1/32
1190B **	2	25 1/4	4 1/16	27/32	2 1/8	1 1/32
1191B **	2 ½16	25 ¹³ ⁄ ₁₆	4 3/16	²⁷ / ₃₂	2 ³¹ / ₃₂	1 5/32
1192B **	2 1/8	26 %	4 5⁄16	7/8	3 ½16	1 5/32
1193B **	2 ³ ⁄ ₁₆	26 ³¹ / ₃₂	4 ½16	29/32	3 5/32	1 5/32
1194B **	2 1/4	27 %16	4 %16	15/16	3 7/32	1 5/32
1195B **	2 3/8	28 ¾	4 ¹³ / ₁₆	31/32	3 ¹³ / ₃₂	1 %32
1197B **	2 1/2	29 ²⁹ / ₃₂	5 ½16	1 1/32	3 ¹⁹ / ₃₂	1 %32
1198BL *	2 ⁵ /8	32	6 ⁵ / ₈	1 7/32	4 1/8	1 %
1198ABL *	2 ³ / ₄	32	6 ⁵ ⁄8	1 7/32	4 ⁷ /8	1 %
1198BBL *	2 1/8	32	6 %	1 7/32	4 1/8	1 %
1198CBL *	2 ¹⁵ / ₁₆	32	6 %	1 7/32	4 1/8	1 %
1199BL *	3	32	6 ⁵ ⁄8	1 7/32	4 1/8	1 %
1199ABL *	3 1/8	32	6 ⁵ ⁄8	1 7/32	4 1/8	1 %
1199BBL *	3 ¾	31 ²⁹ / ₃₂	6 ⁵ / ₈	1 7/32	4 1/8	1 %
1199CBL *	3 1/2	31 ²⁹ / ₃₂	6 %	1 7/32	4 1/8	1 %

- + Black Industrial Finish with SUPERTORQUE® Box End
- ++ Black Industrial Finish with SUPERCOMBO® Open End and SUPERTORQUE® Box End
- ** Black Industrial Finish with SUPERTORQUE® Box End and standard open end
- * Satin Chrome Finish with Standard Open and Box Ends

Fed. Spec.: ANSI B107.6; SAE AS 954

- SUPERCOMBO® open end has specially designed grooves that direct wrench force away from fastener corners.
- SUPERTORQUE® box opening design allows application of higher torque without rounding or deforming
 hex fastener points. No contact is made at the corners. Instead, wrenching forces are placed on the flat
 surfaces behind the points.
- Meets or exceeds aerospace specification AS 954 for 12 point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application.
- May be used on all common hex (6 point) fasteners with considerable advantage over conventional box end wrenches to increase both hand tool flexibility and economy.
- Box and open end openings are identical.









WRENCHES COMBINATION









SUPERCOMBO® WRENCH SETS

Black Industrial Finish, 12 Point, SAE Set Contents

		WS-1170BSC	WS-1171BSC	WS-1172BSC	WS-1190BSC	WS-1174BTA
Product	Size	7-Piece Set	11-Piece Set	15-Piece Set	26-Piece	11- Piece
Code	(Inches)	in Pouch	in Pouch	in Pouch	Set	Set
1210BSC	5/16			Х	Х	
1212BSC	3/8	Χ	Χ	Χ	Χ	
1214BSC	7/16	Х	Х	Х	Х	
1216BSC	1/2	Χ	Χ	Χ	Χ	
1218BSC	9/16	Χ	Χ	Χ	Х	
1220BSC	5/8	Х	X	X	X	
1222BSC	11/16	Χ	Х	Χ	Χ	
1224BSC	3/4	X	X	X	X	
1226BSC	¹³ / ₁₆		Χ	Χ	Χ	
1228BSC	7/8		X	X	X	
1230BSC	¹⁵ / ₁₆		Х	Χ	Х	
1232BSC	1		X	X	X	
1234BSC	1 1/16			Х	Χ	
1236BSC	1 1/8			Х	Х	
1240BSC	1 1/4			Х	Х	
1242B	1 5/16				X	X
1244B	1 %				Χ	X
1246B	1 7/16				X	X X
1248B	1 1/2				Х	Х
1178AB	1 %16				Х	Χ
1180B	1 %				Χ	X
1182B	1 11/16				Х	Χ
1184B	1 3/4				Х	X
1186B	1 ¹³ / ₁₆				Χ	X
1188B	1 1/8				Χ	Х
1190B	2				Х	Х



WRENCHES COMBINATION








SUPERCOMBO® COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, Metric

		Α	В	C	D	E
Product Code	Size (MM)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
1206MSC +	6	4 27/32	9/16	1/8	13/32	³ / ₁₆
1207MSC ++	7	5 ⁵ / ₁₆	5/8	5/32	15/32	7/32
1208MSC ++	8	5 25/32	23/32	5/32	1/2	7/32
1209MSC ++	9	6 %2	13/16	3/16	9/16	1/4
1210MSC ++	10	6 ¾	7/8	3/16	5/8	9/32
1211MSC ++	11	7 1/4	31/32	7/32	11/16	5/16
1212MSC ++	12	7 11/16	1 1/32	7/32	3/4	5/16
1213MSC ++	13	8 ½32	1 1/8	1/4	²⁵ / ₃₂	11/32
1214MSC ++	14	8 %	1 ⁷ /32	1/4	²⁷ / ₃₂	3/8
1215MSC ++	15	9 3/32	1 %2	9/32	²⁹ / ₃₂	13/32
1216MSC ++	16	9 1/2	1 3/8	9/32	¹⁵ /16	13/32
1217MSC ++	17	10 1/16	1 15/32	5/16	1	7/16
1218MSC ++	18	10 17/32	1 17/32	5/16	1 1/16	15/32
1219MSC ++	19	11 1/32	1 5/8	11/32	1 1/8	1/2
1220MSC ++	20	11 ½	1 23/32	3/8	1 ³ / ₁₆	1/2
1221MSC ++	21	11 ²⁵ / ₃₂	1 3/4	3/8	1 7/32	17/32
1222MSC ++	22	12 1/2	1 29/32	13/32	1 5/16	9/16
1223MSC ++	23	12 1/8	1 31/32	7/16	1 11/32	9/16
1224MSC ++	24	13 %2	2	7/16	1 3/8	19/32
1225MSC ++	25	14 1/32	2 5/32	15/32	1 15/32	5/8
1226MSC +	26	14 ⁵ / ₁₆	2 3/16	1/2	1 1/2	21/32
1227MSC +	27	14 ²⁵ / ₃₂	2 %2	1/2	1 %16	11/16
1229MSC +	29	15 ¹⁷ / ₃₂	2 13/32	17/32	1 21/32	23/32
1230MSC +	30	16 %2	2 17/32	17/32	1 3/4	3/4
1232MSC +	32	17 1/32	2 11/16	9/16	1 13/16	3/4
1234MSC +	34	17 ²⁵ / ₃₂	2 ¹³ / ₁₆	19/32	1 29/32	3/4
1236MSC +	36	19 %32	3 1/16	21/32	2 3/32	7/8
		. 7 / 02	- /10			



++ High Polish Chrome Finish with SUPERCOMBO® Open End and SUPERTORQUE® Box End

Fed. Spec.: ANSI B107.6; SAE AS 954

Features

- SUPERCOMBO® open end has specially designed grooves that direct wrench force away from fastener corners.
- SUPERTORQUE® box opening design allows application of higher torque without rounding or deforming
 hex fastener points. No contact is made at the corners. Instead, wrenching forces are placed on the flat
 surfaces behind the points.
- Meets or exceeds aerospace specification AS 954 for 12 point fasteners (as defined by AS 870) to
 provide accurate torque/tension relationship for precision application.
- May be used on all common hex (6 point) fasteners with considerable advantage over conventional box end wrenches to increase both hand tool flexibility and economy.
- · Box and open end openings are identical.




Grooves in the SUPERCOMBO® open ends direct wrench force away from fastener corners.



SUPERTORQUE® box opening design allows higher torque without rounding or deforming fastener corners by placing wrenching forces on the flat surfaces rather than the points.

















SUPERCOMBO® WRENCH SETS


High Polish Chrome Finish, 12 Point, Metric Set Contents:

		MWS-1B	MWS-5A	MWS-10A	MWS-15A	MWS-18A	MWS-6A	MWS-27TA*
Product	Size	8-Piece Set	10-Piece Set	10-Piece Set	15-Piece Set	18-Piece Set	10-Piece Set	27-Piece Set
Code	(MM)	in Pouch	in Pouch	in Pouch	in Pouch	in Pouch	in Pouch	
1206MSC	6	Х						Х
1207MSC	7	Χ	Χ		Χ	Χ		Χ
1208MSC	8	Χ	Х		Х	Х		Χ
1209MSC	9	Χ	Χ		Χ	Χ		Х
1210MSC	10	Χ	Χ	Χ	Χ	Χ		Х
1211MSC	11	Х	Х	Х	Х	Χ		Х
1212MSC	12	Χ	Χ	Χ	Χ	Χ		Х
1213MSC	13	Х	Х	X	X	Х		X
1214MSC	14		Χ	Χ	Χ	Х		Χ
1215MSC	15		Χ	X	X	X		X
1216MSC	16			Χ	Χ	Χ		Х
1217MSC	17		Х	X	X	Х		X
1218MSC	18			Χ	Χ	Χ	Х	Х
1219MSC	19			Х	X	Х	Х	Х
1220MSC	20				Χ	Χ		Х
1221MSC	21				X	Х	Х	X
1222MSC	22					Х	Х	Х
1223MSC	23					Х		X
1224MSC	24					Χ	Х	Χ
1225MSC	25							X
1226MSC	26							Х
1227MSC	27						Х	X
1229MSC	29							Х
1230MSC	30						Х	X
1232MSC	32						X	X
1234MSC	34						Х	Х
1236MSC	36						Х	Х




















SUPERCOMBO® COMBINATION WRENCHES

High Visibility Red Finish, 12 Point, SAE

		Α	В	С	D	Ε
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
1212RSC ++	3/8	6 1/2	13/16	3/16	9/16	1/4
1214RSC ++	7/16	7 1/4	¹⁵ / ₁₆	7/32	11/16	9/32
1216RSC ++	1/2	8	1 1/16	1/4	3/4	11/32
1218RSC ++	9/16	8 3/4	1 1/4	1/4	7/8	3/8
1220RSC ++	5/8	9 1/2	1 %	9/32	15/16	13/32
1222RSC ++	11/16	10 ½	1 1/2	5/16	1 1/32	7/16
1224RSC ++	3/4	11	1 5/8	5/16	1 1/8	1/2
1226RSC ++	¹³ / ₁₆	11 ¾	1 3/4	3/8	1 7/32	17/32
1228RSC ++	7/8	12 ½	1 7/8	13/32	1 5/16	9/16
1230RSC ++	¹⁵ / ₁₆	13 ¼	2	⁷ / ₁₆	1 ¾	19/32
1232RSC ++	1	14	2 1/8	15/32	1 ¹⁵ / ₃₂	5/8
1234RSC ++	1 1/16	14 ¾	2 1/4	1/2	1 %16	21/32
1236RSC ++	1 1/8	15 ½	2 13/32	17/32	1 21/32	11/16
1240RSC ++	1 1/4	17	2 ²¹ / ₃₂	⁹ ⁄ ₁₆	1 ¹³ / ₁₆	3/4



Fed. Spec.: ANSI B107.6

WS-1170RSC 7 Piece Hi-Vis Red Combination Wrench Set, 12 Point, SAE. in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1212RSC	3/8	1218RSC	9/16	1224RSC	3/4
1214RSC	7/16	1220RSC	5/8	Pouch	
1216RSC	1/2	1222RSC	11/16		

WS-1171RSC 11 Piece Hi-Vis Red Combination Wrench Set, 12 Point, SAE, in Pouch

Contents Include:


Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1212RSC	3/8	1220RSC	5/8	1228RSC	7/8
1214RSC	7/16	1222RSC	11/16	1230RSC	¹⁵ / ₁₆
1216RSC	1/2	1224RSC	3/4	1232RSC	1
1218RSC	9/16	1226RSC	13/16	Pouch	

WS-1172RSC 14 Piece Hi-Vis Red Combination Wrench Set, 12 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1212RSC	3/8	1222RSC	11/16	1232RSC	1
1214RSC	7/16	1224RSC	3/4	1234RSC	11/16
1216RSC	1/2	1226RSC	13/16	1236RSC	11//8
1218RSC	9/16	1228RSC	7/8	1240RSC	11/4
1220RSC	5/8	1230RSC	15/16	Pouch	

- SUPERCOMBO® open end has specially designed grooves that direct wrench force away from fastener corners.
- SUPERTORQUE® box opening design allows application of higher torque without rounding
 or deforming hex fastener points. No contact is made at the corners. Instead, wrenching
 forces are placed on the flat surfaces behind the points.
- Meets or exceeds aerospace specification AS 954 for 12 point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application.
- May be used on all common hex (6 point) fasteners with considerable advantage over conventional box end wrenches to increase both hand tool flexibility and economy.
- · Box and open end openings are identical.





























SUPERCOMBO® COMBINATION WRENCHES

High Visibility Yellow Finish, 12 Point, SAE

		Α	В	С	D	Ε
Product Code	Size (Inches)	Overall Length Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
1212YSC ++	3/8	6 ½	13/16	3/16	9/16	1/4
1214YSC ++	7/16	7 1/4	¹⁵ / ₁₆	7/32	11/16	9/32
1216YSC ++	1/2	8	1 1/16	1/4	3/4	11/32
1218YSC ++	9/16	8 ¾	1 1/4	1/4	7/8	3/8
1220YSC ++	5/8	9 1/2	1 3/8	9/32	¹⁵ /16	13/32
1222YSC ++	11/16	10 1/4	1 1/2	5/16	1 1/32	7/16
1224YSC ++	3/4	11	1 %	5/16	1 1/8	1/2
1226YSC ++	13/16	11 ¾	1 3/4	3/8	1 7/32	17/32
1228YSC ++	7/8	12 ½	1 1/8	13/32	1 5/16	9/16
1230YSC ++	¹⁵ / ₁₆	13 1/4	2	⁷ / ₁₆	1 3/8	19/32
1232YSC ++	1	14	2 ½	15/32	1 ¹⁵ / ₃₂	5/8
1234YSC ++	1 1/16	14 ¾	2 1/4	1/2	1 %16	21/32
1236YSC ++	1 1/8	15 1/2	2 ¹³ / ₃₂	17/32	1 21/32	11/16
1240YSC ++	1 1/4	17	2 ²¹ / ₃₂	9/16	1 ¹³ / ₁₆	3/4

++ Hi-Vis Yellow Finish with SUPERCOMBO® Open End and SUPERTORQUE® Box End

Fed. Spec.: ANSI B107.6

WS-1170YSC 7 Piece Hi-Vis Yellow Combination Wrench Set, 12 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1212YSC	3/8	1218YSC	9/16	1224YSC	3/4
1214YSC	7/16	1220YSC	5/8	Pouch	
1216YSC	1/2	1222YSC	11/16		

WS-1171YSC 11 Piece Hi-Vis Yellow Combination Wrench Set, 12 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1212YSC	3/8	1220YSC	5/8	1228YSC	7/8
1214YSC	7/16	1222YSC	11/16	1230YSC	15/16
1216YSC	1/2	1224YSC	3/4	1232YSC	1
1218YSC	9/16	1226YSC	13/16	Pouch	

WS-1172YSC 14 Piece Hi-Vis Yellow Combination Wrench Set, 12 Point, SAE, in Pouch

Contents Include:

•••••••					
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1212YSC	3/8	1222YSC	11/16	1232YSC	1
1214YSC	⁷ / ₁₆	1224YSC	3/4	1234YSC	11/16
1216YSC	1/2	1226YSC	13/16	1236YSC	11//8
1218YSC	⁹ ⁄16	1228YSC	7/8	1240YSC	11/4
1220YSC	5/8	1230YSC	15/16	Pouch	

- SUPERCOMBO® open end has specially designed grooves that direct wrench force away from fastener corners.
- SUPERTORQUE® box opening design allows application of higher torque without rounding
 or deforming hex fastener points. No contact is made at the corners. Instead, wrenching
 forces are placed on the flat surfaces behind the points.
- Meets or exceeds aerospace specification AS 954 for 12 point fasteners (as defined by AS 870) to provide accurate torque/tension relationship for precision application.
- May be used on all common hex (6 point) fasteners with considerable advantage over conventional box end wrenches to increase both hand tool flexibility and economy.
- Box and open end openings are identical.

WRENCHES **COMBINATION**







COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
11208	1/4	5 1/8	9/16	5/32	7/16	7/32
11210	5/16	5 ¾	23/32	³ / ₁₆	17/32	9/32
11212	3/8	6 1/2	13/16	³ / ₁₆	5/8	5/16
11214	7/16	7 1/4	31/32	7/32	11/16	5/16
11216	1/2	8 1/8	1 3/32	1/4	25/32	3/8
11218	9/16	8 ¾	1 7/32	1/4	7/8	3/8
11220	5/8	9 1/2	1 %	9/32	31/32	7/16
11222	11/16	10 ½	1 1/2	11/32	1 1/16	15/32
11224	3/4	11	1 %	3/8	1 3/32	1/2
11226	13/16	12	1 ²⁵ / ₃₂	13/32	1 5/16	9/16
11228	7/8	12 ¾	1 ⁷ /8	3/8	1 11/32	9/16
11230	¹⁵ / ₁₆	13 ½	2 1/32	13/32	1 13/32	5/8
11232	1	14	2 3/32	7/16	1 ½	11/16
11234	1 1/16	14 %	2 5/32	15/32	1 19/32	11/16
11236	1 1/8	16 ½	2 ⁵ / ₁₆	1/2	1 21/32	3/4
11240	1 1/4	17	2 17/32	9/16	1 3/4	3/4



11003 9 Piece Combination Wrench Set, 12 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
11208	1/4	11214	7/16	11220	5/8
11210	5/16	11216	1/2	11222	11/16
11212	3/8	11218	9/16	11224	3/4

11007 11 Piece Combination Wrench Set, 12 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
11212	3/8	11220	5/8	11228	7/8
11214	7/16	11222	11/16	11230	¹⁵ / ₁₆
11216	1/2	11224	3/4	11232	1
11218	9/16	11226	13/46		

11008 14 Piece Combination Wrench Set, 12 Point, SAE, in Pouch

Contents Include:


Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
11208	1/4	11220	5/8	11232	1
11210	5/16	11222	11/16	11234	1 1/16
11212	3/8	11224	3/4		
11214	7/16	11226	13/16		
11216	1/2	11228	7/8		
11218	9/16	11230	15/16		

11009 16 Piece Combination Wrench Set, 12 Point, SAE, in Pouch

Contents Include:

Outlones in	OIGGO!				
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
11208	1/4	11220	5/8	11232	1
11210	⁵ / ₁₆	11222	11/16	11234	1 1/16
11212	3/8	11224	3/4	11236	1 1/8
11214	7/16	11226	13/16	11240	1 1/4
11216	1/2	11228	7/8		
11218	⁹ / ₁₆	11230	¹⁵ / ₁₆		

- High polish chrome textured finish provides great feel and extra gripping power.
- 12 point box end provides easy socket engagement and maximum versatility.
- · Recessed corners in box end provide extra turning power.
- Sets are packed in a pouch.

















WRENCHES COMBINATION

















COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, Metric

	A	В	С	D	E
	Overall				Box End
	Length	Open End Width	Open End Thick-	Box End	Thickness
Size (MM)	(Inches)	(Inches)	ness (Inches)	Diameter (Inches)	(Inches)
6	5 1/8	9/16	5/32	7/16	7/32
7	5 ¾	²¹ / ₃₂	5/32	1/2	1/4
8	5 ¾	23/32	3/16	17/32	9/32
9	6 ½	¹³ / ₁₆	7/32	19/32	⁵ /16
10	6 3/4	7/8	7/32	5/8	5/16
11	7 1/4	31/32	7/32	11/16	5/16
12	7 3/4	1	7/32	3/4	11/32
13	8 ½	1 3/32	1/4	²⁵ / ₃₂	3/8
14	8 3/4	1 7/32	1/4	7/8	3/8
15	9 1/8	1 %2			13/32
16	9 1/2	1 11/32		31/32	7/16
17	10 ¼			1 1/32	15/32
18	10 ½	1 %16	11/32	1 3/32	1/2
19	11	1 ²¹ / ₃₂	11/32	1 1/8	1/2
20	11 %	1 11/16		1 27/32	9/16
21	12			1 5/16	9/16
22	12 1/2			1 %2	9/16
23	12 1/2	1 ²⁷ / ₃₂	3/8	1 11/32	9/16
24	13 1/4		13/32		5/8
	14				11/16
	14				11/16
	14 %				11/16
29	16 1/4	2 5/16	1/2		3/4
30	16 1/4	2 5/16	1/2	1 21/32	3/4
32	17	2 ¹⁷ / ₃₂	9/16	1 3/4	3/4
	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30	Overall Length	Overall Length	Overall Length Open End Width Open End Thick-	Overall Length

Fed. Spec.: ANSI B107.6; SAE AS 954

11011 9 Piece Combination Wrench Set, 12 Point, Metric, in Pouch Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
11606	6	11609	9	11612	12
11607	7	11610	10	11613	13
11608	ρ	11611	11	11614	14

11013 14 Piece Combination Wrench Set, 12 Point, Metric, in Pouch Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
11606	6	11611	11	11616	16
11607	7	11612	12	11617	17
11608	8	11613	13	11618	18
11609	9	11614	14	11619	19
11610	10	11615	15		

11015 19 Piece Combination Wrench Set, 12 Point, Metric, in Pouch Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
11606	6	11613	13	11620	20
11607	7	11614	14	11621	21
11608	8	11615	15	11622	22
11609	9	11616	16	11623	23
11610	10	11617	17	11624	24
11611	11	11618	18		
11612	12	11619	19		

11017 25 Piece Combination Wrench Set, 12 Point, Metric, in Pouch Contents Include:

Contents inc					
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
11606	6	11615	15	11623	23
11607	7	11616	16	11624	24
11608	8	11617	17	11625	25
11609	9	11618	18	11626	26
11610	10	11619	19	11627	27
11611	11	11620	20	11629	29
11612	12	11621	21	11630	30
11613	13	11622	22	11632	32
11614	14				

- High polish chrome textured finish provides great feel and extra gripping power.
- 12 point box end provides easy socket engagement and maximum versatility.
- Recessed corners in box end provide extra turning power.
- · Sets are packed in pouch.

WRENCHES COMBINATION







COMBINATION WRENCHES

Satin Chrome Finish, 12 Point, SAE

		Α	В	С	D	E
		Overall Length	Open End Width	Open End	Box End	Box End
Product Code	Size (Inches)	(Inches)	(Inches)	Thickness (Inches)	Diameter (Inches)	Thickness (Inches)
11108	1/4	5 1/8	9/16	5/32	7/16	7/32
11110	5/16	5 3/4	23/32	3/16	17/32	9/32
11112	3/8	6 1/2	¹³ / ₁₆	3/16	5/8	5/16
11114	7/16	7 1/4	31/32	7/32	11/16	5/16
11116	1/2	8 1/8	1 3/32	1/4	²⁵ / ₃₂	3/8
11118	9/16	8 3/4	1 7/32	1/4	7/8	3/8
11120	5/8	9 1/2	1 3/8	9/32	31/32	7/16
11122	11/16	10 1/4	1 1/2	11/32	1 1/16	15/32
11124	3/4	11	1 %	3/8	1 3/32	1/2
11126	13/16	12	1 25/32	13/32	1 5/16	9/16
11128	7/8	12 3/8	1 1/8	3/8	1 11/32	9/16
11130	15/16	13 1/4	2 1/32	13/32	1 13/32	5/8
11132	1	14	2 3/32	7/16	1 1/2	11/16
11134	1 1/16	14 5/8	2 5/32	15/32	1 19/32	11/16
11136	1 1/8	16 1/4	2 5/16	1/2	1 21/32	3/4
11140	1 1/4	17	2 17/32	9/16	1 3/4	3/4
11142	1 5/16	18 1/2	2 3/4	1/2	2	11/16
11144	1 3/8	18 1/2	2 3/4	1/2	2	11/16
11146	1 7/16	20	3	1/2	2 3/16	3/4
11148	1 1/2	20	3	1/2	2 3/16	3/4
11150	1 %16	21 5/8	3 1/4	1/2	2 %	3/4
11152	1 1/8	21 %	3 1/4	1/2	2 3/8	3/4
11154	1 11/16	21 5/8	3 1/4	1/2	2 3/8	3/4
11156	1 3/4	24	3 3/8	11/16	2 1/2	3/4
11158	1 13/16	24	3 %	11/16	2 1/2	3/4
11160	1-7/8	25 1/2	3 3/4	3/4	2 1/8	7/8
11164	2	25 1/2	3 3/4	3/4	2 1/8	7/8



Combination Wrenches Set

Contents Include:


Product Code	Size (Inches)	11002 9 Piece Set in Pouch	11004 11 Piece Set in Pouch	11005 14 Piece Set in Pouch	11006 16 Piece Set in Pouch	11019* 11 Piece Set
11108	1/4	X	Oct III i odcii	X	X	1111000 001
11110	5/ ₁₆	x		x	X	
11112	3/8	X	Χ	X	X	
11114	7/16	Χ	Χ	Χ	Х	
11116	1/2	Χ	Χ	Χ	χ	
11118	9/16	Χ	Χ	Χ	Х	
11120	5/8	Χ	Χ	Χ	X	
11122	11/16	Χ	Χ	Χ	χ	
11124	3/4	Χ	Χ	Χ	X	
11126	13/16		Χ	Χ	X	
11128	7/8		Χ	Х	Х	
11130	15/16		Χ	Χ	X	
11132	1		Χ	Х	X	
11134	1 1/16			Х	X	
11136	1 1/8				X	
11140	1 1/4				Х	
11142	1 5/16					Χ
11144	1 3/8					Χ
11146	1 1/16					Х
11148	1 1/2					Χ
11150	1 %16					Х
11152	1 1/8					Х
11154	1 11/16					Х
11156	1 3/4					Χ
11158	1 13/16					Х
11160	1 7/16					Х
11164	2					Χ
*NOT DICT	LIDED					

*NOT PICTURED












11006











WRENCHES COMBINATION

















COMBINATION WRENCHES

Satin Chrome Finish, 12 Point, Metric

		Α	В	С	D	E
		Overall Length	Open End Width	Open End	Box End	Box End
Product Code	Size (MM)	(Inches)	(Inches)	Thickness (Inches)	Diameter (Inches)	Thickness (Inches)
11506	6	5 1/8	9/16	5/32	7/16	7/32
11507	7	5 %	21/32	5/32	1/2	1/4
11508	8	5 ¾	23/32	3/16	17/32	9/32
11509	9	6 1/2	13/16	7/32	19/32	5/16
11510	10	6 ¾	7/8	7/32	5/8	5/16
11511	11	7 1/4	31/32	7/32	11/16	5/16
11512	12	7 3/4	1	7/32	3/4	11/32
11513	13	8 1/8	1 3/32	1/4	²⁵ / ₃₂	3/8
11514	14	8 3/4	1 1/32	1/4	7/8	3/8
11515	15	9 1/8	1 %2	9/32	29/32	13/32
11516	16	9 1/2	1 11/32	9/32	31/32	7/16
11517	17	10 1/4	1 15/32	11/32	1 1/32	15/32
11518	18	10 ½	1 1/16	11/32	1 3/32	1/2
11519	19	11	1 21/32	11/32	1 1/8	1/2
11520	20	11 %	1 11/16	3/8	1 27/32	9/16
11521	21	12	1 25/32	13/32	1 5/16	9/16
11522	22	12 1/2	1 1/8	3/8	1 %32	9/16
11523	23	12 1/2	1 27/32	3/8	1 11/32	9/16
11524	24	13 1/4	2 1/32	13/32	1 13/32	5/8
11525	25	14	2 5/32	7/16	1 1/2	11/16
11526	26	14	2 5/32	7/16	1 1/2	11/16
11527	27	14 5/8	2 5/32	15/32	1 19/32	11/16
11529	29	16 1/4	2 5/16	1/2	1 21/32	3/4
11530	30	16 1/4	2 5/16	1/2	1 21/32	3/4
11532	32	17	2 ¹⁷ / ₃₂ 2 ³ / ₄	9/16	1 3/4	3/4
11533	33	18 ½	2 3/4	1/2	2	11/16
11534	34 35	18 1/2	2 3/4	1/2	2 2	11/16
11535	35	18 ½	2 3/4	1/2		11/16
11536	36	20	3	1/2	2 3/16	3/4
11538	38	20	3	1/2	2 3/16	3/4
11540	40	21 5/8	3 1/4	1/2	2 %	3/4
11541	41	21 5/8	3 1/4	1/2	2 %	3/4
11542	42	21 5/8	3 1/4	1/2	2 %	3/4
11543	43	21 %	3 1/4	1/2	2 %	3/4
11545	45	24	3 %	11/16	2 1/2	3/4
11546	46	24	3%	11/16	2 1/2	3/4
11548	48	25 ½	3 3/4	3/4	2 1/8	7∕ ₈
11550	50	25 1/2	3 3/4	3/4	2 1/8	7/8

Fed. Spec.: ANSI B107.6; SAE AS 954

Combination Wrenches Set Contents Include:

Conte	nts inc	:iuae:				
Product	Size	11010 9 Piece Set	11012 14 Piece Set	11014 19 Piece Set	11016 25 Piece Set	11018*
Code	(MM)	in Pouch	in Pouch	In Pouch	In Pouch	13 Piece Set
11506	6	Х	Х	Χ	Χ	
11507	7	Х	Χ	Χ	Χ	
11508	8	Х	Х	X	Χ	
11509	9	Х	Χ	Χ	Χ	
11510	10	X	X	X	X	
11511	11	Χ	Х	X	X	
11512	12	X X	X	Х	X X	
11513	13	X	Х	Χ	X	
11514	14	Х	X	X	X	
11515	15	-,	X	X	X	
11516	16		X	X	X	
11517	17		X	X	X	
11518	18		X	X	X	
11519	19		Х	X	X	
11520	20			X	X	
11521	21			X	X	
11522 11523	22 23			X	X X	
11523				X X		
11524	24 25			٨	X	
11526	26				X	
11527	20 27				Ŷ	
11529	29				X X	
11530	30				Ŷ	
11532	32				Ŷ	
11533	33					Х
11534	34					χ̈́
11535	35					X X
11536	36					X
11538	38					χ
11540	40					X
11541	41					
11542	42					X X X X X
11543	43					Χ
11545	45					X
11546	46					Χ
11548	48					X

*NOT PICTURED

WRENCHES OFFSET COMBINATION







OFFSET COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point Offset Box End, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
11950	1/4	3 3/4	9/16	5/32	13/32	5/32
11951	5/16	4 1/2	11/16	3/16	1/2	7/32
11970	11/32		25/32	3/16	17/32	1/4
11952	3/8	5 5	25/32	3/16	9/16	1/4
11953	7/16	5 3/4	15/16	3/16	5/8	1/4
11954	1/2	6 ¾	1 1/8	7/32	23/32	5/16
11955	9/16	7 1/4	1 7/32	1/4	13/16	3/8
11956	5/8	8 ½	1 3/8	1/4	²⁹ / ₃₂	3/8
11957	11/16	8 3/4	1 7/16	9/32	31/32	13/32
11958	3/4	9 %	1 %	5/16	1 1/16	15/32
11959	13/16	10 1/2	1 21/32	5/16	1 5/32	15/32
11960	7/8	10 1/2	1 1/8	11/32	1 %2	1/2
11961	¹⁵ /16	11 ¾	2 ½32	11/32	1 11/32	9/16
11962	1	13	2 5/32	11/32	1 7/16	19/32
11963	1 1/16	13	2 1/32	3/8	1 ¹⁷ / ₃₂	5/8
11964	1 1/8	14 1/2	2 ¹³ / ₃₂	3/8	1 19/32	11/16
11965	1 1/4	15 1/4	2 ²¹ / ₃₂	7/16	1 25/32	23/32
11966	1 5/16	16 1/4	2 ¹³ / ₁₆	15/32	1 %	25/32
11967	1 %	16 ¾	2 ¹³ / ₁₆	15/32	1 1/8	²⁵ / ₃₂
11968	1 1/16	17	3 ½16	9/16	2 1/8	7/8
11969	1 ½	17	3 1/16	17/32	2 3/32	27/32




Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
11952	3/8	11955	9/16	11958	3/4
11953	7/16	11956	5/8	11959	13/16
11954	1/2	11957	11/16	11960	7/8

- Unique 15° offset box end provides extra knuckle clearance.
- High-polished chrome finish cleans easily.
- 12 point box end provides maximum versatility.
- Recessed corners in box end provide extra turning power.
- Includes pouch













WRENCHES

STUBBY COMBINATION











STUBBY COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
11310	5/16	3%16	11/16	5/32	1/2	7/16
11312	3/8	33/4	13/16	3/16	19/32	1/2
11314	⁷ / ₁₆	3 ¹⁵ / ₁₆	15/16	7/32	21/32	9/16
11316	1/2	41/4	11/16	1/4	3/4	11/16
11318	9/16	41/2	13/16	9/32	27/32	3/4
11320	5/8	43/4	1 ⁵ ⁄16	9/32	15/16	13/16
11322	11/16	5	1 ⁷ / ₁₆	5/16	11/32	7/8
11324	3/4	5 ⁷ / ₁₆	19/16	11/32	11/8	15/16

Fed. Spec.: ANSI B107.6

11030 7 Piece Stubby Combination Wrench Set, 12 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
11312	3/8	11318	9/16	11324	3/4
11314	7/16	11320	5/8		
11316	1/2	11322	11/16		

Features

- Extra short handle for access where clearance is limited.
- High-polished chrome finish cleans easily.
- 12 point box end provides maximum versatility.
- · Recessed corners in box end provide extra turning power.









STUBBY COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, Metric

		Α	В	С	D	E
Product Code	Size (MM)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
11708	8	31/2	11/16	5/32	1/2	7/16
11710	10	33/4	13/16	7/32	19/32	1/2
11711	11	315/16	15/16	7/32	21/32	9/16
11712	12	41/16	1	1/4	21/32	5/8
11713	13	41/4	1 ¹ / ₁₆	1/4	25/32	11/16
11714	14	4 ½	11//8	9/32	27/32	11/16
11715	15	45/8	11/4	9/32	29/32	3/4
11716	16	43/4	1 ⁵ ⁄16	5/16	15/16	13/16
11717	17	5	13/8	5/16	1	7/8
11718	18	5 ³ / ₁₆	17/16	5/16	11/32	7/8
11719	19	5 ½16	1%16	5/16	11//8	15/16

Fed. Spec.: ANSI B107.9M

11032 7 Piece Stubby Combination Wrench Set, 12 Point, Metric, in Pouch

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
11710	10	11714	14	11718	18
11712	12	11715	15		
11713	13	11717	17		

- Extra short handle for access where clearance is limited.
- · High-polished chrome finish cleans easily.
- 12 point box end provides maximum versatility.
- Recessed corners in box end provide extra turning power.












FLEX-HEAD COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point Flex-Head Semi-Deep Socket End, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Socket Diameter (Inches)	Hex Depth (Inches)
11900	3/8	7	15/16	7/32	9/16	1/2
11901	7/16	7	15/16	7/32	5/8	17/32
11902	1/2	8	1 ¹⁵ / ₁₆	1/4	25/32	19/32
11903	9/16	8 3/4	1 %2	1/4	13/16	21/32
11904	5/8	9 3/4	1 15/32	9/32	14/16	3/4
11905	11/16	9 3/4	1 15/32	9/32	15/16	3/4
11906	3/4	10 ¾	1 ¹⁹ / ₃₂	1/4	1	25/32



Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
11900	3/8	11903	9/16	11906	3/4
11901	⁷ / ₁₆	11904	5/8		
11902	1/6	11905	11/16		

Features

- Unique semi-deep socket end provides extra bolt clearance.
- High-polished chrome finish cleans easily.
- 12 point socket end provides maximum versatility.
- · Recessed corners in socket end provide extra turning power.
- Includes pouch









DOUBLE FLEX-HEAD WRENCHES

High Polish Chrome Finish, 12 Point Flex-Head Semi-Deep Socket End, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Socket Diameter (Inches)	Hex Depth (Inches)	Socket Diameter (Inches)	Hex Depth (Inches)
12601	3/8 x 7/16	7 13/16	9/16	15/32	5/8	17/32
12603	½ x %16	9 3/4	23/32	5/8	13/16	21/32
12605	5/8 x ¹¹ / ₁₆	10	27/32	23/32	15/16	3/4
12607	3⁄4 x ⁷ ∕8	12	1	3/4	1 5/32	²⁹ / ₃₂

12691 4 Piece Double Flex-Head Wrench Set, 12 Point, SAE, in Pouch Contents Include:

Oditicità illoladoi			
Product Code	Size (Inches)	Product Code	Size (Inches)
12601	3/8 x ⁷ /16	12605	5/8 x ¹¹ / ₁₆
12603	½ x ⁹ / ₁₆	12607	3/4 x ⁷ /8

- Unique semi-deep socket end provides extra bolt clearance.
- High-polished chrome finish cleans easily.
- 12 point socket end provides maximum versatility.
- Recessed corners in socket end provide extra turning power.











WRENCHES

RATCHETING COMBINATION









FLEX-HEAD REVERSIBLE RATCHETING COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, SAE

		Α	В	С	D	Ε
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
1210RCF	5/16	5 ½	23/32	5/32	23/32	1/4
1212RCF	3/8	6 ⁵ ⁄16	²⁹ / ₃₂	7/32	7/8	⁵ ⁄16
1214RCF	7/16	6 11/16	31/32	7/32	29/32	11/32
1216RCF	1/2	7 1/4	1 1/32	1/4	1	13/32
1218RCF	9/16	7 19/32	1 3/16	1/4	1 3/32	13/32
1220RCF	5/8	8 13/32	1 3/8	9/32	1 1/4	7/16
1222RCF	11/16	9	1 ¹⁵ / ₃₂	9/32	1 %32	1/2
1224RCF	3/4	10	1 9/16	11/32	1 15/32	1/2

WS-1168RCF 8 Piece Reversible Flex-Head Ratcheting Combination Wrench Set, SAE, in Plastic Tray

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1210RCF	5/16	1216RCF	1/2	1222RCF	11/16
1212RCF	3/8	1218RCF	9/16	1224RCF	3/4
1214RCF	7/16	1220RCF	5/8		

Features

- Flex-Head pivots 90° in either direction for access in tight areas.
- Fine tooth design with dual-pawl mechanism for extra strength.
- · High-polished chrome finish cleans easily.
- Ratchet lever is easily accessible for quick direction changes.
- · Recessed corners in ends provide extra turning power.









FLEX-HEAD REVERSIBLE RATCHETING COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, Metric

		Α	В	С	D	E
Product Code	Size (MM)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
1208MRCF	8	5 %16	23/32	5/32	23/32	9/32
1209MRCF	9	6	13/16	5/32	25/32	5/16
1210MRCF	10	6 5/16	29/32	7/32	27/32	5/16
1211MRCF	11	63/4	31/32	7/32	29/32	11/32
1212MRCF	12	7	1 1/32	7/32	31/32	3/8
1213MRCF	13	7 11/16	1 1/16	1/4	1	13/32
1214MRCF	14	7 ¹⁹ / ₃₂	1 ³ / ₁₆	1/4	1 3/32	13/32
1215MRCF	15	8	1 1/4	9/32	1 5/32	7/16
1216MRCF	16	8 5/16	1 ¾	9/32	1 7/32	7/16
1217MRCF	17	9	1 15/32	9/32	1 %32	1/2
1218MRCF	18	9 1/2	1 %16	5/16	1 3/8	1/2
1219MRCF	19	10	1 %16	11/32	1 15/32	17/32

MWS-12RCF 12 Piece Reversible Flex-Head Ratcheting Combination Wrench Set, Metric, in Plastic Tray

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
1208MRCF	8	1212MRCF	12	1216MRCF	16
1209MRCF	9	1213MRCF	13	1217MRCF	17
1210MRCF	10	1214MRCF	14	1218MRCF	18
1211MRCF	11	1215MRCF	15	1219MRCF	19

- Flex-Head pivots 90° in either direction for access in tight areas.
- Fine tooth design with dual-pawl mechanism for extra strength.
- · High-polished chrome finish cleans easily.
- Ratchet lever is easily accessible for quick direction changes.
- · Recessed corners in ends provide extra turning power.





MWS-12RCF

WRENCHES

RATCHETING COMBINATION







REVERSIBLE RATCHETING COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
1208RC	1/4	4 1/2	21/32	5/32	21/32	9/32
1210RC	5/16	5 ½	23/32	5/32	23/32	9/32
1212RC	3/8	6 1/4	7/8	3/16	7/8	5/16
1214RC	7/16	6 %	15/16	7/32	29/32	11/32
1216RC	1/2	7	1 1/32	1/4	1	13/32
1218RC	⁹ /16	7 %	1 ³ / ₁₆	1/4	1 3/32	13/32
1220RC	5/8	8 7/32	1 11/32	9/32	1 7/32	7/16
1222RC	11/16	9	1 7/16	9/32	1 11/16	1/2
1224RC	3/4	9 3/4	1 17/32	11/32	1 ¹⁵ / ₃₂	17/32
1226RC	13/16	10 ½	1 23/32	3/8	1 %16	17/32
1228RC	7/8	11 ¹³ / ₃₂	1 1/8	11/32	1 21/32	19/32
1230RC	15/16	12	1 31/32	15/32	1 27/32	5/8
1232RC	1	13	2 3/32	15/32	1 7/8	5/8

WS-1168RC 8 Piece Reversible Ratcheting Combination Wrench Set, SAE, in Plastic Tray

Contents Include:


Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1210RC	5/16	1216RC	1/2	1222RC	11/16
1212RC	3/8	1218RC	9/16	1224RC	3/4
1214RC	7/16	1220BC	5/8		

WS-1164RC 4 Piece Reversible Ratcheting Combination Wrench Set, SAE, in Plastic Tray

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
1226RC	13/16	1230RC	15/16
1228RC	7/8	1232RC	1

- High-polished chrome finish cleans easily.
- Ratchet lever is easily accessible for quick direction changes.
- · Recessed corners in ends provide extra turning power.








WS-1164RC

















REVERSIBLE RATCHETING COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, Metric

		Α	В	С	D	E
Product Code	Size (MM)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
1206MRC	6	4 1/2	21/32	5/32	21/32	1/4
1208MRC	8	5 ½	23/32	3/16	23/32	9/32
1209MRC	9	5 1/8	13/16	5/32	25/32	5/16
1210MRC	10	6 1/4	7/8	7/32	7/8	11/32
1211MRC	11	6 %	15/16	7/32	29/32	11/32
1212MRC	12	6 ¹³ / ₁₆	1	7/32	31/32	3/8
1213MRC	13	7	1 1/32	1/4	1	13/32
1214MRC	14	7 ¾	1 3/16	1/4	1 3/32	13/32
1215MRC	15	7 ¾	1 1/4	9/32	1 5/32	7/16
1216MRC	16	8 3/16	1 11/32	9/32	1 7/32	7/16
1217MRC	17	9	1 7/16	9/32	1 %2	1/2
1218MRC	18	9 %	1 17/32	5/16	1 3/8	15/32
1219MRC	19	9 3/4	1 ¹⁷ /32	11/32	1 1/16	17/32
1221MRC	21	10 ¾	1 ²³ / ₃₂	3/8	1 %16	9/16
1222MRC	22	11 1/4	1 ²⁷ /32	3/8	1 ²¹ / ₃₂	19/32
1224MRC	24	12	1 ³¹ / ₃₂	15/32	1 ²⁷ /32	5/8
1225MRC	25	12 ³¹ / ₃₂	2 3/32	15/32	1 1/8	5/8

MWS-12RC 12 Piece Reversible Ratcheting Combination Wrench Set, Metric, in Plastic Tray

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
1208MRC	8	1212MRC	12	1216MRC	16
1209MRC	9	1213MRC	13	1217MRC	17
1210MRC	10	1214MRC	14	1218MRC	18
1211MRC	11	1215MRC	15	1219MRC	19

MWS-4RC 4 Piece Reversible Ratcheting Combination Wrench Set, Metric, in Pouch

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)
1221MRC	21	1224MRC	24
1222MRC	22	1225MRC	25

Features

- · High-polished chrome finish cleans easily.
- · Ratchet lever is easily accessible for quick direction changes.
- Recessed corners in ends provide extra turning power.



4 PIECE RATCHETING ADAPTOR SET


Product Code Description WS-4RWA 4 Piece Ratcheting Adaptor Set



tents include:	
Description	Description
1/4" Drive male Adaptor	3/8" Drive Male Adaptor
1/4" Hex Shank Coupler	1/2" Drive Male Adaptor

- Adaptor locks into the wrench by twisting the top cap. Push-button socket release











COMBINATION RATCHETING WRENCHES

High Polish Chrome Finish, 12 Point, SAE

		Α	В	С	D	E
	A . 4. 1. 1.	Overall Length	Open End Width	Open End	Box End	Box End
Product Code	Size (Inches)	(Inches)	(Inches)	Thickness (Inches)	Diameter (inches)	Thickness (Inches)
1208NRC	1/4"	5 ½	3/4	1/4	3/4	1/4
1210NRC	5/16"	5 ½	3/4	1/4	3/4	1/4
1212NRC	3/8"	6 ½	3/4	1/4	3/4	1/4
1214NRC	⁷ /16"	6 ½	1	1/4	3/4	1/4
1216NRC	1/2"	7	1	1/4	1	1/4
1218NRC	9/16"	7 ½	1 1/4	1/3	1	1/4
1220NRC	5/8"	8 1/2	1 5/16	1/3	1 1/4	3/8
1222NRC	11/16"	9	1 ½	1/3	1 5/16	3/8
1224NRC	3/4"	10	1 ½	5/8	1 5/16	3/8
1226NRC	¹³ / ₁₆ "	11 1/4	1 3/4	5/8	1 %	1/2
1228NRC	7/8"	11 1/4	1 3/4	5/8	1 %	1/2
1230NRC	¹⁵ / ₁₆ "	13	2	5/8	1 3/4	1/2
1232NRC	1"	13	2	5/8	1 3/4	1/2
1234NRC	1 1/16"	14	2 1/8	1/2	2	1/2
1236NRC	1 1/8"	16 ¾	2 ½	1/2	2 5/16	5/8
1238NRC	1 1/4"	16 ¾	2 ½	1/2	2 5/16	5/8



Features

- 72-tooth gear requires only 5° of ratcheting arc to engage next gear
 High polish satin-chrome finish cleans easily & protects against corrosion
 Thin profile is perfect for tight clearances where accessibility is critical
 12-point ratcheting box end allows for superior fastener engagement

WS-1120NRC 9 Piece Combination Wrench, in Pouch **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)
1208NRC	1/4"	1218NRC	9/16"
1210NRC	5/16"	1220NRC	5/8"
1212NRC	3/8"	1222NRC	¹¹ / ₁₆ "
1214NRC	⁷ /16"	1224NRC	3/4"
1216NRC	1/2"		



WS-1121NRC 11 Piece Combination Wrench, in Pouch **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (inches)	Product Code	Size (Inches)
1212NRC	3/8"	1220NRC	5/8"	1228NRC	7/8"
1214NRC	7/16"	1222NRC	11/16"	1230NRC	15/16"
1216NRC	1/2"	1224NRC	3/4"	1232NRC	1"
1218NRC	9/16"	1226NRC	13/16"		



WS-1122NRC 16 Piece Combination Wrench, in Pouch **Contents Include:**

Product Cod	le Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1208NRC	1/4"	1220NRC	5/8"	1232NRC	1"
1210NRC	5/16"	1222NRC	11/16"	1234NRC	1 ½16"
1212NRC	3/8"	1224NRC	3/4"	1236NRC	1 1/8"
1214NRC	⁷ /16"	1226NRC	13/16"	1238NRC	1 1/4"
1216NRC	1/2"	1228NRC	7/8"		
1218NRC	9/16"	1230NRC	15/16"		











WRENCHES

RATCHETING COMBINATION









COMBINATION RATCHETING WRENCHES

High Polish Chrome Finish, 12 Point, MM

		Α	В	С	D	<u> </u>
		Overall Length	Open End Width	Open End	Box End	Box End
Product Code	Size (Inches)	(Inches)	(Inches)	Thickness (Inches)	Diameter (Inches)	Thickness (Inches)
1206MNRC	6	5 ³ / ₈	3/4	1/4	1/4	1/4
1207MNRC	7	5 ³ / ₈	3/4	1/4	1/4	1/4
1208MNRC	8	5 ³ / ₈	3/4	1/4	1/4	1/4
1209MNRC	9	5 ⁵ /8	3/4	1/4	1/4	1/4
1210MNRC	10	6 ¹ / ₂	7/8	1/4	7/8	1/4
1211MNRC	11	6 ⁵ /8	1	1/4	7/8	3/8
1212MNRC	12	6 ⁷ /8	1	1/4	1	3/8
1213MNRC	13	7 ¹ /8	1	1/4	1	3/8
1214MNRC	14	7 ⁵ /8	1 1/4	3/8	1	3/8
1215MNRC	15	7 7/8	1 1/3	3/8	1	3/8
1216MNRC	16	8 ¹ / ₂	1 1/3	3/8	1 1/4	3/8
1217MNRC	17	9 ¹ / ₈	1 1/2	3/8	1 1/4	3/8
1218MNRC	18	9 ³ / ₈	1 1/2	3/8	1 1/4	1/2
1219MNRC	19	9 ⁷ /8	1 %	3/8	1 1/4	1/2
1220MNRC	20	11	1 1/8	3/8	1 %	1/2
1221MNRC	21	11	1 1/8	3/8	1 %	1/2
1222MNRC	22	11	1 1/8	3/8	1 %	1/2
1223MNRC	23	11	1 1/8	3/8	1 %	1/2
1224MNRC	24	12 ³ / ₄	2	3/8	1 1/8	1/2
1225MNRC	25	12 ³ / ₄	2	3/8	1 %	1/2
1226MNRC	26	12 ³ / ₄	2	3/8	1 1/8	1/2
1227MNRC	27	14 ¹ /8	2 1/8	1/2	2	1/2
1228MNRC	28	14 ¹ / ₈	2 1/8	1/2	2	1/2
1230MNRC	30	16 ³ / ₄	2 1/2	1/2	2 %	5/8
1232MNRC	32	16 ³ / ₄	2 1/2	1/2	2 %	5/8



- **Features**
- 72-tooth gear requires only 5° of ratcheting arc to engage next gear
 High polish satin-chrome finish cleans easily & protects against corrosion
 Thin profile is perfect for tight clearances where accessibility is critical
 12-point ratcheting box end allows for superior fastener engagement
- MWS-1123NRC 9 Piece Combination Wrench, in Pouch **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
1206MNRC	6	1209MNRC	9	1212MNRC	12
1207MNRC	7	1210MNRC	10	1213MNRC	13
1208MNRC	8	1211MNRC	11	1214MNRC	14

MWS-1124NRC

Contents Include:

Size (MM)

6

8

9

Product Code

1206MNRC

1207MNRC

1208MNRC

1209MNRC

MWS-1124NRC 14 Piece Combination Wrench, in Pouch **Contents Include:**

MWS-1125NRC 19 Piece Combination Wrench, in Pouch

Product Code

1211MNRC

1212MNRC

1213MNRC

1214MNRC

Product Code	Size (MM)						
1206MNRC	6	1210MNRC	10	1214MNRC	14	1218MNRC	18
1207MNRC	7	1211MNRC	11	1215MNRC	15	1219MNRC	19
1208MNRC	8	1212MNRC	12	1216MNRC	16		
1209MNRC	9	1213MNRC	13	1217MNRC	17		

Product Code

1216MNRC

1217MNRC

1218MNRC

1219MNRC

Size (MM)

16

17

18

19

20

Product Code

1221MNRC

1222MNRC

1223MNRC

1224MNRC

Size (MM)

21

22

23

24

Size (MM)

11

12

13

14

MWS-1125NRC

1210MNRC 1215MNRC 1220MNRC MWS-1126NRC 25 Piece Combination Wrench, in Pouch **Contents Include:**

Product Code	Size (MM)								
1206MNRC	6	1211MNRC	11	1216MNRC	16	1221MNRC	21	1226MNRC	26
1207MNRC	7	1212MNRC	12	1217MNRC	17	1222MNRC	22	1227MNRC	27
1208MNRC	8	1213MNRC	13	1218MNRC	18	1223MNRC	23	1228MNRC	28
1209MNRC	9	1214MNRC	14	1219MNRC	19	1224MNRC	24	1230MNRC	30
1210MNRC	10	1215MNRC	15	1220MNRC	20	1225MNRC	25	1232MNRC	32



MWS-1126NRC

WRENCHES

RATCHETING COMBINATION







STUBBY REVERSIBLE RATCHETING COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
1210RCS	5/16	3 ½	23/32	5/32	23/32	9/32
1212RCS	3/8	3 ²⁹ / ₃₂	7/8	3/16	7/8	11/32
1214RCS	⁷ / ₁₆	4	31/32	7/32	7/8	11/32
1216RCS	1/2	4 1/2	1 1/16	1/4	1	13/32
1218RCS	9/16	4 11/16	1 3/16	1/4	1 3/32	13/32
1220RCS	5/8	5	1 11/32	9/32	1 7/32	15/32
1222RCS	11/16	5 1/4	1 1/2	9/32	1 5/16	1/2
1224RCS	3/4	5 ½	1 19/32	11/32	1 ¹⁵ / ₃₂	17/32



Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1210RCS	5/16	1216RCS	1/2	1222RCS	11/16
1212RCS	3/8	1218RCS	9/16	1224RCS	3/4
1214RCS	7/16	1220RCS	5/8		


Features

- Fine tooth design with dual-pawl mechanism for extra strength. High-polished chrome finish cleans easily.
- Ratchet lever is easily accessible for quick direction changes.
- Recessed corners in ends provide extra turning power.









STUBBY REVERSIBLE RATCHETING COMBINATION WRENCHES

High Polish Chrome Finish, 12 Point, Metric

		Α	В	С	D	E
Product Code	Size (MM)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
1208MRCS	8	3 ½	23/32	5/32	23/32	9/32
1209MRCS	9	3 ¾	13/16	5/32	3/4	5/16
1210MRCS	10	3 27/32	7/8	3/16	7/8	11/32
1211MRCS	11	4 1/8	31/32	7/32	29/32	11/32
1212MRCS	12	4 1/4	1	7/32	¹⁵ / ₁₆	3/8
1213MRCS	13	4 1/2	1	1/4	1	13/32
1214MRCS	14	4 ¹¹ / ₁₆	1 5/32	1/4	1 3/32	13/32
1215MRCS	15	4 29/32	1 1/4	9/32	1 5/32	7/16
1216MRCS	16	5	1 %	9/32	1 1/4	15/32
1217MRCS	17	5 ⁵ / ₃₂	1 7/16	9/32	1 %2	1/2
1218MRCS	18	5 1/4	1 1/2	5/16	1 3/8	1/2
1219MRCS	19	5 ½	1 %16	11/32	1 ¹⁵ / ₃₂	17/32

MWS-12RCS 12 Piece Reversible Stubby Ratcheting Combination Wrench Set, Metric, in Plastic Tray

Contents Include:

••••••••					
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
1208MRCS	8	1212MRCS	12	1216MRCS	16
1209MRCS	9	1213MRCS	13	1217MRCS	17
1210MRCS	10	1214MRCS	14	1218MRCS	18
1211MRCS	11	1215MRCS	15	1210MRCS	10

Features

- Fine tooth design with dual-pawl mechanism for extra strength.
- High-polished chrome finish cleans easily.
- Ratchet lever is easily accessible for quick direction changes.
- · Recessed corners in ends provide extra turning power.



1213MRCS













WS-1168RCS

WRENCHES DOUBLE OPEN END









DOUBLE HEAD OPEN END WRENCHES

Chrome Satin Finish, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Open End Width (Inches)	Open End Thickness (Inches)
1020	1/4 X 5/16	4 1/16	9/16	5/32	11/16	3/16
1721	5/16 x 3/8	4 11/16	11/16	5/32	13/16	3/16
1723	3/8 x 7/16	5 ⁵ /16	13/16	3/16	15/16	7/32
1725	7/16 x 1/2	5 ³¹ / ₃₂	3/32	7/32	1 1/16	1/4
1725B	1/2 x 9/16	6 19/32	1 1/16	1/4	1 3/16	9/32
1727	9/16 x 5/8	7 %32	1 3/16	9/32	1 5/16	9/32
1027B	5/8 x 11/16	7 31/32	1 5/16	5/16	1 7/16	5/16
1729	5⁄8 x 3∕4	8 %32	1 5/16	9/32	1 %16	11/32
1729B	11/16 x 3/4	8 21/32	1 7/16	5/16	1 %16	11/32
1731	³ / ₄ x ¹³ / ₁₆	9 11/32	1 %16	11/32	1 11/16	3/8
1731A	3/4 x 7/8	9 11/16	1 19/32	11/32	1 27/32	3/8
1731B	13/ ₁₆ x ⁷ / ₈	10 1/32	1 11/16	3/8	1 ¹³ / ₁₆	3/8
1033A	⁷ /8 x ¹⁵ /₁6	10 ¾	1 ¹³ / ₁₆	3/8	1 ¹⁵ /16	13/32
1033C	15/16 x 1	11 1/2	1 ¹⁵ / ₁₆	13/32	2 1/32	13/32
1037	1 1/16 x 1 1/4	12 ¹⁵ / ₁₆	2 ³ / ₁₆	7/16	2 ¹⁷ / ₃₂	1/2
1037B	1 1/8 x 1 3/16	13 ²³ / ₃₂	2 5/16	15/32	2 1/16	15/32
1038	1 1/4 x 1 5/16	15 %2	2 %16	1/2	2 11/16	17/32
1038A	1 3/8 x 1 7/16	16 1/8	2 ¹³ / ₁₆	17/32	2 ¹⁵ /16	17/32
1039B	1 ½ x 1 5/8	18 ²⁹ / ₃₂	3 1/16	9/16	3 5/16	19/32

Fed. Spec. ANSI B107.6 WS-1705A 5 Piece Double Head Open End Wrench Set, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1723	3/8 x 7/16	1727	9∕16 x 5∕8	1731B	¹³ / ₁₆ x ⁷ / ₈
1725B	1/2 x 9/16	1729B	11/16 x 3/4		

WS-1710A 10 Piece Double Head Open End Wrench Set, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1020	¹⁄4 x ⁵∕16	1727	9∕16 x 5∕8	1037	1 ½ 6 x 1 ½
1723	3/8 x 7/16	1729B	11/16 x 3/4	1037B	1 1/8 x 1 3/16
1725	⁷ / ₁₆ x ¹ / ₂	1731B	¹³ / ₁₆ x ⁷ / ₈		
1725B	1/2 x 9/16	1033C	15/ ₁₆ x 1		

- Two openings in each wrench with 45° chamfer on wrench ends allow easy placement of wrench on
- Continuous arc design minimizes spreading and is stronger than "V" design.
- Satin chrome finish provides good grip and cleans easily.




WRENCHES DOUBLE OPEN END



15°-60° DOUBLE OPEN END ANGLE-HEAD WRENCHES

Chrome Satin Finish, SAE

		Α	В	С
	Size	Head	Head	Overall Length
Product Code	(Inches)	Diameter	Thickness	(Inches)
3712	3/8	25/32	7/32	4 3/4
3714	⁷ / ₁₆	7/8	7/32	5
3716	1/2	1	7/32	5 ½
3718	9/16	1 1/8	1/4	6
3720	5/8	1 3/16	9/32	6 ½
3722	11/16	1 5/16	9/32	7
3724	3/4	1 1/16	9/32	7 1/4
3726	¹³ / ₁₆	1 19/32	9/32	7 ½
3728	7/8	1 21/32	9/32	8 1/4
3730	¹⁵ / ₁₆	1 25/32	5/16	9 1/16
3732	1	1 15/16	5/16	9 3/4
3734	1 1/16	2 ½16	5/16	10
3736	1 1/8	2 1/4	5/16	11
3740	1 1/4	2 ¾	11/32	11 1/2
3744	1 %	2 11/16	13/32	12 1/2
3746	1 7/16	2 11/16	13/32	12 ½
3748	1 ½	2 11/16	13/32	12 ½
3752	1 %	3 ¹³ / ₆₄	15/32	15 ¾
3754	1 11/16	3 11/32	1/2	16 ½
3756	1 3/4	3 1/16	17/32	17
3758	1 ¹³ / ₁₆	3 %6	17/32	17 3/4
3760	1 1/8	3 11/16	9/16	18 ½
3764	2	3 ¹⁵ / ₁₆	19/32	19 1/4
T I O ANOLDA	0= 00 T 0 OI	•		



3780 5 Piece Double Open End Wrench Set, SAE, in Pouch Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
3712	3/8	3718	9/16
3714	⁷ / ₁₆	3720	5/8
3716	1/2		


3782 10 Piece Double Open End Wrench Set, SAE, in Pouch Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
3712	3/8	3722	11/16
3714	7/16	3724	3/4
3716	1/2	3726	¹³ / ₁₆
3718	9/16	3728	7/8
3720	5/8	3732	1

- Wrench heads are offset at 15° and 60° to the handle
- Both ends are the same size to permit the wrench to be used in four different positions
- 45° chamfer on wrench ends allow easy placement of wrench on the fastener
- Continuous arc design minimizes spreading and is stronger than "V" design
- Thin head is perfect for tight clearances
- . Satin chrome finish provides good grip and cleans easily



























DOUBLE HEAD OPEN END WRENCHES

Chrome Satin Finish, Metric

		Α	В	С	ט	Ł
Product Code	Size (MM)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Open End Width (Inches)	Open End Thickness (Inches)
EWM-0607	6 x 7	3 ¹³ / ₁₆	17/32	5/32	19/32	5/32
EWM-0708	7 x 8	4 ³ / ₁₆	19/32	5/32	11/16	3/16
EWM-0910	9 x 10	5	3/4	3/16	27/32	7/32
EWM-1011	10 x 11	5 ¾	27/32	7/32	15/16	7/32
EWM-1213	12 x 13	6 3/16	1	1/4	1 3/32	1/4
EWM-1415	14 x 15	7 1/32	1 1/32	9/32	1 1/4	9/32
EWM-1618	16 x 18	8 3/32	1 ⁵ /16	5/16	1 ¹⁵ / ₃₂	11/32
EWM-1719	17 x 19	8 17/32	1 13/32	5/16	1 %16	11/32
EWM-2124	21 x 24	10 ¹⁷ / ₃₂	1 23/32	3/8	1 ¹⁵ / ₁₆	13/32
EWM-2224	22 x 24	10 ³ / ₄	1 ¹³ / ₁₆	3/8	1 ¹⁵ / ₁₆	13/32
EWM-2427	24 x 27	11 ²⁹ / ₃₂	1 ¹⁵ / ₁₆	13/32	2 3/16	7/16
EWM-2730	27 x 30	13 5/16	2 ³ / ₁₆	7/16	2 7/16	15/32
EWM-3032	30 x 32	14 1/2	2 7/16	15/32	2 %16	1/2

Fed. Spec. ANSI B107.9M

MWS-26 6 Piece Double Head Open End Wrench Set, Metric, in Pouch Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
EWM-0708	7 x 8	EWM-1213	12 x 13	EWM-1618	16 x 18
EWM-1011	10 x 11	EWM-1415	14 x 15	EWM-1719	17 x 19

MWS-31 10 Piece Double Head Open End Wrench Set, Metric, in Pouch Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
EWM-0607	6 x 7	EWM-1415	14 x 15	EWM-2427	24 x 27
EWM-0708	7 x 8	EWM-1618	16 x 18	EWM-2730	27 x 30
EWM-1011	10 x 11	EWM-1719	17 x 19		
EWM-1213	12 x 13	EWM-2124	21 x 24		

Features

- Two openings in each wrench with 45° chamfer on wrench ends allow easy placement of wrench on the fastener.
- Continuous arc design minimizes spreading and is stronger than "V" design.
- Satin chrome finish provides good grip and cleans easily.





SHORT DOUBLE HEAD OPEN END WRENCHES

Chrome Satin Finish, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Open End Width (Inches)	Open End Thickness (Inches)
OES-0607	3/16 X 7/32	2 27/32	13/32	1/8	15/32	1/8
OES-0809	1/4 x 9/32	3 5/32	1/2	1/8	9/16	1/8
OES-1011	5/16 x 11/32	3 7/16	5/8	5/32	11/16	1/8
OES-1214	3/8 x 7/16	3 3/4	3/4	5/32	29/32	1/8
OES-1618	½ x %16	4 11/32	1	3/16	1 ½	3/16

Fed. Spec. ANSI B107.6

WS-1605 5 Piece Short Double Head Open End Wrench Set, SAE, in Pouch Contents Include:

Outtonts ii	iciaaci				
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
OES-0607	3/16 X 7/32	OES-1011	5/16 x ¹¹ / ₃₂	OES-1618	½ x %16
OES-0809	1/4 x 9/32	OES-1214	3/8 x 7/16		

- Two openings in each wrench with 45° chamfer on wrench ends allow easy placement of wrench on the fastener.
- Continuous arc design minimizes spreading and is stronger than "V" design.
- . Satin chrome finish provides good grip and cleans easily.

WRENCHES DOUBLE OPEN END



MINIATURE 15° × 80° DOUBLE HEAD OPEN END WRENCHES

Satin Chrome Finish, SAE

Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Open End Width (Inches)	Open End Thickness (Inches)
1112A	3/16	3	1/2	7/64	1/2	7/64
1113A	13/64	3	1/2	7/64	1/2	7/64
1114A	7/32	3	1/2	7/64	1/2	7/64
1115A	15/64	3	1/2	7/64	1/2	7/64
1116A	1/4	3	1/2	7/64	1/2	7/64
1118A	9/32	3 ½	5/8	9/64	5/8	9/64
1120A	5/16	3 1/2	5/8	9/64	5/8	9/64
1122A	11/32	3 3/4	3/4	9/64	3/4	9/64
1124A	3/8	3 3/4	3/4	9/64	3/4	9/64
1128A	7/16	4 7/16	7/16	11/64	7/16	11/64
1132A	1/2	4 7/16	⁷ / ₁₆	11/64	7/16	11/64
1136A	9/16	5 ¾	1 5/32	13/64	1 5/32	13/64
1140A	5/8	5 ¾	1 5/32	13/64	1 5/32	13/64



- Wrench heads are offset at 15° and 80° to the handle
- . Both ends are the same size to permit the wrench to be used in four different positions
- 45° chamfer on wrench ends allow easy placement of wrench on the fastener
- Continuous arc design minimizes spreading and is stronger than "V" design
- . Thin head is perfect for tight clearances
- · Satin finish provides corrosion resistance and slip resistant grip.
- Excellent for fast turning of fasteners in limited clearance areas.
- Each wrench has the same size opening at both ends.

WS-1108SP 8 Piece Mini Double Open End Wrench & Plier Set, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1114A	7/32	1118A	9/32	1124A	3/8
1115A	15/64	1120A	⁵ / ₁₆	1128A	7/16
1116A	1/4	1122A	11/32		

WS-1113CA 10 Piece Mini Double Open End Wrench & Plier Set, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
1112A	³ / ₁₆	1116A	1/4	1124A	3/8
1113A	13/64	1118A	9/32	PL-1519C	5" SUPERJOINT® Utility Pliers
1114A	7/32	1120A	5/16		•
1115A	15/64	1122A	11/32		

WS-1142PCA 14 Piece Mini Double Open End Wrench & Plier Set, SAE, in Pouch

Contents Include:

Contents include:										
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)					
1112A	3/16	1118A	9/32	1132A	1/2					
1113A	13/64	1120A	5/16	1136A	9/16					
1114A	7/32	1122A	11/32	1140A	5/8					
1115A	15/64	1124A	3/8	PL-1519C	5" SUPERJOINT® Utility Pliers					
1116A	1/4	11284	7/16		•					















MINIATURE 15° × 80° DOUBLE HEAD OPEN END WRENCHES

Satin Chrome Finish, MM

Product Code	Size (MM)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Open End Width (Inches)	Open End Thickness (Inches)
1104MM	4	3	1/2	7/64	1/2	7/64
1105MM	5	3	1/2	7/64	1/2	7/64
1105.5MM	5.5	3	1/2	7/64	1/2	7/64
1106MM	6	3	1/2	7/64	1/2	7/64
1107MM	7	31/2	5/8	9/64	5/8	9/64
1108MM	8	31/2	5/8	9/64	5/8	9/64
1109MM	9	3 3/4	3/4	9/64	3/4	9/64
1110MM	10	4 1/16	7/16	11/64	7/16	11/64
1111MM	11	4 7/16	7/16	11/64	7/16	11/64
1112MM	12	4 1/16	7/16	11/64	7/16	11/64
1113MM	13	4 1/16	7/16	11/64	7/16	11/64
1114MM	14	5 ¾	1 5/32	13/64	1 5/32	13/64
1115MM	15	5 3/4	1 5/32	13/64	1 5/32	13/64
1116MM	16	5 ¾	1 5/32	13/64	1 5/32	13/64



- Wrench heads are offset at 15° and 80° to the handle
- . Both ends are the same size to permit the wrench to be used in four different positions
- 45° chamfer on wrench ends allow easy placement of wrench on the fastener
- Continuous arc design minimizes spreading and is stronger than "V" design
- Thin head is perfect for tight clearances
- Satin finish provides corrosion resistance and slip resistant grip.

MWS-1110 10 Piece Mini Double Open End Wrench & Plier Set, SAE, in Pouch

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
1104MM	4	1107MM	7	1111MM	11
1105MM	5	1108MM	8	PL-1519C	5" SUPERJOINT
1105.5MM	5.5	1109MM	9		Utility Pliers
1106MM	6	1110MM	10		

MWS-1115 15 Piece Mini Double Open End Wrench & Plier Set, SAE, in Pouch

Contents Include:

•••••••••					
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
1104MM	4	1108MM	8	1113MM	13
1105MM	5	1109MM	9	1114MM	14
1105.5MM	5.5	1110MM	10	1115MM	15
1106MM	6	1111MM	11	1116MM	16
1107MM	7	1112MM	12	PL-1519C	5" SUPERJOINT Utility Pliers



MWS-1110




WRENCHES SERVICE



30° SERVICE WRENCHES, SAE



Satin (Chrome F	inish, SA	E		
Product C	ode	Size (Inches)	Overall Length (Inches)	Head Diameter	Head Thickness
3524		3/4	6 1/4	1 11/16	1/4
3526		13/16	6 1/4	1 11/16	1/4
3528		7/8	6 ¹ / ₄	1 ¹¹ / ₁₆	1/4
3530		¹⁵ / ₁₆	6 ⁷ /8	1 1/8	1/4
3532		1	6 1/8	1 %	1/4
3534		1 1/16	6 ⁷ / ₈	1 1/8	1/4
3536		1 1/8	7	2 1/16	1/4
3538		1 ³ / ₁₆	7	2 1/16	1/4
3540		1 1/4	7	2 1/16	1/4
3542		1 5/16	7 %	2 ½	9/32
3544		1 %	7 ⁵ ⁄8	2 ½	9/32
3546		1 7/16	7 %	2 ½	9/32
3548		1 ½	7 ⁵ /8	2 ½	9/32
3550		1 %16	7 ⁵ /8	2 %	9/32
3552		1 %	7 %	2 %	9/32
3554		1 ¹¹ / ₁₆	7 %	2 %	9/32
3556		1 3/4	8 1/2	3 1/8	5/16
3558		1 ¹³ / ₁₆	8 1/2	3 1/8	⁵ / ₁₆
3560		1 1/8	8 1/2	3 1/8	5/16
<u>3562</u>		1 ¹⁵ / ₁₆	8 ½	3 1/8	5/16
3564		2	8 1/2	3 ½	5/16
3568		2 1/8	8 1/2	3 ½	5/16
3572		2 1/4	8 1/2	3 ½	5/16
<u>3576</u>		2 %	9 ½	3 ½	5/16
F 10	000 W 000F T	4= 01 0			



WS-3510 10 Piece Service Wrench Set, SAE in Pouch **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
3524	3/4	3532	1	3538	1 3/16
3526	13/16	3534	1 1/16	3540	1 1/4
3528	7/8	3536	1 1/8	3544	1 3/8
3530	15/16				

30° SERVICE WRENCHES, METRIC

Satin Chrome Finish, Metric



Product Code	Size (Inches)	Overall Length (Inches)	Head Diameter	Head Thickness
3519M	19	6 1/4	1 11/16	1/4
3521M	21	6 1/4	1 11/16	1/4
3522M	22	6 1/4	1 11/16	1/4
3524M	24	6 1/8	1 1/8	1/4
3527M	27	6 1/8	1 1/8	1/4
3530M	30	7	2 1/16	1/4
3532M	32	7	2 1/16	1/4
3536M	36	7 %	2 1/2	9/32
3537M	37	7 %	2 1/2	9/32
3538M	38	7 5/8	2 1/2	9/32
3540M	40	7 %	2 5/8	9/32
3541M	41	7 %	2 5/8	9/32
3542M	42	7 5/8	2 5/8	9/32
3544M	44	7 5/8	2 5/8	9/32
3546M	46	8 1/2	3 1/8	5/16
3548M	48	8 1/2	3 1/8	5/16
3550M	50	8 1/2	3 1/8	5/16
3552M	52	8 1/2	3 1/2	5/16
3555M	55	8 1/2	3 1/2	5/16
3560M	60	9 1/2	3 1/2	5/16
3565M	65	9 1/2	3 1/2	5/ ₁₆
Fed. Spec: GGG-W-636				

MWS-3510 10 Piece Service Wrench Set, MM in Pouch

Contents Include:

••••••					
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
3519M	19	3527M	27	3536M	36
3521M	21	3530M	30	3538M	38
3522M	22	3532M	32	3540M	40
3524M	24				

- . Ultra thin pattern for use on jam nuts and access to confined areas
- 30° offset head
- Satin chrome finish









MWS-3510














DOUBLE HEAD 10° OFFSET BOX END WRENCHES

Chrome Satin Finish, 12 Point, SAE




Fed. Spec. ANSI B107.6

WS 7707 7 Piece Double Head 10° Offset Box End Wrench Set, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
7723	3/8 x 7/16	7029B	11/16 x 3/4	7033C	¹⁵ / ₁₆ x 1
7725B	¹∕2 x ⁹ ∕16	7731A	3⁄4 x ⁷ ∕8		
7727A	5/8 x ¹¹ / ₁₆	7731B	13/ ₁₆ x ⁷ / ₈		

- SUPERTORQUE® box opening design allows application of higher torque without rounding or deforming
 hex fastener points. No contact is made at the corners. Instead, wrenching forces are placed on the flat
 surfaces behind the points.
- 10° offset box end allows clearance in tight areas.
- Sizes are clearly marked on handle ends.





WS-7707







DOUBLE HEAD 10° OFFSET BOX END WRENCHES

Chrome Satin Finish, 12 Point, Metric

		Α	В	С	D	E
Product Code	Size (MM)	Overall Length (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
BWM-0810	8 x 10	7 ⁵ ⁄16	1/2	9/32	19/32	5/16
BWM-1011	10 x 11	7 31/32	19/32	5/16	21/32	11/32
BWM-1012	10 x 12	8 ³ / ₁₆	19/32	5/16	23/32	11/32
BWM-1113	11 x 13	8 5/8	21/32	11/32	25/32	3/8
BWM-1213	12 x 13	8 27/32	25/32	11/32	25/32	3/8
BWM-1214	12 x 14	9 1/16	23/32	11/32	13/16	13/32
BWM-1315	13 x 15	9 ½	²⁵ / ₃₂	3/8	7/8	13/32
BWM-1415	14 x 15	9 ¾	¹³ / ₁₆	13/32	7/8	13/32
BWM-1417	14 x 17	9 ²⁵ / ₃₂	¹³ / ₁₆	13/32	31/32	15/32
BWM-1618	16 x 18	10 ²⁷ / ₃₂	¹⁵ / ₁₆	7/16	1 ¹ / ₃₂	15/32
BWM-1719	17 x 19	11 %32	31/32	15/32	1 3/32	1/2
BWM-1821	18 x 21	11 ¹⁵ / ₁₆	1 3/32	15/32	1 3/16	17/32
BWM-1922	19 x 22	12 ¾	1 3/32	1/2	1 1/4	9/16
BWM-2124	21 x 24	13 1/4	1 ³ ⁄16	17/32	1 11/32	19/32
BWM-2224	22 x 24	13 ¹⁵ / ₃₂	1 1/4	9/16	1 11/32	19/32
BWM-2427	24 x 27	14 ¹⁹ / ₃₂	1 11/32	19/32	1 17/32	21/32
BWM-2730	27 x 30	15 ²⁹ / ₃₂	1 17/32	21/32	1 11/16	11/16
BWM-3032	30 x 32	17 1/32	1 11/16	11/16	1 ²⁵ / ₃₂	23/32



MWS-BWM10 10 Piece Double Head 10° Offset Box End Wrench Set, Metric, in Pouch

Contents Include:


Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
BWM-0810	8 x 10	BWM-1618	16 x 18	BWM-2730	27 x 30
BWM-1113	11 x 13	BWM-1719	17 x 19	BWM-3032	30 x 32
BWM-1214	12 x 14	BWM-1922	19 x 22		
BWM-1415	14 v 15	RWM-2124	21 x 24		

MWS-BWM12 12 Piece Double Head 10° Offset Box End Wrench Set, Metric, in Pouch

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
BMW-1011	10 x 11	BWM-1417	14 x17	BWM-1922	19 x 22
BWM-1214	12 x 14	BWM-1618	16 x 18	BWM-2224	22 x 24
BWM-1315	13 x 15	BWM-1719	17 x 19	BWM-2730	27 x 30
BWM-1415	14 x 15	BWM-1821	18 x 21	BWM-3032	30 x 32

- SUPERTORQUE® box opening design allows application of higher torque without rounding or deforming hex fastener points. No contact is made at the corners.
 Instead, wrenching forces are placed on the flat surfaces behind the points.
- 10° offset box end allows clearance in tight areas.
- Sizes are clearly marked on handle ends.















WRENCHES OFFSET BOX END/ RATCHETING BOX END











DOUBLE HEAD 60° OFFSET BOX END WRENCHES

Chrome Satin Finish, 12 Point, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
8720	1/4 x 5/16	6 7/16	13/32	1/4	15/32	9/32
8723	3⁄8 x ⁷ ∕16	7 %	9/16	5/16	21/32	5/16
8725	⁷ / ₁₆ x ¹ / ₂	8 3/16	21/32	11/32	3/4	11/32
8725B	¹⁄2 x ⁹ ∕16	8 ²⁵ / ₃₂	3/4	3/8	27/32	3/8
8727	%16 x 5 √8	9 %	27/32	13/32	29/32	13/32
8727A	5/8 x ¹¹ / ₁₆	9 31/32	29/32	7/16	1	7/16
8729	5% x 3∕4	10 1/4	¹⁵ / ₁₆	7/16	1 3/32	7/16
8729A	¹¹ / ₁₆ x ¹³ / ₁₆	10 ²⁷ / ₃₂	1	15/32	1 3/16	15/32
8731A	3⁄4 x ⁷ ∕8	11 ⁷ /16	1 3/32	17/32	1 %32	17/32
8033A	⁷ /8 x ¹⁵ /₁6	13	1 %2	9/16	1 ¾	9/16
8033C	¹⁵ / ₁₆ x 1	13 ³¹ / ₃₂	1 %	19/32	1 7/16	19/32

Fed. Spec. ANSI B107.6

WS 8707 7 Piece Double Head 60° Offset Box End Wrench Set, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
8720	¹⁄4 x ⁵∕16	8729	5⁄8 x 3∕4	8033C	¹⁵ / ₁₆ x 1
8723	3/8 x 7/16	8729A	¹¹ / ₁₆ x ¹³ / ₁₆		
8725B	½ x %16	8731A	3⁄4 x ⁷ ∕8		

Features

- SUPERTORQUE® box opening design allows application of higher torque without rounding or deforming
 hex fastener points. No contact is made at the corners. Instead, wrenching forces are placed on the flat
 surfaces behind the points.
- 60° offset box end allows extra knuckle and bolt clearance in tight areas.
- · Sizes are clearly marked on handle ends.









SINGLE HEAD RATCHETING BOX WRENCHES

High Polish Chrome Finish, 12 Point, SAE

		Α			Α
Product Code	Size (Inches)	Overall Length (Inches)	Product Code	Size (Inches)	Overall Length (Inches)
RB-42	1 5/16	15 ½	RB-54	1 11/16	19
RB-44	1 3/8	15 ½	RB-56	1 3/4	19
RB-46	1 7/16	15 ½	RB-58	1 ¹³ / ₁₆	19
RB-48	1 1/2	15 ½	RB-60	1 1/8	19
RB-50	1 %16	15 ½	RB-64	2	19
RB-52	1 5/8	15 ½	RB-68	2 1/8	19

- Combines the quick ratcheting action with opening sizes large enough to handle most industrial applications.
- Requires less effort than a conventional combination wrench.
- All wrenches contain 12-point Torque $\operatorname{Grip}^{\scriptscriptstyle \circledcirc}$ wheels.
- Ideal for long "bolt-through" applications.
- Turn wrench over to change direction.







SINGLE HEAD RATCHETING BOX WRENCHES

High Polish Chrome Finish, 12 Point, Metric

		Α			Α
		Overall Length			Overall Length
Product Code	Size (MM)	(Inches)	Product Code	Size (MM)	(Inches)
RBM-22	22	12	RBM-27	27	12
RBM-23	23	12	RBM-29	29	12
RBM-24	24	12	RBM-30	30	12
RBM-25	25	12	RBM-32	32	15½
RBM-26	26	12	RBM-36	36	15½

Features

- . Combines the quick ratcheting action with opening sizes large enough to handle most industrial applications.
- Requires less effort than a conventional combination wrench.
- All wrenches contain 12-point Torque Grip® wheels.
- Ideal for long "bolt-through" applications.
- Turn wrench over to change direction.











DOUBLE HEAD RATCHETING BOX WRENCHES

High Polish Chrome Finish, 6 & 12 Point, SAE


			Α	В	С	D	E
Product Code	Number of Points	Size (Inches)	Overall Length (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
RB-810	6	¹⁄4 x ⁵∕16	4 1/4	19/32	3/8	11/16	3/8
RB-1214	6	3/8 x 7/16	5 ½	25/32	3/8	7/8	3/8
RB-1618	6	½ x %16	6 3/4	1	1/2	1 5/32	1/2
RB-1820	12	%16 x 5∕8	8 1/8	1 5/16	1/2	1 7/16	1/2
RB-2022	12	5/8 x 11/16	8 ½	1 5/16	1/2	1 7/16	1/2
RB-2024	12	5⁄8 x 3∕4	8 ½	1 5/16	1/2	1 7/16	1/2
RB-2428	12	3⁄4 x ⁷ ⁄8	9 1/4	1 ¹³ / ₃₂	1/2	1 %16	1/2
RB-3036	12	¹⁵ / ₁₆ x 1 ¹ / ₈	15 1/8	1 21/32	9/16	2 %32	9/16
RB-3440	12	1 1/16 x 1 1/4	15 1/8	1 29/32	9/16	2 1/32	9/16

WS-12 5 Piece Ratcheting Box Wrench Set, 6 & 12 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
RB-810	1/4 x 5/16	RB-1618	1/2 x 9/16	RB-2428	3/4 x 7/8
RB-1214	3⁄8 x ⁷ ∕16	RB-2022	5⁄8 x ¹¹ ∕₁6		

- · Allows fast removal of fasteners with a ratcheting action at each end.
- Ideal for long "bolt-through" applications.
- Flat handle allows access to tight clearance areas.
- Turn wrench over to change direction.















WRENCHES RATCHETING BOX END











DOUBLE HEAD RATCHETING BOX WRENCHES

High Polish Chrome Finish, 6 & 12 Point, Metric

			Α	В	С	D	E
Product Code	Number of Points	Size (MM)	Overall Length (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
RBM-0708	6	7 x 8	4 1/2	11/16	3/8	11/32	3/8
RBM-0910	6	9 x 10	5 ½	7/8	3/8	7/8	3/8
RBM-1112	6	11 x 12	6 ⁷ / ₈	1 3/16	1/2	1 1/8	1/2
RBM-1314	6	13 x 14	6 ⁷ / ₈	1 3/16	1/2	1 1/8	1/2
RBM-1517	12	15 x 17	8 ½	1 7/16	1/2	1 ⁷ / ₁₆	1/2
RBM-1618	12	16 x 18	8 ½	1 7/16	1/2	1 ⁷ / ₁₆	1/2
RBM-1921	12	19 x 21	9 1/4	1 %16	1/2	1 %16	1/2

MWS-30 5 Piece Ratcheting Box Wrench Set, 6 & 12 Point, Metric, in Pouch


Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
RBM-0708	7 x 8	RBM-1112	11 x 12	RBM-1517	15 x 17
RBM-0910	9 x 10	RBM-1314	13 x 14		

Features

- Allows fast removal of fasteners with a ratcheting action at each end.
- Ideal for long "bolt-through" applications.
- Flat handle allows access to tight clearance areas.
- Turn wrench over to change direction.











DOUBLE HEAD 25° REVERSIBLE OFFSET RATCHETING BOX WRENCHES

High Polish Chrome Finish, 12 Point, SAE

		Α	В	С	D	E
Product Code	Size (Inches)	Overall Length (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)
RBO-810	1/4 x 5/16	41/4	19/32	3/8	21/32	3/8
RBO-1214	3/8 x 7/16	5 ⁷ / ₁₆	25/32	3/8	7/8	3/8
RBO-1618	½ x %16	63/4	1	1/2	15/32	1/2
RBO-2022	5/8 x ¹¹ / ₁₆	8	1 5⁄16	1/2	17/16	1/2
RBO-2024	5⁄8 x 3∕4	8	1 5⁄16	1/2	17/16	1/2
RBO-2226	¹¹ / ₁₆ x ¹³ / ₁₆	91/8	113/32	1/2	1 %16	1/2
RBO-2428	3/4 x 7/8	91/8	113/32	1/2	1 %16	1/2
RBO-2630	¹³ / ₁₆ x ¹⁵ / ₁₆	91/8	113/32	1/2	19/16	1/2

WS-5 5 Piece Reversible Offset Ratcheting Box Wrench Set, 12 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
RBO-810	¹⁄4 x ⁵⁄₁6	RBO-1618	½ x %16	RBO-2428	3/4 x 7/8
RBO-1214	3% x ⁷ ∕16	RBO-2022	5/8 x 11/16		

- $\bullet~25^{\circ}$ offset handle clears obstructions that flat handle wrenches cannot.
- · Allows fast removal of fasteners with a ratcheting action at each end.
- Ideal for long "bolt-through" applications.

WRENCHES FLARE NUT







RATCHETING FLARE NUT WRENCHES

Black Industrial Finish, 12 Point, SAE

Product Code	Size (Inches)	Overall Length (Inches)	Head Diameter (Inches)	Head Thickness (Inches)
RFW-12	3/8	5 %	1	5/16
RFW-14	7/16	5 ¾	1	5/16
RFW-16	1/2	5 ¾	1	5/16
RFW-18	9/16	7 1/4	1 1/32	3/8
RFW-20	5/8	7 1/4	1 1/32	3/8
RFW-22	11/16	7 1/4	1 1/32	3/8
RFW-24	3/4	7 1/4	1 1/32	3/8
RFW-26	¹³ / ₁₆	9 5/16	1 ⁵ /8	1/2
RFW-28	7/8	9 5/16	1 ⁵ /8	1/2
RFW-30	¹⁵ / ₁₆	9 5/16	1 ⁵ /8	1/2
RFW-32	1	9 5/16	1 ⁵ /8	1/2



Features

- Designed for use on 6 and 12 point tube fittings, fasteners, valves and compression fittings.
- Unique design requires only 30° rotation for ratcheting action.
- High carbon steel jaws snap open, then close around fastener with 6 point contact.
- Prevents distortion of thin-walled fitting.
- Allow easy access to tight locations.







DOUBLE HEAD FLARE NUT WRENCHES

Chrome Satin Finish, 6 Point, SAE

		Α	В	С	D	Ε
Product Code	Size (Inches)	Overall Length (Inches)	Open End Dia (Inches)	Open End Thickness (Inches)	Open End Dia (Inches)	Open End Thickness (Inches)
XFN-0810	1/4 x 5/16	4 27/32	19/32	1/4	5/8	9/32
XFN-1214	3/8 x 7/16	5 ¹³ / ₁₆	25/32	5/16	27/32	11/32
XFN-1618	¹⁄2 x ⁹ ∕16	6 13/16	¹⁵ / ₁₆	3/8	1	13/32
XFN-2022	5⁄8 x ¹¹ ∕₁6	7 3/4	1 ³ / ₃₂	⁷ /16	3/16	15/32
XFN-2432	3/4 x 1	9 1/2	1 1/4	1/2	19/32	5/8
XFN-2836	½ x 1 ⅓	10.5	1 ⁷ / ₁₆	9/16	1 ³ / ₄	11/16



WS-14 5 Piece Double Head Flare Nut Wrench Set, 6 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
XFN-1214	3/8 x 7/16	XFN-2022	5/8 x 11/16	XFN-2836	½ x 1 ⅓
XFN-1618	½ x %16	XFN-2432	3/4 x 1		

- Will not mar fittings on pipes and tubing.
- · Satin chrome textured finish provides great feel and extra gripping power.
- Recessed corners in ends provide extra turning power.













WRENCHES FLARE NUT









DOUBLE HEAD FLARE NUT WRENCHES

Chrome Satin Finish, 6 Point, SAE

		Α	В	С	D	Ε
Product Code	Size (Inches)	Overall Length (Inches)	Open End Dia (Inches)	Open End Thickness (Inches)	Open End Dia (Inches)	Open End Thickness (Inches)
10600	3/8 x 7/16	6	27/32	11/32	15/16	11/32
10602	¹⁄2 x ⁹ ∕16	6 ³ / ₄	¹⁵ / ₁₆	13/32	1	13/32
10604	5/8 x 11/16	7 ³ / ₄	1 3/32	7/16	1 3/16	15/32
10606	3/4 x 7/8	8 ⁵ /8	1 9/32	0.5	1 13/32	17/32

Fed. Spec.: ANSI B107.6

11690 4 Piece Double Head Flare Nut Wrench Set, 6 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
10600	3/8 x 7/16	10604	5/8 x 11/16
10602	½ x %16	10606	3/4 x ⁷ /8

11691 3 Piece Double Head Flare Nut Wrench Set, 6 Point, SAE, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
10600	3/8 X 7/16	10604	5⁄8 X 11∕16
10602	¹/₂ X ⁹ /₁6		

Features

- Will not mar fittings on pipes and tubing.
- Satin chrome textured finish provides great feel and extra gripping power.
- Recessed corners in ends provide extra turning power.







DOUBLE HEAD FLARE NUT WRENCHES

Chrome Satin Finish, 6 Point, Metric

		Α	В	С	D	E
Product Code	Size (MM)	Overall Length (Inches)	Open End Dia (Inches)	Open End Thickness (Inches)	Open End Dia (Inches)	Open End Thickness (Inches)
10650	9 x 11	5 ¹¹ / ₁₆	13/16	11/32	15/16	5/16
10652	10 x 12	6 1/8	7/8	3/8	29/32	5/16
10654	13 x 14	6 1/8	1	3/8	1 3/32	3/8
10656	15 x 17	7 1/8	1 1/16	7/16	1 7/32	1/2
10658	19 x 21	8 ⁷ / ₈	1 ⁹ /32	1/2	1 ¹³ / ₃₂	17/32

Fed. Spec.: ANSI B107.9M

11692 5 Piece Double Head Flare Nut Wrench Set, 6 Point, Metric, in Pouch

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
10650	9 x 11	10654	13 x 14	10658	19 x 21
10652	10 x 12	10656	15 x 17		

- Will not damage fittings on pipes and tubing.
- Satin chrome textured finish provides great feel and extra gripping power.
- Recessed corners in ends provide extra turning power.



WRENCHES ADJUSTABLE





ADJUSTABLE WRENCH

Chrome Finish

Product Code	Length (Inches)	Maximum Jaw Opening (Inches)	Head Thickness (Inches)
AP-4A	4	1/2	11/32
AP-6A	6	3/4	7/16
AP-8A	8	1	1/2
AP-10A	10	1 11/64	39/64
AP-12A	12	1 5/16	23/32
AP-15A	15	1 11/16	51/64
AP-18A	18	2 1/16	57/64
AP-24A	24	2 ½16	1 %4

Features

- Chrome plated finish allows for easy cleaning after each use.
- Serrated knurl is designed for quick and smooth adjustments.
- I-Beam designed handle provides strength and durability.
- Inch (SAE) scale is laser-etched on head face for easy determination of bolt head width.









ADJUSTABLE WRENCH

Black Finish

Product Code	Length (Inches)	Maximum Jaw Opening (Inches)	Head Thickness (Inches)
AB-4A	4	1/2	11/32
AB-6A	6	3/4	7/16
AB-8A	8	1	1/2
AB-10A	10	1 11/64	39/64
AB-12A	12	1 5/16	23/32
AB-15A	15	1 11/16	51/64
AB-18A	18	2 1/16	57/64
AB-24A	24	2 7/16	1 %4

- Drop forged, heat treated industrial finish with satin finish handles for firm safe grip.
- Inch (SAE) scale is laser-etched on head face for easy determination of bolt head width.









WRENCHES ADJUSTABLE











ADJUSTABLE WRENCH

Comfort Grip

Product Code	Length (Inches)	Maximum Jaw Opening (Inches)	Head Thickness (Inches)
APC-6A	6	3/4	7/8
APC-8A	8	1	1/2
APC-10A	10	1 11/64	39/64
APC-12A	12	1 %	23/32

Features

- Comfort thermoplastic grips cushion the handle surface and stay comfortable even in extreme temperatures.
- · Chrome plated finish allows for easy cleaning.
- · Serrated knurl is designed for quick and smooth adjustments.
- I-Beam designed handle provides strength and durability.
- Inch (SAE) scale is laser-etched on head face for easy determination of bolt head width.



ADJUSTABLE WRENCHES

Heavy Duty Industrial Grade Adjustable Wrenches

Product Code	Overall Length (Inches)	Maximum Jaw Opening Not less Than (Inches)	Head Thickness (Inches)
Chrome Finish:			
13404A	4	11/16	3/8
13406A	6	15/16	7/16
13408A	8	1 1/8	9/16
13410A	10	1 5/16	11/16
13412A	12	1 ½	13/16
13415A	15	2	1
13418A	18	2 %	1 3/16
13424A	24	2 ¾	1 7/16
Black Phosphat	te Finish:		
13604A	4	11/16	3/8
13606A	6	15/16	7/16
13608A	8	1 1/8	9/16
13610A	10	1 5/16	11/16
13612A	12	1 ½	¹³ / ₁₆
13615A	15	2	1
13618A	18	2 %	1 3/16
13624A	24	2 ¾	1 7/16

Fed. Spec.: ANSI B107.8M

13342A 4 Piece Chrome Adjustable Wrench Set, in Pouch Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
13406A	6	13410A	10
13408A	8	13412A	12

13642A 4 Piece Black Adjustable Wrench Set, in Pouch Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
13606A	6	13610A	10
13608A	8	13612A	12

- Measurement scale on head conveniently shows fastener size.
- Wrench heads are fully polished for easy clean-up.
- · Exceed ANSI specifications for strength.
- Precision hardened and anti-corrosion treated.

WRENCHES

ADJUSTABLE/CONSTRUCTION/STRUCTURAL



RATCHETING ADJUSTABLE WRENCHES

Comfort Grip

Product Code	Overall Length (Inches)	Maximum Jaw Opening (Inches)	Head Thickness (Inches)
13106	6	13/16	7/16
13108	8	¹⁵ / ₁₆	9/16
13110	10	1 3/16	11/16

13343 3 Piece Set Ratcheting Adjustable Wrench Set, in Pouch

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
13106	6	13110	10
13108	8		

Features

· Easy to use in limited space





ADJUSTABLE CONSTRUCTION WRENCH

Heavy-Duty With Polished Head and Measurement Scales

Product Code	Length	Maximum Jaw	Head Thickness
	(Inches)	Opening (Inches)	(Inches)
13625A	15	1 ½	23/32

Features

- Tapered spud handle locates and aligns bolts and rivets.
- Hole in handle permits tethering wrench for safety.
- Measurement scale on head conveniently shows fastener size.
- Economical black phosphate finish resists rust.







SINGLE HEAD OPEN END OFFSET STRUCTURAL WRENCHES

Industrial Black Finish, SAE

		Α	В	С	D
Product Code	Size (Inches)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Handle Offset (Inches)
1904A	3/4	11 %16	1 19/32	15/32	7/8
1905	7/8	14 ⁵ / ₁₆	2	9/16	1
1906	¹⁵ / ₁₆	14 ³ / ₁₆	1 ³¹ / ₃₂	19/32	1 .
1906B	1	14 1/4	2	19/32	1 🥒
1907	1 1/16	16 ¹³ / ₁₆	2 5/32	5/8	1 1/8
1907A	11/8	16 ¹³ / ₁₆	2 1/4	5/8	1 1/8
1908	1 1/4	17 11/16	2 23/32	11/16	1 1/4
1908A	1 5/16	18 3/4	2 13/16	23/32	1 1/4
1909	1 7/16	19 ¾	3 5/32	25/32	1 1/4
1909A	1 ½	19 %	3 5/32	25/32	1 1/2
1910	1 %	21 1/16	3 7/32	7/8	1 1/2
1911	1 ¹³ / ₁₆	23	3 3/4	1 3/4	1 %
1911A	1 1/8	22 ¹³ / ₁₆	3 ²⁵ / ₃₂	31/32	1 5/8
1912	2	23 3/4	4 7/32	31/32	1 5/8

- Long offset handle is designed for clearance of obstructions while providing greater leverage.
- · Tapered spud handle locates and aligns bolt and rivet holes.









WRENCHES STRUCTURAL BOX







SINGLE HEAD OPEN END CONSTRUCTION WRENCHES

Industrial Black Finish, SAE

		Α	В	С
		Overall Length	Open End Width	Open End
Product Code	Size (Inches)	(Inches)	(Inches)	Thickness (Inches)
204A	3/4	12	1 ²³ / ₃₂	15/32
205	7/8	14 1/4	2 ½16	19/32
206	15/16	14 ¾	2 1/8	19/32
206B	1	13 1/8	2 3/32	1/2
207	1 1/16	16 %16	2 7/16	21/32
207A	1 ½	17	2 %16	11/16
Q-208	1 1/4	18 ¹⁵ / ₁₆	2 23/32	23/32
208A	1 5/16	19	2 ²⁷ / ₃₂	3/4
209	1 7/16	21 1/8	3 %	27/32
209A	1 1/2	18 ¾	2 3/4	13/16
Q-210	1 %	22 ¹ / ₁₆	3 ²¹ / ₃₂	7/8
211	1 ¹³ / ₁₆	25	4 1/2	1 1/32
211A	1 1/8	25 1/8	4 %16	1 1/16

Features

- 15° open end provides two gripping angles when wrench is turned over.
- Tapered spud handle locates and aligns bolt and rivet holes.





OFFSET STRUCTURAL BOX WRENCHES

Industrial Black Finish, SAE

		Α	В	С
	Size	Overall Length	Head Diameter	Offset
Product Code	(Inches)	(Inches)	(Inches)	at End
8905A	13/16	12	1 15/32	1 ²⁵ / ₃₂
8905	7/8	12	1 15/32	1 25/32
8906	¹⁵ / ₁₆	12	1 %	1 61/64
8906B	1	12	1 %	1 61/64
8907	1 1/16	15	1 53/64	2 %4
8907A	1 1/8	15	1 53/64	2 %4
8908	1 1/4	17	2 5/64	2 21/64
8908A	1 5/16	17	2 5/64	2 21/64
8909	1 7/16	21	2 3/8	2 3/4
8909A	1 1/2	21	2 3/8	2 3/4
8910	1 1/8	22	2 5/8	2 1/8
8910A	1 11/16	22	2 5/8	2 1/8
8911	1 13/16	23	2 ²⁹ / ₃₂	3 3
8911A	1 1/8	23	2 29/32	3
8912	2	24 1/2	3 5/ ₃₂	3 5/32
8913	2 3/16	26	3 15/32	3 1/2
8914	2 ¾	28	3 ²³ / ₃₂	3 11/16
8915	2 1/16	30	3 ²⁹ / ₃₂	3 ¹³ / ₁₆
8916	2 3/4	30	4 5/32	3 ²⁹ / ₃₂

Fed. Spec: GGG-W-636E Type 9 Class 2

- Offset from handle to permit clearance of obstructions
 Handles are tapered for insertion into bolt holes
- Industrial Black Finish



WRENCHES TUBULAR



TUBULAR WRENCH HANDLES

Industrial Black Finish

Product Code	Length (Inches)	Inside Handle Diameter (Inches)
13TH	13½	7/8
24TH	24	7/8
36TH	36	11//8

Features

- For use with all Williams Tubular Handle Wrenches.
- A detent on the wrench shaft helps to align locking button with handle hole.
- Tubular wrenches may be used without the handle to quickly run down nuts.









OPEN END TUBULAR HANDLE WRENCHES

Industrial Black Finish, SAE / Metric


			В	С			
Product Code	Size (Inches)	Size (MM)	Outside Head Diameter (Inches)	Head Depth (Inches)	Assembled Length From Bolt Center (Inches) 13TH	Assembled Length From Bolt Center (Inches) 24TH	Fits Handle No.
1228TOE	7/8		1 15/16	1/2	19 3/8	29 ⁷ / ₈	13TH - 24TH
1230TOE	¹⁵ / ₁₆	-	1 ¹⁵ / ₁₆	1/2	19 ¾	29 7/8	13TH - 24TH
1232TOE	1	-	2 5/16	9/16	20 5/32	30 ²¹ / ₃₂	13TH - 24TH
1234TOE	1 1/16	-	2 5/16	9/16	20 5/32	30 ²¹ / ₃₂	13TH - 24TH
1236TOE	1 1/8		2 5/16	9/16	20 5/32	30 ²¹ / ₃₂	13TH - 24TH
1240TOE	1 1/4	32	2 11/16	5/8	21 5/32	31 ²¹ / ₃₂	13TH - 24TH
1242TOE	1 5/16	33	2 ¹¹ / ₁₆	5/8	21 5/32	31 ²¹ / ₃₂	13TH - 24TH
1244TOE	1 ¾	35	2 11/16	5/8	22	32 ½	13TH - 24TH
1246TOE	1 7/16	36	3 ½	11/16	22 ½16	32 %16	13TH - 24TH
1248TOE	1 1/2	38	3 1/8	11/16	22 1/16	33 %16	13TH - 24TH

Features

- Unique, versatile design allows wrench to be used with or without optional handles.
- Tubular wrenches may be used without the handle to quickly run down nuts.
- The handle can then be attached to provide maximum turning power for final tightening or to reach otherwise inaccessible fasteners.
- · A detent on the wrench shaft helps to align locking button with handle hole.
- · Open end wrench head provides access in tight areas.
- · Sizes of both SAE and corresponding metric fasteners are shown.

CDI WSC-400CA and WSC-600CA Split Beam Torque Wrenches accept the Williams Heavy
Duty Tubular Wrenches that fit the 24TH handle. The length of the wrench head matches the effective
length of the ratchet head and extender that come with the torque wrench, creating the same effective
length. Removing the ratchet head and extender from the torque wrench and inserting the desired
Heavy Duty Tubular wrench of choice (fitting 24TH handle) creates an expanded use interchangeable
head system. The complete assortment of CDI Split Beam Torque Wrenches is found on page 98.












WRENCHES TUBULAR















OFFSET BOX END TUBULAR HANDLE WRENCHES

Industrial Black Finish, 12 Point, SAE / Metric

			Α	С	F			
			Outside			Assembled	Assembled Length	
	٥.	٥.	Head	Head	Height of	Length From	From Bolt	Fits
Product	Size	Size	Diameter	Depth	Offset	Bolt Center	Center (Inches)	Handle
Code	(Inches)	(MM)	(Inches)	(Inches)	(Inches)	(Inches) 13TH	24TH/36TH	No.
1234TOB	1 1/16	-	1 ²¹ / ₃₂	5/8	15/16	9 3/32	30 3/32	13TH - 24TH
1236TOB	1 1/8	-	1 1/8	23/32	1 1/16	9 7/32	30 7/32	13TH - 24TH
1240TOB	1 1/4	32	1 ²⁹ /32	²³ / ₃₂	1 1/16	9 7/32	30 1/32	13TH - 24TH
1242TOB	1 5/16	33	2	²⁷ / ₃₂	1 1/8	11 ½	32 ½	13TH - 24TH
1244TOB	1 %	35	2 ½16	7/8	1 3/16	11 ¹⁹ / ₃₂	32 ¹⁹ / ₃₂	13TH - 24TH
1246TOB	1 7/16	36	2 5/32	7/8	1 1/4	11 19/32	32 ¹⁹ / ₃₂	<u> 13TH - 24TH</u>
1248TOB	1 1/2	38	2 1/4	¹⁵ /16	1 5/16	11 19/32	32 19/32	13TH - 24TH
1250TOB	1 %16	40	2 5/16	¹⁵ / ₁₆	1 5/16	11 ¹⁹ / ₃₂	32 19/32	13TH - 24TH
1252TOB	1 %	41	2 ¾	31/32	1 %	11 ²³ / ₃₂	32 ²³ / ₃₂	13TH - 24TH
1254TOB	1 11/16	43	2 ¹⁹ / ₃₂	1 1/16	1 1/16		43 1/32	36TH
1256TOB	1 3/4	44	2 ⁵ / ₈	1 1/16	1 ½		43 %2	36TH
1258TOB	1 13/16	46	2 23/32	1 1/8	1 %16		43 13/32	36TH
1260TOB	1 1/8	47	2 ¾	1 1/8	1 %		43 ¹³ / ₃₂	36TH
1264TOB	2	51	2 ³¹ / ₃₂	1 1/4	1 3/4		43 1/2	36TH
1266TOB	2 1/16	52	2 ³¹ / ₃₂	1 1/4	1 3/4		43 1/2	36TH
1270TOB	2 ³ /16	55	3 3/16	1 ⁵ ⁄16	1 1/8		43 19/32	36TH
1272TOB	2 1/4	57	3 1/4	1 ⁵ /16	1 1/8		43 19/32	36TH
1276TOB	2 %	60	3 13/32	1 13/32	2		43 11/16	36TH
1282TOB	2 %16	65	3 ²¹ / ₃₂	1 1/2	2 1/4		43 ¹³ / ₁₆	36TH
1284TOB	2 %	67	3 11/16	1 1/2	2 1/4		44 7/32	36TH
1288TOB	2 3/4	70	3 ¹⁵ / ₁₆	1 19/32	2 1/2		44	36TH
1294TOB	2 ¹⁵ / ₁₆	75	4 5/32	1 ¹¹ / ₁₆	2 %		44 ³ / ₃₂	36TH
12100TOB	3 1/8	79	4 ¾	1 11/16	2 ¾		44 19/32	36TH

Features

- Unique, versatile design allows wrench to be used with or without optional handles.
- Tubular Wrenches may be used without the handle to quickly run down nuts.
- The handle can then be attached to provide maximum turning power for final tightening or to reach otherwise inaccessible fasteners.
- · A detent on the wrench shaft helps to align locking button with handle hole.
- Offset box wrench head provides turning clearance.
- · Sizes of both SAE and corresponding metric fasteners are shown.









STRAIGHT BOX END TUBULAR HANDLE WRENCHES

Industrial Black Finish, 12 Point, SAE / Metric

			Α	С			
Product Code	Size (Inches)	Size (MM)	Outside Head Diameter (Inches)	Head Depth (Inches)	Assembled Length From Bolt Center (Inches) 13TH	Assembled Length From Bolt Center (Inches) 24TH/36TH	Fits Handle No.
1224TSB	3/4	•	1 1/4	17/32	19 1/32	29 17/32	13TH - 24TH
1226TSB	¹³ / ₁₆	-	1 1/4	17/32	19 1/32	29 17/32	13TH - 24TH
1228TSB	7/8	-	1 13/32	19/32	19 1/32	29 17/32	13TH - 24TH
1230TSB	¹⁵ /16	-	1 13/32	19/32	19 1/32	29 17/32	13TH - 24TH
1232TSB	1	-	1 %16	21/32	19 ¾32	29 ¹⁹ / ₃₂	13TH - 24TH
1234TSB	1 1/16	-	1 %16	21/32	19 3/32	29 19/32	13TH - 24TH
1236TSB	1 1/8	-	1 5/16	11/16	19 3/32	29 19/32	13TH - 24TH
1240TSB	1 1/4	32	1 29/32	²⁷ / ₃₂	21 ¹³ / ₃₂	31 ²⁹ / ₃₂	13TH - 24TH
1242TSB	1 ⁵ ⁄16	33	1 29/32	²⁷ / ₃₂	21 ¹³ / ₃₂	31 ²⁹ / ₃₂	13TH - 24TH
1246TSB	1 1/16	36	2 5/32	7/8	21 ¹³ / ₃₂	31 ²⁹ / ₃₂	13TH - 24TH
1248TSB	1 1/2	38	2 5/32	7/8	21 ¹³ / ₃₂	31 ²⁹ / ₃₂	13TH - 24TH
1252TSB	1 %	41	2 5/16	¹⁵ / ₁₆	22 7/32	32 ²³ / ₃₂	13TH - 24TH
12100TSB	3 1/8	79	4 %2	1 3/4		42 5/32	36TH

- Unique, versatile design allows wrench to be used with or without optional handles.
- Tubular wrenches may be used without the handle to quickly run down nuts.
- The handle can then be attached to provide maximum turning power for final tightening or to reach otherwise inaccessible fasteners.
- A detent on the wrench shaft helps to align locking button with handle hole.
- Straight box wrench head provides access when clearance is limited.
- · Sizes of both SAE and corresponding metric fasteners are shown.










STRAIGHT PATTERN BOX END STRIKING WRENCHES

Industrial Black Finish, 12 Point, SAE / Metric

			Α	В	С
			Overall	Box End	Box End
			Length	Diameter	Thickness
Product Code	Size (Inches)	Size (MM)	(Inches)	(Inches)	(Inches)
SFH-1808BW	1 3/16	30	7 %16	2 3/32	7/8
SFH-1808W	1 1/4	32	7 %16	2 3/32	7/8
SFH-1808AW	1 5/16	33	7 %16	2 3/32	7/8
SFH-1808CW	1 3/8	35	7 21/32	2 1/32	31/32
SFH-1809W	1 1/16	-	7 21/32	2 1/32	31/32
SFH-1809BW	-	36	7 21/32	2 1/32	31/32
SFH-1809AW	1 1/2	38	7 21/32	2 1/32	31/32
SFH-1810W	1 %	41	7 ²⁷ / ₃₂	2 ²¹ / ₃₂	1 5/32
SFH-1810AW	1 11/16	43	7 13/16	2 ²¹ / ₃₂	1 5/32
SFH-1810BW	1 3/4	44	7 ¹⁵ / ₁₆	2 ¹³ / ₁₆	1 1/4
SFH-1811W	1 ¹³ / ₁₆	46	7 15/16	2 ¹³ / ₁₆	1 1/4
SFH-1811AW	1 %	-	7 ¹⁵ / ₁₆	2 ¹³ / ₁₆	1 1/4
SFH-1812BW	-	50	11 ¹⁹ / ₃₂	3 3/16	1 13/32
SFH-1812W	2	51	11 ¹⁹ / ₃₂	3 ¾16	1 ¹³ / ₃₂
SFH-1812AW	2 ½16	52	11 ¹⁹ / ₃₂	3 ¾ ₁₆	1 13/32
SFH-1813W	2 3/16	55	11 ¾	2 %16	1 17/32
SFH-1813AW	2 1/4	57	11 ¾	2 %16	1 17/32
SFH-1814W	2 %	60	11 %	3 3/4	1 11/16
SFH-1814AW	2 ½16	62	11 7/8	33/4	1 11/16
SFH-1814BW	2 1/2	64	11 %	3 3/4	1 ¹ / ₁₆
SFH-1815W	2 %16	65	13	4	1 ¹³ / ₁₆
SFH-1815AW	2 %	67	13	4	1 ¹³ / ₁₆
SFH-1816W	2 3/4	70	14 ⁹ / ₃₂	4 1/32	1 ¹⁵ / ₁₆
SFH-1816AW	2 13/16	71	14 %32	4 %2	115/16
SFH-1816BW	2 ¹⁵ / ₁₆	75	14 ¹³ / ₃₂	4 ¹⁷ / ₃₂	2 1/16
SFH-1817AW	3	76	14 ¹³ / ₃₂	4 ¹⁷ / ₃₂	2 1/16
SFH-1817W	3 1/8	80	17 ¹⁹ / ₃₂	4 29/32	2 1/32
SFH-1818AW	3 %	85	17 ¹⁹ / ₃₂	4 29/32	2 1/32
SFH-1818W	3 ½	89	17 ¹³ / ₁₆	5 ½16	2 ¹⁵ / ₃₂
SFH-1819BWA	3 3/4	95	17 ²⁹ / ₃₂	5 ¹⁷ /32	2 21/32
SFH-1819WA	3 1/8	98	17 ²⁹ / ₃₂	5 ¹⁷ / ₃₂	2 21/32
SFH-1819CWA	4 1/8	105	18 ⁵ / ₃₂	6 1/32	2 ¹⁵ / ₁₆
SFH-1819AWA	4 1/4	108	18 1/32	6 1/32	2 ¹⁵ / ₁₆
SFH-1820BWA	4 1/2	114	20 1/32	6 ²⁵ / ₃₂	3 3/16
SFH-1820WA	4 %	117	20 1/32	6 ²⁵ / ₃₂	3 3/16





- Striking face wrenches are designed to be struck by a hammer on the anvil area in order to loosen frozen fasteners or to set and tighten fasteners.
- Anvils are proportional to opening sizes. Special heat treating provides maximum durability for long life.
- Straight handle design resists springing while allowing the fastener to turn more easily.
- Williams' expanded line of offset striking face wrenches, up to 4-5/8", provides the most extensive line on the market.
- Specifically engineered to hold up under the most rigorous industrial use.

















Industrial Black Finish, 12 Point, SAE / Metric

			Α	В	С
			Overall	Box End	Box End
			Length	Diameter	Thickness
Product Code	Size (Inches)	Size (MM)	(Inches)	(Inches)	(Inches)
8807W	1 1/16	27	9 31/32	1 21/32	23/32
8807AW	1 1/8	-	10 ³¹ / ₃₂	1 ¹⁵ / ₁₆	3/4
8808BW	1 ³ / ₁₆	30	10 ³¹ / ₃₂	1 ¹⁵ / ₁₆	3/4
W8088	1 1/4	32	10 ³¹ / ₃₂	1 ¹⁵ / ₁₆	3/4
WA8088	1 5/16	33	10 ³¹ / ₃₂	1 ¹⁵ / ₁₆	3/4
8808CW	1 %	35	11 ½	2 5/32	29/32
8809W	1 7/16		11 ½	2 5/32	29/32
8809BW	-	36	11 ½	2 5/32	29/32
8809AW	1 ½	38	12	2 1/16	1
8810W	1 %	41	12	2 1/16	1
8810AW	1 11/16	43	12 %16	2 11/16	1 1/8
8811BW	1 3/4	44	12 %16	2 ¹¹ / ₁₆	1 1/8
8811W	1 13/16	46	12 %16	2 11/16	1 1/8
8811AW	1 1/8	-	13	2 ¾	1 1/4
8812AW	1 ¹⁵ / ₁₆	49	13	2 7/8	1 1/4
8812BW	-	50	13	2 7/8	1 1/4
8812W	2	51	13	2 ⁷ /8	1 1/4
8813BW	2 1/8	54	13 %16	3 ½	1 ¹³ / ₃₂
8813W	2 3/16	55	13 %	3 1/4	1 ¹³ / ₃₂
8813AW	2 1/4	57	13 %16	3 1/4	1 ¹³ / ₃₂
8814AW	2 5/16	59	13 %16	3 ½	1 ¹³ / ₃₂
8814W	2 3/8	60	14 1/8	3 ¹¹ / ₁₆	1 ½
8815BW	2 ½	64	14 1/8	3 ¹¹ / ₁₆	1 ½
8815W	2 %16	65	14 1/8	3 ¹¹ / ₁₆	1 ½
8815AW	2 5/8	67	15	3 15/16	1 %
8816W	2 3/4	70	15	2 ¹⁵ / ₁₆	1 %
8816CW	2 1/8	73	16	4 1/16	1 3/4
8816BW	2 ¹⁵ / ₁₆	75	16	4 1/16	1 3/4
8817AW	3	76	16	4 1/16	1 3/4
8817W	3 1/8	80	16	4 ½16	1 3/4
8818AW	3 %	85	18 1/32	6	2
8818W	3 ½	89	18 %2	6	2
8819BW	3 3/4	95	18 %2	6	2
8819W	3 7/8	98	18 %2	6	2
8819CW	4 1/8	105	18 %2	6	2
8819AW	4 1/4	108	18 %2	6	2



- Striking face wrenches are designed to be struck by a hammer on the anvil area in order to loosen frozen fasteners or to set and tighten fasteners.
- . Anvils are proportional to opening sizes. Special heat treating provides maximum durability for long life.
- · Offset handle is close to head to provide clearance in confined areas.
- Williams' expanded line of offset striking face wrenches, up to 4-1/4", provides the most extensive line on the market.
- · Specifically engineered to hold up under the most rigorous industrial use.



8811BW

WILLIAMS

FRAC PUMP WRENCH

A safer, more durable tool **Product Code** Stud Size 8817AFPW Frac Pump Wrench

- . Specially designed for the oil and gas industry to work on fluid ends of well servicing pumps from all major manufacturers with 3" valve cover retainer nuts

 Offset design with 3" integrated hex driver
- . A larger striking surface ensures fewer errant blows
- Offset reduces damage to manifold
- . Robust metallurgy ensures a safer tool that is less likely to break



SLUGGING WRENCH RETAINERS

Product Code	Stud Size	Length	С	D
SWR-24	3/8	1 29/32	1 ¹⁵ / ₁₆	1 3/4
SWR-28	7/8	2	2 3/16	1 29/32
SWR-32	1	2 1/8	2 1/2	2 1/32
SWR-36	1 ¹ /8	2 1/4	2 1/2	2 ⁵ / ₃₂
SWR-40	1 1/4	2 3/8	2 7/8	2 ⁹ / ₃₂
SWR-44	1 3/8	2 15/32	3 ¹ / ₈	2 3/8
SWR-48	1 1/2	2 ⁵ /8	3 ¹ / ₈	2 ¹ / ₂
SWR-52	1 ⁵ / ₈	2 3/4	3 5/8	2 21/32
SWR-56	1 3/4	2 ⁷ /8	3 7/8	2 ³ / ₄
SWR-60	1 ⁷ /s	3	4 1/2	2 7/s




Contents Include:

Outtoile illoidd	61		
Product Code	Stud Size	Product Code	Stud Size
SWR-24	3/8	SWR-44	1 3/8
SWR-28	7/8	SWR-48	1 1/2
SWR-32	1	SWR-52	1 ⁵ /8
SWR-36	1 1/8	SWR-56	1 3/4
SWR-40	1 1/4	SWR-60	1 7/8

Features

- . Slugging Wrench Retainers thread onto the end of the stud over the slugging wrench to ensure the wrench stays affixed to the fastener
- . A spring loaded plate allows for easy adjustment of the wrench without having to unscrew the retainer.
- · Increased productivity and safer operation by eliminating the need for a second worker to hold and slugging wrench in place
- . Available in 10 sizes, marked with stud sizes (not hex sizes)
- · Configured to work with offset and straight handle slugging wrenches











HAMMER WRENCHES

6 Point

0.0				
Product Code	Wrench Opening (Nut Size)	Head Dia.	Head Thickness	Overall Length
HW-6034	1 1/16	1 25/32	5/8	9 %
HW-6040	1 1/4	2	23/32	10 1/4
HW-6046	1 7/16	2 17/64	7/8	10 %
HW-6052	1 %	2 31/64	61/64	11
HW-6058	1 ¹³ / ₁₆	2 ²¹ / ₃₂	63/64	11 1/16
HW-6064	2	3 1/32	1 7/32	11 11/16
HW-6070	2 3/16	3 1/32	1 1/4	12
HW-6076	2 %	3 ¹³ / ₃₂	1 7/16	12 ¾
HW-6082	2 %16	3 ¾	1 17/32	12 ¹¹ / ₁₆
HW-6088	2 ¾	4 11/64	1 17/32	13 ½16
HW-6094	2 15/16	4 23/64	1 17/32	13 ⁷ / ₁₆
HW-6100	3 ½	4 31/64	1 %	13 ¹³ / ₁₆
HW-6112	3 ½	4 31/32	1 23/32	14 1/8
HW-6124	3 1/8	5 ³⁵ / ₆₄	1 23/32	14 1/2

- Designed for use in the petrochemical industries where clearance, particularly on flanges, and cored fasteners are often a problem:
- 6 Point Hex is offset 15 degree, and short handle length allows for use in tight spaces
- Straight Handle transfers maximum torque when struck
- Assortment fits Stud Sizes up to 2-1/2"









WRENCHES SPANNER











ADJUSTABLE PIN SPANNER WRENCHES

Industrial Black Finish, SAE

Product Code	Span Diameter (Inches)	Pin Diameter (Inches)	Pin Length (Inches)	Overall Length (Inches)
0-471	3/4 to 2	1/8	1/8	5 %
O-471A	3/4 to 2	3/16	5/32	5 %
O-472	1 1/4 to 3	3/16	3/16	6 ⁷ / ₈
O-472A	1 1/4 to 3	1/4	7/32	6 1/8
O-474	2 to 4 3/4	1/4	1/4	9 1/2
O-474A	4 ½ to 6 ¼	3/8	1/4	9 7/8

WS-476 6-Piece Adjustable Pin Spanner Wrench Set, in Pouch

Contents Include:

Product Code	Overall Length (Inches)	Product Code	Overall Length (Inches)
O-471	5 %	O-472A	6 1/8
O-471A	5 %	0-474	9 ½
O-472	6 ⁷ / ₈	O-474A	9 %

Features

- Ideal for adjusting collars, lock nut rings, and bearings.
- Specifically engineered to hold up under the most rigorous industrial use.





ADJUSTABLE HOOK SPANNER WRENCHES

Industrial Black Finish, SAE

Product Code	Span Diameter (Inches)	Hook Depth (Inches)	Hook Thickness (Inches)	Overall Length (Inches)
471	3/4 to 2	1/8	11/32	5 %
472	1 1/4 to 3	5/32	13/32	7 1/4
474	2 to 4 ³ / ₄	3/16	15/32	11 1/2
474A	4 ½ to 6 ¼	1/4	15/32	17 1/2
474B	6 1/8 to 8 3/4	5/16	15/32	18 ½

WS-474 4-Piece Adjustable Hook Spanner Wrench Set, in Pouch

Product Code	Overall Length (Inches)	Product Code	Overall Length (Inches)
471	5 ¾	474	11 ½
472	7 1/4	474A	17 1/2

Features

- Ideal for adjusting collars, lock nut rings, and bearings.
- Specifically engineered to hold up under the most rigorous industrial use.





ADJUSTABLE FACE SPANNER WRENCHES

Industrial Black Finish, SAE

Product Code	Span Diameter (Inches)	Pin Diameter (Inches)	Pin Length (Inches)	Overall Length (Inches)
482	2	3/16	1/4	6 1/4
483	3	1/4	1/4	8 1/8
484	4	5/16	1/2	10 ¾

WS-483 3-Piece Adjustable Face Spanner Wrench Set, in Pouch

Contents Include:

Product Code	Overall Length (Inches)	Product Code	Overall Length (Inches)
482	6 1/4	484	10 %
483	8 1/8		

- Ideal for adjusting collars, lock nut rings, and bearings.
- Specifically engineered to hold up under the most rigorous industrial use.



T-HANDLE HEX DRIVERS

Cushion Grip Handle

Product Code	Size (Inches)	Product Code	Size (MM)
HKT-3/32	3/32	HKT-2MM	2
HKT-7/64	7/64	HKT-2.5MM	2.5
HKT-1/8	1/8	HKT-3MM	3
HKT-9/64	9/64	HKT-4MM	4
HKT-5/32	5/32	HKT-5MM	5
HKT-3/16	3/16	HKT-6MM	6
HKT-7/32	7/32	HKT-8MM	8
HKT-1/4	1/4	HKT-10MM	10
HKT-5/16	5/16		
HKT-3/8	3/8		

Features

- Cushion grip provides extra comfort
- One-Piece handle construction for extra strength
- 6 Inch shaft length

WSHKT-10 10 Piece T-Handle Hex Driver Set, SAE in Pouch

Contents Include:					
Product Code	Size	Product Code	Size	Product Code	Size
HKT-3/32	3/32	HKT-5/32	5/32	HKT-1/4	1/4
HKT-7/64	7/64	HKT-3/16	3/16	HKT-5/16	5/16
HKT-1/8	1/8	HKT-7/32	7/32	HKT-3/8	3/8
HKT-9/64	9/64				

MWSHKT-8 8 Piece T-Handle Hex Driver Set, MM in Pouch

Contents Includ	e:		
Product Code	Size	Product Code	Size
HKT-2MM	2	HKT-5MM	5
HKT-2.5MM	2.5	HKT-6MM	6
HKT-3MM	3	HKT-8MM	8
HKT-4MM	4	HKT-10MM	10

Features

• Set comes in pouch for tool box or can be hung.

Universal Hex Key Stand

Product Code	Size
HKTSTAND	Width 7 1/2 x Depth 5 1/2 x Height 6

- Universal T-handle stand, fits inch/metric sets
- Number of slots: 22
- Fits up to 3/8" hex
- For Inch, Metric and Torx hex keys
- Can be attached to wall, bench or each other
- T-handle hex drivers are sold separately and are not included with stand
- 6" overall length





WSHKT-10

















WS-46



MWS-47







FOLDING HEX KEY SETS

SAE and Metric

Product Code	W	S-45	<u> </u>	/S-46	MWS	-47
Number of Pieces		8		9		
	Hex Size (Inches)	Key Length (Inches)	Hex Size (Inches)	Key Length (Inches)	Includes Hex Size (MM)	Key Length (Inches)
	. 050 ¹ / ₁₆	1½ 1%	5/64 3/32	1½ 1%	1.5 2	13/8 11/2
	5/64 3/32	1 ⁷ / ₁₆ 1 ⁹ / ₁₆	7/ ₆₄	1 ¹¹ / ₁₆ 1 ¹⁵ / ₁₆	2.5 3	15/8 13/4
	7/64	15/8	9/64	2	4	2 2 ¹ / ₄
	1/8 9/64	1 ¹¹ / ₁₆ 1 ¹³ / ₁₆	5/32 3/16	2 ¹ / ₄ 2 ¹ / ₂	6	21/2
	5/32	2	7/ ₃₂ 1/ ₄	25/8 27/8		

Features

- Steel case is chrome plated to resist corrosion.
- Keys are black oxide finish.
- Convenient item for pocket or tool box.











BALL END AND STANDARD HEX KEY SETS

SAE and Metric, in Handy Compact Plastic Holder

Product	Number of				
Code	Pieces	Type	Key Style	Key Length	Size Range
10107	7	SAE	Standard	Short	⁵ / ₆₄ - ¹ / ₄ "
10111	11	SAE	Standard	Short	.050 - 1/4"
10113	13	SAE	Standard	Short	.050 - %"
10213	13	SAE	Standard	Long	.050 - %"
10507	7	Metric	Standard	Short	1.5 - 6.0 mm
10509	9	Metric	Standard	Short	1.5 - 10.0 mm
13213	13	SAE	Ball Hex	Long	.050 - 3/8"
13609	9	Metric	Ball Hex	Long	1.5 - 10.0 mm

- Plastic holders organize hex keys securely in place.
- Keys are black oxide finish.
- Holders are colour coded, red for fractional and blue for metric.
- Ball hex key ends are designed with ball on long arm to provide 360° of rotation at up to a 30° angle.

WILLIAMS






HEX KEY SETS IN POUCH

SAE and Me	tric			
Product Code	WS-44		MWS-27	
Number of Pieces	13		11	
	Hex Size (Inches)	Key Length (Inches)	Hex Size (MM)	Key Length (Inches)
	.050	1 11/16	2	2
	1/16	1 13/16	2 1/2	2 ⁵ / ₁₆
	5/64	1 31/32	3	2 7/32
	3/32	2 1/8	4	2 13/16
	7/64	2 1/4	5	3 ⁵ / ₁₆
	1/8	2 3/8	6	3 23/32
	9/64	2 9/16	8	4 ¹ / ₁₆
	5/32	2 19/32	10	4 5/8
	3/16	3	12	5 ⁷ / ₃₂
	7/32	3 3/16	14	5 ¹⁵ / ₁₆
	1/4	3 1/2	17	6 ⁷ /8
	5/16	4		
	3/	A 17/		



- Pouch keeps hex keys organized.
- . Keys are black oxide finish.







L-TYPE HEX KEYS

Indus	trial B	lack F	inish, S	SAE
Product	Size	Length		Pkg.
Code	(Inches)	(Inches)	(Inches)	Qty.
HK-050	.050	1 23/32	1/2	25
HK-1/16	1/16	1 1/8	1/2	25
HK-5/64	5/64	1 31/32	5/8	25
HK-3/32	3/32	1 ¹³ / ₁₆	9/16	25
HK-7/64	7/64	2 1/4	23/32	25
HK-1/8	1/8	2 13/32	3/4	25
HK-%4	9/64	2 %	25/32	25
HK-5/32	5/32	2 21/32	27/32	25
HK-3/16	3/16	2 31/32	1	25
HK-7/32	7/32	3 1/16	1	25
HK-1/4	1/4	3 %	1 1/8	25
HK-¾	3/8	4 23/32	1 13/32	5

Features

· Keys are black oxide finish.





Industrial Black Finish, Metric					
Product	Size	Length	Width	Pkg.	
Code	(MM)	(Inches)	(Inches)	Qty.	
HK-2mm	2	2	5/8	25	
HK-2.5mm	2 1/2	2 1/4	23/32	25	
HK-3mm	3	2 %16	¹³ / ₁₆	25	
HK-4mm	4	2 ¹³ / ₁₆	31/32	25	
HK-5mm	5	3 13/32	1 1/8	25	
HK-6mm	6	3 ¾	1 1/8	10	
HK-8mm	8	4 ½16	1 1/8	5	
HK-10mm	10	4 3/4	1 1/2	5	
HK-12mm	12	5 ½	1 %	5	
HK-14mm	14	6	1 1/2	5	
HK-17mm	17	6 3/4	2 1/2	1	

Features

Keys are black oxide finish.









LARGE ASSORTMENT

CHROME SOCKETS • IMPACT UNIVERSALS • IMPACT SOCKETS
 TURBOSOCKET SALVAGE SOCKETS • RATCHETS

UNIQUE DESIGN

 SUPERTORQUE LOBULAR OPENING ALLOWS SOCKET TO CONTACT THE FASTENER'S FLATS WITHOUT ROUNDING OR DEFORMING NUTS AND BOLTS

TURBOSOCKET SALVAGE SOCKETS ARE SPECIFICALLY DESIGNED TO REMOVE DAMAGED OR ROUNDED NUTS AND BOLTS

MANUFACTURED FOR HEAVY DUTY APPLICATIONS

EXTRUDED OR HOT BROACHED FROM ALLOY STEEL, PRECISION MACHINED OR FULLY TREATED



WE CONTINUE TO INNOVATE TO DELIVER SAFETY AND PRODUCTIVITY TO OUR CUSTOMERS

MULTI DRIVE SOCKET & DRIVE TOOL SETS









38 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

30 FIEUI	. I/4 DRIVE JUG	NEI AND D	HIVE IUUL JEI		
6 & 8 Point S Product Code	AE, Packed in Exclusive	Keep-Safe-Foam Description	System with Metal Box		
WSM-38HFTB	38 Piece To	ool Set with TB-103	Metal Tool Box		
WSM-38HF	38 Piece Tool Set	38 Piece Tool Set Only - Packed in Keep Safe Foam System			
Contents Inc		•	,		
Drive Tools:		Drive Tools:			
Product Code	Description	Product Code	Description		
M-52EHA	5 1/2" Enclosed Head Ratchet	M-106A	Spinner Handle		
M-42A	Flex Handle	M-140A	Universal Joint		
M-102	2" Extension	M-20A	Sliding T-Handle		
M-104	4" Extension	MFE-6	6" Flexible Extension		
M-115	6" Extension	= 0			
•	2.10.10101	Deep 6-Point So	ockets		
Shallow 6-Point Sockets		Product Code	Size (Inches)		
Product Code	Size (Inches)	MD-606	3/16		
M-605	5/32	MD-607	7/32		
M-606	3/16	MD-608	1/4		
M-607	7/32	MD-609	9/32		
M-608	1/4	MD-610	5/16		
M-609	9/32	MD-611	11/32		
M-610	5/16	MD-612	3/8		
M-611	11/32	MD-614	7/16		
M-612	3/8	MD-616	1/2		
M-614	7/16	MD-618	9/16		
M-616	1/2				
M-618	9/16	Screwdriver Bit	Sockets		
		Product Code	Description		
Shallow 8-Poi	nt Sockets	MA-7A-1P	#1 Phillips® Tip		
Product Code	Size (Inches)	MA-7A-2P	#2 Phillips® Tip		
M-808	1/4	MA-5A-1S	3/16" Slotted Tip		
M-810	5/16	MA-7A-2S	7/32" Slotted Tip		
M-812	3/8	MA-8A-3S	9/32" Slotted Tip		



Features

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
 All tools are professional quality, made of high-grade chrome vanadium steel.
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.

 Metal tool box made for years of rugged use.







26 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

6 Point SAE, Pa Product Code	acked in Exclusive Keep-	Safe-Foam System Description	m with Metal Box		
WSM-26HFTB	26 Piece Tool Set with TB-102 Metal Tool Box				
WSM-26HF	26 Piece Tool Set Only - Packed in Keep Safe Foam System				
Contents Inclu	de:				
Drive Tools:		Drive Tools:			
Product Code	Description	Product Code	Description		
M-52EHA	5 1/2" Enclosed Head Ratchet	M-106A	Spinner Handle		
M-102	2" Extension	M-140A	Universal Joint		
M-115	6" Extension				
Shallow 6-Point	Sockets	Deep 6-Point Soc	kets		
Product Code	Size (Inches)	Product Code	Size (Inches)		
M-605	5/32	MD-606	3/16		
M-606	3/16	MD-607	7/32		
M-607	7/32	MD-608	1/4		
M-608	1/4	MD-609	9/32		
M-609	9/32	MD-610	5/16		
M-610	5/16	MD-611	11/32		
M-611	11/32	MD-612	3/8		
M-612	3/8	MD-614	7/16		
M-614	7/16	MD-616	1/2		
M-616	1/2	MD-618	9/16		
M-618	9/16				



- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
 All tools are professional quality, made of high-grade chrome vanadium steel.
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
 Metal tool box made for years of rugged use.









1/4" DRIVE















22 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

6 & 12 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
WSM-22FTB	22 Piece Tool Set with TB-102 Metal Tool Box
WSM-22F	22 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Outcomes in	oluuci	1	
Drive Tools:		Deep 6-Point Soc	kets
Product Code	Description	Product Code	Size (Inches)
M-52EHA	5 1/2" Enclosed Head Ratchet	MD-605	5/32
M-102	2" Extension	MD-606	3/16
M-106A	Spinner Handle	MD-608	1/4
M-140A	Universal Joint		
Shallow 6-Poi	nt Sockets	Deep 12-Point So	ckets
Product Code	Size (Inches)	Product Code	Size (Inches)
M-605	5/32	MD-1210	5/16
M-606	3/16	MD-1211	11/32
M-608	1/4	MD-1212	3/8
		MD-1214	7/16
Shallow 12-Po	oint Sockets	MD-1216	1/2
Product Code	Size (Inches)	MD-1218	9/16
M-1210	5/16		
M-1211	11/32		
M-1212	3/8		
M-1214	7/16		
M-1216	1/2		
M-1218	9/16		

Features

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
 All tools are professional quality, made of high-grade chrome vanadium steel.
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.

 Metal tool box made for years of rugged use.









19 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

6 & 8 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description		
WSM-19HFTB	19 Piece Tool Set with TB-101 Metal Tool Box		
WSM-19HF	19 Piece Tool Set Only - Packed in Keep Safe Foam System		
Contents Inclu	de:		
Drive Tools:	Shallow 6-Point Sockets		

Drive Tools:		Shallow 6-Point Sockets	
Product Code	Description	Product Code	Size (Inches)
M-52EHA	5 1/2" Enclosed Head Ratchet	M-606	3/16
M-102	2" Extension	M-607	7/32
M-115	6" Extension	M-608	1/4
M-106A	Spinner Handle	M-609	9/32
M-140A	Universal Joint	M-610	5/16
M-42A	Flex Handle	M-611	11/32
		M-612	3/8
Shallow 8-Point Sockets		M-614	7/16
Product Code	Size (Inches)	M-616	1/2
M-808	1/4	M-618	9/16
M-810	5/16		
M-812	3/8		

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
 All tools are professional quality, made of high-grade chrome vanadium steel.
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Metal tool box made for years of rugged use.

1/4" DRIVE







15 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

6 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
WSM-15HFTB	15 Piece Tool Set with TB-101 Metal Tool Box
WSM-15HF	15 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:

Product Code	Description	Product Code	Description
M-52EHA	5 1/2" Enclosed Head Ratchet	M-106A	Spinner Handle
M-102	2" Extension	M-140A	Universal Joint
M-115	6" Extension		
Shallow 6-Point	Sockets	Shallow 6-Point	t Sockets
Product Code	Size (Inches)	Product Code Size (Inches)	
M-606	3/16	M-611	11/32
M-607	7/32	M-612	3/8
M-608	1/4	M-614	⁷ / ₁₆
M-609	9/32	M-616	1/2
M-610	5/16	M-618	9/16



- . Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.













13 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

6 & 12 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
WSM-13FTB	13 Piece Tool Set with TB-101 Metal Tool Box
WSM-13F	13 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Shallow 12-Point Sockets	
Product Code	Description	Product Code	Size (Inches)
M-52EHA	5 1/2" Enclosed Head Ratchet	M-1208	1/4
M-102	2" Extension	M-1210	5/16
M-106A	Spinner Handle	M-1211	11/32
M-140A	Universal Joint	M-1212	3/8
		M-1214	⁷ / ₁₆
Shallow 6-Poir	nt Sockets	M-1216	1/2
Product Code	Size (Inches)	M-1218	9/16
M-605	5/32		
M-606	3/16		

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.











1/4" DRIVE













30 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

6 Point Metric, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
MSM-30HFTB	30 Piece Metric Tool Set with TB-103 Metal Tool Box
MSM-30HF	30 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:

Product Code	Description	Product Code	Description
M-52EHA	5 1/2" Enclosed Head Ratchet	M-106A	Spinner Handle
M-102	2" Extension	M-140A	Universal Joint
M-115	6" Extension	M-42A	Flex Handle

Shallow 6-Point Sockets		Deep 6-Point Sockets	
Product Code	Size (MM)	Product Code	Size (MM)
MM-604	4	MMD-604	4
MM-605	5	MMD-605	5
MM-605.5	5 ¹ / ₂	MMD-605.5	5 1/2
MM-606	6	MMD-606	6
MM-607	7	MMD-607	7
MM-608	8	MMD-608	8
MM-609	9	MMD-609	9
MM-610	10	MMD-610	10
MM-611	11	MMD-611	11
MM-612	12	MMD-612	12
MM-613	13	MMD-613	13
MM-614	14	MMD-614	14

Features

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
 All tools are professional quality, made of high-grade chrome vanadium steel.
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.

 Metal tool box made for years of rugged use.









17 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

6 Point Metric, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Description

min motal box	
Product Code	Description
MSM-17HFTB	17 Piece Metric Tool Set with TB-101 Metal Tool Box
MSM-17HF	17 Piece Tool Set Only - Packed in Keep Safe Foam System

Draduat Cada

Contents Include:

Drive Tools:

Product Code	Description	Product Code	Description
M-52EHA	5-1/2" Enclosed Head Ratchet	M-106A	Spinner Handle
M-102	2" Extension	M-140A	Universal Joint
M-115	6" Extension		
Shallow 6-Point S	Sockets		
Product Code	Size (MM)	Product Code	Size (MM)
MM-604	4	MM-609	9
MM-605	5	MM-610	10
MM-605.5	5.5	MM-611	11
MM-606	6	MM-612	12
MM-607	7	MM-613	13
MM-608	Q	MM-614	14

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.

 Sockets feature SUPERTORQUE® lobular openings for greater turning power without
- deforming the fastener. Metal tool box made for years of rugged use.





1/4", 3/8" & 1/2" DRIVE TOOL SET











146 PIECE 1/4", 3/8", 1/2" DRIVE SOCKET SET

6 & 12 Point Rugged-Case-System Tool Set, SAE and Metric

Product Code	Description
50614	146 Piece 1/4", 3/8", 1/2" Drive Socket Set

Contents Include:

Contents include:	
1/4" Drive Tools:	1/4" Drive Hex Bit Sockets, SAE
Product Code Description	Product Code Size (MM)
33001 Ratchet	35070 3
33003 3" Extension	35071 4
33006 Handle	35072 5
30007 Universal Joint	35073 6
30009 Adaptor 1/4" F x 3/8" M	35074 7
'	35075 8
1/4" Drive Deep 6 Point Sockets, MM	
Product Code Size (MM)	
30704 4	1/4" Drive Screwdriver Bit Sockets
30705 5	Product Code Description
30706 6	35040 5/32" Slotted Tip
30707 7	35041 7/32" Slotted Tip
30708 8	35042 %2" Slotted Tip
30709 9	35050 #0 Phillips Tip
30710 10	35051 #1 Phillips Tip
30711 11	35052 #2 Phillips Tip
30712 12	#2 1 mmps np
30713 13	
	1/4" Drive Torx Bit Sockets
1/4" Drive Deep 6 Point Sockets, SAE	Product Code Size
Product Code Size (Inches)	35080 T10
30306 3/16	35081 T15
30307 7/32	35082 T20
30308 1/4	35083 T25
30309 9/32	35084 T27
30310 5/16	35085 T30
30311	33003
30312 3/8	
30314 7/16	3/8" Drive Tools
30316 ½	
	Product Code Description 31001 Ratchet
1/4" Drive Shallow 6 Point Sockets, MM	31002 3" Extension
Product Code Size (MM)	31002 5 Extension
30504 4	51005 0 Extension
30505 5	
30599 5.5	3/8" Drive Deep 12 Point Sockets, MM
30506 6	Product Code Size (MM)
30507 7	31806 6
30508 8	31807 7
30509 9	31808 8
30510 10	31809 9
30511 11	31810 10
30512 12	31811 11
30513 13	31812 12
30514 14	31813 13
	31814 14
1/4" Drive Shallow 6 Point Sockets, SAE	31815 15
Product Code Size (Inches)	31816 16
30105 5/32	
7	31817 17
30106 3/46	31817 17 31818 18
30106 3/16 30107 7/2	31817 17 31818 18 31819 19
30107 7/32	31818 18
30107 ⁷ / ₃₂ 30108 ¹ / ₄	31818 18 31819 19
30107 7/s2 30108 1/4 30109 9/s2	31818 18 31819 19 3/8" Drive Deep 12 Point Sockets,
30107	31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE
30107 7/32 30108 1/4 30109 9/32 30110 5/16 30111 11/32	31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches)
30107	31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4
30107	31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 5/16
30107	31818 18 19 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 5/6 31412 3/8
30107	31818 18 19 19 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31410 5/16 31412 3/6 31414 7/16
30107	31818 18 19 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 5/16 31412 3/8 31414 7/16 31416 1/2
30107	31818 18 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 5/16 31412 3/6 31414 7/16 31416 1/2 31418 9/16
30107	31818 18 18 31819 19 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 5/16 31412 3/6 31414 7/16 31416 1/2 31416 1/2 31418 9/16 31420 5/6
30107	31818 18 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 5/16 31412 3/6 31414 7/16 31416 1/2 31418 9/16
30107	31818 18 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 5/16 31412 3/8 31414 7/16 31416 1/2 31418 9/16 31420 5/8 31422 11/16 31424 3/4
30107	31818 18 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 5/16 31412 3/6 31414 7/16 31416 1/2 31418 9/16 31420 5/6 31422 11/16 31422 11/16 31424 3/4 31426 13/16
30107	31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408
30107	31818 18 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 5/16 31412 3/6 31414 7/16 31416 1/2 31418 9/16 31420 5/6 31422 11/16 31422 11/16 31424 3/4 31426 13/16

3/8" Drive Shallow 6 Point Sockets, MM Product Code Size (MM)		
31506	6	
31507	7	
31508	8	
31509	9	
31510	10	
31511	11	
31512	12	
31513	13	
31514	14	
31515	15	
31516	16	
31517	17	
31518	18	
31519	19	

3/8" Drive Shallow 6 Point Sockets, SAE Size (Inches) Product Code 31108 31110 5/16 31112 3/8 31114 7/16 31116 1/2 31118 31120 31122 11/16 31124 3/4 31126 31128 15/16 31130 31132

3/8" Drive Spark Plug Socket

Product Code	Size (inches)	
31301	5/8	
31303	13/16	

1/2" Drive Tools

Product Code	Description
32001	Ratchet
32003	6" Extension
32004	10" Extension
32006	Universal Joint
32008	Adaptor - 1/2" F x 3/8" M

1/2" Drive Shallow 12 Point Sockets, SAE

	Product Code	Size (Inches)
	32412	3/8
	32414	7/16
	32416	1/2
	32418	9/16
	32420	5/8
	32422	11/16
	32424	3/4
	32426	¹³ / ₁₆
_	32428	7/8
	32430	15/16
	32432	1



50614

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.







1/4", 3/8" & 1/2" DRIVE TOOL SET

Description

Ratchet

6" Extension

10" Extension

Universal Joint

Adaptor

Size (MM)

10

11

12

13

14

15

16

17

18

19

21

22

24

27

30

32

Size (Inches)

3/8

7/16

1/2

9/16

5/8

11/16

3/4

13/16

7/8

15/16

1

1 1/16

1 1/8

1 3/16

1 1/4









138 PIECE 1/4", 3/8", 1/2" DRIVE SOCKET SET

6 Point Rugged-Case-System Tool Set, SAE and Metric

Product Code	Description
50612	138 Piece 1/4", 3/8", 1/2" Drive Socket Set

Contents Include:

30108

30109

30110

30111

30112

30114 30116 1/4

9/32

5/16 11/32

3/8


7/16

31122

31124

11/16

3/4







50612

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.

1/4", 3/8" & 1/2" DRIVE TOOL SET











95 PIECE 1/4" & 3/8" DRIVE MASTER SOCKET & TOOL SET

ggca case System fooi		
OF Diogo Mostor		oroudrivor Cot
	Socket, Wiench, and S	crewariver Set
e:		
-		
		Size (MM)
		3 4
		5
		6
		7
Universal Joint		8
1/4" F x 3/8" M Adapter		
w 6.Point Sockets	1/4" Drive Screwdriv	ver Rit Sockets
Size (Inches)	.,	Description
3/16	35040	5/32" Slotted Tip
7/32	35041	7/32" Slotted Tip
1/4	35042	9/32" Slotted Tip
9/32	35050	#0 Phillips® Tip
5/16	35051	#1 Phillips® Tip
11/32	35052	#2 Phillips® Tip
3/8		
7/16	1/4" Drive Torx® Bit	Sockets
1/2	Product Code	Size
9/16	35080	<u>T10</u>
		T15
	1	T20
i-Point Sockets	35083	T25
Size (Inches)	H	T27
3/16	35085	T30
		Size (Inches)
		3/8
		⁷ / ₁₆
		1/2
,		⁹ / ₁₆ 5/ ₈
		11/ ₁₆
7/16	-	3/4
. Cashata		13/16
		7/ ₈
		/8 15/ ₁₆
		1
	0.702	1
,	3/8" Drive Deen 12-	Point Sockets
1/4	Product Code	Size (Inches)
5/16	31412	3/8
* :=	1	7/ ₁₆
		1/2
Description	122	9/16
		5/8
		11/16
6" Extension	31424	3/4
10" Extension	31426	13/16
10" Flex Handle	31428	7/8
Universal Joint	31430	15/16
Sliding T-Handle	31432	1
3/8" F x 1/4" M Adapter		
3/8" F x 1/2" M Adapter	12 Point Combinatio	
	Product Code	Size (Inches)
		1/ ₄
-		⁵ / ₁₆
		3/ ₈
		⁷ / ₁₆
#1 x 3" Phillips [®] #2 x 4" Phillips [®]	11116 11118	1/ ₂ 6/ ₁₆
	95 Piece Master : Description 36 Tooth Quick-Release Ratchet 1 1 1 1 2 2 2 2 1 4 4 9 1 3 2 5 1 6 6 2 3 1 6 7 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1	1/4" Drive Hex Bit Section

11120

11122

11124



50611

Features

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.



5/8

11/16

3/4





1/4" & 3/8" DRIVE TOOL SET





50622

Features

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.



Product Code



Description







89 PIECE 1/4" & 3/8" DRIVE MASTER SOCKET AND TOOL SET

6 & 12 Point Rugged-Case-S	ystem Tool Set, Metric
----------------------------	------------------------

50622	89 Piece Maste	er Socket, Wrenc	h and Screwdriver Set
Contents Includ		·	
1/4" Drive Tools:		3/8" Drive Tool	e.
Product Code	Description	Product Code	Description
30001	36 Tooth Quick-Release Ratchet	31001	38 Tooth Ouick-Release Ratchet
30002	1½" Extension	31001	3" Extension
30002	3" Extension	31002	6" Extension
30005	Flex Handle	31003	10" Extension
30006	Spinner Handle	31005	10" Flex Handle
30007	Universal Joint	31006	Universal Joint
30007		31007	
20009	1/4" F x 3%" M Adapter	31007	Sliding T-Handle 3/8" F x 1/4" M Adapter
4/41151 01 11			
1/4" Drive Shallow		31009	3/8" F x 1/2" M Adapter
Product Code	Size (MM)		
30504	4		llow 6-Point Sockets
30505	5	Product Code	Size (MM)
30599	5 ½	31508	8
30506	6	31509	9
30507	7	31510	10
30508	8	31511	11
30509	9	31512	12
30510	10	31513	13
30511	11	31514	14
30512	12	31515	15
30513	13	31516	16
30514	14	31517	17
30314	17	31518	18
4 / 411 Dulius Usu Dis 6	Saulanta.		
1/4" Drive Hex Bit S		31519	19
Product Code	Size (Inches)		40.01.01.
35000	1/8		p 12-Point Sockets
35001	5/32	Product Code	Size (MM)
35002	3/16	31808	8
35003	⁷ / ₃₂	31809	9
35004	1/4	31810	10
35005	5/16	31811	11
		31812	12
1/4" Drive Hex Bit S	Sackate	31813	13
Product Code	Size (MM)	31814	14
		⊣ : :	* *
35070	3	31815	15
35071	4	31816	16
35072	5	31817	17
35073	6	31818	18
35074	7	31819	19
35075	8		
		Comfort Grip S	icrewdrivers
1/4" Drive Screwdr	iver Bit Sockets	Product Code	Description
Product Code	Description	24205	3/16" x 4" Slotted
35040	5/32" Slotted Tip	24219	1/4" x 4" Slotted
35041	7/32" Slotted Tip	24249	#1 x 3" Phillips®
35042	%2" Slotted Tip	24253	#2 x 4" Phillips®
35050	#0 Phillips® Tip		
35051	#1 Phillips® Tip	12 Point Comb	ination Wrenches
35052	#2 Phillips® Tip	Product Code	Size (MM)
00002	אוו פאוווווו ו דיי	11506	6
1 / 4" Daller T ® D'	Contrato	1	
1/4" Drive Torx® Bit		11508	8
Product Code	Size	11510	10
35080	<u>T</u> 10	11512	12
35081	T15	11513	13
35082	T20	11514	14
33002			
	T25	11515	15
35083 35084		11515 11517	15 17

1/4" & 3/8" DRIVE TOOL SET









67 PIECE 1/4" DRIVE SOCKET SET

6 Point Rugged-Case-System Tool Set, SAE and Metric

Product Code	Description	
50602	67 Piece 1/4" Drive Socket Set	
Contonto Includo:		

Contents	Include:				
1/4" Drive To	ools	1/4" Drive Shall	ow 6 Point	1/4" Drive Hex	Bit Sockets, MM
Product Code	Description	Sockets, MM		Product Code	Size (MM)
30001	Ratchet	Product Code	Size (MM)	35070	3
30005	Flex handle	30504	4	35071	4
30002	4" Extension	30505	5	35072	5
30003	8" Extension	30599	5.5	35073	6
30006	18" Sliding T-handle	30506	6	35074	7
30007	Universal Joint	30507	7	35075	8
30010	Spinner Disc	30508	8		
		30509	9	1/4" Drive Slot	ted Bit Sockets,
1/4" Drive Do	eep 6 Point	30510	10	SAE	
Sockets, MN	Ι΄.	30511	11	Product Code	Size (Inches)
Product Code	Size (MM)	30512	12	35040	5/32
30704	4	30513	13	35041	7/32
30705	5	30514	14	35042	9/32
30706	6				
30707	7	1/4" Drive Shall	ow 6 Point	1/4" Drive Phill	lips Bit Sockets,
30708	8	Sockets, SAE		SAE	•
30709	9	Product Code	Size (Inches)	Product Code	Size (Inches)
30710	10	30106	3/16	35050	# 0
30711	11	30107	7/32	35051	# 1
30712	12	30108	1/4	35052	# 2
30713	13	30109	9/32		
		30110	5/16		
1/4" Drive Dec	ep 6 Point Sockets,	30111	11/32		
SAE	•	30112	3/8		
Product Code	Size (Inches)	30114	7/16		
30306	3/16	30116	1/2		
30307	7/32	30118	9/16		
30308	1/4				
30309	9/32	1/4" Drive Hex E	Bit Sockets, SAE		
30310	5/16	Product Code	Size (Inches)		
30311	11/32	35000	1/8	1	
30312	3/8	35001	5/32	1	
30314	7/16	35002	3/16	1	
30316	1/2	35003	7/32		

3/16 7/32 1/4



50602



30316 30318

30118

30712

30713









6 Point Rugged-Case-System Tool Set, SAE and Metric

35005

9/16 11

12

35004

Product Code			Description		
50601		47 Piece Del	uxe 6-Point 1/4	" Drive Socket So	et
Contents	Include:				
Drive Tools:		Shallow 6-Poi	int Sockets	Hex Bit Sock	ets
Product Code	Description	Product Code	Size (MM)	Product Code	Size (MM)
	36 Tooth Quick-	30504	4	35070	3
30001	Release Ratchet	30505	5	35071	4
30002	1 ½" Extension	30599	5 1/2	35072	5
30003	3" Extension	30506	6	35073	6
30005	Flex Handle	30507	7	35074	7
30006	Spinner Handle	30508	8	35075	8
30007	Universal Joint	30509	9		
30010	Ratchet Spinner	30510	10	Screwdriver	Bit Sockets
30010	natchet opinier	30511	11	Product Code	Description
Shallow 6-Po	nint Sackets	30512	12	35040	5/32" Slotted Tip
Product Code	Size (Inches)	30513	13	35041	7/32" Slotted Tip
30106	3/16	30514	14	35042	9/32" Slotted Tip
30107	7/32			35050	#0 Phillips® Tip
30108	1/4	Hex Bit Socke	ets	35051	#1 Phillips® Tip
30109	9/32	Product Code	Size (Inches)	35052	#2 Phillips® Tip
30110	5/ ₁₆	35000	1/8		
30111	11/32	35001	5/32		
30112	3/8	35002	3/16		
30114	7/16	35003	7/32		
30116	1/2	35004	1/4		
20110	9/	35005	5/16	- 1	

5/16



- · All tools are professional quality, made of high-grade chrome vanadium steel
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- · Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- · Two-component handles are easy to grip and comfortable to carry.







1/4" & 3/8" DRIVE TOOL SET







50681

Features

- All tools are professional quality, made of high-grade chrome vanadium steel
- Sockets feature SUPERTORQUE® lobular openings for
- greater turning power without deforming the fastener

 Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight







36 PIECE 1/4" DRIVE SOCKET

6 Point Rugg	ed-Case-System Too	I Set, Metric		
Product Code	•	Description		
50604	36	36 Piece Socket Set		
Contents Incl				
1/4" Drive Tools		1/4" Drive Slotte	d Socket	
Product Code	Description	Product Code	Size (MM)	
30011	Ratchet	35043	4	
30002	4" Extension	35044	5.5	
30004	6" Extension	35045	7	
30007	Universal Joint			
30008	Sliding T-Handle	1/4" Drive Hex Bi	it Socket	
	ŭ	Product Code	Size (MM)	
1/4" Drive Shall	ow 6 Point Sockets, MM	35070	3	
Product Code	Size (MM)	35071	4	
30504	4	35072	5	
30505	5	35073	6	
30598	5.5	35075	8	
30506	6			
30507	7	1/4" Drive Torx B	it Socket	
30508	8	Product Code	Description	
30509	9	35079	T8	
30510	10	35080	T10	
30511	11	35081	T15	
30512	12	35082	T20	
30513	13	35083	T25	
		35084	T27	
1/4" Drive Phillips	Socket	35085	T30	
Product Code .	Description			
35051	# i			
35052	# 2			
35053	# 3			









32 PIECE	1/4" & 3/8	" DRIVE BIT S	OCKET SET
6 Point Com	pact Case Tool	Set, SAE & MM	
Product Code		Description	
50681	32 Pie	ece 1/4" & 3/8" Drive B	it Socket Set
Contents Inc		3/8" Drive Slotted	Socket
Product Code	Description	Product Code	Size (SAE)
35080	T10	35140	1/4
35081	T15	35141	5/16
35082	T20	35142	3/8
35083	T25	35143	³ / ₁₆
35084	T27		
		3/8" Drive Phillips	Socket
3/8" Drive Torx E	Bit Socket	Product Code	Description
Product Code	Description	35150	#1
35185	T40	35151	#2
35186	T45	35152	#3
35187	T47		
35188	T50	3/8" Drive Hex Bit	Socket
		Product Code	Size (SAE)
3/8" Drive Hex B	it Socket	35100	1/8
Product Code	Size (MM)	35101	9/64
35170	4	35102	5/32
35171	5	35103	3/16
35172	6	35104	7/32
35173	7	35105	1/4
35174	8	35106	5/16
35175	9	35107	3/8
35176	10		

1/4" DRIVE









27 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

6 Point	Compact	Case	Tool	Set,	SAE	and	Metric	
						_		

Product Code	•	Description			
50661	27 I	Piece 1/4" Driv	e Socket and	Drive Tool Set	
Contents	Include:				
1/4" Drive T	ools:	1/4" Drive SI 6 Point Sock		1/4" Drive SI 6 Point Sock	
Product Code	Description	Product Code	Size (Inches)	Product Code	Size (mm)
30001	5 1/4" Pear Head Ratchet	30106	3/16	30504	4
30002	1 1/2" Extension	30107	7/32	30505	5
30004	6" Extension	30108	1/4	30599	5.5
30006	Spinner Handle	30109	9/32	30506	6
30007	Universal Joint	30110	5/16	30507	7
		30111	11/32	30508	8
		30112	3/8	30509	9
		30114	7/16	30510	10
		30116	1/2	30511	11
		30118	9/16	30512	12
		1		30513	13
				30514	14







21 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

6 Point Compact	Case To	ool Set	, SAE
-----------------	---------	---------	-------

Product Code		Description			
50662	21 [Piece 1/4" Driv	e Socket and	Drive Tool Set	
Contents	Include:	774		(4	
1/4" Drive T	ools:	1/4" Drive SI 6 Point Sock		1/4" Drive D 6 Point Sock	eep :ets:
Product Code	Description	Product Code	Size (Inches)	Product Code	Size (SAE)
30001	5 1/4" Pear Head Ratchet	30106	3/16	30308	1/4
30003	1 ½" Extension	30107	7/32	30309	9/32
30004	3" Extension	30108	1/4	30310	5/16
30006	Spinner Handle	30109	9/32	30311	11/32
30007	6" Extension	30110	5/16	30312	3/8
		30111	11/32	30314	7/16
		30112	3/8	30316	1/2
		30114	7/16	1	
		30116	1/2	1	









27 PIECE 1/4" DRIVE SOCKET AND DRIVE TOOL SET

12 Point Compact Case Tool Set, SAE & MM

Product Code Description

50672 27 Piece 1/4" Drive Socket and Drive Tool Set

Contents Include:

1/4" Drive Tools:		1/4" Drive Shallow 12 Point Sockets:		1/4" Drive Shallow 12 Point Sockets:	
Product Code	Description	Product Code	Size (Inches)	Product Code	Size (mm)
30001	5-1/4" Pear Head Ratchet	30206	3/16	30604	4
30002	1-1/2" Extension	30207	7/32	30605	5
30004	6" Extension	30208	1/4	30699	5.5
30006	Spinner Handle	30209	9/32	30606	6
30007	Universal Joint	30210	5/16	30607	7
		30211	11/32	30608	8
		30212	3/8	30609	9
		30214	7/16	30610	10
		30216	1/2	30611	11
		30218	9/16	30612	12
				30613	13
				30614	14









50661

Features

- All tools are professional quality, made of high-grade chrome vanadium steel
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight



50662

Features

- All tools are professional quality, made of high-grade chrome vanadium steel
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight



50672

- All tools are professional quality, made of high-grade chrome vanadium steel
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight

1/4" DRIVE





1/4" DRIVE ENCLOSED HEAD RATCHETS

Sealed Narrow Head Design, Chrome and Black Industrial Finish

Product Code	Description	Length (Inches)	Number of Teeth
M-52EHA	Chrome Finish Enclosed Head Ratchet	5 ¹ / ₄	36
M-52EHFA	Chrome Finish Flex Head Ratchet	7	36
MB-52EHA	Black Industrial Finish Enclosed Head Ratchet	5 ¹ / ₄	36
M-52EHRKA	Repair Kit for Enclosed Head Ratchets		

Fed. Spec: ANSI B107.10M

Features

- Enclosed head is sealed to prevent dust, dirt, and liquids from entering head, preserving internal lubrication.
- Forged one-piece ratchet provide strength and safety for industrial applications.
- · 36 tooth gear with 10 degree of engagement allows engagement in tight working areas.
- Nickel/Chrome plating provides increase protection from rust and corrosion.
- Chrome finish models feature mirror-like exterior that can be easily cleaned after each use.
- Single Pawl ratchet design:
 - Designed for tighter tolerances between pawl and gear which reduces metal fatigue and slippage under load.
 - Does not require as many working parts, reducing possible breakage and parts to repair.
- Easy access reverse lever allows user to change working direction quickly and easily with only one hand.





1/4" DRIVE ROUND HEAD RATCHET

High-Polished Chrome Finish

Product Code	Description	Length (Inches)	Number of Teeth
M-52A	Chrome Finish Round Head Ratchet	5	72
M-52ARK	Repair Kit for Round Head Ratchet		

Fed. Spec: ANSI B107.10M

Features

- Double pawl design with 72 teeth action provides a 5° ratcheting angle.
- · Shift lever reverses action instantly.
- · Knurled handle provides a non-slip grip.
- Chrome plating provides increased protection from rust and corrosion.



WILLIAMS

1/4" DRIVE HANDLES

High-Polished Chrome Finish

Product Code	Description	Length (Inches)
M-106A	Spinner Handle	6
M-15A	Speeder Handle	15 ¹ / ₂
M-42A	Flex Handle Breaker Bar	5 ³ / ₄
M-42RK	Repair Kit for Flex Handle	

Fed. Spec: ANSI B107.10M

- Chrome plating provides increased protection from rust and corrosion.
- Drive handles provide extra leverage with greater strength than ratchets.
- Spinner handle features 1/4" drive female handle end.

1/4" DRIVE



1/4" DRIVE EXTENSIONS

High-Polished Chrome Finish								
Product Code	Description	Length (Inches)						
M-102	Extension	2						
M-104	Extension	4						
M-115	Extension	6						
M-110	Extension	10						
M-124	Extension	24						
MFE-6	Flexible Extension	6						
M-140A	Universal Joint	1 ⁷ / ₁₆						

Fed. Spec: ANSI B107.10M

Features

- Chrome plating provides increased protection from rust and corrosion.
- Flexible extension is designed for low torque applications in limited access areas.
- · Ball and spring socket retention.



1/4" DRIVE ADAPTORS

High-Polished Chrome and Black Industrial Finish

Length (Inches)	Male End (Inches)	Female End (Inches)
1	3/8	1/4
1 1 ¹ /8	3/ ₈ 1/ ₄	1/ ₄ 3/ ₈
	(Inches) 1	(Inches) (Inches) 1 3/8 1 3/8

Fed. Spec: ANSI B107.10M

Features

• Ball and spring socket retention.



1/4" DRIVE RATCHETS AND HANDLES

High-Polished Chrome Finish

Product Code	Description	Length (Inches)	Repair Kit
30001	36 Tooth Quick-Release Ratchet	5 1/4	30001RK
30011	Ultra-Fine 60-Tooth Ratchet	5 ¹ / ₄	30011RK
30005	Flex Handle	6	
30008	Sliding T-Handle	4 ¹ / ₂	
30006	Spinner Handle	6 ³ / ₈	
30012	Square Drive Ratchet Wrench	5	

Fed. Spec: ANSI B107.10M

- Ball and spring socket retention.
- Williams 1/4" Drive Ratchets Feature:
 - * Ultra-fine 60 tooth model offers 6° tooth action in a narrow pear head.
 - * Unique Finger-Fit handles to provide a comfortable, non-slip grip and extra turning power.
 - * Choice of 36-tooth quick-release or 60-tooth ultra-fine gear.
 - * Narrow pear-shaped heads for access into confined work areas.
 - * High-polished chrome finish for easy cleaning.
- Spinner handle features bi-mold comfort-grip handle.
- 30012 Drives 1/4" Drive Sockets & 1/4" Hex Bits







1/4" DRIVE





30920

30010



M-1208 M-1212





WILLIAMS

1/4" DRIVE EXTENSIONS AND ACCESSORIES

High-Polished Chrome Finish

Product Code	Description	Length (Inches)
30002	Extension	1 1/2
30003	Extension	3
30004	Extension	6
30007	Universal Joint Extension	1 3/8
30009	Adaptor, 1/4" F x 3/8" M	1
30010	Spinner Disk	
30013	Holder for 1/4" Hex Screwdriver Bits	3/4
30023	Locking Extension	4
30024	Locking Extension	6
30025	Locking Extension	10
30026	Locking Extension	12
30027	Locking Extension	18
30028	Locking Extension	24

Fed. Spec: ANSI B107.10M

Features

- Chrome plating provides increased protection from rust and corrosion.
- Ball and spring socket retention.

WILLIAMS

6 PIECE 1/4" DRIVE RATCHET AND DRIVE TOOL SET

Furnished in a Pouch

Product Code	Description	
30920	6 Piece ¹ /4" Drive Ratchet and Accessory Set	

Contents Include:

Product Code	Description	Product Code	Description
30001	36 Tooth Quick-Release Ratchet	30005	Flex Handle
30002	1 1/2" Extension	30006	Spinner Handle
30004	6" Extension	30007	Universal Joint

Features

• All tools are professional quality, made of high-grade chrome vanadium steel.







1/4" DRIVE SHALLOW 12 POINT SOCKETS, SAE

High-Polished Chrome Finish

		Α	В	С	D	Ε		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
M-1208	1/4	7/8	15/32	3/8	7/32	17/32	7/32	7/16
M-1210	5/16	7/8	15/32	15/32	9/32	17/32	7/32	-
M-1211	11/32	7/8	1/2	1/2	9/32	17/32	11/32	
M-1212	3/8	7/8	17/32	17/32	9/32	17/32	3/8	
M-1214	7/16	7/8	19/32	19/32	3/8	17/32	7/16	
M-1216	1/2	7/8	11/16	11/16	3/8	17/32	1/2	
M-1218	9/16	29/32	3/4	3/4	3/8	17/32	7/32	-
	ANIOL D 407 4							

Fed. Spec: ANSI B107.1

WSM-7RC 7 Piece 1/4" Drive Shallow 12-Point Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)						
M-1208	1/4	M-1211	11/32	M-1214	7/16	M-1218	9/16
M-1210	5/16	M-1212	3/8	M-1216	1/2		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on both 6 and 12 point fasteners.

1/4" DRIVE







1/4" DRIVE SHALLOW SOCKETS, 6 POINT, SAE

High-Polished Chrome Finish

		Α	В	С	D	Ε		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
M-604	1/8	7/8	15/32	7/32	1/8	17/32	1/8	7/16
M-605	5/32	7/8	15/32	7/32	1/8	17/32	5/32	⁷ /16
M-606	3/16	7/8	15/32	7/32	1/8	17/32	3/16	⁷ /16
M-607	7/32	7/8	15/32	7/32	1/8	17/32	7/32	7/16
M-608	1/4	7/8	15/32	7/32	1/8	17/32	7/32	7/16
M-609	9/32	7/8	15/32	7/32	1/8	17/32	1/4	⁷ /16
M-610	5/16	7/8	15/32	7/32	1/8	17/32	1/4	7/16
M-611	11/32	7/8	1/2	1/2	11/32	17/32	11/32	
M-612	3/8	7/8	9/16	9/16	15/32	17/32	3/8	-
M-614	7/16	7/8	5/8	5/8	15/32	17/32	7/16	-
M-616	1/2	7/8	11/16	11/16	15/32	17/32	1/2	-
M-618	9/16	29/32	3/4	3/4	1/2	17/32	17/32	-
M-620	5/8	31/32	27/32	27/32	9/16	5/8	9/16	





WSM-11 HRC

Fed. Spec: ANSI B107.1

WSM-11HRC 11 Piece 1/4" Drive Shallow 6 Point Socket Set on Clip Rail

Contents Include:

	Size		Size		Size		Size
Product Code	(Inches)						
M-605	5/32	M-608	1/4	M-611	11/32	M-616	1/2
M-606	3/16	M-609	9/32	M-612	3/8	M-618	⁹ ⁄16
M-607	7/32	M-610	5/16	M-614	7/16		



Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.







1/4" DRIVE SHALLOW SOCKETS, 12 POINT, SAE

High-Polished Chrome Finish

2		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)		Bolt Clearance Diameter (Inches)	Nose Length (Inches)
30206	3/16	1	15/32	5/16	9/32	19/32	3/16	1/2
30207	7/32	1	15/32	11/32	5/16	19/32	7/32	1/2
30208	1/4	1	15/32	3/8	5/16	19/32	7/32	1/2
30209	9/32	1	15/32	7/16	5/16	19/32	1/4	1/2
30210	5/16	1	15/32	15/32	5/16	19/32	1/4	-
30211	11/32	1	1/2	1/2	5/16	19/32	11/32	-
30212	3/8	1	9/16	9/16	11/32	19/32	3/8	-
30214	7/16	1	5/8	5/8	7/16	19/32	7/16	-
30216	1/2	1	11/16	11/16	7/16	19/32	1/2	-
30218	9/16	1	3/4	3/4	⁷ / ₁₆	19/32	17/32	-



30923 10 Piece 1/4" Drive Shallow 12 Point Socket Set on Clip Rail

Contents i	nciuae:						
	Size	220	Size	f	Size	1	Size
Product Code	(Inches)	Product Code	(Inches)	Product Code	(Inches)	Product Code	(Inches)
30206	3/16	30209	9/32	30212	3/8	30218	9/16
30207	7/32	30210	⁵ /16	30214	7/16		
30208	1/4	30211	11/32	30216	1/6		





30923

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on both 6 and 12 point fasteners.







1/4" **DRIVE**







1/4" DRIVE SHALLOW SOCKETS, 6 POINT, SAE

High-Polis	shed Cl	rome	Finish					
•		Α	В	С	D	Ε		F
	_		Drive End				Bolt Clearance	
	Size	OAL	Diameter	Diameter	Broach Depth	Depth	Diameter	Nose Length
Product Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
30105	5/32	1	15/32	5/16	9/32	19/32	3/16	1/2
30106	3/16	1	15/32	5/16	9/32	19/32	³ / ₁₆	1/2
30107	7/32	1	15/32	11/32	5/16	19/32	7/32	1/2
30108	1/4	1	15/32	3/8	5/16	19/32	7/32	1/2
30109	9/32	1	15/32	7/16	5/16	19/32	1/4	1/2
30110	5/16	1	15/32	15/32	5/16	19/32	1/4	-
30111	11/32	1	1/2	1/2	5/16	19/32	11/32	-
30112	3/8	1	9/16	9/16	11/32	19/32	3/8	-
30114	7/16	1	5/8	5/8	7/16	19/32	⁷ / ₁₆	-
30116	1/2	1	11/16	11/16	⁷ / ₁₆	19/32	1/2	-
30118	9/16	1	3/4	3/4	⁷ / ₁₆	19/32	17/32	-

Fed. Spec: ANSI B107.1

30922 10 Piece 1/4" Drive Shallow 6 Point Socket Set on Clip Rail Contents Include:

	Size		Size		Size		Size
Product Code	(Inches)						
30106	3/16	30109	9/32	30112	3/8	30118	9/16
30107	7/32	30110	5/16	30114	7/16		
30108	1/4	30111	11/32	30116	1/2		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.







1/4" DRIVE SHALLOW SOCKETS, 8 POINT, SAE

High-Polished Chrome Finish

		Α	В	C	U	E		r
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
M-808	1/4	7/8	15/32	7/16	1/4	17/32	1/4	7/16
M-810	5/16	7/8	9/16	9/16	9/32	17/32	1/4	
M-812	3/8	7/8	21/32	21/32	5/16	17/32	3/8	

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on both 4 and 8 point fasteners.





30922



M-810

1/4" DRIVE







1/4" DRIVE DEEP SOCKETS, 12 POINT, SAE

•		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
MD-1210	5/16	2	15/32	7/16	9/32	1 11/16	9/32	1%16
MD-1211	11/32	2	1/2	1/2	9/32	1 21/32	11/32	
MD-1212	3/8	2	17/32	17/32	9/32	1 21/32	3/8	
MD-1214	7/16	2	19/32	19/32	3/8	1 21/32	13/32	
MD-1216	1/2	2	11/16	11/16	3/8	1 21/32	15/32	
MD-1218	9/16	2	3/4	3/4	3/8	1 21/32	17/32	

Fed. Spec: ANSI B107.1

WSMD-6RC 6 Piece 1/4" Drive Deep 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
MD-1210	5/16	MD-1212	3/8	MD-1216	1/2
MD-1211	11/32	MD-1214	⁷ /16	MD-1218	9/16

Features

- $\bullet \ \ SUPERTORQUE^{\circledcirc}\ lobular\ openings\ for\ greater\ turning\ power\ without\ deforming\ the\ fastener.$
- . Designed for quick engagement on both 6 and 12 point fasteners.





WSMD-6RC







1/4" DRIVE DEEP SOCKETS, 6 POINT, SAE

High-Polished Chrome Finish

•		Α	В	С	D		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
MD-605	5/32	2	15/32	9/32	5/32	5/32	1 %16
MD-606	3/16	2	15/32	5/16	3/16	3/16	1 %16
MD-607	7/32	2	15/32	11/32	7/32	7/32	1 %16
MD-608	1/4	2	15/32	3/8	7/32	7/32	1 %16
MD-609	9/32	2	15/32	13/32	1/4	9/32	1 %16
MD-610	5/16	2	15/32	7/16	9/32	9/32	1 %16
MD-611	11/32	2	1/2	1/2	9/32	11/32	
MD-612	3/8	2	17/32	17/32	9/32	3/8	
MD-614	7/16	2	19/32	19/32	3/8	13/32	
MD-616	1/2	2	11/16	11/16	3/8	15/32	
MD-618	9/16	2	3/4	3/4	3/8	17/32	-

Fed. Spec: ANSI B107.1

WSMD-10HRC 10 Piece 1/4" Drive Deep 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
MD-606	3/16	MD-609	9/32	MD-612	3/8	MD-618	9/16
MD-607	7/32	MD-610	5/16	MD-614	⁷ / ₁₆		
MD-608	1/4	MD-611	11/32	MD-616	1/2		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.

















1/4" DRIVE DEEP SOCKETS, 12 POINT, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
30406	3/16	1 31/32	15/32	5/16	5/16	1 5/16	1/8	1 1/32
30407	7/32	1 31/32	15/32	11/32	3/8	1 5/16	3/16	15/16
30408	1/4	1 31/32	15/32	7/16	13/16	1 11/32	7/32	1 1/32
30409	9/32	1 31/32	15/32	7/16	25/32	1 11/32	1/4	31/32
30410	5/16	1 31/32	15/32	15/32	¹³ / ₁₆	1 5/16	9/32	-
30411	11/32	1 31/32	1/2	1/2	23/32	1 5/16	9/32	
30412	3/8	1 31/32	9/16	⁹ /16	7/8	1 11/32	5/16	-
30414	7/16	1 31/32	5/8	5/8	7/8	1 1/2	13/32	-
30416	1/2	1 31/32	11/16	11/16	27/32	1 17/32	7/16	-
30418	9/16	1 31/32	3/4	3/4	29/32	1 %16	17/32	

Fed. Spec: ANSI B107.1

30937 10 Piece 1/4" Drive Deep 12 Point Socket Set on Clip Rail

Contents Include:

	Size		Size		Size		Size
Product Code	(Inches)						
30406	3/16	30409	9/32	30412	3/8	30418	⁹ /16
30407	7/32	30410	5/16	30414	7/16		
30408	1/4	30411	11/32	30416	1/2		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 12 point fasteners.



30406

30410

30937







1/4" DRIVE DEEP SOCKETS, 6 POINT, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
30305	5/32	1 31/32	15/32	5/16	5/16	1 5/16	1/8	1 1/32
30306	3/16	1 31/32	15/32	5/16	5/16	1 5/16	1/8	1 1/32
30307	7/32	1 31/32	15/32	11/32	3/8	1 5/16	3/16	15/16
30308	1/4	1 31/32	15/32	7/16	13/16	1 11/32	7/32	1 1/32
30309	9/32	1 31/32	15/32	7/16	25/32	1 11/32	1/4	31/32
30310	5/16	1 31/32	15/32	15/32	13/16	1 5/16	9/32	-
30311	11/32	1 31/32	1/2	1/2	23/32	1 5/16	9/32	
30312	3/8	1 31/32	9/16	9/16	7/8	1 11/32	5/16	-
30314	7/16	1 31/32	5/8	5/8	7/8	1 1/2	13/32	-
30316	1/2	1 31/32	11/16	11/16	27/32	1 ¹⁷ / ₃₂	7/16	-
30318	9/16	1 31/32	3/4	3/4	²⁹ / ₃₂	1 %16	17/32	

Fed. Spec: ANSI B107.1

30924 10 Piece 1/4" Drive Deep 6 Point Socket Set on Clip Rail Contents Include:

	Size		Size		Size		Size
Product Code	(Inches)						
30306	3/16	30309	9/32	30312	3/8	30318	9/16
30307	7/32	30310	5/16	30314	7/16		
30308	1/4	30311	11/32	30316	1/2		

Footuros

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Designed for maximum engagement on 6 point fasteners.





1/4" DRIVE







1/4" DRIVE SHALLOW SOCKETS, 6 POINT, METRIC

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
MM-604	4	7/8	15/32	9/32	3/16	17/32	5/32	7/16
MM-605	5	7/8	15/32	5/16	3/16	17/32	5/32	7/16
MM-605.5	5.5	7/8	15/32	11/32	3/16	17/32	7/32	⁷ /16
MM-606	6	7/8	15/32	3/8	7/32	17/32	7/32	⁷ /16
MM-607	7	7/8	15/32	13/32	1/4	17/32	1/4	7/16
MM-608	8	7/8	15/32	15/32	9/32	17/32	1/4	7/16
MM-609	9	7/8	1/2	1/2	1/2	17/32	5/16	-
MM-610	10	7/8	9/16	9/16	1/2	17/32	3/8	-
MM-611	11	7/8	19/32	19/32	1/2	17/32	13/32	-
MM-612	12	7/8	21/32	21/32	1/2	17/32	7/16	-
MM-613	13	7/8	23/32	23/32	15/32	17/32	15/32	-
MM-614	14	29/32	3/4	3/4	1/2	17/32	17/32	•



Fed. Spec: ANSI B107.5

MSM-12HRC 12 Piece 1/4" Drive Shallow 6 Point Socket Set on Clip Rail

Contents Include:

	Size		Size	T	Size	Ĭ	Size
Product Code	(MM)	Product Code	(MM)	Product Code	(MM)	Product Code	(MM)
MM-604	4	MM-606	6	MM-609	9	MM-612	12
MM-605	5	MM-607	7	MM-610	10	MM-613	13
MM-605.5	5 1/2	MM-608	8	MM-611	11	MM-614	14



MSM-12HRC

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.









1/4" DRIVE SHALLOW SOCKETS, 12 POINT, METRIC

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
30604	4	1	15/32	1/4	1/4	19/32		1/2
30605	5	1	15/32	5/16	5/16	19/32		1/2
30699	5.5	1	15/32	11/32	15/32	19/32		1/2
30606	6	1	15/32	11/32	5/16	19/32		1/2
30607	7	1	15/32	7/16	5/16	15/32		1/2
30608	8	1	15/32	15/32	3/8	1/2		• •
30609	9	1	17/32	17/32	3/8	21/32		
30610	10	1	19/32	19/32	1/2	7/8		-
30611	11	1	5/8	5/8	17/32	7/8		-
30612	12	1	11/16	11/16	1/2	7/8		-
30613	13	1	23/32	23/32	1/2	7/8		-
30614	14	1	3/4	3/4	1/2	7/8		



Fed. Spec: ANSI B107.5

30925 12 Piece 1/4" Drive Shallow 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)						
30604	4	30606	6	30609	9	30612	12
30605	5	30607	7	30610	10	30613	13
30699	5.5	30608	8	30611	11	30614	14



- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 12 point fasteners.

















Size		Drive End					
(MM)	OAL (Inches)	Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
4	1	15/32	1/4	1/4	19/32		1/2
4.5	1	15/32	1/4	1/4	19/32		1/2
5	1	15/32	5/16	5/16	19/32		1/2
5.5	1	15/32	11/32	15/32	19/32		1/2
6	1	15/32	11/32	5/16	19/32		1/2
7	1	15/32	7/16	5/16	15/32		1/2
8	1	15/32	15/32	3/8	1/2		-
9	1	17/32	17/32	3/8	21/32		-
10	1	19/32	19/32	1/2	7/8		-
11	1	5/8	5/8	17/32	7/8		-
12	1	11/16	11/16	1/2	7/8		-
13	1	23/32	23/32	1/2	7/8		-
14	1	3/4	3/4	1/2	7/8		-
	4 4.5 5 5.5 6 7 8 9 10 11 12 13	4 1 4.5 1 5 1 5.5 1 6 1 7 1 8 1 9 1 10 1 11 1 12 1 13 1 14 1	4 1 15/32 4.5 1 15/32 5 1 15/32 5.5 1 15/32 6 1 15/32 7 1 15/32 8 1 15/32 9 1 17/32 10 1 19/32 11 1 5/8 12 1 11/16 13 1 23/32 14 1 3/4	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$



	Size		Size		Size		Size
Product Code	(MM)						
30504	4	30506	6	30509	9	30512	12
30505	5	30507	7	30510	10	30513	13
30599	5.5	30508	8	30511	11	30514	14

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- . Designed for maximum engagement on 6 point fasteners.









High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
MMD-604	4	2	15/32	9/32	3/16	1 21/32	1/8	1 %16
MMD-605	5	2	15/32	5/16	3/16	1 21/32	5/32	1 %16
MMD-605.5	5.5	2	15/32	5/16	7/32	1 ²¹ / ₃₂	7/32	1 %16
MMD-606	6	2	15/32	3/8	7/32	1 ²¹ / ₃₂	7/32	1 %16
MMD-607	7	2	15/32	13/32	1/4	1 ²¹ / ₃₂	1/4	1 %16
MMD-608	8	2	15/32	15/32	9/32	1 ²¹ / ₃₂	1/4	1 %16
MMD-609	9	2	1/2	1/2	9/32	1 21/32	5/16	
MMD-610	10	2	9/16	9/16	9/32	1 ²¹ / ₃₂	3/8	-
MMD-611	11	2	19/32	19/32	3/8	1 ²¹ / ₃₂	13/32	-
MMD-612	12	2	21/32	21/32	3/8	1 ²¹ / ₃₂	7/16	-
MMD-613	13	2	23/32	23/32	3/8	1 ²¹ / ₃₂	15/32	-
MMD-614	14	2	3/4	3/4	7/16	1 21/32	17/32	

Fed. Spec: ANSI B107.5

MSMD-12HRC 12 Piece 1/4" Drive Deep 6 Point Socket Set on Clip Rail **Contents Include:**

	Size		Size		Size		Size
Product Code	(MM)						
MMD-604	4	MMD-606	6	MMD-609	9	MMD-612	12
MMD-605	5	MMD-607	7	MMD-610	10	MMD-613	13
MMD-605.5	5.5	MMD-608	8	MMD-611	11	MMD-614	14

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.









MSMD-12HRC

1/4" DRIVE







1/4" DRIVE DEEP SOCKETS, 12 POINT, METRIC

High-Polis	shed (Chrome	: Finish					
J		Α	В	С	D	Ε		F
			Drive End	Working End		Bolt Clearance	Bolt Clearance	
	Size	OAL	Diameter	Diameter	Broach Depth	Depth	Diameter	Nose Length
Product Code	(MM)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
30804	4	2	15/32	9/32	3/16	1 21/32	1/8	15/16
30805	5	2	15/32	5/16	3/16	1 21/32	5/32	¹⁵ /16
30855	5.5	2	15/32	5/16	7/32	1 21/32	7/32	¹⁵ /16
30806	6	2	15/32	3/8	7/32	1 21/32	7/32	¹⁵ /16
30807	7	2	15/32	13/32	1/4	1 21/32	1/4	¹⁵ /16
30808	8	2	15/32	15/32	9/32	1 21/32	1/4	15/16
30809	9	2	1/2	1/2	9/32	1 21/32	5/16	-
30810	10	2	9/16	9/16	9/32	1 21/32	3/8	-
30811	11	2	19/32	19/32	3/8	1 21/32	13/32	-
30812	12	2	21/32	21/32	3/8	1 21/32	⁷ /16	-
30813	13	2	23/32	23/32	3/8	1 21/32	15/32	-
2021/	1/1	2	3/4	3/,	7/40	1 21/20	17/20	





30941 12 Piece 1/4" Drive Deep 12 Point Socket Set on Clip Rail Contents Include:

	Size		Size		Size		Size
Product Code	(MM)						
30804	4	30806	6	30809	9	30812	12
30805	5	30807	7	30810	10	30813	13
30855	5.5	30808	8	30811	11	30814	14



30941

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on both 6 and 12 point fasteners.







1/4" DRIVE DEEP SOCKETS, 6 POINT, METRIC

High-Polished Chrome Finish

_		Α	В	С	D	Ε		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
30704	4	2	15/32	9/32	3/16	1 21/32	1/8	5/16
30705	5	2	15/32	5/16	3/16	1 21/32	5/32	5/16
30755	5.5	2	15/32	5/16	7/32	1 21/32	7/32	5/16
30706	6	2	15/32	3/8	7/32	1 21/32	7/32	5/16
30707	7	2	15/32	13/32	1/4	1 21/32	1/4	5/16
30708	8	2	15/32	15/32	9/32	1 21/32	1/4	5/16
30709	9	2	1/2	1/2	9/32	1 21/32	5/16	-
30710	10	2	9/16	9/16	9/32	1 21/32	3/8	-
30711	11	2	19/32	19/32	3/8	1 ²¹ / ₃₂	13/32	-
30712	12	2	21/32	21/32	3/8	1 ²¹ / ₃₂	7/16	-
30713	13	2	23/32	23/32	3/8	1 21/32	15/32	-
30714	14	2	3/4	3/4	7/16	1 21/32	17/32	

Fed. Spec: ANSI B107.5

30939 12 Piece 1/4" Drive Deep 6 Point Socket Set on Clip Rail Contents Include:

Contents II	iciuae:						
	Size		Size		Size		Size
Product Code	(MM)	Product Code	(MM)	Product Code	(MM)	Product Code	(MM)
30704	4	30706	6	30709	9	30712	12
30705	5	30707	7	30710	10	30713	13
30755	5.5	30708	8	30711	11	30714	14

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.















1/4" DRIVE STANDARD LENGTH HEX BIT SOCKETS, SAE

High-Polished Chrome Finish

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Replacement Bit Product Code
MA-050A	.050	7/8	15/32	1 ½	BITH05001
MA-2A	1/16	7/8	15/32	1 ½	BITH0201
MA-2 1/2A	5/64	7/8	15/32	1 ½	BITH2.501
MA-3A	3/32	7/8	15/32	1 ½	BITH0301
MA-3 1/2A	7/64	7/8	15/32	1 ½	BITH3.501
MA-4A	1/8	7/8	15/32	1 ½	BITH0401
MA- 4 1/2A	9/64	7/8	15/32	1 1/2	BITH4.501
MA-5A	5/32	7/8	15/32	1 ½	BITH0501
MA-6A	3/16	7/8	15/32	1 ½	BITH0601
MA-7A	7/32	7/8	15/32	1 ½	BITH0701
MA-8A	1/4	7/8	15/32	1 ½	BITH0801
MA-10A	5/16	7/8	15/32	1 ½	BITH1001

WSM-11TRC 11 Piece Hex Bit Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
MA-2A	1/16	MA-4A	1/8	MA-7A	7/32
MA-2 1/2A	5/64	MA-4 1/2A	9/64	MA-8A	1/4
MA-3A	3/32	MA-5A	5/32	MA-10A	5/16
MA-3 1/2A	7/64	MA-6A	3/16		

Features

- . High-polished chrome finish socket cleans easily.
- Two piece design allows bits to be replaced easily.



MA-4A



WSM-11TRC



35000



30902





1/4" DRIVE STANDARD LENGTH HEX BIT SOCKETS, SAE

High-Polished Chrome Finish

Product Code	Size (Inches)	Socket Length (Inches)	Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
35000	1/8	13/16	15/32	1 13/32	5/8
35001	5/32	¹³ / ₁₆	15/32	1 13/32	5/8
35002	³ / ₁₆	¹³ / ₁₆	15/32	1 13/32	5/8
35003	7/32	¹³ / ₁₆	15/32	1 13/32	5/8
35004	1/4	¹³ / ₁₆	15/32	1 13/32	5/8
35005	5/16	13/16	15/32	1 13/32	5/2

30902 6 Piece Hex Bit Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35000	1/8	35002	3/16	35004	1/4
35001	5/32	35003	7/32	35005	5/16

Features

• High-polished chrome finish socket cleans easily.

1/4" DRIVE

WILLIAMS



1/4" DRIVE STANDARD LENGTH HEX BIT SOCKETS, METRIC

High-Polished Chrome Finish

Product Code	Size (MM)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
35070	3	13/16	15/32	1 13/32	5/8
35071	4	¹³ / ₁₆	15/32	1 ¹³ / ₃₂	5/8
35072	5	¹³ / ₁₆	15/32	1 13/32	5/8
35073	6	13/16	15/32	1 13/32	5/8
35074	7	13/16	15/32	1 13/32	5/8
35075	8	¹³ / ₁₆	15/32	1 ¹³ / ₃₂	5/8

30904 6 Piece Hex Bit Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
35070	3	35072	5	35074	7
35071	4	35073	6	35075	8

Features

· High-polished chrome finish socket cleans easily.



35070



30904

WILLIAMS



1/4" DRIVE BALL TIP HEX BIT SOCKETS, SAE

High-Polished Chrome Finish

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Replacement Bit Product Code (Inches)
MA-3HBA	3/32	7/8	15/32	1 1/2	BITHB03-01
MA-4HBA	1/8	7/8	15/32	1 1/2	BITHB04-01
MA-4½HBA	9/64	7/8	15/32	1 1/2	BITHB4.5-01
MA-5HBA	5/32	7/8	15/32	1 1/2	BITHB05-01
MA-6HBA	3/16	7/8	15/32	1 1/2	BITHB06-01
MA-7HBA	7/32	7/8	15/32	1 1/2	BITHB07-01
MA-8HBA	1/4	7/8	15/32	1 1/2	BITHB08-01

WSM-7HBA 7 Piece Ball Tip Hex Bit Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
MA-3HBA	3/32	MA-5HBA	5/32	MA-8HBA	1/4
MA-4HBA	1/8	MA-6HBA	3/16		
MΔ-41/6HRΔ	9/64	MA-7HRA	7/22		

- High-polished chrome finish socket cleans easily.
- Two piece design allows bits to be replaced easily.





WSM-7HBA







1/4" DRIVE







1/4" DRIVE LONG HEX BIT SOCKETS, SAE

High-Polished Chrome Finish

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Replacement Bit Product Code
MA-3LA	3/32	7/8	15/32	3	BITH03-02
MA-31/2LA	7/64	7/8	15/32	3	BITH3.5-02
MA-4LA	1/8	7/8	15/32	3	BITH04-02
MA-41/2LA	9/64	7/8	15/32	3	BITH4.5-02
MA-5LA	5/32	7/8	15/32	3	BITH05-02
MA-6LA	³ / ₁₆	7/8	15/32	3	BITH06-02
MA-7LA	7/32	7/8	15/32	3	BITH07-02
MA-8LA	1/4	7/8	15/32	3	BITH08-02
MA-10LA	5/16	7/8	15/32	3	BITH10-02

WSMS-9LRC 9 Piece Long Hex Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
MA-3LA	3/32	MA-4½LA	9/64	MA-7LA	7/32
MA-3½LA	7/64	MA-5LA	5/32	MA-8LA	1/4
MA-4LA	1/8	MA-6LA	3/16	MA-10LA	5/16

Features

- High-polished chrome finish socket cleans easily.
- Two piece design allows bits to be replaced easily.





1/4" DRIVE MID LENGTH HEX BIT SOCKETS, SAE

High-Polished Chrome Finish

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
35020	1/8	25/32	15/32	1 13/16	1
35021	5/32	25/32	15/32	1 ¹³ / ₁₆	1
35022	3/16	25/32	15/32	1 13/16	1
35023	7/32	25/32	15/32	1 ¹³ / ₁₆	1
35024	1/4	25/32	15/32	1 ¹³ / ₁₆	1
35025	5/16	25/32	15/32	1 ¹³ / ₁₆	1

30943 6 Piece Hex Bit Socket Set on Clip Rail

Contents	Include:			
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Co
05000	47	05000	3/	05004

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35020	1/8	35022	3/16	35024	1/4
35021	5/32	35023	7/32	35025	5/16

Features

· High-polished chrome finish socket cleans easily.





1/4" DRIVE MID LENGTH HEX BIT SOCKETS, METRIC

High-Polished Chrome Finish

Product Code	Size (MM)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
35063	3	25/32	15/32	1 13/16	1
35064	4	25/32	15/32	1 ¹³ / ₁₆	1
35065	5	25/32	15/32	1 ¹³ / ₁₆	1
35066	6	25/32	15/32	1 ¹³ / ₁₆	1
35067	7	25/32	15/32	1 13/16	1
35068	8	²⁵ / ₃₂	15/32	1 ¹³ / ₁₆	1

30945 6 Piece Hex Bit Socket Set on Clip Rail Contents Include:

Outlones in	Outtoile indiane							
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)			
35063	3	35065	5	35067	7			
35064	4	35066	6	35068	8			

Features

High-polished chrome finish socket cleans easily.



WSMS-9LRC



30943





1/4" **DRIVE**





1/4" DRIVE STUBBY HEX BIT SOCKETS, SAE

High.	Polish	ed Chr	ome F	inish
HIIGH	T UHSH	eu viii	JIIIC I	ші

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Replacement Bit Product Code
MA-4SA	1/8	7/8	15/32	1 1/16	TMAXS4E2
MA-4.5SA	9/64	7/8	15/32	1 1/16	TMAXS4.5E2
MA-5SA	5/32	7/8	15/32	1 1/16	TMAXS5E2
MA-6SA	3/16	7/8	15/32	1 1/16	TMAXS6E2

WSM-4TRC 4 Piece Stubby Hex Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)
MA-4SA	1/8	MA-5SA	5/32
MA-4.5SA	9/64	MA-6SA	3/16

Features

- · High-polished chrome finish socket cleans easily.
- Two piece design allows bits to be replaced easily. Extra-short bits provide access in confined areas.





1/4" DRIVE TORX® BIT SOCKETS

High-Polished Chrome Finish

Product Code	Torx® Size	Socket Length (Inches)	Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
35079	T8	13/16	1/2	1 13/32	5/8
35080	T10	¹³ / ₁₆	1/2	1 13/32	5/8
35081	T15	¹³ / ₁₆	1/2	1 13/32	5/8
35082	T20	¹³ / ₁₆	1/2	1 13/32	5/8
35083	T25	¹³ / ₁₆	1/2	1 ¹³ / ₃₂	5/8
35084	T27	¹³ / ₁₆	1/2	1 13/32	5/8
35085	T30	¹³ / ₁₆	1/2	1 13/32	5/8

30908 6 Piece Torx® Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Torx® Size	Product Code	Torx® Size	Product Code	Torx® Size
35080	T10	35082	T20	35084	T27
35081	T15	35083	T25	35085	T30

Features

· High-polished chrome finish socket cleans easily.



1/4" DRIVE SCREWDRIVER BIT SOCKETS

High-Polished Chrome Finish, Phillips® and Slotted

Product Code	Tip Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
Slotted Bits:					
35040	5/32	13/16	15/32	1 13/32	5/8
35041	7/32	¹³ / ₁₆	15/32	1 13/32	5/8
35042	9/32	¹³ / ₁₆	15/32	1 13/32	5/8
Phillips® Bits:					
35050	#0	13/16	15/32	1 13/32	5/8
35051	#1	13/16	15/32	1 13/32	5/8
35052	#2	¹³ / ₁₆	15/32	1 13/32	5/8
35053	#3	13/16	15/32	1 13/32	5/2

30906 6 Piece Screwdriver Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Tip Size (Inches)	Product Code	Tip Size (Inches)	Product Code	Tip Size
35040	5/32	35042	9/32	35051	#1
35041	7/32	35050	#0	35052	#2

Features

· High-polished chrome finish socket cleans easily.





WSM-4TRC



35080





30906







3/8" **DRIVE**











8 & 12 Point SAE, with Metal Box

Product Code Description
WSB-56FTB 56 Piece Tool Set with TB-104 Metal Tool Box (Keep-Safe-Foam is not included)
WSB-56F 56 Piece Tool Set Only Packed in Keep-Safe-Foam System

Contents Include:

Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
B-52EHA	8" Enclosed Head Ratchet	B-40A	8 9/16" Flex Handle
B-108	3" Extension	B-140A	Universal Joint
B-110	6" Extension	B-20A	Sliding T-Handle
B-115	11" Extension		-

Shallow 12-Point S	ockets	Deep 12-Point So	ckets
Product Code	Size (Inches)	Product Code	Size (Inches)
B-1208	1/4	BD-1212	3/8
B-1210	5/16	BD-1214	7/16
B-1212	3/8	BD-1216	1/2
B-1214	7/16	BD-1218	9/16
B-1216	1/2	BD-1220	5/8
B-1218	9/16	BD-1222	11/16
B-1220	5/8	BD-1224	3/4
B-1222	11/16	BD-1226	13/16
B-1224	3/4	BD-1228	7/8
B-1226	13/16	BD-1230	¹⁵ / ₁₆
B-1228	7/8	BD-1232	1
B-1230	15/16		
B-1232	1	Shallow 12-Point	Universal Sockets

	Product Code	Size (Inches)
ckets	BU-1212	3/8
Size (Inches)	BU-1214	7/16
1/4	BU-1216	1/2
5/16	BU-1218	9/16
3/8	BU-1220	5/8
7/16	BU-1222	11/16
1/2	BU-1224	3/4
	1/4 5/ ₁₆ 3/ ₈ 7/ ₁₆	BU-1212 BU-1214 BU-1214

Standard Hex Bit	Sockets	Screwdriver Bit Sockets	
Product Code	Size (Inches)	Product Code	Size
BA-4A	1/8	BA-7A-2S	7/32" x .040"
BA-5A	5/32	BA-10A-3S	9/32" x .045"
BA-6A	3/16	BA-10A-4S	5/16" x .055"
BA-7A	7/32	BA-7A-2P	#2
BA-8A	1/4	BA-10A-3P	#3
BA-10A	5/16	BA-12A-4P	#4
BA-12A	3/8		

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.



3/8" **DRIVE**









32 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

8 & 12 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description		
WSB-32FTB	32 Piece Tool Set with TB-104 Metal Tool Box		
WSB-32F	32 Piece Tool Set Only - Packed in Keep Safe Foam System		

Contents Include:

Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
B-52EHA	8" Enclosed Head Ratchet	B-115	11" Extension
B-108	3" Extension	B-40A	8 9/16" Flex Handle
B-110	6" Extension	B-140A	Universal Joint
Shallow 12-Point Sockets		Deep 12-Point Sockets	
Product Code	Size (Inches)	Product Code	Size (Inches)
B-1212	3/8	BD-1212	3/8
B-1214	7/16	BD-1214	⁷ / ₁₆
B-1216	1/2	BD-1216	1/2
B-1218	9/16	BD-1218	9/16
B-1220	5/8	BD-1220	5/8
B-1222	11/16	BD-1222	11/16
B-1224	3/4	BD-1224	3/4
B-1226	¹³ / ₁₆	BD-1226	13/16
B-1228	7/8	BD-1228	7/8
Shallow 8-Point Sockets		Shallow 12 De	nt Universal Sockets
Product Code Size (Inches)		Product Code	Size (Inches)
	1/4	BU-1212	3/8
BD-808	5/ ₁₆		7/ ₁₆
BD-810 BD-812	³ / ₈	BU-1214 BU-1216	1/2
DD-012	-/8		9/ ₁₆
		BU-1218 BU-1220	5/8
		DU-1220	-/8



- Keep-Safe-Foam system keeps tools organized and helps prevent loss
- . All tools are professional quality, made of high-grade chrome vanadium steel
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Metal tool box made for years of rugged use.











3/8" DRIVE











Product Code	Description		
WSB-27FTB WSB-27F	27 Piece Tool Set with TB-104 Metal Tool Box 27 Piece Tool Set Only - Packed in Keep Safe Foam System		
	· · · · · · · · · · · · · · · · · · ·		

Contents Include:

Contents Incl	lude:		
Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
B-52EHA	8" Enclosed Head Ratchet	B-40A	8 9/16" Flex Handle
B-108	3" Extension	B-140A	Universal Joint
B-110	6" Extension		
Shallow 12-Poin	t Sockets	Deep 12-Point So	ckets
Product Code	Size (Inches)	Product Code	Size (Inches)
B-1208	1/4	BD-1212	3/8
B-1210	5/16	BD-1214	7/16
B-1212	3/8	BD-1216	1/2
B-1214	7/16	BD-1218	9/16
B-1216	1/2	BD-1220	5/8
B-1218	9/16	BD-1222	11/16
B-1220	5/8	BD-1224	3/4
B-1222	11/16	BD-1226	13/16
B-1224	3/4	BD-1228	7/8
B-1226	13/16		
B-1228	7/8		
B-1230	¹⁵ / ₁₆		
B-1232	1		

Features

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Metal tool box made for years of rugged use.







Description



Description

6 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Drive Tools:

Product Code

Product Code	Description		
WSB-23HFTB	23 Piece Tool Set with TB-102 Metal Tool Box		
WSB-23HF	23 Piece Tool Set Only - Packed in Keep Safe Foam System		

Contents Include: Drive Tools:

Product Code

1 TOUUCE COUC	Description	i ioduct oode	Description	
B-52EHA	8" Enclosed Head Ratchet	B-40A	8 9/16" Flex Handle	
B-108	3" Extension	B-140A	Universal Joint	
B-110	6" Extension			
Shallow 6-Point So	ockets	Deep 6-Point So	ockets	
Product Code	Size (Inches)	Product Code	Size (Inches)	
B-612	3/8	BD-612	3/8	
B-614	⁷ / ₁₆	BD-614	7/16	
B-616	1/2	BD-616	1/2	
B-618	9/16	BD-618	9/16	
B-620	5/8	BD-620	5/8	
B-622	11/16	BD-622	11/16	
B-624	3/4	BD-624	3/4	
B-626	¹³ / ₁₆	BD-626	¹³ / ₁₆	
B-628	7/8	BD-628	7/8	



- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.



WSB-23HFTB

WSB-27FTB

3/8" DRIVE

WILLIAMS





23 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
WSB-23FTB	23 Piece Tool Set with TB-102 Metal Tool Box
WSB-23F	23 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Drive Tools:		
Product Code	Description	Product Code	Description	
B-52EHA	8" Enclosed Head Ratchet	B-40A	8 9/16" Flex Handle	
B-108	3" Extension	B-140A	Universal Joint	
B-110	6" Extension			
Shallow 12-Point Sockets		Deep 12-Point S	Deep 12-Point Sockets	
Product Code	Size (Inches)	Product Code	Size (Inches)	
B-1212	3/8	BD-1212	3/8	
B-1214	7/16	BD-1214	7/16	
B-1216	1/2	BD-1216	1/2	
B-1218	9/16	BD-1218	9/16	
B-1220	5/8	BD-1220	5/8	
B-1222	11/16	BD-1222	11/16	
B-1224	3/4	BD-1224	3/4	
B-1226	13/16	BD-1226	13/16	
B-1228	7/8	BD-1228	7/8	



WILLIAMS

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.







12 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description		
WSB-15FTB 15 Piece Tool Set with TB-102 Metal Tool Bo			
WSB-15F	15 Piece Tool Set Only - Packed in Keep Safe Foam System		

Contents Include:

Drive Tools:		Shallow 12-Point Sockets	
Product Code	Description	Product Code	Size (Inches)
B-52EHA	8" Enclosed Head Ratchet	B-1212	3/8
B-108	3" Extension	B-1214	7/16
B-110	6" Extension	B-1216	1/2
B-115	11" Extension	B-1218	9/16
B-40A	8 9/16" Flex Handle	B-1220	5/8
B-140A	Universal Joint	B-1222	11/16
		B-1224	3/4
		B-1226	¹³ / ₁₆
		B-1228	7/8

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.















3/8" **DRIVE**











12 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

6 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

TITLE INIOIGN DOX	
Product Code	Description
WSB-12HFTB	12 Piece Tool Set with TB-101 Metal Tool Box
WSB-12HF	12 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Shallow 12-Point Sockets	
Product Code	Description	Product Code	Size (Inches)
B-52EHA	8" Enclosed Head Ratchet	B-612	3/8
B-108	3" Extension	B-614	7/16
B-110	6" Extension	B-616	1/2
		B-618	9/16
		B-620	5/8
		B-622	11/16
		B-624	3/4
		B-626	13/16
		B-628	7/8

Features

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- · All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.













29 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

6 & 12 Point SAE & Metric, Packed in Exclusive **Keep-Safe-Foam System with Metal Box**

Product Code	Description	
WSMB-29FTB	29 Piece Tool Set with TB-103 Metal Tool Box	
WSMB-29F	29 Piece Tool Set Only - Packed in Keep Safe Foam System	

Contents Include:

Drive Tools:		Drive Tools:		
Product Code	Description	Product Code	Description	
B-52EHA	8" Enclosed Head Ratchet	B-110	6" Extension	
B-108	3" Extension	B-140A	Universal Joint	
Shallow 6-Point	Sockets, SAE	Shallow 6-Poin	Shallow 6-Point Sockets, mm	
Product Code	Size (Inches)	Product Code	Metric Size (mm)	
B-608	1/4	BM-606	6	
B-610	5/16	BM-607	7	
B-612	3/8	BM-608	8	
B-614	7/16	BM-609	9	
B-616	1/2	BM-610	10	
B-618	9/16	BM-611	11	
		BM-612	12	
Shallow 12-poin	nt Sockets, SAE	BM-613	13	
Product Code	Size (Inches)	BM-614	14	
B-1220	5/8	BM-615	15	
B-1222	11/16	BM-616	16	
B-1224	3/4	BM-617	17	
B-1226	13/16	BM-618	18	
B-1228	7/8	BM-619	19	

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- · All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- . Metal tool box made for years of rugged use.





3/8" DRIVE









39 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

6 & 12 Point Metric, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
MSB-39FTB	39 Piece Tool Set with TB-104 Metal Tool Box
MSB-39F	39 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
B-52EHA	8" Enclosed Head Ratchet	B-20A	Sliding T-Handle
B-108	3" Extension	B-70	Ratchet Spinner
B-110	6" Extension		'
B-115	11" Extension	Shallow 12-Poin	nt Sockets
BFE-8	8" Flexible Extension	Product Code	Size (MM)
B-40A	8 9/16" Flex Handle	BM-1206	6
B-140A	Universal Joint	BM-1207	7
		BM-1208	8
		BM-1209	9
Deep 6-Point Sockets		BM-1210	10
Product Code	Size (MM)	BM-1211	11
BMD-608	8	BM-1212	12
BMD-609	9	BM-1213	13
BMD-610	10	BM-1214	14
BMD-611	11	BM-1215	15
BMD-612	12	BM-1216	16
BMD-613	13	BM-1217	17
BMD-614	14	BM-1218	18
BMD-615	15	BM-1219	19
BMD-616	16	BM-1220	20
BMD-617	17	BM-1221	21
BMD-618	18	BM-1222	22
BMD-619	19	BM-1224	24



- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.











3/8" **DRIVE**











29 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

6 Point Metric, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
MSB-29HFTB	29 Piece Tool Set with TB-103 Metal Tool Box
MSB-29HF	29 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Outcits in	Ciuuci		
Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
B-52EHA	8" Enclosed Head Ratchet	B-40A	8 9/16" Flex Handle
B-108	3" Extension	B-140A	Universal Joint
B-110	6" Extension		
Shallow 6-Point Sockets		Deep 6-Point Sockets	
Product Code	Size (MM)	Product Code	Size (MM)
BM-608	8	BMD-608	8
BM-609	9	BMD-609	9
BM-610	10	BMD-610	10
BM-611	11	BMD-611	11
BM-612	12	BMD-612	12
BM-613	13	BMD-613	13
BM-614	14	BMD-614	14
BM-615	15	BMD-615	15
BM-616	16	BMD-616	16
BM-617	17	BMD-617	17
BM-618	18	BMD-618	18
BM-619	19	BMD-619	19

Features

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
 All tools are professional quality, made of high-grade chrome vanadium steel.
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Metal tool box made for years of rugged use.











6 & 12 Point Metric, Packed in Exclusive **Keep-Safe-Foam System with Metal Box**

Product Code	Description
MSB-29FTB	29 Piece Tool Set with TB-103 Metal Tool Box
MSB-29F	29 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
B-52EHA	8" Enclosed Head Ratchet	B-40A	8 9/16" Flex Handle
B-108	3" Extension	B-140A	Universal Joint
B-110	6" Extension		

Shallow 12-Point Sockets		Deep 6-Point Sockets	
Product Code	Size (MM)	Product Code	Size (MM)
BM-1208	8	BMD-608	8
BM-1209	9	BMD-609	9
BM-1210	10	BMD-610	10
BM-1211	11	BMD-611	11
BM-1212	12	BMD-612	12
BM-1213	13	BMD-613	13
BM-1214	14	BMD-614	14
BM-1215	15	BMD-615	15
BM-1216	16	BMD-616	16
BM-1217	17	BMD-617	17
BM-1218	18	BMD-618	18
BM-1219	19	BMD-619	19



- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
 All tools are professional quality, made of high-grade chrome vanadium steel.
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.

 Metal tool box made for years of rugged use.

3/8" DRIVE







18 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

6 Point Metric, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
MSB-18HFTB	18 Piece Tool Set with TB-102 Metal Tool Box
MSB-18HF	18 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:	.	Drive Tools:	5
Product Code	Description	Product Code	Description
B-52EHA	8" Enclosed Head Ratchet	B-110	6" Extension
B-108	3" Extension	B-140A	Universal Joint
Shallow 6-Poin		Shallow 6-Poin	
Product Code	Size (MM)	Product Code	Size (MM)
BM-606	6	BM-613	13
BM-607	7	BM-614	14
BM-608	8	BM-615	15
BM-609	9	BM-616	16
BM-610	10	BM-617	17
BM-611	11	BM-618	18
BM-612	12	BM-619	19



- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Metal tool box made for years of rugged use.







17 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

12 Point Metric, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Cantonto Incl	uda.
MSB-17F	17 Piece Tool Set Only - Packed in Keep Safe Foam System
MSB-17FTB	17 Piece Tool Set with TB-102 Metal Tool Box
Product Code	Description

Contents Include:

Drive Tools: Product Code	Description	Drive Tools: Product Code	Description
B-52EHA	8" Enclosed Head Ratchet	B-40A	8 %6" Flex Handle
B-108	3" Extension	B-140A	Universal Joint
B-110	6" Extension		
Shallow 12-Poir	nt Sockets	Shallow 12-Poi	nt Sockets
Product Code	Size (MM)	Product Code	Size (MM)
BM-1208	8	BM-1214	14
BM-1209	9	BM-1215	15
BM-1210	10	BM-1216	16
BM-1211	11	BM-1217	17
BM-1212	12	BM-1218	18
BM-1213	13	BM-1219	19

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Metal tool box made for years of rugged use.
















3/8" **DRIVE**









12 Point Metric, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
MSB-16FTB	16 Piece Tool Set with TB-102 Metal Tool Box
MSB-16F	16 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Shallow 12-Poin	t Sockets
Product Code	Description	Product Code	Size (MM)
B-52EHA	8" Enclosed Head Ratchet	BM-1213	13
B-108	3" Extension	BM-1214	14
		BM-1216	16
Shallow 12-Poin	nt Sockets	BM-1217	17
Product Code	Size (MM)	BM-1218	18
BM-1208	8	BM-1220	20
BM-1209	9	BM-1221	21
BM-1210	10	BM-1222	22
BM-1211	11	BM-1224	24
BM-1212	12		

Features

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Metal tool box made for years of rugged use.





MSB-16FTB

WSBHMD-7



7 PIECE 3/8" DRIVE IMPACT DRIVER SET

Product Code	Description
WSBHMD-7	7 Piece Impact Driver Set

Contents Include:

Product Code	Description	Product Code	Description
BHMD-30	Hand Impact Driver	BA-7A-2P	#2 Phillips® Bit Socket
BA-7A-2S	7/32" x .040" Slotted Bit Socket	BA-10A-3P	#3 Phillips® Bit Socket
BA-10A-3S	9/32" x .045" Slotted Bit Socket	BA-12A-4P	#4 Phillips® Bit Socket
BA-10A-4S	5/16" x .055" Slotted Bit Socket		•

Features

- Ideal for loosening screws that cannot be loosened with an ordinary screwdriver.
- Impact driver is struck with a hammer to provide turning power.
- Hammer blow forces bit into screw head to reduce stripping.
- $\bullet~$ Hand impact driver can be used with all % drive sockets, such as 6-point and hex-bit sockets.





Black Finish and Impact, Furnished on Clip Rail

Product Code	 Description	
WSB-6ADPA	6 Piece Adaptor Set	
	•	

Contents Include:

Product Code	Description	Product Code	Description
MB-130B	1/4" F x 3/8" M, Black Finish	4-2A	1/2" F x 3/8" M, Impact, Black
MB-131BA	3/8" F x 1/4" M, Black Finish	4-6	½" F x ¾" M, Impact, Black
BS-130B	3/8" F x 1/2" M, Black Finish	6-4A	3/4" F x 1/2" M, Impact, Black

- Impact adaptors are suitable for use on electric and air impact wrenches.
- . Black finish adaptors are designed for use with hand drive tools.



1/4", 3/8" & 1/2" DRIVE TOOL SET











146 PIECE 1/4", 3/8", 1/2" DRIVE SOCKET SET

6 & 12 Point Rugged-Case-System Tool Set, SAE and Metric

Product Code	Description
50614	146 Piece 1/4", 3/8", 1/2" Drive Socket Set

5/16 3/8 7/16 1/2 9/16 5/8

11/16 3/4 13/16 7/8 15/16

31408

31410

31412 31414

31416

31418 31420

31422

31424

31426

31428

31430

31432

5/16 11/32 3/8 7/16 1/2

Size (Inches)

3/16

7/32 1/4

1/4" Drive Hex Bit Sockets, SAE

Contents Include:

1/4" Drive Teeler

30110

30111

30112 30114

30116

30118

35000

35001

35002

35003

35004 35005

Product Code

1/4" Drive Tools:		1/4" Drive Hex Bit Sockets, SAE	
Product Code	Description	Product Code	Size (MM)
33001	Ratchet	35070	3
33003	3" Extension	35071	4
33006	18" Sliding T-handle	35072	5
30007	Universal Joint	35072	6
30009	Adaptor 1/4" F × 3/8" M	35074	7
00000	rauptor i/ i i x o/o iii	35075	8
1/4" Drive Door	6 Point Sockets, MM	33073	8
Product Code		4/4ll Duling Comm	d
30704	4		wdriver Bit Sockets
30704	5	Product Code	Description
		35040	5/32" Slotted Tip
30706	6	35041	7/32" Slotted Tip
30707	7	35042	%2" Slotted Tip
30708	8	35050	#0 Phillips Tip
30709	9	35051	#1 Phillips Tip
30710	10	35052	#2 Phillips Tip
30711	11		
30712	12	1/4" Drive Torx	Bit Sockets
30713	13	Product Code	Size
		35080	T10
1/4" Drive Deep	6 Point Sockets, SAE	35081	T15
Product Code	Size (Inches)	35082	T20
30306	3/16	35083	T25
30307	7/32	35084	T27
30308	1/4	35085	T30
30309	9/32	33003	130
30310	5/16		
30311	11/32		
30312	3/8	3/8" Drive Tools	
30314	7/16	Product Code	Description
30316	1/2	31001	Ratchet
		31002	3" Extension
1/4" Drive Shallo	w 6 Point Sockets, MM	31003	6" Extension
Product Code	Size (MM)		
30504	4	1	
30505	5	3/8" Drive Deep	12 Point Sockets, MM
30599	5.5	Product Code	Size (MM)
30506	6	31806	6
30507	7	31807	7
30508	8	31808	8
30509	9	31809	9
30510	10	31810	10
30511	11	31811	11
		31812	12
30512	12	1	
30513	13	31813	13
30514	14	31814	14
		31815	15
1/4" Drive Shallo	w 6 Point Sockets, SAE	31816	16
Product Code	Size (Inches)	31817	17
30105	5/32	31818	18
30106	3/16	31819	19
30107	7/32		
30108	1/4		
30109	9/ ₃₂		6 Point Sockets, SAE
00100	732 5/40	Product Code	Size (Inches)

3/8" Drive Shallow 6	- · · · · · · · · · · · · · · · · · · ·
Product Code	Size (MM)
31506	6
31507	7
31508	8
31509	9
31510	10
31511	11
31512	12
31513	13
31514	14
31515	15
31516	16
31517	17
31518	18
31519	19

SAE

3/8" Drive Shallow	6 Point Sockets, SA
Product Code	Size (Inches)
31108	1/4
31110	5/16
31112	3/8
31114	7/16
31116	1/2
31118	9/16
31120	5/8
31122	11/16
31124	3/4
31126	13/16
31128	7/8
31130	15/16
31132	1

3/8" Drive Spark Plug Socket

Size (Inches)
5/8
13/16

1/2" Drive Tools

Product Code	Description
32001	Ratchet
32003	6" Extension
32004	10" Extension
32006	Universal Joint
32008	Adaptor - 1/2" F x 3/8" M

1/2" Drive Shallow 12 Point Sockets, SAE

Product Code	Size (Inches)
32412	3/8
32414	7/16
32416	1/2
32418	9/16
32420	5/8
32422	11/16
32424	3/4
32426	13/16
32428	7/8
32430	15/16
32432	1





50614

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- . Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.







1/4", 3/8" & 1/2" DRIVE TOOL SET









138 PIECE 1/4", 3/8", 1/2" DRIVE SOCKET SET

6 Point Rugged-Case-System Tool Set, SAE and Metric

J	•
Product Code	Description
50612	138 Piece 1/4", 3/8", 1/2" Drive Socket Set

Contents Include:



5061	2

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.

1/4" Drive Tools:		
Product Code	Description	Produ
33001	Ratchet	31001
33002	4" Extension	31002
33003	8" Extension	31003
33006	18" Sliding T-handle	31006
30007	Universal Joint	31008
30013	Hex Bit Holder	31013
24880	13 Piece Insert Bit Set	

1/4" Drive Deep 6 Product Code	Point Sockets, N Size (MM)
30704	4
30705	5
30706	6
30707	7
30708	8
30709	9
30710	10
30711	11
30712	12
30713	13

	Point Sockets, SAE
Product Code	Size (Inches)
30305	5/32
30306	3/16
30307	7/32
30308	1/4
30309	9/32
30310	5/16
30311	11/32
30312	3/8
30314	7/16
30316	1/2

1/4" Drive Shal	low 6 Point Sockets, M
Product Code	Size (MM)
30504	4
30505	5
30599	5.5
30506	6
30507	7
30508	8
30509	9
30510	10
30511	11
30512	12
30513	13

1/4" Drive Shallow 6 Point Sockets, SA			
Product Code	Size (Inches)		
30105	5/32		
30106	3/16		
30107	7/32		
30108	1/4		
30109	9/32		
30110	5/16		
30111	11/32		
30112	3/8		
30114	7/16		
30116	1/2		

3/8" Drive Tools	
Product Code	Description
31001	Ratchet
31002	3" Extension
31003	6" Extension
31006	Universal Joint
31008	Adaptor
31013	Hex Bit Holder

3/8" Drive Deep 6 Point Sockets, MM		
Product Code	Size (MM)	
31710	10	
31711	11	
31712	12	
31713	13	
31714	14	
31715	15	
31716	16	
31717	17	
31718	18	
31719	19	

3/8" Drive Deep 6 Point Sockets, SAE	
Product Code	Size (Inches)
31312	3/8
31314	7/16
31316	1/2
31318	9/16
31320	5/8
31322	11/16
31324	3/4
31326	¹³ / ₁₆
31328	7/8

3/8" Drive Shallow 6 Point Sockets, MM		
Product Code	Size (MM)	
31510	10	
31511	11	
31512	12	
31513	13	
31514	14	
31515	15	
31516	16	
31517	17	
31518	18	
31519	19	
3/8" Drive Shallow	6 Point Sockets, SAE	
	Product Code 31510 31511 31512 31513 31514 31515 31516 31517 31518 31519	

	3/8" Drive Shallow	6 Point Sockets, SAI
	Product Code	Size (Inches)
۱E	31112	3/8
	31114	7/16
	31116	1/2
	31118	9/16
	31120	5/8
	31122	11/16
	31124	3/4

1/2" Drive Tools	
Product Code	Description
32001	Ratchet
32002	6" Extension
32004	10" Extension
32006	Universal Joint
32008	Adaptor

	1/2" Drive Shallow	6 Point Sockets, MM
	Product Code	Size (MM)
	32510	10
	32511	11
	32512	12
	32513	13
	32514	14
	32515	15
	32516	16
	32517	17
	32518	18
	32519	19
	32521	21
ĺ	32522	22
	32524	24
	32527	27
٦	32530	30
	32532	32

1/2" Drive Shallow	6 Point Sockets, SAE
Product Code	Size (Inches)
32112	3/8
32114	7/16
32116	1/2
32118	9/16
32120	5/8
32122	11/16
32124	3/4
32126	¹³ / ₁₆
32128	7/8
32130	¹⁵ / ₁₆
32132	1
32134	1 1/16
32136	1 1/8
32138	1 3/16
32140	1 1/4

1/4" & 3/8" DRIVE TOOL SET



Product Code

3/8" Drive Tools:

Product Code

31001

31002

31003

31004

31005

31006

31007



Description





95 PIECE 1/4" & 3/8" DRIVE MASTER SOCKET & TOOL SET

6 &	12 Point	Rugged-Cas	se-System	Tool S	et. SAE
-----	----------	------------	-----------	--------	---------

50611	i0611 95 Piece Master Socket, Wrench, and Screwdriver Set				
Contents Incl					
1/4" Drive Tool	ls:	1/4" Drive Hex Bit Sockets			
Product Code	Description	Product Code	Size (MM)		
30001	36 Tooth Ouick-Release Ratchet	35070	3		
30002	1 1/2" Extension	35071	4		
30003	3" Extension	35072	5		
30005	Flex Handle	35073	6		
30006	Spinner Handle	35074	7		
30007	Universal Joint	35075	8		
30007	1/4" F x 3/8" M Adapter	35075	0		
1/4" Drive Sha	llow 6-Point Sockets	1/4" Drive Screwdri	ver Rit Sockets		
Product Code	Size (Inches)	Product Code	Description		
	3/ ₁₆	35040			
30106	7.0		5/32" Slotted Tip		
30107	7/32	35041	7/32" Slotted Tip		
30108	1/4	35042	9/32" Slotted Tip		
30109	9/32	35050	#0 Phillips® Tip		
30110	5/16	35051	#1 Phillips® Tip		
30111	11/32	35052	#2 Phillips® Tip		
30112	3/8				
30114	7/16	1/4" Drive Torx® Bit	Sockets		
30116	1/2	Product Code	Size		
30118	9/16	35080	T10		
30110	710	35081	T15		
		35082	T20		
1/4" Drive Deep 6-Point Sockets		35083	T25		
Product Code	Size (Inches)	35084	T27		
30306	3/16	35085	T30		
30307	7/32				
30308	1/4	3/8" Drive Shallow 6	3.Point Sockets		
30309	9/32	Product Code	Size (Inches)		
30310	5/ ₁₆	31112	3/8		
30311	11/32	31114	7/ ₁₆		
30312	3/ ₈	31116	1/2		
	7/ ₁₆		9/ ₁₆		
30314 30316	1/16 1/2	31118	5/16 5/8		
	·-	31120			
30318	9/16	31122	11/16		
		31124	3/4		
1/4" Drive Hex Bit Sockets		31126	13/16		
Product Code	Size (Inches)	31128	7/8		
35000	1/8	31130	15/16		
35001	5/32	31132	1		
35002	3/16		•		
	7/16 7/ ₃₂	2/0" Drive Deer 40	Daint Caakata		
35003	, 52	3/8" Drive Deep 12-			
35004	1/4	Product Code	Size (Inches)		
35005	5/16	31412	3/8		
		31414	7/16		
-/all		I			



1/2 9/16 5/8 11/16 3/4 13/16 7/8 15/16

31008	3/8" F x 1/4" M Adapter		
31009	3/8" F x 1/2" M Adapter	12 Point Combinatio	n Wrenches
		Product Code	Size (Inches)
Comfort Grip Sc	rewdrivers	11108	1/4
Product Code	Description	11110	5/16
24205	3/16" x 4" Slotted	11112	3/8
24219	1/4" x 4" Slotted	11114	7/16
24249	#1 x 3" Phillips®	11116	1/2
24253	#2 x 4" Phillips®	11118	6/16
	•	11120	5/8
		11122	11/16
		11124	3/4

31416

31418

31420

31422 31424

31426 31428

31430 31432

Description 38 Tooth Quick-Release Ratchet

3" Extension

6" Extension

10" Extension

10" Flex Handle

Universal Joint

Sliding T-Handle





50611

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- . Two-component handles are easy to grip and comfortable to carry.







1/4" & 3/8" DRIVE TOOL SET





50622

Features

- . All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- · Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.











89 PIECE 1/4" & 3/8" DRIVE MASTER SOCKET AND TOOL SET

6 & 12 Point Rugged-Case-Syst	tem Tool Set, Metric
-------------------------------	----------------------

Product Code	Description
50622	89 Piece Master Socket, Wrench and Screwdriver Set

Contents Include:

1/4" Drive Tools:		3/8" Drive Tools:	
Product Code	Description	Product Code	Description
30001	36 Tooth Quick-Release Ratchet	31001	38 Tooth Quick-Release Ratchet
30002	11/2" Extension	31002	3" Extension
30003	3" Extension	31003	6" Extension
30005	Flex Handle	31004	10" Extension
30006	Spinner Handle	31005	10" Flex Handle
30007	Universal Joint	31006	Universal Joint
30009	1⁄4" F x 3⁄8" M Adapter	31007	Sliding T-Handle
		31008	%" F x ¼" M Adapter
1/4" Drive Shallow	6-Point Sockets	31009	3%" F x 1/2" M Adapter

1/4" Drive Shallow 6-Point Sockets Product Code Size (MM)		31009	3%" F x 1/2" M Adapter
30504 4		3/8" Drive Shallow 6-Point Sockets	
30505	5	Product Code	Size (MM)
30599	5 ½	31508	8
30506	6	31509	9
30507	7	31510	10
30508	8	31511	11
30509	9	31512	12
30510	10	31513	13
30511	11	31514	14
30512	12	31515	15
30513	13	31516	16
30514	14	31517	17
		31518	18
1/4" Duive Hey Dit C	a a leata	21510	10

1/4" Drive Hex Bit Sockets		31519	19
Product Code	Size (Inches)		
35000	1/8	3/8" Drive Deep 12	-Point Sockets
35001	5/32	Product Code	Size (MM)
35002	3/16	31808	8
35003	7/32	31809	9
35004	1/4	31810	10
35005	5/16	31811	11
		31812	12
1/4" Drive Hex Bit S	Sockets	31813	13
Product Code	Size (MM)	31814	14
35070	3	31815	15
35071	4	31816	16
35072	5	31817	17
35073	6	31818	18
35074	7	31819	19
35075	8		

		Collifort Grip Screwarivers	
1/4" Drive Screwdriver Bit Sockets		Product Code	Description
Product Code	Description	24205	3/16" x 4" Slotted
35040	5/32" Slotted Tip	24219	1/4" x 4" Slotted
35041	7/32" Slotted Tip	24249	#1 x 3" Phillips®
35042	%2" Slotted Tip	24253	#2 x 4" Phillips®
35050	#0 Phillips® Tip		•
35051	#1 Phillips® Tip	12 Point Combination Wrenches	
35052	#2 Phillips [®] Tip	Product Code	Size (MM)
		11506	6
1/4" Drive Torx® Bit	t Sockets	11508 8	
Product Code	Size	11510	10
35080	T10	11512	12
35081	T15	11513	13
35082	T20	11514	14
35083	T25	11515	15
35084	T27	11517	17
35085	T30	11519	19

3/8" DRIVE











79 PIECE 3/8" DRIVE DELUXE TOOL SET

6 & 12 Point Rugged-Case-System Tool Set, SAE and Metric, with 1/4" Hex Screwdriver Bits

Product Code	Description
50607	79 Piece 3/8" Drive Deluxe Tool Set

Contents Include:

2/0" Drive Chellery 6 Deint Cook			
1/4" Drive Tools:		3/8" Drive Shallow 6-Point Sockets, Metric	
Product Code	Description	Product Code	Size (MM)
30006	Spinner Handle	31506	6
30007	Universal Joint	31507	7
30013	1/4" Hex Bit Holder	31508	8
		31509	9
3/8" Drive Too	ls:	31510	10
Product Code	Description	31511	11
31001	38 Tooth Quick-Release Ratchet	31512	12
31002	3" Extension	31513	13
31003	6" Extension	31514	14
31004	10" Extension	31515	15
31005	10" Flex Handle	31516	16
31006	Universal Joint	31517	17
31007	Sliding T-Handle	31518	18
31008	3⁄8" F x 1∕4" M Adapter	31519	19
31009	3/8" F x 1/2" M Adapter		

3/8" Drive Deep 12-Point Sockets, Metric

		occurre, memor	
3/8" Drive Shallow 6-Point Sockets, SAE		Product Code	Size (MM)
Product Code	Size (Inches)	31806	6
31108	1/4	31807	7
31110	5/16	31808	8
31112	3/8	31809	9
31114	⁷ / ₁₆	31810	10
31116	1/2	31811	11
31118	⁹ /16	31812	12
31120	5/8	31813	13
31122	11/16	31814	14
31124	3/4	31815	15
31126	¹³ / ₁₆	31816	16
31128	7/8	31817	17
31130	¹⁵ / ₁₆	31818	18
31132	1	31819	19

3/8" Drive, SAE Deep 12-Point Sockets		1/4" Hex Screwdriver Bits	
Product Code	Size (Inches)	Product Code	Description / Size
31408	1/4	24803	5/32" Slotted Tip
31410	5/16	24805	3/16" Slotted Tip
31412	3/8	24807	1/4" Slotted Tip
31414	⁷ / ₁₆	24809	#0 Phillips® Tip
31416	1/2	24811	#1 Phillips® Tip
31418	9/16	24813	#2 Phillips® Tip
31420	5/8	24815	#3 Phillips® Tip
31422	11/16	24819	#1 Square Tip
31424	3/4	24821	#2 Square Tip
31426	13/16	24911	1/8" Hex Tip
31428	7/8	24915	5∕32" Hex Tip
31430	15/16	24919	⅓₂" Hex Tip
31432	1	24921	1/4" Hex Tip



50607

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.







3/8" DRIVE



50605

Features

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.











63 PIECE 3/8" DRIVE SOCKET, SCREWDRIVER, & WRENCH SET

Product Code	Description		
50605	63 Piece 3/8"	Drive Socket, Screwo	Iriver, and Wrench Set
Contents Include	e:		
1/4" Drive Tools:		3/8" Drive Shallov	v 6-Point Sockets, SAE
Product Code	Description	Product Code	Size (Inches)
30006	Spinner Handle	31108	1/4
30007	Universal Joint	31110	5/16
30013	1/4" Hex Bit Holder	31112	3/8
		31114	7/16
3/8" Drive Tools:		31116	1/2
Product Code	Description	31118	9/16
31001	38 Tooth Quick-Release Ratchet	31120	5/8
31002	3" Extension	31120	78 11/ ₁₆
31002	6" Extension	31124	3/4
31004	10" Extension	31124	74 13/ ₁₆
31005	10" Flex Handle	31128	7/6 7/8
			7/8 15/ ₁₆
31006	Universal Joint	31130	
31007	Sliding T-Handle	31132	1
31008	3%" F x 1/4" M Adapter	0 /0 !! D ! O! !!	
31009	%" F x ½" M Adapter	3/8" Drive Shallor Product Code	w 6-Point Sockets, Metric Size (MM)
12 Point Combination	n Wronchos	31506	6
Product Code	Size (Inches)	31507	7
	1/4		
11108		31508	8
11110	⁵ / ₁₆	31509	9
11112	3/8	31510	10
11114	7/16	31511	11
11116	1/2	31512	12
11118	⁶ / ₁₆	31513	13
11120	5/8	31514	14
		31515	15
Comfort Grip Screw	drivers	31516	16
Product Code	Description	31517	17
24205	3/16" x 4" Slotted	31518	18
24219	1/4" x 4" Slotted	31519	19
24249	#1 x 3" Phillips®		
24253	#2 x 4" Phillips®		
1/4" Hex Screwdrive	er Bits	1/4" Hex Screwdr	iver Bits
Product Code	Description / Size	Product Code	Description / Size
24803	5/32" Slotted Tip	24819	#1 Square Tip
24805	3/16" Slotted Tip	24821	#2 Square Tip
24807	1/4" Slotted Tip	24911	1/8" Hex Tip
24809	#0 Phillips® Tip	24915	5/32" Hex Tip
24811	#1 Phillips Tip	24919	7/32 TIEX TIP 7/32" Hex Tip
24813	#2 Phillips Tip	24921	1/4" Hex Tip
24815	#3 Phillips Tip	47941	/4 riex lip
27013	#3 Fillilibs, lib		

3/8" DRIVE









58 PIECE 3/8" DRIVE SOCKET, SCREWDRIVER, & PLIERS SET

6 Point Rugged-Case-Sy	stem Tool Set,	SAE and Metric

Product Code	Description
50615	58 Piece 3/8" Drive Socket, Screwdriver and Pliers Set

50615	58 Piece %" Drive Socket, Screwdriver and Pliers Set			
Contents Inclu	ıde:			
1/4" Drive Tools:		3/8" Drive Shallo	w 6-Point Sockets, SAE	
Product Code	Description	Product Code	Size (Inches)	
30006	Spinner Handle	31108	1/4	
30007	Universal Joint	31110	5/ ₁₆	
30013	1/4" Hex Bit Holder	31112	3/8	
30013	74 TIEX DITTIONE	31114	7/ ₁₆	
3/8" Drive Tools:		31116	1/2	
Product Code	Description	31118	9/ ₁₆	
31001	38 Tooth Quick-Release Ratchet	31120	5/g	
31002	3" Extension	31120	11/16	
31003	6" Extension	31124	3/ ₄	
31004	10" Extension	31124	13/ ₁₆	
31005	10" Flex Handle	31128	7/6 7/8	
31006	Universal Joint	31130	15/ ₁₆	
31007	Sliding T-Handle	31132	1	
31007	3/8" F x 1/4" M Adapter	31132	'	
31009	3/8" F x 1/2" M Adapter	3/8" Drive Shaller	w 6-Point Sockets, Metric	
31013	1/4" Hex Bit Holder	Product Code	Size (MM)	
31013	/4 TIEX DIL HOIGE	31506	6	
Adjustable Wrenc	.h	31507	7	
Product Code	Size (Inches)	31508	8	
	8"			
13408	8"	31509	9	
		31510	10	
Pliers	-	31511	11	
Product Code	Description	31512	12	
23102	8" Slip Joint Pliers	31513	13	
23105	9 ¾" Groove Joint Pliers	31514	14	
23407	7" Diagonal Cutting Pliers	31515	15	
23410	61/4" Long Nose Pliers W / Cutter	31516	16	
		31517	17	
1/4" Hex Screwdr		31518	18	
Product Code	Description / Size	31519	19	
24803	5/32" Slotted Tip			
24805	3/16" Slotted Tip	1/4" Hex Screwdi	iver Bits	
24807	1/4" Slotted Tip	Product Code	Description / Size	
24809	#0 Phillips [®] Tip	24819	#1 Square Tip	
24811	#1 Phillips® Tip	24821	#2 Square Tip	
24813	#2 Phillips® Tip	24911	½" Hex Tip	
24815	#3 Phillips® Tip	24915	5∕32" Hex Tip	
		24919	⅓₂" Hex Tip	
		24921	1/4" Hex Tip	





50615

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.







3/8" **DRIVE**











35 PIECE 3/8" DRIVE BASIC TOOL SET

6 Point Rugged-Case-System Tool Set, Metric, with 1/4" Hex Screwdriver Bits

Product Code	Description
50613	35 Piece Basic Tool Set, Metric

Contents Include:

1/4" Drive Tools:		3/8" Drive Shallow 6-Point Sockets	
Product Code	Description	Product Code	Size (MM)
30006	Spinner Handle	31506	6
30007	Universal Joint	31507	7
30013	1/4" Hex Bit Holder	31508	8
		31509	9
3/8" Drive Tools:		31510	10
Product Code	Description	31511	11
31001	7¾" Ratchet	31512	12
31002	3" Extension	31513	13
31003	6" Extension	31514	14
31006	Universal Joint	31515	15
31013	1/4" Hex Bit Holder	31516	16
		31517	17
		31518	18
		31519	19

/4" Hex Screwdriver Bits 1/4" Hex Screwdriver Bits

1/4 nex ocrew	uriver bits	1/4 nex ocrewur	iver bits
Product Code	Description / Size	Product Code	Description / Size
24803	5/32" Slotted Tip	24819	#1 Square Tip
24805	3/16" Slotted Tip	24821	#2 Square Tip
24807	1/4" Slotted Tip	24911	½" Hex Tip
24809	#0 Phillips® Tip	24915	5∕32" Hex Tip
24811	#1 Phillips® Tip	24919	⁷ ∕₃₂" Hex Tip
24813	#2 Phillips® Tip	24921	1/4" Hex Tip
24815	#3 Philline® Tin		•

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.

3/8" DRIVE

WILLIAMS





34 PIECE 3/8" DRIVE BASIC TOOL SET

6 Point Rugged-Case-System Tool Set, SAE, with 1/4" **Hex Screwdriver Bits**

ilex ociewai	IVEI DILS						
Product Code		Description					
50603		34 Piece Basic Too	I Set, SAE				
Contents Inc	lude:						
1/4" Drive Tools	:	3/8" Drive Shallo	ow 6-Point Sockets				
Product Code	Description	Product Code	Size (Inches)				
30006	Spinner Handle	31108	1/4				
30007	Universal Joint	31110	5/16				
30013	1/4" Hex Bit Holder	31112	3/8				
	7	31114	7/16				
3/8" Drive Tools	:	31116	1/2				
Product Code	Description	31118	9/16				
31001	7 ³ / ₄ " Ratchet	31120	5/8				
31002	3" Extension	31122	11/16				
31003	6" Extension	31124	3/4				
31006	Universal Joint	31126	13/16				
31013	1/4" Hex Bit Holder	31128	7/8				
		31130	¹⁵ / ₁₆				
		31132	1				
1/4" Hex Screw	driver Bits	1/4" Hex Screwd	Iriver Bits				
Product Code	Description / Size	Product Code	Description / Size				
24803	5/32" Slotted Tip	24819	#1 Square Tip				
24805	3/16" Slotted Tip	24821	#2 Square Tip				
24807	1/4" Slotted Tip	24911	1/8" Hex Tip				
24809	#0 Phillips® Tip	24915	5/32" Hex Tip				
2/011	#1 Phillips® Tip	24010	7/cs" Hox Tip				



Features

24809 24811

24813

24815

#1 Phillips® Tip

#2 Phillips® Tip

#3 Phillips® Tip

All tools are professional quality, made of high-grade chrome vanadium steel.
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
 Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
 Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
 Two-component handles are easy to grip and comfortable to carry.

24919

24921









7/32" Hex Tip

1/4" Hex Tip

22 PIECE 3/8" DRIVE BOLT THRU SOCKET SET

6 Point Compact Case Tool Set, SAE & MM **Product Code**

50671	22	Piece 3/8" Drive Bolt	Thru Socket Set
Contents Inclu	ıde:		
3/8" Drive Tools:		3/8" Drive Shalle	ow 6-Point Sockets
Product Code	Description	Product Code	Size (mm)
31018	Locking Flexible Ratchet	31708BT	8
31019	3" Extension	31709BT	9
31020	Adaptor	31710BT	10
		31711BT	11
3/8" Drive Shallo	w 6 Point Sockets:	31712BT	12
Product Code	Size (Inches)	31713BT	13
31612BT	3/8	31714BT	14
31614BT	7/16	31715BT	15
31616BT	1/2	31716BT	16
31618BT	9/16	31717BT	17
31620BT	5/8	31718BT	18
31622BT	11/16	31719BT	19
31624BT	3/4		

Features

- All tools are professional quality, made of high-grade chrome vanadium steel
- Sockets feature SUPETORQUE® lobular openings for greater turning power without deforming the fastener Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight
- Ratchet with 7 locking positions and flex head design.



50671







3/8" **DRIVE**







50666









18 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

Product Code		Description	
50664	18	Piece 3/8" Drive Socket ar	nd Drive Tool Set
Contents Inclu	ıde:		
3/8" Drive Tools:		3/8" Drive Deep 12	Point Sockets:
Product Code	Description	Product Code	Size (Inches)
31001	7 3/4" Pear Head Ratchet	31412	3/8
31002	3" Extension	31414	7/16
31003	6" Extension	31416	1/2
		31418	9/16
3/8" Drive Shallov	w 6 Point Sockets:	31420	5/8
Product Code	Size (Inches)	31422	11/16
31112	3/8	31424	3/4
31114	7/16		
31116	1/2	3/8" Drive Spark P	lua Socket:
31118	9/16	Product Code	Size (Inches)
31120	5/8	31301	5/8
31122	11/16		

Features

31124

- All tools are professional quality, made of high-grade chrome vanadium steel

 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener

 Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight











47 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

6 &	12 Point	Compact	Case Too	I Set	. SAE	& Metric
-----	----------	---------	-----------------	-------	-------	----------

Product Code	Description
50666	47 Piece 3/8" Drive Socket and Drive Tool Set

Contents Include:

3/84" Drive Tools	:	3/8" Drive Deep 12	Point Sockets:
Product Code	Description	Product Code	Size (SAE)
31001	5 1/4" Pear Head Ratchet	31410	5/16
31002	3" Extension	31412	3/8
31003	1 1/2" Extension	31414	7/16
31006	Universal Joint	31416	1/2
		31418	9/16
3/8" Drive Shallo	w 6 Point Sockets:	31420	5/8
Product Code	Size (Inches)	31422	11/16
31110	5/16	31424	3/4
31112	3/8		
31114	7/16	3/8" Drive Deep 12	Point Sockets:
31116	1/2	Product Code	Size (Metric)
31118	9/16	31807	7
31120	5/8	31808	8
31122	11/16	31809	9
31124	3/4	31810	10
		31811	11
3/8" Drive Shallo	w 6 Point Sockets:	31812	12
Product Code	Size (Metric)	31813	13
31506	6	31814	14
31507	7	31815	15
31508	8	31816	16
31509	9	31817	17
31510	10	31818	18
31511	11	31819	19
31512	12		
31513	13		
31514	14		
31515	15		
31516	16		
31517	17		
31518	18		
31519	19		

Features • All tools are

- All tools are professional quality, made of high-grade chrome vanadium steel
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
 Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight

SOCKETS & DRIVE TOOLS 3/8" **DRIVE**







15 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

12 Point	Compact (Case Tool	Set, SAE
----------	-----------	-----------	----------

Product Code	Description
50673	15 Piece 3/8" Drive Socket and Drive Tool Set
Contents Include:	

3/8" Drive	Tools:	3/8" Drive Shallow 12 Point Sockets:					
Product Cod	e Description	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31001	7 3/4" Pear Head Ratchet	31208	1/4	31216	1/2	31224	3/4
31002	3" Extension	31210	5/16	31218	9/16	31226	13/16
31003	6" Extension	31212	3/8	31220	5/8	31228	7/8
31006	Universal Joint	31214	7/16	31222	11/16		

Features

- All tools are professional quality, made of high-grade chrome vanadium steel
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
 Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight



50673







15 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

6 Point Compact Case Tool Set, SAE

Product Code	•	Description					
50663			15 Piece ³ /	's" Drive Socket	and Drive Tool	Set	
Contents Include:							
3/8" Drive 1	3/8" Drive Tools: 3/8" Drive Shallow 12 Point Sockets:						
Product Code	Description	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31001	7 3/4" Pear Head Ratchet	31108	1/4	31116	1/2	31124	3/4
31002	3" Extension	31110	5/16	31118	9/16	31126	¹³ / ₁₆
31003	6" Extension	31112	3/8	31120	5/8	31128	7/8
31006	Universal Joint	31114	7/16	31122	11/16		

Features

- All tools are professional quality, made of high-grade chrome vanadium steel
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
 Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight



50663

WILLIAMS



Description



15 PIECE 3/8" DRIVE SOCKET AND DRIVE TOOL SET

6 Point Compact Case Tool Set, Metric Product Code

	2000						
50665	16 Piece %" Drive Socket and Drive Tool Set						
Contents	Include:						
3/8" Drive Tools: 3/8" Drive Shallow 12 Point Sockets:							
Product Code	Description	Product Code	Size (mm)	Product Code	Size (mm)	Product Code	Size (mm)
31001	7 3/4" Pear Head Ratchet	31508	8	31512	12	31516	16
31002	3" Extension	31509	9	31513	13	31517	17
31003	6" Extension	31510	10	31514	14	31518	18
31006	Universal Joint	31511	11	31515	15	31519	19

- All tools are professional quality, made of high-grade chrome vanadium steel
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
 Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight



50665







3/8" DRIVE



WILLIAMS

3/8" DRIVE ENCLOSED HEAD RATCHETS

Williams® Sealed Narrow Head Design, Chrome and Black Industrial Finish

		Length	Number of
Product Code	Description	(Inches)	Teeth
B-52EHA	Chrome Finish Enclosed Head Ratchet	8	36
B-52EHLA	Chrome Finish Enclosed Head Ratchet, Long	10 ¹ / ₄	36
B-52EHFA	Chrome Finish Flex Head Ratchet	9 11/16	36
BB-52EHA	Black Industrial Finish Enclosed Head Ratchet	8	36
B-52EHRKA	Repair Kit "EHA, EHLA, EHFA" Model En	closed Head Ra	tchets

Fed. Spec: ANSI B107.10M



- Enclosed head is sealed to prevent dust, dirt, and liquids from entering head, preserving internal lubrication.
- Forged one-piece ratchet provide strength and safety for industrial applications.
- · Smooth comfort-grip handle permits all-day use without gloves.
- 36 tooth gear with 10 degree of engagement allows engagement in tight working areas.
- Nickel/Chrome plating provides increase protection from rust and corrosion.
- Chrome finish models feature mirror-like exterior that can be easily cleaned after each use.
- Single Pawl ratchet design:
 - 1) Designed for tighter tolerances between pawl and gear which reduces metal fatigue and slippage under load.
 - 2) Does not require as many working parts, reducing possible breakage and parts to repair.
- Easy access reverse lever allows user to change working direction quickly and easily with only one hand.



B-52EHF



BB-52EHA



3/8" DRIVE ROUND HEAD RATCHETS

Knurled Handle, Chrome and Black Industrial Finish

Product Code	Description	Length (Inches)	Number of Teeth
B-52A	Chrome Finish Round Head Ratchet	7 ⁵ /8	72
B-53A	Chrome Finish Round Head Ratchet, Long	10 ¹ / ₂	72
BB-52A	Black Industrial Finish Round Head Ratchet	7 ⁵ /8	72
B-52ARK	Repair Kit for Round Head Ratchets		

Fed. Spec: ANSI B107.10M

- Double pawl design with 72 teeth action provides a 5° ratcheting angle.
- . Shift lever reverses action instantly.
- . Knurled handle provides a non-slip grip.
- Chrome finish models provides increased protection from rust and corrosion.





B-53A

3/8" DRIVE

WILLIAMS

3/8" DRIVE HANDLES

Knurled Handle, High-Polished Chrome Finish						
Product Code	Description	Length (Inches)				
B-40A	Flex Handle	8 9/16				
B-20A	Sliding T-Handle	7 15/16				
B-15	Speeder Handle	18				

Fed. Spec: ANSI B107.10M

Features

- Chrome plating provides increased protection from rust and corrosion.
- Drive handles provide extra leverage with greater strength than ratchets.
- Speeder handle is ideal for fast turn down of fasteners.



3/8" DRIVE EXTENSIONS AND ACCESSORIES

High-Polished Chrome Finish

Product Code	Description	Length (Inches)
B-101	Extension	1 1/2
B-108	Extension	3
B-110	Extension	6
B-115	Extension	11
B-118	Extension	18
BFE-8	Flexible Extension	8
B-140A	Universal Joint	2
B-70	Ratchet Spinner Disk	1 1/4

Fed. Spec: ANSI B107.10M

WSB-5XT 5 Piece Extension Set in Pouch - 049605 **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)
B-101	1 1/2	B-115	11
B-108	3	B-118	18
B-110	6		

Features

- Chrome plating provides increased protection from rust and corrosion.
- Flexible extension is designed for low torque applications in limited access areas.
- Ball and spring socket retention.
- . Spinner disk is ideal for fast turn down of fasteners.

WILLIAMS

3/8" DRIVE ADAPTORS

High-Polished Chrome and Black Industrial Finish							
Product Code	Length (Inches)	Male End (Inches)	Female End (Inches)				
Chrome Fin	ish						
BS-130	1 ⁵ / ₁₆	1/2	3/8				
Black Indus	strial Finish						
BS-130B	1 5/16	1/2	3/8				
BS-131BF	1 5/16	3/8	1/2				

Fed. Spec: ANSI B107.10M

Features

• Ball and spring socket retention.























3/8" DRIVE





3/8" DRIVE RATCHETS AND HANDLES

High-Polished Chrome Finish

Product Code	Description	Length (Inches)	Repair Kit
31001	38 Tooth Quick-Release Ratchet	7 3/4	31001RK
31011	Ultra-Fine 60-Tooth Ratchet	7 3/4	31011RK
31005	Flex Handle	10	
11920	Flex Handle, Comb. 3/8" x 1/2" Drive	10	
31007	Sliding T-Handle	7 3/4	
31016	3/8" Drive Špinner Handle	9	

Fed. Spec: ANSI B107.10M

Features

- · Ball and spring socket retention.
- Williams 3/8" Drive Ratchets Feature:
 - Ultra-fine 60 tooth model offers 6° tooth action in a narrow pear head.
- Unique Finger-Fit handles to provide a comfortable, non-slip grip and extra turning power.
- Choice of 38-tooth quick-release or 60-tooth ultra-fine gear.
- Narrow pear-shaped heads for access into confined work areas.
- · High-polished chrome finish for easy cleaning.
- . Spinner handle features bi-mold comfort-grip handle.
- Unique combination 3/8" x 1/2" drive flex handle offers convenience of both drive sizes on one handle.

WILLIAMS

3/8" DRIVE EXTENSIONS AND ACCESSORIES

High-Polished Chrome Finish

Product Code	Description	Length (Inches)
31002	Extension	3
31003	Extension	6
31004	Extension	10
31006	Universal Joint	2
31008	Adaptor, 3/8" F x 1/4" M	1
31009	Adaptor, 3/8" F x 1/2" M	1 1/4
31013	Holder for 1/4" Hex Screwdriver Bits	3/4
31023	Locking Extension	3
31024	Locking Extension	6
31025	Locking Extension	10
31026	Locking Extension	12
31027	Locking Extension	18
31028	Locking Extension	24

Fed. Spec: ANSI B107.10M

Features

- Chrome plating provides increased protection from rust and corrosion.
- · Ball and spring socket retention.

WILLIAMS

6 PIECE 3/8" DRIVE RATCHET AND DRIVE TOOL SET

Furnished in a Pouch

Product Code	Description
31920	6 Piece 3/8" Drive Ratchet and Accessory Set

Contents Include:

Product Code	Description	Product Code	Description
31001	38 Tooth Quick-Release Ratchet	31005	10" Flex Handle Breaker Bar
31002	3" Extension	31006	Universal Joint
31004	10" Extension	31007	7 3/4" Sliding T-Handle

Features

31920

• All tools are professional quality, made of high-grade chrome vanadium steel.

3/8" DRIVE







3/8" DRIVE SHALLOW 12 POINT SOCKETS, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
B-1208	1/4	1 1/32	11/16	13/32	7/32	9/16	7/32	17/32
B-1210	⁵ /16	1 1/32	11/16	⁷ / ₁₆	1/4	9/16	17/64	17/32
B-1211	11/32	1 1/32	11/16	1/2	9/32	9/16	21/64	17/32
B-1212	3/8	1 1/32	11/16	9/16	9/32	9/16	11/32	17/32
B-1214	7/16	1 1/32	11/16	5/8	⁵ / ₁₆	9/16	11/32	17/32
B-1216	1/2	1 1/32	23/32	23/32	11/32	3/8	3/8	-
B-1217	17/32	1 1/32	²⁵ / ₃₂	25/32	13/32	3/4	1/2	-
B-1218	9/16	1 3/32	25/32	25/32	9/16	19/32	17/32	-
B-1219	19/32	1 3/32	25/32	25/32	⁹ / ₁₆	9/16	9/16	-
B-1220	5/8	1 1/8	27/32	27/32	19/32	5/8	19/32	-
B-1222	11/16	1 5/32	¹⁵ / ₁₆	15/16	5/8	5/8	11/16	-
B-1224	3/4	1 3/16	1	1	11/16	11/16	23/32	-
B-1226	13/16	1 1/4	1 1/16	1 1/16	11/16	11/16	25/32	-
B-1228	7/8	1 %2	1 5/32	1 5/32	25/32	25/32	7/8	-
B-1230	15/16	1 3/8	1 1/4	1 1/4	13/16	27/32	29/32	-
B-1232	1	1 13/32	1 5/16	1 5/16	27/32	7/8	1	-



B-1208

Fed. Spec: ANSI B107.1

WSB-10RC 10 Piece 3/8" Drive Shallow 12-Point Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
B-1210	5/16	B-1218	9/16	B-1226	13/16
B-1212	3/8	B-1220	5/8	B-1228	7/8
B-1214	7/16	B-1222	11/16		
B-1216	1/2	B-1224	3/4		

WSB-13RC 13 Piece 3/8" Drive Shallow 12-Point Socket Set on Clip Rail **Contents Include:**

•••••••					
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
B-1208	1/4	B-1218	9/16	B-1228	7/8
B-1210	5/16	B-1220	5/8	B-1230	15/16
B-1212	3/8	B-1222	11/16	B-1232	1
B-1214	7/16	B-1224	3/4		
B-1216	1/6	B-1226	13/16		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on both 6 and 12 point fasteners.






















3/8" DRIVE SHALLOW SOCKETS, 6 POINT, SAE

High-Polished Chrome Finish





B-616

B-608



Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
B-610	5/16	B-618	9/16	B-626	13/16
B-612	3/8	B-620	5/8	B-628	7/8
B-614	7/16	B-622	11/16		
B-616	1/2	R-624	3/4		

WSB-13HRC 13 Piece 3/8" Drive Shallow 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
B-608	1/4	B-618	9/16	B-628	7/8
B-610	5/16	B-620	5/8	B-630	15/16
B-612	3/8	B-622	11/16	B-632	1
B-614	⁷ / ₁₆	B-624	3/4		
B-616	1/2	B-626	13/16		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- . Designed for maximum engagement on 6 point fasteners.



WSB-10HRC



3/8" DRIVE

WILLIAMS





3/8" DRIVE SHALLOW SOCKETS, 12 POINT, SAE

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
31208	1/4	1	11/16	7/16	11/32	9/16	7/32	17/32
31210	5/16	1	11/16	15/32	3/8	17/32	1/4	17/32
31212	3/8	1	11/16	9/16	3/8	1/2	9/32	17/32
31214	7/16	1	11/16	5/8	11/32	17/32	13/32	17/32
31216	1/2	1	3/4	3/4	13/32	19/32	7/16	
31218	9/16	1 1/16	25/32	25/32	17/32	5/8	17/32	
31220	5/8	1 1/16	7/8	7/8	19/32	11/16	19/32	
31222	11/16	1 1/16	¹⁵ / ₁₆	¹⁵ /16	1/2	11/16	21/32	
31224	3/4	1 1/8	1	1	9/16	23/32	23/32	
31226	13/16	1 1/8	1 1/8	1 1/8	9/16	23/32	25/32	
31228	7/8	1 7/32	1 3/16	1 ³ / ₁₆	21/32	13/16	27/32	
31230	¹⁵ / ₁₆	1 7/32	1 1/4	1 1/4	21/32	13/16	27/32	
31232	1	1 7/32	1 5/16	1 5/16	11/16	13/16	31/32	

Fed. Spec: ANSI B107.1

31923 9 Piece 3/8" Drive Shallow 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31208	1/4	31214	7/16	31220	5/8
31210	5/16	31216	1/2	31222	11/16
31212	3/2	31218	9/16	31224	3/4

31925 13 Piece 3/8" Drive Shallow 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31208	1/4	31218	9/16	31228	7/8
31210	5/16	31220	5/8	31230	15/16
31212	3/8	31222	11/16	31232	1
31214	7/16	31224	3/4		
31216	1/2	31226	13/16		







3/8" DRIVE SHALLOW SOCKETS, 6 POINT, SAE

High-l	Polish	ed Chi	rome Fi	nish				
		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
31108	1/4	1	11/16	7/16	11/32	9/16	7/32	17/32
31110	5/16	1	11/16	15/32	3/8	17/32	1/4	17/32
31112	3/8	1	11/16	9/16	3/8	1/2	9/32	17/32
31114	7/16	1	11/16	5/8	11/32	17/32	13/32	17/32
31116	1/2	1	3/4	3/4	13/32	19/32	7/16	
31118	9/16	1 1/16	25/32	25/32	17/32	5/8	17/32	
31120	5/8	1 1/16	7/8	7/8	19/32	11/16	19/32	
31122	11/16	1 1/16	15/16	15/16	1/2	11/16	21/32	
31124	3/4	1 1/8	1	1	9/16	23/32	23/32	
31126	13/16	1 1/8	1 1/8	1 1/8	9/16	23/32	25/32	
31128	7/8	1 7/32	1 3/16	1 3/16	21/32	13/16	27/32	
31130	15/16	1 7/32	1 1/4	1 1/4	21/32	13/16	27/32	
31132	1	1 7/22	1 5/46	1 5/16	11/16	13/46	31/22	_

31132 1 1 ½2 Fed. Spec: ANSI B107.1

31922 9 Piece 3/8" Drive Shallow 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31108	1/4	31114	7/16	31120	5/8
31110	5/16	31116	1/2	31122	11/16
31112	3/6	21110	9/4.0	31124	3/4

31924 13 Piece 3/8" Drive Shallow 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31108	1/4	31118	9/16	31128	7/8
31110	5/16	31120	5/8	31130	15/16
31112	3/8	31122	11/16	31132	1
31114	7/16	31124	3/4		
31116	1/2	31126	13/16	J.	













Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 12 point fasteners.









- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.

3/8" DRIVE









3/8" DRIVE SHALLOW SOCKETS, 4 & 8 POINT, SAE

High-Polished Chrome Finish

•		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
BD-808	1/4	29/32	21/32	15/32	7/32	13/32	5/32	7/16
B-409 **	9/32	1 1/32	11/16	⁹ /16	5/16	17/32	3/16	1/2
BD-810	5/16	29/32	21/32	⁹ /16	1/4	13/32	1/4	7/16
BD-812	3/8	15/16	11/16	41/64	9/32	7/16	5/16	15/32
BD-814	7/16	1	23/32	23/32	9/32	1/2	5/16	
BD-816	1/2	1	²⁹ / ₃₂	²⁹ / ₃₂	5/16	1/2	13/32	
BD-818	9/16	1 1/8	1	1	13/32	5/8	17/32	
BD-820	5/8	1 1/8	1 1/16	1 1/16	7/16	5/8	19/32	-

^{** 4} Point Socket

Fed. Spec: ANSI B107.1

WSBD-7RC 7 Piece 8 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
BD-808	1/4	BD-814	⁷ / ₁₆	BD-820	5/8
BD-810	5/16	BD-816	1/2		
BD-812	3/8	BD-818	9/16		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- 8 point sockets are designed for quick engagement on 4 point fasteners.



3/8" DRIVE 5 POINT PENTA-SOCKET

Black Industrial Finish

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
Code	unchesi	unchesi	unchesi	unchesi	unches	unchesi	unches	unches
BB-526	⁵¹ / ₆₄	1 ½16	1 1/8	1 1/8	⁷ / ₁₆	1/2	23/32	

Features

 5 point Penta-Socket services 5 point nuts found on tamper-resistant Buffalo covers used by gas, electric, and some water companies to protect shutoff gates.



3/8" DRIVE UNIVERSAL SOCKETS, 12 POINT, SAE

High-Polished Chrome Finish

Product Code	Size (Inches)	A OAL (Inches)	B Drive End Diameter (Inches)	C Open End Diameter (Inches)	D Broach Depth (Inches)	E Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	F Nose Length (Inches)
BU-1212	3/8	125/32	3/4	1/2	1/4	1/2	5/16	15/64
BU-1214	7/16	1 ²⁵ / ₃₂	3/4	5/8	1/4	1/2	11/32	15/64
BU-1216	1/2	1 ²⁵ / ₃₂	3/4	11/16	5/16	9/16	11/32	9/32
BU-1218	9/16	1 ²⁵ / ₃₂	3/4	3/4	11/32	5/8	11/32	17/32
BU-1220	5/8	125/32	3/4	7/8	13/32	11/16	11/32	17/32
BU-1222	11/16	2	3/4	¹⁵ / ₁₆	7/16	23/32	11/32	17/32
BU-1224	3/4	21/8	3/4	1	17/32	13/16	11/32	5/8

Fed. Spec: ANSI B107.1

WSB-7U 7 Piece 12 Point Universal Socket Set on Clip Rail Contents Include:

Ountents ii	iviauci				
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
BU-1212	3/8	BU-1218	9/16	BU-1224	3/4
BU-1214	7/16	BU-1220	5/8		
BU-1216	1/2	BU-1222	11/16		



• Ideal for work in confined areas where fastener is inaccessible to standard sockets.



BD-814



WSBD-7RC



BB-526



BU-1220, BU-1212



WSB-7U

3/8" DRIVE







3/8" DRIVE UNIVERSAL SOCKETS, 6 POINT, SAE

_		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Open End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
31142	3/8	1 53/64	3/4	9/16	3/8	35/64	21/64	5/16
31144	7/16	1 ⁵³ / ₆₄	3/4	5/8	3/8	35/64	21/64	5/16
31146	1/2	1 ⁵⁷ / ₆₄	3/4	45/64	13/32	37/64	21/64	13/32
31148	9/16	1 ⁵⁷ / ₆₄	3/4	25/32	7/16	43/64	21/64	33/64
31150	5/8	2	3/4	55/64	7/16	45/64	21/64	33/64
31152	11/16	2 3/64	3/4	¹⁵ / ₁₆	31/64	3/4	21/64	17/32
31154	3/4	2 3/64	3/4	1 1/64	1/2	51/64	²¹ / ₆₄	17/32



31938 7 Piece 6 Point Universal socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31142	3/8	31148	9/16	31154	3/4
31144	7/16	31150	5/8		
31146	1/2	31152	11/16		



· Ideal for work in confined areas where fastener is inaccessible to standard sockets





3103







3/8" DRIVE UNIVERSAL SOCKETS, 6 POINT, MM

High-Polished Chrome Finish

		Α	В	С	D	E		F
ь	٥.		Drive End	Open End	Broach		Bolt Clearance	Nose
Product Code	Size (mm)	OAL (Inches)	Diameter (Inches)	Diameter (Inches)	Depth (Inches)	Depth (Inches)	Diameter (Inches)	Length (Inches)
31528	8	1 27/32	3/4	15/32	23/64	35/64	15/64	21/64
31530	10	1 ⁵⁵ / ₆₄	3/4	⁹ /16	23/64	35/64	21/64	21/64
31531	11	1 ⁵⁵ / ₆₄	3/4	5/8	23/64	35/64	21/64	21/64
31532	12	1 ⁵⁵ / ₆₄	3/4	43/64	23/64	35/64	21/64	21/64
31533	13	1 ⁵⁵ / ₆₄	3/4	⁴⁵ / ₆₄	23/64	35/64	²¹ / ₆₄	23/64
31534	14	1 15/16	3/4	49/64	25/64	39/64	21/64	1/2
31535	15	1 ⁵⁷ / ₆₄	3/4	53/64	25/64	39/64	21/64	1/2
31536	16	2	3/4	⁵⁵ / ₆₄	7/16	⁴⁵ / ₆₄	21/64	1/2
31537	17	2	3/4	¹⁵ / ₁₆	7/16	45/64	21/64	1/2
31538	18	2 ¹ / ₆₄	3/4	¹⁵ / ₁₆	15/32	3/4	21/64	1/2
31539	19	2 3/64	3/4	1	1/2	49/64	21/64	1/2

Fed. Spec: ANSI B107.1

31939 11 Piece 6 Point Universal Socket Set on Clip Rail Contents Include:

Product Code	Size (mm)	Product Code	Size (mm)	Product Code	Size (mm)
31528	8	31533	13	31537	17
31530	10	31534	14	31538	18
31531	11	31535	15	31539	19
31532	12	31536	16		

Features

· Ideal for work in confined areas where fastener is inaccessible to standard sockets



31539 3153



31939







3/8" DRIVE



BCF-26



BCF-32



WILLIAMS





3/8" DRIVE CROWFOOT WRENCH, FLARE NUT, 12 POINT

Satin Chrome Finish, SAE

		Α	В	С	D
Product Code	Size (Inches)	Diameter of Head	Thickness of Head	Width of Slot	Length of Centers
BCF20	5/8	15/16	11/16	15/32	47/64
BCF22	11/16	1 1/32	11/16	17/32	²⁵ / ₃₂
BCF24	3/4	1 1/8	23/32	9/16	⁵³ / ₆₄
BCF26	¹³ / ₁₆	1 13/64	23/32	5/8	7/8
BCF28	7/8	1 19/64	3/4	11/16	¹⁵ / ₁₆
BCF30	¹⁵ / ₁₆	1 3/8	3/4	23/32	¹⁵ / ₁₆
BCF32	1	1 29/64	²⁵ / ₃₂	3/4	1 1/64
BCF34	1 1/16	1 17/32	²⁵ / ₃₂	²⁵ / ₃₂	1 3/64

Fed. Spec: ASME B107.21 Type 1 Class 1

WSBCF-8 8 Piece 12 Point Crowfoot Wrench on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
BCF20	5/8	BCF24	3/4	BCF28	7/8	BCF32	1
BCF22	11/16	BCF26	¹³ / ₁₆	BCF30	15/16	BCF34	1 1/16
BCF24	3/4						





3/8" DRIVE CROWFOOT WRENCH, OPEN END, SAE

High-Polished Chrome Finish

		Α	В	С	D	
Product	Size	Overall Length	Diameter of Head	Thickness of Head	Thickness of Drive	Length of Centers
Code	(Inches)	(Inches)	(Inches)	(Inches)	End (Inches)	(Inches)
10700	3/8	1 1/4	3/4	1/4	1/2	5/8
10701	7/16	1 3/8	3/4	1/4	1/2	3/4
10702	1/2	1 ½	1	1/4	1/2	3/4
10703	9/16	1 3/4	1 1/8	1/4	1/2	1
10704	5/8	1 3/4	1 1/4	1/4	1/2	1
10705	11/16	2	1 1/2	1/4	1/2	1 1/8
10706	3/4	2	1 ½	1/4	1/2	1 1/8
10707	13/16	2 1/8	1 5/8	1/4	1/2	1 1/4
10708	7/8	2 1/4	1 %	1/4	1/2	1 1/4
10709	15/16	2 1/4	2 2	3/8	1/2	1 1/4
10710	. 1	2 1/4		3/8	1/2	1 1/4
10711	1 1/16	2	1 3/4	3/8	5/8	1 1/8
10712	1 1/8	2	2	3/8	5/8	1 1/8
10713	1 3/16	1 1/8	2	3/8	5/8	1 1/4
10714	1 1/4	1 1/8	2	3/8	5/8	1 1/4
10715	1 1/16	1 1/8	2 ½	3/8	5/8	1 1/4
10716	1 %	2 1/4	2 1/4	3/8	5/8	1 1/4
10717	1 1/16	2 1/4	2 3/8	3/8	5/8	1 %
10718	1 1/2	2 1/2	2 1/2	3/8	5/8	1 3/8
10719	1 1/16	2 1/2	2 1/2	3/8	5/8	1 1/2
10720	1 1/8	2 1/2	2 1/2	3/8	5/8	1 1/2
10721	1 11/16	2 1/2	2 5/8	3/8	5/8	1 1/2
10722	1 3/4	2 1/2	2 3/4	3/8	5/8	1 1/2
10723	1 ¹³ / ₁₆	2 1/2	2 3/4	3/8	5/8	1 1/2
10724	1 1/8	2 3/4	3 1/8	3/8	5/8	1 5/8
10725	1 15/16	2 3/4	3 1/8	3/8	5/8	1 5/8
10726	2	3	3 %	1/2	5/8	1 3/4

Fed. Spec: ANSI B107.1

10741



10740 13 Piece 3/8" Drive Crowfoot Wrenches on Clip Rails Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
10700	3/8	10704	5/8	10708	7/8
10701	7/16	10705	11/16	10709	¹⁵ / ₁₆
10702	1/2	10706	3/4	10710	1
10703	9/16	10707	13/16	10711	1 1/16
				10712	1 1/8

10741 14 Piece 3/8" Drive Crowfoot Wrenches on Clip Rails Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
10713	1 3/16	10718	1 1/2	10723	1 13/16
10714	1 1/4	10719	1 %16	10724	1 1/8
10715	1 5/16	10720	1 5/8	10725	1 15/16
10716	1 3/8	10721	1 11/16	10726	2
10717	1 7/16	10722	1 3/4		

Features

Designed for quick engagement on both 6 and 12 point fasteners.

3/8" DRIVE

WILLIAMS




3/8" DRIVE CROWFOOT WRENCH, OPEN END, MM

		Α	В	С	D	Ε
Product Code	Size (MM)	Overall Length (Inches)	Diameter of Head (Inches)	Thickness of Head (Inches)	Thickness of Drive End (Inches)	Length of Centers (Inches)
10759	9	1 1/4	3/4	1/4	1/2	5/8
10760	10	1 1/4	3/4	1/4	1/2	5/8
10761	11	1 3/8	7/8	1/4	1/2	3/4
10762	12	1 3/8	7/8	1/4	1/2	3/4
10763	13	1 1/2	1	1/4	1/2	3/4
10764	14	1 3/4	1 1/8	1/4	1/2	1
10765	15	1 3/4	1 1/8	1/4	1/2	1
10766	16	1 3/4	1 1/4	1/4	1/2	1
10767	17	2	1 1/2	1/4	1/2	1 1/8
10768	18	2	1 1/2	1/4	1/2	1 1/8
10769	19	2	1 1/2	1/4	1/2	1 1/8
10770	20	2 ½	1 %	1/4	1/2	1 1/4
10771	21	2 1/8	1 %	1/4	1/2	1 1/4
10772	22	2 1/4	1 1/8	1/4	1/2	1 1/4
10773	23	2 1/4	1 %	1/4	1/2	1 1/4
10774	24	2 ½	2	1/4	1/2	1 1/4



10790 8 Piece 3/8" Drive Crowfoot Wrenches on Clip Rails Contents Include:

Product Code	Size (mm)	Product Code	Size (mm)	Product Code	Size (mm)
10759	9	10762	12	10765	15
10760	10	10763	13	10766	16
10761	11	10764	14		



Product Code	Size (mm)	Product Code	Size (mm)	Product Code	Size (mm)
10767	17	10770	20	10773	23
10768	18	10771	21	10774	24
10769	19	10772	22		



10701

Features

• Designed for quick engagement on both 6 and 12 point fasteners.







3/8" DRIVE BOLT THRU SOCKETS, 6 POINT, SAE

Product Code	Size (Inches)	Overall Length (Inches)	External Hex Inches
31612BT	3/8	1 7/16	3/4
31614BT	7/16	1 7/16	3/4
31616BT	1/2	1 7/16	3/4
31618BT	9/16	1 7/16	3/4
31620BT	5/8	1 7/16	3/4
31622BT	11/16	1 7/16	3/4
31624BT	3/4	1 1/16	3/4

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- . Designed for quick engagement on both 6 point fasteners.



31612BT







3/8" DRIVE



31708BT







3/8" DRIVE BOLT THRU SOCKETS, 6 POINT, MM

Product Code	Size (mm)	Overall Length (Inches)	External Hex Inches
31708BT	8	1 7/16	3/4
31709BT	9	1 7/16	3/4
31710BT	10	1 7/16	3/4
31711BT	11	1 7/16	3/4
31712BT	12	1 7/16	3/4
31713BT	13	1 7/16	3/4
31714BT	14	1 7/16	3/4
31715BT	15	1 7/16	3/4
31716BT	16	1 7/16	3/4
31717BT	17	1 7/16	3/4
31718BT	18	1 7/16	3/4
31719BT	19	1 7/16	3/4

Features

• Designed for quick engagement on 6 point fasteners.









3/8" DRIVE DEEP SOCKETS, 12 POINT, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
BD-1208	1/4	2 1/8	11/16	13/32	7/32	1 ¹¹ / ₁₆	7/32	1 %
BD-1210	5/16	2 1/8	11/16	15/32	1/4	1 ¹¹ / ₁₆	5/16	1 %
BD-1212	3/8	2 1/8	11/16	9/16	9/32	1 ¹¹ / ₁₆	3/8	1 %
BD-1214	7/16	2 1/8	11/16	5/8	9/32	1 ¹¹ /16	7/16	1 %
BD-1216	1/2	2 1/8	23/32	²³ / ₃₂	11/32	1 11/32	15/32	-
BD-1218	9/16	2 %	²⁵ / ₃₂	25/32	9/16	1 %16	17/32	
BD-1220	5/8	2 %	27/32	27/32	19/32	1 %16	19/32	
BD-1222	11/16	2 %	¹⁵ /16	¹⁵ /16	5/8	1 ¹¹ / ₁₆	21/32	
BD-1224	3/4	2 %	1	1	21/32	1 ¹¹ / ₁₆	23/32	
BD-1226	13/16	2 3/4	1 1/16	1 1/16	11/16	2 1/32	²⁵ / ₃₂	
BD-1228	7/8	2 3/4	1 5/32	1 5/32	3/4	2 1/32	²⁷ / ₃₂	
BD-1230	15/16	2 3/4	1 1/4	1 1/4	¹³ / ₁₆	2 1/32	²⁷ / ₃₂	
BD-1232	1	2 3/4	1 ½16	1 5/16	27/32	2	31/32	•

Fed. Spec: ANSI B107.1

WSBD-9RC 9 Piece 3/8" Drive Deep 12 Point Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
BD-1212	3/8	BD-1218	9/16	BD-1224	3/4
BD-1214	⁷ /16	BD-1220	5/8	BD-1226	13/16
BD-1216	1/2	BD-1222	11/16	BD-1228	7/8

WSBD-13RC 13 Piece 3/8" Drive Deep 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
BD-1208	1/4	BD-1218	9/16	BD-1228	7/8
BD-1210	5/16	BD-1220	5/8	BD-1230	¹⁵ / ₁₆
BD-1212	3/8	BD-1222	11/16	BD-1232	1
BD-1214	7/16	BD-1224	3/4		
BD-1216	1/2	BD-1226	13/16		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on both 6 and 12 point fasteners.



BD-1216 BD-1208



WSBD-9RC



WSBD-13RC



3/8" DRIVE








3/8" DRIVE DEEP SOCKETS, 12 POINT, SAE

High-F	Polished	d Chron	ne Finisł	1				
		A	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
31408	1/4	2 1/2	11/16	7/16	11/32	1 11/16	7/32	1 1/16
31410	5/16	2 1/2	11/16	15/32	3/8	1 11/16	5/16	1 1/16
31412	3/8	2 1/2	11/16	9/16	3/8	1 11/16	3/8	1 1/16
31414	7/16	2 1/2	11/16	5/8	11/32	1 11/16	7/16	1 1/16
31416	1/2	2 1/2	3/4	3/4	13/32	1 11/32	15/32	
31418	9/16	2 1/2	25/32	25/32	17/32	1 %16	17/32	
31420	5/8	2 1/2	7/8	7/8	19/32	1 %16	19/32	
31422	11/16	2 1/2	15/16	15/16	1/2	1 11/16	21/32	
31424	3/4	2 1/2	1	1	9/16	1 11/16	23/32	
31426	13/16	2 1/2	1 1/8	1 1/8	9/16	2 1/32	25/32	
31428	7/8	2 1/2	1 3/16	1 3/16	21/32	2 1/32	27/32	
31430	15/16	2 1/2	1 1/4	1 1/4	21/32	2 1/32	27/32	
31432	1	2 1/2	1 5/16	1 5/16	11/16	2	31/32	

Fed. Spec: ANSI B107.1

31926 9 Piece 3/8" Drive Deep 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31408	1/4	31414	7/16	31420	5/8
31410	5/16	31416	1/2	31422	11/16
31412	3/8	31418	9/16	31424	3/4



Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31408	1/4	31418	9/16	31428	7/8
31410	5/16	31420	5/8	31430	¹⁵ / ₁₆
31412	3/8	31422	11/16	31432	1
31414	7/16	31424	3/4		
31416	1/2	31426	13/16		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- . Designed for quick engagement on both 6 and 12 point fasteners.





3/8" DRIVE DEEP SOCKETS, 6 POINT, SAE

High-P	'olished	i Chron	ne Finish					
•		Α	В	С	D	E		F
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
BD-608	1/4	2 1/8	11/16	13/32	1/4	1 11/16	7/32	1 %
BD-610	5/16	2 1/8	11/16	7/16	9/32	1 11/16	5/16	1 %
BD-611	11/32	2 1/8	11/16	1/2	1/4	1 11/16	11/32	1 %
BD-612	3/8	2 1/8	11/16	9/16	5/16	1 11/16	3/8	1 %
BD-614	7/16	2 1/8	11/16	19/32	3/8	1 11/16	7/16	1 %
BD-616	1/2	2 1/8	23/32	23/32	7/16	1 11/16	15/32	
BD-618	9/16	2 ¾	25/32	25/32	7/16	1 %16	17/32	
BD-620	5/8	2 %	27/32	27/32	1/2	1 %16	19/32	
BD-622	11/16	2 %	¹⁵ / ₁₆	15/16	17/32	1 3/4	21/32	
BD-624	3/4	2 %	1	1	5/8	1 3/4	23/32	
BD-626	13/16	2 3/4	1 ½16	1 1/16	11/16	1 27/32	25/32	
BD-628	7/8	2 3/4	1 5/32	1 5/32	23/32	1 ²⁷ / ₃₂	27/32	
BD-630	15/16	2 3/4	1 1/4	1 1/4	25/32	2 1/32	27/32	
BD-632	1	2 3/4	1 5/16	1 5/16	13/16	2 1/32	31/32	

Fed. Spec: ANSI B107.1

WSBD-13HRC 13 Piece 3/8" Drive Deep 6 Point Socket Set on Clip Rail **Contents Include:**

Outtoines in	oiuuci				
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
BD-608	1/4	BD-618	9/16	BD-628	7/8
BD-610	5/16	BD-620	5/8	BD-630	¹⁵ / ₁₆
BD-612	3/8	BD-622	11/16	BD-632	1
BD-614	7/16	BD-624	3/4		
BD-616	1/2	BD-626	13/16		

- Features
 SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.







31928











3/8" **DRIVE**















3/8" DRIVE DEEP SOCKETS, 6 POINT, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
31308	1/4	2 1/2	11/16	7/16	11/32	1 11/16	7/32	1 1/16
31310	5/16	2 1/2	11/16	15/32	3/8	1 11/16	⁵ / ₁₆	1 1/16
31312	3/8	2 1/2	11/16	⁹ /16	3/8	1 11/16	3/8	1 1/16
31314	7/16	2 1/2	11/16	5/8	11/32	1 11/16	7/16	1 1/16
31316	1/2	2 1/2	3/4	3/4	13/32	1 11/32	15/32	-
31318	9/16	2 1/2	25/32	25/32	17/32	1 %16	17/32	-
31320	5/8	2 1/2	7/8	7/8	19/32	1 %16	19/32	-
31322	11/16	2 1/2	¹⁵ /16	¹⁵ / ₁₆	1/2	1 11/16	21/32	-
31324	3/4	2 1/2	1	1	9/16	1 11/16	²³ / ₃₂	-
31326	¹³ / ₁₆	2 1/2	1 1/8	1 1/8	9/16	2 ½32	²⁵ / ₃₂	-
31328	7/8	2 1/2	1 ³ /16	1 ³ / ₁₆	21/32	2 ½32	²⁷ / ₃₂	-
31330	¹⁵ / ₁₆	2 1/2	1 1/4	1 1/4	21/32	2 ½32	²⁷ / ₃₂	-
31332	1	2 1/2	1 5/16	1 5/16	11/16	2	31/32	-

Fed. Spec: ANSI B107.1

31940 9 Piece 3/8" Drive Deep 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31308	1/4	31314	7/16	31320	5/8
31310	5/16	31316	1/2	31322	11/16
31312	3/8	31318	⁹ /16	31324	3/4

31941 13 Piece 3/8" Drive Deep 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
31308	1/4	31318	9/16	31328	7/8
31310	5/16	31320	5/8	31330	¹⁵ /16
31312	3/8	31322	11/16	31332	1
31314	7/16	31324	3/4		
31316	1/2	31326	¹³ / ₁₆		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Designed for quick engagement on 6 point fasteners.









3/8" DRIVE SPARK PLUG SOCKETS, 6 POINT, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
31301 31303	5/8 13/ ₁₆	2 ²⁷ / ₃₂ 2 ²³ / ₃₂	11/ ₁₆ 13/ ₁₆	²⁷ / ₃₂ 1 ½16	¹⁵ / ₃₂ ¹⁵ / ₃₂	²⁹ / ₃₂ 1 ¹ / ₃₂	11/ ₁₆ 7/ ₈	NA NA

Fed. Spec: ANSI B107.1

Features

• Rubber insert holds spark plug and prevents damage to insulator.

3/8" DRIVE







3/8" DRIVE SHALLOW SOCKETS, 12 POINT, METRIC

High-Polished Chrome Finish

		Α	В	С	D	Ε		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
BM-1206	6	11/32	11/16	13/32	7/32	9/16	7/32	17/32
BM-1207	7	1 1/32	11/16	13/32	7/32	9/16	7/32	17/32
BM-1208	8	1 1/32	11/16	15/32	1/4	9/16	9/32	17/32
BM-1209	9	1 1/32	11/16	1/2	9/32	9/16	11/32	17/32
BM-1210	10	1 1/32	11/16	⁹ /16	9/32	9/16	11/32	17/32
BM-1211	11	1 1/32	11/16	5/8	9/32	9/16	11/32	17/32
BM-1212	12	1 1/32	11/16	21/32	11/32	9/16	11/32	17/32
BM-1213	13	1 1/32	23/32	23/32	11/32	9/16	3/8	
BM-1214	14	1 1/32	25/32	²⁵ / ₃₂	7/16	17/32	17/32	
BM-1215	15	13/32	13/16	¹³ / ₁₆	19/32	19/32	⁹ / ₁₆	
BM-1216	16	11//8	27/32	²⁷ / ₃₂	19/32	5/8	19/32	
BM-1217	17	15/32	29/32	²⁹ / ₃₂	5/8	5/8	5/8	
BM-1218	18	15/32	31/32	31/32	5/8	21/32	11/16	
BM-1219	19	13/16	1	1	21/32	11/16	23/32	
BM-1220	20	1 7/32	1 1/32	1 1/32	11/16	23/32	3/4	
BM-1221	21	1 1/4	1 1/8	1 1/8	23/32	23/32	³ / ₁₆	
BM-1222	22	1 %2	1 5/32	1 5/32	3/4	3/4	³ / ₁₆	
BM-1223	23	1 5/16	1 3/16	1 ³ ⁄16	3/4	25/32	7/8	
BM-1224	24	1 %	1 1/4	1 1/4	¹³ / ₁₆	²⁷ / ₃₂	7/8	
BM-1226	26	1 7/16	1 11/32	1 11/32	27/32	7/8	15/16	

Fed. Spec: ANSI B107.5

MSB-12RC 12 Piece 3/8" Drive Shallow 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
BM-1208	8	BM-1212	12	BM-1216	16
BM-1209	9	BM-1213	13	BM-1217	17
BM-1210	10	BM-1214	14	BM-1218	18
BM-1211	11	BM-1215	15	BM-1219	19

MSB-17RC 17 Piece 3/8" Drive Shallow 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)						
BM-1206	6	BM-1211	11	BM-1216	16	BM-1221	21
BM-1207	7	BM-1212	12	BM-1217	17	BM-1222	22
BM-1208	8	BM-1213	13	BM-1218	18		
BM-1209	9	BM-1214	14	BM-1219	19		
BM-1210	10	BM-1215	15	BM-1220	20		

MSB-20RC 20 Piece 3/8" Drive Shallow 12 Point Socket Set on Clip Rail

Contents Include:

Product Code	Size (MM)						
BM-1206	6	BM-1211	11	BM-1216	16	BM-1221	21
BM-1207	7	BM-1212	12	BM-1217	17	BM-1222	22
BM-1208	8	BM-1213	13	BM-1218	18	BM-1223	23
BM-1209	9	BM-1214	14	BM-1219	19	BM-1224	24
BM-1210	10	BM-1215	15	BM-1220	20	BM-1226	26

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on both 6 and 12 point fasteners.









MSB-12R0



MSB-17RC



MSB-20RC













3/8" DRIVE SHALLOW SOCKETS, 6 POINT, METRIC

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product	Size	OAL	Drive End Diameter	Working End Diameter	Broach Depth	Bolt Clearance Depth	Bolt Clearance Diameter	Nose Length
Code	(MM)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
BM-6051/2	5 1/2	1 1/32	11/16	13/32	7/32	9/16	3/16	17/32
BM-606	6	1 1/32	11/16	13/32	7/32	⁹ ⁄ ₁₆	7/32	17/32
BM-607	7	1 1/32	11/16	13/32	7/32	9/16	7/32	17/32
BM-608	8	1 1/32	11/16	15/32	1/4	9/16	9/32	17/32
BM-609	9	1 1/32	11/16	1/2	9/32	9/16	11/32	17/32
BM-610	10	1 1/32	11/16	9/16	9/32	9/16	11/32	17/32
BM-611	11	1 1/32	11/16	5/8	9/32	9/16	11/32	17/32
BM-612	12	1 1/32	11/16	21/32	11/32	9/16	11/32	17/32
BM-613	13	1 1/32	23/32	23/32	11/32	9/16	3/8	•
BM-614	14	1 1/32	²⁵ / ₃₂	²⁵ / ₃₂	7/16	17/32	17/32	•
BM-615	15	1 3/32	¹³ / ₁₆	¹³ / ₁₆	19/32	19/32	9/16	•
BM-616	16	1 1/8	27/32	²⁷ / ₃₂	19/32	5/8	19/32	•
BM-617	17	1 5/32	29/32	29/32	5/8	5/8	5/8	•
BM-618	18	1 5/32	31/32	31/32	5/8	21/32	11/16	
BM-619	19	1 ³ / ₁₆	1	1	21/32	11/16	23/32	•
BM-620	20	1 7/32	1 1/32	1 1/32	11/16	23/32	3/4	•
BM-621	21	1 1/4	1 1/8	1 1/8	23/32	23/32	3/16	•
BM-622	22	1 %2	1 5/32	1 5/32	3/4	3/4	³ / ₁₆	•
BM-623	23	1 5/16	1 3/16	1 3/16	3/4	25/32	7/8	-
BM-624	24	1 %	1 1/4	1 1/4	13/16	27/32	7/8	-



MSB-12HRC 12 Piece 3/8" Drive Shallow 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
BM-608	8	BM-612	12	BM-616	16
BM-609	9	BM-613	13	BM-617	17
BM-610	10	BM-614	14	BM-618	18
BM-611	11	BM-615	15	BM-619	19

MSB-20HRC 20 Piece 3/8" Drive Shallow 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)						
BM-6051/2	5 1/2	BM-610	10	BM-615	15	BM-620	20
BM-606	6	BM-611	11	BM-616	16	BM-621	21
BM-607	7	BM-612	12	BM-617	17	BM-622	22
BM-608	8	BM-613	13	BM-618	18	BM-623	23
BM-609	9	BM-614	14	BM-619	19	BM-624	24

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.



BM-612





3/8" DRIVE







3/8" DRIVE SHALLOW SOCKETS, 12 POINT, METRIC

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
31606	6	1	11/16	3/8	11/32	17/32	7/32	9/16
31607	7	1	11/16	⁷ / ₁₆	5/16	17/32	7/32	9/16
31608	8	1	11/16	15/32	11/32	1/2	1/4	9/16
31609	9	1	11/16	17/32	3/8	17/32	9/32	9/16
31610	10	1	11/16	⁹ /16	11/32	15/32	3/8	9/16
31611	11	1	11/16	5/8	11/32	1/2	13/32	9/16
31612	12	1	11/16	11/16	3/8	9/16	7/16	
31613	13	1	3/4	3/4	3/8	9/16	1/2	-
31614	14	1 1/16	25/32	25/32	17/32	17/32		-
31615	15	1 1/16	¹³ / ₁₆	13/16	17/32	17/32		-
31616	16	1 1/16	7/8	7/8	17/32	17/32		-
31617	17	1 1/16	¹⁵ / ₁₆	¹⁵ / ₁₆	17/32	17/32		-
31618	18	1 1/16	31/32	31/32	17/32	17/32		-
31619	19	1 5/32	1	1	5/8	5/8		-



Fed. Spec: ANSI B107.5

31942 8 Piece 3/8" Drive Shallow 12 Point Socket Set on Clip Rail

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
31610	10	31613	13	31616	16
31611	11	31614	14	31617	17
31612	12	31615	15		

31943 14 Piece 3/8" Drive Shallow 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
31606	6	31611	11	31616	16
31607	7	31612	12	31617	17
31608	8	31613	13	31618	18
31609	9	31614	14	31619	19
31610	10	31615	15		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 12 point fasteners.



31942















3/8" DRIVE SHALLOW SOCKETS, 6 POINT, METRIC

High-Polished Chrome Finish

		Α	В	C	ט	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
31506	6	1	11/16	3/8	11/32	17/32	7/32	9/16
31507	7	1	11/16	7/16	5/16	17/32	7/32	9/16
31508	8	1	11/16	15/32	11/32	1/2	1/4	9/16
31509	9	1	11/16	17/32	3/8	17/32	9/32	9/16
31510	10	1	11/16	9/16	11/32	15/32	3/8	9/16
31511	11	1	11/16	5/8	11/32	1/2	13/32	9/16
31512	12	1	11/16	11/16	3/8	⁹ /16	7/16	-
31513	13	1	3/4	3/4	3/8	9/16	1/2	
31514	14	1 1/16	²⁵ / ₃₂	25/32	17/32	17/32		-
31515	15	1 1/16	13/16	13/16	17/32	17/32		-
31516	16	1 1/16	7/8	7/8	17/32	17/32		-
31517	17	1 1/16	¹⁵ /16	¹⁵ / ₁₆	17/32	17/32		
31518	18	1 1/16	31/32	31/32	17/32	17/32		-
31519	19	1 5/32	1	1	5/8	5/8		-

Fed. Spec: ANSI B107.5



31512 31506

31930 8 Piece 3/8" Drive Shallow 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
31510	10	31513	13	31516	16
31511	11	31514	14	31517	17
31512	12	31515	15		

31932 14 Piece 3/8" Drive Shallow 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
31506	6	31511	11	31516	16
31507	7	31512	12	31517	17
31508	8	31513	13	31518	18
31509	9	31514	14	31519	19
31510	10	31515	15		

- $\bullet \ \ SUPERTORQUE^{\circledcirc}\ lobular\ openings\ for\ greater\ turning\ power\ without\ deforming\ the\ fastener.$
- Designed for maximum engagement on 6 point fasteners.





3/8" DRIVE







3/8" DRIVE DEEP SOCKETS, 6 POINT, METRIC

High-Polished Chrome Finish

		Α	В	С	D	E		F
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length
Code	(MM)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
BMD-606	6	2 1/8	11/16	13/32	7/32	1 11/16	7/32	1 %
BMD-607	7	2 1/8	11/16	13/32	9/32	1 11/16	1/4	1 %
BMD-608	8	2 1/8	11/16	15/32	9/32	1 11/16	⁵ / ₁₆	1 %
BMD-609	9	2 1/8	11/16	1/2	9/32	1 11/16	11/32	1 %
BMD-610	10	2 1/8	11/16	9/16	5/16	1 11/16	3/8	1 %
BMD-611	11	2 1/8	11/16	5/8	3/8	1 11/16	7/16	1 %
BMD-612	12	2 1/8	11/16	21/32	13/32	1 11/16	15/32	1 %
BMD-613	13	2 1/8	23/32	23/32	13/32	1 5/8	17/32	
BMD-614	14	2 %	25/32	25/32	13/32	1 %16	17/32	
BMD-615	15	2 %	13/16	13/16	13/32	1 %16	17/32	
BMD-616	16	2 ¾	27/32	27/32	13/32	1 %16	19/32	
BMD-617	17	2 21/32	29/32	29/32	1/2	1 ¹³ / ₁₆	5/8	
BMD-618	18	2 21/32	31/32	31/32	1/2	1 ¹³ / ₁₆	21/32	
BMD-619	19	2 ²¹ / ₃₂	1	1	5/8	1 ¹⁵ /16	23/32	
BMD-620	20	2 ²¹ / ₃₂	1 1/32	1 1/32	5/8	1 ¹⁵ / ₁₆	25/32	
BMD-622	22	2 1/8	1 5/32	1 5/32	5/8	2 5/32	7/8	
BMD-623	23	2 1/8	1 3/16	1 3/16	1/2	2 5/32	27/32	
BMD-624	24	2 1/8	1 1/4	1 1/4	9/16	2 5/32	15/16	-
BMD-625	25	2 1/8	1 %2	1 %2	9/16	2 1/8	31/32	-
F I O ANOLE	2407.5							



BMD-612

BMD-606

Fed. Spec: ANSI B107.5

MSBD-12HRC 12 Piece 3/8" Drive Deep 6 Point Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
BMD-608	8	BMD-612	12	BMD-616	16
BMD-609	9	BMD-613	13	BMD-617	17
BMD-610	10	BMD-614	14	BMD-618	18
BMD-611	11	BMD-615	15	BMD-619	19

MSBD-19HRC 19 Piece 3/8" Drive Deep 6 Point Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)						
BMD-606	6	BMD-611	11	BMD-616	16	BMD-622	22
BMD-607	7	BMD-612	12	BMD-617	17	BMD-623	23
BMD-608	8	BMD-613	13	BMD-618	18	BMD-624	24
BMD-609	9	BMD-614	14	BMD-619	19	BMD-625	25
BMD-610	10	BMD-615	15	RMD-620	20		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.



MSBD-12HRC











3/8" **DRIVE**







3/8" DRIVE DEEP SOCKETS, 12 POINT, METRIC

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
31806	6	2 1/2	11/16	3/8	5/8	1 %16	7/32	1 7/32
31807	7	2 1/2	11/16	7/16	5/8	1 %16	1/4	1 7/32
31808	8	2 1/2	11/16	7/16	5/8	1 %16	9/32	1 7/32
31809	9	2 1/2	11/16	17/32	5/8	1 %16	⁵ /16	1 7/32
31810	10	2 1/2	11/16	9/16	1	1 ¹¹ / ₁₆	3/8	1 7/32
31811	11	2 1/2	11/16	5/8	1	1 25/32	13/32	1 7/32
31812	12	2 1/2	11/16	11/16	1	1 25/32	7/16	-
31813	13	2 ½	23/32	23/32	1	1 ³¹ / ₃₂	1/2	
31814	14	2 1/2	3/4	3/4	1	2	17/32	-
31815	15	2 1/2	¹³ / ₁₆	13/16	1	1 ¹⁵ / ₁₆	⁹ /16	-
31816	16	2 1/2	7/8	7/8	1	1 ²⁹ / ₃₂	19/32	-
31817	17	2 1/2	¹⁵ /16	15/16	1	2	21/32	-
31818	18	2 1/2	31/32	31/32	1 1/16	1 29/32	11/16	-
31819	19	2 1/2	1	1	1 3/32	1 ³¹ / ₃₂	23/32	-

Fed. Spec: ANSI B107.5

31812

31806

31934 8 Piece 3/8" Drive Deep 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
31810	10	31813	13	31816	16
31811	11	31814	14	31817	17
31812	12	31815	15		

31936 14 Piece 3/8" Drive Deep 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
31806	6	31811	11	31816	16
31807	7	31812	12	31817	17
31808	8	31813	13	31818	18
31809	9	31814	14	31819	19
31810	10	31815	15		

- $\bullet \quad \text{SUPERTORQUE}^{\circledcirc} \ \text{lobular openings for greater turning power without deforming the fastener.} \\$
- Designed for quick engagement on both 6 and 12 point fasteners.







3/8" **DRIVE**







High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
31706	6	2 1/2	11/16	3/8	5/8	1 %16	7/32	1 7/32
31707	7	2 1/2	11/16	7/16	5/8	1 %16	1/4	1 7/32
31708	8	2 1/2	11/16	⁷ / ₁₆	5/8	1 %16	9/32	1 7/32
31709	9	2 1/2	11/16	17/32	5/8	1 %16	5/16	1 7/32
31710	10	2 1/2	11/16	9/16	1	1 11/16	3/8	1 7/32
31711	11	2 1/2	11/16	5/8	1	1 25/32	13/32	1 7/32
31712	12	2 1/2	11/16	11/16	1	1 25/32	7/16	-
31713	13	2 1/2	23/32	23/32	1	1 ³¹ / ₃₂	1/2	
31714	14	2 1/2	3/4	3/4	1	2	17/32	
31715	15	2 1/2	¹³ / ₁₆	¹³ / ₁₆	1	1 ¹⁵ / ₁₆	9/16	-
31716	16	2 1/2	7/8	7/8	1	1 29/32	19/32	-
31717	17	2 1/2	¹⁵ / ₁₆	15/16	1	2	21/32	
31718	18	2 1/2	31/32	31/32	1 1/16	1 29/32	11/16	
31719	19	2 1/2	1	1	1 3/32	1 ³¹ / ₃₂	23/32	



31944 8 Piece 3/8" Drive Deep 6 Point Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
31710	10	31713	13	31716	16
31711	11	31714	14	31717	17
31712	12	31715	15		

31945 14 Piece 3/8" Drive Deep 6 Point Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
31706	6	31711	11	31716	16
31707	7	31712	12	31717	17
31708	8	31713	13	31718	18
31709	9	31714	14	31719	19
31710	10	31715	15		

Features

- $\bullet \ \ SUPERTORQUE ^{\circledcirc}\ lobular\ openings\ for\ greater\ turning\ power\ without\ deforming\ the\ fastener.$
- Designed for quick engagement on 6 point fasteners.









31706





3/8" **DRIVE**







3/8" DRIVE TURBOSOCKET® SALVAGE/DAMAGED FASTENER SOCKETS

Black Industrial Finish, Metric and SAE

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
TS38375	3/8	1 1/4	11/16	19/32	13/32	3/4	3/8	11/16
TS38437	7/16	1 1/4	11/16	21/32	1/2	3/4	7/16	11/16
TS38500	1/2	1 1/4	3/4	3/4	1/2	3/4	1/2	-
TS38562	9/16	1 1/4	13/16	13/16	1/2	23/32	9/16	
TS38625	5/8	1 1/4	29/32	29/32	1/2	19/32	5/8	
TS38687	11/16	1 13/32	31/32	31/32	21/32	29/32	23/32	
TS38750	3/4	1 13/32	1 1/16	1 1/16	21/32	29/32	3/4	-

Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
TS38394	10	1 1/4	11/16	5/8	13/32	3/4	13/32	11/16
TS38472	12	1 1/4	23/32	23/32	1/2	3/4	15/32	-
TS38512	13	1 1/4	3/4	3/4	1/2	3/4	17/32	-
TS38551	14	1 1/4	13/16	13/16	1/2	23/32	9/16	-
TS38591	15	1 1/4	27/32	27/32	1/2	19/32	19/32	-
TS38669	17	1 13/32	31/32	31/32	21/32	29/32	23/32	



Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
TS38375	3/8	TS38562	9/16	TS38750	3/4
TS38437	⁷ / ₁₆	TS38625	5/8		
TS38500	1/2	TS38687	11/16		

TSCS3813 13 Piece TURBOSOCKET® Salvage Socket Set on Clip Rail, SAE and Metric

Contents Include:

Product Code	Size (Inches)	Product Code	Size (MM)
TS38375	3/8	TS38394	10
TS38437	⁷ / ₁₆	TS38472	12
TS38500	1/2	TS38512	13
TS38562	9/16	TS38551	14
TS38625	5/8	TS38591	15
TS38687	11/16	TS38669	17
TS38750	3/4		

TSMS3809 9 Piece TURBOSOCKET® Salvage Socket Set on Clip Rail, Metric Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
TS38394	10	TS38512	13	TS38625	16 (5%")
TS38437	11 (7/16")	TS38551	14	TS38669	17
TS38472	12	TS38591	15	TS38750	19 (¾")

Features

- · Quickly and easily remove damaged or rounded nuts and bolts.
- Place socket on fastener and turn with ratchet, breaker bar or T-handle.
- Grip on fastener tightens as more torque is applied.
- No hammering is required to install socket over fastener.
- Use on all types of standard nuts and bolts as well as studs, pipe nipples, and corroded auto and marine fasteners.
- May be used for "best fit" on metric and fractional fasteners.
- May be used with air or electric impact wrench for extra speed and turning power.



TS38375

TSCS3813



S3809 TSFS380

3/8" DRIVE

WILLIAMS



3/8" DRIVE STANDARD LENGTH HEX BIT SOCKETS, SAE

High-Polished Chrome Finish

Product	Size	Socket Length	Socket Outside Diameter	Overall Length	Replacement Bit
Code	(Inches)	(Inches)	(Inches)	(Inches)	Product Code
BA-3A	3/32	1 1/16	11/16	1 27/32	BITH03T-01
BA-4A	1/8	1 1/16	11/16	1 ¾	BITH04-03
BA-5A	5/32	1 1/16	11/16	1 1/8	BITH05-03
BA-6A	3/16	1 1/16	11/16	1 1/8	BITH06-03
BA-7A	7/32	1 1/16	11/16	1 1/8	BITH07-03
BA-8A	1/4	1 1/16	11/16	1 1/8	BITH08-03
BA-10A	5/16	1 1/16	11/16	1 1/8	BITH10-03
BA-12A	3/8	1 1/16	23/32	1 1/8	BITH12-01



WSB-7A 7 Piece Hex Bit Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
BA-4A	1/8	BA-8A	1/4
BA-5A	5/32	BA-10A	5/16
BA-6A	3/16	BA-12A	3/8
BA-7A	7/32		



WSBS-10RC 10 Piece Hex Bit Socket Set on Clip Rail, 3/8" and 1/2" Drive

Contents Include:

3/8" Drive Product Code	Size (Inches)	3/8" Drive Product Code	Size (Inches)	1/2" Drive Product Code	Size (Inches)
BA-4A	1/8	BA-8A	1/4	SA-16A	1/2
BA-5A	5/32	BA-10A	5/16	SA-18A	9/16
BA-6A	3/16	BA-12A	3/8	SA-20A	5/8
BA-7A	7/32				



Features

- High-polished chrome finish socket cleans easily.
- Two piece design allows bits to be replaced easily.

WILLIAMS



3/8" DRIVE STANDARD LENGTH HEX BIT SOCKETS, SAE

High-Polished Chrome Finish

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
35100	1/8	1 3/16	3/4	1 ²⁷ / ₃₂	21/32
35101	9/64	1 3/16	3/4	1 ²⁷ / ₃₂	21/32
35102	5/32	1 3/16	3/4	1 ²⁷ / ₃₂	21/32
35103	³ / ₁₆	1 3/16	3/4	1 ²⁷ / ₃₂	21/32
35104	7/32	1 3/16	3/4	1 ²⁷ / ₃₂	21/32
35105	1/4	1 3/16	3/4	1 ²⁷ / ₃₂	21/32
35106	5/16	1 3/16	3/4	1 ³¹ / ₃₂	¹³ / ₁₆
35107	3/8	1 3/16	3/4	1 ³¹ / ₃₂	¹³ / ₁₆



31902 8 Piece Hex Bit Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35100	1/8	35103	3/16	35106	5/16
35101	9/64	35104	7/32	35107	3/8
35102	5/32	35105	1/4		



Features

• High-polished chrome finish socket cleans easily.







3/8" DRIVE









BA-7HBA



WSBB-7RC



35120







3/8" DRIVE STANDARD LENGTH HEX BIT SOCKETS, METRIC

High-Polished Chrome Finish

Product Code	Size (MM)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
35170	4	1 3/16	3/4	1 27/32	21/32
35171	5	1 ³ / ₁₆	3/4	1 27/32	21/32
35172	6	1 ³ / ₁₆	3/4	1 27/32	21/32
35173	7	1 ³ / ₁₆	3/4	1 27/32	21/32
35174	8	1 ³ / ₁₆	3/4	1 31/32	13/16
35175	9	1 ³ / ₁₆	3/4	1 31/32	¹³ / ₁₆
35176	10	1 3/16	3/4	1 31/32	¹³ / ₁₆

31904 7 Piece Hex Bit Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
35170	4	35173	7	35176	10
35171	5	35174	8		
35172	6	35175	9		

Features

. High-polished chrome finish socket cleans easily.





3/8" DRIVE BALL TIP HEX BIT SOCKETS, SAE

High-Polished Chrome Finish

Product Code	Size (Inches)	Length (Inches)	Diameter (Inches)	Length (Inches)	Replacement Bit Product Code
BA-3HBA	3/32	1 1/16	11/16	1 27/32	BITHB03T-01
BA-4HBA	1/8	1 ¹ /16	11/16	1 1/8	BITHB04-02
BA-5HBA	5/32	1 1/16	11/16	1 7/8	BITHB05-02
BA-6HBA	³ / ₁₆	1 1/16	11/16	1 1/8	BITHB06-02
BA-7HBA	7/32	1 1/16	11/16	1 7/8	BITHB07-02
BA-8HBA	1/4	1 1/16	11/16	1 1/8	BITHB08-02
BA-10HBA	5/16	1 1/16	¹¹ / ₁₆	1 1/8	BITHB10-01
BA-12HBA	3/8	1 1/16	23/32	1 1/8	BITHB12-01

WSBB-7RC 7 Piece Ball Tip Hex Bit Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
BA-4HBA	1/8	BA-7HBA	7/32	BA-12HBA	3/8
BA-5HBA	5/32	BA-8HBA	1/4		
BA-6HBA	3/16	BA-10HBA	5/16		

Fasturas

- High-polished chrome finish socket cleans easily.
- · Two piece design allows bits to be replaced easily.

WILLIAMS



3/8" DRIVE BALL TIP HEX BIT SOCKETS, SAE

High-Polished Chrome Finish Size Socket Length Socket Outside Diameter Overall Length Bit Length								
Product Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)			
35120	1/8	1 3/16	3/4	1 27/32	11/16			
35121	9/64	1 3/16	3/4	1 ²⁷ / ₃₂	11/16			
35122	5/32	1 ³ / ₁₆	3/4	1 ²⁷ / ₃₂	11/16			
35123	3/16	1 3/16	3/4	1 ²⁷ / ₃₂	11/16			
35124	7/32	1 3/16	3/4	1 ²⁷ / ₃₂	11/16			
35125	1/4	1 3/16	3/4	1 27/32	11/16			
35126	5/16	1 3/16	3/4	1 ³¹ / ₃₂	13/16			
35127	3/8	1 3/16	3/4	1 31/32	13/16			

31906 8 Piece Ball Tip Hex Bit Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35120	1/8	35123	3/16	35126	5/16
35121	9/64	35124	7/32	35127	3/8
35122	5/32	35125	1/4		

Features

. High-polished chrome finish socket cleans easily.

3/8" DRIVE





3/8" DRIVE LONG HEX BIT SOCKETS, SAE

High-Polished Chrome Finish							
Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Replacement Bit Product Code		
BA-3LA	3/32	1 1/16	11/16	6	BITH03T-02		
BA-4LA	1/8	1 1/16	11/16	6	BITH04-04		
BA-5LA	5/32	1 1/16	11/16	6	BITH05-04		
BA-6LA	3/16	1 1/16	11/16	6	BITH06-04		
BA-7LA	7/32	1 1/16	11/16	6	BITH07-04		
BA-8LA	1/4	1 1/16	11/16	6	BITH08-04		
BA-10LA	5/16	1 1/16	11/16	6	BITH10-04		
BA-12LA	3/8	1 1/16	23/32	6	BITH12-02		

WSBS-7LRC 7 Piece Long Hex Bit Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
BA-4LA	1/8	BA-7LA	7/32	BA-12LA	3/8
BA-5LA	5/32	BA-8LA	1/4		
BA-6LA	3/16	BA-10LA	5/16		

Features

- High-polished chrome finish socket cleans easily.
 Two piece design allows bits to be replaced easily.





3/8" DRIVE LONG LENGTH HEX BIT SOCKETS, SAE

High	_D_	lich	ad Ck	romo	Finish
miuli	-ru	шыш	tu vi	iroille	FIIIISII

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)
35110	1/8	1 3/16	3/4	6
35111	9/64	1 3/16	3/4	6
35112	5/32	1 3/16	3/4	6
35113	3/16	1 3/16	3/4	6
35114	7/32	1 3/16	3/4	6
35115	1/4	1 3/16	3/4	6
35116	5/16	1 3/16	3/4	6
35117	3/8	1 3/16	3/4	6

31949 8 Piece Hex Bit Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35110	1/8	35113	³ /16	35116	5/16
35111	9/64	35114	7/32	35117	3/8
35112	5/32	35115	1/4	1	

Features

High-polished chrome finish socket cleans easily.





3/8" DRIVE LONG LENGTH HEX BIT SOCKETS, METRIC

High-Polished Chrome Finish

Product Code	Size (MM)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)
35164	4	1 3/16	3/4	6
35165	5	1 3/16	3/4	6
35166	6	1 3/16	3/4	6
35167	7	1 3/16	3/4	6
35168	8	1 3/16	3/4	6
35169	9	1 3/16	3/4	6
35163	10	1 3/16	3/4	6

31951 7 Piece Hex Bit Socket Set on Clip Rail

Contents Include:

Outtoines in	oiuuci					
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	2
35164	4	35167	7	35163	10	
35165	5	35168	8			
35166	6	35169	9			

Features

High-polished chrome finish socket cleans easily.



















31951

3/8" **DRIVE**











31910





31912

WILLIAMS



3/8" DRIVE LONG BALL TIP HEX BIT SOCKETS, SAE

Hi-L D-	12-1	Chrome	Einiah
HIGH.PO	IISNEA		Finien

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)
35130	1/8	1 3/16	3/4	5
35131	9/64	1 3/16	3/4	5
35132	5/32	1 3/16	3/4	5
35133	3/16	1 3/16	3/4	5
35134	7/32	1 3/16	3/4	5
35135	1/4	1 3/16	3/4	5
35136	5/16	1 3/16	3/4	5
35137	3/8	1 ³ / ₁₆	3/4	5

31947 8 Piece Ball Tip Hex Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35130	1/8	35133	3/16	35136	5/16
35131	9/64	35134	7/32	35137	3/8
35132	5/32	35135	1/4		

Features

WILLIAMS

3/8" DRIVE TORX® BIT SOCKETS

High-Polished Chrome Finish								
Product	Torx®	Socket Length	Socket Outside Diameter	Overall Length	Bit Length			
Code	Size	(Inches)	(Inches)	(Inches)	(Inches)			
35182	T25	1 3/16	3/4	1 27/32	11/16			
35183	T27	1 3/16	3/4	1 27/32	11/16			
35184	T30	1 3/16	3/4	1 27/32	11/16			
35185	T40	1 3/16	3/4	1 31/32	13/16			
35186	T45	1 3/16	3/4	1 31/32	13/16			
35187	T47	1 3/16	3/4	2	13/16			
35188	T50	1 3/16	3/4	2	13/16			

31910 7 Piece Torx® Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Torx® Size	Product Code	Torx® Size	Product Code	Torx® Size
35182	T25	35185	T40	35188	T50
35183	T27	35186	T45		
35184	T30	35187	T47		

3/8" DRIVE TAMPER-RESISTANT TORX® BIT SOCKETS

High-Polished Chrome Finish								
Product Code	Torx [®] Size	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)			
35192	T25	1 3/16	3/4	1 27/32	21/32			
35193	T27	1 ³ / ₁₆	3/4	1 27/32	21/32			
35194	T30	1 ³ / ₁₆	3/4	1 27/32	21/32			
35195	T40	1 3/16	3/4	1 31/32	13/16			
35196	T45	1 ³ / ₁₆	3/4	1 31/32	13/16			
35197	T47	1 ³ / ₁₆	3/4	1 31/32	13/16			
35198	T50	1 3/16	3/4	1 31/32	13/16			

31912 7 Piece Tamper-Resistant Torx® Bit Socket Set on Clip Rail Contents Include:

Product Code	Torx® Size	Product Code	Torx® Size	Product Code	Torx® Size
35192	T25	35195	T40	35198	T50
35193	T27	35196	T45		
35194	T30	35197	T47		

High-polished chrome finish socket cleans easily.

Features
• High-polished chrome finish socket cleans easily.

[·] High-polished chrome finish socket cleans easily.

3/8" DRIVE



3/8" DRIVE SCREWDRIVER BIT SOCKETS

High-Polished Chrome Finish, Phillips® and Slotted

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Replacement Bit Product Code
Slotted Bits:					
BA-5A-1S	3/16 x .032	1 1/16	11/16	1 ¹³ / ₁₆	BITHS01
BA-7A-2S	7∕ ₃₂ x .039	1 1/16	11/16	1 ¹³ / ₁₆	BITHS02
BA-10A-3S	%2 x .047	1 1/16	11/16	1 1/8	BITHS04
BA-10A-4S	5∕16 x .061	1 1/16	11/16	1 1/8	BITHS05
Phillips® Bits:					
BA-7A-1P	1	1 1/16	11/16	1 1/8	BITPH01-02
BA-7A-2P	2	1 1/16	11/16	1 1/8	BITPH02-02
BA-10A-3P	3	1 1/16	11/16	1 1/8	BITPH03-02
BA-12A-4P	4	1 1/16	²³ / ₃₂	1 1/8	BITPH04-01





WSBSP-8RC 8 Piece Screwdriver Bit Socket Set on Clip Rail

Contents Include:

Product Code	Tip Size	Product Code	Tip Size	Product Code	Tip Size	Product Code	Tip Size
BA-5A-1S	3/16 x .032	BA-10A-3S	%2 x .047	BA-7A-1P	1	BA-10A-3P	3
BA-7A-2S	7/32 x .039	BA-10A-4S	5∕16 x .061	BA-7A-2P	2	BA-12A-4P	4

Features


- · High-polished chrome finish socket cleans easily.
- . Two piece design allows bits to be replaced easily.



3/8" DRIVE SCREWDRIVER BIT SOCKETS

High-Polished Chrome Finish, Phillips® and Slotted

Product Code	Tip Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
Slotted Bits:					
35140	1/4 X 1/32	1 ³ / ₁₆	3/4	1 1/8	11/16
35141	5/16 X 3/64	1 3/16	3/4	1 1/8	11/16
35142	3/8 X 1/16	1 3/16	3/4	1	13/16
35143	3/8 X 1/32	1 3/16	3/4	1	13/16
Phillips® Bits:					
35150	#1	1 ³ / ₁₆	3/4	1 ²⁷ / ₃₂	21/32
35151	#2	1 3/16	3/4	1 27/32	11/16
35152	#3	1 3/16	3/4	1 27/32	11/16



Contents Include: Product Code Tip Size | Produc Tip Size 35140 35142 35150 #1 35152 3/16 5/16 35143 3/8 35141 35151 1/4 #2

Features

. High-polished chrome finish socket cleans easily.



WILLIAMS 3/8" DRIVE FLEXTENSIONS

Product Code	Drive Size	OAL (Inches)	Tension Y or N	6 or 12 Point	Nose End Diameter (Inches)	Socket Diameter (Inches)	Socket Length (Inches)	Clearance Depth (Inches)	Hex Opening
ISFXM416	3/8	5 1/2	N	6	7/8	7/8	1 1/16	7/16	16 mm
ISFXM616	3/8	7 1/2	N	6	7/8	7/8	1 1/16	7/16	16 mm
ISFXTM416	3/8	5 1/2	Υ	6	7/8	7/8	1 1/16	7/16	16 mm
ISFXTM613	3/8	7 1/2	Υ	6	3/4	7/8	1 1/16	3/4	13 mm
ISFXTM616	3/8	7 1/2	Υ	6	7/8	7/8	1 1/16	7/16	16 mm

- Flextensions are available in Non-Tension and Tension "T" spring loaded styles.
- Flextensions are available in various lengths and sizes for production and maintenance applications.
- Flextensions are designed for use on hand and power (Impulse or Direct drive) "Not for Impact Use"
- . Snap-on Industrial Brands will quote any length and socket size you need. Contact your representative for details.

















3/8" **DRIVE**





2-33B





BHMD-30

WILLIAMS

3/8" DRIVE IMPACT EXTENSIONS AND ACCESS

Black Industrial Finish

Product Code	Description	Length (Inches)	Socket Retention
2-103A	Impact Extension	3	Spring Plunger
2-106A	Impact Extension	6	Spring Plunger
2-140B	Impact Universal Joint	2 1/4	Spring Plunger
2-4A	½ M x ¾ F Adapter	1 1/4	Spring Plunger

Fed. Spec: ANSI B107.2

Features

- . Specially heat treated for impact use to provide long life, safety, and durability.
- Spring plunger provides secure socket retention for safety and convenience.
- Suitable for use with pneumatic and electric impact wrenches.



3/8" DRIVE HEX TO SQUARE SHANK IMPACT EXTENSIONS

Black Industrial Finish

Product Code	Hex Shank Size (Inches)	Square Drive Size (Inches)	Length (Inches)
2-02B	1/4	3/8	2
2-33B	7/16	3/8	2 3/4

Features

- Specially heat treated for impact use to provide long life, safety, and durability.
- Spring plunger provides secure socket retention for safety and convenience.
- Suitable for use with pneumatic and electric impact wrenches.
- 2-33B Recommended working torque of 80 ft.lb.

WILLIAMS

3/8" DRIVE IMPACT EXTENSIONS AND ACCESSORIES

Black Industrial Finish

Product Code	Description	Length (Inches)	Socket Retention
36002	Impact Extension	3	Ball
36003	Impact Extension	6	Ball
36001	Impact Universal Joint	2 1/8	Ball
36004	½" M x ¾" F Adapter	1 5/16	Ball

Fed. Spec: ANSI B107.2

Features

- . Specially heat treated for impact use to provide long life, safety, and durability.
- · Ball socket retention for fast socket changes.
- Suitable for use with pneumatic and electric impact wrenches.
- Drive end features pin retention hole and groove.

WILLIAMS

3/8" DRIVE HAND IMPACT DRIVER

Black Industrial Finish

Product Code	Length (Inches)	Shank Diameter (Inches)
BHMD-30	5	1 1/4

- . Specially heat treated for impact use to provide long life, safety, and durability.
- · Ball socket retention for fast socket changes.
- · Ideal for loosening screws that cannot be loosened with an ordinary screwdriver.
- Impact driver is struck with a hammer to provide turning power.
- · Hammer blow forces bit into screw head to reduce stripping.
- Hand impact driver can be used with all 3/8" drive sockets, such as 6-point and hex-bit sockets.

3/8" DRIVE







3/8" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, SAE

Black Industrial Finish										
		Α	В	С	D	E		F		
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)		
2-608	1/4	1 1/32	11/16	1/2	7/32	9/16	7/32	17/32		
2-610	5/16	1 1/32	11/16	1/2	1/4	9/16	9/32	17/32		
2-612	3/8	1 1/32	11/16	5/8	9/32	9/16	11/32	17/32		
2-614	7/16	1 1/16	11/16	21/32	9/32	19/32	11/32			
2-616	1/2	1 1/16	3/4	3/4	5/16	19/32	3/8			
2-618	9/16	1 3/32	13/16	13/16	9/16	19/32	17/32			
2-620	5/8	1 1/8	29/32	29/32	19/32	5/8	5/8			
2-622	11/16	1 5/32	31/32	31/32	19/32	5/8	21/32			
2-624	3/4	1 3/16	1 1/16	1 1/16	21/32	11/16	23/32			
2-626	13/16	1 1/4	1 1/8	1 1/8	11/16	23/32	25/32			
2-628	7/8	1 1 1/32	1 3/16	1 3/16	3/4	3/4	27/32			
2-630	15/16	1 5/16	1 %2	1 1/32	25/32	13/16	29/32			
2-632	1	1 5/16	1 11/32	1 11/32	25/32	25/32	31/32			

Fed. Spec: ANSI B107.2

WS-2-8 8 Piece 3/8" Drive Shallow 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)
2-610	5/16	2-618	9/16
2-612	3/8	2-620	5/8
2-614	7/16	2-622	11/16
2-616	1/2	2-624	3/4

WS-2-13 13 Piece 3/8" Drive Shallow 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
2-608	1/4	2-618	9/16	2-628	7/8
2-610	5/16	2-620	5/8	2-630	¹⁵ /16
2-612	3/8	2-622	11/16	2-632	1
2-614	7/16	2-624	3/4		
2-616	1/2	2-626	13/16		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.

- Designed for maximum engagement on 6 point fasteners.
 Suitable for use with pneumatic and electric impact wrenches.
 Specially heat treated for impact use to provide long life, safety, and durability.







3/8" DRIVE UNIVERSAL IMPACT SOCKETS, 6 POINT, SAE

Black Industrial Finish

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
36212	3/8	2 1/4	1	19/16	6/16	8/16	5/16	15/16
36214	7/16	2 1/4	1	11/16	6/16	8/16	6/16	15/16
36216	1/2	2 1/3	1	13/16	6/16	9/16	7/16	1 1/16
36218	9/16	2 1/3	1	13/16	6/16	9/16	8/16	1 1/16
36220	5/8	2 1/3	1	14/16	6/16	9/16	9/16	1 1/16
36222	11/16	2 5/8	1	1	8/16	11/16	10/16	1 1/16
36224	3/4	2 5/6	1	1 2/16	8/16	11/16	11/16	1 4/16

Fed. Spec: ANSI B107.2

36912 7 Piece 3/8" Drive Universal 6 Point Impact Socket Set on Clip Rail Contents Includes

Contents include:			
Product Code	Size (Inches)	Product Code	Size (Inches)
36212	3/8	36220	5/8
36214	7/16	36222	11/16
36216	1/2	36224	3/4
26210	9/ .		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener

- Designed for maximum engagement on 6 point fasteners
 Suitable for use with pneumatic and electric impact wrenches
 Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove





















3/8" **DRIVE**









36903

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- . Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.
- Drive end features pin retention hole and groove.







3/8" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, SAE

Black	Industri	al Finis	h					
		Α	В	С	D	E		F
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose
Product Code	Size (Inches)	OAL (Inches)	Diameter (Inches)	Diameter (Inches)	Depth (Inches)	Depth (Inches)	Diameter (Inches)	Length (Inches)
36108	1/4	1 5/32	3/4	7/16	5/16	21/32	7/32	7/16
36110	5/16	1	3/4	1/2	3/8	17/32	1/4	7/16
36112	3/8	1	3/4	19/32	11/32	17/32	9/32	⁷ /16
36114	⁷ /16	1 3/32	3/4	11/16	3/8	5/8	13/32	⁷ /16
36116	1/2	1 5/32	²⁵ / ₃₂	25/32	3/8	5/8	7/16	
36118	9/16	1 1/16	13/16	13/16	9/16	23/32	17/32	
36120	5/8	1 1/16	¹⁵ / ₁₆	15/16	9/16	23/32	5/8	-
36122	11/16	1 1/16	¹⁵ /16	15/16	9/16	3/4	21/32	-
36124	3/4	1 1/8	1 1/32	1 1/32	19/32	13/16	23/32	
36126	13/16	1 %4	1 1/8	1 1/8	35/64	35/64	3/4	n/a
36128	7/8	1 7/32	1 3/16	1 3/16	5/8	5/8	53/64	n/a
36130	15/16	1 7/32	1 19/64	1 19/64	5/8	5/8	29/32	n/a
36132	1	1 7/32	1 11/32	1 11/32	5/8	5/8	15/16	n/a

Fed. Spec: ANSI B107.2

36902 9 Piece 3/8" Drive Shallow 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
36108	1/4	36114	7/16	36120	5/8
36110	⁵ /16	36116	1/2	36122	11/16
36112	3/8	36118	9/16	36124	3/4

36903 13 piece 3/8" Drive Shallow 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)						
36108	1/4	36114	7/16	36120	5/8	36126	13/16
36110	5/16	36116	1/2	36122	11/16	36128	7/8
36112	3/8	36118	9/16	36124	3/4	36130	15/16
						36132	1







3/8" DRIVE SHALLOW IMPACT SOCKETS, 12 POINT, SAE

Black	Industri	al Finisl						
		A	В	С	D	E		F
			Drive End	Working End	Broach		Bolt Clearance	Nose
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
35310	5/16	1 1/8	3/4	1/2	3/8	/	1/4	1/2
35312	3/8	1 1/8	3/4	1/2	3/8	/	3/8	1/2
35314	7/16	1 1/8	3/4	5/8	3/8	/	3/8	1/2
35316	1/2	1 1/8	3/4	3/4	3/8	/	3/8	/
35318	9/16	1 1/8	3/4	3/4	3/8	/	1/2	/
35320	5/8	1 1/8	1	¹⁵ / ₁₆	1/2	/	1/2	/
35322	11/16	1 1/8	1	¹⁵ / ₁₆	1/2	/	1/2	/
35324	3/4	1 1/8	1	1	1/2	/	5/8	/
35326	13/16	1 1/8	1 1/8	1	1/2	/	3/4	/
35328	7/8	1 1/8	1 1/8	1 1/8	1/2	/	3/4	/
35330	15/16	1 1/8	1 1/4	1 1/4	1/2	/	3/4	/
35332	1	1 1/8	1 3/8	1 3/8	1/2	/	1	/

36921 12 piece 3/8" Drive Shallow 12 Point Impact Socket Set on Clip Rail Contents Include:

Ountents II	iciuu c .				
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35310	5/16	35318	9/16	35326	13/16
35312	3/8	35320	5/8	35328	7∕8
35314	7/16	35322	11/16	35330	¹⁵ / ₁₆
35316	1/2	35324	3/4	35332	1



35310 35326



36921

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 or 12 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.
- · Drive end features pin retention hole and groove.

3/8" DRIVE







3/8" DRIVE DEEP IMPACT SOCKETS, 6 POINT, SAE

Black	Black Industrial Finish									
		Α	В	С	D	E		F		
Product	Size	OAL	Drive End	Working End				Nose Length		
Code	(Inches)	(Inches)	Diameter (Inches)	Diameter (Inches)	(Inches)	Depth (Inches)	Diameter (Inches)	(Inches)		
12-610	5/16	2 1/8	11/16	1/2	1/4	1 21/32	9/32	1 %		
12-612	3/8	2 1/8	11/16	5/8	9/32	1 %	11/32	1 %		
12-614	7/16	2 1/8	11/16	21/32	11/32	1 %	11/32	1 %		
12-616	1/2	2 1/8	3/4	3/4	3/8	1 ¹⁵ / ₃₂	7/16			
12-618	9/16	2 %	13/16	13/16	7/16	1 1/2	17/32			
12-620	5/8	2 %	29/32	²⁹ / ₃₂	15/32	11/2	5/8			
12-622	11/16	2 %	31/32	31/32	1/2	1 19/32	21/32	•		
12-624	3/4	2 %	1 1/16	1 1/16	9/16	1 ¹⁹ / ₃₂	23/32			
12-626	13/16	2 3/4	1 1/8	1 1/8	9/16	1 ²⁵ / ₃₂	²⁵ /32			
12-628	7/8	2 3/4	1 3/16	1 3/16	19/32	1 1/8	27/32	-		
12-630	15/16	2 3/4	1 %2	1 %32	19/32	1 15/16	²⁹ / ₃₂			
12-632	1	2 3/4	1 11/32	1 11/32	5/8	2	1			

Fed. Spec: ANSI B107.2

WS-12-8 8 Piece 3/8" Drive Deep 6 Point Impact Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)						
12-610	5/16	12-614	7/16	12-618	9/16	12-622	11/16
12-612	3/8	12-616	1/2	12-620	5/8	12-624	3/4

WS-12-12 12 Piece 3/8" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)						
12-610	5/16	12-616	1/2	12-622	11/16	12-628	7/8
12-612	3/8	12-618	9/16	12-624	3/4	12-630	15/16
12-614	7/16	12-620	5/6	12-626	13/16	12-632	1







3/8" DRIVE DEEP IMPACT SOCKETS, 6 POINT, SAE

Blaci	(Inai	ıstrıaı	Finish					
		Α	В	С	D	E		F
Product	Size	OAL	Drive End	Working End	Broach Depth	Bolt Clearance	Bolt Clearance	Nose Length
Code	(Inches)	(Inches)	Diameter (Inches)	Diameter (Inches)	(Inches)	Depth (Inches)	Diameter (Inches)	(Inches)
36308	1/4	2 ½	3/4	7/16	9/16	1 %6	7/32	7/16
36310	5/16	2 1/2	3/4	1/2	21/32	1 ²³ / ₃₂	9/32	7/16
36312	3/8	2 ½	3/4	19/32	1 1/16	1 ¹⁵ / ₁₆	5/16	7/16
36314	7/16	2 1/2	3/4	21/32	1	1 ²⁹ / ₃₂	13/32	7/16
36316	1/2	2 1/2	25/32	25/32	1 1/16	1 ³¹ / ₃₂	7/16	
36318	9/16	2 1/2	13/16	13/16	1 1/16	1 ³¹ / ₃₂	17/32	
36320	5/8	2 ½	29/32	29/32	1 1/16	1 31/32	19/32	-
36322	11/16	2 ½	15/16	15/16	1	1 31/32	21/32	
36324	3/4	2 ½	1 1/32	1 1/32	1 1/32	2	23/32	
36326	13/16	2 ½	1 1/8	1 1/8	1	1 13/16	3/4	
36328	7/8	2 ½	1 3/16	1 3/16	1	1 ¹³ /16	53/64	
36330	15/16	2 ½	1 19/64	1 19/64	1	1 13/16	²⁹ / ₃₂	
36332	1	2 ½	1 11/32	1 11/32	1	1 13/16	¹⁵ /16	-
End Con	. ANGI B	107.2						

36904 9 Piece 3/8" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
36308	1/4	36314	7/16	36320	5/8
36310	5/16	36316	1/2	36322	11/16
36312	3/8	36318	9/16	36324	3/4

36905 13 Piece 3/8" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
36308	1/4	36318	⁹ /16	36326	13/16
36310	5/16	36320	5/8	36328	7/8
36312	3/8	36322	11/16	36330	15/16
36314	⁷ /16	36322	3/4	36332	1
36316	1/2				









12-616



WS-12-8



WS-12-12

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- · Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.





36905

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.
- Drive end features pin retention hole and groove.

3/8" DRIVE





36922







3/8" DRIVE DEEP IMPACT SOCKETS, 12 POINT, SAE

Black	Industri	al Finisl	h					
		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
36410	5/16	2 1/2	3/4	1/2	1/2	1	3/8	1 1/4
36412	3/8	2 1/2	3/4	1/2	3/4	/	1/2	1 1/4
36414	7/16	2 1/2	3/4	5/8	3/4	/	1/2	1 1/4
36416	1/2	2 1/2	3/4	3/4	1	/	1/2	/
36418	9/16	2 1/2	3/4	3/4	1	/	1/2	/
36420	5/8	2 1/2	1	1	1	/	1/2	/
36422	11/16	2 1/2	1	1	1	1	1/2	/
36424	3/4	2 1/2	1	1	1	/	3/4	/
36426	13/16	2 1/2	1	1	1	/	3/4	/
36428	7/8	2 1/2	1 1/8	1 1/8	1	/	3/4	/
36430	¹⁵ / ₁₆	2 1/2	1 1/4	1 1/4	1	/	5/8	/
36432	1	2 1/2	1 3/2	1 3/4	1	1	1	/

36922 12 piece 3/8" Drive Shallow 12 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
36410	5/16	36418	9/16	36426	13/16
36412	3/8	36420	5/8	36428	7/8
36414	7/16	36422	11/16	36430	¹⁵ / ₁₆
36416	1/2	36424	3/4	36432	1

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.

- Designed for maximum engagement on 6 or 12 point fasteners.

 Suitable for use with pneumatic and electric impact wrenches.

 Specially heat treated for impact use to provide long life, safety, and durability.

 Drive end features pin retention hole and groove.







3/8" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, METRIC

		rial Fini A	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
2M-607	7	1 1/32	11/16	7/16	7/32	9/16	1/4	17/32
2M-608	8	1 1/32	11/16	1/2	1/4	9/16	9/32	17/32
2M-609	9	1 1/32	11/16	9/16	9/32	9/16	11/32	17/32
2M-610	10	1 1/32	11/16	5/8	9/32	9/16	11/32	17/32
2M-611	11	1 1/32	11/16	21/32	9/32	19/32	11/32	9/16
2M-612	12	1 1/16	23/32	23/32	9/32	9/16	11/32	
2M-613	13	1 1/16	25/32	25/32	9/32	19/32	3/8	
2M-614	14	1 3/32	13/16	13/16	9/16	19/32	1/2	-
2M-615	15	1 3/32	²⁷ / ₃₂	²⁷ / ₃₂	9/16	19/32	⁹ /16	
2M-616	16	1 1/8	29/32	²⁹ / ₃₂	19/32	5/8	19/32	
2M-617	17	1 5/32	31/32	31/32	19/32	5/8	5/8	
2M-618	18	1 5/32	1	1	5/8	21/32	11/16	
2M-619	19	1 3/16	1 1/16	1 1/16	21/32	11/16	23/32	-

MS-2-13H 13 Piece 3/8" Drive Shallow 6 Point Impact Socket Set on Clip Rail

Ouiteins include:									
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)				
2M-607	7	2M-612	12	2M-617	17				
2M-608	8	2M-613	13	2M-618	18				
2M-609	9	2M-614	14	2M-619	19				
2M-610	10	2M-615	15						
2M-611	11	2M-616	16						

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- · Suitable for use with pneumatic and electric impact wrenches.
- · Specially heat treated for impact use to provide long life, safety, and durability.



2M-614



MS-2-13H

3/8" DRIVE







3/8" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, METRIC

Black Industrial Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
36507	7	1	3/4	7/16	9/32	17/32	1/4	7/16
36508	8	1	3/4	1/2	5/16	17/32	9/32	7/16
36509	9	1	3/4	1/2	5/16	17/32	11/32	7/16
36510	10	1	3/4	5/8	11/32	17/32	11/32	7/16
36511	11	1	3/4	11/16	11/32	17/32	11/32	7/16
36512	12	1	3/4	23/32	3/8	21/32	11/32	7/16
36513	13	1	7/8	13/16	5/16	1/2	3/8	7/16
36514	14	1 1/16	7/8	13/16	17/32	21/32	1/2	7/16
36515	15	1 1/16	7/8	7/8	9/16	11/16	9/16	
36516	16	1 1/16	15/16	15/16	9/16	11/16	19/32	
36517	17	1 1/16	15/16	15/16	9/16	23/32	5/8	
36518	18	1 1/16	1 1/16	1 1/16	19/32	23/32	11/16	
36519	19	1 5/32	1 1/16	1 1/16	9/16	3/4	23/32	





36906 10 Piece 3/8" Drive Shallow 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
36510	10	36514	14	36518	18
36511	11	36515	15	36519	19
36512	12	36516	16		
36513	13	36517	17		



- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.

 Designed for maximum engagement on 6 point fasteners.

 Suitable for use with pneumatic and electric impact wrenches.

- Specially heat treated for impact use to provide long life, safety, and durability.
- Drive end features pin retention hole and groove.







3/8" DRIVE SHALLOW IMPACT SOCKETS, 12 POINT, MM

Black	Indus	trial Fi	i nish B	С	D	Е		F
Product Code	Size (MM)	Overall Length (Inches)	Drive End Diameter (Inches)	Working End Diamter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
36607	7	1 1/8	3/4	1/2	3/8	1	3/8	1/2
36608	8	1 1/8	3/4	1/2	3/8	/	1/2	1/2
36609	9	1 1/8	3/4	1/2	3/8	/	1/2	1/2
36610	10	1 1/8	3/4	1/2	3/8	/	1/2	1/2
36611	11	1 1/8	3/4	1/2	1/2	/	1/2	1/2
36612	12	1 1/8	3/4	3/4	1/2	/	1/2	/
36613	13	1 1/8	3/4	3/4	1/2	/	1/2	/
36614	14	1 1/8	3/4	3/4	1/2	/	1/2	/
36615	15	1 1/8	7/8	7/8	1/2	/	1/2	/
36616	16	1 1/8	7/8	1	1/2	/	1/2	/
36617	17	1 1/8	7/8	1	1/2	/	5/8	/
36618	18	1 1/8	1	1	1/2	/	5/8	/
36610	10	1 16	1	1	16	1	5/4	1



36923 13 Piece 3/8" Drive Shallow 12 point Impact Socket Set on Clip and Rail Contents Include:

Contents include:									
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)				
36607	7	36612	12	36617	17				
36608	8	36613	13	36618	18				
36609	9	36614	14	36619	19				
36610	10	36615	15						
36611	11	36616	16						

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 or 12 point fasteners. Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.
- Drive end features pin retention hole and groove.





36906







3/8" DRIVE



36819



36910







3/8" DRIVE UNIVERSAL IMPACT SOCKETS, 6 POINT, METRIC

Black Industrial Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
36810	10	2 1/4	7/8	5/8	3/8	1/2	5/16	15/16
36811	11	2 1/4	7/8	11/16	1/2	1/2	3/8	15/16
36812	12	2 1/4	7/8	11/16	1/2	1/2	3/8	¹⁵ / ₁₆
36813	13	3/8	7/8	13/16	1/2	9/16	3/8	1 1/16
36814	14	3/8	7/8	13/16	1/2	9/16	1/2	1 1/16
36815	15	3/8	7/8	7/8	1/2	9/16	9/16	1 1/16
36816	16	3/8	7/8	7/8	1/2	9/16	9/16	1 1/16
36817	17	3/8	7/8	1	1/2	11/16	5/8	1 1/4
36818	18	2 1/8	7/8	1 1/16	1/2	11/16	11/16	1 1/4
36819	19	2 1/8	7/8	1/8	1/2	11/16	11/16	1 1/4

36910 10 Piece 3/8" Drive Universal 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
36810	10	36814	14	36818	18
36811	11	36815	15	36819	19
36812	12	36816	16		
36813	13	36817	17		

3/8" DRIVE ONE PIECE IMPACT HEX BIT STUBBY DRIVERS, SAE

Product Code

7/32

1/4

5/16

Size (Inches) Product Code

35632

35628 35630

35632

Size (inches)

1/4

5/16

3/8

Features

WILLIAMS

Product Code

Fed. Spec: ANSI B107.2

Product Code

35620

35622

35624

Contents Include:

35620

35622

35624

35626

Black Industrial Finish

SUPERTORQUE® lobular openings for greater turning power without deforming the fastener

OAL (Inches)

1 1/8

1 1/8

1 1/8

1 1/8

Product Code

35626

35628

35630

- Designed for maximum engagement on 6 point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- . Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove

Size (inches)

1/8

5/32

3/16

7/32

Size (Inches)

1/8

5/32

3/16











WILLIAMS



Size (Inches)

OAL (Inches)

1 1/8 1 1/8

1 1/8



3/8" DRIVE ONE PIECE IMPACT HEX BIT STUBBY DRIVERS, MM

36914 7 Piece 3/8" Drive One Piece Impact Hex Bit Stubby Drivers, SAE

Black Industrial Finish Product Code Size (inches)

Product Code	Size (inches)	OAL (Inches)	Product Code	Size (inches)	OAL (Inches)
35604	4	1 1/8	35608	8	1 1/8
35605	5	1 1/8	35610	10	1 1/8
35606	6	1 1/8			

Fed. Spec: ANSI B107.2

36918 5 Piece 3/8" Drive One Piece Impact Hex Bit Stubby Drivers, MM Contents Include:

Contents include:									
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)				
35604	4	35606	6	35610	10				
35605	5	35608	8						

3/8" DRIVE







3/8" DRIVE DEEP IMPACT SOCKETS, 6 POINT, METRIC

Black Industrial Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
12M-607	7	2 1/8	11/16	7/16	9/32	1 11/16	1/4	1 5%
12M-608	8	2 1/8	11/16	1/2	1/4	1 11/16	9/32	1 5/8
12M-609	9	2 1/8	11/16	9/16	9/32	1 11/16	11/32	1 %
12M-610	10	2 1/8	11/16	5/8	9/32	1 11/16	11/32	1 %
12M-611	11	2 ½	11/16	21/32	21/64	1 11/16	11/32	1 %
12M-612	12	2 1/8	23/32	23/32	3/8	1 ²³ / ₃₂	7/16	
12M-613	13	2 1/8	25/32	25/32	7/16	1 3/8	15/32	
12M-614	14	2 ¾	¹³ / ₁₆	¹³ / ₁₆	13/32	1 %16	1/2	
12M-615	15	2 %	27/32	27/32	13/32	1 %16	9/16	
12M-616	16	2 %	29/32	29/32	13/32	1 %16	19/32	-
12M-617	17	2 %	31/32	31/32	7/16	1 3/4	5/8	-
12M-618	18	2 ⁵ / ₈	1	1	7/16	1 ¾	11/16	
12M-619	19	2 %	1 1/16	1 1/16	9/16	1 3/4	23/32	
12M-620	20	2 %	1 1/8	1 1/8	15/32	1 3/4	3/4	
12M-621	21	2 5/8	1 5/32	1 5/32	1/2	1 3/4	25/32	
12M-622	22	2 1/8	1 3/16	1 3/16	1/2	1 31/32	27/32	-
12M-623	23	2 1/8	1 1/4	1 1/4	17/32	1 31/32	7/8	
12M-624	24	2 7/8	1 5/16	1 ⁵ / ₁₆	19/32	1 31/32	29/32	



MS-12-13H 13 Piece 3/8" Drive Deep 6 Point Impact Socket Set on Clip Rail

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
12M-607	7	12M-612	12	12M-617	17
12M-608	8	12M-613	13	12M-618	18
12M-609	9	12M-614	14	12M-619	19
12M-610	10	12M-615	15		
12M-611	11	12M-616	16		

MS-12-18H 18 Piece 3/8" Drive Deep 6 Point Impact Socket Set on Clip Rail

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
12M-607	7	12M-613	13	12M-619	19
12M-608	8	12M-614	14	12M-620	20
12M-609	9	12M-615	15	12M-621	21
12M-610	10	12M-616	16	12M-622	22
12M-611	11	12M-617	17	12M-623	23
12M-612	12	12M-618	18	12M-624	24

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- . Specially heat treated for impact use to provide long life, safety, and durability.



MS-12-13H











3/8" DRIVE



36714





36707











3/8" DRIVE DEEP IMPACT SOCKETS, 6 POINT, METRIC

Rlack	Industrial	Finish
DIACK	ınuusırıaı	LIIIIZII

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
36707	7	2 1/2	3/4	7/16	15/32	1 23/32	1/4	7/16
36708	8	2 1/2	3/4	1/2	9/16	1 ²³ / ₃₂	9/32	7/16
36709	9	2 1/2	3/4	1/2	19/32	1 23/32	5/16	7/16
36710	10	2 1/2	3/4	5/8	1	1 23/32	3/8	7/16
36711	11	2 1/2	3/4	21/32	1 1/16	1 ²³ / ₃₂	13/32	7/16
36712	12	2 1/2	3/4	23/32	1	1 ²³ / ₃₂	7/16	7/16
36713	13	2 1/2	7/8	25/32	1 3/16	2	1/2	7/16
36714	14	2 1/2	7/8	13/16	1 1/32	2	17/32	
36715	15	2 1/2	7/8	7/8	1 1/16	2	⁹ /16	
36716	16	2 1/2	¹⁵ / ₁₆	¹⁵ /16	1 1/32	2	19/32	-
36717	17	21/2	15/16	15/16	1 1/32	2	21/32	-
36718	18	2 1/2	1	1	1	2	11/16	-
36719	19	2 ½	1 1/16	1 1/16	1	2	²³ / ₃₂	

36908 10 Piece 3/8" Drive Deep 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
36710	10	36714	14	36718	18
36711	11	36715	15	36719	19
36712	12	36716	16		
36713	13	36717	17		

- Features

 SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.

 Designed for maximum engagement on 6 point fasteners.

 Suitable for use with pneumatic and electric impact wrenches.

 Specially heat treated for impact use to provide long life, safety, and durability.

- Drive end features pin retention hole and groove.







3/8" DRIVE DEEP IMPACT SOCKETS, 12 POINT, MM

Black Industrial Finish

		Α	В	С	D	E		F
Product Code	Size (mm)	Overall Length (Inches)	Drive End Diameter (Inches)	Working End Diamter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
35407	7	2 1/2	3/4	1/2	1/2	/	1/4	1 1/4
35408	8	2 1/2	3/4	1/2	1/2	/	1/4	1 1/4
35409	9	2 1/2	3/4	1/2	1/2	/	1/4	1 1/4
35410	10	2 1/2	3/4	1/2	3/4	/	3/8	1 1/4
35411	11	2 1/2	3/4	1/2	3/4	/	3/8	1 1/4
35412	12	2 1/2	3/4	3/4	3/4	/	3/8	/
35413	13	2 1/2	3/4	3/4	7/8	/	1/2	/
35414	14	2 1/2	3/4	3/4	7/8	/	1/2	/
35415	15	2 1/2	7/8	7/8	1	/	1/2	/
35416	16	2 1/2	7/8	7∕8	1	/	1/2	/
35417	17	2 1/2	7/8	7∕8	1	/	1/2	/
35418	18	2 1/2	7/8	7∕8	1	/	5/8	/
35419	19	2 1/2	1	1	1	/	5/8	/

36924 13 Piece 3/8" Drive Deep 12 point Impact Socket Set on Clip and Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
35407	7	35411	11	35415	15
35408	8	35412	12	35416	16
35409	9	35413	13	35417	17
35410	10	35414	14	35418	18
				35419	19

- Features

 SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.
 Drive end features pin retention hole and groove.

1/2" DRIVE









57 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

8 & 12 Point SAE, with Metal Box

Product Code	Description
WSS-57TB WSS-57F	57 Piece Tool Set with TB-6124A Metal Tool Box 57 Piece Tool Set Only

Contents Include:

Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
S-15A	18" Speeder Handle	S-70	Ratchet Spinner Disk
S-20A	12" Sliding T-Handle	S-102P	2" Extension
S-40AA	10 13/16" Flex Handle	S-110P	5" Extension
S-41AA	15 1/2" Flex Handle	S-115P	10" Extension
S-52EHA	10 3/8" Enclosed Head Ratchet	S-140A	Universal Joint
S-52FHLA	15" Enclosed Head Ratchet		

		Deep 12-Point Sockets			
Shallow 12-Point Sock	ets	Product Code	Size (Inches)		
Product Code	Size (Inches)	SD-1216	1/2		
ST-1212	3/8	SD-1218	9/16		
ST-1214	7/16	SD-1220	5/8		
ST-1216	1/2	SD-1222	11/16		
ST-1218	9/16	SD-1224	3/4		
ST-1220	5/8	SD-1226	13/16		
ST-1222	11/16	SD-1228	7/8		
ST-1224	3/4	SD-1230	15/16		
ST-1226	13/16	SD-1232	1		
ST-1228	7/8	SD-1234	1 ¹ / ₁₆		
ST-1230	¹⁵ / ₁₆	SD-1236	1 ¹ /8		
ST-1232	1				
ST-1234	1 ¹ / ₁₆	Shallow 8-Point	t Sockets		
ST-1236	1 ¹ /8	Product Code	Size (Inches)		
ST-1238	1 ³ / ₁₆	ST-812	3/8		
ST-1240	1 1/4	ST-814	7/16		
ST-1242	1 ⁵ / ₁₆	ST-816	1/2		
ST-1244	1 ³ / ₈	ST-818	9/16		
ST-1246	1 7/16	ST-820	5/8		
ST-1248	1 1/2	ST-822	11/16		
		ST-824	3/4		
Standard Hex Bit Sock	rets	ST-826	13/16		
Product Code	Size (Inches)	ST-828	7/8		
SA-8A	1/4	ST-832	1		
SA-10A	5/16				
SA-12A	3/8				
SA-16A	1/2				
SA-18A	9/16				
SA-20A	5/8				



WSS-57TB



- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.







1/2" DRIVE





- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
 Metal tool box made for years of rugged use.







38 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SAE,	with Metal Box					
Product Code		Description				
WSS-38FTB	38 Piece Tool Set with TB-104 Metal Tool Box					
WSS-38F	38 Piece Tool Set Only - Packed in Keep Safe Foam System					
Contents Inclu	ıde:					
Drive Tools:		Drive Tools:				
Product Code	Description	Product Code	Description			
S-15A	18" Speeder Handle	S-140A	Universal Joint			

3-13A	ro Speeder Handle	13-14UA	Universal Joint
S-41AA	15 ½" Flex Handle	S-102P	2" Extension
S-52EHA	10 3/8" Enclosed Head Ratchet	S-110P	5" Extension
S-70	Ratchet Spinner Disk	S-115P	10" Extension
Shallow 12-Point Sockets		Shallow 12-Point Sockets	
Product Code	Size (Inches)	Product Code	Size (Inches)
ST-1212	3/8	ST-1244	1 3/8
ST-1214	7/16	ST-1246	1 7/16
ST-1216	1/2	ST-1248	1 1/2
ST-1218	9/16		
ST-1220	5/8	Deep 12-Point	Sockets
ST-1222	11/16	Product Code	Size (Inches)
ST-1224	3/4	SD-1216	1/2
ST-1226	¹³ ⁄ ₁₆	SD-1218	9/16
ST-1228	7/8	SD-1220	5/8
ST-1230	15/16	SD-1222	11/16
ST-1232	1	SD-1224	3/4
ST-1234	1 1/16	SD-1226	¹³ / ₁₆
ST-1236	1 1/8	SD-1228	7/8
ST-1238	1 ³ / ₁₆	SD-1230	¹⁵ / ₁₆
ST-1240	1 1/4	SD-1232	1
ST-1242	1 5/16	SD-1234	1 1/16
		SD-1236	1 1/8



Features

- . Keep-Safe-Foam system keeps tools organized and helps prevent loss
- · All tools are professional quality, made of high-grade
- chrome vanadium steel
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener Metal tool box made for years of rugged use.







30 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SA	E, with Metal Box		
Product Code	Description		
WSS-30FTB	30 Piece Tool Set	with TB-104 Metal	Tool Box
WSS-30F	30 Piece Tool Set Only		
Contents Inc	lude:	•	•
Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
S-41AA	15 ½" Flex Handle	S-110P	5" Extension
S-52EHA	10 3/4" Enclosed Head Ratchet	S-115P	10" Extension
S-140A	Universal Joint		
Shallow 12-Poi	nt Sackate	Deep 12-Point S	Sockate
Product Code	Size (Inches)	Product Code	Size (Inches)
ST-1212	3/8	SD-1216	1/2
ST-1214	7/ ₁₆	SD-1218	9/16
ST-1216	1/2	SD-1220	5/8
ST-1218	9/16	SD-1222	11/16
ST-1220	5/8	SD-1224	3/4
ST-1222	11/16	SD-1226	13/16
ST-1224	3/4	SD-1228	7/8
ST-1226	¹³ / ₁₆	SD-1230	¹⁵ / ₁₆
ST-1228	7/8	SD-1232	1
ST-1230	¹⁵ / ₁₆	SD-1234	1 1/16
ST-1232	1	SD-1236	1 1/8
ST-1234	1 1/16		
ST-1236	1 1/8		
ST-1240	1 1/4		

1/2" DRIVE

WILLIAMS





22 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description	
WSS-22FTB	22 Piece Tool Set with TB-104 Metal Tool Box	
WSS-22F	22 Piece Tool Set Only - Packed in Keep Safe Foam System	

Contents Include:

Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
S-15A	18" Speeder Handle	S-102P	2" Extension
S-41AA	15 ½" Flex Handle	S-110P	5" Extension
S-52EHA	10 %" Enclosed Head Ratchet	S-115P	10" Extension
S-140A	Universal Joint		

Shallow 12-Point Sockets Shallow 12-Point Sockets Product Code Size (Inches) Product Code Size (Inches) ST-1228 ST-1212 ST-1230 ST-1232 15/16 ST-1214 7/16 ST-1216 1/2 1 ST-1218 ⁹/16 ST-1234 1 1/16 ST-1236 ST-1220 5/8 1 1/8 ST-1222 11/16 ST-1238 **1** 3/16 ST-1224 3/4 ST-1240 1 1/4 ST-1226





Features

- . Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.







19 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
WSS-19FTB	19 Piece Tool Set with TB-103 Metal Tool Box
WSS-19F	19 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
S-41AA	15 1/2" Flex Handle	S-110P	5" Extension
S-52EHA	10 %" Enclosed Head Ratchet	S-140A	Universal Joint

Shallow 12-Point Sockets		Shallow 12-Point Sockets	
Product Code	Size (Inches)	Product Code	Size (Inches)
ST-1212	3/8	ST-1228	7/8
ST-1214	7/16	ST-1230	¹⁵ / ₁₆
ST-1216	1/2	ST-1232	1
ST-1218	⁹ / ₁₆	ST-1234	1 1/16
ST-1220	5/8	ST-1236	1 1/8
ST-1222	11/16	ST-1238	1 3/16
ST-1224	3/4	ST-1240	1 1/4
ST-1226	13/16		





- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- · All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.







1/2" DRIVE











18 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

6 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
WSS-18HFTB	18 Piece Tool Set with TB-103 Metal Tool Box
WSS-18HF	18 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
S-41AA	15 1/2" Flex Handle	S-110P	5" Extension
S-52EHA	10 %" Enclosed Head Ratchet	S-140A	Universal Joint
Shallow 6-Point Sockets		Shallow 6-Poin	t Sockets

Shallow 6-Point Sockets		Shallow 6-Point Sockets	
Product Code	Size (Inches)	Product Code	Size (Inches)
ST-612	3/8	ST-626	13/16
ST-614	7/16	ST-628	7/8
ST-616	1/2	ST-630	¹⁵ / ₁₆
ST-618	9/16	ST-632	1
ST-620	5/8	ST-634	1 1/16
ST-622	11/16	ST-636	1 1/8
ST-624	3/4	ST-640	1 1/4

Features

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.









12 Point SAE, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
WSS-15FTB	15 Piece Tool Set with TB-103 Metal Tool Box
WSS-15F	15 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Shallow 12-Point Sockets	
Product Code	Description	Product Code	Size (Inches)
S-41AA	15 ½" Flex Handle	ST-1214	7/16
S-52EHA	10 %" Enclosed Head Ratchet	ST-1216	1/2
S-110P	5" Extension	ST-1218	9/16
S-115P	10" Extension	ST-1220	5/8
S-140A	Universal Joint	ST-1222	11/16
		ST-1224	3/4
		ST-1226	¹³ / ₁₆
		ST-1228	7/8
		ST-1230	¹⁵ / ₁₆
		ST-1232	1



WSS-15FTB

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Metal tool box made for years of rugged use.



1/2" DRIVE

WILLIAMS





47 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

12 Point Metric, with Metal Box

Product Code Description

MSS-47TB 47 Piece Tool Set with TB-6124A Metal Tool Box (Keep Safe Foam Not Included)
MSS-47F 47 Piece Tool Set Only - Packed in Keep Safe Foam System

1	^	nte	nte	In	اہ		d	Δ.	
ı	La	ntei	nts	ını	CI	u	٠ľ	а:	!

Contents inci	uae:		
Drive Tools:		Shallow 12-Point	Sockets
Product Code	Description	Product Code	Size (MM)
S-15A	18" Speeder Handle	STM-1210	10
S-20A	12" Sliding T-Handle	STM-1211	11
S-40AA	10 13/16" Flex Handle	STM-1212	12
S-41AA	15 ½" Flex Handle	STM-1213	13
S-52EHA	10 %" Enclosed Head Ratchet	STM-1214	14
S-60D	Stud Remover	STM-1215	15
S-70	Ratchet Spinner Disk	STM-1216	16
S-102P	2" Extension	STM-1217	17
S-110P	5" Extension	STM-1218	18
S-115P	10" Extension	STM-1219	19
S-140A	Universal Joint	STM-1220	20
		STM-1221	21
Deep 12-Point S	ockets	STM-1222	22
Product Code	Size (MM)	STM-1223	23
SMD-1213	13	STM-1224	24
SMD-1214	14	STM-1225	25
SMD-1215	15	STM-1226	26
SMD-1216	16	STM-1227	27
SMD-1217	17	STM-1228	28
SMD-1218	18	STM-1229	29
SMD-1219	19	STM-1230	30
SMD-1221	21	STM-1232	32
SMD-1222	22	STM-1234	34
SMD-1224	24	STM-1236	36
SMD-1227	27		
SMD-1230	30		



MSS-47TB

Features

- All tools are professional quality, made of high-grade chrome vanadium steel
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.







33 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

12 Point Metric, with Metal Box

Product Code	Description
MSS-33FTB	33 Piece Tool Set with TB-104 Metal Tool Box
MSS-33F	33 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Contents in	Ciuuei		
Drive Tools:		Shallow 12-Point	Sockets
Product Code	Description	Product Code	Size (MM)
S-41AA	15 1/2" Flex Handle	STM-1210	10
S-52EHA	10 %" Enclosed Head Ratchet	STM-1211	11
S-102P	2" Extension	STM-1212	12
S-110P	5" Extension	STM-1213	13
S-115P	10" Extension	STM-1214	14
S-140A	Universal Joint	STM-1215	15
		STM-1216	16
Deep 12-Point	Sockets	STM-1217	17
Product Code	Size (MM)	_STM-1218	18
SMD-1213	13	STM-1219	19
SMD-1214	14	STM-1220	20
SMD-1215	15	STM-1221	21
SMD-1216	16	STM-1222	22
SMD-1217	17	STM-1223	23
SMD-1218	18	STM-1224	24
SMD-1219	19		
SMD-1221	21		
SMD-1222	22		
SMD-1224	24		
SMD-1227	27		
SMD-1230	30		



IVIOU-

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.







1/2" **DRIVE**











29 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

12 Point Metric, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
MSS-29FTB	29 Piece Tool Set with TB-104 Metal Tool Box
MSS-29F	29 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
S-41AA	15 1/2" Flex Handle	S-110P	5" Extension
S-52EHA	10 %" Enclosed Head Ratchet	S-115P	10" Extension
S-102P	2" Extension	S-140A	Universal Joint
Shallow 12-Po	int Sockets	Shallow 12-Poin	t Sockets
Product Code	Size (MM)	Product Code	Size (MM)
STM-1210	10	STM-1222	22
STM-1211	11	STM-1223	23
STM-1212	12	STM-1224	24
STM-1213	13	STM-1225	25
STM-1214	14	STM-1226	26
STM-1215	15	STM-1227	27
STM-1216	16	STM-1228	28
STM-1217	17	STM-1229	29
STM-1218	18	STM-1230	30
STM-1219	19	STM-1232	32
STM-1220	20	STM-1234	34
STM-1221	21		

Features

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
 Sockets feature SUPERTORQUE® lobular openings for greater turning
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Metal tool box made for years of rugged use.









12 Point Metric, Packed in Exclusive Keep-Safe-Foam System with Metal Box

Product Code	Description
MSS-22FTB	22 Piece Tool Set with TB-104 Metal Tool Box
MSS-22F	22 Piece Tool Set Only - Packed in Keep Safe Foam System

Contents Include:

Drive Tools:		Drive Tools:	
Product Code	Description	Product Code	Description
S-41AA	15 1/2" Flex Handle	S-115P	10" Extension
S-52EHA	10 3/8" Enclosed Head Ratchet	S-140A	Universal Joint
S-110P	5" Extension		
Shallow 6-Point	Sockets	Shallow 12-Po	int Sockets
Product Code	Size (MM)	Product Code	Size (MM)
STM-1210	10	STM-1219	19
STM-1211	11	STM-1220	20
STM-1212	12	STM-1221	21
STM-1213	13	STM-1222	22
STM-1214	14	STM-1223	23
STM-1215	15	STM-1224	24
STM-1216	16	STM-1225	25
STM-1217	17	STM-1226	26
STM-1218	18		

- Keep-Safe-Foam system keeps tools organized and helps prevent loss.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.





MULTI DRIVE SOCKET & DRIVE TOOL SETS











146 PIECE 1/4", 3/8", 1/2" DRIVE SOCKET SET

6 & 12 Point Rugged-Case-System Tool Set, SAE and Metric

Product Code	Description
50614	146 Piece 1/4", 3/8", 1/2" Drive Socket Set

Contents Include:

35005

Contents Include:					
1/4" Drive Tools:	1/4" Drive Hex Bit Sockets, SAE				
Product Code Description	Product Code Size (MM)				
33001 Ratchet	35070 3				
33003 3" Extension	35071 4				
33006 Handle	35072 5				
30007 Universal Joint	35072 5				
30009 Adaptor 1/4" F x 3/8" M	35073 6				
30009 Adaptor /4 1 x /8 WI	35074 7				
1/4" Drive Deep 6 Point Sockets, MM	300/0 6				
Product Code Size (MM)					
30704 4	1/4" Drive Screwdriver Bit Sockets				
	Product Code Description				
30705 5 30706 6	35040 5/32" Slotted Tip				
30707 7	35040 /32 Slotted lip 35041 /32" Slotted Tip				
30708 8	35041 /32 Slotted Tip				
30709 9	35050 #0 Phillips Tip				
30710 10	35051 #1 Phillips Tip				
30710 10	The state of the s				
30712 12	35052 #2 Phillips Tip				
30712 12					
30/13	1/4" Drive Torx Bit Sockets				
1/4" Drive Deen 6 Deint Cockete CAE					
1/4" Drive Deep 6 Point Sockets, SAE	Product Code Size 35080 T10				
Product Code Size (Inches) 30306 3/16	35081 T15				
30307 7/32	35082 T20				
30307 732					
30309 %2	35083 T25				
30310 9/32	35084 T27				
	35085 T30				
30311 1½2 30312 3%					
30314 %6 30316 ½	3/8" Drive Tools				
30310 /2	Product Code Description				
1/4" Drive Chelley, 6 Deint Coekste MM	31001 Ratchet				
1/4" Drive Shallow 6 Point Sockets, MM Product Code Size (MM)	31002 3" Extension				
	31003 6" Extension				
30504 4					
30505 5	3/9" Drive Deep 12 Point Seekets MM				
30505 5 30599 5.5	3/8" Drive Deep 12 Point Sockets, MM				
30505 5 30599 5.5 30506 6	Product Code Size (MM)				
30505 5 30599 5.5 30506 6 30507 7	Product Code Size (MM) 31806 6				
30505 5 30599 5.5 30506 6 30507 7 30508 8	Product Code Size (MM) 31806 6 31807 7				
30505 5 30599 5.5 30506 6 30507 7 30508 8 30509 9	Product Code Size (MM) 31806 6 31807 7 31808 8				
30505 5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9				
30505 5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10				
30505 5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11				
30505 5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12				
30505 5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13				
30505 5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14				
30505 5 30599 5.5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15				
30505 5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches)	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16				
30505 5 30599 5.5 30509 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 ½2	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17				
30505 5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 \$\frac{5}{2}2\$ 30106 \$\frac{5}{2}2\$	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18				
30505 5 30599 5.5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 ½2 30106 ½% 30107 ½2	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17				
30505 5 30599 5.5 30599 5.5 30506 6 7 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 ½2 30106 ¾6 30107 ½2 30108 ¼4	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18				
30505 5 30599 5.5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 ½2 30106 ½% 30107 ½2	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19				
30505 5 30599 5.5 30599 5.5 30506 6 7 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 %2 30106 3/16 30107 7/32 30108 1/4	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19				
30505 5 30599 5.5 30599 5.5 30506 6 7 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 %2 30106 %6 30107 %22 30108 1/4 30109 %22	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE				
30505 5 30599 5.5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 \(\frac{\(\frac{\pi_{\text{s}}}{\pi_{\text{s}}}} \) 30106 \(\frac{\pi_{\text{s}}}{\pi_{\text{s}}} \) 30108 \(\frac{\pi_{\text{s}}}{\pi_{\text{s}}} \) 30100 \(\frac{\pi_{\text{s}}}{\pi_{\text{s}}} \) 30108 \(\frac{\pi_{\text{s}}}{\pi_{\text{s}}} \) 30110 \(\frac{\pi_{\text{s}}}{\pi_{\text{s}}} \)	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches)				
30505 5 30599 5.5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 %2 30106 3/16 30107 7/32 30108 1/4 30109 %22 30110 5/16 30111 11/32	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4				
30505 5 30599 5.5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 %2 30106 3/16 30107 7/22 30108 1/4 30109 %22 30110 5/16 30111 11/22 30112 3/6	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 ⅓ 31410 ⅓ 31410 ⅙				
30505 5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 %2 30106 %16 30107 %2 30108	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 5/6 31412 3/6				
30505 5 30599 5.5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 ½2 30106 ¾6 30107 ½2 30108 ¼ 30109 ½2 30110	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 3/6 31412 3/6 31414 7/6				
30505 5 30599 5.5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 ½2 30106 3/16 30107 7/32 30108 1/4 30109 9/32 30110 5/16 30111 11/32 30111 11/32 30111 1/52 301114 7/16 301116 1/2 301118 9/16	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code 31408 1/4 31410 3/6 31412 3/6 31414 7/6 31416 1/2				
30505 5 30599 5.5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 ½2 30106 ¾6 30107 ½2 30108 ¼ 30109 ½2 30110 ¾6 30111 ½2 30111 ½2 30112 ¾6 30111 ½2 30114 ¾6 30114 ¾6 30116 ½ 30118 ¾6 30118 ¾6	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31410 5/16 31411 3/14 31414 3/16 31416 3/2 31416 3/2 31416 3/2 31416 3/2 31416 3/2 31418 9/16				
30505 5 30599 5.5 30599 5.5 30506 6 7 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 \$\frac{9}{2}{2}\$ 30106 \$\frac{9}{1}{6}\$ 30107 \$\frac{7}{2}{2}\$ 30108 \$\frac{1}{4}\$ 30109 \$\frac{9}{2}{2}\$ 30110 \$\frac{9}{1}{6}\$ 30111 \$\frac{1}{1}{2}{2}\$ 30114 \$\frac{7}{1}{6}\$ 30116 \$\frac{1}{2}{2}\$ 30116 \$\frac{9}{2}{2}\$ 30111 \$\frac{9}{2}{2}\$ 30111 \$\frac{9}{2}{2}\$ 30111 \$\frac{9}{2}{2}\$ 30112 \$\frac{9}{6}\$ 30114 \$\frac{7}{1}{6}\$ 30118 \$\frac{9}{1}{6}\$ 1/4" Drive Hex Bit Sockets, SAE Product Code Size (Inches)	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31408 1/4 31410 %6 31412 3/6 31414 7/6 31416 1/2 314118 9/6 31420 5/6				
30505 5 30599 5.5 30599 5.5 30506 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 %2 30106 %16 30107 %2 30106 %16 30107 %2 30108 1/4 30109 %2 30110 5/16 30111 11/52 30112 3% 30114 7/16 30111 1/52 30118 %6 1/4" Drive Hex Bit Sockets, SAE Product Code Size (Inches) 35000 1/6	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code Size (Inches) 31410 ½ 31411 ½ 31412 ½ 31414 ½ 31415 ½ 31416 ½ 31418 ½ 31419 ½ 31410 ½ 31411 ½ 31420 ½ 31422 ½				
30505 5 30599 5.5 30509 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 ½2 30106 ¾6 30107 ½2 30108 ¼6 30107 ½2 30108 1¼ 30109 ½2 30110 5½6 30111 1½2 30112 ¾6 30111 1½2 30112 ¾6 30114 ½6 30118 ½6 30116 ½6 30118 ½6 30118 ½6 30118 ½6 1/4" Drive Hex Bit Sockets, SAE Product Code Size (Inches) 35000 ½6 35000 ½6	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code 31408 1/4 31410 3/6 31412 3/8 31414 7/6 31418 9/6 31420 3/8 31422 11/16 31424 3/4				
30505 5 5 30599 5.5 30599 5.5 30506 6 6 30507 7 7 30508 8 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 %2 30106 3/16 30107 7/52 30108 1/4 30109 9/52 30110 3/16 30111 11/22 3/10 30111 11/22 3/10 301114 7/16 301116 1/2 301116 1/2 301118 3/16 30116 3/2 30118 3/16 30116 3/2 30118 3/16 30116 3/2 30118 3/16 30116 3/2 30118 3/16 30118 3/16 3/1	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Froduct Code 31408 ½ 31410 ½ 31412 ¾ 31414 ¾ 31415 ½ 31416 ½ 31418 % 31420 ½ 31422 ½ 31424 ¾ 31426 ½				
30505 5 30599 5.5 30509 6 30507 7 30508 8 30509 9 30510 10 30511 11 30512 12 30513 13 30514 14 1/4" Drive Shallow 6 Point Sockets, SAE Product Code Size (Inches) 30105 ½2 30106 ¾6 30107 ½2 30108 ¼6 30107 ½2 30108 1¼ 30109 ½2 30110 5½6 30111 1½2 30112 ¾6 30111 1½2 30112 ¾6 30114 ½6 30118 ½6 30116 ½6 30118 ½6 30118 ½6 30118 ½6 1/4" Drive Hex Bit Sockets, SAE Product Code Size (Inches) 35000 ½6 35000 ½6	Product Code Size (MM) 31806 6 31807 7 31808 8 31809 9 31810 10 31811 11 31812 12 31813 13 31814 14 31815 15 31816 16 31817 17 31818 18 31819 19 3/8" Drive Deep 12 Point Sockets, SAE Product Code 31408 1/4 31410 3/6 31412 3/8 31414 7/6 31418 9/6 31420 3/8 31422 11/16 31424 3/4				

31432

3/8" Drive Shallow 6 Product Code	Point Sockets, MM Size (MM)
31506	6
31507	7
31508	8
31509	9
31510	10
31511	11
31512	12
31513	13
31514	14
31515	15
31516	16
31517	17
31518	18
31519	19

3/8" Drive Shallow 6 Point Sockets, SAE

Product Code	Size (Inches)
31108	1/4
31110	5/16
31112	3/8
31114	7/16
31116	1/2
31118	9/16
31120	5/8
31122	11/16
31124	3/4
31126	13/16
31128	7/8
31130	¹⁵ / ₁₆
31132	1

3/8" Drive Spark Plug Socket

Product Code	Size (Inches)
31301	5/8
31303	13/16

1/2" Drive Tools

Product Code	Description
32001	Ratchet
32003	6" Extension
32004	10" Extension
32006	Universal Joint
32008	Adaptor - 1/2" F x 3/8" M

1/2" Drive Shallow 12 Point Sockets, SAE

Product Code	Size (Inches)
32412	3/8
32414	7/16
32416	1/2
32418	%16
32420	5%
32422	11/16
32424	3/4
32426	13/16
32428	7/8
32430	¹⁵ / ₁₆
32432	1
	·





50614

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- · Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.







1/4", 3/8" & 1/2" DRIVE TOOL SET









138 PIECE 1/4", 3/8", 1/2" DRIVE SOCKET SET

6 Point Rugged-Case-System Tool Set, SAE and Metric

Product Code	Description	
50612	138 Piece 1/4", 3/8", 1/2" Drive Socket Set	

Contents Include:



Featu	res
-------	-----

 All tools are professional quality, made of high-grade chrome vanadium steel.

50612

- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.

1/4" Drive Too	ls:	3/8" Drive Tools	
Product Code	Description	Product Code	Description
33001	Ratchet	31001	Ratchet
33002	4" Extension	31002	3" Extension
33003	8" Extension	31003	6" Extension
33006	18" Sliding T-handle	31006	Universal Joint
30007	Universal Joint	31008	Adaptor
30013	Hex Bit Holder	31013	Hex Bit Holder
24880	13 Piece Insert Bit Set		
		0/0II D ! D	CD LIC LI MAN

		3/8" Drive Deep	6 Point Sockets, MM
1/4" Drive Deep	6 Point Sockets, MM	Product Code	Size (MM)
Product Code	Size (MM)	31710	10
30704	4	31711	11
30705	5	31712	12
30706	6	31713	13
30707	7	31714	14
30708	8	31715	15
30709	9	31716	16
30710	10	31717	17
30711	11	31718	18
30712	12	31719	19
30713	13	01710	13

	6 Point Sockets, SAE	3/8" Drive Deep Product Code	6 Point Sockets, SAE Size (Inches)
Product Code	Size (Inches)	31312	3/8
30305	5/32	31314	7/16
30306	³ ⁄ ₁₆	31316	1/2
30307	7/32	31318	9/16
30308	1/4	31320	5/8
30309	9/32	31322	11/16
30310	5/16		
30311	11/32	31324	3/4
30312	3/8	31326	¹³ / ₁₆
30314	7/16	31328	7/8
30316	1/2	3/8" Drive Shallo	w 6 Point Sockets, MM

		3/0 Drive Shaho	W O F Ullit OUCKELS, IVIIVI
1/4" Drive Shallo	w 6 Point Sockets, MM	Product Code	Size (MM)
Product Code	Size (MM)	31510	10
30504	4	31511	11
30505	5	31512	12
30599	5.5	31513	13
30506	6	31514	14
30507	7	31515	15
30508	8	31516	16
30509	9	31517	17
30510	10	31518	18
30511	11	31519	19
30512	12		
30513	13	3/8" Drive Shallo	w 6 Point Sockets, SAE
		Product Code	Size (Inches)

31112

31114

3/8

7/16 1/2 9/16 5/8 11/16

3/4

1/4" Drive Shallow	6 Point Sockets, SAE
Product Code	Size (Inches)
30105	5/32
30106	³ / ₁₆
30107	7/32
30108	1/4
30109	9/32
30110	5/16
30111	11/32
30112	3/8
30114	7/16
30116	1/2

Description
Ratchet
6" Extension
10" Extension
Universal Joint
Adaptor

1/2" Drive Shallow	6 Point Sockets, MM
Product Code	Size (MM)
32510	10
32511	11
32512	12
32513	13
32514	14
32515	15
32516	16
32517	17
32518	18
32519	19
32521	21
32522	22
32524	24
32527	27
32530	30

32

32532

1/2" Drive Shallow	6 Point Sockets,SAE
Product Code	Size (Inches)
32112	3/8
32114	⁷ ∕16
32116	1/2
32118	9/16
32120	5/8
32122	11/16
32124	3/4
32126	¹³ / ₁₆
32128	7∕8
32130	¹⁵ / ₁₆
32132	1
32134	1 1/16
32136	1 1/8
32138	1 3/16
32140	1 1/4

1/2" DRIVE TOOL SET









61 PIECE 1/2" DRIVE SOCKET & TOOL SET

6 Point Rugged-Case-System Tool Set, SAE and Metric

Product Code	Description
50617	61 Piece Socket, Wrench, and Screwdriver Set

Contents Include:

1/2" Drive Tool	_	1/2" Drive Shallo	w 6 Point Sockets, MM
Product Code	Description	Product Code	Size (MM)
32001	Ratchet	32510	10
32002	3" Extension	32511	11
32003	6" Extension	32512	12
32004	10" Extension	32513	13
32005	15-1/2" Flex Handle	32514	14
32006	Universal Joint	32515	15
32008	Adaptor	32516	16
32009	Adaptor 1/2 F x 3/4 M	32517	17
		32518	18
1/2" Drive Sha	llow 6 Point Sockets, SAE	32519	19
Product Code	Size (Inches)	32521	21
32112	3/8	32522	22
32114	7/16	32524	24
32116	1/2	32527	27
32118	9/16	32530	30

32112	3/8
32114	7/16
32116	1/2
32118	9/16
32120	5/8
32122	11/16
32124	3/4
32126	¹³ / ₁₆
32128	7/8
32130	¹⁵ / ₁₆
32132	1
32134	1 1/16
32136	1 1/8
32138	1 3/16
32140	1 1/4

12 Point Combination	wrenches, SAL
Product Code	Size (Inches)
11108	1/4
11110	5/16
11112	3/8
11114	⁷ / ₁₆
11116	1/2
11118	9/16
11120	5/8
11122	11/16

3232 4	24
32527	27
32530	30
32532	32
12 Point Comb	oination Wrenches, MM
Product Code	Size (MM)
11506	6
11508	8
11510	10
11512	12
11513	13
11514	14
11515	15
11517	17
11519	19

l		_	
Comfort	Grip	Screv	vdrivers

Collifort arip Screwarivers		
Product Code	Description	
24205	3/16" x 4" Slotted	
24219	1/4" x 4" Slotted	
24249	# 1 x 3" Phillips	
24253	# 2 x 4" Phillips	
	•	



50617

Features

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.



11124





1/2" DRIVE TOOL SET







WILLIAMS





23 PIECE 1/2" DRIVE BASIC TOOL SET

12 Point Rugged-Case-System Tool Set, SAE		
Product Code	Description	
50609	23 Piece Basic Tool Set, SAE	
50626	Replacement Case Only for Set 50609	

Contents Include:

1/2" Drive To			low 12-Point Sockets
Product Code	Description	Product Code	Size (Inches)
32001	9 % Quick-Release Ratchet	32212	3/8
32002	3" Extension	32214	7/16
32003	6" Extension	32216	1/2
32004	10" Extension	32218	⁹ / ₁₆
32005	15" Flex Handle Breaker Bar	32220	5/8
32006	Universal Joint	32222	11/16
32008	1/2" F X 3/8" M Adapter	32224	3/4
32009	1/2" F X 3/4" M Adapter	32226	13/16
	•	32228	7/8
		32230	15/16
		32232	1
		32234	1 ¹ /16
		32236	1 1/8
		32238	1 ³ /16
		32240	1 1/4

Features

- All tools are professional quality, made of high-grade chrome vanadium steel. Sockets feature SUPERTORQUE® lobular openings for greater turning power
- without deforming the fastener.
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight.
 Case is shock proof at both high and low temperatures, equipped with
- heavy-duty metal latches and hinges.
 Two-component handles are easy to grip and comfortable to carry.

WILLIAMS





25 PIECE 1/2" DRIVE BASIC TOOL SET

12 Point nugge	u-Case-System 1001 Set, Wetric
Product Code	Description
50619	25 Piece Basic Tool Set, Metric
50637	Replacement Case Only for Set 50619

Contents Include:

1/2" Drive Tools: Product Code Description		1/2" Drive Shallow 12-Point Sockets Product Code Size (MM)	
32001	9 7/8" Quick-Release Ratchet	32610	10
32002	3" Extension	32611	11
32003	6" Extension	32612	12
32004	10" Extension	32613	13
32005	15" Flex Handle Breaker Bar	32614	14
32006	Universal Joint	32615	15
32008	1/2" F X 3/8" M Adapter	32616	16
32009	1/2" F X 3/4" M Adapter	32617	17
		32618	18
		32619	19
		32620	20
		32621	21
		32622	22
		32624	24
		32627	27
		32630	30
		32632	32

- All tools are professional quality, made of high-grade chrome vanadium steel. Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener. Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight. Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two-component handles are easy to grip and comfortable to carry.

1/2" DRIVE

WILLIAMS





23 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

12	Point	Compact	Case Tool	Set. SAE

Product Code	Description
50668	23 Piece 1/2" Drive Socket and Drive Tool Set
Contents Includes	

1/2" Drive To	ools:	1/2" Drive D	eep 12 Point	Sockets	
Product Code	Description	Product Code	Size (Inches)	Product Code	Size (Inches)
32001	9 1/8" Pear Head Ratchet	32416	1/2	32424	3/4
32005	15 1/2" Flex Handle	32418	9/16	32426	¹³ / ₁₆
32003	6" Extension	32420	5/8	32428	7/8
		32422	11/16		

1/2" Drive Shallow 12 Point Sockets:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
32114	7/16	32224	3/4	32234	1 1/16
32216	1/2	32226	13/16	32236	1 1/8
32218	9/16	32228	7/8	32240	1 1/4
32220	5/8	32230	15/16		
32222	11/16	32232	1		

Features

- All tools are professional quality, made of high-grade chrome vanadium steel
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
 Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight







12 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

12 Point Compact Case Tool Set, SAE

Description
12 Piece 1/2" Drive Socket and Drive Tool Set
Description
9 %" Pear Head Ratchet
6" Extension

1/2" Drive Shallow 12 Point Sockets:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)		
32216	1/2	32224	3/4	32232	1		
32218	9/16	32226	13/16	32236	1 1/8		
32220	5/8	32228	7/8				
32222	11/16	32230	15/16				

Features

- All tools are professional quality, made of high-grade chrome vanadium steel
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
 Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight







12 PIECE 1/2" DRIVE SOCKET AND DRIVE TOOL SET

12 Point Compact Case Tool Set, MM

Product Code	Description
50669	12 Piece 1/2" Drive Socket and Drive Tool Set
Contents Include:	

1/2" Drive Tools:	
Product Code	Description
32001	9 %" Pear Head Ratchet
32003	6" Extension

1/2" Drive Shallow 12 Point Sockets:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
32612	12	32616	16	32622	22
32613	13	32617	17	32624	24
32614	14	32618	18		
32615	15	32619	19		

- All tools are professional quality, made of high-grade chrome vanadium steel
 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
 Packed in rugged compact high-density polyethylene (HDPE) cases that are strong and durable yet light in weight

















1/2" DRIVE





1/2" DRIVE ENCLOSED HEAD RATCHETS

Williams® Sealed Narrow Head Design, **Chrome and Black Industrial Finish**

Product Code	Description	Length (Inches)	Number of Teeth
S-52EHA	Chrome Finish Enclosed Head Ratchet	10 1/4	36
S-52EHLA	Chrome Finish Enclosed Head Ratchet, Long	15	36
SB-52EHLA	Black Industrial Finish Enclosed Head Ratchet, Long	15	36
S-52EHFA	Chrome Finish Flex Head Ratchet	14 1/4	36
SB-52EHA	Black Industrial Finish Enclosed Head Ratchet	10 1/4	36
S-52EHRKA	Repair Kit "EHA" Model Enclosed Head Ratchets		

Fed. Spec: ANSI B107.10M

Features

- Enclosed head is sealed to prevent dust, dirt, and liquids from entering head, preserving internal lubrication.
- Forged one-piece ratchet provide strength and safety for industrial applications.
- Smooth comfort-grip handle permits all-day use without gloves.
- 36 tooth gear with 10 degree of engagement allows engagement in tight working areas.

- Nickel/Chrome plating provides increase protection from rust and corrosion.

 Chrome finish models feature mirror-like exterior that can be easily cleaned after each use.

 Single Pawl ratchet design:

 1) Designed for tighter tolerances between pawl and gear which reduces metal fatigue and slippage under load.
- 2) Does not require as many working parts, reducing possible breakage and parts to repair.

 Easy access reverse lever allows user to change working direction quickly and easily with only one hand.





1/2" DRIVE ROUND HEAD RATCHETS

Knurled Handle, Chrome and Black Industrial Finish

Product Code	Description	Length (Inches)	Number of Teeth
S-52A	Chrome Finish Round Head Ratchet	11 5/16	72
S-53A	Chrome Finish Round Head Ratchet, Long	15	72
BS-52A	Black Industrial Finish Round Head Ratchet	11 ⁵ ⁄16	72
S-52ARK	Repair Kit		

Fed. Spec: ANSI B107.10M

- Double pawl design with 72 teeth action provides a 5° ratcheting angle.
- Shift lever reverses action instantly.
- Knurled handle provides a non-slip grip.
 Chrome finish models provides increased protection from rust and corrosion.

1/2" DRIVE



1/2" DRIVE ROUND HEAD LINEMAN'S RATCHET

Knurled Handle, Chrome Finish

Product Code	Description	Length (Inches)	Number of Teeth
S-52LAB S-52LARK	Round Head Lineman's Ratchet Repair Kit	11 5/16	72

Fed. Spec: ANSI B107.10M

Features

- · Same features as other Williams' round head ratchets.
- · Extra-large shift lever allows easy reversal even when wearing gloves.





1/2" DRIVE NARROW HEAD CONSTRUCTION RATCHET

Knurled Handle, Black Industrial Finish

Product Code	Description	Length (Inches)	Number of Teeth
BS-71CBA BS-71ARKA	Narrow Head Construction Ratchet Repair Kit	15 ¹³ / ₁₆	32

Fed. Spec: ANSI B107.10M

Features

- · 36 tooth gear with 10 degree of engagement allows engagement in tight working areas.
- Extra-large shift lever reverses action instantly and easily, even when wearing gloves.
- Tapered spud handle easily lines up bolt holes.



BS-71CBA



1/2" DRIVE SCAFFOLDING RATCHET

Product Code	Description	Product Code	Description
BS-62 BS-63B	Scaffolding Ratchet with out pry bar Scaffolding Ratchet with pry bar	BS-63BTIP BS-63BBAR	Hammer Tip Prv Bar
BS-63BRK	Repair Kit	DO-03DDAIT	i iy bai

- 1/2" Drive with pinned 7/8" 6-point socket, 2-1/4" length
- 36 tooth gear with 10 degree of engagement allows engagement in tight working areas
- Bronze hammer head reduces rebound
- Pry bar handle provide alignment option
- Socket feature SUPERTORQUE lobular opening for greater turning power without deforming the fastener
- Easy access reversing lever allows user to change working direction quickly and easily with only one hand
- . Tethering device attached to handle









1/2" DRIVE



WILLIAMS

1/2" DRIVE HANDLES

Knurled Handle, Chrome and Black Industrial Finish

Product Code	Description	Length (Inches)
S-40AA	Chrome Flex Handle	10 13/16
SB-40AA	Black Industrial Finish Flex Handle	10 ¹³ / ₁₆
S-41AA	Chrome Flex Handle	15 ½
BS-41AA	Black Industrial Finish Flex Handle	15 ½
S-20A	Sliding T-Handle	12
S-10A	Speeder Handle	13 %
S-15A	Speeder Handle	18 ½16
S-41RK	Flex Handle Repair Kit	

Fed. Spec: ANSI B107.10M

Features

- Chrome plating provides increased protection from rust and corrosion.
- Drive handles provide extra leverage with greater strength than ratchets.
- Speeder handle is ideal for fast turn down of fasteners.



WILLIAMS

1/2" DRIVE EXTENSIONS AND ACCESSORIES

High-Polished Chrome Finish Product Code Description Length (Inches) 2 5 S-102P Extension S-110P Extension S-115P Extension 10 S-121P 20 Extension Universal Joint S-140A 2 11/16 Ratchet Spinner Disk 1 %16 S-70

Fed. Spec: ANSI B107.10M

WSS-3XT 3 Piece Extension Set in Pouch

Contents Include:

Product Code	Size (Inches)
S-102P	2
S-110P	5
S-115P	10

- Chrome plating provides increased protection from rust and corrosion.
- Ball and spring socket retention.
- Spinner disk is ideal for fast turn down of fasteners.

WILLIAMS

1/2" DRIVE ADAPTORS AND EXTENSION ADAPTERS

High-Polished Chrome and Black Oxide Finish

Product Code	Length (Inches)	Male End (Inches)	Female End (Inches)
Chrome Finish	Adapter		
SH-130	1 15/16	3/4	1/2
Black Industria	l Finish Adapters		
SH-130B	1 15/16	3/4	1/2
SH-131BA	2 5/16	1/2	3/4
Black Industria	I Finish Extension A	Adapters	
BS-05B	5	3/8	1/2
BS-12B	12	3/8	1/2

Fed. Spec: ANSI B107.10M

Features

- Ball and spring socket retention.
- Extension adapters offer convenience of extension and adapter in one tool.



1/2" DRIVE STUD REMOVER

Satin Chrome Finish

Product Code	Description	Length (Inches)	Capacity (Inches)
S-60D	Stud Remover	2 7/16	1/4 to 3/4

Fed. Spec: ANSI B107.10M

Features

- Knurled wheel grips studs during removal.
- . Drive shank extends through both sides of housing for even bearing surface.
- Capacity is 1/4" to 3/4" stud diameter.



1/2" DRIVE RATCHETS AND HANDLES

High-Polished Chrome Finish

Product Code	Description	Length (Inches)	Repair Kit
32001	40 Tooth Quick-Release Ratchet	9 7/8	32001RK
32011	Ultra-Fine 60-Tooth Ratchet	9 7/8	32011RK
32005	Flex Handle	15	
11920	Flex Handle, Comb. 3/8" x 1/2" Drive	10	
32007	Sliding T-Handle	15	

Fed. Spec: ANSI B107.10M

- Ball and spring socket retention.
- Williams 1/2" Drive Ratchets Feature:
- Ultra-fine 60 tooth model offers 6° tooth action in a narrow pear head
- Unique Finger-Fit handles to provide a comfortable, non-slip grip and extra turning power.
- · Choice of 38-tooth quick-release or 60-tooth ultra-fine gear.
- Narrow pear-shaped heads for access into confined work areas.
- High-polished chrome finish for easy cleaning.
- Unique combination 3/8" x 1/2" drive flex handle offers convenience of both drive sizes on one handle.











1/2" DRIVE





1/2" DRIVE EXTENSIONS AND ACCESSORIES

Product Code	Description	Length (Inches)
32002	Extension	3
32003	Extension	6
32004	Extension	10
32006	Universal Joint	2 ¹¹ / ₁₆
32008	Adaptor, ½" F x 3/8" M	1 7/16
32009	Adaptor, ½" F x ¾" M	1 3/4
32023	Locking Extension	3
32024	Locking Extension	6
32025	Locking Extension	10
32026	Locking Extension	12
32027	Locking Extension	18
32028	Locking Extension	24

Fed. Spec: ANSI B107.10M

Features

- Chrome plating provides increased protection from rust and corrosion.
- Ball and spring socket retention.



6 PIECE 1/2" DRIVE RATCHET AND DRIVE TOOL SET

Furnished in Pouch

Product Code	Description
32920	6 Piece ½" Drive Ratchet and Accessory Set

Contents Include:

Product Code	Description	Product Code	Description
32001	9 1/8" Quick-Release Ratchet	32005	15" Flex Handle Breaker Bar
32002	3" Extension	32006	Universal Joint
32004	10" Extension	32007	15" Sliding T-Handle

Features

• All tools are professional quality, made of high-grade chrome vanadium steel.



1/2" DRIVE







1/2" DRIVE SHALLOW 12 POINT SOCKETS, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product	Size	OAL	Drive End Diameter	Working End Diameter	Broach Depth	Bolt Clearance Depth	Bolt Clearance Diameter	Nose Length
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
ST-1212	3/8	1 ½	29/32	19/32	5/16	7/8	11/32	23/32
ST-1214	⁷ / ₁₆	1 ½	29/32	21/32	3/8	7/8	13/32	23/32
ST-1216	1/2	1 1/2	29/32	3/4	3/8	7/8	15/32	23/32
ST-1218	9/16	1 1/2	29/32	¹³ / ₁₆	3/8	7/8	15/32	23/32
ST-1219	19/32	1 ½	29/32	7/8	3/8	7/8	15/32	23/32
ST-1220	5/8	1 1/2	29/32	29/32	9/16	7/8	15/32	-
ST-1221	21/32	1 1/2	31/32	31/32	19/32	7/8	15/32	-
ST-1222	11/16	1 1/2	31/32	31/32	¹³ / ₁₆	²⁷ / ₃₂	5/8	-
ST-1224	3/4	1 1/2	1 1/32	1 ¹ /32	¹³ / ₁₆	²⁷ / ₃₂	23/32	-
ST-1225	25/32	1 1/2	1 1/16	1 1/16	¹³ / ₁₆	²⁷ / ₃₂	3/4	-
ST-1226	13/16	1 ½	1 1/8	1 1/8	13/16	27/32	25/32	-
ST-1228	7/8	1 1/2	1 3/16	1 3/16	¹³ / ₁₆	13/16	7/8	-
ST-1230	15/16	1 ¹⁷ / ₃₂	1 %2	1 %2	¹³ / ₁₆	27/32	29/32	-
ST-1231	31/32	1 %16	1 5/16	1 5/16	²⁷ / ₃₂	7/8	¹⁵ /16	-
ST-1232	1	1 %16	1 11/32	1 11/32	²⁷ / ₃₂	7/8	31/32	-
ST-1234	1 1/16	1 ¹¹ / ₁₆	1 7/16	1 ⁷ /16	31/32	1	1 1/16	-
ST-1236	1 1/8	1 3/4	1 1/2	1 ½	1 1/32	1 1/16	1 1/8	-
ST-1238	1 3/16	1 3/4	1 %	1 %	1	1 1/32	1 5/32	-
ST-1240	1 1/4	1 1/8	1 11/16	1 11/16	1 1/8	1 5/32	1 1/4	-
ST-1242	1 5/16	1 1/8	1 3/4	1 3/4	1 1/32	1 ⁵ / ₃₂	1 %32	-
ST-1244	1 %	2 1/16	1 ¹³ /16	1 ¹³ / ₁₆	1	1 5/16	1 11/32	-
ST-1246	1 7/16	2 1/4	1 ¹⁵ / ₁₆	1 ¹⁵ /16	1 1/32	1 ½	1 1/8	-
ST-1248	1 ½	2 1/4	2	2	1 1/16	1 ½	1 1/8	-



ST-1212

Fed. Spec: ANSI B107.1

WSS-15RC 15 Piece 1/2" Drive Shallow 12-Point Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
ST-1212	3/8	ST-1222	11/16	ST-1232	1
ST-1214	7/16	ST-1224	3/4	ST-1234	1 1/16
ST-1216	1/2	ST-1226	13/16	ST-1236	1 1/8
ST-1218	9/16	ST-1228	7/8	ST-1238	1 ³ / ₁₆
ST-1220	5/8	ST-1230	15/16	ST-1240	1 1/4



WSS-23RC 23 Piece 1/2" Drive Shallow 12-Point Socket Set on Clip Rail

Contents Include:

Product	Size	Product	Size	Product	Size	Product	Size
Code	(Inches)	Code	(Inches)	Code	(Inches)	Code	(Inches)
ST-1212	3/8	ST-1221	21/32	ST-1230	15/16	ST-1240	1 1/4
ST-1214	7/16	ST-1222	11/16	ST-1231	31/32	ST-1242	1 5/16
ST-1216	1/2	ST-1224	3/4	ST-1232	1	ST-1244	1 %
ST-1218	9/16	ST-1225	25/32	ST-1234	1 1/16	ST-1246	1 7/16
ST-1219	19/32	ST-1226	¹³ / ₁₆	ST-1236	1 1/8	ST-1248	1 1/2
ST-1220	5/8	ST-1228	7/8	ST-1238	1 3/16		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on both 6 and 12 point fasteners.










WSS-23RC

1/2" DRIVE









WILLIAMS





1/2" DRIVE SHALLOW 12 POINT SOCKETS, SAE

High-Polished Chrome Finish

		Α	В	C	ט	<u> </u>		h
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
32212	3/8	1 1/2	7/8	5/8	1/2	25/32	5/16	23/32
32214	7/16	1 1/2	7/8	11/16	1/2	27/32	13/32	11/16
32216	1/2	1 1/2	7/8	3/4	17/32	27/32	15/32	23/32
32218	9/16	1 1/2	7/8	¹³ / ₁₆	17/32	27/32	17/32	11/16
32220	5/8	1 1/2	29/32	29/32	17/32	27/32	⁹ /16	-
32222	11/16	1 1/2	31/32	31/32	9/16	27/32	21/32	
32224	3/4	1 1/2	1	1	3/4	29/32	23/32	-
32226	13/16	1 1/2	1 1/8	1 1/8	25/32	31/32	²⁵ / ₃₂	-
32228	7/8	1 %	1 3/16	1 ³ / ₁₆	7/8	1 1/32	7/8	-
32230	15/16	1 %	1 1/4	1 1/4	7/8	1 5/32	29/32	-
32232	1	1 %	1 5/16	1 ⁵ ⁄16	7/8	1 ³ / ₁₆	31/32	
32234	1 1/16	1 3/4	1 7/16	1 7/16	31/32	1 %2	1 1/16	-
32236	1 1/8	1 3/4	1 1/2	1 ½	31/32	1 5/16	1 5/32	-
32238	1 3/16	1 3/4	1 %16	1 %16	31/32	1 5/16	1 1/4	-
32240	1 1/4	1 3/4	1 11/16	1 21/32	31/32	1 5/16	1 1/4	•
32242	1 5/16	1 47/64	1 1/2	1 ⁴⁷ / ₆₄	⁵⁹ /64	⁵⁹ / ₆₄	1 3/16	-
32244	1 %	1 47/64	1 37/64	1 53/64	59/64	59/64	1 ¹⁷ / ₆₄	-
32246	1 7/16	1 31/32	1 21/32	1 ⁵⁷ / ₆₄	1 1/16	1 1/16	1 ¹¹ / ₃₂	-
32248	1 1/2	1 31/32	1 11/16	1 31/32	1 1/8	1 1/2	1 1/8	-

Fed. Spec: ANSI B107.1

32922 9 Piece 1/2" Drive Shallow 12-Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
32216	1/2	32222	11/16	32228	7/8
32218	⁹ /16	32224	3/4	32230	¹⁵ / ₁₆
32220	5/6	32226	13/16	32232	1

32924 16 piece 1/2" Drive Shallow 12 Point Socket Set on Clip Rails Contents Include:

Product	Size	Product	Size	Product	Size	Product	Size
Code	(Inches)	Code	(Inches)	Code	(Inches)	Code	(Inches)
32212	3/8	32220	5/8	32228	7/8	32236	1 1/8
32214	7/16	32222	11/16	32230	¹⁵ /16	32238	1 ³ / ₁₆
32216	1/2	32224	3/4	32232	1	32240	1 1/4
32218	9/16	32226	¹³ / ₁₆	32234	1 1/16	32248	1 1/2

32925 19 piece 1/2" Drive Shallow 12 Point Socket Set on Clip Rails Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
32212	3/8	32222	11/16	32232	1	32242	1 5/16
32214	7/16	32224	3/4	32234	1 1/16	32244	1 3/8
32216	1/2	32226	13/16	32236	1 1/8	32246	1 7/16
32218	9/16	32228	7/8	32238	1 3/16	32248	1 1/2
32220	5/8	32230	15/16	32240	1 1/4		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- . Designed for quick engagement on both 6 and 12 point fasteners.



1/2" DRIVE







1/2" DRIVE SHALLOW SOCKETS, 6 POINT, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
ST-612	3/8	1 1/2	29/32	19/32	5/16	7/8	11/32	23/32
ST-614	7/16	1 1/2	29/32	21/32	3/8	7/8	13/32	23/32
ST-616	1/2	1 1/2	29/32	3/4	3/8	7/8	15/32	23/32
ST-618	9/16	1 1/2	29/32	¹³ /16	3/8	7/8	15/32	23/32
ST-619	19/32	1 1/2	29/32	7/8	3/8	7/8	15/32	23/32
ST-620	5/8	1 1/2	29/32	29/32	9/16	7/8	15/32	
ST-622	11/16	1 1/2	31/32	31/32	¹³ / ₁₆	²⁷ / ₃₂	5/8	-
ST-624	3/4	1 1/2	1 1/32	1 1/32	¹³ / ₁₆	²⁷ / ₃₂	23/32	-
ST-625	²⁵ / ₃₂	1 1/2	1 1/16	1 1/16	¹³ / ₁₆	²⁷ / ₃₂	3/4	-
ST-626	¹³ / ₁₆	1 1/2	1 1/8	1 1/8	¹³ / ₁₆	²⁷ / ₃₂	25/32	
ST-628	7/8	1 1/2	1 3/16	1 3/16	¹³ / ₁₆	13/16	7/8	
ST-630	¹⁵ / ₁₆	1 17/32	1 %2	1 %32	13/16	27/32	29/32	-
ST-632	1	1 %16	1 11/32	1 11/32	27/32	7/8	31/32	-
ST-634	1 1/16	1 11/16	1 7/16	1 7/16	31/32	1	1 1/16	-
ST-636	1 1/8	1 3/4	1 1/2	1 1/2	1 1/32	1 1/16	1 1/8	-
ST-640	1 1/4	1 1/8	1 11/16	1 11/16	1 1/8	1 5/32	1 1/4	-



Fed. Spec: ANSI B107.1

WSS-14HRC 14 Piece 1/2" Drive Shallow 6 Point Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
ST-612	3/8	ST-622	11/16	ST-632	1
ST-614	7/16	ST-624	3/4	ST-634	1 1/16
ST-616	1/2	ST-626	13/16	ST-636	1 1/8
ST-618	9/16	ST-628	7/8	ST-640	1 1/4
ST-620	5/8	ST-630	15/16		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.









1/2" DRIVE







1/2" DRIVE SHALLOW 6 POINT SOCKETS, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
32112	3/8	1 1/2	7/8	5/8	1/2	25/32	5/16	23/32
32114	7/16	1 1/2	7/8	11/16	1/2	²⁷ / ₃₂	13/32	11/16
32116	1/2	1 1/2	7/8	3/4	17/32	27/32	15/32	23/32
32118	9/16	1 1/2	7/8	¹³ /16	17/32	27/32	17/32	11/16
32120	5/8	1 1/2	29/32	²⁹ / ₃₂	17/32	27/32	⁹ /16	-
32122	11/16	1 1/2	31/32	31/32	9/16	27/32	21/32	•
32124	3/4	1 1/2	1	1	3/4	29/32	23/32	-
32126	13/16	1 1/2	1 1/8	1 1/8	²⁵ / ₃₂	31/32	²⁵ / ₃₂	-
32128	7/8	1 %	1 3/16	1 ³ / ₁₆	7/8	1 1/32	7/8	-
32130	15/16	1 %	1 1/4	1 1/4	7/8	1 5/32	29/32	-
32132	1	1 %	1 5/16	1 ⁵ ⁄16	7/8	1 ³ / ₁₆	31/32	•
32134	1 1/16	1 3/4	1 1/16	1 7/16	31/32	1 1/32	1 1/16	-
32136	1 1/8	1 3/4	1 1/2	1 ½	31/32	1 5/16	1 5/32	-
32138	1 3/16	1 3/4	1 %16	1 %16	31/32	1 5/16	1 1/4	-
32140	1 1/4	1 3/4	1 11/16	1 21/32	31/32	1 5/16	1 1/4	
32142	1 5/16	1 47/64	1 1/2	1 ⁴⁷ / ₆₄	59/64	⁵⁹ / ₆₄	1 3/16	-
32144	1 3/8	1 47/64	1 37/64	1 53/64	59/64	59/64	1 17/64	-
32146	1 1/16	1 31/32	1 21/32	1 57/64	1 1/16	1 1/16	1 11/32	-
32148	1 1/2	1 31/32	1 11/16	1 31/32	1 1/8	1 1/2	1 1/8	-

Fed. Spec: ANSI B107.1

32934 9 Piece 1/2" Drive Shallow 6-Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
32116	1/2	32122	11/16	32128	7/8
32118	9/16	32124	3/4	32130	¹⁵ / ₁₆
32120	5/8	32126	13/16	32132	1

32937 16 Piece 1/2" Drive Shallow 6-Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
32112	3/8	32120	5/8	32128	7/8	32136	1 1/8
32114	7/16	32122	11/16	32130	¹⁵ / ₁₆	32138	1 3/16
32116	1/2	32124	3/4	32132	1	32140	1 1/4
32118	9/16	32126	13/16	32134	1 1/16	32148	1 ½

32938 19 piece 1/2" Drive Shallow 6 Point Socket Set on Clip Rails Contents Include:

0011601	ito illoidac	•					
Product		Product		Product		Product	
Code	Size (Inches)	Code	Size (Inches)	Code	Size (Inches)	Code	Size (Inches)
32112	3/8	32122	11/16	32132	1	32142	1 5/16
32114	7/16	32124	3/4	32134	1 1/16	32144	1 3/8
32116	1/2	32126	¹³ / ₁₆	32136	1 1/8	32146	1 7/16
32118	9/16	32128	7/8	32138	1 3/16	32148	1 1/2
32120	5/8	32130	15/16	33140	1 1/4		

Fastura

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on 6 point fasteners.











1/2" DRIVE





1/2" DRIVE CROWFOOT WRENCH, OPEN END, SAE

High Polished Chrome Finish

Product Code	Size (Inches)	Overall Length (Inches)	Diameter of Head (Inches)	Thickness of Head (Inches)	Thickness of Drive End (Inches)	Length of Centers (Inches)
10810	15/16	2 5/8	1 1/8	5/16	1/2	1 5/8
10811	1	2 5/8	2	5/16	1/2	1 5/8
10812	1 1/16	2 3/4	2	5/16	1/2	1 3/4
10813	1 1/8	2 3/4	2 7/32	5/16	1/2	1 3/4
10814	1 3/16	3	2 5/16	3/8	1/2	1 7/8
10815	1 1/4	3	2	3/8	1/2	1 1/8
10816	1 5/16	3	2.56	3/8	1/2	2
10817	1 3/8	3	2.68	3/8	1/2	2
10818	1 1/16	3 1/32	3	3/8	1/2	2
10819	1 1/2	3 1/32	3	3/8	1/2	2
10820	1 %16	3 %	3	1/2	1/2	2
10821	1 %	3 %	3 1/4	1/2	1/2	2
10822	1 11/16	3 1/2	3 5⁄16	1/2	1/2	2 7/32
10823	1 3/4	3 1/2	3 1/2	1/2	1/2	2 7/32
10824	1 ¹³ / ₁₆	3 1/2	3 1/2	1/2	1/2	2 7/32
10825	1 1/8	3 1/2	3 1/2	1/2	1/2	2 7/32
10826	1 ¹⁵ / ₁₆	3 1/2	3 1/2	1/2	1/2	2 7/32
10827	2	3 3/4	4	1/2	1/2	2 1/4
10828	2 1/16	3 3/4	4	1/2	1/2	2 1/4
10829	2 1/8	4	4	1/2	1/2	2 1/2
10830	2 3/16	4	4	1/2	1/2	2 1/2
10831	2 1/4	4	4 7/32	1/2	1/2	2 1/2
10832	2 5/16	4	4 7/32	1/2	1/2	2 1/2
10833	2 3/8	4 1/4	4 1/4	1/2	1/2	2 1/2
10834	2 7/16	4 1/4	4 3/8	1/2	1/2	2 1/2
10835	2 1/2	4 1/4	4 3/8	1/2	1/2	2 1/2



10840 12 Piece 1/2" Drive Crowfoot Wrenches on Clip Rails Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
10810	¹⁵ / ₁₆	10814	1 3/16	10818	1 7/16
10811	1	10815	1 1/4	10819	1 1/2
10812	1 1/16	10816	1 5/16	10820	1 %16
10813	1 1/8	10817	1 3/8	10821	1 5/8

10841 14 Piece 1/2" Drive Crowfoot Wrenches on Clip Railst Contents Include:

Product Code	Size (Inches)						
10822	1 11/16	10825	1 1/8	10830	2 3/16	10833	2 3/8
10823	1 3/4	10827	2	10831	2 1/4	10834	2 1/16
10824	1 13/16	10828	2 1/16	10832	2 5/16	10835	2 1/2
10026	1 15/	10920	2 1/2				







1/2" DRIVE CROWFOOT WRENCH, FLARE NUT, 12 POINT

Satin Chr	ome Finish	, SAE	В	С	D
Product Code	Size (Inches)	Diameter of Head	Thickness of Head	Width of Slot	Length of Centers
SCF36	1 1/8	1 %	7/8	27/32	1 5/32
SCF38	1 3/16	1 11/16	7/8	27/32	1 3/16
SCF40	1 1/4	1 ²⁵ / ₃₂	7/8	15/16	1 15/64
SCF42	1 5/16	1 ²⁷ / ₃₂	7/8	31/32	1 17/64
SCF44	1 3/8	1 15/16	15/16	1 1/16	1 5/16
SCF46	1 7/16	2	15/16	1 1/16	1 11/32
SCF48	1 1/2	2 1/16	15/16	1 1/8	1 3/8
SCF50	1 %16	2 5/32	15/16	1 5/32	1 27/64
SCF52	1 %	2 7/32	¹⁵ / ₁₆	1 7/32	1 29/64
SCF54	1 11/16	2 5/16	1	1 5/16	1 ³³ / ₆₄
SCF56	1 3/4	2 %	1	1 5/16	1 35/64
SCF58	1 13/16	2 15/32	1	1 11/32	1 19/32
SCF60	1 1/8	2 1/16	1 1/16	1 %	1 41/64
SCF62	1 15/16	2 1/2	1 1/16	1 1/16	1 43/64
SCF64	2	2 ²³ / ₃₂	1 1/16	1 1/16	1 ²³ / ₃₂

Fed. Spec: ASME B107.21 Type 1 Class 1

Product Code	Size (Inches)						
10822	1 11/16	10825	1 1/8	10830	2 3/16	10833	2 3/8
10823	1 3/4	10827	2	10831	2 1/4	10834	2 7/16
10824	1 13/16	10828	2 1/16	10832	2 5/16	10835	2 1/2
10826	1 15/16	10829	2 1/8				







WSSCF-15

SCF60

WSSCF-7 7 Piece 12 Point Crowfoot Wrench on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
SCF36	1 ½	SCF42	1 5/16	SCF46	1 7/16
SCF38	1 3/16	SCF44	1 3/8	SCF48	1 1/2
SCF40	1 1/4				

WSSCF-15 15 Piece 12 Point Crowfoot Wrench on Clip Rail **Contents Include:**

Product Code	Size (Inches)						
SCF36	1 1/8	SCF44	1 3/8	SCF52	1 1/8	SCF60	1 1/8
SCF38	1 3/16	SCF46	1 1/16	SCF54	1 11/16	SCF62	1 15/16
SCF40	1 1/4	SCF48	1 1/2	SCF56	1 3/4	SCF64	2
SCF42	1 5/16	SCF50	1 1/16	SCF58	1 13/16		







1/2" DRIVE







WSS-814RC

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- 8 point sockets are designed for quick engagement on 4 point fasteners.







1/2" DRIVE SHALLOW SOCKETS, 8 POINT, SAE

High-Polished Chrome Finish

		Α	В	С	D	Ε		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
ST-812	3/8	1 1/2	7/8	23/32	5/16	²⁷ / ₃₂	5/16	7/8
ST-814	7/16	1 1/2	7/8	¹³ / ₁₆	3/8	²⁷ / ₃₂	5/16	7/8
ST-816	1/2	1 1/2	²⁹ / ₃₂	²⁹ / ₃₂	13/32	²⁷ / ₃₂	11/32	
ST-818	9/16	1 1/2	31/32	31/32	7/16	27/32	7/16	
ST-820	5/8	1 1/2	1 1/16	1 1/16	1/2	27/32	7/16	
ST-822	11/16	1 1/2	1 3/16	1 3/16	1/2	²⁷ / ₃₂	17/32	
ST-824	3/4	1 ½	1 1 1/32	1 %32	9/16	¹³ / ₁₆	²³ / ₃₂	
ST-826	¹³ / ₁₆	1 1/8	1 1/16	¹⁷ / ₁₆	9/16	31/32	²⁷ / ₃₂	
ST-828	7/8	1 3/4	1 1/2	1 1/2	5/8	1 1/16	¹⁵ / ₁₆	
ST-830	15/16	1 13/16	1 1/8	1 1/8	11/16	1 1/8	1 1/32	
ST-832	1	1 15/16	1 11/16	1 11/16	11/16	1 1/4	1 1/32	
ST-834	1 1/16	1 15/16	1 3/4	1 3/4	23/32	1 1/8	¹³ / ₁₆	
ST-836	1 1/8	2	1 13/16	1 13/16	3/4	1 3/16	¹³ / ₁₆	
ST-840	1 1/4	2	2	2	25/32	1 3/16	1	-

Fed. Spec: ANSI B107.1

WSS-814RC 14 Piece 8 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
ST-812	3/8	ST-820	5/8	ST-828	7/8	ST-834	1 1/16
ST-814	7/16	ST-822	11/16	ST-830	¹⁵ / ₁₆	ST-836	1 1/8
ST-816	1/2	ST-824	3/4	ST-832	1	ST-840	1 1/4
ST-818	9/16	ST-826	¹³ / ₁₆				





WSSD-11RC

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Designed for quick engagement on both 6 and 12 point fasteners.







1/2" DRIVE DEEP SOCKETS, 12 POINT, SAE

High-Polished Chrome Finish

		Α	В	С	D	Ε		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
SD-1216	1/2	3 1/4	29/32	3/4	13/32	2 19/32	15/32	2 15/32
SD-1218	9/16	3 1/4	29/32	13/16	7/16	2 19/32	15/32	2 15/32
SD-1220	5/8	3 1/4	29/32	29/32	15/32	2 7/16	19/32	
SD-1222	11/16	3 1/4	31/32	31/32	17/32	2 11/32	21/32	
SD-1224	3/4	3 1/4	1 1/16	1 1/16	19/32	2 5/16	²³ / ₃₂	
SD-1225	25/32	3 1/4	1 1/16	1 1/16	21/32	2 %32	25/32	
SD-1226	13/16	3 1/4	1 1/8	1 1/8	21/32	2 %32	25/32	
SD-1228	7/8	3 1/4	1 3/16	1 3/16	23/32	2 1/32	²⁷ / ₃₂	
SD-1230	15/16	3 1/4	1 1 1/32	1 %32	3/4	2 1/32	²⁹ / ₃₂	
SD-1232	1	3 1/4	1 11/32	111/32	3/4	2 1/4	1	
SD-1234	1 1/16	3 1/4	1 7/16	1 7/16	3/4	2 1/4	1 1/16	
SD-1236	1 1/8	3 1/4	1 1/2	1 1/2	25/32	2 1/4	1 3/32	

Fed. Spec: ANSI B107.1

WSSD-11RC 11 Piece 1/2" Drive Deep 12 Point Socket Set on Clip Rail

Contents Include:

••••••••••••					
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
SD-1216	1/2	SD-1224	3/4	SD-1232	1
SD-1218	9/16	SD-1226	¹³ / ₁₆	SD-1234	1 1/16
SD-1220	5/8	SD-1228	7/8	SD-1236	1 1/8
SD-1222	11/16	SD-1230	15/16		

1/2" DRIVE







1/2" DRIVE DEEP SOCKETS, 12 POINT, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
32412	3/8	3	7/8	5/8	1	2 7/32	11/32	1 15/32
32414	7/16	3 1/32	7/8	11/16	1 1/8	2 1/32	13/32	1 ¹⁵ / ₃₂
32416	1/2	3 1/32	7/8	3/4	31/32	2 7/32	7/16	1 ¹⁵ / ₃₂
32418	⁹ ⁄16	3 1/32	7/8	¹³ / ₁₆	1 3/32	2 7/32	1/2	1 ¹⁵ / ₃₂
32420	5/8	3 1/32	29/32	²⁹ / ₃₂	1 ³ /16	2 ³ / ₁₆	⁹ /16	-
32422	11/16	3 1/32	15/16	15/16	1 3/8	2 3/16	21/32	-
32424	3/4	3 ¹ / ₃₂	1 1/16	1 1/16	1 1/4	2 11/32	23/32	-
32426	13/16	3 1/32	1 1/8	1 1/8	1 ¹⁵ / ₃₂	2 3/16	3/4	-
32428	7/8	3 1/32	1 3/16	1 3/16	1 13/32	2 1/4	27/32	-
32430	15/16	3 1/32	1 1/4	1 1/4	1 13/32	2 5/32	29/32	
32432	1	3 1/32	1 11/32	1 11/32	1 13/32	2 5/32	15/16	
32434	1 1/16	3 1/32	1 ¹³ / ₃₂	1 ¹³ / ₃₂	1 3/8	2 11/32	1 1/32	-
32436	1 1/8	3 1/32	1 1/2	1 1/2	1 7/16	2 ¾	1 1/16	
32438	1 3/16	3 1/32	1 %16	1 %16	1 7/16	2 ³ / ₁₆	1 1/16	-
32440	1 1/4	3 1/32	1 21/32	1 21/32	1 7/16	2 3/16	1 1/16	-
32442	1 5/16	3 1/32	1 47/64	1 47/64	1 %	2 11/64	1 3/16	-
32444	1 3/8	3 1/32	1 ⁵³ / ₆₄	1 ⁵³ / ₆₄	1 ¾	2 11/64	1 ¹⁷ / ₆₄	-
32446	1 7/16	3 1/32	1 57/64	1 57/64	1 3/8	2 11/64	1 11/32	-
32448	1 1/2	3 ¹ / ₃₂	1 ¹⁵ /16	1 ³¹ / ₃₂	1 ⁷ /16	2 3/16	1 1/16	-





Fed. Spec: ANSI B107.1

32926 9 Piece 1/2" Drive Deep 12 Point Socket Set on Clip Rail Contents Include:

	Size		Size		Size
Product Code	(Inches)	Product Code	(Inches)	Product Code	(Inches)
32416	1/2	32422	11/16	32428	7/8
32418	9/16	32424	3/4	32430	15/16
32420	5/8	32426	¹³ / ₁₆	32432	1



32928 16 Piece 1/2" Drive Deep 12 Point Socket Set on Clip Rail

Contents Include:

	Size		Size		Size		Size
Product Code	(Inches)	Product Code	(Inches)	Product Code	(Inches)	Product Code	(Inches)
32412	3/8	32420	5/8	32428	7/8	32436	1 1/8
32414	7/16	32422	11/16	32430	¹⁵ / ₁₆	32438	1 3/16
32416	1/2	32424	3/4	32432	1	32440	1 1/4
32418	9/16	32426	¹³ / ₁₆	32434	1 1/16	32448	1 1/2



Contonts	iiiciaaci						
	Size		Size		Size		Size
Product Code	(Inches)	Product Code	(Inches)	Product Code	(Inches)	Product Code	(Inches)
32412	3/8	32422	11/16	32432	1	32442	1 5/16
32414	7/16	32424	3/4	32434	1 1/16	32444	1 3/8
32416	1/2	32426	13/16	32436	1 1/8	32446	1 7/16
32418	9/16	32428	7/8	32438	1 3/16	32448	1 1/2
32420	5/8	32430	¹⁵ / ₁₆	32440	1 1/4		



Features

- $\bullet \ \ SUPERTORQUE^{\circledcirc}\ lobular\ openings\ for\ greater\ turning\ power\ without\ deforming\ the\ fastener.$
- Designed for quick engagement on both 6 and 12 point fasteners.









1/2" DRIVE








1/2" DRIVE DEEP SOCKETS, 6 POINT, SAE

High-Polished Chrome Finish



Fed. Spec: ANSI B107.1

WSSD-11HRC 11 Piece 1/2" Drive Deep 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
SD-616	1/2	SD-624	3/4	SD-632	1
SD-618	⁹ / ₁₆	SD-626	¹³ / ₁₆	SD-634	1 1/16
SD-620	5/8	SD-628	7/8	SD-636	1 1/8
SD-622	11/16	SD-630	¹⁵ / ₁₆		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.



WSSD-11HRC



SD-624 SD-616

1/2" DRIVE







1/2" DRIVE DEEP SOCKETS, 6 POINT, SAE

High-Polished Chrome Finish

Product Size OAL Diameter Diameter	Depth Depth D	Clearance Nose iameter Length
Code (Inches) (Inches) (Inches)		nches) (Inches)
32312 3/8 3 7/8 5/8	1 2 7/32	11/32 1 15/32
32314 $\frac{7}{16}$ $\frac{3}{32}$ $\frac{7}{8}$ $\frac{11}{16}$	1 ½ 2 ½2	13/ ₃₂ 1 15/ ₃₂
32316 ½ 3 ½ ⁷ / ₈ ³ / ₄	³¹ / ₃₂ 2 ⁷ / ₃₂	⁷ / ₁₆ 1 ¹⁵ / ₃₂
32318 9/16 3 1/32 7/8 13/16	1 ³ / ₃₂ 2 ⁷ / ₃₂	½ 1 15/32
32320 5/8 3 1/32 29/32 29/32	1 ³ / ₁₆ 2 ³ / ₁₆	9/16 -
32322 11/16 3 1/32 15/16 15/16	1 3/8 2 3/16	21/32 -
32324 ³ / ₄ 3 ¹ / ₃₂ 1 ¹ / ₁₆ 1 ¹ / ₁₆	1 ½ 2 ½	23/32 -
32326 ¹³ / ₁₆ 3 ¹ / ₃₂ 1 ¹ / ₈ 1 ¹ / ₈	1 15/32 2 3/16	3/4 -
32328 ⁷ / ₈ 3 ¹ / ₃₂ 1 ³ / ₁₆ 1 ³ / ₁₆	1 ¹³ / ₃₂ 2 ¹ / ₄	27/32 -
32330 ¹⁵ / ₁₆ 3 ¹ / ₃₂ 1 ¹ / ₄ 1 ¹ / ₄	1 13/32 2 5/32	29/32 -
32332 1 3 ½2 1 ½2 1 ½2	1 ¹³ / ₃₂ 2 ⁵ / ₃₂	15/16 -
32334 1 ½6 3 ½2 1 ⅓2 1 ⅓32 1 ⅓32	1 3/8 2 11/32	1 1/32 -
32336 1 ½ 3 ½ 1 ½ 1 ½	1 ⁷ / ₁₆ 2 ³ / ₈	1 1/16 -
32338 1 ³ / ₁₆ 3 ¹ / ₃₂ 1 ⁹ / ₁₆ 1 ⁹ / ₁₆	1 ⁷ / ₁₆ 2 ³ / ₁₆	1 1/16 -
32340 1 ¹ / ₄ 3 ¹ / ₃₂ 1 ²¹ / ₃₂ 1 ²¹ / ₃₂	1 ⁷ / ₁₆ 2 ³ / ₁₆	1 1/16 -
32342 1 ⁵ / ₁₆ 3 ¹ / ₃₂ 1 ⁴⁷ / ₆₄ 1 ⁴⁷ / ₆₄	1 3/8 2 11/64	1 3/16 -
32344 1 ³ / ₈ 3 ¹ / ₃₂ 1 ⁵³ / ₆₄ 1 ⁵³ / ₆₄	1 3/8 2 11/64	1 17/64 -
32346 1 ⁷ / ₁₆ 3 ¹ / ₃₂ 1 ⁵⁷ / ₆₄ 1 ⁵⁷ / ₆₄	1 3/8 2 11/64	1 11/32 -
32348 1 ½ 3 ½ 1 ½ 6 1 ¾ 31/32	1 7/16 2 3/16	1 1/16 -

Fed. Spec: ANSI B107.1

32936 9 Piece 1/2" Drive Deep 6 Point Socket Set on Clip Rail Contents Include:

••••••											
	Size		Size	L	Size						
Product Code	(Inches)	Product Code	(Inches)	Product Code	(Inches)						
32316	1/2	32322	11/16	32328	7/8						
32318	9/16	32324	3/4	32330	¹⁵ / ₁₆						
32320	5/8	32326	13/16	32332	1						



	Size		Size		Size		Size
Product Code	(Inches)	Product Code	(Inches)	Product Code	(Inches)	Product Code	(Inches)
32312	3/8	32320	5/8	32328	7/8	32336	1 1/8
32314	7/16	32322	11/16	32330	¹⁵ / ₁₆	32338	1 3/16
32316	1/2	32324	3/4	32332	1	32340	1 1/4
32318	9/16	32326	13/16	32334	1 1/16	32348	1 ½

32940 19 piece 1/2" Drive Deep 6 Point Socket Set on Clip Rails Contents Include:

Product Code	Size (Inches)						
32312	3/8	32322	11/16	32332	1	32342	1 5/16
32314	7/16	32322	3/4	32334	1 1/16	32344	1 3/8
32316	1/2	32326	13/16	32336	1 1/8	32346	1 7/16
32318	9/16	32328	7/8	32338	1 3/16	32348	1 1/2
32320	5/8	32330	15/16	32340	1 1/4		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on 6 point fasteners.









32939









1/2" DRIVE








1/2" DRIVE SHALLOW SOCKETS, 12 POINT, METRIC

High-Polished Chrome Finish



Fed. Spec: ANSI B107.5

MSS-15RC 15 Piece 1/2" Drive Shallow 12 Point Socket Set on Clip Rail **Contents Include:**

Product	Size	Product	Size	Product	Size	Product	Size
Code	(MM)	Code	(MM)	Code	(MM)	Code	(MM)
STM-1210	10	STM-1214	14	STM-1218	18	STM-1222	22
STM-1211	11	STM-1215	15	STM-1219	19	STM-1223	23
STM-1212	12	STM-1216	16	STM-1220	20	STM-1224	24
STM-1213	13	STM-1217	17	STM-1221	21		

MSS-24RC 24 Piece 1/2" Drive Shallow 12 Point Socket Set on Clip Rail **Contents Include:**

Product	Size	Product	Size	Product	Size	Product	Size
Code	(MM)	Code	(MM)	Code	(MM)	Code	(MM)
STM-1210	10	STM-1216	16	STM-1222	22	STM-1228	28
STM-1211	11	STM-1217	17	STM-1223	23	STM-1229	29
STM-1212	12	STM-1218	18	STM-1224	24	STM-1230	30
STM-1213	13	STM-1219	19	STM-1225	25	STM-1232	32
STM-1214	14	STM-1220	20	STM-1226	26	STM-1234	34
STM-1215	15	STM-1221	21	STM-1227	27	STM-1236	36

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Designed for quick engagement on both 6 and 12 point fasteners.





STM-1229





MSS-15RC



1/2" DRIVE







1/2" DRIVE SHALLOW SOCKETS, 12 POINT, METRIC

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
32609	9	1 1/2	7/8	9/16	9/16	11/16	5/16	23/32
32610	10	1 1/2	7/8	5/8	1/2	27/32	3/8	23/32
32611	11	1 1/2	7/8	21/32	1/2	7/8	13/32	23/32
32612	12	1 1/2	7/8	23/32	1/2	7/8	7/16	23/32
32613	13	1 1/2	7/8	3/4	9/16	²⁷ / ₃₂	15/32	23/32
32614	14	1 1/2	7/8	13/16	9/16	13/16	17/32	23/32
32615	15	1 1/2	7/8	7/8	17/32	¹³ / ₁₆	9/16	•
32616	16	1 1/2	29/32	29/32	17/32	27/32	19/32	
32617	17	1 1/2	15/16	¹⁵ /16	17/32	27/32	21/32	
32618	18	1 1/2	1	1	3/4	13/16	11/16	
32619	19	1 1/2	1 1/16	1 1/16	3/4	7/8	⁴⁵ /64	
32620	20	1 1/2	1 3/32	1 3/32	25/32	¹⁵ /16	⁴⁷ / ₆₄	
32621	21	1 1/2	1 1/8	1 1/8	25/32	¹⁵ /16	⁴⁹ /64	
32622	22	1 %	1 3/16	1 ³ / ₁₆	7/8	1 1/32	²⁵ / ₃₂	
32623	23	1 %	1 7/32	1 7/32	7/8	1 1/32	13/16	•
32624	24	1 %	1 1/4	1 1/4	7/8	1 3/32	53/64	
32625	25	1 %	1 1/16	1 5/16	7/8	1 3/32	55/64	
32626	26	1 3/4	1 5/16	1 5/16	¹⁵ / ₁₆	1 ³ / ₁₆	⁵⁷ / ₆₄	
32627	27	1 3/4	1 7/16	1 7/16	¹⁵ / ₁₆	1 ³ / ₁₆	²⁹ / ₃₂	
32628	28	1 3/4	1 7/16	1 7/16	31/32	1 %2	15/16	
32629	29	1 3/4	1 1/2	1 1/2	31/32	1 %32	31/32	•
32630	30	1 3/4	1 %16	1 %16	31/32	1 11/32	63/64	•
32632	32	1 3/4	1 %	1 %	31/32	1 11/32	1 1/64	
32634	34	1 ³¹ / ₃₂	1 11/16	1 ³¹ / ₃₂	1 1/8	1 1/2	1 1/32	
32636	36	1 31/32	1 11/16	1 31/32	1 1/8	1 1/2	1 1/32	



32615 32609

Fed. Spec: ANSI B107.5

32930 10 Piece 1/2" Drive Shallow 12 Point Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
32610	10	32614	14	32618	18
32611	11	32615	15	32619	19
32612	12	32616	16		
32613	13	32617	17		



32932 16 Piece 1/2" Drive Shallow 12 Point Socket Set on Clip Rail

Contents Include:

•••••••							
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
32609	9	32613	13	32617	17	32621	21
32610	10	32614	14	32618	18	32622	22
32611	11	32615	15	32619	19	32623	23
32612	12	32616	16	32620	20	32624	24

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on both 6 and 12 point fasteners.
















1/2" DRIVE SHALLOW SOCKETS, 6 POINT, METRIC

High-Polished Chrome Finish



Fed. Spec: ANSI B107.5

32943 16 Piece 1/2" Drive Shallow 6 Point Socket Set on Clip Rail

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
32509	9	32513	13	32517	17	32521	21
32510	10	32514	14	32518	18	32522	22
32511	11	32515	15	32519	19	32523	23
32512	12	32516	16	32520	20	32524	24

32941 24 piece 1/2" Drive Shallow 6 Point Socket Set on Clip Rails

Contents Include:

Contents	, iliciaac.						
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
	CIVITAIN						
32509	9	32515	15	32521	21	32527	27
32510	10	32516	16	32522	22	32528	28
32511	11	32517	17	32523	23	32529	29
32512	12	32518	18	32524	24	32530	30
32513	13	32519	19	32525	25	32532	32
32514	14	32520	20	32526	26	32536	36

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- · Designed for quick engagement on both 6 point fasteners.



32515

32509





32941







1/2" DRIVE DEEP SOCKETS, 12 POINT, METRIC

High-Polished Chrome Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
SMD-1213	13	3 1/4	29/32	25/32	13/32	2 15/32	15/32	2 19/32
SMD-1214	14	3 1/4	29/32	27/32	13/32	2 ¹⁵ / ₃₂	15/32	2 19/32
SMD-1215	15	3 1/4	29/32	7/8	13/32	2 ¹⁵ / ₃₂	15/32	-
SMD-1216	16	3 1/4	29/32	29/32	15/32	2 1/16	17/32	-
SMD-1217	17	3 1/4	31/32	31/32	1/2	2 11/32	5/8	-
SMD-1218	18	3 1/4	1	1	17/32	2 11/32	21/32	
SMD-1219	19	3 1/4	1 1/32	1 1/32	9/16	2 5/16	11/16	•
SMD-1221	21	3 1/4	1 1/8	1 1/8	21/32	2 5/16	3/4	-
SMD-1222	22	3 1/4	1 3/16	1 ³ / ₁₆	23/32	2 %2	¹³ / ₁₆	-
SMD-1224	24	3 1/4	1 %2	1 %2	3/4	2 %2	7/8	-
SMD-1227	27	3 1/4	1 7/16	1 7/16	3/4	2 1/4	1	-
SMD-1230	30	3 1/4	1 %	1 %	13/16	2 1/4	1 3/32	-

Fed. Spec: ANSI B107.5

MSSD-12RC 12 Piece 1/2" Drive Deep 12 Point Socket Set on Clip Rail

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
SMD-1213	13	SMD-1217	17	SMD-1222	22
SMD-1214	14	SMD-1218	18	SMD-1224	24
SMD-1215	15	SMD-1219	19	SMD-1227	27
SMD-1216	16	SMD-1221	21	SMD-1230	30

- $\bullet \ \ SUPERTORQUE^{\circledcirc}\ lobular\ openings\ for\ greater\ turning\ power\ without\ deforming\ the\ fastener.$
- Designed for quick engagement on both 6 and 12 point fasteners.





SMD-1218



MSSD-12RC







1/2" DRIVE








1/2" DRIVE DEEP SOCKETS, 12 POINT, METRIC

High-Polished Chrome Finish



Fed. Spec: ANSI B107.5

32951 16 Piece 1/2" Drive Deep 12 Point Socket Set on Clip Rail Contents Include:

Product	Size	Product	Size	Product	Size	Product	Size
Code	(MM)	Code	(MM)	Code	(MM)	Code	(MM)
32809	9	32813	13	32817	17	32821	21
32810	10	32814	14	32818	18	32822	22
32811	11	32815	15	32819	19	32823	23
32812	12	32816	16	32820	20	32824	24

32949 24 Piece 1/2" Drive Deep 12 Point Socket Set on Clip Rail Contents Include:

Product	Size	Product	Size	Product	Size	Product	Size
Code	(MM)	Code	(MM)	Code	(MM)	Code	(MM)
32809	9	32815	15	32821	21	32827	27
32810	10	32816	16	32822	22	32828	28
32811	11	32817	17	32823	23	32829	29
32812	12	32818	18	32824	24	32830	30
32813	13	32819	19	32825	25	32832	32
32814	14	32820	20	32826	26	32836	36

- $\bullet \ \ SUPERTORQUE^{\circledcirc}\ lobular\ openings\ for\ greater\ turning\ power\ without\ deforming\ the\ fastener.$
- · Designed for quick engagement on both 6 and 12 point fasteners.





32817 32810





1/2" DRIVE







1/2" DRIVE DEEP SOCKETS, 6 POINT, METRIC

High-Polished Chrome Finish

				С	D	E		F
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length
Code	(MM)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
32709	9	3 ½	²⁹ / ₃₂	19/32	5/16	2 15/32	11/32	2 19/32
32710	10	3 1/4	²⁹ / ₃₂	19/32	5/16	2 ¹⁵ / ₃₂	11/32	2 ¹⁹ / ₃₂
32711	11	3 1/4	²⁹ / ₃₂	11/16	5/16	2 ¹⁵ / ₃₂	13/32	2 19/32
32712	12	3 1/4	²⁹ / ₃₂	23/32	13/32	2 ¹⁵ / ₃₂	7/16	2 19/32
32713	13	3 1/4	29/32	25/32	3/8	2 15/32	15/32	2 19/32
32714	14	3 1/4	29/32	27/32	3/8	2 15/32	15/32	2 19/32
32715	15	3 ½	²⁹ / ₃₂	7/8	3/8	2 11/32	15/32	-
32716	16	3 ½	²⁹ / ₃₂	²⁹ /32	9/16	2 11/32	15/32	-
32717	17	3 ½	31/32	31/32	9/16	2 11/32	15/32	-
32718	18	3 ½	1	1	13/16	2 11/32	15/32	-
32719	19	3 ½	1 1/32	1 1/32	¹³ / ₁₆	2 5/16	23/32	-
32720	20	3 1/4	1 1/16	1 1/16	13/16	2 5/16	23/32	-
32721	21	3 1/4	1 1/8	1 1/8	13/16	2 5/16	3/4	-
32722	22	3 ½	1 ³ /16	1 ³ /16	¹³ / ₁₆	2 5/16	²⁵ / ₃₂	-
32723	23	3 1/4	1 1/4	1 1/4	25/32	2 5/16	27/32	•
32724	24	3 ½	1 %2	1 %32	¹³ / ₁₆	2 5/16	7/8	-
32725	25	3 ½	1 5/16	1 5/16	¹³ / ₁₆	2 1/4	¹⁵ / ₁₆	-
32726	26	3 1/4	1 %	1 %	29/32	2 1/4	31/32	-
32727	27	3 1/4	1 7/16	1 ½16	31/32	2 1/4	1	-
32728	28	3 1/4	1 1/2	1 ½	1	2 1/4	1 1/32	
32729	29	3 ½	1 %16	1 %16	1 1/32	2 1/4	1 1/16	•
32730	30	3 ½	1 %	1 ½	1 1/32	2 1/4	1 3/32	-
32732	32	3 ½	1 11/16	1 11/16	1 1/8	2 1/4	1 3/16	-
32734	34	3 ½	1 3/4	1 3/4	7/8	2 1/4	1	-
32736	36	3 ½	1 ¹⁵ ⁄16	1 ¹⁵ / ₁₆	7/8	2 1/4	1 13/32	-





32717 32710

Fed. Spec: ANSI B107.5

32947 16 Piece 1/2" Drive Deep 6 Point Socket Set on Clip Rail

Contents Include:

Product	Size	Product	Size	Product	Size	Product	Size
Code	(MM)	Code	(MM)	Code	(MM)	Code	(MM)
32709	9	32713	13	32717	17	32721	21
32710	10	32714	14	32718	18	32722	22
32711	11	32715	15	32719	19	32723	23
32712	12	32716	16	32720	20	32724	24



32945 24 Piece 1/2" Drive Deep 6 Point Socket Set on Clip Rail

Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
32709	9	32715	15	32721	21	32727	27
32710	10	32716	16	32722	22	32728	28
32711	11	32717	17	32723	23	32729	29
32712	12	32718	18	32724	24	32730	30
32713	13	32719	19	32725	25	32732	32
32714	14	32720	20	32726	26	32736	36

- $\bullet \ \ SUPERTORQUE^{\circledcirc}\ lobular\ openings\ for\ greater\ turning\ power\ without\ deforming\ the\ fastener.$
- Designed for quick engagement on both 6 and 12 point fasteners.









1/2" DRIVE







1/2" DRIVE TURBOSOCKET® SALVAGE/DAMAGED FASTENER SOC



TS50750



TS51551



TSFS5005



Black Industrial Finish, Metric and SAE								
		Α	В	C	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
TS50750	3/4	1 21/32	1 1/16	1 1/16	23/32	1	3/4	
TS50812	13/16	1 21/32	1 1/8	1 1/8	23/32	1	13/16	
TS50875	7/8	1 21/32	1 3/16	1 3/16	23/32	1	7/8	
TS50937	15/16	1 21/32	1 5/16	1 5/16	23/32	1	15/16	
TS50100	1	1 21/32	1 11/32	1 11/32	23/32	1	1	

Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
TS51551	14	1 21/32	29/32	27/32	1/2	1	9/16	29/32
TS51591	15	1 ²¹ / ₃₂	29/32	29/32	1/2	1	19/32	-
TS51625	16	1 ²¹ / ₃₂	31/32	31/32	1/2	23/32	5/8	-
TS51669	17	1 ²¹ / ₃₂	1	1	21/32	23/32	11/16	
TS51709	18	1 ²¹ / ₃₂	1 1/32	1 1/32	21/32	23/32	23/32	-
TS51750	19	1 ²¹ / ₃₂	1 1/16	1 1/16	23/32	1	3/4	-
TS51827	21	1 ²¹ / ₃₂	1 3/16	1 3/16	21/32	1	27/32	-

TSFS5005 5 Piece TURBOSOCKET® Salvage Socket Set on Clip Rail, SAE **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	
TS50750	3/4	TS50937	15/16	
TS50812	13/16	TS50100	1	
TS50875	7/8			

TSMS5107 7 Piece TURBOSOCKET® Salvage Socket Set on Clip Rail, Metric Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	
TS51551	14	TS51709	18	
TS51591	15	TS51750	19 (¾")	
TS51625	16 (5%")	TS51827	21	
TS51669	17			

Features

- Quickly and easily remove damaged or rounded nuts and bolts.
 Place socket on fastener and turn with ratchet, breaker bar or T-handle.
- Grip on fastener tightens as more torque is applied.
- No hammering is required to install socket over fastener.
- Use on all types of standard nuts and bolts as well as studs, pipe nipples, and corroded auto and marine fasteners.
- May be used for "best fit" on metric and fractional fasteners.
- . May be used with air or electric impact wrench for extra speed and turning power.

WILLIAMS



1/2" DRIVE STANDARD LENGTH HEX BIT SOCKETS, SAE

High-Polished Chrome Finish								
Product	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Replacement Bit Product Code			
Code	unchesi	unches	unchesi	unchesi	neplacement bit Product Code			
SA-8A	1/4	1 1/2	29/32	2 1/4	BITH08-05			
SA-10A	5/16	1 1/2	29/32	2 1/4	BITH10-05			
SA-12A	3/8	1 1/2	29/32	2 1/4	BITH12-03			
SA-16A	1/2	1 1/2	31/32	2 1/4	BITH16-01			
SA-18A	9/16	1 %16	1 1/16	2 1/4	BITH18-01			
SA-20A	5/8	1 ²⁵ / ₃₂	1 1/4	2 1/4	BITH20-01			

WSSS-6RC 6 Piece Hex Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)
SA-8A	1/4	SA-16A	1/2
SA-10A	5/16	SA-18A	9/16
SA-12A	3/8	SA-20A	5/8

Features WSSS-6RC

- High-polished chrome finish socket cleans easily.
- . Two piece design allows bits to be replaced easily.



SA-16A



1/2" DRIVE





1/2" DRIVE STANDARD LENGTH HEX BIT SOCKETS, SAE

High-Polished Chrome Finish

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
35208	1/4	1 7/16	29/32	2 13/32	27/32
35210	5/16	1 7/16	²⁹ / ₃₂	2 ¹³ / ₃₂	27/32
35212	3/8	1 7/16	²⁹ / ₃₂	2 ¹³ / ₃₂	27/32
35214	7/16	1 7/16	29/32	2 ¹³ / ₃₂	27/32
35202	1/2	1 19/32	7/8	2 ¹³ / ₃₂	27/32
35203	9/16	1 ¹⁹ / ₃₂	1	2 ¹³ / ₃₂	²⁷ / ₃₂
35204	5/8	1 ¹⁹ / ₃₂	1 1/16	2 ¹³ / ₃₂	27/32
35206	3/4	1 ¹⁹ / ₃₂	1 3/16	2 ¹³ / ₃₂	²⁷ / ₃₂



Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
35202	1/2	35204	5/8
35203	9/16	35206	3/4

32903 8 Piece Hex Bit Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35208	1/4	35214	7/16	35204	5/8
35210	5/16	35202	1/2	35206	3/4
35212	3/8	35203	9/16		



• High-polished chrome finish socket cleans easily.







32902



32903





1/2" DRIVE STANDARD LENGTH HEX BIT SOCKETS, METRIC

High-Polished Chrome Finish

Product Code	Size (MM)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)
35274	8	1 19/32	29/32	2 13/32	27/32
35275	10	1 19/32	²⁹ / ₃₂	2 ⁷ / ₁₆	27/32
35276	12	1 19/32	²⁹ / ₃₂	2 ⁷ / ₁₆	27/32
35277	14	1 19/32	1	2 ⁷ / ₁₆	27/32
35278	17	1 19/32	1 3/32	2 7/16	27/32
35279	19	1 19/32	1 3/16	2 7/16	27/32

32904 6 Piece Hex Bit Socket Set on Clip Rail

Contents Include:

Contents include:			
Product Code	Size (MM)	Product Code	Size (MM)
35274	8	35277	14
35275	10	35278	17
35276	12	35279	19

Features

• High-polished chrome finish socket cleans easily.



35274









1/2" DRIVE



SA-16LA



WSSS-6LRC



35232









1/2" DRIVE LONG HEX BIT SOCKETS, SAE

High-Polis	shed Chror	ne Finish			
Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Replacement Bit Product Code
SA-8LA	1/4	1 ½	29/32	4 1/2	BITH08-06
SA-10LA	5/16	1 1/2	29/32	4 1/2	BITH10-06
SA-12LA	3/8	1 1/2	29/32	4 1/2	BITH12-04
SA-16LA	1/2	1 1/2	31/32	4 1/2	BITH16-02
SA-18LA	9/16	1 %16	1 1/16	4 1/2	BITH18-02
SA-20LA	5/8	1 25/32	1 1/4	4 1/2	BITH20-02

WSSS-6LRC 6 Piece Long Hex Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)
SA-8LA	1/4	SA-16LA	1/2
SA-10LA	5/16	SA-18LA	9/16
SA-12LA	3/8	SA-20LA	5/8

Features

- High-polished chrome finish socket cleans easily.
 Two piece design allows bits to be replaced easily.





1/2" DRIVE LONG LENGTH HEX BIT SOCKETS, SAE

High-Polished Chrome Finish

Product Code	Size (Inches)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)
35238	1/4	1 ½	29/32	5 ½
35240	5/16	1 ½	29/32	5 ½
35242	3/8	1 ½	29/32	5 ½
35244	7/16	1 ½	29/32	5 ½
35232	1/2	1 ½	⁷ / ₈	5 ½
35233	9/16	1 %16	1	5 1/2
35234	5/8	1 25/32	1 1/16	5 1/2
35236	3/4	1 25/32	1 3/16	5 1/2

32957 4 Piece Hex Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)
35232	1/2	35234	5/8
35233	9/16	35236	3/4

32955 8 Piece Hex Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35238	1/4	35244	7/16	35234	5/8
35240	5/16	35232	1/2	35236	3/4
35242	3/8	35233	9/16		

Features

. High-polished chrome finish socket cleans easily.

1/2" DRIVE

WILLIAMS



1/2" DRIVE LONG LENGTH HEX BIT SOCKETS, METRIC

High-Polished Chrome Finish				
Product Code	Size (MM)	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)
35294	8	1 1/2	29/32	5 ½
35295	10	1 1/2	²⁹ / ₃₂	5 ½
35296	12	1 1/2	²⁹ / ₃₂	5 1/2
35297	14	1 1/2	1	5 ½
35298	17	1 1/2	1 3/32	5 ½
35299	19	1 1/2	1 3/16	5 ½

32953 6 Piece Hex Bit Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)
35294	8	35297	14
35295	10	35298	17
35296	12	35299	19









High-Polished Chrome Finish						
Product Code	Torx® Size	Socket Length (Inches)	Socket Outside Diameter (Inches)	Overall Length (Inches)	Bit Length (Inches)	
Product Code	iorx° Size	unches	uncnes	uncnes	unches	
35283	T40	1 19/32	²⁹ / ₃₂	2 1/16	7/8	
35284	T45	1 19/32	29/32	2 7/16	7/8	
35285	T50	1 19/32	²⁹ / ₃₂	2 7/16	7/8	
35286	T55	1 19/32	²⁹ / ₃₂	2 7/16	7/8	
35287	T60	1 19/32	²⁹ / ₃₂	2 7/16	7/8	

32908 5 Piece Torx® Bit Socket Set on Clip Rail Contents Include:

Product Code	Torx® Size	Product Code	Torx® Size
35283	T40	35286	T55
35284	T45	35287	T60
35285	T50		





32908







1/2" DRIVE SCREWDRIVER BIT SOCKETS

High-Polis	hed Chromo	e Finish, Phil	lips® and Slotte Socket Outside	d	Replacement
	Size (Inches) /	Socket Length	Diameter	Overall Length	. Bit
Product Code	Point Size	(Inches)	(Inches)	(Inches)	Product Code
Slotted Bit	S:				
SA-10A-3S	²³ / ₆₄ x .061	1 1/2	29/32	2 1/32	BITHS03
SA-12A-4S	²⁷ / ₆₄ x .075	1 1/2	²⁹ / ₃₂	2 1/4	BITHS04
Phillips® Bit	S:				
SA-10A-3P	#3	1 1/2	²⁹ / ₃₂	2 1/4	BITPH03-02
SA-12A-4P	#4	1 1/2	29/32	2 1/4	BITPH04-01

WSSSP-4RC 4 Piece Screwdriver Bit Socket Set on Clip Rail Contents Include:

Product Code	Tip Size	Product Code	Tip Size
SA-10A-3S	²³ / ₆₄ x.061	SA-10A-3P	3
SA-12A-4S	²⁷ / ₆₄ x.075	SA-12A-4P	4

- High-polished chrome finish socket cleans easily.
- Two piece design allows bits to be replaced easily.





WSSP-4RC







[•] High-polished chrome finish socket cleans easily.

[·] High-polished chrome finish socket cleans easily.

1/2" DRIVE



35251







1/2" DRIVE PHILLIPS® SCREWDRIVER BIT SOCKETS

High-Polished (om ome i misi	Socket Length	Socket Outside Diameter	Overall Length	Bit Length
Product Code	Tip Size	(Inches)	(Inches)	(Inches)	(Inches)
Phillips® Bits:	•				
35251	#2	1 19/32	29/32	2 7/16	7/8
35252	#3	1 19/32	29/32	2 7/16	7/8
35253	#4	1 19/32	29/32	2 7/16	7/8

32906 3 Piece Phillips® Screwdriver Bit Socket Set on Clip Rail Contents Include:

Product Code	Tip Size
35251	#2
35251 35252 35253	#3
35253	#4

Features

High-polished chrome finish socket cleans easily.



SB-30



1/2" DRIVE DRAG LINK SOCKETS

High-Polished Chrome Finish									
J	Overall Length	Tip Thickness	Tip Width						
Product Code	(Inches)	(Inches)	(İnches)						
SB-30	1 5/8	5/32	¹⁵ / ₁₆						
SB-40	1 11/16	5/32	1 ¹³ / ₁₆						

Fed. Spec: ANSI B107.1

Features

• Ideal for drag links on trucks and heavy equipment, as well as large screws.



SB-526



1/2" DRIVE 5 POINT PENTA-SOCKET

Black Industrial Finish

		Α	В	С	D	E		F
·			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
SB-526	51/64	1 1/4	1 1/8	1 1/8	7/16	1/2	23/32	

Features

 5 point Penta-Socket services 5 point nuts found on tamper-resistant Buffalo covers used by gas, electric, and some water companies to protect shutoff gates.

1/2" DRIVE

WILLIAMS

1/2" DRIVE FLEXTENSIONS

Product Code	Drive Size	OAL (Inches)	Tension Y or N	6 or 12 Point	Nose End Diameter (Inches)	Socket Diameter (Inches)	Socket Length (Inches)	Clearance Depth (Inches)	Hex Opening
ISDX624LD	1/2	7 1/2	N	12	1	1	7/8	5/16	3/4
ISSH314	1/2	4 1/2	N	6	3/4	29/32	1 1/16	5/16	7/16
ISSHTB618	1/2	7 1/2	Υ	6	13/16	29/32	1 1/16	7/16	9/16
ISSHTB618SS	1/2	7 1/2	Υ	6	3/4	7/8	1 ¹ /16	7/16	9/16
ISSHTL618SS	1/2	7 1/2	ΥΥ	6	3/4	7/8	1 1/16	7/16	9/16
ISSU24	1/2	2 1/2	N	6	1	1 1/8	1 1/4	1/2	3/4
ISSUM16	1/2	2 1/2	N	6		29/32	1 1/16	7/16	16 mm
ISSUM18	1/2	2 1/2	N	6	¹³ / ₁₆	1	1 ½16	7/16	18 mm
ISSX618	1/2	7 1/2	N	6	¹³ / ₁₆	29/32	1 1/16	7/16	9/16
ISSX624	1/2	7 1/2	N	6	1	1 1/8	1 1/4	1/2	3/4
ISSX624MOD	1/2	7 1/2	N	6	1	1 1/8	7/8	5/16	3/4
ISSXM616	1/2	7 1/2	N	6	²⁹ / ₃₂	²⁹ / ₃₂	1 ¹ /16	7/16	16 mm
ISSXM618	1/2	7 1/2	N	6	¹³ / ₁₆	1	1 1/16	7/16	18 mm
ISSXT1218	1/2	13 ½	Υ	6	¹³ / ₁₆	²⁹ / ₃₂	1 ¹ /16	7/16	9/16
ISSXT324	1/2	4 1/2	Υ	6	1	1 1/8	1 1/4	1/2	3/4
ISSXT418	1/2	5 ½	Υ	6	13/16	²⁹ / ₃₂	1 1/16	7/16	9/16
ISSXT618	1/2	7 1/2	Υ	6	13/16	29/32	1 1/16	7/16	9/16
ISSXT624	1/2	7 1/2	Υ	6	1	1 1/8	1 1/4	1/2	3/4
ISSXTB618	1/2	7 1/2	Υ	6	13/16	29/32	1 1/16	7/16	9/16
ISSXTB918	1/2	10 ½	Υ	6	13/16	²⁹ / ₃₂	1 1/16	7/16	9/16
ISSXTD612A	1/2	7 1/2	Υ	12	5/8	3/4	13/16	5/16	3/8
ISSXTM1013	1/2	11 1/2	Υ	6	3/4	29/32	1 1/16	5/16	13 mm
ISSXTM1016	1/2	11 1/2	Υ	6	29/32	29/32	1 1/16	5/16	16 mm
ISSXTM1018	1/2	11 1/2	Υ	6	13/16	1	1 1/16	7/16	18 mm
ISSXTM1216	1/2	13 ½	Υ	6	²⁹ / ₃₂	²⁹ / ₃₂	1 1/16	7/16	16 mm
ISSXTM612	1/2	7 ½	Υ	6	29/32	29/32	1 1/16	7/16	15 mm
ISSXTM613	1/2	7 1/2	Υ	6	3/4	²⁹ / ₃₂	1 1/16	5/16	13 mm
ISSXTM615	1/2	7 1/2	Υ	6	29/32	29/32	1 1/16	7/16	15 mm
ISSXTM616	1/2	7 1/2	Υ	6	27/32	²⁹ / ₃₂	1 1/16	7/16	16 mm
ISSXTM618	1/2	7 1/2	Υ	6	13/16	1	1 1/16	7/16	18 mm
ISSXTM915	1/2	10 ½	Y	6	29/32	29/32	1 1/16	7/16	15 mm
ISSXTM916	1/2	10 1/2	Υ	6	29/32	29/32	1 1/16	7/16	16 mm
ISSXTM918	1/2	10 1/2	Y	6	¹³ / ₁₆	1	1 1/16	7/16	18 mm
ISSXTMD610	1/2	7 1/2	Ý	12	5/8	7/8	1 ½	13/16	10 mm
SPSXL618	1/2	7	N	6	13/16	29/32	1 1/16	⁷ / ₁₆	9/16
SPSXMD418	1/2	5 1/2	N	12	13/16	1	1 1/16	7/16	18 mm
SPSXMD616	1/2	7 1/2	N	12	²⁹ / ₃₂	²⁹ / ₃₂	1 1/16	7/16	16 mm
SPSXMD618	1/2	7 1/2	N	12	13/16	1	1 1/16	7/16	18 mm



- Flextensions are available in Non-Tension and Tension "T" spring loaded styles.
- Flextensions are available in various lengths and sizes for production and maintenance applications.
- Flextensions are designed for use on hand and power (Impulse or Direct drive) "Not for Impact Use"
- Snap-on Industrial Brands will quote any length and socket size you need. Contact your representative for details.



3/8" DRIVE FLEXTENSIONS

Product Code	Drive Size	OAL (Inches)	Tension Y or N	6 or 12 Point	Nose End Diameter (Inches)	Socket Diameter (Inches)	Socket Length (Inches)	Clearance Depth (Inches)	Hex Opening
ISFXM416	3/8	5 ½	N	6	7/8	7/8	1 1/16	7/16	16 mm
ISFXM616	3/8	7 1/2	N	6	7/8	7/8	1 1/16	7/16	16 mm
ISFXTM416	3/8	5 1/2	Υ	6	7/8	7/8	1 1/16	7/16	16 mm
ISFXTM613	3/8	7 1/2	Υ	6	3/4	7/8	1 1/16	3/4	13 mm
ISFXTM616	3/8	7 1/2	Υ	6	7/8	7/8	1 1/16	⁷ /16	16 mm

- Flextensions are available in Non-Tension and Tension "T" spring loaded styles.
- Flextensions are available in various lengths and sizes for production and maintenance applications.
- Flextensions are designed for use on hand and power (Impulse or Direct drive) "Not for Impact Use"
- Snap-on Industrial Brands will quote any length and socket size you need. Contact your representative for details.









1/2" DRIVE



WILLIAMS

1/2" DRIVE IMPACT EXTENSIONS AND ACCESSORIES

Black Industrial Finish

Product Code	Description	Length (Inches)	Socket Retention
4-102	Impact Extension	3 1/2	Lock Ring
4-105A	Impact Extension	5	Spring Plunger
4-110A	Impact Extension	10	Spring Plunger
4-140B	Impact Universal Joint	2 ¹ / ₂	Spring Plunger
4-2F	3/s M x 1/2 F Adapter	2 ¹ / ₄	Spring Plunger
4-6	3/4" M x 1/2" F Adapter	1 ¹ / ₄	Through Hole

Fed. Spec: ANSI B107.2

Features

- Specially heat treated for impact use to provide long life, safety, and durability.
- Spring plunger provides secure socket retention for safety and convenience.
- · Suitable for use with pneumatic and electric impact wrenches.



4-140B

WILLIAMS

1/2" DRIVE HEX TO SQUARE SHANK IMPACT EXTENSIONS

Black Industrial Finish

Product Code	Hex Shank Size (Inches)	Square Drive Size (Inches)	Length (Inches)
4-33B	7/16	1/2	2 ³ / ₄
4-35B	7/16	1/2	5
4-53B	5/8	1/2	2 ³ / ₄

Features

- Specially heat treated for impact use to provide long life, safety, and durability.
- · Spring plunger provides secure socket retention for safety and convenience.
- . Suitable for use with pneumatic and electric impact wrenches.



WILLIAMS

1/2" DRIVE IMPACT EXTENSIONS AND ACCESSORIES

Black Industrial Finish

Product Code	Description	Length (Inches)	Socket Retention
37002	Impact Extension	3	Ball
37003	Impact Extension	6	Ball
37004	Impact Extension	10	Ball
37001	Impact Universal Joint	2 ⁹ / ₁₆	Ball
37005	1/2" F x 3/8" M Adapter	1 7/8	Ball

Fed. Spec: ANSI B107.2

- Specially heat treated for impact use to provide long life, safety, and durability.
- Ball socket retention for fast socket changes.
- Suitable for use with pneumatic and electric impact wrenches.
- Drive end features pin retention hole and groove.

1/2" DRIVE







1/2" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, SAE

Black I	ndustria	al Finish						
		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
4-612	3/8	1 1/2	29/32	19/32	1/4	7/8	11/32	11/16
4-614	7/16	1 1/2	29/32	23/32	5/16	7/8	13/32	11/16
4-616	1/2	1 1/2	29/32	13/16	13/32	7/8	15/32	11/16
4-618	9/16	1 1/2	29/32	7/8	13/32	7/8	15/32	11/16
4-620	5/8	1 1/2	31/32	31/32	15/32	7/8	1/2	
4-622	11/16	1 1/2	1 1/16	1 1/16	13/16	27/32	5/8	
4-624	3/4	1 1/2	1 1/8	1 1/8	13/16	27/32	11/16	
4-626	13/16	1 1/2	1 1/4	1 1/4	13/16	13/16	25/32	
4-628	7/8	1 1/2	1 ⁵ /16	1 ⁵ /16	13/16	13/16	7/8	
4-630	15/16	1 3/4	1 ³ / ₈	1 ³ / ₈	1 1/32	1 1/16	15/16	
4-632	1	1 3/4	1 ⁷ /16	1 ⁷ /16	1 1/32	1 ¹ / ₁₆	1	
4-634	1 1/16	2	1 ⁹ /16	1 ⁹ /16	1 1/4	1 ⁹ / ₃₂	1 1/32	
4-636	1 1/8	2	1 ⁵ /8	1 ⁵ /8	1 1/4	1 ⁹ / ₃₂	1 ¹ /8	
4-638	1 3/16	2	1 11/16	1 11/16	1 1/4	1 ⁹ /32	1 5/32	
4-640	1 1/4	2	1 3/4	1 3/4	13/16	1 ⁹ /32	1 7/32	-
4-642	1 ⁵ / ₁₆	2	1 1/2	1 ⁷ /8	7/8	1 ³ /8	1 ¹ / ₁₆	
4-644	1 ³ /8	2	1 1/2	1 15/16	7/8	1 ³ /8	1 ¹ /16	
4-646	1 7/16	2	1 1/2	2	29/32	1 ³ /8	1 ¹ / ₁₆	
4-648	1 1/2	2	1 9/16	2 1/8	29/32	1 3/8	1 1/16	



4-612, 4-624

Fed. Spec: ANSI B107.2

WS-4-7RC 7 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
4-614	7/16	4-622	11/16
4-616	1/2	4-624	3/4
4-618	9/16	4-626	13/16
4-620	5/8		



WS-4-11RC 11 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail Contents Include:

Ountents in	ciuuc.				
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
4-616	1/2	4-624	3/4	4-632	1
4-618	⁹ / ₁₆	4-626	13/16	4-634	1 1/16
4-620	5/8	4-628	7/8	4-636	1 1/8
4.622	11/40	4-630	15/46	1	



WS-4-11RC

WS-4-14 14 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
4-612	3/8	4-622	11/16	4-632	1
4-614	7/16	4-624	3/4	4-634	1 1/16
4-616	1/2	4-626	¹³ / ₁₆	4-636	1 1/8
4-618	⁹ / ₁₆	4-628	7/8	4-640	1 1/4
4-620	5/8	4-630	¹⁵ / ₁₆		



WS-4-19RC 19 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail Contents Include:

Contonts	III GIUUGI						
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
4-612	3/8	4-622	11/16	4-632	1	4-642	1 5/16
4-614	⁷ / ₁₆	4-624	3/4	4-634	1 1/16	4-644	1 ³ /8
4-616	1/2	4-626	13/16	4-636	1 1/8	4-646	1 7/16
4-618	9/16	4-628	7/8	4-638	1 ³ /16	4-648	1 1/2
4-620	5/8	4-630	¹⁵ / ₁₆	4-640	1 ¹ / ₄		



WS-4-19RC

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.







1/2" DRIVE







1/2" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, SAE

Black Industrial Finish

		Α	В	С	D	E		F
			Drive End	Working End		Bolt Clearance	Bolt Clearance	Nose
Product	Size	OAL	Diameter	Diameter	Broach Depth	Depth	Diameter	Length
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
37112	3/8	1 1/2	15/16	5/8	9/16	7/8	5/16	3/4
37114	7/16	1 1/2	¹⁵ / ₁₆	23/32	9/16	13/16	13/32	3/4
37116	1/2	1 1/2	¹⁵ / ₁₆	¹³ / ₁₆	9/16	21/32	15/32	3/4
37118	9/16	1 1/2	¹⁵ / ₁₆	7/8	9/16	²⁷ / ₃₂	17/32	3/4
37120	5/8	1 1/2	1	31/32	1/2	²⁹ / ₃₂	9/16	3/4
37122	11/16	1 1/2	1 1/8	1 1/32	17/32	²⁹ / ₃₂	21/32	3/4
37124	3/4	1 1/2	1 1/8	1 1/8	3/4	29/32		
37126	¹³ / ₁₆	1 1/2	1 3/16	1 3/16	3/4	²⁹ / ₃₂		
37128	7/8	1 1/2	1 1/4	1 1/4	3/4	15/16		
37130	15/16	1 3/4	1 3/8	1 3/8	1	17/32		
37132	1	1 3/4	1 1/2	1 1/2	1	1 7/32		
37134	11/16	1 3/4	1 17/32	1 17/32	1	1 7/32		
37136	11/8	1 3/4	1 5/8	1 1/8	1	1 3/16		
37138	1 3/16	1 3/4	1 1 1/8	1 5/8	1	1 3/16		
37140	11/4	1 3/4	1 3/4	1 3/4	1	1 5/32		
37142	1 5/16	1 3/4	1 1/8	1 1/8	31/32	31/32	1 7/32	
37144	1 3/8	2	1 57/64	1 57/64	1 1/16	1 1/16	1 19/64	-
37146	1 1/16	2	1 31/32	1 31/32	1 1/16	1 1/16	1 11/32	
37148	1 1/2	2	2 1/8	2 1/8	1 1/16	1 1/16	1 3/8	-

Fed. Spec: ANSI B107.2



37112, 37124

24 3/4

37902

Contents Include: Product Code Size (

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
37116	1/2	37122	11/16	37128	7/8
37118	9/16	37124	3/4	37130	¹⁵ / ₁₆
37120	5/8	37126	¹³ / ₁₆	37132	1
		,		·	

37902 9 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail



B C

37904 14 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
37112	3/8	37122	11/16	37132	1
37114	7/16	37124	3/4	37134	1 1/16
37116	1/2	37126	¹³ / ₁₆	37136	1 1/8
37118	9/16	37128	7/8	37140	1 1/4
37120	5/8	37130	¹⁵ / ₁₆		

37905 19 piece 1/2" Drive Impact Shallow 6 Point Socket Set on Clip Rails Contents Include: Product Code Size (Inches) | Product Co

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
37112	3/8	37122	11/16	37132	1	37142	1 5/16
37114	7/16	37124	3/4	37134	1 1/16	37144	1 3/8
37116	1/2	37126	¹³ / ₁₆	37136	1 1/8	37146	1 7/16
37118	9/16	37128	7/8	37138	1 3/16	37148	1 1/2
37120	5/8	37130	15/16	37140	1 1/4		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.
- Drive end features pin retention hole and groove.



1/2" DRIVE

WILLIAMS





1/2" DRIVE SHALLOW IMPACT SOCKETS, 12 POINT, SAE

Black Industrial Finis

		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)		Bolt Clearance Diameter (Inches)	Nose Length (Inches)
35512	3/8	1 1/2	7/8	5/8	3/8	/	1/4	5/8
35514	7/16	1 1/2	7/8	3/4	3/8	/	1/4	5/8
35516	1/2	1 1/2	7∕8	3/4	3/8	/	1/4	5/8
35518	9/16	1 1/2	1	7/8	3/8	/	1/2	5/8
35520	5/8	1 1/2	1	1	1/2	/	1/2	/
35522	11/16	1 1/2	1	1	1/2	/	1/2	/
35524	3/4	1 1/2	1	1	1/2	/	5/8	/
35526	13/16	1 1/2	1 1/8	1 1/8	1/2	/	3/4	/
35528	7/8	1 1/2	1 1/4	1 1/4	1/2	/	3/4	/
35530	15/16	1 1/2	1 1/4	1 1/4	1/2	/	7/8	/
35532	1	1 1/2	1 1/4	1 1/2	1/2	/	7/8	/
35534	1 1/16	1 1/16	1 1/2	1 1/2	5/8	/	1	/
35536	1 1/8	1 1/16	1 1/2	1 1/2	3/4	/	1	9/16
35538	1 3/16	1 1/16	1 1/2	1 1/8	3/4	/	1	9/16
35540	1 1/4	1 1/16	1 1/2	1 3/4	3/4	/	1 1/8	9/16
35542	1 5/16	1 5/8	1 1/2	1 3/4	7/8	/	1 1/8	9/16
35544	1 3/8	1 1/8	1 1/2	1 1/8	7/8	/	1 1/4	9/16
35546	1 1/16	1 1/8	1 1/2	2	7/8	/	1 1/4	9/16
35548	1 1/2	1 1/8	1 1/2	2	1	/	1 3/8	9/16



35512

37923 11 piece 1/2" Drive Impact Shallow 12 Point Socket Set on Clip Rails Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35512	3/8	35520	5/8	35528	7/8
35514	7/16	35522	11/16	35530	¹⁵ / ₁₆
35516	1/2	35524	3/4	35532	1
35518	9/16	35526	13/16		



Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener Designed for maximum engagement on 6 and 12 point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove







1/2" DRIVE UNIVERSAL IMPACT SOCKETS, 6 POINT, SAE

Black Industrial Finish

-:40:1								
		Α	В	С	D	Ε		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)		Bolt Clearance Diameter (Inches)	Nose Length (Inches)
37216	1/2	2 3/4	1	3/4	3/8	9/16	7/16	1
37218	9/16	2 3/4	1	3/4	3/8	9/16	7/16	1
37220	5/8	2 3/4	1	3/4	3/8	9/16	9/16	1
37222	11/16	2 3/4	1 1/4	1	1/2	11/16	11/16	1 1/4
37224	3/4	2 3/4	1 1/4	1	1/2	11/16	11/16	1 1/4
37226	13/16	3	1 1/4	1 1/4	5/8	13/16	13/16	1 1/2
37228	7/8	3	1 1/4	1 1/4	5/8	13/16	13/16	1 1/2

Fed. Spec: ANSI B107.2

37918 7 Piece 1/2" Drive Universal 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
37216	1/2	37222	11/16	37228	7/8
37218	9/16	37224	3/4		
37220	5/8	37226	13/16		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Designed for maximum engagement on 6 point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- · Specially heat treated for impact use to provide long life, safety, and durability
- Drive end features pin retention hole and groove



37224











1/2" DRIVE







1/2" DRIVE DEEP IMPACT SOCKETS, 6 POINT, SAE

Black Industrial Finish

		Α	В	С	D	E		F
	_		Drive End	Working End	Broach	Bolt Clearance		Nose
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
14-612	3/8	3 1/4	29/32	19/32	5/16	2 %	11/32	2 15/32
14-614	7/16	3 1/4	29/32	23/32	11/32	2 %	13/32	2 15/32
14-616	1/2	3 1/4	²⁹ / ₃₂	¹³ /16	13/32	2 %	15/32	2 ¹⁵ / ₃₂
14-618	9/16	3 1/4	29/32	7/8	13/32	2 %	15/32	2 ¹⁵ / ₃₂
14-620	5/8	3 1/4	31/32	31/32	15/32	2 7/16	5/8	-
14-622	11/16	3 1/4	1 1/16	1 1/16	1/2	2	5/8	
14-624	3/4	3 1/4	1 1/8	1 1/8	9/16	2	11/16	
14-626	13/16	3 1/4	1 1/4	1 1/4	5/8	2	25/32	
14-628	7/8	3 1/2	1 5/16	1 5/16	9/16	2 1/4	7/8	
14-630	15/16	3 1/2	1 %	1 %	3/4	2 1/4	15/16	
14-632	1	3 1/2	1 7/16	1 7/16	3/4	2 1/4	1	
14-634	1 1/16	3 1/2	1 %16	1 %16	²⁵ / ₃₂	2 1/4	1 1/32	-
14-636	1 1/8	3 1/2	1 %	1 5/8	13/16	2 1/4	1 1/8	
14-638	1 3/16	3 1/2	1 11/16	1 11/16	13/16	2 1/4	1 3/16	
14-640	1 1/4	3 1/2	1 3/4	1 3/4	1	2 21/32	1 1/4	-
14-642	1 5/16	3 1/2	1 1/2	1 1/8	¹⁵ / ₁₆	2 1/8	1 1/16	-
14-644	1 %	3 1/2	1 1/2	2	29/32	2 1/8	1 1/16	
14-646	1 7/16	3 1/2	1 1/2	2	29/32	2 1/8	1 1/16	
14-648	1 1/2	3 1/2	1 %16	21/8	29/32	2 1/8	1 1/16	

Fed. Spec: ANSI B107.2

WS-14-11 11 Piece 1/2" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
14-612	3/8	14-620	5/8	14-628	7/8
14-614	7/16	14-622	11/16	14-630	15/16
14-616	1/2	14-624	3/4	14-632	1
14-618	9/16	14-626	¹³ / ₁₆		

WS-14-14RC 14 Piece 1/2" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
14-612	3/8	14-622	11/16	14-632	1
14-614	7/16	14-624	3/4	14-634	1 1/16
14-616	1/2	14-626	¹³ / ₁₆	14-636	1 1/8
14-618	9/16	14-628	7/8	14-640	1 1/4
14-620	5/8	14-630	¹⁵ / ₁₆		

WS-14-19RC 19 Piece 1/2" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
14-612	3/8	14-622	11/16	14-632	1	14-642	1 5/16
14-614	7/16	14-624	3/4	14-634	1 1/16	14-644	1 %
14-616	1/2	14-626	¹³ / ₁₆	14-636	1 1/8	14-646	1 7/16
14-618	9/16	14-628	7/8	14-638	1 ³ / ₁₆	14-648	1 1/2
14-620	5/8	14-630	¹⁵ / ₁₆	14-640	1 1/4		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- . Specially heat treated for impact use to provide long life, safety, and durability.





WS-14-11





1/2" DRIVE







1/2" DRIVE DEEP IMPACT SOCKETS, 6 POINT, SAE

Black I	ndustria	l Finisl	h					
		Α	В	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
37312	3/8	3 1/4	15/16	5/8	1 3/32	2 1/4	11/32	3/4
37314	7/16	3 1/4	15/16	11/16	1	2 %	13/32	3/4
37316	1/2	3 1/4	¹⁵ / ₁₆	²⁵ / ₃₂	1 3/32	2 ¾	7/16	3/4
37318	9/16	3 1/4	¹⁵ / ₁₆	7/8	1 5/32	2 ¹¹ / ₃₂	1/2	3/4
37320	5/8	3 1/4	1	31/32	1 5/16	2 7/16	9/16	3/4
37322	11/16	3 1/4	1 1/8	1	1 3/8	2 ¹⁷ / ₃₂	²¹ / ₃₂	3/4
37324	3/4	3 1/4	1 1/8	1 1/8	1 5/16	2 %16	23/32	
37326	13/16	3 1/4	1 3/16	1 ¾16	1 1/2	2 11/32	3/4	
37328	7/8	3 ½	1 1/4	1 1/4	1 ¹⁵ / ₃₂	2 ²¹ / ₃₂	27/32	
37330	15/16	3 ½	1 %	1 3/8	1 ¹³ / ₃₂	2 19/32	29/32	
37332	1	3 ½	1 1/2	1 ½	1 ¹⁵ / ₃₂	2 %	¹⁵ / ₁₆	
37334	1 1/16	3 ½	1 17/32	1 ¹⁷ / ₃₂	1 ²⁹ / ₃₂	2 ¹⁷ / ₃₂	1 1/32	
37336	1 1/8	3 ½	1 %	1 %	1 7/16	2 7/16	1 1/16	
37338	1 3/16	3 ½	1 21/32	1 21/32	1 ¹³ / ₃₂	2 ²⁷ / ₃₂	1 1/16	
37340	1 1/4	3 ½	1 ¾	1 3/4	1 7/16	2 3/4	1 1/16	•
37342	1 5/16	3 ½	1 %	1 1/8	1 %	2 43/64	1 7/32	
37344	1 3/8	3 ½	1 57/64	1 ⁵⁷ / ₆₄	1 %	2 43/64	1 19/64	
37346	1 1/16	3 ½	1 31/32	1 ³¹ / ₃₂	1 %	2 43/64	1 11/32	
37348	1 1/2	3 ½	2 1/8	2 1/8	1 %	2 43/64	1 %	•



37906 9 Piece 1/2" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
37316	1/2	37322	11/16	37328	7/8
37318	9/16	37324	3/4	37330	¹⁵ / ₁₆
37320	5/6	37326	13/16	37332	1



Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
37312	3/8	37320	5/8	37328	7/8	37336	1 1/8
37314	7/16	37322	11/16	37330	15/16	37338	1 3/16
37316	1/2	37324	3/4	37332	1	37340	1 1/4
37318	9/16	37326	13/16	37334	1 1/16		

37909 19 piece 1/2" Drive Impact Deep 6 Point Socket Set on Clip Rails Contents Include:


Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
37312	3/8	37322	11/16	37332	1	37342	1 5/16
37314	7/16	37322	3/4	37334	1 1/16	37344	1 3/8
37316	1/2	37326	¹³ / ₁₆	37336	1 1/8	37346	1 1/16
37318	9/16	37328	7/8	37338	1 3/16	37348	1 1/2
37320	5/8	37330	15/16	37340	1 1/4		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.
- Drive end features pin retention hole and groove.



















1/2" DRIVE







37924



37819









1/2" DRIVE DEEP IMPACT SOCKETS, 12 POINT, SAE

Black I	ndustrial Fi	nish						
		A	B	C	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
37412	3/8	3 1/4	7/8	7/8	9/16	/	3/8	2
37414	⁷ / ₁₆	3 1/4	7/8	3/4	9/16	/	3/8	2
37416	1/2	3 1/4	7/8	¹³ / ₁₆	9/16	/	3/8	2
37418	9/16	3 1/4	15/16	7/8	5/8	/	1/2	2
37420	5/8	3 1/4	1	1	5⁄8	/	1/2	/
37422	11/16	3 1/4	1	1	3/4	/	9/16	/
37424	3/4	3 1/4	1	1	3/4	/	5/8	/
37426	13/16	3 1/4	1 1/8	1 1/8	1	/	3/4	/
37428	7/8	3 1/4	1 1/4	1 1/4	1	/	3/4	/
37430	15/16	3 1/4	1 1/4	1 1/4	1	/	7/8	/
37432	1	3 1/4	1 ½	1 1/2	1	/	7∕8	/
37434	1 1/16	3 1/4	1 1/2	1 1/2	1	/	1	/
37436	1 1/8	3 1/4	1 1/2	1 1/2	1	/	1	9/16
37438	1 3/16	3 1/4	1 1/2	1 1/8	1	/	1	9/16
37440	1 1/4	3 1/4	1 1/2	1 3/4	1	/	1 1/8	9/16
37442	1 5/16	3 1/2	1 1/2	1 13/16	1 %	1	1 1/8	9/16
37444	1 %	3 1/2	1 1/2	1 1/8	1 ¾	/	1 1/4	9/16
37446	1 7/16	3 1/2	1 1/2	2	1 3/8	/	1 1/4	9/16
37448	1 1/2	3 1/2	1 1/2	2	1 ¾	/	1 3/8	9/16

37924 11 Piece 1/2" Drive Impact Deep 12 Point Socket Set on Clip Rail **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
37412	3/8	37418	9/16	37426	13/16
37414	7/16	37420	5/8	37428	7/8
37416	1/2	37422	11/16	37430	¹⁵ / ₁₆
		37424	3/4	37432	1

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener Designed for maximum engagement on 6 and 12 point fasteners

- Designed for inserting in a graph of the control of
- · Drive end features pin retention hole and groove







1/2" DRIVE UNIVERSAL IMPACT SOCKETS, 6 POINT, METRIC

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
37813	13	2 3/4	1	3/4	3/8	1/2	1/2	1
37814	14	2 3/4	1	3/4	3/8	1/2	1/2	1
37815	15	2 3/4	1	1	3/8	1/2	1/2	1
37816	16	2 3/4	1	1	3/8	1/2	1/2	1
37817	17	2 3/4	1 1/4	1	1/2	3/4	3/4	1 1/4
37818	18	2 3/4	1 1/4	1	1/2	3/4	3/4	1 1/4
37819	19	2 3/4	1 1/4	1	1/2	3/4	3/4	1 1/4
37820	20	3	1 1/4	1 1/4	5/8	3/4	3/4	1 1/2
37821	21	3	1 1/4	1 1/4	5/8	3/4	3/4	1 1/2
37822	22	3	1 1/4	1 1/4	5/8	3/4	3/4	1 1/2
37823	23	3	1 1/4	1 1/4	5/8	3/4	3/4	1 1/2

37916 11 Piece 1/2" Drive Universal 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
37813	13	37817	17	37821	21
37814	14	37818	18	37822	22
37815	15	37819	19	37823	23
37816	16	37820	20		

- Features

 SUPERTORQUE® lobular openings for greater turning power without deforming the fastener

 Designed for maximum engagement on 6 point fasteners
- Suitable for use with pneumatic and electric impact wrenches
- Specially heat treated for impact use to provide long life, safety, and durability Drive end features pin retention hole and groove

WILLIAMS





1/2" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, METRIC

Black II	ndustria	al Finisl	h					
		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
4M-610	10	1 1/2	29/32	19/32	1/4	7/8	11/32	23/32
4M-611	11	1 1/2	29/32	23/32	5/16	7/8	13/32	23/32
4M-612	12	1 1/2	29/32	25/32	3/8	7/8	7/16	23/32
4M-613	13	1 1/2	29/32	27/32	13/32	7/8	15/32	23/32
4M-614	14	1 1/2	29/32	7/8	7/16	7/8	15/32	23/32
4M-615	15	1 1/2	¹⁵ / ₁₆	15/16	7/16	7/8	15/32	
4M-616	16	1 1/2	31/32	31/32	15/32	7/8	15/32	
4M-617	17	1 1/2	1	1	1/2	7/8	15/32	
4M-618	18	1 1/2	1 1/16	1 1/16	²⁷ / ₃₂	²⁷ / ₃₂	21/32	
4M-619	19	1 1/2	1 1/8	1 1/8	13/16	27/32	11/16	-
4M-620	20	1 1/2	1 3/16	1 3/16	13/16	27/32	23/32	
4M-621	21	1 1/2	1 1/4	1 1/4	¹³ / ₁₆	²⁷ / ₃₂	3/4	-
4M-622	22	1 1/2	1 5/16	1 5/16	13/16	²⁷ / ₃₂	¹³ / ₁₆	
4M-623	23	1 3/4	1 5/32	1 5/32	1 1/32	1 ³ / ₃₂	²⁷ / ₃₂	
4M-624	24	1 3/4	1 %	1 3/8	1 1/16	1 3/32	7/8	
4M-625	25	1 3/4	1 7/16	1 7/16	1 1/16	1 3/32	29/32	
4M-626	26	1 31/32	1 1/2	1 1/2	1 1/4	1 %2	31/32	-
4M-627	27	1 31/32	1 %16	1 %16	1 1/4	1 %2	1	
4M-629	29	1 31/32	1 21/32	1 21/32	1 1/4	1 %2	1 1/16	
4M-630	30	1 31/32	1 11/16	1 11/16	1 1/4	1 %2	1 3/32	
4M-632	32	2	1 ¹³ / ₁₆	1 ¹³ / ₁₆	7/8	1 %2	1 1/8	
4M-634	34	2 1/16	1 11/16	1 1/8	²⁹ / ₃₂	1 7/16	1 ¹¹ / ₃₂	
4M-636	36	2 1/4	1 ¹³ / ₁₆	2	29/32	1 %	1 7/16	



4M-610

MS-4-10HRC 10 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
4M-610	10	4M-614	14	4M-618	18
4M-611	11	4M-615	15	4M-619	19
4M-612	12	4M-616	16		
4M-613	13	4M-617	17		



MS-4-12HRC 12 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
4M-613	13	4M-617	17	4M-622	22
4M-614	14	4M-618	18	4M-624	24
4M-615	15	4M-619	19	4M-627	27
4M-616	16	4M-621	21	4M-630	30



MS-4-16RC 16 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
4M-610	10	4M-614	14	4M-618	18	4M-622	22
4M-611	11	4M-615	15	4M-619	19	4M-623	23
4M-612	12	4M-616	16	4M-620	20	4M-624	24
4M-613	13	4M-617	17	4M-621	21	4M-627	27



MS-4-23RC 23 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
4M-610	10	4M-616	16	4M-622	22	4M-629	29
4M-611	11	4M-617	17	4M-623	23	4M-630	30
4M-612	12	4M-618	18	4M-624	24	4M-632	32
4M-613	13	4M-619	19	4M-625	25	4M-634	34
4M-614	14	4M-620	20	4M-626	26	4M-636	36
4M-615	15	4M-621	21	4M-627	27		



- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
 Designed for maximum engagement on 6 point fasteners.
 Suitable for use with pneumatic and electric impact wrenches.

- Specially heat treated for impact use to provide long life, safety, and durability.







MS-4-23RC

1/2" DRIVE







1/2" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, METRIC

Black Industrial Finish

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
37510	10	1 1/2	1	5/8	9/16	7/8	3/8	23/32
37511	11	1 1/2	1	11/16	9/16	7/8	13/32	23/32
37512	12	1 1/2	1	3/4	9/16	7/8	7/16	23/32
37513	13	1 1/2	1	13/16	17/32	7/8	15/32	23/32
37514	14	1 1/2	1	7/8	17/32	7/8	17/32	23/32
37515	15	1 1/2	1 ³ /16	15/16	17/32	29/32	9/16	3/4
37516	16	1 1/2	1 3/16	1	17/32	7/8	19/32	3/4
37517	17	1 1/2	1 3/16	1 1/32	17/32	7/8	21/32	3/4
37518	18	1 1/2	1 ³ /16	1 ³ / ₃₂	¹³ / ₁₆	7/8	21/32	3/4
37519	19	1 1/2	1 3/16	1 1/8	3/4	29/32	11/16	3/4
37520	20	1 1/2	1 3/16	1 3/16	⁴⁵ / ₆₄	⁴⁵ / ₆₄	3/4	
37521	21	1 1/2	1 ³ /16	1 3/16	²⁵ / ₃₂	¹⁵ / ₁₆	3/4	
37522	22	1 1/2	1 1/4	1 1/4	25/32	1 1/16	¹³ / ₁₆	
37523	23	1 3/4	1 ¹⁹ / ₆₄	1 19/64	²⁷ / ₃₂	²⁷ / ₃₂	55/64	
37524	24	1 3/4	1 3/8	1 3/8	1	1 3/16	7/8	
37525	25	1 3/4	1 15/32	1 15/32	31/32	31/32	15/16	
37526	26	1 3/4	1 1/2	1 1/2	31/32	31/32	63/64	
37527	27	1 3/4	1 17/32	1 17/32	1	1 7/32	1	
37529	29	1 ¾	1 ³⁹ / ₆₄	1 ³⁹ / ₆₄	31/32	31/32	1 1/16	
37530	30	1 3/4	1 21/32	1 21/32	31/32	31/32	1 1/16	
37532	32	1 3/4	1 47/64	1 47/64	31/32	31/32	1 3/16	
37534	34	1 3/4	1 1/8	1 1/8	31/32	31/32	1 19/64	
37536	36	1 31/32	1 31/32	1 31/32	1 1/16	1 1/16	1 3/8	



Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
37510	10	37514	14	37518	18
37511	11	37515	15	37519	19
37512	12	37516	16		
37513	13	37517	17		

37912 14 Piece 1/2" Drive Shallow 6 Point Impact Socket Set on Clip Rail **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
37510	10	37514	14	37518	18	37524	24
37511	11	37515	15	37519	19	37527	27
37512	12	37516	16	37521	21		
37513	13	37517	17	37522	22		

37915 23 piece 1/2" Drive Impact Shallow 6 Point, MM Socket Set on Clip Rails Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
37510	10	37515	15	37521	21	37527	27
37511	11	37516	16	37522	22	37529	29
37512	12	37517	17	37523	23	37530	30
37513	13	37518	18	37524	24	37532	32
37514	14	37519	19	37525	25	37534	34
		37520	20	37526	26	37536	36

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.
 Drive end features pin retention hole and groove.













1/2" DRIVE

WILLIAMS





1/2" DRIVE SHALLOW IMPACT SOCKETS, 12 POINT,MM

Black Industrial Finish

		Α	В	С	D	E		F
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length
Code	(MM)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
37610	10	1 1/2	7/8	5/8	3/8	/	3/8	5/8
37611	11	1 1/2	7/8	3/4	3/8	/	3/8	5/8
37612	12	1 1/2	7/8	3/4	3/8	/	3/8	5/8
37613	13	1 1/2	¹⁵ / ₁₆	¹³ / ₁₆	3/8	/	3/8	5/8
37614	14	1 1/2	15/16	7/8	3/8	/	1/2	5/8
37615	15	1 1/2	1	7/8	1/2	/	1/2	5/8
37616	16	1 1/2	1	1	1/2	/	1/2	/
37617	17	1 1/2	1	1	1/2	/	9/16	/
37618	18	1 1/2	1	1	1/2	/	5/8	/
37619	19	1 1/2	1 1/8	1 1/8	1/2	/	5/8	/
37620	20	1 1/2	1 1/8	1 1/8	1/2	/	3/4	/
37621	21	1 1/2	1 1/4	1 1/4	9/16	/	3/4	/
37622	22	1 1/2	1 1/4	1 1/4	9/16	/	¹³ / ₁₆	/
37623	23	1 1/8	1 1/4	1 1/4	5/8	/	¹³ / ₁₆	/
37624	24	1 1/8	1 1/2	1 3/8	5/8	/	7/8	1
37625	25	1 1/8	1 1/2	1 3/8	5/8	/	7/8	1
37626	26	1 1/8	1 1/2	1 1/2	5/8	/	¹⁵ / ₁₆	/
37627	27	1 13/16	1 1/2	1 1/2	3/4	/	¹⁵ / ₁₆	9/16
37628	28	1 ¹³ / ₁₆	1 1/2	1 1/2	3/4	/	1	9/16
37629	29	1 13/16	1 1/2	1 1/8	3/4	/	1	9/16
37630	30	1 13/16	1 1/2	1 1/8	3/4	1	1	9/16
37632	32	1 ¹³ / ₁₆	1 1/2	1 3/4	13/16	/	1 1/8	9/16
37633	33	1 ¹³ / ₁₆	1 1/2	1 13/16	7/8	/	1 1/8	9/16
37634	34	1 ¹³ / ₁₆	1 1/2	1 13/16	7/8	/	1 1/4	9/16
37635	35	2	1 1/2	2	7/8	/	1 1/4	9/16
37636	36	2	1 1/2	2	7/8	/	1 1/4	9/16



37925 10 piece 1/2" Drive Impact Shallow 12 Point, MM Socket Set on Clip Rails Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
37610	10	37613	13	37616	16
37611	11	37614	14	37617	17
37612	12	37615	15	37618	18
				37619	19

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 and 12 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.















1/2" DRIVE DEEP IMPACT SOCKETS, 6 POINT, METRIC

Black Industrial Finish

		Α	В	С	D	E		F
D 1 .	0:	041	Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose
Product Code	Size (MM)	OAL (Inches)	Diameter (Inches)	Diameter (Inches)	Depth (Inches)	Depth (Inches)	Diameter (Inches)	Length (Inches)
14M-610	10	3 1/4	29/32	19/32	9/32	2 %16	11/32	2 ¹⁵ / ₃₂
14M-611	11	3 1/4	29/32	23/32	21/64	2 %16	13/32	2 ¹⁵ / ₃₂
14M-612	12	3 1/4	29/32	49/64	23/64	2 %16	7/16	2 ¹⁵ / ₃₂
14M-613	13	3 1/4	29/32	53/64	²⁵ / ₆₄	2 %16	15/32	2 ¹⁵ / ₃₂
14M-614	14	3 1/4	29/32	7/8	13/32	2 %16	15/32	2 15/32
14M-615	15	3 1/4	15/16	¹⁵ / ₁₆	13/32	2 7/64	33/64	-
14M-616	16	3 1/4	31/32	31/32	²⁹ / ₆₄	1 ³¹ / ₃₂	17/32	-
14M-617	17	3 1/4	1	1	²⁷ / ₆₄	1 31/32	39/64	-
14M-618	18	3 1/4	1 1/16	1 1/16	1/2	1 31/32	21/32	
14M-619	19	3 1/4	1 1/4	1 1/4	35/64	1 ⁶¹ / ₆₄	11/16	-
14M-620	20	3 1/4	1 3/16	1 3/16	35/64	1 ⁶¹ / ₆₄	23/32	-
14M-621	21	3 1/4	1 1/4	1 1/4	35/64	1 61/64	3/4	-
14M-622	22	3 1/2	1 5/16	1 5/16	35/64	2 7/64	51/64	-
14M-623	23	3 ½	1 11/32	1 11/32	5/8	2 ⁷ / ₆₄	53/64	-
14M-624	24	3 ½	1 %	1 ¾	5/8	2 ⁷ / ₆₄	7/8	-
14M-625	25	3 ½	1 7/16	1 7/16	5/8	2 7/64	²⁹ / ₃₂	-
14M-626	26	3 ½	1 31/64	1 31/64	5/8	2 ⁷ / ₆₄	¹⁵ /16	-
14M-627	27	3 ½	1 %16	1 %16	25/32	2 7/64	31/32	-
14M-629	29	3 1/2	1 %	1 5/8	13/16	2 7/64	1 1/16	-
14M-630	30	3 ½	1 11/16	1 11/16	53/64	2 ²¹ / ₃₂	1 ³ / ₃₂	-
14M-632	32	3 ½	1 13/16	1 ¹³ / ₁₆	7/8	2 ²¹ / ₃₂	1 1/4	-
14M-634	34	3 ½	1 3/4	1 ¹⁵ / ₁₆	⁵⁷ / ₆₄	2 ⁵⁵ / ₆₄	1 21/64	-
14M-635	35	3 ½	1 3/4	2	⁵⁷ / ₆₄	2 ⁵⁵ / ₆₄	1 ²³ / ₆₄	-
14M-636	36	3 ½	1 3/4	2	57/64	2 ¹³ / ₁₆	1 1/8	-



Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
14M-610	10	14M-614	14	14M-618	18
14M-611	11	14M-615	15	14M-619	19
14M-612	12	14M-616	16		
14M-613	13	14M-617	17		
14M-613	13	14M-617	17		

MS-14-16RC 16 Piece 1/2" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
14M-610	10	14M-614	14	14M-618	18	14M-622	22
14M-611	11	14M-615	15	14M-619	19	14M-623	23
14M-612	12	14M-616	16	14M-620	20	14M-624	24
14M-613	13	14M-617	17	14M-621	21	14M-627	27

MS-14-24RC 24 Piece 1/2" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
14M-610	10	14M-616	16	14M-622	22	14M-629	29
14M-611	11	14M-617	17	14M-623	23	14M-630	30
14M-612	12	14M-618	18	14M-624	24	14M-632	32
14M-613	13	14M-619	19	14M-625	25	14M-634	34
14M-614	14	14M-620	20	14M-626	26	14M-635	35
14M-615	15	14M-621	21	14M-627	27	14M-636	36

- $\bullet \ \ SUPERTORQUE^{\circledcirc}\ lobular\ openings\ for\ greater\ turning\ power\ without\ deforming\ the\ fastener.$
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.





MS-14-10HRC



MS-14-16RC



1/2" DRIVE







1/2" DRIVE DEEP IMPACT SOCKETS, 6 POINT, METRIC

Rissi	l Ind	łuetri:	a ا د	inic	h

		Α	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
37710	10	3 1/4	29/32	19/32	9/32	2 %16	11/32	2 ¹⁵ / ₃₂
37711	11	3 1/4	29/32	23/32	21/64	2 %16	13/32	2 15/32
37712	12	3 1/4	29/32	⁴⁹ / ₆₄	23/64	2 %16	7/16	2 15/32
37713	13	3 1/4	29/32	53/64	²⁵ / ₆₄	2 %16	15/32	2 15/32
37714	14	3 1/4	29/32	7/8	13/32	2 %16	15/32	2 15/32
37715	15	3 1/4	15/16	¹⁵ /16	13/32	2 7/64	33/64	-
37716	16	3 1/4	31/32	31/32	29/64	1 ³¹ / ₃₂	17/32	-
37717	17	3 1/4	1	1	²⁷ / ₆₄	1 ³¹ / ₃₂	³⁹ / ₆₄	-
37718	18	3 1/4	1 1/16	1 1/16	1/2	1 ³¹ / ₃₂	²¹ / ₃₂	-
37719	19	3 1/4	1 1/4	1 1/4	35/64	1 ⁶¹ / ₆₄	11/16	-
37720	20	3 1/4	1 3/16	1 3/16	1 3/8	2 ²³ / ₆₄	3/4	
37721	21	3 1/4	1 1/4	1 1/4	35/64	1 ⁶¹ / ₆₄	3/4	-
37722	22	3 1/2	1 5/16	1 5/16	35/64	2 7/64	51/64	
37723	23	3 ½	1 19/64	1 19/64	1 3/8	2 %19	55/64	
37724	24	3 ½	1 %	1 ¾	5/8	2 ⁷ /64	7/8	-
37725	25	3 ½	1 15/32	1 15/32	1 3/8	2 %19	15/16	-
37726	26	3 1/2	1 1/2	1 1/2	1 3/8	2 %19	63/64	-
37727	27	3 1/2	1 %16	1 %16	25/32	2 7/64	31/32	
37729	29	3 1/2	1 39/64	1 39/64	1 3/8	2 19/32	1 1/16	
37730	30	3 1/2	1 21/32	1 21/32	1 3/8	2 ¹⁹ / ₃₂	1 1/16	
37732	32	3 1/2	1 47/64	1 47/64	1 3/8	2 19/32	1 3/16	
37734	34	3 1/2	1 1/8	1 1/8	1 3/8	2 19/32	1 19/64	
37736	36	3 ½	1 31/32	1 31/32	1 3/8	2 19/32	1 3/8	•



37913 10 Piece 1/2" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
37710	10	37714	14	37718	18
37711	11	37715	15	37719	19
37712	12	37716	16		
37713	13	37717	17		



37914 14 Piece 1/2" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
37710	10	37714	14	37718	18	37724	24
37711	11	37715	15	37719	19	37727	27
37712	12	37716	16	37721	21		
37713	13	37717	17	37722	22		



37917 23 piece 1/2" Drive Impact Deep 6 Point, MM Socket Set on Clip Rails Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
37710	10	37716	16	37723	23	37730	30
37711	11	37717	17	37724	24	37732	32
37712	12	37718	18	37725	25	37734	34
37713	13	37719	19	37726	26	37736	36
37714	14	37720	20	37727	27		
37715	15	37721	21	37729	29		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- · Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.











1/2" DRIVE








1/2" DRIVE DEEP IMPACT SOCKETS, 12 POINT, MM

Black Industrial Finish



37926 10 piece 1/2" Drive Impact Shallow 12 Point Socket Set on Clip Rails Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
35910	10	35913	13	35916	16
35911	11	35914	14	35917	17
35912	12	35915	15	35918	18
				35919	19

Features

35925

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 and 12 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.



1/2" DRIVE

WILLIAMS



1/2" DRIVE ONE PIECE IMPACT HEX BIT DRIVERS, SAE

	Black	Industrial	Finish
--	-------	------------	---------------

Product Code	Size (Inches)	OAL (Inches)	Product Code	Size (Inches)	OAL (Inches)	
35730	1/4	1 1/2	35738	1/2	1 1/2	
35732	5/16	1 1/2	35740	9/16	1 1/2	
35734	3/8	1 1/2	35742	5/8	1 1/2	
35736	7/16	1 1/2				

Fed. Spec: ANSI B107.2

37920 7 Piece 1/2" Drive One Piece Impact Hex Bit Drivers, SAE **Contents Include:**

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
35730	1/4	35736	7/16	35742	5/8
35732	5/16	35738	1/2		
35734	3/8	35740	9/16		





1/2" DRIVE ONE PIECE IMPACT HEX BIT DRIVERS, MM

ĸ	ack	Indus	trial	Finie	h

Product Code	Size (Inches)	OAL (Inches)	Product Code	Size (Inches)	OAL (Inches)
35706	6	1 1/2	35712	12	1 1/2
35708	8	1 1/2	35714	14	1 ½
35710	10	1 1/2	35717	17	

Fed. Spec: ANSI B107.2

37922 6 Piece 1/2" Drive One Piece Impact Hex Bit Drivers, MM **Contents Include:**

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
35706	6	35710	10	35714	14
35708	8	35712	12	35717	17







43 PIECE 3/4" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SAE, with Metal Box


Product Code Description WSH-43TB 43 Piece Tool Set with TB-12 Metal Tool Box WSH-43 43 Piece Tool Set Only

Contents Include:

Drive Tools:		Shallow 12-I	Point Sockets		
Product Code	Description	Product Code	Size (Inches)	Product Code	Size (Inches)
H-20A	19" Sliding T-Handle	H-1224	3/4	H-1250	1 %16
H-41AA	22" Flex Handle	H-1226	¹³ /16	H-1252	1 %
H-51B	20" Ratchet	H-1228	7/8	H-1254	1 ¹¹ /16
H-104	3" Extension	H-1230	¹⁵ /16	H-1256	1 ¾
H-110	8" Extension	H-1232	1	H-1258	1 ¹³ / ₁₆
H-115	16" Extension	H-1234	1 1/16	H-1260	1 1/8
H-140A	Universal Joint	H-1236	1 1/8	H-1264	2
		H-1238	1 ³ / ₁₆	H-1266	2 1/16
Deep 12-Po	int Sockets	H-1240	1 1/4	H-1268	2 ½
Product Code	Size (Inches)	H-1242	1 5/16	H-1270	2 ³ ⁄16
HD-628	7/8	H-1244	1 3/8	H-1272	2 1/4
HD-630	¹⁵ /16	H-1246	1 7/16	H-1276	2 %
HD-632	1	H-1248	1 ½		
HD-634	1 1/16				
HD-636	1 1/8				
HD-640	1 1/4				
HD-642	1 5/16				
HD-644	1 %				
HD-646	1 7/16				
HD-648	1 ½				
HD-652	1 %				

- All tools are professional quality, made of high-grade chrome vanadium steel.

 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.







37920



35708













3/4" DRIVE







46 PIECE 3/4" DRIVE SOCKET AND DRIVE TOOL SET

12 Point MM, with Metal Box

Product Code	Description
33910	46 Piece Tool Set with TB-12 Metal Tool Box
33911	46 Piece Tool Set Only
	•

Contents Inclu	ıde:		
Drive Tools:		3/4" Drive Shallow	12 Point Sockets
Product Code	Description	Product Code	Size (MM)
33001	Ratchet	33619	19
33005	Flex handle	33620	20
33002	4" Extension	33621	21
33003	8" Extension	33622	22
33004	16" Extension	33623	23
33006	18" Sliding T-handle	33624	24
33007	Universal Joint	33625	25
		33626	26
3/4" Drive Deep 1	2 Point Sockets	33627	27
Product Code	Size (MM)	33628	28
33719	19	33629	29
33722	22	33630	30
33723	23	33632	32
33724	24	33635	35
33727	27	33636	36
33730	30	33638	38
33732	32	33641	41
33735	35	33642	42
33736	36	33646	46
33738	38	33650	50
33741	41	33654	54
33746	46	33655	55
33750	50	33658	58
33755	55	33660	60
33760	60		

- All tools are professional quality, made of high-grade chrome vanadium steel.

 Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.

 Metal tool box made for years of rugged use.





3/4" DRIVE

WILLIAMS





30 PIECE 3/4" DRIVE SOCKET AND DRIVE TOOL SET

12	Point.	MM	with	Metal	Box
----	--------	----	------	-------	-----

Product Code	Description
33912	30 Piece Tool Set with TB-6124A Metal Tool Box
33913	30 Piece Tool Set Only
Contents Includes	

Contents Inclu	de:		
3/4" Drive Tools:		3/4" Drive Shallow	12 Point Sockets
Product Code	Description	Product Code	Size (MM)
33001	Ratchet	33627	27
33005	Flex handle	33628	28
33002	4" Extension	33629	29
33003	8" Extension	33630	30
33004	16" Extension	33632	32
33006	18" Sliding T-handle	33635	35
33007	Universal Joint	33636	36
		33638	38
3/4" Drive Shallow	12 Point Sockets	33641	41
Product Code	Size (MM)	33642	42
33619	19	33646	46
33620	20	33650	50
33621	21	33654	54
33622	22	33655	55
33623	23	33658	58
33624	24	33660	60
33625	25		
33626	26		

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.









3/4" DRIVE









29 PIECE 3/4" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SAE, with Metal Box

Description			
 with TB-6124A Metal Tool Box iece Tool Set Only			

Contents Include:

Drive Tools:		Shallow 12-Poin	t Sockets
Product Code	Description	Product Code	Size (Inches)
H-20A	19" Sliding T-Handle	H-1242	1 5/16
H-41AA	22" Flex Handle	H-1244	1 %
H-51B	20" Ratchet	H-1246	1 7/16
H-104	3" Extension	H-1248	1 1/2
H-110	8" Extension	H-1250	1 ⁹ /16
H-115	16" Extension	H-1252	1 %
H-140A	Universal Joint	H-1254	1 11/16
		H-1256	1 3/4
Shallow 12-Poin	t Sockets	H-1258	1 ¹³ / ₁₆
Product Code	Size (Inches)	H-1260	1 1/8
H-1228	7/8	H-1264	2
H-1230	15/16	H-1268	2 1/8
H-1232	1	H-1270	2 ³ ⁄16
H-1234	1 1/16	H-1272	2 ½
H-1236	1 1/8	H-1276	2 ¾
H-1238	1 3/16		
H-1240	1 1/4		

Features

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.









22 PIECE 3/4" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SAE, with Metal Box

Product Code	Description		
WSH-22TB	22 Piece Tool Set with TB-49 Metal Tool Box		
WSH-22	22 Piece Tool Set Only		

Contents Include:

Drive Tools:		Shallow 12-Point	t Sockets
Product Code	Description	Product Code	Size (Inches)
H-41AA	22" Flex Handle	H-1236	1 1/8
H-51B	20" Ratchet	H-1240	1 1/4
H-104	3" Extension	H-1242	1 5/16
H-110	8" Extension	H-1244	1 3/8
H-115	16" Extension	H-1246	1 7/16
H-140A	Universal Joint	H-1248	1 1/2
		H-1252	1 %
Shallow 12-Poin	t Sockets	H-1254	1 11/16
Product Code	Size (Inches)	H-1256	1 3/4
H-1228	7/8	H-1258	1 13/16
H-1230	15/16	H-1260	1 7/8
H-1232	1	H-1264	2
H-1234	1 1/16		

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.

3/4" DRIVE







23 PIECE 3/4" DRIVE SOCKET AND DRIVE TOOL SET

12 Point, MM with Metal Box

Product Code	Description	
33914	23 Piece Tool Set with TB-49 Metal Tool Box	
33915	23 Piece Tool Set Only	

Contents Include:

2	/ 411	Drive	Tool


Product Code	Description
33001	Ratchet
33005	Flex handle
33003	8" Extension
33004	16" Extension

3/4" Drive Shallow	12 Point Sockets
Product Code	Size (MM)
33619	19
33620	20
33621	21
33622	22
33623	23
33624	24
33625	25
33626	26
33627	27
33628	28
33629	29
33630	30
33632	32
33635	35
33636	36
33638	38
33641	41
33642	42
33646	46



- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.











3/4" DRIVE









12 Point SAE, with Metal Box

Product Code	Description
WSH-13TB	13 Piece Tool Set with TB-49 Metal Tool Box
WSH-13	13 Piece Tool Set Only

Contents Include:

Drive Tools:		Shallow 12-Poin	t Sockets
Product Code	Description	Product Code	Size (Inches)
H-51B	20" Ratchet	H-1234	1 1/16
H-110	8" Extension	H-1236	1 1/8
		H-1240	1 1/4
Shallow 12-Point	t Sockets	H-1242	1 ⁵ ⁄16
Product Code	Size (Inches)	H-1244	1 3/8
H-1228	7/8	H-1246	1 7/16
H-1230	15/16	H-1248	1 1/2
H-1232	1	H-1252	1 %

Features

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.









20 PIECE 3/4" DRIVE SOCKET AND DRIVE TOOL SET

12 Point Metric, with Metal Box

Product Code	Description
MSH-20TB	20 Piece Tool Set with TB-49 Metal Tool Box
MSH-20	20 Piece Tool Set Only

Contents Include:

Drive Tools:		Shallow 12-Point	Sockets
Product Code	Description	Product Code	Size (MM)
H-41AA	22" Flex Handle	HM-1230	30
H-51B	20" Ratchet	HM-1232	32
H-110	8" Extension	HM-1235	35
H-115	16" Extension	HM-1236	36
H-140A	Universal Joint	HM-1238	38
		HM-1241	41
Shallow 12-Poin	t Sockets	HM-1246	46
Product Code	Size (MM)	HM-1250	50
HM-1219	19	HM-1254	54
HM-1222	22	HM-1255	55
HM-1224	24	HM-1260	60
HM-1227	27		

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.



MSH-20TB

WSH-13TB

3/4" DRIVE







20 PIECE 3/4" DRIVE SOCKET-LOK® TOOL SET

12 Point SAE, with Metal Box

Product Code Description

33901 20 Piece Tool Set with 50081 Metal Tool Box

50081 Metal Box

Contents Include:

3/4" Drive Too	ls:	3/4" Drive Shallow	12-Point Sockets
Product Code	Description	Product Code	Size (Inches)
33001	20" Socket-Lok® Ratchet	33238	1 3/16
33006	18" Sliding T-Handle	33240	1 1/4
33002	4" Extension	33242	1 5/16
33003	8" Extension	33244	1 %
		33246	1 7/16
3/4" Drive Sha	llow 12-Point Sockets	33248	1 ½
Product Code	Size (Inches)	33252	1 %
33228	7/8	33256	1 3/4
33230	15/16	33258	1 ¹³ / ₁₆
33232	1	33260	1 %
33234	1 1/16	33264	2
33236	1 1/8		

- Unique Socket-Lok® Safety Retention System features a spring-loaded locking button for maximum socket retention and quick disassembly when used with our Williams® locking-button square drive tools and sockets. May also be used with all standard 3/4" drive tools.
- Chamfered ends provide easy engagement of the drive tool and fastener.
- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.



Socket-Lok® button positively locks the socket and drive tool together, providing positive retention and quick disassembly.









3/4" DRIVE











20 PIECE 3/4" SOCKET SET

12 Point Rugged-Case-System Tool Set, SAE

Product Code Description
33903 20 Piece 3/4" Socket Set

Contents Include:

3/4" Drive To	ols:	3/4" Drive Shalle	ow 12 Point Sockets
Product Code	Description	Product Code	Size (Inches)
33003	8" Extension	33236	1 1/8
33004	16" Extension	33240	1 1/4
33012	32 Tooth Ratchet Head	33242	1 5/16
33013	Universal Extendable Handle	33244	1 3/8
33014	Sliding T-Handle	33246	1 7/16
	•	33248	1 1/2
3/4" Drive Sha	allow 12 Point Sockets	33252	1 5/8
Product Code	Size (Inches)	33256	1 3/4
33228	7/8	33258	1 13/16
33230	¹⁵ / ₁₆	33260	1 1/8
33232	1	33264	2
33234	1 1/16		

Features

- Extended Handle extends from 23-1/2" to 36"
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- · Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges
- Two-component handles are easy to grip and comfortable to carry



33903





25 PIECE 3/4" SOCKET SET

12 Point with Metal Box, SAE

Product Code Description
33905 25 Piece 3/4" Socket Set

Contents Include:

3/4" Drive Tools:		3/4" Drive Shalle	ow 12 Point Sockets
Product Code	Description	Product Code	Size (Inches)
33001	2 Piece Ratchet	33240	1 1/4
33002	4" Extension	33242	¹⁵ / ₁₆
33003	8" Extension	33244	1 3/8
33004	16" Extension	33246	1 7/16
		33248	1 1/2
3/4" Drive Sha	llow 12 Point Sockets	33250	1 %16
Product Code	Size (Inches)	33252	1 1/8
33228	7∕8	33256	1 3/4
33230	¹⁵ / ₁₆	33258	1 13/16
33232	1	33260	1 1/8
33234	1 1/16	33264	2
33236	1 ½	33268	2 1/8
33238	1 3/16	33272	2 1/4

- All tools are professional quality, made of high-grade chrome vanadium steel
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight
- Case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges
- Two-component handles are easy to grip and comfortable to carry



3/4" DRIVE



3/4" DRIVE INTEGRATED HANDLE RATCHETS

Chrome and Black Industrial Finish

Product Code	Description	Length (Inches)	Number of Teeth
H-51B	Chrome Ratchet	20 1/8	24
HB-51B	Black Finish Ratchet	20 1/8	24
H-52EHRK	Repair Kit for H-51B and HB-51B		

Fed. Spec: ANSI B107.10M

Features

- Forged one-piece ratchet provide strength and safety for industrial applications.
- · Smooth comfort-grip handle permits all-day use without gloves.
- · 24 tooth gear with 15 degree of engagement allows engagement in tight working areas.
- Chrome finish with mirror-like exterior can be easily cleaned after each use.
- . Single Pawl ratchet design:
 - 1) Designed for tighter tolerances between pawl and gear which reduces metal fatigue and slippage under load.
- 2) Does not require as many working parts, reducing possible breakage and parts to repair.
- Easy access reverse lever allows user to change working direction quickly and easily with only one hand.
- · Ball and Spring socket retention.





HB-51B



3/4" DRIVE REMOVABLE-HANDLE RATCHETS

Knurled Handle, Chrome Finish

Product Code	Description	Length (Inches)	Number of Teeth
Complete R	atchet		
H-51AB1	Ratchet with 19 1/4" Handle	24 11/16	32
Components	S		
H-51AB	Ratchet Head Only	6	32
H-A1	Handle Only	19 1/4	
H-52EHRKA	Repair Kit for H-51AB1 and H-51AB		

Note: Head Bore and Handle End Diameter: 13/16" Fed. Spec: ANSI B107.10M

Features

- 32 teeth action provides an 11° ratcheting angle.
- Shift lever reverses action instantly.
- Ball and spring provide firm socket retention.
- Removable handle makes the tool more versatile, and storage easier.
- Knurled handle provides a non-slip grip.
- Chrome finish models provides increased protection from rust and corrosion.
- Our most rugged, high torque capacity ratchet.





H-51AB



3/4" DRIVE HANDLES

Chrome and Black Industrial Finish

Product Code	Description	Length (Inches)	Finish
H-41AA	Flex Handle Breaker Bar, Knurled Grip	22 1//8	Chrome
H-20A	Sliding T-Handle	19 ¹ / ₄	Chrome
HB-20A	Sliding T-Handle	19 1/4	Black Industrial

Fed. Spec: ANSI B107.10M

- Chrome plating provides increased protection from rust and corrosion.
- Drive handles provide extra leverage with greater strength than ratchets.
- · Square drive slides on T-Handles for versatility.
- Flex handle flex drive swivels 110° in either direction.









3/4" DRIVE













WILLIAMS

3/4" DRIVE EXTENSIONS

Chrome and Black Industrial Finish			
Product Code Length (Inches)			
Chrome Finish			
H-104	3		
H-110	8		
H-115	16		
Black Industrial Finish			
H-104B	3		
H-110B	8		
H-115B	16		

Fed. Spec: ANSI B107.10M

Features

- Chrome plating provides increased protection from rust and corrosion.
- Ball and spring socket retention.

WILLIAMS

3/4" DRIVE ADAPTERS

ength nches)	Male End (Inches)	Female End (Inches)	Female End Detent
2			
2			
J	1	3/4	Detent on Each Wal
3 1/16	3/4	1	Drilled Hole
Finish			
3	1	3/4	Detent on Each Wal
3 ½16	3/4	1	Drilled Hole
	3	3 1 3 ½6 ¾	3 1 3 ⁴ / ₁₆ 3 ⁴ / ₄ 1

Features

- Chrome plating provides increased protection from rust and corrosion.
- Ball and spring socket retention.

WILLIAMS

3/4" DRIVE UNIVERSAL JOINTS

Chrome and Black Industrial Finish							
Description	Length (Inches)						
Universal Joint	4 1/16						
ish							
Universal Joint	4 ¹ / ₁₆						
	Description Universal Joint ish						

- Chrome plating provides increased protection from rust and corrosion.
- Ball and spring socket retention.

3/4" DRIVE

WILLIAMS

3/4" DRIVE EXTENDABLE RATCHET AND T-HEAD

High-Polished Chrome Finish

Product Code	Description	Length (Inches)	Repair Kit
33012	32 Tooth Ratchet Head	6	33001RK
33013	Universal Extendable Handle	23 1/2" to 36"	
33014	Sliding T-Head		

Fed. Spec: ANSI B107.10M

Features

- Williams 3/4" Drive Ratchet and Drive Tools Feature:
 - Unique Socket-Lok® Safety Retention System features a spring-loaded locking button for maximum socket retention and quick disassembly when used with our Williams® locking-button square drive tools and sockets. May also be used with all standard 3/4" drive tools.
 - Two-piece ratchet design for maximum versatility.
 - . Knurled handle to provide a firm, non-slip grip and extra turning power.
 - · Narrow pear-shaped head for access into confined work areas.
 - · High-polished chrome finish for easy cleaning.
- Chamfered ends provide easy engagement of the drive tool and fastener.
- Extended Handle extends from 23-1/2" to 36"



3/4" DRIVE RATCHETS AND HANDLES

High-Polished Chrome Finish

Product Code	Description	Length (Inches)	Repair Kit
33001	Socket-Lok Ratchet - 32 Teeth	20	33001RK
33015	Ratchet head only for 33016	6	
33016	Handle only for 33015	16	
30005	Flex Handle	19	
33006	Sliding T-Handle	19	

Fed. Spec: ANSI B107.10M

Features

- Williams 3/4" Drive Ratchet and Drive Tools Feature:
 - Unique Socket-Lok® Safety Retention System features a spring-loaded locking button for maximum socket retention and quick disassembly when used with our Williams® locking-button square drive tools and sockets. May also be used with all standard 3/4" drive tools.
 - . Two-piece ratchet design for maximum versatility.
 - Knurled handle to provide a firm, non-slip grip and extra turning power.
 - Narrow pear-shaped head for access into confined work areas.
- High-polished chrome finish for easy cleaning.
- · Chamfered ends provide easy engagement of the drive tool and fastener.



3/4" DRIVE EXTENSIONS AND ACCESSORIES

High-Polished Chrome Finish

Product Code	Description	Length (Inches)
33002	Extension	4
33003	Extension	8
33004	Extension	16
33007	Universal Joint	4 ⁵ / ₁₆
33008	3/4" F x 1/2" M Adapter	2 1/8
33009	3/4" F x 1" M Adapter	2 7/16
33011	1" F x ¾" M Adapter	2 %

Fed. Spec: ANSI B107.10M

Features

- Williams 3/4" Drive Ratchet and Drive Tools Feature:
- Unique Socket-Lok® Safety Retention System features a spring-loaded locking button for maximum socket retention and quick disassembly when used with our Williams® locking-button square drive tools and sockets. May also be used with all standard 3/4" drive tools.
- High-polished chrome finish for easy cleaning.
- · Chamfered ends provide easy engagement of the drive tool and fastener.











33006

33007

Socket-Lok® button positively locks the socket and drive tool together, providing positive retention and quick disassembly.



33008

33009

33011







3/4" DRIVE SHALLOW 12 POINT SOCKETS, SAE

High-Polished Chrome Finish

		Α	В	С	D	E		F
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)
H-1224	3/4	2	1 7/16	1 1/8	17/32	1 1/4	11/16	13/16
H-1226	¹³ / ₁₆	2	1 7/16	1 7/32	9/16	1 ½	11/16	¹³ / ₁₆
H-1228	7/8	2	1 7/16	1 5/16	19/32	1 ½	11/16	¹³ / ₁₆
H-1230	¹⁵ / ₁₆	2	1 7/16	1 %	21/32	1 ½	11/16	¹³ / ₁₆
H-1231	31/32	2	1 7/16	1 ¹³ / ₃₂	11/16	1 1/4	11/16	13/16
H-1232	1	2 1/16	1 7/16	1 ¹⁵ / ₃₂	11/16	1 5/16	11/16	25/32
H-1234	1 1/16	2 1/8	1 1/2	1 %16	3/4	1 5/32	1 1/32	7/8
H-1236	1 1/8	2 3/16	1 1/2	1 %	¹³ / ₁₆	1 7/32	1 1/8	29/32
H-1238	1 3/16	2 1/4	1 1/2	1 11/16	27/32	1 1/32	1 5/32	31/32
H-1240	1 1/4	2 1/4	1 1/2	1 3/4	²⁷ / ₃₂	1 ¹¹ /32	1 %2	¹⁵ / ₁₆
H-1242	1 5/16	2 5/16	1 %	1 1/8	27/32	1 ¹³ / ₃₂	1 ¹¹ / ₃₂	1
H-1244	1 %	2 5/16	1 %	1 ¹⁵ / ₁₆	7/8	1 %	1 7/16	1
H-1246	1 7/16	2 %	1 %	2	15/16	1 7/16	1 1/4	1
H-1248	1 1/2	2 1/2	1 %	2 1/8	1	1 %16	1 1/4	1 1/8
H-1250	1 %16	2 %	1 3/4	2 3/16	1 5/32	1 11/16	1 %	1 1/4
H-1252	1 %	2 %	1 3/4	2 1/4	1 5/32	1 11/16	1 %	1 1/4
H-1254	1 11/16	2 3/4	1 ²⁵ / ₃₂	2 %	1 3/16	1 ¹³ / ₁₆	1 %	1 %
H-1256	1 3/4	2 ¾	1 3/4	2 7/16	1 3/16	1 13/16	1 %	1 %
H-1258	1 13/16	2 1/8	1 3/4	2 1/2	1 1/4	1 ³¹ / ₃₂	1 5/16	1 7/16
H-1260	1 1/8	3	1 3/4	2 %16	1 5/16	2 1/16	1 5/16	1 %16
H-1264	2	3 1/8	1 3/4	2 ³ / ₄	1 5/16	2 3/16	1 5/16	1 11/16
H-1266	2 1/16	3 1/8	1 3/4	2 3/4	1 %	2 3/16	1 5/16	1 11/16
H-1268	2 1/8	3 1/4	1 3/4	2 ¹⁵ / ₁₆	1 7/16	2 5/16	1 5/16	1 ¹³ / ₁₆
H-1270	2 3/16	3 1/4	1 3/4	2 ¹⁵ / ₁₆	1 1/2	2 5/16	1 5/16	1 ¹³ / ₁₆
H-1272	2 1/4	3 %	1 3/4	3 1/8	1 1/2	2 7/16	1 1/4	1 %
H-1274	2 5/16	3 ½	1 3/4	3 1/4	1 %	2 %16	1 1/4	2
H-1276	2 %	3 %	1 3/4	3 ½	1 3/4	2 ¹¹ / ₁₆	1 1/4	2 1/8

Fed. Spec: ANSI B107.1



WSH-16RC 16 Piece 3/4" Drive Shallow 12-Point Socket Set on Clip Rails

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
H-1228	7/8	H-1236	1 1/8	H-1246	1 7/16	H-1256	1 3/4
H-1230	15/16	H-1240	1 1/4	H-1248	1 ½	H-1258	1 ¹³ / ₁₆
H-1232	1	H-1242	1 5/16	H-1252	1 %	H-1260	1 1/8
H-1234	1 1/16	H-1244	1 %	H-1254	1 11/16	H-1264	2

WSH-26RC 26 Piece 3/4" Drive Shallow 12-Point Socket Set on Clip Rails

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
H-1224	3/4	H-1238	1 3/16	H-1252	1 5/8	H-1268	2 1/8
H-1226	¹³ / ₁₆	H-1240	1 1/4	H-1254	1 ¹¹ / ₁₆	H-1270	2 ³ /16
H-1228	7/8	H-1242	1 5/16	H-1256	1 3/4	H-1272	2 ½
H-1230	¹⁵ / ₁₆	H-1244	1 ¾	H-1258	1 ¹³ / ₁₆	H-1274	2 5/16
H-1232	1	H-1246	1 1/16	H-1260	1 ¾	H-1276	2 ¾
H-1234	1 1/16	H-1248	1 ½	H-1264	2		
H-1236	1 1/8	H-1250	1 %16	H-1266	2 1/16		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on both 6 and 12 point fasteners.















3/4" DRIVE SHALLOW 12 POINT SOCKETS, SAE

High-Polished Chrome Finish

		A	В	C	, F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Nose Length (Inches)
33228	7/8	1 ¹⁵ / ₁₆	1 7/16	1 1/4	35/64
33230	¹⁵ / ₁₆	2	1 ⁷ /16	1 ¾	5/8
33232	1	2 1/16	1 ⁷ /16	1 7/16	5/8
33234	1 1/16	2 1/16	1 7/16	1 1/2	7/8
33236	1 1/8	2 1/16	1 ½	1 %16	7/8
33238	1 3/16	2 1/8	1 ½	1 11/16	15/16
33240	1 1/4	2 ³ ⁄16	1 ½	1 ¾	¹⁵ / ₁₆
33242	1 5/16	2 ³ ⁄16	1 ½	1 ¹³ / ₁₆	1
33244	1 ¾	2 1/4	1 5/8	1 1/8	1
33246	1 ⁷ / ₁₆	2 ½	1 %	1 ³¹ / ₃₂	1 7/64
33248	1 ½	2 %	1 3/4	2 1/16	1 7/64
33250	1 %16	2 7/16	1 3/4	2 1/8	1 3/16
33252	1 %	2 ½	1 3/4	2 3/16	1 3/16
33256	1 3/4	2 %16	1 ¹³ / ₁₆	2 5/16	1 1/4
33258	1 13/16	2 ¹¹ / ₁₆	1 ¹³ / ₁₆	2 ¾	1 1/4
33260	1 1/8	2 ¾	1 1/8	2 ½	1 11/32
33264	2	2 ¹³ / ₁₆	1 1/8	2 ¹¹ / ₁₆	1 13/32



33920 11 Piece 3/4" Drive Shallow 12-Point Socket Set on Clip Rails

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
33228	7/8	33236	1 1/8	33244	1 %
33230	¹⁵ /16	33238	1 ³ / ₁₆	33246	1 7/16
33232	1	33240	1 1/4	33248	1 1/2
33234	1 1/16	33242	1 ⁵ / ₁₆		

33922 16 Piece 3/4" Drive Shallow 12-Point Socket Set on Clip Rails Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
33228	7/8	33242	1 5/16	33260	1 1/8
33230	15/16	33244	1 %	33264	2
33232	1	33246	1 7/16		
33234	1 1/16	33248	1 1/2		
33236	1 1/8	33252	1 %		
33238	1 ¾16	33256	1 3/4		
33240	1 1/4	33258	1 ¹³ / ₁₆		

- Williams 3/4" Drive Hand Sockets and Drive Tools Feature:
 - Unique Socket-Lok® Safety Retention System features a spring-loaded locking button for maximum socket retention and quick disassembly when used with our Williams® locking-button square drive tools and sockets. May also be used with all standard 3/4" drive tools.
 - Sockets feature a deep chamfer on the drive end to speed insertion onto the drive tool.
 - Chamfered ends provide easy engagement of the drive tool and fastener.
 - SUPERTORQUE® recessed corners in socket end provide extra turning power.
 - High-polished chrome finish tools clean easily and resist rust.
- Designed for quick engagement on both 6 and 12 point fasteners.






33920



33922









3/4" DRIVE







3/4" DRIVE SHALLOW SOCKETS, 12 POINT, METRIC



HM1232

High-Pol	ished	Chrome	Finish					
		A	В	С	D	E		F
Product Code	Size (MM)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
HM-1219	19	2	7/16	1 1/8	9/16	1 1/32	11/16	13/16
HM-1222	22	2	7/16	1 1/4	5/8	1 1/32	11/16	13/16
HM-1223	23	2	1 7/16	1 11/32	5/8	1 1/32	3/4	9/16
HM-1224	24	2	7/16	1 3/8	21/32	1 1/32	11/16	13/16
HM-1225	25	2	1 7/16	1 ⁷ / ₁₆	2 3/32	1 1/32	3/4	2
HM-1226	26	2	1 1/2	1 ½	2 ³ / ₃₂	1 1/32	1 1/32	2
HM-1227	27	2	1 1/2	1 %16	3/4	1 1/32	1 1/16	11/16
HM-1228	28	2	1 1/2	1 21/32	25/32	1 1/32	1-3/32	1-7/32
HM-1230	30	2 7/32	1 1/2	1 %	13/16	1 7/32	1 3/16	27/32
HM-1232	32	2 1/4	1 1/2	1 3/4	7/8	1 5/16	1 5/16	7/8
HM-1235	35	2 5/16	1 %	1 ¹⁵ / ₁₆	²⁹ / ₃₂	1 13/32	1 1/16	7/8
HM-1236	36	2 5/16	1 %	1 15/16	²⁹ / ₃₂	1 13/32	1 1/4	7/8
HM-1238	38	2 1/2	1 %	2 1/16	1	1 19/32	1 %16	1 1/16
HM-1241	41	2 %	1 3/4	2 ¾16	1 1/16	1 ²³ / ₃₂	1 ¹³ / ₃₂	1 3/16
HM-1242	42	2 1/2	1 3/4	2 %32	1 1/16	1 1/2	1 ⁵ /8	1 21/32
HM-1246	46	3 1/8	1 3/4	2 7/16	1 3/16	1 ³¹ / ₃₂	1 13/32	1 11/16
HM-1250	50	3	1 3/4	2 %	1 5/16	2 ³ / ₃₂	1 ¹³ / ₃₂	1 13/32
HM-1254	54	3 1/4	1 3/4	2 %	1 ¹⁵ / ₃₂	2 1/8	1 13/32	1 21/32
HM-1255	55	3 1/4	1 3/4	2 ²⁹ / ₃₂	1 ¹⁵ / ₃₂	2 11/32	1 13/32	1 21/32
HM-1260	60	3 %	1 3/4	3 1/4	1 3/4	2 23/32	1 3/4	2 1/8

Fed. Spec: ANSI B107.5

MSH-15RC 15 Piece 3/4" Drive Shallow 12 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	
HM-1219	19	HM-1230	30	HM-1238	38	HM-1254	54	
HM-1222	22	HM-1232	32	HM-1241	41	HM-1255	55	
HM-1224	24	HM-1235	35	HM-1246	46	HM-1260	60	
HM-1227	27	HM-1236	36	HM-1250	50			

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on both 6 and 12 point fasteners.



3/4" DRIVE







3/4" DRIVE SHALLOW SOCKET, 12 POINT, MM

High Polished Chrome Finish


		Α	В	С	D	E	
		Overall	Drive End	Working	Broach		Bolt Clearance
Product	Size	Length	Diameter	End Diamter	Depth	Bolt Clearance	Diameter
Code	(MM)	(Inches)	(Inches)	(Inches)	(Inches)	Depth (Inches)	(Inches)
33619	19	1 31/32	1 19/64	1 5/32	35/64	³⁵ / ₆₄	45/64
33620	20	1 ³¹ / ₃₂	1 19/64	1 3/16	35/64	³⁵ / ₆₄	45/64
33621	21	1 31/32	1 19/64	1 15/64	35/64	³⁵ / ₆₄	45/64
33622	22	1 31/32	1 ²⁷ / ₆₄	1 17/64	35/64	35/64	45/64
33623	23	1 31/32	1 27/64	1 5/16	35/64	35/64	45/64
33624	24	2 1/64	1 27/64	1 11/32	²¹ / ₃₂	21/32	²⁹ / ₃₂
33625	25	2 1/32	1 3/8	1 27/64	21/32	21/32	²⁹ / ₃₂
33626	26	2 1/32	1 27/64	1 29/64	21/32	21/32	²⁹ / ₃₂
33627	27	2 1/32	1 27/64	1 1/2	55/64	55/64	15/16
33628	28	2 1/32	1 27/64	1 %16	55/64	55/64	¹⁵ / ₁₆
33629	29	2 1/32	1 ²⁷ / ₆₄	1 19/32	⁵⁵ / ₆₄	⁵⁵ / ₆₄	¹⁵ / ₁₆
33630	30	2 1/8	1 27/64	1 21/32	15/16	¹⁵ /16	1 1/16
33632	32	2 ¹³ / ₆₄	1 ²⁷ / ₆₄	1 47/64	1 1/64	1 1/64	1 %4
33635	35	2 ¹³ / ₆₄	1 1/2	1 57/64	1 1/64	1 1/64	1 17/64
33636	36	2 %32	1 1/2	1 ³¹ / ₃₂	1 7/64	1 7/64	1 ¹⁹ / ₆₄
33638	38	2 ²³ / ₆₄	1 1/2	2 1/32	1 7/64	1 7/64	1 %
33641	41	2 33/64	1 ³⁷ / ₆₄	2 13/64	1 3/16	1 3/16	1 ½
33642	42	2 33/64	1 37/64	2 1/4	1 3/16	1 3/16	1 1/2
33646	46	2 19/32	1 21/32	2 7/16	1 17/64	1 17/64	1 21/32
33650	50	2 3/4	1 21/32	2 43/64	1 11/32	1 11/32	1 21/32
33654	54	2 ²⁹ / ₃₂	1 49/64	2 7/16	1 27/64	1 ²⁷ / ₆₄	1 ²¹ / ₃₂
33655	55	2 63/64	1 49/64	2 29/32	1 1/2	1 1/2	1 11/16
33658	58	3 5/64	1 49/64	3 5/64	1 37/64	1 ³⁷ / ₆₄	1 11/16
33660	60	3 5/64	1 49/64	3 5/32	1 21/32	1 21/32	1 49/64



33619

33931 17 piece 3/4" Drive Shallow 12 Point Socket Set in Clip and Rails Contents Include:

Product	Size	Product	Size	Product	Size	Product	Size
Code	(MM)	Code	(MM)	Code	(MM)	Code	(MM)
33622	22	33627	27	33635	35	33646	46
33623	23	33628	28	33636	36	33650	50
33624	24	33629	29	33638	38		
33625	25	33630	30	33641	41		
33626	26	33632	32	33642	42		



Product	Size	Product	Size	Product	Size	Product	Size
Code	(Inches)	Code	(Inches)	Code	(Inches)	Code	(Inches)
33619	19	33625	25	33632	32	33646	46
33620	20	33626	26	33635	35	33650	50
33621	21	33627	27	33636	36	33654	54
33622	22	33628	28	33638	38	33655	55
33623	23	33629	29	33641	41	33658	58
33624	24	33630	30	33642	42	33660	60

- Williams 3/4" Drive Hand Sockets and Drive Tools Feature:
 - Unique Socket-Lok® Safety Retention System features a spring-loaded locking button for maximum socket retention and quick disassembly when used with our Williams® locking-button square drive tools and sockets. May also be used with all standard 3/4" drive tools.
 - Sockets feature a deep chamfer on the drive end to speed insertion onto the drive tool.
 - Chamfered ends provide easy engagement of the drive tool and fastener.
 - SUPERTORQUE® recessed corners in socket end provide extra turning power.
 - High-polished chrome finish tools clean easily and resist rust.
- Designed for quick engagement on both 6 and 12 point fasteners.



33931







3/4" DRIVE





WSHD-11RC







3/4" DRIVE DEEP SOCKETS, 6 POINT, SAE

nign-P	olished (Cnrome A	; rinisn B	С	D	E		F
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
HD-628	7/8	3 ½	1 7/16	1 5/16	5/8	2 1/2	11/16	2 5/16
HD-630	15/16	3 1/2	1 1/16	1 3/8	21/32	2 1/2	11/16	2 5/16
HD-632	1	3 1/2	1 1/2	1 7/16	23/32	2 1/2	11/16	2 5/16
HD-634	1 1/16	3 1/2	1 1/2	1 %16	3/4	2 1/2	3/4	2 7/32
HD-636	1 1/8	3 ½	1 1/2	1 5/8	¹³ / ₁₆	2 1/2	²⁵ / ₃₂	2 7/32
HD-640	1 1/4	3 1/2	1 1/2	1 3/4	1	2 1/2	7/8	2 ³ / ₁₆
HD-642	1 5/16	3 1/2	1 %	1 1/8	1	2 1/2	15/16	2 3/16
HD-644	1 3/8	3 1/2	1 %	1 ¹⁵ / ₁₆	1	2 1/16	1 3/8	2 3/16
HD-646	1 1/16	3 1/2	1 %	2	1	2 1/16	1 7/16	2 1/8
HD-648	1 1/2	3 1/2	1 %	2 1/16	1 1/4	2 1/16	1 ½	2 1/8
HD-652	1 1/8	3 1/2	1 3/4	2 1/4	1 3/8	2 1/16	1 %	2 1/8

Fed. Spec: ANSI B107.1

WSHD-11HRC 11 Piece 3/4" Drive Deep 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
HD-628	7/8	HD-636	1 1/8	HD-646	1 7/16
HD-630	¹⁵ / ₁₆	HD-640	1 1/4	HD-648	1 1/2
HD-632	1	HD-642	1 5/16	HD-652	1 %
HD-634	1 1/16	HD-644	1 3/8		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.







3/4" DRIVE DEEP SOCKET, 6 POINT, MM

High-Polis	High-Polished Chrome Finish												
		Α	В	C	D	E							
Product Code	Size (MM)	Overall Length (Inches)	Drive End Diameter (Inches)	Working End Diamter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)						
33719	19	3 ³⁵ / ₆₄	1 ¹⁹ / ₆₄	1 5/32	1 1/64	1 ³ / ₁₆	45/64						
33722	22	3 35/64	1 ²⁷ /64	1 17/64	1 1/64	1 3/16	45/64						
33723	23	3 ³⁵ / ₆₄	1 ²⁷ / ₆₄	1 1/16	1 1/64	1 3/16	⁴⁵ / ₆₄						
33724	24	3 ³⁵ / ₆₄	1 ²⁷ / ₆₄	1 11/32	1 1/64	1 ³ / ₁₆	45/64						
33727	27	3 ³⁵ / ₆₄	1 ²⁷ / ₆₄	1 1/2	1 7/64	1 ³ / ₁₆	¹⁵ /16						
33730	30	3 ³⁵ / ₆₄	1 27/64	1 21/32	1 7/64	1 ³ / ₁₆	1 1/16						
33732	32	3 ³⁵ / ₆₄	1 ²⁷ / ₆₄	1 ⁴⁷ / ₆₄	1 7/64	1 ³ / ₁₆	1 %4						
33735	35	3 35/64	1 1/2	1 ⁵⁷ / ₆₄	1 3/16	1 7/64	1 17/64						
33736	36	3 ³⁵ / ₆₄	1 1/2	1 ³¹ / ₃₂	1 3/16	1 ⁷ / ₆₄	1 ¹⁹ / ₆₄						
33738	38	3 ³⁵ / ₆₄	1 1/2	2 ½32	1 11/32	¹⁵ / ₁₆	1 3/8						
33741	41	3 ³⁵ / ₆₄	1 37/64	2 13/64	1 11/32	¹⁵ /16	1 1/2						
33746	46	3 ³⁵ / ₆₄	1 21/32	2 1/16	1 11/32	¹⁵ / ₁₆	1 21/32						
33750	50	3 ³⁵ / ₆₄	1 21/32	2 ⁴³ / ₆₄	1 ²⁷ / ₆₄	15/16	1 21/32						
33755	55	3 ¹⁵ / ₁₆	1 49/64	2 ²⁹ / ₃₂	1 1/2	25/32	1 11/16						
33760	60	3 ⁶¹ / ₆₄	1 49/64	3 1/32	1 37/64	5/8	1 49/64						

33932 15 piece 3/4" Drive Deep 6 Point Socket Set in Clip and Rails

Contents	inciuae:						
Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
33719	19	33727	27	33736	36	33750	50
33722	22	33730	30	33738	38	33755	55
33723	23	33732	32	33741	41	33760	60
33724	24	33735	35	33746	46		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.



33719





3/4" DRIVE IMPACT EXTENSIONS AND ACCESSORIES

Black Industrial Finish

Product		Length	Use	Use O-Ring	
Code	Description	(Inches)	RET RING®	/ Pin	Socket Retention
6-107	Impact Extension	7	6-1XS	6-1A / 6-2C	Through Hole and Pin
6-110	Impact Extension	9 3/4	6-1XS	6-1A / 6-2C	Through Hole and Pin
6-113	Impact Extension	12 3/4	6-1XS	6-1A / 6-2C	Through Hole and Pin
6-140B	Impact Universal Joint	3 1/2	6-1XS	6-1A / 6-2C	Through Hole and Pin
6-7	1 "M x ¾ "F Adapter	2 3/4	6-1XS	6-1A / 6-2C	Through Hole and Pin
6-4A	1/2 "M x 3/4"F Adapter	2 1/2	6-1XS	6-1A / 6-2C	Spring Plunger

Fed. Spec: ANSI B107.2

Features

- . Specially heat treated for impact use to provide long life, safety, and durability.
- Pin and o-ring or RET RING® (sold separately) secure tools onto impact wrench for safety and convenience.
- Suitable for use with pneumatic and electric impact wrenches.
- Drive end features pin retention hole and groove.





3/4" DRIVE IMPACT EXTENSIONS AND ACCESSORIES

Black Industrial Finish

Product Code	Description	Length (Inches)	Use RET RING®	Use O-Ring / Pin	Socket Retention
38002	Impact Extension	7	6-1XS	6-1A / 6-2C	Through Hole and Pin
38003	Impact Extension	10	6-1XS	6-1A / 6-2C	Through Hole and Pin
38004	Impact Extension	13	6-1XS	6-1A / 6-2C	Through Hole and Pin
38001	Impact Universal Joint	4 5/16	6-1XS	6-1A / 6-2C	Through Hole and Pin
38005	½"M x ¾"F Adapter	2 3/16	6-1XS	6-1A / 6-2C	Ball and Spring
38006	1"M x 3/4"F Adapter	2 7/16	6-1XS	6-1A / 6-2C	Through Hole and Pin

Fed. Spec: ANSI B107.2

- . Specially heat treated for impact use to provide long life, safety, and durability.
- Pin and o-ring or RET RING® (sold separately) secure tools onto impact wrench for safety and convenience.
- Suitable for use with pneumatic and electric impact wrenches.
- Drive end features pin retention hole and groove.











3/4" DRIVE





3/4" DRIVE IMPACT RETAINING PINS AND RINGS

Black Industrial Finish

Product Code	Description	Diameter	Length	Application
6-1A	Impact Retaining O-Ring	1 1/4	NA	Fits All Williams 3/4" Drive Sockets and Accessories
6-2B	Impact Retaining Pin	3/16	1 1/4	Fits Williams Impact Sockets with "B" Dimension to 1 3/4"
6-2C	Impact Retaining Pin	3/16	1 ½	Fits Williams Impact Sockets with "B" Dimension 1 3/4" and Greater

Features

- · Specially heat treated for impact use to provide long life, safety, and durability.
- · Suitable for use with pneumatic and electric impact wrenches.
- For 3/4" drive impact tools with pin retention hole and groove.



3/4" DRIVE RET RING® ONE-PIECE **IMPACT RETAINING RINGS WITH CRUSH GAUGE**

Black Industrial Finish

Product Code	Inside Dia. (In.)	
6-0XS	1 1/4"	
6-1XS	1 7/16"	
6-2XS	1 5/8"	
6-3XS	1 3/4"	
6-4XS	2	
6-5XS	2 1/8"	
6-6XS	2 1/4"	

Features

- Fits all Williams 3/4" Drive Sockets and Accessories
- Crush Gage on the resin pin indicates when a socket is excessively worn and should be replaced.
- Securely retains sockets and accessories to square drive of impact wrench
- For 3/4" drive impact tools with pin retention hole and groove
- · Made of oil resistant material
- RET RING® is a trademark of FTL Enterprises, Inc.







3/4" DRIVE BUDD® WHEEL IMPACT SOCKET, 6 POINT, SAE


Black Industrial Finish

		Α	В	С	D	E			
				Working		Bolt	Bolt		
			Drive End	End Diam-	Broach	Clearance	Clearance	Uses	Use
Product	Size	OAL	Diameter	eter	Depth	Depth	Diameter	RET RING®	O-Ring /
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	Number	Pin
16-648BW	13/16 Square	4	1 3/4	2 1/4	1 7/16	2 1/4	1 1/4	6-1X	6-1A /
	& 1 ½ Hex								6-2C

Fed. Spec: ANSI B107.2

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- 13/16" square opening threads stud into wheel.
- 1-1/2" hex opening engages and tightens the wheel lug nut.
- · Suitable for use with pneumatic and electric impact wrenches.
- · Specially heat treated for impact use to provide long life, safety, and durability.







16-648BW

3/4" DRIVE







3/4" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, SAE

Black Industrial Finish

		Α	В	С	D	E		F		
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose	Uses	
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length	RET RING®	Use
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	Number	O-Ring / Pin
6-618A	9/16	2	1 %	1	17/32	1 1/32	1/2	1	6-1XS	6-1A / 6-2B
6-620A	5/8	2	1 %	1 3/32	17/32	1 1/32	1/2	1	6-1XS	6-1A / 6-2B
6-622A	11/16	2	1 %	1 5/32	17/32	1 1/32	1/2	1	6-1XS	6-1A / 6-2B
6-624A	3/4	2	1 %	1 1/4	17/32	1 1/32	11/16	1	6-1XS	6-1A / 6-2B
6-626A	13/16	2	1 %	1 3/8	17/32	1 1/32	11/16	1	6-1XS	6-1A / 6-2B
6-628A	7/8	2	1 %	1 1/2	19/32	1 1/32	11/16	1	6-1XS	6-1A / 6-2B
6-630A	15/16	2	1 %	1 %16	21/32	1 1/32	11/16	1	6-1XS	6-1A / 6-2B
6-632A	1	2	1 %	1 %	11/16	1 1/32	11/16		6-1XS	6-1A / 6-2B
6-634A	1 1/16	2	1 %	1 11/16	3/4	1 1/32	1 1/16	1 5/16	6-1XS	6-1A / 6-2B
6-636	1 1/8	2 1/8	1 %	1 3/4	3/4	1 5/32	1 1/8	1 7/16	6-1XS	6-1A / 6-2B
6-638	1 3/16	2 1/8	1 %	1 %	3/4	1 5/32	1 3/16	1 7/16	6-1XS	6-1A / 6-2B
6-640	1 1/4	2 1/8	1 3/4	2	13/16	1 5/32	1 1/4	1 7/16	6-1XS	6-1A / 6-2C
6-642	1 5/16	2 1/8	1 3/4	2 1/32	7/8	1 5/32	1 5/16	1 7/16	6-1XS	6-1A / 6-2C
6-644	1 ¾	2 1/4	1 3/4	2 1/8	7/8	1 9/32	1 ¾	1 %16	6-1XS	6-1A / 6-2C
6-646	1 7/16	2 1/4	1 3/4	2 ³ ⁄16	7/8	1 9/32	1 7/16	1 %16	6-1XS	6-1A / 6-2C
6-648	1 1/2	2 1/4	1 3/4	2 1/4	15/16	1 9/32	1 ½	1 %16	6-1XS	6-1A / 6-2C
6-650	1 %16	2 %	1 3/4	2 11/32	15/16	1 13/32	1 %16	1 11/16	6-1XS	6-1A / 6-2C
6-652	1 %	2 ¾	1 3/4	2 ¹³ / ₃₂	1	1 13/32	1 5/8	1 11/16	6-1XS	6-1A / 6-2C
6-654	1 11/16	2 1/16	1 3/4	2 ¹⁵ / ₃₂	1 1/32	1 ¹⁹ / ₃₂	1 ⁷ /16	1 1/8	6-1XS	6-1A / 6-2C
6-656	1 3/4	2 1/16	1 3/4	2 17/32	1 1/32	1 19/32	1 3/4	1 1/8	6-1XS	6-1A / 6-2C
6-658	1 13/16	2 %	1 3/4	2 19/32	1 1/8	1 21/32	1 13/16	1 ¹⁵ / ₁₆	6-1XS	6-1A / 6-2C
6-660	1 1/8	2 3/4	1 3/4	2 %	1 1/8	1 ¹³ / ₁₆	1 7/16	2 1/16	6-1XS	6-1A / 6-2C
6-662	1 ¹⁵ / ₁₆	2 3/4	1 3/4	2 ¾	1 1/8	1 3/4	1 7/16	2 1/16	6-1XS	6-1A / 6-2C
6-664	2	2 1/8	1 3/4	2 ¹³ / ₁₆	1 1/8	1 ¹³ / ₁₆	1 7/16	2 ³ / ₁₆	6-1XS	6-1A / 6-2C
6-666	2 1/16	2 1/8	1 3/4	2 %	1 3/16	1 ¹³ / ₁₆	1 7/16	2 ¾16	6-1XS	6-1A / 6-2C
6-670	2 3/16	3 3/16	1 3/4	3 1/16	1 1/16	2 1/16	2 3/16	2 1/2	6-1XS	6-1A / 6-2C
6-672	2 1/4	3 3/16	1 3/4	3 1/8	1 %	2 5/32	1 27/32	2 1/2	6-1XS	6-1A / 6-2C
6-676	2 ¾	3 1/2	1 3/4	3 1/4	1 1/16	2 7/16	1 27/32	2 13/16	6-1XS	6-1A / 6-2C
F 1 0 A	NOLD407.0									



6-620A

Fed. Spec: ANSI B107.2

WS-6-10HA 10 Piece 3/4" Drive Shallow 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
6-654	1 11/16	6-660	1 1/8	6-666	2 1/16
6-656	1 3/4	6-662	1 ¹⁵ /16	6-670	2 ³ / ₁₆
6-658	1 ¹³ / ₁₆	6-664	2	6-672	2 1/4
				6-676	2 %

WS-6-14HA 14 Piece 3/4" Drive Shallow 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
6-624A	3/4	6-632A	1	6-640	1 1/4	6-648	1 1/2
6-626A	¹³ / ₁₆	6-634A	1 1/16	6-642	1 ⁵ /16	6-652	1 %
6-628A	7/8	6-636	1 1/8	6-644	1 %		
6-630∆	15/16	6-638	1 3/16	6-646	1 7/16		

WS-6-14HA

WS-6-18TB 18 Piece 3/4" Drive Shallow 6 Point Impact Socket Set packed in Tool Box Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
6-628A	7/8	6-640	1 1/4	6-656	1 3/4
6-630A	15/16	6-642	1 5/16	6-658	1 13/16
6-632A	1"	6-644	1 ³ / ₈	6-660	1 7/8
6-634A	1 1/16	6-646	1 7/16	6-664	2"
6-636	1 1/8	6-648	1 1/2	6-107	7" EXT
6-638	1 ³ / ₁₆	6-652	1 ⁵ /8	6-140B	U-JOINT
				TB-6119A	TOOL BOX

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.













3/4" DRIVE







3/4" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, SAE

Black Industrial Finish

		Α	В	C	F		
			Drive End	Working End	Nose	Uses	
Product	Size	OAL	Diameter	Diameter	Length	RET RING®	Use
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	Number	O-Ring / Pin
38118	9/16	2	1 1/8	1	1	6-1XS	6-1A / 6-2B
38120	5/8	2	1 1/8	1 3/32	1	6-1XS	6-1A / 6-2B
38122	11/16	2	1 1/8	1 5/32	1	6-1XS	6-1A / 6-2B
38124	3/4	2	1 1/8	1 1/4	1	6-1XS	6-1A / 6-2B
38126	13/16	2	1 1/8	1 5/8	1	6-1XS	6-1A / 6-2B
38128	7/8	2	1 11/16	17/16	2 %16	6-1XS	6-1A / 6-2B
38130	15/16	2	1 11/16	1 1/2	2 %16	6-1XS	6-1A / 6-2B
38132	1	2 1/16	1 11/16	1 %16	5/8	6-1XS	6-1A / 6-2B
38134	1 1/16	2 1/16	1 11/16	1 11/16	25/32	6-1XS	6-1A / 6-2B
38136	1 1/8	2 1/16	1 3/4	1 3/4	25/32	6-1XS	6-1A / 6-2C
38138	1 3/16	2 1/16	1 3/4	1 ¹³ / ₁₆	25/32	6-1XS	6-1A / 6-2C
38140	1 1/4	2 1/4	1 3/4	1 %	13/16	6-1XS	6-1A / 6-2C
38142	1 5/16	2 1/4	1 3/4	1 ¹⁵ / ₁₆	13/16	6-1XS	6-1A / 6-2C
38144	1 3/8	2 1/4	1 3/4	2 ½16	13/16	6-1XS	6-1A / 6-2C
38146	1 7/16	2 1/4	1 3/4	2 7/64	¹³ / ₁₆	6-1XS	6-1A / 6-2C
38148	1 1/2	2 1/4	1 3/4	2 ¹³ / ₆₄	7/8	6-1XS	6-1A / 6-2C
38150	1 %16	2 1/4	1 3/4	2 7/32	7/8	6-1XS	6-1A / 6-2C
38152	1 1/8	2 1/4	1 3/4	2 15/64	7/8	6-1XS	6-1A / 6-2C
38154	1 ¹¹ /16	2 7/16	1 3/4	2 ¹⁵ / ₃₂	1	6-1XS	6-1A / 6-2C
38156	1 3/4	2 7/16	1 3/4	2 ½	1	6-1XS	6-1A / 6-2C
38158	1 ¹³ /16	2 7/16	1 3/4	2 ¹⁹ / ₃₂	1	6-1XS	6-1A / 6-2C
38160	1 1/8	2 11/16	1 3/4	2 11/16	1 3/16	6-1XS	6-1A / 6-2C
38162	1 ¹⁵ / ₁₆	2 11/16	1 3/4	2 3/4	1 3/16	6-1XS	6-1A / 6-2C
38164	2	2 11/16	1 3/4	2 ¹³ / ₁₆	1 3/16	6-1XS	6-1A / 6-2C

Fed. Spec: ANSI B107.2

38920 9 Piece 3/4" Drive Shallow 6 Point Impact Socket Set on Clip Rail

Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
38132	1	38138	1 3/16	38144	1 3/8
38134	1 1/16	38140	1 1/4	38146	1 7/16
38136	1 1/8	38142	1 5/16	38148	1 1/2

38901 16 Piece 3/4" Drive Shallow 6 Point Impact Socket Set with 50083 Metal Box


Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
38128	7/8	38140	1 1/4	38156	1 3/4
38130	¹⁵ / ₁₆	38142	1 ½16	38158	1 ¹³ / ₁₆
38132	1	38144	1 3/8	38160	1 ¾
38134	1 1/16	38146	1 7/16	38164	2
38136	1 1/8	38148	1 ½		
38138	1 ³ / ₁₆	38152	1 %		

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- . Specially heat treated for impact use to provide long life, safety, and durability.
- Drive end features pin retention hole and groove.



38130







3/4" DRIVE








3/4 " DRIVE SHALLOW IMPACT SOCKETS, 12 POINT, SAE

Black Industrial Finis

		Α	В	С	D	E		F
Product Code	Size (Inches)	Overall Length (Inches)	Drive End Diameter (Inches)	Working End Diamter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)	Nose Length (Inches)
38420	5/8	2	1 1/2	1 1/8	5/8	1	1/2	7/8
38422	11/16	2	1 1/2	1 1/8	5/8	/	1/2	7/8
38424	3/4	2	1 1/2	1 1/8	5/8	/	5/8	7/8
38426	¹³ / ₁₆	2 1/16	1 1/2	1 1/4	3/4	/	3/4	15/16
38428	7/8	2 1/16	1 1/2	1 5/16	3/4	/	3/4	15/16
38430	15/16	2 1/16	1 1/2	1 7/16	3/4	/	7/8	¹⁵ / ₁₆
38432	1	2 1/16	1 1/2	1 1/2	3/4	/	7/8	/
38434	1 1/16	2 1/16	1 1/2	1 1/2	3/4	/	15/16	/
38436	1 1/8	2 1/16	1 5/8	1 5/8	3/4	/	1 1/16	/
38438	1 3/16	2 1/16	1 3/4	1 3/4	3/4	/	1 1/16	/
38440	1 1/4	2 1/16	1 3/4	1 13/16	3/4	/	1 3/16	15/16
38442	1 5/16	2 1/4	1 3/4	1 ¹³ / ₁₆	7/8	/	1 3/16	15/16
38444	1 3/8	2 1/4	1 3/4	2	7/8	/	1 1/4	15/16
38446	1 1/16	2 1/4	1 3/4	2	7/8	/	1 3/8	15/16
38448	1 1/2	2 1/4	1 3/4	2 1/16	15/16	/	1 3/8	15/16
38450	1 %16	2 1/16	1 3/4	2 1/4	15/16	/	1 1/2	1
38452	1 5⁄8	2 1/16	1 3/4	2 1/4	¹⁵ / ₁₆	/	/	1
38454	1 11/16	2 1/16	1 3/4	2 1/2	1 1/16	/	/	1
38456	1 3/4	2 1/16	1 3/4	2 1/2	1 1/16	/	/	1
38458	1 ¹³ / ₁₆	2 5/8	1 3/4	2 1/8	1 1/16	/	/	1
38460	1 1/8	2 5/8	1 3/4	2 5/8	1 1/16	/	/	1
38462	1 15/16	2 3/4	1 ³ ⁄ ₄	2 3/4	1 5/16	1	/	1
38464	2	2 13/16	2 1/8	2 3/4	1 5/16	1	/	1
38466	2 1/16	2 13/16	2 1/8	3	1 5/16	1	1	1
38468	2 1/8	2 13/16	2 1/8	3	1 5/16	1	,	1
38476	2 3/8	3	2 1/8	3 5/16	1 ½	1	1	1 1/16





38925 9 piece 1/2" Drive Impact Shallow 12 Point, SAE Socket Set on Clip Rails Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	
38420	5/8	38426	13/16	38432	1	
38422	11/16	38428	7/8	38434	1 1/16	
38424	3/4	38430	15/16	38436	1 1/8	

38926 17 piece 1/2" Drive Impact Shallow 12 Point, SAE Socket Set on Clip Rails Contents Include:

Confents i	iliciuuei						
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
38438	1 3/16	38446	1 7/16	38454	1 11/16	38462	1 15/16
38440	1 1/4	38448	1 1/2	38456	1 3/4	38464	2
38442	1 5/16	38450	1 1/16	38458	1 ¹³ / ₁₆	38466	2 1/16
38444	1 3/8	38452	1 1/8	38460	1 1/8	38468	2 1/8
						38476	2 3/8



38925

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 or 12 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.







3/4" DRIVE







3/4" DRIVE DEEP IMPACT SOCKETS, 6 POINT, SAE

Black Industrial Finish

		Α	В	С	D	E		F		
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose	Uses	Use
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length	RET RING®	O-Ring
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	Number	/ Pin T
16-624	3/4	3	1 %	1 1/4	9/16	2 1/32	9/16	3/4	6-1XS	6-1A / 6-2B
16-626	13/16	3	1 %	1 1/16	5/8	2 ½32	9/16	3/4	6-1XS	6-1A / 6-2B
16-628	7/8	3	1 %	1 1/16	5/8	2 ½32	5/8	3/4	6-1XS	6-1A / 6-2B
16-630	¹⁵ / ₁₆	3	1 %	1 5/8	5/8	2 ½32	5/8	-	6-1XS	6-1A / 6-2B
16-632	1	3	1 %	1 %	11/16	2 1/32	21/32	-	6-1XS	6-1A / 6-2B
16-634	1 1/16	3	1 %	1 11/16	11/16	2 1/32	3/4	2 5/16	6-1XS	6-1A / 6-2B
16-636	1 1/8	3	1 %	1 3/4	3/4	2 1/32	13/16	2 5/16	6-1XS	6-1A / 6-2B
16-638	1 3/16	3 ¾16	1 3/4	1 ¹⁵ / ₁₆	3/4	2 ⁷ / ₃₂	1 3/16	2 1/2	6-1XS	6-1A / 6-2C
16-640	1 1/4	3 1/4	1 3/4	1 ¹⁵ / ₁₆	7/8	2 1/32	1 1/4	2 1/16	6-1XS	6-1A / 6-2C
16-642	1 5/16	3 1/4	1 3/4	2	7/8	2 1/32	1 1/32	2 %16	6-1XS	6-1A / 6-2C
16-644	1 %	3 1/4	1 3/4	2 1/8	7/8	2 %32	1 3/8	2 1/16	6-1XS	6-1A / 6-2C
16-646	1 7/16	3 1/2	1 3/4	2 1/8	7/8	2 ¹⁷ / ₃₂	1 ¹³ / ₃₂	2 ¹³ / ₁₆	6-1XS	6-1A / 6-2C
16-648	1 1/2	3 1/2	1 3/4	2 1/4	¹⁵ /16	2 17/32	1 ½	2 ¹³ / ₁₆	6-1XS	6-1A / 6-2C
16-650	1 %16	3 1/2	1 3/4	2 5/16	¹⁵ /16	2 17/32	1 %16	2 ¹³ / ₁₆	6-1XS	6-1A / 6-2C
16-652	1 %	3 1/2	1 3/4	2 7/16	15/16	2 17/32	1 %	2 13/16	6-1XS	6-1A / 6-2C
16-654	1 11/16	3 1/2	1 3/4	2 1/2	1	2 ¹⁷ / ₃₂	1 11/16	2 ¹³ / ₁₆	6-1XS	6-1A / 6-2C
16-656	1 3/4	3 1/2	1 3/4	2 1/2	1	2 ¹⁷ / ₃₂	1 3/4	2 ¹³ / ₁₆	6-1XS	6-1A / 6-2C
16-658	1 ¹³ / ₁₆	3 ¾	1 3/4	2 %	1 1/16	2 ¾	1 ¹³ / ₁₆	2 ²⁵ / ₃₂	6-1XS	6-1A / 6-2C
16-660	1 1/8	3 ¾	1 3/4	2 11/16	1 1/8	2 3/4	1 1/8	2 ²⁵ / ₃₂	6-1XS	6-1A / 6-2C
16-664	2	3 ¾	1 3/4	2 3/16	1 1/8	2 ¾	2	2 ²⁵ / ₃₂	6-1XS	6-1A / 6-2C



WS-16-7H 7 Piece 3/4" Drive Impact Deep 6 Point Socket Set on Clip Rail Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
16-650	1 %16	16-658	1 ¹³ / ₁₆
16-652	1 %	16-660	1 1/8
16-654	1 11/16	16-664	2
16-656	1 3⁄4		

WS-16-8H 8 Piece 3/4" Drive Deep 6 Point Impact Socket Set on Clip Rail Contents Include:


Product Code	Size (Inches)	Product Code	Size (Inches)
16-628	7/8	16-636	1 1/8
16-630	15/16	16-640	1 1/4
16-632	1	16-642	1 5⁄16
16-634	1 1/16	16-648	1 ½

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- . Specially heat treated for impact use to provide long life, safety, and durability.













3/4" DRIVE ONE PIECE IMPACT HEX BIT DRIVER, SAE

Black Industrial Finish

		Α	В	F		
	Hex Size		Drive End	Nose	Uses RET RING®	Use
Product Code	(Inches)	OAL	Diameter	Length	Number	O-Ring / Pin
38216	1/2	3 1/2	1 3/4	3/4	6-1XS	6-1A / 6-2C
38218	9/16	3 1/2	1 3/4	3/4	6-1XS	6-1A / 6-2C
38220	5/8	3 1/2	1 3/4	3/4	6-1XS	6-1A / 6-2C
38224	3/4	3 1/2	1 3/4	3/4	6-1XS	6-1A / 6-2C
38226	13/16	3 ½	1 3/4	3/4	6-1XS	6-1A / 6-2C
38228	7/8	3 ½	1 ¾	3/4	6-1XS	6-1A / 6-2C
38232	1	3 ½	1 ¾	3/4	6-1XS	6-1A / 6-2C
38236	1 1/8	3 ½	1 ¾	3/4	6-1XS	6-1A / 6-2C
38240	1 1/4	3 ½	1 ³ ⁄4	3/4	6-1XS	6-1A / 6-2C



Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
38220	5/8	38228	7/8
38224	3/4	38232	1
38226	13/16		

38903 9 Piece 3/4" Drive Hex-Driver Impact Socket Set with 50085 Metal Box Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
38216	1/2	38228	7/8
38218	9/16	38232	1
38220	5/8	38236	1 1/8
38224	3/4	38240	1 1/4
38226	13/16		

5/8" 3/4" 13/16" AMERY COOK



Features

- One-piece design maximizes strength and reduces breakage.
- Chamfered ends provide easy engagement of the drive tool and fastener.
- Suitable for use with pneumatic and electric impact wrenches.
- . Specially heat treated for impact use to provide long life, safety, and durability.
- Drive end features pin retention hole and groove.











38216

38240

3/4" DRIVE







3/4" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, METRIC

Black Industrial Finish

		Α	В	С	D	E		F		
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose	Uses	Use
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length	RET RING®	O-Ring
Code	(MM)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	Number	/ Pin
6M-617A	17	2	1 %	1 5/32	17/32	1 1/32	1/2	1	6-1XS	6-1A / 6-2B
6M-619A	19	2	1 5/8	1 1/4	17/32	1 1/32	11/16	1	6-1XS	6-1A / 6-2B
6M-620A	20	2	1 %	1 ¾	35/64	1 1/32	11/16	1	6-1XS	6-1A / 6-2B
6M-622A	22	2	1 %	1 ½	19/32	1 1/32	11/16	1	6-1XS	6-1A / 6-2B
6M-624A	24	2	1 %	1 ³⁵ / ₆₄	11/32	1 1/32	11/16	1	6-1XS	6-1A / 6-2B
6M-627A	27	2	1 %	1 ¹ / ₁₆	3/4	1 1/32	1 1/16	1 5/16	6-1XS	6-1A / 6-2B
6M-630	30	2 3/32	1 5/8	1 ²⁷ /32	⁴⁷ /64	1 1/8	⁴⁷ / ₆₄	1 ¹³ / ₃₂	6-1XS	6-1A / 6-2B
6M-631	31	2 1/8	1 %	1 ¹⁵ / ₁₆	3/4	1 3/16	1 7/32	1 1/16	6-1XS	6-1A / 6-2B
6M-632	32	2 1/8	1 3/4	2	¹³ / ₁₆	1 3/16	1 1/4	1 ½16	6-1XS	6-1A / 6-2C
6M-634	34	2 1/8	1 3/4	2	7/8	1 3/16	1 21/64	1 1/16	6-1XS	6-1A / 6-2C
6M-635	35	2 1/4	1 3/4	2 1/8	7/8	1 5/16	1 %	1 %16	6-1XS	6-1A / 6-2C
6M-636	36	2 1/4	1 3/4	2 1/8	7/8	1 5/16	1 13/32	1 %16	6-1XS	6-1A / 6-2C
6M-638	38	2 1/4	1 3/4	2 1/4	¹⁵ / ₁₆	1 5/16	1 ½	1 %16	6-1XS	6-1A / 6-2C
6M-641	41	2 %	1 3/4	2 13/32	1 1/8	1 11/16	1 39/64	1 15/16	6-1XS	6-1A / 6-2C
6M-646	46	2 %	1 3/4	2 19/32	1 1/8	1 21/32	1 ¹³ / ₁₆	1 ¹⁵ / ₁₆	6-1XS	6-1A / 6-2C

MS-6-8H 8 Piece 3/4" Drive Shallow 6 Point Impact Socket Set on Clip Rail Contents Include:

Product Code	Size (MM)	Product Code	Size (MM)	Product Code	Size (MM)
6M-619A	19	6M-627A	27	6M-636	36
6M-622A	22	6M-630	30	6M-641	41
6M-624A	24	6M-632	32		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.
- Drive end features pin retention hole and groove.

WILLIAMS







3/4" DRIVE ONE PIECE IMPACT HEX BIT DRIVERS, MM

Black Industrial Finish

Product Code	Hex Size (MM)	Overall Length (Inches)	Drive End Diameter (Inches)	Nose Length	Uses RET Ring Number	use O-Ring/Pin
35810	10	3 ½	1 3/4	3/4	6-1XS	6-1A/6-2C
35812	12	3 1/2	1 3/4	3/4	6-1XS	6-1A/6-2C
35814	14	3 ½	1 3/4	3/4	6-1XS	6-1A/6-2C
35817	17	3 1/2	1 3/4	3/4	6-1XS	6-1A/6-2C
35819	19	3 1/2	1 3/4	3/4	6-1XS	6-1A/6-2C
35821	21	3 1/2	1 3/4	3/4	6-1XS	6-1A/6-2C
35824	24	3 1/2	1 3/4	3/4	6-1XS	6-1A/6-2C
35827	27	3 ½	1 3/4	3/4	6-1XS	6-1A/6-2C
35830	30	3 1/2	1 3/4	3/4	6-1XS	6-1A/6-2C
35832	32	3 1/2	1 3/4	3/4	6-1XS	6-1A/6-2C


Fed. Spec: ANSI B107.2

38936 10 Piece 3/4" Drive One Piece Impact Hex Bit Drivers, MM Contents Include:

• • • • • • • • • • • • • • • • • • • •						
Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)	_
35810	10	35819	19	35830	30	
35812	12	35821	21	35832	32	
35814	14	35824	24			
35817	17	35827	27			











WILLIAMS





27 PIECE 1" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SAE, with Metal Box

Product Code	Description
WSX-28TB	27 Piece Tool Set with TB-12 Metal Tool Box
WSX-28	27 Piece Tool Set Only

Contents Include:

Drive Tools:		Shallow 12-Poir	nt Sockets
Product Code	Description	Product Code	Size (Inches)
X-20	20" Sliding T-Handle/Head	X-1252	1 %
X-41C	34 ¾16" Flex Handle	X-1258	1 ¹³ / ₁₆
X-51B	20" Ratchet	X-1260	1 1/8
X-110	8" Extension	X-1264	2
X-115	16" Extension	X-1268	2 ½
		X-1270	2 3/16
Shallow 12-F	oint Sockets	X-1272	2 1/4
Product Code	Size (Inches)	X-1276	2 3/8
X-1234	1 1/16	X-1280	2 1/2
X-1236	1 1/8	X-1282	2 %16
X-1240	1 1/4	X-1284	2 %
X-1242	1 5/16	X-1288	2 ¾
X-1244	1 ¾	X-1294	2 ¹⁵ / ₁₆
X-1246	1 7/16	X-1296	3
X-1248	1 ½	X-12100	3 1/8

Features

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.











19 PIECE 1" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SAE, with Metal Box

Product Code	Description
WSX-21TB	19 Piece Tool Set with TB-12 Metal Tool Box
WSX-21	19 Piece Tool Set Only

Contents Include:

·		lo	
Drive Tools:		Shallow 12-Poin	
Product Code	Description	Product Code	Size (Inches)
X-20	20" Sliding T-Handle / Head	X-1260	1 1/8
X-41C	34 3/16" Flex Handle	X-1264	2
X-51B	20" Ratchet	X-1270	2 ³ / ₁₆
X-110	8" Extension	X-1272	2 ½
X-115	16" Extension	X-1276	2 %
		X-1280	2 1/2
Shallow 12-I	Point Sockets	X-1282	2 %16
Product Code	Size (Inches)	X-1284	2 %
X-1248	1 1/2	X-1288	2 ³ / ₄
X-1252	1 %	X-1294	2 ¹⁵ / ₁₆
X-1258	1 ¹³ / ₁₆	X-1296	3

Features

- All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.





WSX-28TB







1" DRIVE













19 PIECE 1" DRIVE SOCKET AND DRIVE TOOL SET

12 Point SAE, with Metal Box

Product Code	Description		
WSX-20TB	19 Piece Tool Set with TB-12 Metal Tool Box		
WSX-20	19 Piece Tool Set Only		

Contents Include:

Drive Tools:		Shallow 12-Poi	nt Sockets
Product Code	Description	Product Code	Size (Inches)
X-20	20" Sliding T-Handle/Head	X-1242	1 5/16
X-41C	34 ¾16" Flex Handle	X-1244	1 %
X-51B	20" Ratchet	X-1246	1 7/16
X-110	8" Extension	X-1248	1 1/2
X-115	16" Extension	X-1252	1 %
		X-1258	1 ¹³ / ₁₆
Shallow 12-F	oint Sockets	X-1260	1 7/8
Product Code	Size (Inches)	_X-1264	2
X-1234	1 1/16	X-1270	2 3/16
X-1236	1 1/8	X-1272	2 1/4
X-1240	1 ½	X-1276	2 ¾

Features

- · All tools are professional quality, made of high-grade chrome vanadium steel.
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Metal tool box made for years of rugged use.



1" DRIVE RATCHETS

Integrated Handle, Chrome Finish

X-51B Chrome Ratchet 20 1/8 24	Product Code	Description	Length (Inches)	Number of Teeth
A-32ETITIK REPAIR KILTOF A-31B	X-51B X-52EHRK	Chrome Ratchet Repair Kit for X-51B	20 1/8	24

Fed. Spec: ANSI B107.10M

- Forged one-piece ratchet provide strength and safety for industrial applications.
- Smooth comfort-grip handle permits all-day use without gloves.
- 24 tooth gear with 15 degree of engagement allows engagement in tight working areas
- Chrome finish with mirror-like exterior can be easily cleaned after each use.
- Single Pawl ratchet design:
 - 1) Designed for tighter tolerances between pawl and gear which reduces metal fatigue and slippage under load.
 - 2) Does not require as many working parts, reducing possible breakage and parts to repair.
- Easy access reverse lever allows user to change working direction quickly and easily with only one hand.
- Spring and plunger socket retention.



WILLIAMS

1" DRIVE REMOVABLE-HANDLE RATCHETS

Product Code	Description	Length (Inches)	Number of Teeth	
Complete I	Ratchet			
X-52A1 Ratchet with 36" Handle		41	24	

X-52 X-52H36 X-52EHRK	Ratchet Head Only Handle Only Repair Kit	7 ¹³ / ₁₆ 36	24 24

Note: Head Bore and Handle End Diameter: 1-7/64"

Fed. Spec: ANSI B107.10M

Features

- 24 teeth action provides an 15° ratcheting angle.
- Shift lever reverses action instantly.
- Dual socket retention, with both ball and plunger on male drive for versatility.
- Removable handle makes the tool more versatile, and storage easier.
- Knurled handle provides a non-slip grip.
- Chrome finish models provides increased protection from rust and corrosion.
- Our most rugged, high torque capacity ratchet.





1" DRIVE HANDLES

Chrome and Black Industrial Finish

Product Code	Description	Length (Inches)	Finish
X-41C	Flex Handle Breaker Bar, Knurled Grip	34 3/16	Chrome
X-41CB	Flex Handle Breaker Bar, Knurled Grip	34 ¾16	Black Industrial
X-20	Sliding T-Handle	20	Chrome

Sliding T-Handle Components

X-20B	Handle	20	Chrome
X-20C	Sliding Head	1 ¹⁵ / ₁₆	Chrome

Fed. Spec: ANSI B107.10M

Features

- · Chrome plating provides increased protection from rust and corrosion.
- Drive handles provide extra leverage with greater strength than ratchets.
- Square drive slides on T-Handles for versatility.
- Flex handle flex drive swivels 110° in either direction.
- · Spring and plunger socket retention.





1" DRIVE EXTENSIONS

Chrome Finish

Product Code	Length (Inches)
X-110	8
X-115	16

Fed. Spec: ANSI B107.10M

- Chrome plating provides increased protection from rust and corrosion.
- . Ball and spring socket retention.
- Hole in wall of drive end accommodates plunger for firm tool retention.
















1" DRIVE SHALLOW 12 POINT SOCKETS, SAE

High-Polished Chrome Finish





WSX-17 17 Piece 1" Drive Shallow 12-Point Socket Set Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
X-1234	1 1/16	X-1248	1 ½	X-1264	2
X-1236	1 1/8	X-1252	1 %	X-1268	2 1/8
X-1240	1 1/4	X-1254	1 ¹¹ / ₁₆	X-1270	2 ³ ⁄16
X-1242	1 5/16	X-1256	1 3/4	X-1272	2 1/4
X-1244	1 %	X-1258	1 ¹³ / ₁₆	X-1276	2 %
X-1246	1 1/16	X-1260	1 1/8		

Features


- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for quick engagement on both 6 and 12 point fasteners.



X-1234 X-1244



WSX-17









WILLIAMS

1" DRIVE IMPACT EXTENSIONS AND ACCESSORIES

Black Industrial Finish

Product Code	Description	Length (Inches)	Use RET RING®	Use O-Ring / Pin	Socket Retention
7-107	Impact Extension	7 1/4	7-2XS	7-1B / 7-2D	Through Hole and Pin
7-113	Impact Extension	13	7-2XS	7-1B / 7-2D	Through Hole and Pin
7-140B	Impact Universal Joint	4 1/2	7-3XS	7-1B / 7-2D	Through Hole and Pin
7-6	³ ⁄ ₄ "M x 1"F Adapter	3	7-2XS	7-1B / 7-2D	Through Hole and Pin
7-8	1 ½"M x 1"F Adapter	3 %	7-2XS	7-1B / 7-2D	Through Hole and Pin

Fed. Spec: ANSI B107.2

- . Specially heat treated for impact use to provide long life, safety, and durability.
- Pin and o-ring or RET RING® (sold separately) secure tools onto impact wrench for safety and convenience.
- Universal joint provides 55° range of motion.
- Suitable for use with pneumatic and electric impact wrenches.
- · Drive end features pin retention hole and groove.

1" DRIVE

WILLIAMS

1" DRIVE IMPACT EXTENSIONS AND ACCESSORIES

Black	Black Industrial Finish											
Product		Length	Use	Use	Socket							
Code	Description	(Inches)	RET RING®	O-Ring / Pin	Retention							
39003	Impact Extension	7	7-2XS	7-1B / 7-2D	Through Hole and Pin							
39004	Impact Extension	13	7-2XS	7-1B / 7-2D	Through Hole and Pin							
39002	Impact Universal Joint	4 1/2	7-3XS	7-1B / 7-2D	Through Hole and Pin							
39005	3/4"M X 1"F Adapter	3	7-2XS	7-1B / 7-2D	Through Hole and Pin							
39006	1-1/2"M X 1"F Adapter	3 3/8	7-2XS	7-1B / 7-2D	Through Hole and Pin							

Fed. Spec: ANSI B107.2

Features

- Specially heat treated for impact use to provide long life, safety, and durability
 Pin and o-ring or RET RINC® (sold separately) secure tools onto impact wrench for safety and convenience
 Universal joint provides 55° range of motion
 Suitable for use with pneumatic and electric impact wrenches

- Drive end features pin retention hole and groove





1" DRIVE IMPACT RETAINING PINS AND RINGS

Black Industrial Finish												
Product Code	Description	Diameter	Length	Application								
7-1B	Impact Retaining O-Ring	2	NA	Fits Williams Impact Tools with "B" Dimension to 2 3/8"								
7-2D	Impact Retaining Pin	3/16	1 3/4	Fits Williams Impact Tools with "B" Dimension to 2 3/8"								
7-1C	Impact Retaining O-Ring	3 1/4	NA	Fits Williams Impact Tools with "B" Dimension of 3 1/4"								
7-2F	Impact Retaining Pin	3/16	2 1/8	Fits Williams Impact Tools with "B" Dimension of 3 1/4"								

Features

- Specially heat treated for impact use to provide long life, safety, and durability.
 Suitable for use with pneumatic and electric impact wrenches.
 For 1" Drive impact tools with pin retention hole and groove.





1" DRIVE RET RING® ONE-PIECE **IMPACT RETAINING RINGS WITH CRUSH GAUGE**

Product Code	Groove Diameter (Inches)	Application
7-1XS	1 3/4	Fits Competitive Impact Sockets
7-2XS	2	Fits Williams 1" Drive Tools with "B" Dimension of 2 1/8" and 2 1/4"
7-3XS	2 1/8	Fits Williams 1" Drive Tools with "B" Dimension of 2 %"
7-4XS	2 1/4	Fits Competitive Impact Sockets
7-5XS	2 1/2	Fits Competitive Impact Sockets
7-6XS	2 5/8	Fits Competitive Impact Sockets

- Fits all Williams 1" Drive Sockets and Accessories
- Crush Gage on the resin pin indicates when a socket is excessively worn and should be replaced. Securely retains sockets and accessories to square drive of impact wrench
- For 1" drive impact tools with pin retention hole and groove

- Made of oil resistant material RET RING® is a trademark of FTL Enterprises, Inc.















1" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, SAE

Black Industrial Finish

		Α	В	С	D	E		F		
Product	Size	OAL	Drive End	Working End	Broach Depth		Bolt Clearance	Nose Length		Use
Code	(Inches)	(Inches)	Diameter (Inches)	Diameter (Inches)	(Inches)	Depth (Inches)	Diameter (Inches)	(Inches)	Number	O-Ring / Pin
39624	3/4	2 1/8	2 1/8	1 7/16	11/16	15/16	3/4	7/8	7-2XS	7-1B / 7-2D
39626	13/16	2 1/8	2 1/8	1 7/16	11/16	15/16	3/4	7/8	7-2XS	7-1B / 7-2D
39628	7/8	2 1/8	2 1/8	1 1/2	11/16	15/16	3/4	7/8	7-2XS	7-1B / 7-2D
39630	15/16	2 1/8	2 1/8	1 19/32	5/8	15/16	3/4	7/8	7-2XS	7-1B / 7-2D
39632	1	2 1/4	2 1/8	1 11/16	11/16	1 1/16	3/4	7/8	7-2XS	7-1B / 7-2D
39634	1 1/16	2 1/4	2 1/8	1 3/4	11/16	1 1/16	3/4	7/8	7-2XS	7-1B / 7-2D
39636	1 1/8	2 1/4	2 1/8	1 1/8	11/16	1 1/16	13/16	7/8	7-2XS	7-1B / 7-2D
39638	1 3/16	2 1/4	2 1/8	1 1/8	11/16	1 1/16	13/16	7/8	7-2XS	7-1B / 7-2D
39640	1 1/4	2 %	2 1/8	2	3/4	1 3/16	15/16	7/8	7-2XS	7-1B / 7-2D
39642	1 5/16	2 1/2	2 1/8	2 1/16	7/8	1 5/16	1	1	7-2XS	7-1B / 7-2D
39644	1 %	2 1/2	2 1/8	2 1/8	7/8	1 5/16	1 %	-	7-2XS	7-1B / 7-2D
39646	1 7/16	2 1/2	2 1/4	2 1/4	29/32	1 5/16	1 ⁷ /16	-	7-2XS	7-1B / 7-2D
39648	1 1/2	2 %	2 1/4	2 11/32	15/16	1 15/32	1 ½	1 %	7-2XS	7-1B / 7-2D
39650	1 %16	2 %	2 1/4	2 ¾	15/16	1 7/16	1 %16	1 %	7-2XS	7-1B / 7-2D
39652	1 %	2 ³ / ₄	2 1/4	2 ¾	1 1/16	1 %	1 19/32	1 ³ / ₄	7-2XS	7-1B / 7-2D
39654	1 11/16	2 3/4	2 %	2 ¹⁹ / ₃₂	1 1/16	1 %	1 ⁷ / ₃₂	1 3/4	7-3XS	7-1B / 7-2D
39656	1 3/4	2 1/8	2 ¾	2 %	1 5/32	1 23/32	1 ⁷ /16	1 1/8	7-3XS	7-1B / 7-2D
39658	1 ¹³ / ₁₆	2 ¹⁵ / ₁₆	2 ¾	2 ³ / ₄	1 ³ /16	1 23/32	1 ¹³ / ₁₆	1 15/16	7-3XS	7-1B / 7-2D
39660	1 1/8	2 15/16	2 %	2 3/4	1 3/16	1 23/32	1 7/16	1 15/16	7-3XS	7-1B / 7-2D
39662	1 15/16	2 15/16	2 %	2 ³ / ₄	1 3/16	1 23/32	1 %	1 15/16	7-3XS	7-1B / 7-2D
39664	2	3 1/8	2 ¾	3	1 1/32	1 ³¹ / ₃₂	1 ¹³ / ₃₂	2 1/8	7-3XS	7-1B / 7-2D
39666	2 1/16	3 1/8	2 %	3	1 1/32	1 ³¹ / ₃₂	1 1/2	2 1/8	7-3XS	7-1B / 7-2D
39668	2 1/8	3 1/4	2 ¾	3 1/8	1 1/32	1 ³¹ / ₃₂	1 %	2 1/4	7-3XS	7-1B / 7-2D
39670	2 ¾16	3 1/16	2 ¾	3 1/4	1 7/16	2 5/32	1 %	2 5/16	7-3XS	7-1B / 7-2D
39672	2 1/4	3 ⅓16	2 %	3 1/4	1 7/16	2 5/32	1 %	2 5/16	7-3XS	7-1B / 7-2D
39674	2 %16	3 1/2	2 ¾	3 ¾	1 1/2	2 5/32	1 3/4	2 1/2	7-3XS	7-1B / 7-2D
39676	2 3/8	3 1/2	2 %	3 1/2	1 1/2	2 11/32	1 3/4	2 1/2	7-3XS	7-1B / 7-2D
39678	2 7/16	3 ½	2 3/8	3 ½	1 ½	2 11/32	1 3/4	2 ½	7-3XS	7-1B / 7-2D
39680	2 1/2	3 %	2 ¾	3 ½	1 %	2 ¹⁵ / ₃₂	2 1/2	2 %	7-3XS	7-1B / 7-2D
39682	2 %16	3 %	2 %	3 %	1 5/8	2 15/32	2 %16	2 %	7-3XS	7-1B / 7-2D
39684	2 %	3 %	2 3/8	3 ¾	1 5/8	2 5/16	1 1/8	2 %	7-3XS	7-1B / 7-2D
39686	2 11/16	3 1/8	2 ¾	3 ¾	1 ¹³ / ₁₆	2 ¹⁵ / ₃₂	2	2 1/8	7-3XS	7-1B / 7-2D
39688	2 3/4	3 1/8	2 %	3 3/4	1 13/16	2 21/32	2 ¾	2 1/8	7-3XS	7-1B / 7-2D
39690	2 13/16	4	2 3/8	4	1 13/16	2 11/16	2	3	7-3XS	7-1B / 7-2D
39692	2 1/8	4	2 ¾	4	1 ¹³ / ₁₆	2 11/16	2	3	7-3XS	7-1B / 7-2D
39694	2 15/16	4 3/16	2 %	4 1/8	2 1/32	2 11/16	2 15/16	3 1/8	7-3XS	7-1B / 7-2D
39696	3	4 %	2 ¾	4 1/4	2 1/16	3 1/16	2 %	3 ¾	7-3XS	7-1B / 7-2D



Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- . Designed for maximum engagement on 6 point fasteners.
- · Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.



39654

17-648BW







1" DRIVE BUDD® WHEEL IMPACT SOCKET, 6 POINT, SAE

Black Industrial Finish

		Α	В	С	D	E	
Product Code	Size (Inches)	OAL (Inches)	Drive End Diameter (Inches)	Working End Diameter (Inches)	Broach Depth (Inches)	Bolt Clearance Depth (Inches)	Bolt Clearance Diameter (Inches)
17-648BW	13/16 Square / 1 ½ Hex	4	1 3/4	2 1/4	1 7/16	2 1/4	1 1/4

Fed. Spec: ANSI B107.2

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- 13/16" square opening threads stud into wheel.
- 1-1/2" hex opening engages and tightens the wheel lug nut.
 Suitable for use with pneumatic and electric impact wrenches.
- . Specially heat treated for impact use to provide long life, safety, and durability.

1" DRIVE








1" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, SAE

D I I		
KISCK	Industria	l Finich
Diack	ınuusınıa	ı ı muən

Black I	ndustri	al Fini	sh							
		Α	В	С	D	E		F		
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose	Uses	Use
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length	RET RING®	O-Ring
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	Number	/ Pin
7-624	3/4	2 1/8	2 1/8	1 1/16	11/16	¹⁵ / ₁₆	3/4	7/8	7-2XS	7-1B / 7-2D
7-626	¹³ / ₁₆	2 1/8	2 1/8	1 1/16	11/16	¹⁵ / ₁₆	3/4	7/8	7-2XS	7-1B / 7-2D
7-628	7∕8	2 1/8	2 1/8	1 1/2	11/16	15/16	3/4	7/8	7-2XS	7-1B / 7-2D
7-630	15/16	2 1/8	2 1/8	1 19/32	5/8	15/16	3/4	7 /8	7-2XS	7-1B / 7-2D
7-632	1	2 1/4	2 1/8	1 11/16	11/16	1 1/16	3/ ₄	7/8	7-2XS	7-1B / 7-2D
7-634	1 1/16	2 1/4	2 1/8	1 3/4	11/ ₁₆	1 1/16	3/4 13/	7/8 7/	7-2XS	7-1B / 7-2D
7-636 7-638	1 1/8 1 3/16	2 ½ 2 ½	2 1/8 2 1/8	1	11/ ₁₆ 11/ ₁₆	1 ½ 1 ½ 6	13/ ₁₆ 13/ ₁₆	7/8 7/8	7-2XS 7-2XS	7-1B / 7-2D 7-1B / 7-2D
7-640	1 1/4	2 3/8	2 1/8 2 1/8	2	716 3/4	1 716	15/ ₁₆	78 7/8	7-2XS	7-1B / 7-2D 7-1B / 7-2D
7-642	1 5/16	2 1/2	2 1/8	2 1/16	7/8	1 5/16	1	1	7-2XS	7-1B / 7-2D
7-644	1 3/8	2 1/2	2 1/8	2 1/8	7/8	1 5/16	1 3/8	-	7-2XS	7-1B / 7-2D
7-646	1 7/16	2 1/2	2 1/4	2 1/4	29/32	1 5/16	1 7/16	-	7-2XS	7-1B / 7-2D
7-648	1 1/2	2 %	2 1/4	2 11/32	¹⁵ / ₁₆	1 15/32	1 1/2	1 1/8	7-2XS	7-1B / 7-2D
7-650	1 1/16	2 %	2 1/4	2 ¾	¹⁵ / ₁₆	1 1/16	1 %16	1 %	7-2XS	7-1B / 7-2D
7-652	1 %	2 3/4	2 1/4	2 %	1 1/16	1 %	1 ¹⁹ / ₃₂	1 3/4	7-2XS	7-1B / 7-2D
7-654	1 11/16	2 3/4	2 %	2 19/32	1 1/16	1 %	1 1/32	1 3/4	7-3XS	7-1B / 7-2D
7-656	1 3/4	2 1/8	2 %	2 %	1 5/32	1 23/32	1 7/16	1 1/8	7-3XS	7-1B / 7-2D
7-658	1 13/16	2 15/16	2 3/8	2 3/4	1 3/16	1 ²³ / ₃₂	1 ¹³ / ₁₆	1 ¹⁵ / ₁₆	7-3XS	7-1B / 7-2D
7-660	1 1/8 1 15/16	2 ¹⁵ / ₁₆ 2 ¹⁵ / ₁₆	2 ¾ 2 ¾	2 ¾ 2 ¾	1 ³ ⁄ ₁₆ 1 ³ ⁄ ₁₆	1 ²³ / ₃₂ 1 ²³ / ₃₂	1 ⁷ ⁄16 1 ³ ⁄8	1 ¹⁵ / ₁₆ 1 ¹⁵ / ₁₆	7-3XS 7-3XS	7-1B / 7-2D 7-1B / 7-2D
7-662 7-664	2	3 1/8	2 3/8	3	1 %32	1 31/32	1 13/32	2 1/8	7-3XS	7-1B / 7-2D
7-666	2 1/16	3 1/8	2 3/8	3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 /32 1 ³¹ / ₃₂	1 1/2	2 1/8	7-3XS	7-1B / 7-2D 7-1B / 7-2D
7-668	2 1/8	3 1/4	2 3/8	3 1/8	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 31/32	1 %	2 1/4	7-3XS	7-1B / 7-2D
7-670	2 3/16	3 ⁵ ⁄ ₁₆	2 3/8	3 1/4	1 7/16	2 5/32	1 5/8	2 5/16	7-3XS	7-1B / 7-2D
7-672	2 1/4	3 5/16	2 3/8	3 1/4	1 7/16	2 5/32	1 5/8	2 5/16	7-3XS	7-1B / 7-2D
7-674	2 5/16	3 1/2	2 ¾	3 ¾	1 1/2	2 1/32	1 3/4	2 1/2	7-3XS	7-1B / 7-2D
7-676	2 3/8	3 1/2	2 3/8	3 1/2	1 1/2	2 11/32	1 3/4	2 1/2	7-3XS	7-1B / 7-2D
7-678	2 1/16	3 ½	2 3/8	3 1/2	1 1/2	2 11/32	1 3/4	2 1/2	7-3XS	7-1B / 7-2D
7-680	2 1/2	3 %	2 3/8	3 ½	1 1/8	2 15/32	2 1/2	2 %	7-3XS	7-1B / 7-2D
7-682	2 %16	3 %	2 3/8	3 %	1 5/8	2 15/32	2 %16	2 5/8	7-3XS	7-1B / 7-2D
7-684 7-686	2 5/8 2 11/16	3 % 3 %	2 ¾ 2 ¾	3 ¾ 3 ¾	1	2 ⁵ / ₁₆ 2 ¹⁵ / ₃₂	1	2 ⁵ / ₈ 2 ⁷ / ₈	7-3XS 7-3XS	7-1B / 7-2D 7-1B / 7-2D
7-688	2 3/4	3 1/8	2 3/8	3 3/4	1 13/16	2 732 2 21/32	2 3/4	2 1/8	7-3XS	7-1B / 7-2D 7-1B / 7-2D
7-690	2 13/16	4	2 3/8	4	1 13/16	2 11/16	2	3	7-3XS	7-1B / 7-2D
7-692	2 1/8	4	2 3/8	4	1 13/16	2 11/16	2	3	7-3XS	7-1B / 7-2D
7-694	2 15/16	4 3/16	2 3/8	4 1/8	2 1/32	2 11/16	2 ¹⁵ / ₁₆	3 1/8	7-3XS	7-1B / 7-2D
7-696	3	4 %	2 ¾	4 1/4	2 1/16	3 1/16	2 ¾	3 3/8	7-3XS	7-1B / 7-2D
7-6100	3 1/8	4 3/8	2 3/8	4 1/4	2 1/16	3 5/16	2 3/8	3 %	7-3XS	7-1B / 7-2D
7-6104	3 1/4	4 3/8	2 %	4 1/2	2 1/16	3 1/32	2 3/8	3 %	7-3XS	7-1B / 7-2D
7-6108	3 %	4 23/32	2 3/8	4 %	2 1/4	3 5/16	2 ½	2 39/64	7-3XS	7-1B / 7-2D
7-6112	3 1/2	4 3/4	2 %	4 3/4	2 1/4	3 11/ ₃₂	2 ½	2 19/	7-3XS	7-1B / 7-2D
7-6116 7-6118	3 5/8 3 11/16	4 ¾ 4 ¾	2 % 2 %	5 5 ⁵∕₁₅	2 ⁵ / ₁₆ 2 ⁷ / ₁₆	3 ¹¹ / ₃₂ 3 ¹³ / ₃₂	2 5/8 2 3/4	2 ¹⁹ / ₃₂ 2 ¹⁵ / ₁₆	7-3XS 7-3XS	7-1B / 7-2D 7-1B / 7-2D
7-6120	3 3/4	5 ½ 6	2 %	5 1/8	2 3/8	3 ²¹ / ₆₄	2 %	3 5/32	7-3XS	7-1B / 7-2D 7-1B / 7-2D
7-6122	3 13/16	5 3/16	2 3/8	5 %	2 17/32	3 %16	2 %	3 23/64	7-3XS	7-1B / 7-2D
7-6124	3 1/8	5 1/4	2 3/8	5 1/4	2 %16	3 ²⁵ / ₃₂	2 3/4	3 1/8	7-3XS	7-1B / 7-2D
7-6126	3 15/16	5 ½16	2 3/8	5 ¹¹ / ₃₂	2 1/16	3 ²⁵ / ₃₂	3	3 3/16	7-3XS	7-1B / 7-2D
7-6128	4	5 ¾	2 ¾	5 ½	2 1/16	3 ²⁵ / ₃₂	2 1/8	3 15/64	7-3XS	7-1B / 7-2D
7-6130	4 1/16	5 ¾	2 ¾	5 1/2	2 15/32	2 ¹⁹ / ₃₂	3	3 33/64	7-3XS	7-1B / 7-2D
7-6132	4 1/8	5 ¾	2 3/8	5 % ₁₆	2 %16	3 25/32	2 1/8	3 1/32	7-3XS	7-1B / 7-2D
7-6134	4 3/16	5 ½	2 3/8	6	2 33/64	3 55/64	3	3 41/64	7-3XS	7-1B / 7-2D
7-6136	4 1/4	5 ½	2 %	5 ¾	2 5/8	3 ²⁵ / ₃₂	3 1/8	3 ⁵ ⁄ ₁₆	7-3XS	7-1B / 7-2D
7-6138	4 ⁵ / ₁₆	5 ½ 5 5/	2 3/8	5 ¹³ / ₁₆ 5 ²⁷ / ₃₂	2 ²¹ / ₃₂	3 ²⁵ / ₃₂	3 % 3 1/	3 ⁵ / ₁₆	7-3XS	7-1B / 7-2D
7-6140 7-6142	4	5 % 5 %	2 ¾ 2 ¾	6	2 ⁵ / ₈ 2 ⁴³ / ₆₄	3 ²⁵ / ₃₂ 3 ²⁵ / ₃₂	3 1/8 2 5/8	3 ³⁹ / ₆₄ 3 ¹⁹ / ₃₂	7-3XS 7-3XS	7-1B / 7-2D 7-1B / 7-2D
7-6142 7-6144	4 1/2	5 1/8 5 1/8	2 ⁷⁸ 2 ³ /8	6	2 5/8	3 ⁻⁷ / ₃₂ 3 ²⁵ / ₃₂	2 78 3 1/8	3 13/32	7-3XS 7-3XS	7-1B / 7-2D 7-1B / 7-2D
7-6146	4 %16	5 5/8	3 1/4	6 1/2	2 3/4	3 1/2	3 %	3 17/32	8-1XS	7-10 / 7-20 7-1C - 7-2F
7-6148	4 5/8	5 3/4	3 1/4	6 13/32	3 1/16	3 ²⁵ / ₃₂	3 1/8	3 ²⁵ / ₃₂	8-1XS	7-1C - 7-2F
7-6152	4 3/4	5 3/4	3 1/4	6 5/8	2 57/64	3 ²⁹ / ₃₂	3 1/2	3 23/32	8-1XS	7-1C - 7-2F
7-6156	4 1/8	6	3 1/4	7	3	3 ²⁹ / ₃₂	3 1/2	3 31/32	8-1XS	7-1C - 7-2F
7-6160	5	6 1/4	3 1/4	7	3	4 3/16	3 1/2	4 1/32	8-1XS	7-1C - 7-2F
7-6172	5 ¾	6 ½	3 1/4	7 1/2	3 %16	4 5/16	4 43/64	4 1/4	8-1XS	7-1C - 7-2F
7-6184	5 3/4	6 ½	3 1/4	8 1/4	3 %16	4 17/32	4	4 %32	8-1XS	7-1C - 7-2F





- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.









1" DRIVE



WS-7-19TB

WILLIAMS





1" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, SAE

WS-7-19TB 19 Piece 1" Drive Shallow 6 Point Impact Socket Set in Tool Box Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)	Product Code	Size (Inches)
7-648	1 1/2	7-676	2 ³ / ₈	7-6100	3 ¹ / ₈
7-652	1 ⁵ /8	7-680	2 ¹ / ₂	7-6104	3 ¹ / ₄
7-656	1 3/4	7-682	2 ⁹ / ₁₆	7-6112	3 1/2
7-660	1 ⁷ /8	7-684	2 ⁵ /8	7-107	7 3/8" EXT
7-664	2	7-688	2 ³ / ₄	7-140B	U-JOINT
7-668	2 1/8	7-692	2 7/8	TB-6124A	TOOL BOX
7-672	2 1/4	7-696	3		

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- · Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.







1 1/2




Black Industrial Finish

1 " DRIVE SHALLOW IMPACT SOCKETS, 12 POINT, SAE

Drive End Working Overall Broach **Bolt Clearance** Nose Product Size Length Diameter End Diamter Depth **Bolt Clearance** Diameter Length (Inches) (Inches) Depth (Inches) (Inches) (Inches) Code (Inches) (Inches) (Inches) 39720 2 1/4 1 3/16 39724 3/4 2 1/4 1 1/2 ⁷∕16 39726 13/16 2 1/4 1 1/2 7/16 39728 7∕8 2 1/4 1 1/2 39730 15/16 2 1/4 1 1/2 1/2 39732 2 1/4 1/2 39734 2 1/4 2 1 3/4 1/2 39736 2 1/4 2 1 3/4 5% 5% 1 1/8 39738 1 3/16 1 1/8 2 1/16 1 1/6 39740 1 1/4 2 7/16 39742 2 1/16 2 1/8 1 3/16 1 5/16 2 1/16 39744 1 3/8 2 1/16 2 1/16 2 1/8 1 3/16 2 1/4 39746 1 1/16 2 1/16 2 1/16 1 3/16 39748 1 1/2 2 1/16 2 1/16 2 1/4 7/8 1 3/16 7/8 39750 1 %16 2 1/16 2 1/16 2 1/16 1 3/16 39752 1 1/8 2 7/16 2 1/16 2 1/16 7/8 1 3/16 39754 1 11/16 2 1/2 2 1/16 2 1/2 1 3/16 39756 1 3/4 2 1/2 2 1/4 2 1/2 1 3/16 1 13/16 2 1/2 2 5/8 39758 2 1/4 1 3/16 39760 39762 2 1/4 2 3/4 1 1/8 1 1/16 1 15/16 2 3/4 1 3/16 2 5/8 1 1/16 ź 2 1/4 2 5/16 39764 2 3/4 1 3/16 1 1/16 39766 2 3/4 2 1/4 2 1/16 2 5/16 1 3/16 1 3/16 1 3/16 1 3/16 39768 2 1/8 2 3/4 2 1/4 3 1/16 2 ⁷/₁₆ 2 ⁷/₁₆ 39770 2 3/4 1 3/16 2 3/16 3 3/16 1 3/16 39772 2 1/4 2 15/16 3 1/4 1 3/16 3 1/16 2 1/16 39776 2 3/8 3 1/2 1 3/8 1 3/16 3 3/16 2 1/16 1 3/8 39780 2 1/2 3 1/2 1 3/16 39782 2 %16 3 3/16 2 1/16 3 1/8 1 3/8 1 3/16 2 3/4 1 1/2 39788 3 % 2 1/16 3 1/8 1 1/4 2 15/16 39794 3 3/4 3 % 4 1/8 1 1/8 1 1/2



39720



Features

39796

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 and 12 point fasteners.
- . Suitable for use with pneumatic and electric impact wrenches.

3 3/4

· Specially heat treated for impact use to provide long life, safety, and durability.

1" DRIVE







1" DRIVE DEEP IMPACT SOCKETS, 6 POINT, SAE


D : :				
Black	Ind	IIIETria	l Fın	neh

Black Ir	ndustri	ai Fini	sn							
		Α	В	С	D	E		F		
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose	Uses	
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length	RET RING®	Use O-Ring
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	Number	/ Pin
17-632	1	3	2 1/8	1 19/32	3/4	1 ¹³ / ₁₆	11/16	7/8	7-2XS	7-1B / 7-2D
17-634	1 1/16	3 3/4	2 1/8	1 3/4	1 23/32	2 ¹⁹ / ₃₂	3/4	7/8	7-2XS	7-1B / 7-2D
17-636	1 1/8	3 3/4	2 1/8	1 ¹³ / ₁₆	1 25/32	2 ¹⁹ / ₃₂	7/8	7/8	7-2XS	7-1B / 7-2D
17-638	1 3/16	3	2 1/8	1 ¹³ / ₁₆	3/4	1 ¹³ / ₁₆	13/16	7/8	7-2XS	7-1B / 7-2D
17-640	1 1/4	3 3/4	2 1/8	1 ³¹ / ₃₂	1 ¹⁵ / ₁₆	2 ¹⁹ / ₃₂	7/8	1	7-2XS	7-1B / 7-2D
17-642	1 5/16	4	2 1/8	2 1/16	2 1/32	2 ²⁷ / ₃₂	1	1	7-2XS	7-1B / 7-2D
17-644	1 %	4	2 1/8	2 1/16	2 1/8	2 ²⁷ / ₃₂	1	1	7-2XS	7-1B / 7-2D
17-646	1 7/16	4	2 1/8	2 1/4	2 3/16	2 ²⁷ / ₃₂	1	2 1/4	7-2XS	7-1B / 7-2D
17-648	1 1/2	4	2 1/4	2 %	2 1/4	2 ²⁷ / ₃₂	1 1/8	2 1/2	7-2XS	7-1B / 7-2D
17-650	1%16	3 1/2	2 1/4	2 %	1	2 11/32	1 17/32	2 1/2	7-2XS	7-1B / 7-2D
17-652	1 %	4 1/4	2 1/4	2 1/16	2 13/32	3 3/32	1 1/8	2 %	7-2XS	7-1B / 7-2D
17-654	1 11/16	4 1/4	2 1/4	2 17/32	2 1/2	3 3/32	1 1/4	2 %	7-3XS	7-1B / 7-2D
17-656	1 3/4	4 1/4	2 1/4	2 ¹⁹ / ₃₂	2 %16	3 1/32	1 1/4	2 1/8	7-3XS	7-1B / 7-2D
17-658	1 13/16	4 ½	2 1/4	2 11/16	2 21/32	3 %2	1 1/4	2 1/8	7-3XS	7-1B / 7-2D
17-660	1 1/8	4 ½	2 1/4	2 3/4	2 3/4	3 1/4	1 3/8	2 1/8	7-3XS	7-1B / 7-2D
17-662	1 15/16	4 ½	2 1/4	2 ²⁷ / ₃₂	2 13/16	3 1/4	1 %	3 1/8	7-3XS	7-1B / 7-2D
17-664	2	4 ½	2 1/4	2 29/32	2 1/8	3 7/32	1 %	3 1/8	7-3XS	7-1B / 7-2D
17-666	2 1/16	4 3/4	2 1/4	3	2 31/32	3 ¹⁵ / ₃₂	1 ½	3 1/8	7-3XS	7-1B / 7-2D
17-668	2 1/8	4 3/8	2 3/8	3 1/4	1 5/16	3 3/16	1 1/	3 3/8	7-3XS	7-1B / 7-2D
17-670	2 ³ / ₁₆ 2 ¹ / ₄	4 ¾ 4 ¾	2 ¹³ / ₃₂ 2 ¹³ / ₃₂	3 ⁵ / ₃₂ 3 ⁷ / ₃₂	3 1/8 3 3/16	3 ⁷ / ₁₆ 3 ¹³ / ₃₂	1 ½ 1 %	3 % 3 %	7-3XS	7-1B / 7-2D
17-672 17-674	2 ⁵ / ₁₆	4 74 5	2 ¹³ / ₃₂	3 ⁷ / ₃₂ 3 ⁵ / ₁₆	3 %32	3 ²¹ / ₃₂	1 5/8	3 1/2	7-3XS 7-3XS	7-1B / 7-2D 7-1B / 7-2D
17-674	2 % 2 %	5	2 ¹³ / ₃₂	3 ³ / ₁₆	3 3/8	3 5/32	1 3/4	3 1/2	7-3XS 7-3XS	7-1B / 7-2D 7-1B / 7-2D
17-678	2 7/8 2 7/16	4 1/2	2 3/8	3 1/2	1 1/2	3 7/8 3 7/32	1 3/4	3 ½	7-3XS	7-1B / 7-2D
17-680	2 1/2	4 1/2	2 3/8	3 ½	1 1 1/2	3 /32	2 1/2	3 ½	7-3XS	7-1B / 7-2D
17-682	2 % 2 % 16	4 7/8	2 %	3 ½ 3 %	1 5/8	3 ½	2	3 1/2	7-3XS	7-1B / 7-2D
17-684	2 5%	4 11/16	2 %	3 3/4	1 5/8	3 11/32	2	3 11/16	7-3XS	7-1B / 7-2D
17-686	2 11/16	4 11/16	2 %	3 3/4	1 13/16	2 1/2	2	3 11/16	7-3XS	7-1B / 7-2D
17-688	2 3/4	5 1/8	2 %	3 3/4	1 3/4	3 %	2	4 1/8	7-3XS	7-1B / 7-2D
17-690	2 13/16	5 1/8	2 3/8	4	1 13/16	2 27/32	2	4 1/8	7-3XS	7-1B / 7-2D
17-692	2 1/8	4 1/8	2 ³ / ₈	4	1 13/16	3 %16	2	3 %	7-3XS	7-1B / 7-2D
17-694	2 15/16	4 1/8	2 3/8	4 1/8	2 1/32	2 11/16	2	3 1/8	7-3XS	7-1B / 7-2D
17-696	3	5 1/8	2 3/8	4 1/4	2 1/32	3 1/8	2 %	4 1/8	7-3XS	7-1B / 7-2D
17-6100	3 1/8	5 1/8	2 %	4 3/8	2 1/32	3 1/32	2 %	4 1/8	7-3XS	7-1B / 7-2D
17-6104	3 1/4	5 %	2 ¾	4 1/2	2 1/32	3 ½32	2 %	4 %	7-3XS	7-1B / 7-2D
17-6108	3 %	5 ½	2 ¾	4 ⁵ /8	2 1/4	3 5⁄16	2 1/2	4 1/2	7-3XS	7-1B / 7-2D
17-6112	3 1/2	5 ½	2 ¾	4 3/4	2 1/4	4 3/32	2 1/2	4 1/2	7-3XS	7-1B / 7-2D
17-6116	3 %	5 ½	2 ¾	5	2 5/16	4 3/32	2 %	4 1/2	7-3XS	7-1B / 7-2D
<u>17-6118</u>	3 11/16	5 ¹⁷ / ₃₂	2 %	5 1/16	2 7/16	3 %	2 3/4	4 17/32	7-3XS	7-1B / 7-2D
17-6120	3 3/4	5 %16	2 %	5 1/4	2 1/4	3 19/32	2 ¹³ / ₁₆	4 %16	7-3XS	7-1B / 7-2D
17-6122	3 13/16	5 31/32	2 %	5 ¾	2 17/32	4 11/32	2 %	4 31/32	7-3XS	7-1B / 7-2D
17-6124	3 1/8	5 %16	2 %	5 1/4	2 %16	3 %	3	4 %16	7-3XS	7-1B / 7-2D
17-6126	3 ¹⁵ / ₁₆	6 1/16	2 %	5 ½	2 13/32	4 13/32	3	5 1/16	7-3XS	7-1B / 7-2D
17-6128	4	6 ½	2 %	5 ½	2 ¹⁷ / ₃₂	4 3/32	2 1/8	5 ½	7-3XS	7-1B / 7-2D
17-6130	4 1/16	6 ½	2 %	5 ½	2 ¹⁵ / ₃₂	4 ½	3	5 ⁵ / ₃₂	7-3XS	7-1B / 7-2D
17-6132	4 1/8	6 ½	2 %	5 17/32	2 17/32	4 3/32	2 %	5 ½	7-3XS	7-1B / 7-2D
17-6134	4 3/16	6 7/32	2 %	6 = 3/	2 1/2	4 % 6	3 3	5 ⁷ / ₃₂	7-3XS	7-1B / 7-2D
17-6136	4 1/4	6 11/	2 ¾ 2 ¾	5 ³ / ₄ 5 ¹³ / ₁₆	2 ⁵ / ₈ 2 ²¹ / ₃₂	4 % 4 %	3 % 3 %	5 11/32	7-3XS	7-1B / 7-2D 7-1B / 7-2D
17-6138	4 5/16	6 13/-							7-3XS	
17-6140	4 3/8	6 ¹³ / ₃₂ 6 ¹³ / ₂₂	2 ¾ 2 ¾	5 ²⁷ / ₃₂	2 ⁵ / ₈ 2 ²¹ / ₃₂	4 %16 4 %16	3	5 ¹³ / ₃₂ 5 ¹³ / ₃₂	7-3XS	7-1B / 7-2D
17-6142 17-6144	4 ⁷ / ₁₆ 4 ¹ / ₂	6 ¹³ / ₃₂	2 % 2 %	6 6	2 ³ / ₄	4 %16 5	2 % 3 ½	5 ·932 6	7-3XS 7-3XS	7-1B / 7-2D 7-1B / 7-2D
17-6144 17-6146	4 ½ 4 %	7 7	2 % 3 1/4	6 ½	2 % 2 %	3 4 ¹⁹ / ₃₂	3 % 3 %	6 ½	8-1XS	7-16 / 7-2D 7-1C - 7-2F
17-6148	4 5/8	7 1/8	3 1/4	6 ¹³ / ₁₆	2 ¹³ / ₁₆	4 3/32	3 1/2	6 1/8	8-1XS	7-1C - 7-2F
17-6152	4 3/4	6 3/4	3 1/4	6 5/8	2 ²⁹ / ₃₂	4 ²⁹ / ₃₂	3 1/2	5 ¾	8-1XS	7-1C - 7-2F
17-6156	4 7/8	7 1/4	3 1/4 3 1/4	7	3	5 ⁵ / ₃₂	3 1/2	6 ½	8-1XS	7-1C - 7-2F
17-6160	4 /8 5	7 3/4	3 1/4 3 1/4	7	3	5 21/32	3 1/2	6 3/4	8-1XS	7-1C - 7-2F
17-6172	5 ¾	8	3 1/4	7 ½	3 ⁹ / ₁₆	5 ²⁵ / ₃₂	3 ²¹ / ₃₂	7	8-1XS	7-1C - 7-2F
17-6172	5 ¾	8	3 1/4	8 1/4	3 %16	6 1/32	4	7	8-1XS	7-1C - 7-2F
0.0.	U /-		• /·	U /¬	5 / 10	♥ /5£	•		0 1/10	. 10 / 21

Fed. Spec: ANSI B107.2



17-660



- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.















Black Industrial Finish

	Α	В	С	D	<u>E</u>		F		
		Drive	Working		Bolt	Bolt			
		End	End	Broach	Clearance	Clearance	Nose	Uses	Use
Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length	RET RING®	O-Ring
(MM)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	Number	/ Pin
27	2 1/4	21/8	1 3/4	11/16	1 1/16	3/4	7/8	7-2XS	7-1B / 7-2D
30	2 1/4	2 1/8	1 1/8	11/16	1 1/16	13/16	7/8	7-2XS	7-1B / 7-2D
32	2 ¾	2 1/8	2	3/4	1 ³ /16	15/16	7/8	7-2XS	7-1B / 7-2D
35	2 1/2	2 1/8	2 ½	7/8	1 5/16	1 ¾	-	7-2XS	7-1B / 7-2D
38	2 %	2 1/4	2 11/32	¹⁵ / ₁₆	1 ¹⁵ / ₃₂	1 1/2	1 %	7-2XS	7-1B / 7-2D
41	2 3/4	2 1/4	2 ¾	1 1/16	1 %	1 ¹⁹ / ₃₂	1 3/4	7-2XS	7-1B / 7-2D
46	2 15/16	2 %	2 3/4	1 3/16	1 ²³ / ₃₂	1 13/16	1 15/16	7-3XS	7-1B / 7-2D
50	3	2 %	2 3/4	1 1/4	1 ²⁷ / ₃₂	1 ⁶¹ / ₆₄	2	7-3XS	7-1B / 7-2D
60	3 1/2	2 %	3 1/2	1 1/2	2 11/32	1 3/4	2 1/2	7-3XS	7-1B / 7-2D
65	3 %	2 ¾	3 %	1 5/8	2 ½	2 1/4	2 %	7-3XS	7-1B / 7-2D
70	3 1/8	2 %	3 3/4	1 ¹³ / ₁₆	2 ²¹ / ₃₂	2 ³ / ₄	2 1/8	7-3XS	7-1B / 7-2D
75	4 3/16	2 %	4 1/8	2 1/32	2 ¹¹ / ₁₆	2 ¹⁵ /16	3 1/8	7-3XS	7-1B / 7-2D
	(MM) 27 30 32 35 38 41 46 50 60 65 70	Size (MM) (Inches) 27 2 ½ 30 2 ½ 32 2 ½ 35 2 ½ 38 2 ½ 41 2 ½ 46 2 ½ 50 3 ½ 65 3 ½ 65 3 ½ 70 3 ½	Size OAL (Inches) 27 2 ¼ 2½ 30 2 ¼ 2 ½ 32 2 ¾ 2 ½ 35 2 ½ 2 ½ 38 2 ½ 2 ½ 41 2 ¾ 2 ¼ 46 2 ½ 2 ½ 50 3 2 ½ 60 3 ½ 2 ¾ 60 3 ½ 2 ¾ 70 3 ¾ 2 ¾ 8	Drive End Drive End Diameter (Inches) 1 % 2 % 1 % 30 2 % 2 % 2 % 35 2 % 2 % 2 % 41 2 % 2 % 2 % 2 % 41 2 % 2 % 2 % 2 % 41 2 % 3 % 2 % 3 % 70 3 % 2 % 3 % 3 %	Drive End Diameter Clinches Clinches	Drive End Driv	Size OAL Diameter (Inches) OAL	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Size (MM) OAL (Inches) End (Inches) Depth (Inches) OBeth (Inches

Features

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.
- Drive end features pin retention hole and groove.
- Dual marked with corresponding SAE size.





Black Industrial Finish

Product Code	Description	Length (Inches)	Use RET RING®	Use O-Ring / Pin	Socket Retention
8-108	Impact Extension	8	8-1XS	7-1C / 8-2E	Through Hole and Pin
8-115	Impact Extension	15	8-1XS	7-1C / 8-2E	Through Hole and Pin
8-140B	Impact Universal Joint	6 1/16	8-1XS	7-1C / 8-2E	Through Hole and Pin
8-7	1 M x 1 1/2 F Adapter	4 1/4	8-1XS	7-1C / 8-2E	Through Hole and Pin
8-8	1 ½"M x 2 ½"F Adapter	6 ¾	8-4XS	9-1D / 9-2G	Through Hole and Pin

Fed. Spec: ANSI B107.2

Features

- Specially heat treated for impact use to provide long life, safety, and durability.
- Pin and o-ring or RET RING® (sold separately) secure tools onto impact wrench for safety and convenience.
- Universal joint provides 55° range of motion.
- Suitable for use with pneumatic and electric impact wrenches.
- Drive end features pin retention hole and groove.






Black Industrial Finish

Product Code	Length (Inches)	Shaft Diameter (Inches)	Socket Retention
8-20	36	2 1/2	Plunger and Spring

- Drive end slides on bar for additional flexibility.
- Ideal for turning 1-1/2" drive sockets when impact wrench is not available.













1-1/2" DRIVE IMPACT RETAINING PINS AND RINGS

Black Industrial Finish

Product Code	Description	Diameter (Inches)	Length (Inches)	Application
7-1C	Impact Retaining O-Ring	3 1/4	NA	Fits All Williams 1 ½" Drive Sockets and Accessories
8-2E	Impact Retaining Pin	1/4	2 1/8	Fits All Williams 1 ½" Drive Sockets and Accessories
9-1D	Impact Retaining O-Ring	4 1/8	NA	
9-2G	Impact Retaining Pin	5/16	2 1/8	

Features

- · Specially heat treated for impact use to provide long life, safety, and durability.
- · Suitable for use with pneumatic and electric impact wrenches.
- For 1-1/2" Drive impact tools with pin retention hole and groove.







1-1/2" DRIVE RET RING® ONE-PIECE IMPACT RETAINING RINGS WITH CRUSH GAUGE

Black Industrial Finish

Product Code	Diameter (Inches)	Application
8-1XS	2 1/8	Fits Williams 1 1/2" Drive Tools with "B" Dimension of 3 1/4"
8-2XS	33//8	Fits Competitive Impact Sockets
8-3XS	3 1/8	Fits Competitive Impact Sockets
8-4XS	4 3/8	Fits Competitive Impact Sockets

- Fits all Williams 1-1/2" Drive Sockets and Accessories
- Crush Gage on the resin pin indicates when a socket is excessively worn and should be replaced.
- Securely retains sockets and accessories to square drive of impact wrench
- For 1-1/2" drive impact tools with pin retention hole and groove
- Made of oil resistant material
- RET RING® is a trademark of FTL Enterprises, inc.









1-1/2" DRIVE








1-1/2" DRIVE SHALLOW IMPACT SOCKETS, 6 POINT, SAE

Black Industrial Finish



	naustri	Α Α	В	С	D	Е		F		
			Drive End	Working End	Broach	Bolt Clearance	Bolt Clearance	Nose	Uses	Use
Product	Size	OAL	Diameter	Diameter	Depth	Depth	Diameter	Length		O-Ring
Code		(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	Number	/ Pin
8-646	1 7/16	3 1/32	3 1/4	2 1/8	57/64	1 25/64	1 7/16	1 7/32	8-1XS	7-1C / 8-2E
8-648	1 1/2	3 3/32	3 1/4	2 ⁷ /8	29/32	1 7/16	1 31/64	1 17/64	8-1XS	7-1C / 8-2E
8-652	1 5/8	3 3/16	3 1/4	2 ²⁹ / ₃₂	1 1/32	1 %16	1 %	1 21/64	8-1XS	7-1C / 8-2E
8-654	1 11/16	3 1/4	3 1/4	2 31/32	1 1/16	1 %16	1 11/16	1 39/64	8-1XS	7-1C / 8-2E
8-656	1 3/4	3 1/32	3 1/4	3 1/32	1 1/32	1 21/32	1 21/32	1 %16	8-1XS	7-1C / 8-2E
8-658	1 ¹³ / ₁₆	3 ²¹ / ₆₄	3 1/4	3 3/32	1 5/32	1 11/64	1 ¹³ / ₁₆	1 %	8-1XS	7-1C / 8-2E
8-660	1 1/8	3 %	3 1/4	3 5/32	1 7/32	1 3/4	1 1/8	1 23/32	8-1XS	7-1C / 8-2E
8-664	2	3 1/16	3 1/4	3 1/2	1 1 1/32	1 ¹³ / ₁₆	2	1 ⁵¹ / ₆₄	8-1XS	7-1C / 8-2E
8-666	2 1/16	3 1/2	3 1/4	3 1/2	1 ¹³ / ₃₂	1 ⁵⁵ / ₆₄	2 1/16	1 55/64	8-1XS	7-1C / 8-2E
8-668	2 1/8	3 %16	3 1/4	3 1/2	1 27/64	1 59/64	2 1/8	1 59/64	8-1XS	7-1C / 8-2E
8-670	2 3/16	3 21/32	3 1/4	3 1/2	1 7/16	2	2 3/16	2 1/64	8-1XS	7-1C / 8-2E
8-672	2 1/4	3 3/4	3 1/4	3 %16	1 17/32	2 1/8	2 1/4	2 1/8	8-1XS	7-1C / 8-2E
8-676	2 3/8	3 1/8	3 1/4	3 ²⁵ / ₃₂	1 %16	2 1/4	2 ¾	2 17/64	8-1XS	7-1C / 8-2E
8-678	2 7/16	3 ¹⁵ / ₁₆	3 1/4	3 ²⁵ / ₃₂	1 %16	2 19/64	2 7/16	2 5/16	8-1XS	7-1C / 8-2E
8-680	2 1/2	4	3 1/4	3 ⁷ /8	1 19/32	2 %	2 ³¹ / ₆₄	2 1/64	8-1XS	7-1C / 8-2E
8-682	2 %16	4 1/32	3 1/4	3 ²⁹ / ₃₂	1 5/8	2 ¹³ / ₃₂	2 %16	2 3/64	8-1XS	7-1C / 8-2E
8-684	2 5/8	4 3/32	3 1/4	4	1 11/16	2 ¹⁵ / ₃₂	2 5/8	2 7/64	8-1XS	7-1C / 8-2E
8-688	2 3/4	4 7/32	3 1/4	4 5/32	1 13/16	2 7/16	2 3/4	2 15/64	8-1XS	7-1C / 8-2E
8-692	2 1/8	4 5/16	3 1/4	4 5/16	1 1/8	2 11/16	2 %	2 %32	8-1XS	7-1C / 8-2E
8-694	2 ¹⁵ /16	4 3/8	3 1/4	4 3/8	1 29/32	2 3/4	2 5/8	2 23/64	8-1XS	7-1C / 8-2E
8-696	3	4 7/16	3 1/4	4 7/16	1 5/16	2 27/32	2 %	2 13/32	8-1XS	7-1C / 8-2E
8-698	3 1/16	4 1/2	3 1/4	4 %16	1 31/32	2 1/8	2 %	2 15/32	8-1XS	7-1C / 8-2E
8-6100	3 1/8	4 1/16	3 1/4	4 ⁵ / ₈	2	3	2 %	2 1/2	8-1XS	7-1C / 8-2E
8-6104	3 ½	4 21/32	3 1/4	4 ²⁵ / ₃₂	2 1/8	3	2 ⁵ / ₈	2 19/32	8-1XS	7-1C / 8-2E
8-6108	3 %	4 3/4	3 1/4	4 ¹⁵ / ₁₆	2 7/32	3 1/8	2 %	2 43/64	8-1XS	7-1C / 8-2E
8-6110	3 1/16	4 27/32	3 1/4	5	2 1/32	3 7/32	2 %	2 3/4	8-1XS	7-1C / 8-2E
8-6112	3 ½	4 29/32	3 1/4	5 ½16	2 5/16	3 1/4	2 %	2 ¹³ / ₁₆	8-1XS	7-1C / 8-2E
8-6116	3 %	5 ½	3 1/4	5 ¹ / ₄	2 ¹³ / ₃₂	3 ⁷ /16	2 %	3	8-1XS	7-1C / 8-2E
8-6120	3 ¾	5 ½	3 1/4	5 ¾	2 ¹⁵ / ₃₂	3 ½	2 %	3 1/32	8-1XS	7-1C / 8-2E
8-6122	3 ¹³ /16	5 ¾16	3 1/4	5 ¾	2 17/32	3 1/8	2 %	3 3/32	8-1XS	7-1C / 8-2E
8-6124	3 1/8	5 1/4	3 1/4	5 17/32	2 %16	3 %	2 %	3 1/32	8-1XS	7-1C / 8-2E
8-6128	4	5 ¹³ / ₃₂	3 1/4	5 ²¹ / ₃₂	2 %	3 ²⁵ / ₃₂	2 %	3 1/32	8-1XS	7-1C / 8-2E
8-6132	4 1/8	5 %16	3 1/4	5 ¹³ / ₁₆	2 3/4	3 ⁵⁹ / ₆₄	2 %	3 1/16	8-1XS	7-1C / 8-2E
8-6136	4 1/4	5 ¹¹ / ₁₆	3 1/4	5 ³¹ / ₃₂	2 ¹³ / ₁₆	4 1/16	2 %	3 %16	8-1XS	7-1C / 8-2E
8-6138	4 ½16	5 ²⁵ / ₃₂	3 1/4	6 1/32	2 1/8	4 5/32	2 %	3 21/32	8-1XS	7-1C / 8-2E
8-6140	4 3/8	5 ²⁷ / ₃₂	3 1/4	6 3/32	2 ²⁹ / ₃₂	4 7/32	2 %	3 21/32	8-1XS	7-1C / 8-2E
8-6144	4 1/2	6	3 1/4	6 1/4	3 1/32	4 3/8	2 %	3 ¹⁵ / ₁₆	8-1XS	7-1C / 8-2E
8-6148	4 %	6 1/16	3 1/4	6 13/16	3 1/16	4 7/16	3 ½	4 3/32	8-1XS	7-1C / 8-2E
8-6152	4 3/4	6 1/8	3 1/4	6 % 6	3 1/8	4 1/2	2 5/8	4	8-1XS	7-1C / 8-2E
8-6156	4 1/8	6 3/4	3 1/4	7	3 1/8	5 7/64	3 ½	4 19/32	8-1XS	7-1C / 8-2E
8-6160	5	6 3/4	3 1/4	7 1/8	3 1/16	5 7/64	3 ½	4 %16	8-1XS	7-1C / 8-2E
8-6172	5 ¾	7	3 1/4	7 5/16	3 1/4	5 1/8	4	4 29/32	8-1XS	7-1C / 8-2E
8-6184	5 ¾	7	3 1/4	7 ⁵ / ₈	3 1/2	5 1/8	3 3/4	4 1/8	8-1XS	7-1C / 8-2E
8-6196	6 ½	7 1/4	5	8 1/2	3 11/16	5 %	4 ½	5 1/16	8-4XS	9-1D / 8-2E
8-6208	6 ½	7 1/2	5	9 1/4	3 1/2	5 %	5	5 %4	8-4XS	9-1D / 8-2E
8-6220	6 %	7 %	5	9 1/4	3 %	6	4 3/4	5 33/64	8-4XS	9-1D / 8-2E
8-6232	7 1/4	8 1/8	5	10	4 1/2	6 1/4	5 ½	5 ⁴⁹ / ₆₄	8-4XS	9-1D / 8-2E
8-6244	7 %	8 1/4	5	10 3/4	4 ¹³ / ₁₆	6 %	6 ½	5 ⁵⁷ / ₆₄	8-4XS	9-1D / 8-2E
8-6256	8	8%	5	11	51/16	61/2	7	61/64	8-4XS	9-1D / 8-2E



Fed. Spec: ANSI B107.2

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
- Designed for maximum engagement on 6 point fasteners.
- Suitable for use with pneumatic and electric impact wrenches.
- Specially heat treated for impact use to provide long life, safety, and durability.

1-1/2" DRIVE







1-1/2" DRIVE SHALLOW IMPACT SOCKETS, 12 POINT, SAE


Black Industrial Finish

		Α	В	С	D	E		F
		Overall	Drive End	Working	Broach		Bolt Clearance	Nose
Product	Size	Length	Diameter	End Diamter	Depth	Bolt Clearance	Diameter	Length
Code	(Inches)	(Inches)	(Inches)	(Inches)	(Inches)	Depth (Inches)	(Inches)	(Inches)
41144	1 3/8	3 1/8	3 %	2 1/2	1	/	1 3/16	1 3/8
41146	1 1/16	3 1/8	3 3/8	2 1/2	1	/	1 1/4	1 3/8
41148	1 1/2	3 1/8	3 3/8	2 1/8	1	/	1 1/4	1 3/8
41150	1 1/16	3 1/8	3 3/8	2 1/8	1	/	1 3/8	1 3/8
41152	1 1/8	3 1/8	3 3/8	2 3/4	1	/	1 3/8	1 3/8
41154	1 11/16	3 1/4	3 3/8	2 3/4	1 1/16	/	1 1/2	1 1/2
41156	1 3/4	3 1/4	3 3/8	2 15/16	1 1/16	/	1 1/2	1 1/2
41158	1 13/16	3 1/4	3 3/8	2 15/16	1 1/16	/	1 1/8	1 1/2
41160	1 1/8	3 1/16	3 3/8	3 1/8	1 3/16	/	1 1/8	1 %
41162	1 15/16	3 1/16	3 3/8	3 1/8	1 3/16	/	1 ³ ⁄ ₄	1 %
41164	2	3 1/16	3 %	3 1/4	1 3/16	/	1 3/4	1 1/8
41166	2 1/16	3 1/16	3 ¾	3 1/4	1 3/16	/	1 1/8	1 %
41168	2 1/8	3 1/2	3 ¾	3 %	1 1/2	/	1 1/8	/
41170	2 3/16	3 1/2	3 ¾	3 %	1 1/2	/	1 1/8	/
41172	2 1/4	3 1/2	3 ¾	3 %	1 1/2	/	2 1/16	1 3/4
41174	2 ½16	3 1/2	3 %	3 5/8	1 1/2	/	2 1/16	1 3/4
41176	2 3/8	3 1/2	3 %	3 %	1 1/2	/	2 1/16	1 3/4
41178	2 1/16	3 3/4	3 %	3 1/8	1 %	/	² / ₁₄	1 3/4
41180	2 1/2	3 3/4	3 %	3 1/8	1 %	/	2/14	1 3/4
41182	2 %16	3 3/4	3 %	3 1/8	1 %	/	2/14	1 3/4
41184	2 1/8	3 3/4	3 %	4 3/16	1 %	/	2 1/16	1 3/4
41186	2 11/16	3 3/4	3 ¾	4 3/16	1 1/8	/	2 1/16	1 3/4
41188	2 3/4	3 3/4	3 ¾	4 3/16	1 1/8	/	2 1/2	1 3/4
41190	2 13/16	4 1/16	3 ¾	4 1/4	1 3/4	/	2 1/2	1 3/4
41192	2 1/8	4 1/16	3 %	4 1/4	1 3/4	/	2 5/8	1 3/4
41194	2 ¹⁵ / ₁₆	4 1/16	3 %	4 1/4	1 3/4	/	2 5/8	1 3/4
41196	3	4 1/4	3 %	4 %	2	/	2 3/4	1 3/4
41200	3 1/8	4 1/4	3 %	4 1/8	2	/	2 ³ / ₄	1 3/4
41204	3 1/4	4 1/4	3 3/8	4 ¹⁵ / ₁₆	2	/	3	1 3/4
<u>41208</u>	3 %	4 1/4	3 %	4 15/16	2	/	3	1 3/4
41212	3 1/2	4 1/8	3 %	5	2 3/16	/	3 1/4	1 3/4
41220	3 3/4	4 1/8	3 3/4	5 1/4	2 ³ ⁄16	/	3 ½	2
41224	3 1/8	4 15/16	3 3/4	5 ½16	2 1/4	/	3 ⅓	2
41226	3 ¹⁵ / ₁₆	4 15/16	3 3/4	5 ½16	2 1/4	/	3 5/8	2
41228	4	4 15/16	3 3/4	5 1/16	2 1/4	/	3 3/4	2



41144

- SUPERTORQUE® lobular openings for greater turning power without deforming the fastener.
 Designed for maximum engagement on 6 and 12 point fasteners.
 Suitable for use with pneumatic and electric impact wrenches.
 Specially heat treated for impact use to provide long life, safety, and durability.









SCREWDRIVERS

RATCHETING AND T-HANDLE

• ERGONOMICALLY DESIGNED, HIGH IMPACT, PLASTIC HANDLE FOR GREATER USER COMFORT AND CONTROL
• HEAVY DUTY RATCHETING MECHANISM FOR DEPENDABLE, CONSISTENT OPERATION

SQUARE SHANK

CHROME BLADES PREVENT CORROSION AND CAN BE EASILY CLEANED AFTER WORK APPLICATION
 SQUARE SHANK ALLOWS THE EASY USE OF A WRENCH FOR ADDITIONAL TURNING TORQUE

ERGONOMIC

 ERGONOMICALLY DESIGNED HANDLE WITH THUMB STOP PROVIDES COMFORT AND MAXIMUM GRIP EVEN WITH OILY HANDS

HANDLE LENGTH DESIGNED TO OPTIMIZE CORRECT HAND POSITION FOR QUICK TURNING AND PRECISION CONTROL



WE CONTINUE TO INNOVATE TO DELIVER SAFETY
AND PRODUCTIVITY TO OUR CUSTOMERS







8 PIECE PREMIUM MIXED SCREWDRIVER SET

Comfort-Grip Handle With Round Blade

Product Code	Description
100P-8MD	8 Piece Premium Screwdriver Set Phillips® / Slotted Tips

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width / Point Size
SDR-24	7 7/8	4	1/4
SDR-26	10 ¹¹ / ₁₆	6	5/16
SDR-28	12 ³ / ₄	8	3/8
SDP-1-3	6 1/4	3	#1
SDP-2-4	7 15/16	4	#2
SDP-3-6	10 ¹ / ₂	6	#3
SDE-43	6 ¹¹ / ₁₆	3	3/16" Electrician's Tip
SDE-46	9 11/16	6	3/16" Electrician's Tip

Features

- Contains 3 slotted, 3 Phillips®, and 2 Electrician's screwdrivers.
- Comfort-grip handle with thumb stop allow for added turning power without discomfort or slippage.
- Chrome blades prevent corrosion and can be easily cleaned.
- Blades are made from special alloy steel for extra strength.
- Vapor-blasted tips grip fasteners and prevent chipping, extending tool life.
- Hex bolsters on shafts allow a wrench to be used for extra turning power.



100P-8MD









SCREWDRIVERS

SETS



100P-5MD







5 PIECE PREMIUM MIXED SCREWDRIVER SET

Comfort-Grip Handle With Round Blade

Product Code	Description
100P-5MD	5 Piece Premium Screwdriver Set Phillips® / Slotted Tips

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width / Point Size
SDR-22	6 ¹ / ₈	3	3/16
SDR-24	7 ⁷ /8	4	1/4
SDR-26	10 11/16	6	5/16
SDP-1-3	6 ¹ / ₄	3	#1 Phillips
SDP-2-4	7 ¹⁵ / ₁₆	4	#2 Phillips

Features

- Contains 3 slotted and 2 Phillips[®] screwdrivers.
- Comfort-grip handle with thumb stop allow for added turning power without discomfort or slippage.
- Chrome blades prevent corrosion and can be easily cleaned.
- Blades are made from special alloy steel for extra strength.
- · Vapor-blasted tips grip fasteners and prevent chipping, extending tool life.
- Hex bolsters on shafts allow a wrench to be used for extra turning power.







Comfort-Grip Handle

Product Code	Description
100P-6SD	6 Piece Premium Slotted Screwdriver Set

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width
SDR-22	6 ½	3	3/16
SDR-24	7	4	1/4
SDR-26	10 11/16	6	5/16
SDR-28	12 11/16	8	3/8
SDR-30	14 ¾	10	7/16
SDS-33	17 ¹³ / ₁₆	12	3/8

- Comfort-grip handle with thumb stop allow for added turning power without discomfort or slippage.
- Chrome blades prevent corrosion and can be easily cleaned.
- Blades are made from special alloy steel for extra strength.
- Vapor-blasted tips grip fasteners and prevent chipping, extending tool life.
- Hex bolsters on shafts allow a wrench to be used for extra turning power.



100P-6SD





6 PIECE PREMIUM PHILLIPS® SCREWDRIVER SET

Comfort-Grip Handle With Round Blade

Product Code	Description
100P-6PD	6 Piece Premium Phillips® Screwdriver Set

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Point Size
SDP-1-3	6 1/4	3	#1
SDP-2-4	7 15/16	4	#2
SDP-2-8*	12	8	#2
SDP-3-6	10 ¹ / ₂	6	#3
SDP-4-6	10 ³ / ₄	6	#4
SDP-2-ST*	3 1/2	1 1/2	#2

^{*} Does not have Bolster

Features

- Comfort-grip handle with thumb stop allow for added turning power without discomfort or slippage.
- Chrome blades prevent corrosion and can be easily cleaned.
- Blades are made from special alloy steel for extra strength.
- · Vapor-blasted tips grip fasteners and prevent chipping, extending tool life.
- · Hex bolsters on shafts allow a wrench to be used for extra turning power.



100P-6PD









12 PIECE COMBINATION SCREWDRIVER SET

Bi-Mold Comfort Grip Handles

Product Code	Description			
24008	12 Piece Combination Screwdriver Set			
O				

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width / Point Size / TORX® Size
24203	3 ⁷ /8	1 1/2	3/16
24205	7 ³ / ₄	4	3/16
24217	3 ⁷ /8	1 1/2	1/4
24219	8 ¹ / ₄	4	1/4
24229	10 ³ / ₁₆	6	1/4
24237	10 ⁹ / ₁₆	6	5/16
24249	5 ¹¹ / ₁₆	3	#1
24251	3 ⁷ /8	1 1/2	#2
24253	8 ¹ / ₄	4	#2
24259	10 ⁹ / ₁₆	6	#3
24265	7 3/4	4	T15
24269	8 ¹ / ₄	4	T25

- Contains 6 slotted, 4 Phillips® and 2 TORX® screwdrivers.
- Bi-Mold handles provide comfortable grip, reducing hand fatigue.
- · Set packed in pouch.
- Handle end shows size and style for easy identification.
- Chrome blades prevent corrosion and can be easily cleaned.

















8 PIECE COMBINATION SCREWDRIVER SET

Bi-Mold Comfort Grip Handles

Product Code	Description	
24006	8 Piece Combination Screwdriver Set	

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width / Point Size
24205	7 3/4	4	3/16
24217	3 ⁷ /8	1 1/2	1/4
24219	8 ¹ / ₄	4	1/4
24237	10 ⁹ / ₁₆	6	5/16
24241	12 ⁹ / ₁₆	8	3/8
24249	5 ¹¹ / ₁₆	3	#1
24251	3 ⁷ /8	1 1/2	#2
24253	8 ¹ / ₄	4	#2

Features

- Contains 5 slotted and 3 Phillips® screwdrivers.
- Bi-Mold handles provide comfortable grip, reducing hand fatigue.
- · Set packed in pouch.
- Handle end shows size and style for easy identification.
- Chrome blades prevent corrosion and can be easily cleaned.







6 PIECE SLOTTED TIP SCREWDRIVER SET

Bi-Mold Comfort Grip Handles

Product Code	Description
24004	6 Piece Slotted Tip Screwdriver Set

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
24203	3 ⁷ /8	1 1/2	3/16
24205	7 3/4	4	3/16
24217	3 ⁷ /8	1 1/2	1/4
24219	8 1/4	4	1/4
24237	10 ⁹ / ₁₆	6	5/16
24241	12 ⁹ /16	8	3/8

Features

- Bi-Mold handles provide comfortable grip, reducing hand fatigue.
- Set packed in pouch.
- Handle end shows size and style for easy identification.
- Chrome blades prevent corrosion and can be easily cleaned.



24004

SCREWDRIVERS

SETS





4 PIECE CABINET TIP SCREWDRIVER SET

Bi-Mold Comfort Grip Handles

Product Code	Description
24002	4 Piece Cabinet Tip Screwdriver Set

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
24201	6 11/16	4	1/8
24207	6 ¹³ / ₁₆	3	³ / ₁₆
24211	9 ³ / ₄	6	³ / ₁₆
24213	13 ¹¹ / ₁₆	10	³ / ₁₆

Features

- Bi-Mold handles provide comfortable grip, reducing hand fatigue.
- · Set packed in pouch.
- Handle end shows size and style for easy identification.
- Chrome blades prevent corrosion and can be easily cleaned.





6 PIECE PHILLIPS® SCREWDRIVERS SET

Bi-Mold Comfort Grip Handles

Product Code	- Description
24012	6 Piece Phillips Screwdrivers Set

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
24247	3 1/8	1 1/2	1
24249	5 ¹ 1/ ₁₆	3	1
24251	3 1/8	1 1/2	2
24253	8 1/4	4	2
24257	12 1/8	8	2
24259	10 %16	6	3

Features

- Bi-mold handles provide comfortable grip, reducing hand fatigue
- · Handle end shows size and style for easy identification





6 PIECE TORX® SCREWDRIVER SET

Bi-Mold Comfort Grip Handles

Product Code	- Description
24010	6 Piece Torx® Screwdriver Set

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	TORX® Size
24263	7 1/4	4	T10
24265	7 1/4	4	T15
24267	7 ³ / ₄	4	T20
24269	8 1/4	4	T25
24271	8 1/4	4	T27
24273	8 ¹ / ₄	4	T30

Features

- Bi-Mold handles provide comfortable grip, reducing hand fatigue.
- Set packed in pouch.
- Handle end shows size and style for easy identification.
- Chrome blades prevent corrosion and can be easily cleaned.







24002

24012









SCREWDRIVERSRATCHETING / BIT HOLDERS





MAGNETIC RATCHETING SCREWDRIVER

Comfort Grip Handle

	Overall Length	Blade Length
Product Code	(Inches)	(Inches)
WRS-1	9	4

Features

- Includes 5 bits: 2 slotted, #1 Phillips®, #2 Phillips®, and T-15 Torx®.
- Ergonomically designed handle for greater user comfort and control.
- Hi-impact plastic handle for durability and flexibility in all types of work applications.
- Heavy-duty 3-way On-Off-Locked ratcheting mechanism allows consistent and smooth operation.
- Powerful magnetic shank securely holds bit in place before, during and after the job application.
- Stainless steel shank eliminates problems of chrome chipping or rust.
- Easy bit storage in handle.
- Accepts all standard 1/4" hex shank bits.





T-HANDLE RATCHETING SCREWDRIVER

Comfort Grip T-Handles

Product Code	Overall Length (Inches)	Blade Length (Inches)
WRST1	3 7/8	2
WRST4	5 ¹³ / ₁₆	3 ⁷ /8
WRST8	9 13/16	7 7/8

- Includes #2 Phillips® bit.
- Ergonomically designed T-Handle fits the palm and provides extra leverage.
- Hi-impact plastic handle for durability and flexibility in all types of work applications.
- Heavy-duty 3-way On-Off-Locked ratcheting mechanism allows consistent and smooth operation.
- . Stainless steel shank eliminates problems of chrome chipping or rust.
- Accept all standard 1/4" hex shank bits.

SCREWDRIVERSSLOTTED / ELECTRICIAN'S





SLOTTED SCREWDRIVERS

Premium Comfort Grip Handles and Blades

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
SDS-62	3 1/2	1 ³ / ₄	1/4
SDR-22	6 ¹ / ₈	3	3/16
SDR-24	7 ⁷ /8	4	1/4
SDR-26	10 11/16	6	5/16
SDR-28	12 11/16	8	3/8
SDR-30	14 ³ / ₄	10	7/16
SDS-33	17 ¹³ / ₁₆	12	3/8

Features

- Comfort-grip handle with thumb stop allow for added turning power without discomfort or slippage.
- Hi-polish chrome blades prevent corrosion and can be easily cleaned.
- · Vapor-blasted tips grip fasteners and prevent chipping, extending tool life.
- Blades are made from special alloy steel for extra strength.
- *SDS-33 features 3/8" heavy-duty square shank







ELECTRICIAN'S SCREWDRIVERS W/THIN BLADE

Premium Comfort Grip Handles and Blades

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
SDE-4	7 15/16	4	1/4
SDE-8	11 ¹⁵ / ₁₆	12	1/4
SDE-43	6 ¹¹ / ₁₆	3	3/16
SDE-46	9 11/16	6	3/16
SDE-50	13 ³ / ₄	10	³ / ₁₆
SDE-53	6 ¹³ / ₆₄	3	1/8

- Comfort-grip handle with thumb stop allow for added turning power without discomfort or slippage.
- Hi-polish chrome blades prevent corrosion and can be easily cleaned.
- Vapor-blasted tips grip fasteners and prevent chipping, extending tool life.
- . Blades are made from special alloy steel for extra strength.











SCREWDRIVERS SLOTTED







SLOTTED SCREWDRIVERS

Bi-Mold Comfort Grip Handles

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
24203	3 ⁷ /8	1 1/2	3/16
24205	7 3/4	4	3/16
24209	9 3/4	6	3/16
24215	12 ¹¹ / ₁₆	9	3/16
24217	3 7/8	1 1/2	1/4
24219	8 1/4	4	1/4
24229	10 ³ / ₁₆	6	1/4
24237	10 ⁹ /16	6	5/16
24239	12 ⁹ /16	8	5/16
24241	12 ⁹ / ₁₆	8	3/8
24243	16 ¹ / ₂	12	3/8

Features

- Bi-mold handles provide comfortable grip, reducing hand fatigue.
- Handle end shows size and style for easy identification.







SLOTTED SCREWDRIVERS W/CABINET TIP

Bi-Mold Comfort Grip Handles

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width (Inches)
24201	6 11/16	4	1/8
24207	6 ¹³ / ₁₆	3	3/16
24211	9 3/4	6	3/16
24213	13 ¹¹ / ₁₆	10	3/16

- Bi-mold handles provide comfortable grip, reducing hand fatigue.
- Cabinet tip allows access to recessed screws.
- Handle end shows size and style for easy identification.

SCREWDRIVERS PHILLIPS





PHILLIPS® SCREWDRIVERS W/ROUND BLADES

Premium Comfort Grip Handles and Blades

Product Code	Overall Length (Inches)	Blade Length (Inches)	Point Size
SDP-1-3	6 ¹ / ₄	3	1
SDP-2-ST*	3 ³ / ₈	1 1/2	2
SDP-2-4	7 15/16	4	2
SDP-2-8*	12	8	2
SDP-3-6	10 ¹ / ₂	6	3
SDP-4-6	10 ³ / ₄	6	4

^{*} Does not have Bolster

Features

- Comfort-grip handle with thumb stop allow for added turning power without discomfort or slippage.
- Hi-polish chrome blades prevent corrosion and can be easily cleaned.
- · Vapor-blasted tips grip fasteners and prevent chipping, extending tool life.
- Blades are made from special alloy steel for extra strength.







PHILLIPS® SCREWDRIVERS

Bi-Mold Comfort Grip Handles

Product Code	Overall Length (Inches)	Blade Length (Inches)	Point Size
24247	3 ⁷ /8	1 1/2	1
24249	5 ¹¹ / ₁₆	3	1
24251	3 7/8	1 1/2	2
24253	8 ¹ / ₄	4	2
24255	10 ³ / ₁₆	6	2
24257	12 ¹ / ₈	8	2
24259	10 9/16	6	3

- Bi-mold handles provide comfortable grip, reducing hand fatigue.
- Handle end shows size and style for easy identification.











SCREWDRIVERS

TORX / OFFSET







TORX® SCREWDRIVERS

Bi-Mold Comfort Grip Handles

Product Code	Overall Length (Inches)	Blade Length (Inches)	TORX® Size
24263	7 3/4	4	T10
24265	7 3/4	4	T15
24267	7 3/4	4	T20
24269	8 ¹ / ₄	4	T25
24271	8 ¹ / ₄	4	T27
24273	8 1/4	4	T30

Features

- Bi-mold handles provide comfortable grip, reducing hand fatigue.
- Handle end shows size and style for easy identification.





OFFSET SCREWDRIVERS

Cushion Grip Handle

Product Code	Overall Length (Inches)	Tip/Width
24101	4	Slotted 3/16 x PH1
24102	4	Slotted 1/4 x PH2
24103	6	Slotted 5/16 x PH3
24104	4	Phillips [®] # 1 x # 2
24105	8	Phillips [®] # 3 x # 4

- Blades are made from special alloy steel for extra strength
- One piece tool steel construction
- Tips are 90 degree angled

SCREWDRIVERS

NUTDRIVERS





NUTDRIVERS, SAE

Cushion Grip Handle

Product Code	Overall Length (Inches)	Blade Length (Inches)	Size (Inches)
24401	7	3	3/16
24403	7	3	1/4
24405	7	3	5/16
24407	7	3	11/32
24409	7	3	3/8
24411	7	3	7/16
24413	7	3	1/2

24050 7 Piece Nutdriver Set in Carrying Caddy Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
24401	3/16	24409	3/8
24403	1/4	24411	7/16
24405	5/16	24413	1/2
24407	11/32		

Features

- . Hollow shaft accommodates long bolts or studs.
- · Precision machined socket end.
- . Cushion grip handle for comfort.
- · Size imprinted on color coded ends for easy identification.









LONG SHAFT NUTDRIVERS, SAE

Cushion Grip Handle

Product Code	Overall Length (Inches)	Blade Length (Inches)	Size (Inches)
24415	9	5	3/16
24416	9	5	1/4
24417	9	5	5/16
24418	9	5	11/32
24419	9	5	3/8
24420	9	5	7/16
24421	9	5	1/2
24422	9	5	9/16
24423	9	5	5/8

24051 9 Piece Nutdriver Set in Plastic Tray Contents Include:

Product Code	Size (Inches)	Product Code	Size (Inches)
24415	3/16	24420	7/16
24416	1/4	24421	1/2
24417	5/16	24422	9/16
24418	11/32	24423	5/8
24419	3/8		

- Solid shaft accommodates long bolts or studs
- Precision machined socket end
- . Cushion grip handle for comfort
- Size imprinted on color coded ends for easy identification





24051









SCREWDRIVERS NUTDRIVERS







LONG SHAFT NUTDRIVERS, MM

Cushion Grip Handle				
Product Code	Overall Length (Inches)	Blade Length (Inches)	Size (mm)	
24451	9	5	4	
24452	9	5	5	
24453	9	5	5.5	
24454	9	5	6	
24455	9	5	7	
24456	9	5	8	
24457	9	5	9	
24458	9	5	10	
24459	9	5	11	
24460	9	5	12	
24461	9	5	13	
24462	9	5	14	

24061 12 Piece Nutdriver Set in Plastic Tray Contents Include:

Product Code	Size (mm)	Product Code	Size (mm)	
24451	4	24457	9	
24452	5	24458	10	
24453	5.5	24459	11	
24454	6	24460	12	
24455	7	24461	13	
24456	8	24462	14	

- Solid shaft accommodates long bolts or studs
 Precision machined socket end
 Cushion grip handle for comfort
 Size imprinted on color coded ends for easy identification

SCREWDRIVERS

BIT SET



72 PIECE BIT SET

Product Code		Description
24900		Piece Bit Set
Contents Include:		
Hex		
Product Code	Size	Length
24914	1/4	1"
24912	3/16 5/	1"
24915 24911	⁵ /16 ⁵ /32	1" 1"
24913	7/32 7/32	1"
Phillips	,	·
Product Code	Size	Length
24918	1	1"
24931	2	1"
24901	3	1"
24927 24916	1 2	2" 2"
24916 24928	3	2"
Pozidriv		
Product Code	Size	Length
24932	2	1"
24902	3	1"
24917	2	2"
24929	3	2"
Square	0.	Lead
Product Code 24907	Size 2	Length 1"
24908	3	1"
24930	2	2"
Slotted Tip		
Product Code	Size	Length
24903	6-8	1"
24904 24905	8-10 10-12	1" 1"
24905 24906	12-14	1"
24936	8-10	2"
24937	10-12	2"
24938	12-14	2"
Torx		
Product Code	Size	Length
24919 24920	7 8	1" 1"
24921	10	1"
24922	15	1"
24923	20	1"
24924	25	1"
24925 24909	27 30	1" 1"
24926	30	1"
24910	40	1"
24933	15	2"
24934	20	2" 2"
24935 Nut Driver	25	Ζ΄
Nut Driver Product Code	Size	Length
24941	1/4	Lengtn 1"
24944	11/32	1"
24940	3/16	1"
24945	3/8 5/	1"
24943 24939	⁵ ⁄ ₁₆ ⁵ ⁄ ₃₂	1" 1"
24939 24946	7/32 7/ ₁₆	! 1"
24942	9/32	<u>i</u> "
Hex Magnetic Holder		·
Draduat Cada		December 2



24900

Features

- S2 material for higher torque, optimum durability and performance.
- All parts are engineered and produced according to ANSI standard.
- The set also includes a magnetic bit holder allowing for quick change of driving bits.
- Folding case design is compact and robust with pivoting dual bit holders that allow for easy and quick access to the accessories
- Industrial case is made from a highly durable, plastic material



Product Code 24947







Description Hex Magnetic Holder

PLIERS

WIDE ASSORTMENT:

• LONG NOSE PLIERS WITH SIDE CUTTER
• HEAVY DUTY DIAGONAL CUTTER • LINEMAN'S PLIERS

COMFORT:

BI-MOLD HANDLES PROVIDE COMFORTABLE GRIP, REDUCING HAND FATIGUE
 HIGH-LEVERAGE JOINT PLACEMENT INCREASES LEVERAGE
 TO REDUCE THE CUTTING FORCE NEEDED

PERFORMANCE:

• SAW-TOOTHED SERRATIONS PROVIDE A SOLID GRIP ON APPLICATION MATERIAL
• CUTTING EDGES STAY SHARP LONGER

CLAMPS

• I-BEAM DESIGN FOR GREATER STRENGTH AND LIGHTER WEIGHT
• DROP FORGED AND HEAT TREATED FRAMES FOR GREATER SAFETY AND STRENGTH
• COPPER PLATED SCREWS RESIST ADHERENCE OF WELDING SPLATTER

PIPE TOOLS

ALUMINUM AND CAST IRON PIPE WRENCHES AVAILABLE IN SIZES UP TO 48"
 UNIVERSAL PIPE WRENCHES AVAILABLE IN LENGTHS UP TO 42"
 TUBING CUTTERS AND FLARING TOOLS ROUND OUT THE PRODUCT LINE



WE CONTINUE TO INNOVATE TO DELIVER SAFETY AND PRODUCTIVITY TO OUR CUSTOMERS



4 PIECE COMBINATION PLIERS SET

Double-Dipped Plastic Handles		
Product Code	Description	
23054	4 Piece Combination Pliers Set	

Contents Include:

Product Code	Description	
23106	11 3/4" groove joint pliers	
23403	8" linesman pliers	
23407	7" heavy-duty diagonal cutting pliers	
23411	8" long nose pliers	

Features

- Double-dipped plastic handle grips are comfortable yet durable.
- · Jaws are polished with rust-protective coating.
- Packaged in a bag.





4 PIECE COMBINATION PLIERS SET

Double-Dipped Plastic Handles		
Product Code	Description	
23052	4 Piece Combination Pliers Set	

Contents Include:

Product Code	Description	
23102	8" slip joint pliers	
23105	9 3/4" groove joint pliers	
23407	7" heavy-duty diagonal cutting pliers	
23411	8" long nose pliers	

- Double-dipped plastic handle grips are comfortable yet durable.
- Jaws are polished with rust-protective coating.
- Packaged in a bag.















UTILITY SUPERJOINT PLIERS

Double-Dipped Plastic Handles

Features	Overall Length (Inches)	Maximum Opening (Inches)	Tip Width (Inches)
PL-1519C	5	1/2	3/16
PL-1520C	10	1 1/2	5/16
PL-1523C	12	2 ⁵ /8	1/2
PL-1524C	16	4	1/2

Features

- . Multiple parallel jaw positions are locked in to proper groove for superior non-slip performance.
- · Serrated jaws for maximum gripping power.
- · Polished heads resist rust and corrosion, extending the tool life.



GROOVE JOINT PLIERS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)	Maximum Jaw Opening (Inches)
23104	7	3/4
23105	9 3/4	1 ⁷ /8
23106	11 ³ / ₄	2 1/4
23107	16	4 3/4

Features

- Double-dipped plastic handle grips are comfortable yet durable.
- · Jaws are phosphate finish for rust protection.
- · Parallel jaw grip in all positions to maximum opening.

WILLIAMS

COMBINATION SLIP-JOINT PLIERS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)	Jaw Length (Inches)	Tip Width (Inches)
PL-6C	6	1 ⁵ / ₃₂	3/8
PL-8C	8	1 13/32	3/8
PL-10C	10	1 13/32	1/2

Features

- Multiple parallel jaw positions are locked in to proper groove for superior non-slip performance.
- Serrated jaws for maximum gripping power.
 Polished heads resist rust and corrosion, extending the tool life.
- Shear type wire cutter extends tool use.

WILLIAMS

COMBINATION SLIP-JOINT PLIERS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)	
23101	6 1/4	
23102	8	
23103	9 3/4	

- Double-dipped plastic handle grips are comfortable yet durable.
- Jaws are polished with rust-protective coating.
- 2 position joint allows wide range of grip.
- Shear type wire cutter extends tool use.

LINESMAN'S



INDUSTRIAL GRADE LINESMAN'S PLIERS

Double-Dipped Plastic Handles

Product Code	Description	Overall Length (Inches)	Jaw Length (Inches)
PL-204C	Electrician's	7	1/2
PL-205C	Electrician's	8 ¹ / ₂	17/32
PL-209X	New England	9 1/2	3/4

Features

- Designed for wiring, electrical equipment installation and maintenance for utility linemen.
- · Polished faces look good and resist corrosion.
- · Induction hardened cutting edges stay sharp longer.
- · Diamond serrated jaws provide solid grip on wire.
- Double-dipped plastic handle grips are comfortable yet durable.





INDUSTRIAL GRADE LINESMAN'S PLIERS

Supplied Without Grips

Product Code	Description	Overall Length (Inches)	Jaw Length (Inches)
PL-208	Linesman's	8 1/2	17/32
PL-209	New England	9 1/2	3/4

- Designed for wiring, electrical equipment installation and maintenance for utility linemen.
- · Polished heads resist rust and corrosion, extending the tool life.
- Induction hardened cutting edges stay sharp longer.
- Diamond serrated jaws provide solid grip on wire.
- Supplied without grips handles are bare steel.







LINESMAN'S





HEAVY-DUTY PIANO WIRE CUTTING LINESMAN'S PLIERS

Double-Dipped Plastic and Bi-Mold Comfort Grip Handles

Product Code	Overall Length (Inches)	Handle Style	Maximum Cutting Capacity (Inches)
23603	9	Double-Dipped	3/32 Piano Wire

Features

- Specially heat-treated for cutting piano wire and other hard wire.
- High leverage jaws for increase cutting power.
- Cross-cut teeth for extra gripping power.
- Induction hardened and precisely ground cutting edges stay sharp longer.



23402



STANDARD LINESMAN'S PLIERS

Double-Dipped Plastic Handles

• • •		
Product Code	Overall Length (Inches)	Jaw Length (Inches)
23402	7	1/2
23403	8	17/32

- High leverage jaws for increase cutting power.
- Cross-cut teeth for extra gripping power.
- Induction hardened and precisely ground cutting edges stay sharp longer.

WILLIAMS

HIGH LEVERAGE DIAGONAL CUTTING PLIERS

Double-Dipped Plastic Handles

Product Code	Description	Overall Length (Inches)	Cutting Blade Length (Inches)
PL-57C	High Leverage Head	7 1/4	15/16
PL-411C	Extra Long Handle, Offset Head	11	1

Features

- · Handles are designed to cut wire with ease.
- · Polished heads resist rust and corrosion, extending the tool life.
- Induction hardened cutting edges.





INDUSTRIAL GRADE DIAGONAL CUTTING PLIERS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)	Cutting Blade Length (Inches)
PL-44C	4	17/32
PL-45C	5	11/16
PL-46C	6	3/4
PL-47C	7	11/16

Features

- Handles are designed to cut wire with ease.
- Polished heads resist rust and corrosion, extending the tool life.
- Induction hardened cutting edges.
- · Regular flush cutters are used for cutting hard wire.



PL-46C



FLUSH CUT DIAGONAL CUTTING PLIERS WITH SPRING

Double-Dipped Plastic Handles

	•	
Product Code	Overall Length (Inches)	Cutting Blade Length (Inches)
PLM-1CS	4 1/4	17/32
PL-40CS	5	11/16

- Handles are designed to cut wire with ease
- · Polished heads resist rust and corrosion, extending the tool life
- · Induction hardened cutting edges
- Flush cutters are used for close cutting of medium wire







PLIERS, CLAMPS & PIPE TOOLS CUTTING









WILLIAMS

PLASTIC CUTTING DIAGONAL PLIERS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)	Cutting Blade Length (Inches)
PL-48C	6 ³ / ₈	7/8
PL-49C	7 1/2	1 1/8

Features

- · Polished heads resist rust and corrosion, extending the tool life.
- · Induction hardened cutting edges.



HEAVY-DUTY DIAGONAL CUTTING PLIERS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)
23406	6 1/4
23407	7

Features

- · Jaws are polished with rust-protective coating.
- Wider, high leverage jaws for increased cutting power.
- Double-dipped plastic handle grips are comfortable yet durable.
- · Induction hardened and precisely ground cutting edges stay sharp longer.



STANDARD DIAGONAL CUTTING PLIERS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)
23404	5 ¹/ ₂
23405	6 ¹ / ₄

Features

- · Jaws are polished with rust-protective coating.
- Double-dipped plastic handle grips are comfortable yet durable.
- Induction hardened and precisely ground cutting edges stay sharp longer.



END CUTTING NIPPERS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)	Cutting Blade Length (Inches)
PLM-2C	4 1/2	15/32
PL-167	7 1/2	13/16

- Ideal for cutting wire or nails that are close to the work.
- Polished heads resist rust and corrosion, extending the tool life.
- The wide throat clearance, width of blades and angles of the cutting edges along with the handle leverage provide for easy, clean cutting or nipping.



EXTRA LONG REACH CHAIN NOSE PLIERS

Double-Dipped Plastic Handles

Product Code	Description	Overall Length (Inches)	Jaw Length (Inches)
PL-211C	Straight Jaw	11	2 ¹³ / ₁₆ 2 ⁹ / ₁₆
PL-211BC	45° Bent Nose	11	

Features

- · Polished heads resist rust and corrosion, extending the tool life.
- Extra long handles provide access into confined areas and greater holding power at the tip.
- Bent nose model provides access to obstructed areas.





HIGH LEVERAGE CHAIN NOSE PLIERS

Double-Dipped Plastic Handles

	Overall Length	Jaw Length	Width at Tip
Product Code	(Inches)	(Inches)	(Inches)
PL-98C	8	1 7/32	3/32

- Polished heads resist rust and corrosion, extending the tool life.
- Longer handles for more convenient use and greater jaw gripping power.





PLIERS, CLAMPS & PIPE TOOLS LONG NOSE





CHAIN NOSE PLIERS

Double-Dipped Plastic Handles

Product Code	Description	Overall Length (Inches)	Jaw Length (Inches)
PL-95C	Short Nose w/cutter	5 ¹ / ₂	1 5/32
PL-75C	Long Nose	6 3/4	2 ⁵ / ₁₆
PL-76C	Long Nose w/cutter	6 ¹ / ₂	1 ⁵ /16
PL-77C	Extra Long Nose w/cutter	7 ¹ / ₂	1 29/32

Features

- Polished heads resist rust and corrosion, extending the tool life.
- Diamond serrated jaws with industrial hardened cutting edges.



PL-75C



THIN BENT CHAIN NOSE PLIERS

Double-Dipped Plastic Handles

		Overall Length	Jaw Length
Product Code	Description	(Inches)	(Inches)
PL-126C	73° Bent Thin Nose	6 1/4	1 1/4

- Polished heads resist rust and corrosion, extending the tool life.
- · Serrated jaws for extra gripping power.
- 73° bent nose model featured thin jaws angled to reach around obstacles and hard-to-reach spaces.




NEEDLE NOSE PLIERS

Double-Dipped Plastic Handles

Product Code	Description	Overall Length (Inches)	Jaw Length (Inches)
PL-114CS	Short Nose	4 1/2	1
PL-116C	Long Nose	7	2 ³ / ₁₆

Features

- Polished heads resist rust and corrosion, extending the tool life.
- Serrated jaws provide extra gripping power.
- The PL-114CS short nose model is supplied with a spring and is designed for close, fine electrical and mechanical work.
- The PL-116C long nose model provides excellent gripping ability for use in tight, narrow places.





LONG NOSE PLIERS WITH SIDE CUTTER

Double-Dipped Plastic Handles

Product Code	Description	Overall Length (Inches)
23409	Bent Nose	6 1/4
23411	Straight Nose	8

- Jaws are polished with rust-protective coating.
- Double-dipped plastic handle grips are comfortable yet durable.
- Induction hardened and precisely ground cutting edges stay sharp longer.





PLIERS, CLAMPS & PIPE TOOLS LONG NOSE





DUCK BILL PLIERS

Double-Dipped Plastic Handles

Product Code	Description	Overall Length (Inches)	Jaw Length (Inches)
PL-146C	Standard Jaw	6 ¹ / ₂	2 ¹ / ₁₆
PL-149C	High Leverage	8	1 ¹ / ₄

- Jaws are polished with rust-protective coating.
- Flat wide nose provides a better grip than the regular needle nose models

PLIERS, CLAMPS & PIPE TOOLS ELECTRICAL



ELECTRICAL MINI PLIERS

Double-Dipped Plastic Handles

Product Code	Description	Overall Length (Inches)	Capacity (AWG)
23541	Mini Cutter	5 ¹ / ₂	8
23542	Mini Stripper	5 ¹ / ₂	8-18 Solid/10-22 Stranded
23543	Mini Crimper	5 ¹ / ₂	10-22

23080 3 Piece Electrical Mini Pliers Set in Pouch

Contents Include:

Product Code	Description	Product Code	Description
23541 23542	Mini Cutter Mini Stripper	23543	Mini Crimper

Features

- Double-dipped handles with air cushion pockets provide comfortable grip, reducing hand fatigue.
- Cutter is hardened and precision-ground for cutting stranded and solid copper and aluminum wire.
- Stripper features up-front precision-ground stripping stations for exacting results in tight spaces.
- Crimper features front-end crimp pockets guaranteed to be free from burrs and sharp edges.



HEAVY DUTY FRONT END WIRE STRIPPERS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)	Capacity (AWG-solid wire)	Capacity (stranded wire)
23506	6 1/4	10-20	12-20
23518	6 ¹ / ₄	14-24	16-26
23521	6 ¹ / ₄	22-30	24-32

Features

- Double-dipped handles with air cushion pockets provide comfortable grip, reducing hand fatigue.
- Spring-loaded handles speed work and reduce hand effort.
- Serrated gripping jaws in nose for use as pliers.
- 2-piece hardened steel pivot for long life service.
- · Lock protects cutting edges in storage.



SUPER-DUTY FRONT END WIRE STRIPPERS WITH BOLT CUTTERS

Double-Dipped Plastic Handles with Curved Wire Cutter

Product Code	Overall Length (Inches)	Capacity (AWG-solid wire)	Capacity (stranded wire)
23533	7 1/4	10-18	12-20
23535	7 1/4	20-30	22-32

- Double-dipped handles with air cushion pockets provide comfortable grip, reducing hand fatigue.
- Longer, curved handles provide extra leverage and greater comfort.
- · Serrated gripping jaws in nose for use as pliers.
- · Built-in bolt cutters cleanly cut 6-32 and 8-32 screws.











PLIERS, CLAMPS & PIPE TOOLS ELECTRICAL





MULTI-PURPOSE COMBINATION WIRE TOOLS

Double-Dipped Plastic Handles with Curved Wire Cutter

Product Code	Description	Overall Length (Inches)	Nose Style
23503	Front-end Stripper	8 1/4	Serrated Pliers
23524	Front-end Crimper	8 ³ / ₄	Anvil Cutter

Features

- Crimp and strip wire sizes 10-22 AWG.
- Double-dipped handles with air cushion pockets provide comfortable grip, reducing hand fatigue.
- 23503 cuts 6 bolt sizes: 4-40 / 5-40 / 6-32 / 8-32 / 10-32 / 10-24.
- 23524 cuts 5 bolt sizes: 4-40 / 6-32 / 8-32 / 10-32 / 10-24.





ROMEX® STRIPPERS AND CUTTERS

Double-Dipped Plastic Handles with Staggered Type Strippers

Product Code	Description	Overall Length (Inches)	Stripper Sizes (AWG)
23512	Dual Romex®	7 3/4	12-2 / 14-2 NM-B
23515	10-2 Heavy Duty	7 3/4	10-2 NM-B

Features

- Staggered cutting design produces cleaner cuts with less effort.
- Double-dipped handles with air cushion pockets provide comfortable grip, reducing hand fatigue.
- Built-in bolt cutters cleanly cut 6-32 and 8-32 screws.
- Serrated gripping jaws in nose for use as pliers.



WILLIAMS

COAX CABLE MULTI TOOL

Double-Dipped Plastic Handles

Product Code	Description	Overall Length (Inches)	Stripper Sizes (AWG)
23530	Coax Cable Tool	8 ¹ / ₂	RG6 / RG59

- Cut, strip, and crimp popular RG6 and RG59 coax cable sizes with one tool.
- . Curved cutting blade cuts cleanly with less effort.
- Instructions provided on the tool for easy operation.

PLIERS, CLAMPS & PIPE TOOLS ELECTRICAL WIRE TWISTER/CABLE CUTTER



4-IN-1 DATACOM WIRE CUTTER

Double-Dipped Plastic Handles

Product	Overall Length		
Code	Description	(Inches)	Cutter Type
23527	4-in-1 Multi Purpose Datacom Wire Cutter	7 3/4	Anvil / Curved / Shear

Features

- Cuts solid and stranded copper electrical wire/cable and multi-conductor communications wire.
- Built-in bolt cutters cleanly cut 6-32 and 8-32 screws.
- Wire looping holes in jaws for speedy component assembly.
- Anvil cutter at nose allow nipping wire in close quarters, while ⁵/s" capacity curved cutter maintain cable shape.
- · Steel wire-shear easily cuts steel reinforced coax.





WIRE TWISTER / CUTTER

Produces Right Hand (clockwise) Twists

Product	Overall Length	Jaw Length	Cutting Blade
Code	(Inches)	(Inches)	Length (Inches)
WTC-11	8.5	1 1/16	1/4

- Diamond-shaped, flat top jaw serrations hold wire firmly and resist knicking material being worked on.
- Diagonal nose configurations & "mini" frame allows access in tight quarters.
- Automatic return feature retracts automatically, speeding up operation use and reducing operator fatigue.
- Heat-treated cutting edge holds it edge for cutting tough (up to .041) stainless steel and safety wire.
- One hand operation allows for operator closing and locking with minimum of handle force.
- High carbon alloy steel forging are used for maximum durability and long life.



WTC-11





PLIERS, CLAMPS & PIPE TOOLS LOCKING



LOCKING PLIERS AND SET

Bi-Mold Comfort Grip Handles

Product Code	Overall Length (Inches)	Style
23201	5	Curved Jaw with Cutter
23202	7	Curved Jaw with Cutter
23203	10	Curved Jaw with Cutter
23210	7	Straight Jaw
23211	10	Straight Jaw
23220	6	Long Nose with cutter
23221	9	Long Nose with cutter

Locking Pliers Sets

Product Code Description

23070 3 Piece Locking Pliers Set with Bi-Mold Comfort Grip Handles

Contents Include:

Product Code	Description
23201	5" Curved Jaw Locking Pliers with Cutter
23202	7" Curved Jaw Locking Pliers with Cutter
23203	10" Curved Jaw Locking Pliers with Cutter

Product Code Description

23071 3 Piece Locking Pliers Set with Bi-Mold Comfort Grip Handles

Contents Include:

Product Code	Description
23203	10" Curved Jaw Locking Pliers with Cutter
23210	7" Straight Jaw Locking Pliers
23220	6" Long Nose Locking Pliers with Cutter

- Bi-mold handles provide comfortable grip, reducing hand fatigue.
- Convenient one-hand release lever.
- Heavy-duty jaw surfaces provide extra gripping power.
- Packed in a pouch.









LOCKING



LOCKING PLIERS

Curved Jaw with Wire Cutter Locking Pliers		
Product Code	Overall Length (Inches)	
23301	5	
23302	7	
23303	10	

Straight Jaw Locking Pliers

Product Code	Overall Length (Inches)
23304	7
23305	10

Long Nose with Wire Cutter Locking Pliers

Product Code	Overall Length (Inches)	
23309	6	
23310	9	

Locking C-Clamps

Product Code	Overall Length (Inches)	Throat Depth	Capacity (Lbs.)
23320	6	11/4"	450
23321	11	21/4"	900

Locking C-Clamps wth Swivel Pad

Product Code	Overall Length (Inches)	Throat Depth	Capacity (Lbs.)
23222	6	15/16"	450
23223	9	23/16"	900
23224	11	21/4"	900
23225	14	41/2"	700

Features

- · Convenient one-hand release lever
- Heavy-duty jaw surfaces provide extra gripping power



LOCKING PLIERS SETS

23072 3 Piece Locking Pliers Set Contents Include:

Product Code	Description
23301	5" Curved Jaw Locking Pliers with Cutter
23302	7" Curved Jaw Locking Pliers with Cutter
23303	10" Curved Jaw Locking Pliers with Cutter

23074 4 Piece Locking Pliers Set Contents Include:

Product Code	Description
23301	5" Curved Jaw Locking Pliers with Cutter
23303	10" Curved Jaw Locking Pliers with Cutter
23309	6" Long Nose with Wire Cutter
23310	9" Long Nose with Wire Cutter

23076 5 Piece Locking Pliers Set Contents Include:

	•
Product Code	Description
23301	5" Curved Jaw Locking Pliers with Cutter
23302	7" Curved Jaw Locking Pliers with Cutter
23305	10" Straight Jaw
23310	9" Long Nose with Wire Cutter
23320	6" Locking C-Clamp

- Convenient one-hand release lever
- Heavy-duty jaw surfaces provide extra gripping power







23305



23309



23320











SNAP RING







WILLIAMS

SNAP RING PLIERS

Double-Dipped Plastic Handles

Product Code	Tip Size	Tip Angle (Degree)
PL-1620	0.038	0°
PL-1621	0.038	45°
PL-1622	0.038	90°
PL-1623	0.047	0 °
PL-1624	0.047	45°
PL-1625	0.047	90°
PL-1626	0.070	0°
PL-1627	0.070	45°
PL-1628	0.070	90°
PL-1629	0.000	0 °
PL-1630	0.090	45°
PL-1631	0.090	90°

Combination Internal/External Snap Ring Pliers Set Pliers set in a plastic carrying case

Contents Include:

Product Code	Description		
PL-1612	12 Piece Combination Internal/External Snap Ring Pliers Set		
Set includes 1 each Snap Ring Plier listed above			

Combination Internal/External Snap Ring Pliers Set Pliers set in a plastic carrying case

Contents Include:

Product Code	Description
PL-1606	6 Piece Combination Internal/External Snap Ring Pliers Set
Set includes 1 each S	Snap Ring Pliers, PL-1620, PL-1622, PL-1623, PL-1625, PL-1626, PL-1628

- Cushioned grip handles
- Pliers are convertible for use on internal and external snap rings
- Knurled center screw with spring for easy changing and secure hold



PL-1612



PL-1606

RETAINING RING

WILLIAMS

RETAINING RING PLIERS AND SET

Double-Dipped Plastic Handles

Product Code	Description	Minimum Opening (Ctr. To Ctr.)	Maximum Opening (Ctr. To Ctr.)	Tips Included (Each Plier Includes 2 of Each)
PL-1600C-1 PL-1600C-2	Internal pliers with tips External pliers with tips	³ / ₃₂ ³ / ₃₂	²⁵ / ₃₂ 1 ¹ / ₃₂	0.035" 90° 0.045" 45° 0.045" Straight 0.060" Straight

Snap Ring Pliers Set

Product Code	Description	
PL-1600C	Snap Ring Pliers Set	
Contents Includes:	• •	

Product Code	Description
PL-1600C-1	PL-1600C-1 Internal Pliers
PL-1600C-2	PL-1600C-2 External Pliers

Replacement Tip Set Contents Includes:

Product Code	Description
PL-1600C-3	16 Piece Replacement tip set

- Internal snap rings designed for use in housings, boxes, etc with bore diameters .375 to 1.750 inches.
- External snap rings designed for use in shafts, studs, etc with shaft diameters .250 to 1.438 inches.
- PL-1600C-1 and PL-1600C-2 each supplied with 8 tips (2 each: 90° x .035 and 45° x .045 angle tips and .045 and .060 straight tips).
- . Made of high quality carbon steel with black-oxide finish to resist rust and other corrosions.
- Tips heat treated for a secure grip.
- · Pliers provided with cushion grip handles.
- · Set consists of one internal and one external snap ring pliers and 16 tips in a pouch.
- Tip set includes 4 each of interchangeable tips: 90° x .035 and 45° x .045 angle tips and .045 and .060 straight tips.



PL-1600C-2



CONVERTIBLE RETAINING RING PLIERS AND SET

Double-Dipped Plastic Handles

Product Code	Capacity (Max. Ring Dia.)	Tips Included (Includes 2 of Each)
23801	2"	0.038" Straight Tips (Yellow)
		0.038" 90° Tips (Yellow)
		0.047" Straight Tips (Green)
		0.047" 90° Tips (Green)
		0.070" Straight Tips (Copper)
23803	1"	0.024" Straight Tips (Red)
		0.038" Straight Tips (Yellow)
		0.038" 90° Tips (Yellow)
		0.047" Straight Tips (Green)
		0.047" 90° Tips (Green)

Retaining Ring Pliers Set

Product Code	Description	
23092	Retaining Ring Pliers Set	
Contents Includes: Product Code	Description	
23801	2" Capacity Retaining Ring Pliers	

Replacement Tip Kits Contents Includes:

Product Code	Description
23802	Replacement Tip Kit Only for 23801
23804	Replacement Tip Kit Only for 23803

- · Easily convert for use on internal and external rings by moving convenient adjusting levers.
- Each pliers includes five pairs of colour-coded tips for maximum versatility.
- Hex-shaped locking guides firmly hold tips in place.
- Double-dipped handles with air cushion pockets provide comfortable grip, reducing hand fatigue.
- Spring-loaded handles speed work.







RETAINING RING



WILLIAMS

HEAVY DUTY RETAINING RING PLIERS & TIPS

Double-Dipped Plastic Handles

Product Code	Description	Minimum Opening (Ctr. To Ctr.)	Maximum Opening (Ctr. To Ctr.)
PL-527	Internal snap ring pliers	5/16 11/22	1 ¹³ / ₃₂ 1 ¹⁷ / ₃₂
PL-528	External snap ring pliers	11/32	1 17

Tips for Heavy Duty Retaining Ring Pliers

Product Code	Description (Includes 2 each)	
PL-529A	0.108" Straight Tips	
PL-529B	0.108" 15° Tips	
PL-529C	0.108 45° Tips	
PL-529D	0.108 90° Tips	
PL-530A	0.120 Straight Tips	
PL-530B	0.120 15° Tips	
PL-530C	0.120 45° Tips	
PL-530D	0.120 90° Tips	

Heavy Duty Retaining Ring Pliers Set PL-529

Product Code	Contents Include:	
PL-527	Internal snap ring pliers	
PL-528	External snap ring pliers	

Set includes 2 each of heavy duty tips listed above

- Internal snap rings designed for use in housings, boxes, etc.
- External snap rings designed for use in shafts, studs, etc.
- Pliers supplied with spring ratchet lock assembly which allows the ring to be compressed or expanded with gradual adjustments which lock at the desired size without continued pressure on the handles.
- Made of high quality carbon steel with black-oxide finish to resist rust and other corrosions.
- Tips heat treated for a secure grip.
- Tips not provided with pliers when pliers are ordered individually.

PLIERS, CLAMPS & PIPE TOOLS RETAINING RING

WILLIAMS

FIXED TIP RETAINING RING PLIERS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)	Jaw Length (Inches)	Tip Diameter (Inches)	Minimum Jaw Opening (Inches)	Maximum Jaw Opening
Internal					
PL-531	5 ¹ / ₂	7/8	0.038	3/32	2 3/8
PL-532	6 ¹ / ₂	1	0.070	3/32	2 31/32
External					
PL-533	6 ¹ / ₂	7/8	0.038	3/32	1 ¹ / ₃₂
PL-534	7	2 ¹ / ₁₆	0.070	3/32	1 1/4

Features

- Internal used for installing and removing internal retaining rings in a bore without damage to the ring.
- External used for installing and removing external retaining rings on a shaft without damage to the ring.
- Manufactured from high carbon, heat treated steel.
- Designed for accurate fit and long wear by precision forming and induction hardening.
- · Finished with black oxide coating.







LOCKING RING PLIERS

Black Jaws

Product Code	Overall Length (Inches)	Jaw Length (Inches)	Width at Tip (Inches)
PL-1515	8	1 ³ /8	5/16

Features

 For spreading horseshoe lock washers and steel lock rings used on gear and bearing shafts.







C-CLAMPS





DROP FORGED C-CLAMPS

Deep Throat Design, Copper Plated Screw

Product Code	Capacity (Inches)	Throat Depth (Inches)	Screw Diameter (Inches)	Min Test Load (lbs)
CC-402C	2	2 11/32	1/2	3500
CC-403C	3	2 3/4	1/2	3500
CC-404C	4	3 3/16	3/4	6500
CC-406C	6	4 1/8	3/4	6900
CC-408C	8	5 ³ ⁄ ₁₆	3/4	6900
CC-410C	10	6	3/4	8000
CC-412C	12	6 1/2	7/8	9500

Features

- Copper plated screw resists weld splatter.
- . Drop-forged and heat treated for maximum strength and greater rigidity.
- I-Beam design for extra strength.
- . Highly resistant to "springing".





DROP FORGED C-CLAMPS

Deep Throat Design, Standard Screw

Product Code	Capacity (Inches)	Throat Depth (Inches)	Screw Diameter (Inches)	Min Test Load (lbs)
CC-402S	2	2 11/32	1/2	3500
CC-403S	3	2 3/4	1/2	3500
CC-404S	4	3 3/16	3/4	6500
CC-406S	6	4 1/8	3/4	6900
CC-408S	8	5 3/16	3/4	6900
CC-410S	10	6	3/4	8000
CC-412S	12	6 1/2	7/8	9500

- Black threaded screw with T-handle.
- Drop-forged and heat treated for maximum strength and greater rigidity.
- I-Beam design for extra strength.
- Highly resistant to "springing".

PLIERS, CLAMPS & PIPE TOOLS **C-CLAMPS**



DROP FORGED C-CLAMPS

Deep Throat Design, Copper Plated Screw

Product Code	Capacity (Inches)	Throat Depth (Inches)	Screw Diameter (Inches)	Working Load (lbs)	Max. Hand Load (lbs)	Frame Proof Load (lbs)
20002	2	2-1/4	9/16	2000	2600	3500
20003	3	2-7/16	9/16	2400	2880	3500
20004	4	3-1/4	11/16	2800	4480	6500
20006	6	4-1/16	3/4	3400	4700	6900
20008	8	5	3/4	4000	4930	6900
20010	10	6	7/8	5000	5500	8000
20012	12	6-1/2	7/8	6000	7000	9500



Product Code	Contents Include:
20042	4 Piece C-Clamp Set. Includes sizes 2", 4", 6", and 8"

Features

- Copper plated screw resists weld splatter
- . Drop-forged and heat treated for maximum strength and greater rigidity
- I-Beam design for extra strength
- · Powder coated frame resists rust
- . "Safety Yellow" colour makes clamps easy to locate in dark work areas







HEAVY SERVICE C-CLAMPS

Deep Throat Design, Standard Screw

	Maximum	Minimum	Throat Depth	Exterior	Screw	Screw Length	Min Test
Product Code	Capacity (Inches)	Capacity (Inches)	From Center (Inches)	Body Width (Inches)	Diameter (Inches)	Under Head (Inches)	Load (Lbs.)
CC-1AAW	1 ³ /8	0	1 ¹ /8	2 ²³ / ₃₂	13/32	2 ⁷ / ₁₆	5,600
CC-1 1/2AAW	1 ⁷ /8	0	1 ²¹ / ₃₂	3 ¹⁹ / ₃₂	5/8	3 ¹ / ₄	8,750
CC-2AAW	2 11/32	0	1 ⁷ /8	4 ¹ / ₄	23/32	4 ¹ / ₈	12,500
CC-3AAW	3 ⁷ / ₁₆	1/8	2 ¹³ / ₃₂	5 ³ / ₄	27/32	4 ⁷ /8	16,250
CC-3LAAW **	3 ⁷ / ₁₆	0	2 ¹ / ₂	5 ³ / ₄	27/32	5 ³ / ₄	16,250
CC-4AAW	4 21/32	17/32	2 ⁷ /8	6 ¹ / ₄	27/32	6	20,000
CC-4LAAW **	$4^{21}/_{32}$	0	2 ⁷ /8	6 ¹ / ₄	27/32	7 1/4	20,000
CC-5AAW	5 ⁵ /8	1/2	3 ¹ /8	7	27/32	7 1/4	23,800
CC-5LAAW **	5 ⁵ /8	0	3 ¹ /8	7	27/32	8 7/8	23,800
CC-6AAW	6 ¹ / ₂	1 ⁵ / ₃₂	3 ¹ / ₂	7 1/2	1 ³ / ₃₂	8	27,500
CC-6LAAW **	6 ¹ / ₂	0	3 ¹ / ₂	7 1/2	1 ³ / ₃₂	10	27,500
CC-8AAW	8 ¹ / ₂	4	3 ¹¹ / ₁₆	8 ¹ / ₂	1 ³ / ₃₂	7 1/8	31,250
CC-8LAAW **	8 ¹ / ₂	0	3 ¹¹ / ₁₆	8 ¹ / ₂	1 ³ / ₃₂	11 ⁵ /8	31,250
CC-10AAW	10 ³ / ₈	5 ³ / ₈	4 ³ / ₈	8 ¹ / ₂	1 3/32	7 3/4	35,000
CC-10LAAW **	10 ³ / ₈	0	4 ⁵ / ₁₆	8 1/2	1 3/32	14 ³ / ₈	35,000
CC-12AAW	12 ³ / ₈	7 1/4	4 ⁷ / ₁₆	9 1/2	1 ³ / ₃₂	8 1/4	40,000
CC-12LAAW **	12 ³ / ₈	0	4 1/4	9 1/2	1 ³ / ₃₂	16 ⁷ / ₁₆	40,000

^{**} Where zero capacity is desired, the clamps with long screws should be ordered. These are indicated with an "L" in the product code.

- · Especially designed for heavy duty service, frames are drop-forged and heat-treated
- cspecially designed for neavy duty service, frames are drop-forged and neat-treated for maximum strength and reduced springing Screws are made of special grade steel and are heat-treated for added strength not found in typical case-hardened screws

 To tighten, the square headed screw must be turned with a wrench Ideal for the most demanding applications such as construction and heavy industry Square head screw allows tightening with wrench for extra heavy duty clamping requirements.

- Greater anvil surface for gripping larger work pieces and for greater stability







PLIERS, CLAMPS & PIPE TOOLS PIPE WRENCHES





PIPE WRENCHES

Aluminum, Heavy Duty

Product	Overall Capacity	Maximum Jaw		Spare Parts	
Code	(Inches)	Opening (Inches)	Hook Jaw	Heel Jaw & Pin	Knurl Nut
13500	8	1 5/16	13551	13567	13571
13502	10	1 1/8	13552	13562	13572
13504	12	2 1/8	13553	13563	13573
13506	14	2 1/16	13554	13564	13574
13508	18	3 1/8	13555	13565	13575
13510	24	3 3/4	13556	13566	13576
13512	36	5	13557	13568	13577
13514	48	6	13558	13569	13578

Pipe Wrench Set

Product Code	Contents Include:
13542	3 Piece Aluminum Pipe Wrench Set. Includes 8", 12", and 18" wrenches

Features

- Aluminum pipe wrenches are approximately 40% lighter than cast iron.
- Heavy duty construction for strength and durability.
- Scale on wrench indicates pipe diameter.





PIPE WRENCHES

Cast Iron, Heavy-Duty

Product	Overall Capacity	Maximum Jaw		Spare Parts	
Code	(Inches)	Opening (Inches)	Hook Jaw	Heel Jaw & Pin	Knurl Nut
13516	6	7/8	13550	13560	13570
13518	8	1 1/16	13511	13567	13571
13520	10	1 5/8	13552	13562	13572
13522	12	2 1/8	13553	13563	13573
13524	14	2 1/16	13554	13564	13574
13526	18	3 1/8	13555	13565	13575
13528	24	3 3/4	13556	13566	13576
13530	36	5	13557	13568	13577
13532	48	6	13558	13569	13578

Pipe Wrench Set

Product Code	Contents Include:
13544	3 Piece Cast Iron Pipe Wrench Set. Includes 8", 12", and 18" wrenches

- Heavy duty construction for strength and durability
- Scale on wrench indicates pipe diameter



FLANGE-JACKS

Tremendous Pressure With Minimum Effort

	FI	ange Diameter Capac	ity	
Product Code	* 125 Pound Cast Iron	* 150 Pound Cast Iron	* 250 Pound Cast Iron	* 300 Pound Cast Iron
FJ-20	2 to 20	2 to 20	1 to 12	3/4 to 12
FJ-30	16 to 48	18 to 24	12 to 30	12 to 24

Features

- Ideal for working on pipe lines and other applications involving flanges.
- · Makes gasket removal fast and easy.
- . Flanges are separated smoothly and evenly without damage to flange faces.
- · Flange jacks are sold only in pairs.
- Eliminates danger from flying wedges and sparks caused by hammer blows.
- · Ideal for hard to reach locations.






STRAP WRENCH

Aluminum H	andle		
Product Code	Handle Length (Inches)	Maximum Diameter (Inches)	Strap Size (Inches)
Froduct Code	(IIICHES)	(IIICHES)	
40221	12	8	1 ¹ / ₈ x 30

- Use on irregularly shaped objects where other wrenches won't work.
- Useful for turning handwheels and other knurled handles. Reduces risk of damage on plastic pipe and tubing.
- Strap is made out of cotton.







PLIERS, CLAMPS & PIPE TOOLS PIPE TOOLS







CT-13-4







CHAIN PIPE TONGS

The Original Williams Chain Pipe Tong

Product Code	Pipe Minimum Diameter (Inches)	Pipe Maximum Diameter (Inches)	Tong Length (Inches)	Chain Length (Inches)
CT-12	1/4	2 1/2	27	18 ¹ / ₂
CT-13	3/4	4	38 ¹ / ₈	25
CT-13-1/2	1	6	46 ¹ / ₄	33
CT-14	1 1/2	8	50 ¹ / ₂	40 ³ / ₄
CT-15	2	12	67	56

Features

- Chain swings from the center and can be used on either side of the jaws, reducing tooth wear.
- . Flat link chains are heat-treated for greater strength and reliability.
- · Fully adjustable to fit any shape pipe.

Replacement Parts for Pipe Tongs

	Replacement Jaw Sets	Replacement Chain Assembly		
Product Code	Product Code	Product Code	Length (Inches)	Loading Capacity
CT-12	CT-12-4	CT-12-1	18 1/2	13,800
CT-13	CT-13-4	CT-13-1	25	17,600
CT-13 1/2	CT-13-1/2-4	CT-13-1/2-1	33	20,000
CT-14	CT-14-4	CT-14-1	40 3/4	22,000
CT-15	CT-15-4	CT-15-1	56	31,000

Features

- Chain is heat-treated after assembly which results in a 40 % increase in strength as well as an extended chain life and improved performance.
- Jaws are drop forged from carbon steel and heat treated to provide the strength and reliability expected from Williams pipe tools.



PIPE CHAIN WRENCH

Heat Treated

Product Code	Pipe Diameter Minimum - Maximum (Pipe Size)	Handle Length (Inches)	Chain Length (Inches)
CW-4	3/8 - 4	11	15

Features

- · Forged handle is fully heat-treated.
- Ideal for use in close quarters and where space is at a premium.
- · Successive "bites" can be taken without removal of wrench from the work piece.
- Fully adjustable to fit any shape pipe.



PIPE CHAIN WRENCH

Heat Treated

Product Code	Pipe Diameter Capacity	Handle Length (Inches)	Chain Length (Inches)
40222	4	12	16
40223	5	15	19
40224	6	24	23

- · Forged strong I Beam handle.
- Designed for working in confined areas when regular pipe wrenches will not fit, excellent for pipe fittings.
- Portable and lightweight can be used for overhead and underground work.

PLIERS, CLAMPS & PIPE TOOLS TUBING CUTTER



5/8" CAPACITY MINI-TUBING CUTTER

For Hard or Soft Copper Tubing, Brass, Stainless Steel, etc.

Product Code	Description	Cutting Capacity (Inches)	Overall Length (Inches)
43603	Mini-Tubing Cutter	1/8 to 5/8	1 3/4
43613	Replacement Cutter Wheel for 43603 (Pack of 5)		

Features

- · Designed for use in tight access areas.
- · Enclosed feed screw assures smooth operation by minimizing contamination.
- · Corrosion resistant stainless steel rollers produce easier, smoother cuts.





1-1/8" CAPACITY TUBING CUTTER

For Hard or Soft Copper Tubing, Brass, Stainless Steel, etc.

Product Code	Description	Cutting Capacity (Inches)	Overall Length (Inches)
43605	1 1/8" Tubing Cutter	1/8 to 1 1/8	5
43611	General Purpose Replacement Cutter Wheel (Pack of 10)		
43615	Optional Cutter Wheel for Stainless Steel (Pack of 5)		

Features

- Enclosed hardened steel thrust-bearing mechanism assures smooth cuts and reliable operation.
- Rugged aluminum alloy body looks good and handles well.
- · Foldaway hardened steel reamer removes inside burrs cleanly.
- Includes (2) general-purpose cutter wheels.





2-5/8" CAPACITY TUBING CUTTER

For Hard or Soft Copper Tubing, Brass, Stainless Steel, etc.

Product Code	Description	Cutting Capacity (Inches)	Overall Length (Inches)
43607	25/8" Tubing Cutter	3/8 to 2 5/8	7 3/4 (Closed)
43617	General Purpose Replacement Cutter Wheel for 43607 (Pack of 5)		
43616	Optional PVC Cutter Wheel for 43607 - Cuts Schedule 40 PVC up to 2" Diameter (Pack of 5)		

- Ratchet feed mechanism speeds up cutting operations while extra-wide rollers stabilize the tubing.
- · Light-weight aluminum body.
- · Spare cutting wheel included under cap.
- Cuts Schedule 40 PVC pipe up to 2" diameter with optional 43616 cutter wheel.







PLIERS, CLAMPS & PIPE TOOLS

FLARING TOOL





45° SINGLE FLARING TOOL

For Soft Tubing

Product Code	Description	O.D. Capacity (Inches)
43631	45° Single Flaring Tool	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, & 5/8

Features

- · For soft copper, aluminum, and brass tubing.
- · Forged steel yoke and hardened flaring bar for durability.
- · Positive clamping action prevents tube slippage.
- Self-centering yoke with swivel-type, hardened steel, chrome-plated flaring cone forms better flares with less effort.
- Chrome plated to resist rust and corrosion.





45° DOUBLE FLARING TOOL

For Soft Tubing

Product Code	Description	O.D. Capacity (Inches)
43633	45° Double Flaring Tool	3/16, 1/4, 5/16, 3/8, & 1/2

Features

- Recommended for Bundy and other annealed soft steel tubing (wall thickness to .035").
- Also makes single or double flares in soft copper and aluminum tubing.
- · Small, lightweight, and easy to handle.
- · Forged steel yoke and hardened flaring bar for durability.
- Swivel-type, hardened steel, chrome-plated flaring cone forms better flares with less effort.
- Chrome plated to resist rust and corrosion.





TRIPLE-HEAD TUBING BENDER

For Soft Tubing

Product Code	Description	O.D. Capacity (Inches)
43621	Triple-Head Tube Bender	3/16, 1/4, 5/16, & 3/8

- For copper, aluminum, and thin-wall steel tubing.
- Calibrated markings for making accurate left, right, and offset bends.
- 90° start requires less effort, making bending fast and easy.

WILLIAMS

TIGHT-GRIP PIPE NIPPLE REMOVER & INSTALLER KITS

Remove and Install	Pipe Nipples	Without '	Thread Damage
--------------------	--------------	-----------	---------------

Product Code	Description
87025	Pipe Nipple Remover / Installer Kit for 1/8", 1/4", and 3/8" NPT Pipe Nipples
Kit Include	S:
87035	Stud Remover / Installer Housing
87036	Collet, 1/8" NPT
87037	Collet, 1/4" NPT
87038	Collet, 3/8" NPT
Product Code	Description
87026	Pipe Nipple Remover / Installer Kit for 1/2" and 3/4" NPT Pipe Nipples
Kit Include	S:

8/039	Stud Remover / Installer Housing
87040	Collet, 1/2" NPT
87041	Collet, 3/4" NPT

Product Code Descri

	87027	Pipe Nipple Remover /	Installer Kit for 1"	and 11/4" NPT Pipe Nipple
--	-------	-----------------------	----------------------	---------------------------

Kit Includes:

87042	Stud Remover / Installer Housing
87043	Collet, 1" NPT
87044	Collet. 11/4" NPT

Features

- Remove pipe nipples and other lengths of pipe without damaging pipe threads.
- · Collet is placed in housing and threaded over pipe. Draw bolt is then used to clamp tool onto nipple for secure removal or installation.
- · Nipples and other lengths of pipe may be reused.
- · Essential when working with decorative brass, bronze, and stainless piping.
- Ideal for working in confined areas where a pipe wrench will not fit.



The Tight-Grip Nipple Tool in use. One wrench holds the housing in place while the other wrench turns the top nut, clamping the collet and housing assembly onto the nipple. The housing, collet, and nipple then turn as one.





PLASTIC AND RUBBER HOSE CUTTER

Compact and Light

Product Code	Description	Replacement Cutting Wheel
43618	Plastic and rubber hose cutter	43619

- · Cuts plastic tubing and non-metal reinforced hose.
- Cuts sizes $^{1}/_{16}$ " to $^{1}/_{2}$ " and 1mm to 13mm O.D.
- . Spring loaded for safety.
- · Weighs only one ounce.



43618





HAMMERS

- LARGE VARIETY INCLUDING DEADBLOW, BALL PEIN AND SLEDGE HAMMERS
 - HEAVY DUTY CONSTRUCTION FOR STRENGTH AND DURABILITY USING SPECIALLY SELECTED STEEL AND MANUFACTURING PROCESSES

PUNCHES, CHISELS AND PRYBARS

- HEAVY DUTY INDUSTRIAL GRADE CONSTRUCTION FOR VARIOUS APPLICATIONS
 - COMFORT GRIP HOLDER FOR SAFE USE
 - PRYBARS DESIGNED FOR POWERFUL LEVERAGE UP TO 24' IN LENGTH



WE CONTINUE TO INNOVATE TO DELIVER SAFETY AND PRODUCTIVITY TO OUR CUSTOMERS

DEADBLOW/POWER DRIVE/BALL PEIN

WILLIAMS

DEADBLOW HAMMERS

Ergonomically Designed Handles

Product Code	Weight (ozs.)	Overall Length (Inches)	Head Length (Inches)	Face Diameter (Inches)
JHW-16	16	12	3 1/4	1 %16
JHW-24	24	12 ³ / ₄	3 3/4	1 3/4
JHW-32	32	13 ½	4 1/4	2
JHW-48	48	15	4 3/4	2 1/4
JHW-56	56	15 ¾	5 ⁷ / ₁₆	2 ³ / ₄

Features

- Hard urethane construction resists cut damage to hammer head
- Head provides a non-marring contact surface that will not damage equipment
- · Deadblow feature minimizes hammer bounce back, reducing fatigue and improving productivity.



EXTREME POWER DRIVE HAMMERS

Fiberglass Handles with Cushion Grip and Shot-Filled Heads

Product Code	Weight (ozs.)	Head Length (Inches)	Overall Length (Inches)	Face Diameter (Inches)
HPDX-1	16	12 1/2	17,	1 ½
HPDX-2	32	13 3/4	18 3/4	2
HPDX-3	48	14 1/2	20	2 1/4
HPDX-4	64	15 ½	21 3/4	2 %

Features

- Urethane face greatly improves durability
- · Durable design for a long lasting hammer.



POWER DRIVE HAMMERS

Fiberglass Handles with Cushion Grip and Shot-Filled Heads

Product Code	Weight (ozs.)	Handle Length (Inches)	Overall Length (Inches)	Face Diameter (Inches)
HPD-1	16	9 %	12 1/2	1 ½
HPD-2	32	10 ¾	13 %	2
HPD-3	48	10 ¾	14 1/8	2 1/4
HPD-4	64	10 ¾	15 1/4	2 ⁵ / ₈

Features

- Shot-loaded head delivers more striking force per blow
- and reduces vibration as well as rebound.

 Cushion grip handle provides greater comfort and safety.

 Durable design for a long lasting hammer.



BALL PEIN HAMMERS

Fiberglass Handles with Cushion Grip

Product Code	Weight (ozs.)	Handle Length (Inches)	Overall Length (Inches)	Face Diameter (Inches)
20542	8	9 ½	10 ¾	7/8
20543	12	10 1/4	11 3/4	7/8
20544	16	11 1/4	13	1 1/8
20545	24	13	15	1 1/4
20546	32	12 ¾	15	1 1/4

- Ideal for driving punches, chisels and other metal work.
- Fiberglass handle has a cushion grip for greater comfort and safety.
- Hammer heads are drop-forged from specially selected steel and carefully heat treated for dependable strength, hardness and uniformity.















BALL PEIN/DRILLING CROSS PEIN/CLAW





BALL PEIN HAMMERS

Wood Handle

Product code	Head Weight (ozs.)	Handle Length (inches)	Overall length (Inches)	Face Diameter (Inches)
HBP-5-0A	4	9 %	10 7/16	3/4
HBP-3-0A	8	10 1/2	11 3/4	1
HBP-2-0A	12	11 1/8	12 ½	1 1/8
HBP-0A	16	12 1/8	13 %	1 1/4
HBP-2A	24	13 ¹ / ₄	15 ½	1 ½
HBP-4A	32	13 ¹ / ₄	15 ³ / ₁₆	1 ½
HBP-6A	40	13 ⁵ / ₁₆	15 ⁵ ⁄16	1 %
HBP-8A	48	13 ½	15 ¾	1 1/8

Features

- Ideal for driving punches, chisels and other metal work.
- Wooden handles, which are made from white hickory and clear lacquered, are permanently wedged in to the heads.
- Hammer heads are drop-forged from specially selected steel and carefully heat treated for dependable strength, hardness, and uniformity.
- Polished Face, Bevel & Pein



DRILLING HAMMER

Fiberglass Handles with Cushion Grip

Product Code	Weight (ozs.)	Handle Length (Inches)	Overall Length (Inches)
20678	32	8 1/2	10 1/4

Features

- Handles are durable and comfortable.
- . Heavy duty construction for strength and durability.



CROSS PEIN HAMMER

Fiberglass Handles with Cushion Grip

		Handle Length	
Product Code	Weight (ozs.)	(Inches)	Overall Length (Inches)
20651	48	13	15 ³ ⁄ ₄

Features

- Handles are durable and comfortable.
- · Heavy duty construction for strength and durability.



CLAW HAMMERS

Fiberglass Handles with Cushion Grip

Product Code	Style	Weight (ozs.)	Handle Length (Inches)	Overall Length (Inches)
20402	Ripping Claw	16	10 ³ ⁄4	13
20401	Curved Claw	20	10 ¾	13

- Handles are durable and comfortable.
- · Heavy duty construction for strength and durability.



BRASS HAMMERS

Fiberglass Handles with Cushion Grip

Product code	Weight (ozs.)	Handle Length (inches)	Overall length (Inches)	Face Diameter (Inches)
HSB-1.5A	1-1/2	10	12	1
HSB-2.6A	2-1/2	10	12	1-1/4
HSB-3.8A	3-3/4	10	12	1-5%

Features

- Ideal for applications which require non-sparking conditions.
- The flat surface brass head absorbs impact blows, reduces rebound and helps eliminate marred work surfaces.
- . Non-slip cushion grip provides greater comfort and safety.



HSB-3.8AA



8 PIECE SOFT-FACE HAMMER BODY AND TIP SET

Fiberglas	s Handle	s with C	ushion (àrip

Product Code	Description					
HSF-8SET	8 Piece Soft Face Hammer Body and Tip Set					
Contents Includ	le:					
Product Code	Weight Class	Head Length (Inches)	Handle Length (Inches)	Overall Length (Inches)	Head Diameter (Inches)	
HSF-151A	16 oz.	1 ½	12 ½	14	1 1/2	
Product Code	Н	lardness	Tip Diameter (Inches)		Colour	
HSF-15S HSF-15M	Soft Medium		1 ½ 1 ½		Brown Red	
HSF-15N		dium Hard	1 ½		Cream	
HSF-15H		Hard	1 ½		Black	
HSF-15SS		Steel	1 ½		Steel	
HSF-15B Plastic Storage Cas	se	Brass	1 ½		Brass	

- Handles are durable and comfortable
- Heavy duty construction for strength and durability
 Six interchangeable heads meet a number of various applications, including non-marring and non-sparking applications with selected head surfaces















SOFT-FACE AND SHOT FILLED SOFT-FACE HAMMER BODY

Fiberglass Handles with Cushion Grip

Product Code	Weight Class (ozs.)	Head Length (Inches)	Handle Length (Inches)	Overall Length (Inches)	Head Diameter (Inches)
HSF-202A **	40	4 1/8	10 ¾	13 ½	2
HSF-100A	5	2	10 ³ / ₁₆	11 ½	1
HSF-105A	8	2	10 ³ / ₁₆	11 ½	1
HSF-150A	12	2 ½	10 1 ³ / ₁₆	12 5/16	1 1/2
HSF-151A	16	1 1/2	12 ½	14	1 1/2
HSF-155A	20	2 ¾	10 ⁷ / ₈	12 7/16	1 1/2
HSF-200A	20	2 ½	11 %	13 ½	2
HSF-205A	32	2 ½	11 %16	13 ½	2
HSF-250A	32	3 1/4	12 ½	14 ¾	2 1/2
HSF-255A	64	3 1/4	12 5/16	14 ¾	2 1/2
HSF-300A	56	3 ¾	12 1/8	14 3/4	3
HSF-305A	96	3 ¾	11 ¾	14 ¾	3

- **Shot filled head reduces rebound for safety and transmits more force to the work

- Handles are durable and comfortable
 Heavy duty construction for strength and durability
 Use with Soft-Face hammer tips below. Match head diameter with tip diameter for proper fit.
 Tips are not included with hammer body
 5/16 18 thread size



SOFT-FACE HAMMER TIPS

		_		
Heavy Duty				
Product Code	Hardness	Tip Diameter (Inches)	Colour	
Brown: Working with	h soft composites, pla	stics and soft alloy metals. Replac	ces vinyl hammer.	
HSF-10S	Soft	1	Brown	
HSF-15S	Soft	1 ½	Brown	
HSF-20S	Soft	2	Brown	
HSF-25S	Soft	2 ½	Brown	
HSF-30S	Soft	3	Brown	
Red: Working with s	oft composites, plastic	s and soft alloy metals. Replaces	rawhide hammer.	
HSF-10M	Medium	1	Red	
HSF-15M	Medium	1 ½	Red	
HSF-20M	Medium	2	Red	
HSF-25M	Medium	2 ½	Red	
HSF-30M	Medium	3	Red	
	h soft composites, pla	stics and soft alloy metals. Replac	ces soft-metal hammer	
HSF-10N	Medium Hard	1	Cream	
HSF-15N	Medium Hard	1 ½	Cream	
HSF-20N	Medium Hard	2	Cream	
HSF-25N	Medium Hard	2 ½	Cream	
HSF-30N	Medium Hard	3	Cream	
Black: Working with	hard surface composi	tes and other hard metals.		
HSF-10H	Hard	1	Black	
HSF-15H	Hard	1 ½	Black	
HSF-20H	Hard	2	Black	
HSF-25H	Hard	2 ½	Black	
HSF-30H	Hard	3	Black	
		ites and other hard metals, hardne		
HSF-10XH	Extra Hard	1	Yellow	
HSF-15XH	Extra Hard	1 ½	Yellow	
HSF-20XH	Extra Hard	2	Yellow	
HSF-25XH	Extra Hard	2 ½	Yellow	
HSF-30XH	Extra Hard	3	Yellow	
	n soft composites, plas	tic and soft alloy metals. Replace		
HSF-10T	Tough	1	Green	
HSF-15T	Tough	1 ½	Green	
HSF-20T	Tough	2	Green	
HSF-25T	Tough	2 ½	Green	
HSF-30T	Tough	3	Green	
_				

Features

· Heavy duty construction for strength and durability







SLEDGE

WILLIAMS

SLEDGE HAMMERS

		Handle Length	Overall length	Face Diameter
Product Code	Weight (lbs.)	(inches)	(Inches)	(Inches)
SH-2A	2	15	15	1 1/2
SH-4A	4	15	15	2
SH-6A	6	36	36	2 1/8
SH-8A	8	36	36	2 1/3
SH-10A	10	36	36	2 1/2
SH-12A	12	36	36	2 %
SH-16A	16	36	36	2 3/4

Replacement Handle Service Kit

Product code	Description	Weight (ozs.)	Length (Inches)
SHHW-14A	Handle	14	15
SHHW-32A	Handle	24	36

Features

High carbon steel, heat treated and tempered head, with hickory handle



SLEDGE HAMMERS

Fiberglass	Handle			
Product Code	Weight Class (lbs.)	Handle Length (inches)	Overall length (Inches)	Face Diameter (Inches)
SHF-4SA **	4	14	14	1 1/4
SHF-8SA **	8	32	32	2
SHF-12SA **	12	32	32	2 1/4
SHF-2A	2	14	14	1 1/4
SHF-3A	3	14	14	1 ½
SHF-4A	4	14	14	1 %
SHF-6A	6	32	32	1 3/4
SHF-8A	8	32	32	2
SHF-10A	10	16	16	2 1/8
SHF-10LA	10	32	32	2 1/8
SHF-12A	12	32	32	2 1/4
SHF-16A	16	24	24	2 %
SHF-16LA	16	32	32	2 %
SHF-20A	20	36	36	2 ¾

Replacement Handle Service Kit

Product Code	Description	Weight (lbs)	Length (Inches)	Product Code	Description	Weight (lbs)	Length (Inches)
SHHF-14A	Fiberglass	2 to 4	14	SHHF-32A	Fiberglass	6 to 16	32
SHHF-16A	Fiberglass	6 to 8	16	SHHF-36	Fiberglass	20	36

Features

- ** Soft steel safety head is similar in hardness to brass
- ** Ideal replacement for Brass Head where non-sparking is not required
- Double faced head is hardened and tempered forged for maximum strength and durability.
- · All kits include replacement handle, pre-measured bonding mix, mix container and instructions

WILLIAMS

DEAD BLOW SLEDGE HAMMERS WITH REPLACEMENT TIPS

		Handle Length	Overall length	Face Diameter
Product Code	Weight (lbs)	(Inches)	(Inches)	(Inches)
SHSFDB-8	8	29	32	2

Includes Two 4" Black Tips

4" Replacement Tip

Product code	Hardness	Colour	Product code	Hardness	Colour
SHSFDB-40S	Soft	Brown	SHSFDB-40N	Med/Hard	Cream
SHSFDB-40M	Medium	Red	SHSFDB-40H	Hard	Black
SHSFDB-40T	Tough	Green	SHSFDB-40XH	Extra hard	Yellow

- . Shot loaded dead blow heads deliver the impact of a steel hammer with little or no rebound
- · Oversized head and striking face minimizes miss hits, applying force with greater impact and repeatability
- Strong yet light weight handles provide 90% of the total hammer weight at the head
- 4" Non-marring removable tips can be replaced when worn











SHF-10LA





















27 PIECE PUNCH & CHISEL SET

Packed in a Pouch	
Product Code	Description
PC-27	27 Piece Punch & Chisel Set

Contents Include:

Product		Point Diameter	Product		Blade Width
Code	Description	(Inches)	Code	Description	(Inches)
P-3	Pin Punch	3/32	C-8	Cold Chisel	1/4
P-4	Pin Punch	1/8	C-10	Cold Chisel	5/16
P-5	Pin Punch	5/32	C-12	Cold Chisel	3/8
P-6	Pin Punch	3/16	C-16	Cold Chisel	1/2
P-8	Pin Punch	1/4	C-20	Cold Chisel	5/8
P-10	Pin Punch	⁵ /16	C-24	Cold Chisel	3/4
P-13	Solid Punch	3/32	C-28	Cold Chisel	7/8
P-14	Solid Punch	1/8	C-32	Cold Chisel	1
P-15	Solid Punch	5/32	C-36	Cold Chisel	1 1/8
P-16	Solid Punch	3/16			
P-17	Solid Punch	1/4	28449	Punch and Ch	isel Holder
P-25	Long Taper Punch	5/32		7/8" Capa	acity
P-26	Long Taper Punch	3/16			,
P-28	Long Taper Punch	1/4			
P-30	Prick Punch				
P-40	Center Punch	-			
P-42	Center Punch	-			

Features

- Heavy duty construction for strength and durability.
- Includes punch and chisel holder for safety.



Contents Include:

Product Code

Product Code	Description	Point Diameter (Inches)	Product Code	Description	Blade Width (Inches)
P-4	Pin Punch	1/8	C-10	Cold Chisel	5/16
P-6	Pin Punch	3/16	C-12	Cold Chisel	3/8
P-8	Pin Punch	1/4	C-16	Cold Chisel	1/2
P-14	Solid Punch	1/8	C-20	Cold Chisel	5/8
P-15	Solid Punch	5/32	C-24	Cold Chisel	3/4
P-16	Solid Punch	3/16	C-42	Cape Chisel	1/4
P-25	Long Taper Punch	5/32	C-62	Diamond Point	3/8
P-28	Long Taper Punch	1/4		Chisel	
P-32	Prick Punch	-			
P-40	Center Punch	-			

Description

Features

· Heavy duty construction for strength and durability.

WILLIAMS

17 PIECE PUNCH & CHISEL SET Packed in a Pouch

PC-17 17 Piece Punch & Chisel Set Contents Include:



8 PIECE PUNCH & CHISEL SET

Packed in a Pouch

Product Code	Description
PC-8	8 Piece Punch & Chisel Set

Contents Include:

Product		Point Diameter	Product		Blade Width
Code	Description	(Inches)	Code	Description	(Inches)
P-4	Pin Punch	1/8	C-10	Cold Chisel	5/16
P-6	Pin Punch	3/16	C-16	Cold Chisel	1/2
P-8	Pin Punch	1/4	C-24	Cold Chisel	3/4
P-15	Solid Punch	5/32			
P-40	Center Punch	-			

Features

· Heavy duty construction for strength and durability.





8 PIECE CHISEL SET

D -	- 1	_	•	_	n -	 ı.

. aonoa m a i oaon		
Product Code	Description	
CS-8	8 Piece Chisel Set	

Contents Include:

Product		Blade Width	Product		Blade Width
Code	Description	(Inches)	Code	Description	(Inches)
C-40	Cape Chisel	3/16	C-60	Diamond Point Chisel	1/4
C-42	Cape Chisel	1/4	C-62	Diamond Point Chisel	3/8
C-44	Cape Chisel	5/16	C-72	Round Nose Chisel	1/4
C-46	Cape Chisel	3/8	C-74	Round Nose Chisel	3/8

Features

· Heavy duty construction for strength and durability.





9 PIECE COLD CHISEL SET

		_		_	_
Par	ked	in	а	P۸	uch

Product Code	Description
CS-9	9 Piece Cold Chisel Set

Contents Include:

••••••	o.u.uo.				
Product Code	Description	Blade Width (Inches)	Product Code	Description	Blade Width (Inches)
C-8	Cold Chisel	1/4	C-24	Cold Chisel	3/4
C-10	Cold Chisel	⁵ / ₁₆	C-28	Cold Chisel	7/8
C-12	Cold Chisel	3/8	C-32	Cold Chisel	1
C-16	Cold Chisel	1/2	C-36	Cold Chisel	1 1/8
C-20	Cold Chisel	5/2			

Features

· Heavy duty construction for strength and durability.











SETS/PUNCHES









17 PIECE PUNCH SET

Packed in a Pouch		
Product Code	Description	
PS-17	17 Piece Punch Set	

Contents Include:

Product		Tip Diameter	Product		Tip Diameter
Code	Description	(Inches)	Code	Description	(Inches)
P-3	Pin Punch	3/32	P-16	Solid Punch	3/16
P-4	Pin Punch	1/8	P-17	Solid Punch	1/4
P-5	Pin Punch	5/32	P-25	Long Taper Punch	5/32
P-6	Pin Punch	3/16	P-26	Long Taper Punch	3/16
P-8	Pin Punch	1/4	P-28	Long Taper Punch	1/4
P-10	Pin Punch	5/16	P-30	Prick Punch	
P-13	Solid Punch	3/32	P-40	Center Punch	-
P-14	Solid Punch	1/8	P-42	Center Punch	-
P-15	Solid Punch	5/32			

Features

· Heavy duty construction for strength and durability.



4 PIECE CENTER PUNCH SET

Packed in a Pouch	
-------------------	--

Product Code	Description
PS-4	4 Piece Center Punch Set

Contents Include:

Product		Stock Diameter	Product		
Code	Description	(Inches)	Code	Description	Stock Diameter (Inches)
P-38	Center Punch	1/4	P-40	Center Punch	3/8
P-39	Center Punch	5/16	P-42	Center Punch	1/2

Features

· Heavy duty construction for strength and durability.



12 PIECE PILOT PUNCH SET

Packed in a Pouch		
Product Code	Description	
PS-12	12 Piece Pilot Punch Set	

Contents Include:

Product Code	Point Diameter	Product Code	Point Diameter
P-51	1/16	P-57	7/32
P-52	5/64	P-58	1/4
P-53	3/32	P-59	5/16
P-54	1/8	P-60	3/8
P-55	5/32	P-61	7/16
P-56	3/16	P-62	1/2

- Designed to apply equal pressure to the end of a pin driving it straight through the hole.
 The ball on the center of the point end assures proper contact with the pin eliminating damage to the pin or hole wall.

PILOT/BRASS DRIFT PUNCH AND CHISEL HOLDER/CHISELS

WILLIAMS

8 PIECE PILOT PUNCH SET

Packed in a Pouch

Product Code	Description
PS-8	8 Piece Pilot Punch Set

Contents Include:

Product Code	Point Diameter	Product Code	Point Diameter	
P-51	1/16	P-55	5/32	
P-52	5/64	P-56	3/16	
P-53	3/32	P-57	7/32	
P-54	1/8	P-58	1/4	

Features

- Designed to apply equal pressure to the end of a pin driving it straight through the hole.
- The ball on the center of the point end assures proper contact with the pin eliminating damage to the pin or hole wall.





3 PIECE BRASS DRIFT PUNCH SET

Packed in a Pouch

Product Code	Description
PS-3	3 Piece Brass Drift Punch Set

Contents Include:

Product Code	Point Diameter	
P-63	3/8	
P-64	1/2	
P-65	3/4	

Features

• For aligning unhardened steel or aluminum





PUNCH AND CHISEL HOLDER

Comfort Grip Handle

Product Code	Description
28449	7/8

Features

- Holds chisel and punch securely
- · Protect user from hand injury





COLD CHISELS

Heavy Duty Industrial Grade				
Product Code	Stock Size	Blade Width (Inches)	Length (Inches)	
C-8	1/4	1/4	5	
C-10	1/4	5/16	5	
C-12	5/16	3/8	5 1/2	
C-15	3/8	7/16	6	
C-16	7/16	1/2	6	
C-16 C-20	1/2	5/8	6 ½	
C-24	5%	3/4	7	
C-28	3/4	7/8	7 1/2	
C-32	7/8	1	8	
C-36	7/8	1 1/8	8	

- The most commonly used chisels in the chisel line.
- For cutting, shaping and removing metal softer than the cutting edge of the chisel.












CHISELS





EXTRA-LONG COLD CHISELS

Heavy Duty Industrial Grade

Product Code	Stock Size	Blade Width (Inches)	Length (Inches)
C-120	1/2	5/8	12
C-124	5/8	3/4	12
C-125	5/8	3/4	14
C-126	5/8	3/4	18
C-132	3/4	1	12
C-133	3/4	1	18

Features

 Designed for cutting, shaping and removing metal softer than the cutting edge of the chisel.



RIVET-BUSTER CHISEL

Heavy Duty Industrial Grade

Product Code	Stock Size	Blade Width (Inches)	Length
Product Code	Size	unchesi	(Inches)
C-422	5/8	3/4	12

Features

. Designed for shearing bolt heads and rivets.



CAPE CHISELS

Heavy Duty Industrial Grade

Product Code	Stock Size	Blade Width (Inches)	Length (Inches)
C-40	3/8	3/16	5 %
C-42	3/8	1/4	5 %
C-44	1/2	5/16	6 1/4
C-46	5/8	3/8	7

Features

Designed for cutting or grooving keyholes or slots.



DIAMOND POINT CHISELS

Heavy Duty Industrial Grade

Product Code	Stock Size	Square Cut	Length (Inches)
C-60	3/8	1/4	5 ¾
C-62	5/8	3/8	7

Features

 Designed for making a V-groove in metal and to clean out inside corners.



ROUND NOSE CHISELS

Heavy Duty Industrial Grade

Product Code	Stock Size	Blade Width (Inches)	Length (Inches)
C-72	3/8	1/4	5 ¾
C-73	1/2	5/16	6 1/4
C-74	5/8	3/8	7
C-75	3/4	1/2	8

Features

• Designed for cutting or grooving keyholes or slots.

PILOT/PIN/SOLID



PILOT PUNCHES

Heavy I	Duty	Industrial	Grade
		Stock	Point

Product Code	Stock Size	Point Diameter	Length (Inches)
P-51	1/4	1/16	2 3/4
P-52	1/4	5/64	3 1/4
P-53	1/4	3/32	3 1/2
P-54	1/4	1/8	4
P-55	1/4	5/32	4 1/2
P-56	3/8	3/16	4 1/2
P-57	3/8	7/32	5
P-58	7/16	1/4	5 1/2
P-59	7/16	5/16	6
P-60	1/2	3/8	6
P-61	5/8	7/16	6
P-62	5/8	1/2	6



Features

- Designed to apply equal pressure to the end of a pin driving it straight through the hole.
- The ball on the center of the point end assures proper contact with the pin eliminating damage to the pin or hole wall.



PIN PUNCHES

Heavy Duty Industrial Grade

Product Code	Stock Size	Point Diameter	Length (Inches)
P-3	5/16	3/32	4 1/2
P-4	5/16	1/8	4 3/4
P-5	5/16	5/32	5
P-6	3/8	3/16	5 ½
P-8	3/8	1/4	5 ¾
P-10	⁷ / ₁₆	5/16	6



Features

 For driving out and removing already loosened pins and keys after initial movement by a solid or starter punch.



SOLID PUNCHES

Heavy Duty Industrial Grade

Product Code	Stock Size	Point Diameter	Length (Inches)
P-12	3/8	1/16	5
P-13	3/8	3/32	5
P-14	3/8	1/8	5
P-15	3/8	5/32	5
P-16	3/8	3/16	5
P-18	3/8	7/32	5
P-17	3/8	1/4	5



- For loosening frozen or tight pins and keys or knocking out rivets.
- Also called starter punches because they are ideal for loosening frozen pins.

















LONG TAPER PUNCHES

Heavy Duty Industrial Grade

Product Code	Stock Size	Point Diameter	Length (Inches)
P-24	5/16	1/8	8
P-25	3/8	5/32	9
P-26	1/2	³ / ₁₆	10
P-28	5/8	1/4	12
P-28A	3/4	1/4	15
P-29	5/8	5/16	16
P-27	3/4	3/8	15

Features

- Designed for aligning the holes in metal pieces through which rivets, bolts, or screws will be inserted.
- Not intended for driving pins as punch may become stuck in work.
- Also called line-up aligning or drift punches.



CENTER PUNCHES

Heavy Duty Industrial Grade

Product Code	Stock Size	Blade Width (Inches)
P-38	1/4	4
P-39	5/16	4 1/2
P-40	3/8	5
P-42	1/2	6

Features

 Pierces or marks work by indentation for starting pilot drills in metal or other materials.

WILLIAMS

PRICK PUNCHES

Heavy Duty Industrial Grade				
Product Code	Stock Size	Length (Inches)		
P-30	3/8	5		
P-32	1/2	6		

Features

- For scribing lines into metal before cutting or riveting, and for punching starting holes for short metal screws.
- Point is more tapered than center punch.



BRASS DRIFT PUNCHES

Packed in a Pouch

Product Code	Body Size	Overall Length (Inches)
P-63	3/8	6
P-64	1/2	7
P-65	3/4	8

Features

P-64

• For aligning unhardened steel or aluminum



4 PIECE PINCH & ROLL BAR SET

Heavy Duty Industrial Grade


Product Code	Description
PBS-7	4 Piece Pinch & Roll Bar Set

Contents Include:

Product Code	Description	Stock Diameter (Inches)
C-80A	Pinch Bar	3/4
C-82A	Pinch Bar	3/4
C-715	Roll Bar	1/2
C-718	Roll Bar	5/8

Features

Heavy duty construction for strength and durability.





PRY BARS - SCREWDRIVER TYPE

Contents Include:

Product Code	Size	Overall Length (Inches)	Product Code	Size	Overall Length (Inches)
C-807	3/8	12	C-836	5/8	36
C-812	3/8	17	C-842	5/8	42
C-818	1/2	25	C-844	7/8	44
C-824	1/2	31	C-858	3/4	58
Product Co	de		Descriptio	n	
C 803			3 Diago Dry Ra	r Sot	

Contents Include:

Product Code	Overall Length (Inches)	
C-807	12	
C-812	17	
C-818	25	

- Blade is heat-treated the entire length.
- . Handle is ergonomically designed to provide a more comfortable and secure grip
- Curved blade style gives extra leverage
- . Capped end allows for striking without damage to handle











PRYBARS/NAIL PULLER





LIGHTWEIGHT HANDLE PRY BARS

Single Curved Tip

Product Code	Overall Length (Inches)	Product Code	Overall Length (Inches)
C-90	30	C-92	41 ½
C-91	35 ½	C-93	48 1/2

Double End

Product code	Overall length (Inches)	Product code	Overall length (Inches)
C-100	33	C-102	44
C-101	38	C-103	50

Features

- Designed with drop forged hardened steel point & wedge ends
- Rust resistant black finish
- Pry bar is chemically bonded to the fiberglass handle.
- . Half the weight of steel pry bars
- Handle resists heat & cold less flex than a steel bar
- Non-Conductive fiberglass provides insulation from electrical shock
- Used by:
 - Contractors & mechanics for construction & auto repair
 - Municipalities for safe prying, lifting & digging
 - Fire & Police Forcible entry





LADYFOOT PRY BARS

Product Code	Stock Size	Overall Length (Inches)
C-612	1/2	12
C-616	5/8	16
C-621	3/4	21

- Curved end ensures better leverage in small areas.
- Other end for aligning work.

PRY BARS



PINCH BARS

Heavy Duty Industrial Grade

Product Code	Overall Length (Inches)	Stock Size	Width of Flat (Inches)
C-80	14	1/2	5/8
C-82	16	5/8	3/4
C-82A	18	3/4	7/8
C-83	20	3/4	7/8
C-80A	24	3/4	7/8
C-84	30	7/8	1
C-85	38	3/4	7/8
C-86	42	7/8	1

Features

• Used for aligning, prying and positioning.





ROLL BARS

Heavy	Duty	Industria	Grade
iieavv	Duly	HIUUSHIA	ı Graue

Product Code	Overall Length (Inches)	Stock Size
C-709	9	3/8
C-715	16	1/2
C-718	18	5/8

Features

• Aligning and pry bar with long tapered body and 90° rolling head.





2 PIECE COMFORT GRIP PRYBAR SET

Bi-Mold Comfort Grip Handles

	•		
Product Code	Description		
21661 2 Piece Comfort Grip Prybar S			
Contents Includ	le:		
Size	Overall Length (Inches)		
Small	8		
Large	18		

- Bi-mold handles provide comfortable grip, reducing hand fatigue.
- Thumb stop on handle provides control during use.
- Fulcrum end provides extra prying power.













WE CONTINUE TO INNOVATE TO DELIVER SAFETY AND PRODUCTIVITY TO OUR CUSTOMERS

SCRAPERS/TIN SNIPS

WILLIAMS

GASKET SCRAPER

Plastic Handle

Product Code	Blade Length (Inch)	Overall Length	Blade Width
GSC-12	8 ⁷ / ₈	13	1 1/2

Features

- Designed for removing gaskets and carbon.
- Comfortable four-sided yellow plastic handle.
- Blade coated to resist corrosion.





GASKET SCRAPER

Bi-Mold Comfort Grip Handle

Product Code	Blade Length (Inch)	Overall Length	Blade Width
40000	6	9 3/4	7/8

Features

- Bi-mold handle provides comfortable grip, reducing hand fatigue.
- Ideal for gasket removal and cleaning rust and corrosion.





STRAIGHT PATTERN TIN SNIPS

Double-Dipped Plastic Handles

Product Code	Overall Length (Inches)	Cutting Length (Inches)	Cutting Capacity (Cold-Rolled/Stainless)
28301	7	1 %16	24 ga. CR / 32 ga. SS
28305	10	2	22 ga. CR / 28 ga. SS
28307	12	2 3/4	20 ga. CR / 24 ga. SS
28309	14	3	18 ga. CR /22 ga. SS

28351 2 Piece Straight Pattern Tin Snips Set in Pouch

Contents Include:

Product Code	Description	Product Code	Description
28301	7" Tin Snips	28307	12" Tin Snips

- Forged steel blades.
 Double-dipped handles provide comfortable grip, reducing hand fatigue.
 Cut straight lines and wide curves.
 Meet ANSI and DIN standards.










AVIATION SNIPS









AVIATION SNIPS

Bi-Mold Comfort Grip Handles

Product Code	Cutting Direction	Overall Length (Inches)	Cut Length (Inches)	Cutting Capacity (cold-rolled/stainless)
28201	Left	9 3/4	1 %	18 ga.CR / 22 ga.SS
28203	Right	9 3/4	1 ¾	18 ga.CR / 22 ga.SS
28205	Straight	9 ¹³ / ₁₆	1 ½	18 ga.CR / 22 ga.SS

28251 3 Piece Aviation Snips Set in Pouch

Contents Include:

Product Code	Description	Product Code	Description
28201	Left-cut snips	28205	Straight-cut snips
28203	Right-cut snips		

Features

- Color-coded handles help quickly identify the cutting direction.
- Bi-mold handles provide comfortable grip, reduces hand fatigue.
 Meet ANSI and DIN standards.



OFFSET AVIATION SNIPS

Bi-Mold Comfort Grip Handles

Product Code	Cutting Direction	Overall Length (Inches)	Cut Length (Inches)	Cutting Capacity (Cold-Rolled/Stainless)
28231	Left and Straight	9 1/4	1 3/16	18 ga.CR / 22 ga.SS
28233	Right and Straight	9 ½	1 3/16	18 ga.CR / 22 ga.SS

28253 2 Piece Offset Aviation Snips Set in Pouch

Contents Include:

Product Code	Description	Product Code	Description
28231	Left and Straight Cut	28233	Right and Straight Cut

Features

- Color-coded handles help quickly identify the cutting direction.
- Bi-mold handles provide comfortable grip, reduces hand fatigue.
- Meet ANSI and DIN standards.
- Offset blades keeps user's hands above the work for safety and flow material away from blades for speed.



SPECIALTY AVIATION SNIPS

Bi-Mold Comfort Grip Handles

Product		Overall Length	Cut Length	Cutting Capacity
Code	Style	(Inches)	(Inches)	(Cold-Rolled/Stainless)
28211	Bulldog - Notch	9	1	16 ga.CR / 18 ga.SS
28221	Long Cut - Straight	11 %	3	20 ga.CR / 26 ga.SS

28255 2 Piece Specialty Aviation Snips Set in Pouch

28255 2 Piece Specialty Snips Set. Includes one each Bulldog and Long Cut snips above. **Contents Include: Product Code** Product Code Description Description 28211 Bulldog - Notch 28221 Long Cut - Straight

- Bulldog snips notches and cuts rolled edges, seams, and thick sheet During strips notches and cuts rolled edges, seams, and thick stretched by the control of the control of the control of the cutting direction.
 Color-coded handles help quickly identify the cutting direction.
 Bi-mold handles provide comfortable grip, reduces hand fatigue.
 Meet ANSI and DIN standards.

UTILITY TOOLS/ CREEPERS



UTILITY TOOLS AND SETS

Bi-Mold Comfort Grip Handles				
Product Code	Description	Contents Include		
40201	4 Piece Mini Pick & Hook Set	Straight pick		
		45° bent tip pick 90° bent tip pick		
		Full semi-circular hook		
40251	4 Piece Utility Tool Set	Gasket scraper		
	•	Scratch awl		
		Cotter pin puller		
		Hose removal tool		
40150	Magnetic pick-up tool with telescoping shaft	N/A		

Features

- Bi-mold handles provide comfortable grip, reducing hand fatigue.
- Use for scribing, alignment, o-ring removal, and parts cleaning.
- . Small size makes them ideal for hard to reach work surfaces.
- Telescopic pick-up tool features powerful magnetic tip.
- Magnetic pick-up tool extended length is 181/4, pick-up weight is 11/4 pounds
- 40201 Overall length: 6 inches, handle length: 2 3/4"







40150



CREEPERS

Heavy Duty - Low Profile

Product Code	Description
42301	Heavy-Duty Drop-Shoulder Creeper
42302	Mechanic's Seat Creeper
42304A	Adjustable-Height Swivel Seat-Creeper

Features - Heavy-Duty Drop-Shoulder Creeper

- . Low-profile design rests only 2" from the ground.
- Drop-rail design allows greater shoulder and arm clearance.
- 16 gauge, 3/4" square-stock steel frame.
- 1" padding on bed and 2" padding on headrest.
- Six 2-1/2" diameter hooded casters shield user's clothing from dirt and grease.

Features - Mechanic's Seat Creeper

- Seat is topped with comfortable 1-½" thick foam padding.
- 1" square-stock steel frame.
- Four 2-1/2" diameter hooded casters shield user's clothing from dirt and grease.
- Heavy-duty 3-section plastic pan stores tools and small parts.

Features - Adjustable-Height Swivel Seat-Creeper

- Height adjusts from 17" to 22".
- Seat swivels a full 360°.
- Four 2-1/2" diameter hooded casters shield user's clothing from dirt and grease.
- · Steel tube frame supports cylinder for ultimate strength.
- · Bottom pan serves as storage for tools and small parts.









EXTRACTORS / FEELER GUAGES











FLUTED SCREW EXTRACTORS

Straight, Product Code	Tapered Flutes Drill Size (Inches)	For Use on Bolt Sizes (Inches)
EX-21A	1/8	1/4 to 5/16
EX-21B	3/16	3/8
EX-22A	7/32	7/16
EX-24A	5/16	½ to %16
EX-25B	3/8	5/8
EX-25A	15/32	3/4
EX-26A	9/16	7/8
EX-28	21/32	1 to 1 1/8
EX-29	13/16	1 1/4 to 1 3/8
EX-30	1 1/16	1 ½

EXS-30 Contents Include:

Product Code	Product Code	Product Code
EX-21A	EX-22A	EX-25B
EX-21B	EX-24A	EX-25A

EXS-10 10 Piece Screw Extractor Set Contents Include:

Product Code	Product Code	Product Code	Product Code	Product Code
EX-21A	EX-22A	EX-25B	EX-26A	EX-29
EX-21B	EX-24A	EX-25A	EX-28	EX-30

Features

- Designed for quick, easy removal of left or right-handed
- broken screws, bolts, studs or other threaded forms.
- Drill bit sizes to be used are stamped on each extractor.

 A hole is first drilled in the broken stem and the right size Williams extractor is then inserted.



FEELER GAUGE SET

Heavy Duty I	Machine Shop	Tools	
Product Code	Description	Thickness	N

Product Code	Description		Number of Blades
GS-1	Master Feeler Gauge Set	.0015 - 1/32	25

Features

- 25 blades 3-5/16" x 1/2" in the following thicknesses: .0015, .002, .003, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .018, .020, .022, .024, .025, .028, .030, .032, and .035.
- Both decimal and equivalent metric size etched in each blade. Gauges supplied in holder with knurled lock-nut which allows the user to select the required blade size and lock it into position.

GS-2 Standard	d Feeler Gauge Set	.002015	10

Features

- 10 blades 3" x 1/2" in the following thicknesses: .002, .003, .004, .005, .006, .007, .008, .010, .012, .015.
- Both decimal and equivalent metric size etched in each blade.
- Gauges supplied in holder with knurled lock-nut which allows the user to select the required blade size and lock it into position.

Product Code	Description	Thickness	Number of Blades
GS-3	Combination Feeler Gauge Set	.002025	22

- Contains total of 22 blades.
- 10 blades 3"x 1/2" in the following thicknesses: .002, .003, .004, .005, .006, .007, .008, .010, .013, .015.
 12 blades 1-3/4" x 1/4" in the following thicknesses: .011, .012, .013, .014,
- .015, .016, .017, .018, .019, .020, .022, .025.

- Overall length 5".

 Both decimal and equivalent metric size etched in each blade.

 Gauges supplied in holder with knurled lock-nut which allows the user to select the required blade size and lock it into position.

Product Code	Description	Thickness	Number of Blades
GS-4	Piston Feeler Gauge Set	.002015	8

- Features

 8 blades 9" x 1/2" in the following thicknesses: .002, .003, .004, .005, .006, .008, .010, .015.
- Both decimal and equivalent metric size etched in each blade.
- Gauges supplied in holder with knurled lock-nut which allows the user to select the required blade size and lock it into position.

UTILITY KNIVES



FOLDING UTILITY KNIFE

Uses Heavy-Duty .025" Thick 2-Notch Blades

Product Code	Description
40058	Folding Utility Knife

Features

- · Blade safely locks in place when open.
- Quick-change thumb stud release allows for easy blade replacement.
- Stainless steel clip secures knife on belt or in pocket.
- Includes (1) .025" blade.





AUTOLOAD QUICK-BLADE UTILITY KNIFE

Includes Heavy-Duty .025" Thick 2-Notch Blades

Product Code	Description	
40052	Autoload Quick-Blade Utility Knife	

- Blade is easily removed or reversed from the front with push-button ease.
- New blade is automatically loaded from 5-blade magazine.
 Spring-loaded cover makes reloading quick and tool-free.
 Includes (5) .025" blades.





UTILITY KNIFE BLADES

Feature Heavy-Duty .025" Thick 2-Notch Blades

Product Code	Description
40072	Quickblade Dispenser Includes (100) .025" 2-Notch Blades
40076	.025" Hook Blades (100)
40078	5-Pack Carded 2-Notch Blades

Features

 Quickblade dispensers allow fast and safe blade handling, with convenient storage for used blades.



40072







UTILITY KNIVES





SAFETY UTILITY KNIVES & BLADES

Product Code	Description
40080	Ambidextrious Safety Cutter with Holster and Lanyard
40086	5-Pack Replacement Safety Point Blades for 40080
40088	3-Pack Film Cutter Unit for 40080

Features

- · Guarded spring-back blade
- Variable blade depth control for top cuts and tray cuts
- · Integrated film and shrink cutter
- Safety point blade standard
- 1 step blade change
- · Integrated tape splitter

Applications: cuts corrugated, cartons, taped boxes, tape, strapping, packing film and shrink film.





DISPOSABLE SAFETY CUTTER

Product Code	Description
40082	Lightweight, ergonomic, ambidextrious disposable safety cutter

Features

- Retracting safety hooded guard prevents cuts
- NSF certified for food areas
- Safety point blade included standard
- Integrated tape splitter
- · Stainless steel blade for hygiene
- 3-button mechanism for top and side cuts

Applications: multi purpose cutting, food processing areas, cuts corrugate, cartons, taped boxes, film and shrink





DISPOSABLE FILM CUTTER

Product Code	Description
40084	Durable plastic construction and a long-lasting super sharp blade

Features

- · Suitable for use in food areas
- Integrated tape slitter
- Stainless steel blade for hygiene

Applications: cuts tape, strapping, shrink wrap and film